```
                          GenCore version 5.1.8
                          Copyright (c) 1993 - 2006 Biocceleration Ltd.

OM nucleic - nucleic search, using sw model

Run on:          May 11, 2006, 01:08:39 ; Search time 15351 Seconds
                                          (without alignments)
                                          11560.501 Million cell updates/sec

Title:           US-10-760-320A-102
Perfect score:   3122
Sequence:        1 actagagggtggggttagcggc..........acagagcaagactctgtctc 3122

Scoring table:   IDENTITY_NUC
                 Gapop 10.0 , Gapext 1.0

Searched:        5883141 seqs, 2842172565З residues

Total number of hits satisfying chosen parameters:          11766282

Post-processing: Minimum Match 0%
Minimum DB seq length: 0
Maximum DB seq length: 2000000000
                 Maximum Match 100%
                 Listing first 45 summaries

Database :       GenBmbl:*
                 1:  gb_ba:*
                 2:  gb_in:*
                 3:  gb_env:*
                 4:  gb_om:*
                 5:  gb_ov:*
                 6:  gb_pat:*
                 7:  gb_ph:*
                 8:  gb_pr:*
                 9:  gb_ro:*
                 10: gb_sts:*
                 11: gb_sy:*
                 12: gb_un:*
                 13: gb_vi:*
                 14: gb_htg:*
                 15: gb_pl:*

'                Pred. No. is the number of results predicted by chance to have a
                 score greater than or equal to the score of the result being printed,
                 and is derived by analysis of the total score distribution.
```

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	3122	100.0	3122	6	CQ841455	CQ841455 Sequence
2	3122	100.0	3122	8	AK124499	AK124499 Homo sapi
c 3	2892.8	92.7	191925	8	AC008736	AC008736 Homo sapi
c 4	2892.8	92.7	216441	14	AC027340	AC027340 Homo sapi
c 5	2860.8	91.6	186115	8	AC008474	AC008474 Homo sapi
6	2308	73.9	2327	6	CQ850499	CQ850499 Sequence
7	2308	73.9	2327	8	AK127646	AK127646 Homo sapi
8	1024.4	32.8	216441	14	AC027340	AC027340 Homo sapi
9	753.8	24.1	21179	9	AC151531	AC151531 Mus muscu
10	753.8	24.1	222531	14	AC166160	AC166160 Mus muscu
11	738	23.6	6560	9	AY229888	AY229888 Mus muscu
c 12	711.8	22.7	255844	14	AC128498	AC128498 Rattus no
c 13	709.8	22.7	220118	14	AC136661	AC136661 Rattus no
14	706.4	22.6	708	6	CQ748891	CQ748891 Sequence
15	704.2	22.6	708	6	CQ746021	CQ746021 Sequence
16	646	20.7	708	8	HUMZDB5E06	HUMZDB5E06 Homo sa
17	490.4	15.7	714	9	AF483907	AF483907 Mus muscu
18	480.6	15.4	678	4	AF480475	AF480475 Bos tauru
19	312.6	10.0	4254	5	AY229887	AY229887 Gallus ga
20	312.6	10.0	149625	14	AC150109	AC150109 Gallus ga
21	312.6	10.0	200871	14	AC150036	AC150036 Gallus ga
22	263.2	8.4	449	10	G37408	G37408 SHGC-57769
23	235.2	7.5	4238	5	BC084074	BC084074 Xenopus l
24	181.8	5.8	95073	14	AC007272	AC007272 Homo sapi
25	181.4	5.8	128461	8	AL397741	AL397741 Human DNA
26	181.2	5.8	134443	14	AC015547	AC015547 Homo sapi
c 27	181.2	5.8	63437	8	HSJ964N17	HSJ964N17 Human DNA
c 28	181.2	5.8	160142	8	AC010836	AC010836 Homo sapi
29	181.2	5.8	165167	14	AC093684	AC093684 Homo sapi
c 30	181.2	5.8	211550	8	AC073912	AC073912 Homo sapi
31	180.4	5.8	161867	8	AC090513	AC090513 Homo sapi
32	180.4	5.8	185979	8	AC091296	AC091296 Pan trog1
33	180.4	5.8	245182	14	AC145940	AC145940 Pan trog1
34	180.2	5.8	159764	8	AC093866	AC093866 Homo sapi
35	180.2	5.8	185371	8	HS625H18	HS625H18 Human DNA
36	180	5.8	60368	8	CR383701	CR383701 Human DNA
37	180	5.8	153087	14	CR383701	CR383701 Human DNA
38	179.8	5.8	171631	14	AC017072	AC017072 Homo sapi
39	179.8	5.8	171788	14	AC062291	AC062291 Homo sapi
40	179.8	5.8	184927	14	AC073089	AC073089 Homo sapi
41	179.8	5.8	189825	8	AL683807	AL683807 Human DNA
c 42	179.8	5.8	193360	14	AL683875	AL683875 Human DNA
c 43	179.8	5.8	198764	8	AC021977	AC021977 Homo sapi
44	179.6	5.8	102370	8	AC103809	AC103809 Homo sapi
45	179.6	5.8	110019	8	AC068860	AC068860 Homo sapi

ALIGNMENTS

```
RESULT 1
CQ841455
LOCUS        CQ841455             3122 bp    DNA     linear     PAT 02-AUG-2004
DEFINITION   Sequence 102 from Patent EP1440981.
ACCESSION    CQ841455
VERSION      CQ841455.1   GI:50893242
KEYWORDS     .
SOURCE       Homo sapiens (human)
ORGANISM     Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE    1
AUTHORS      Isogai,T., Sugiyama,T., Otsuki,T., Wakamatsu,A., Sato,H., Ishii,S.,
             Yamamoto,J., Isono,Y., Nagai,K. and Irie,R.
TITLE        Full-length human cdna
JOURNAL      Patent: EP 1440981-A 102 28-JUL-2004;
             Research Association for Biotechnology (JP)
FEATURES             Location/Qualifiers
     source          1..3122
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
ORIGIN

Query Match             100.0%;  Score 3122;  DB 6;  Length 3122;
  Best Local Similarity   100.0%;
  Matches 3122;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy          1 ACTAGAGGGTGGGGTTAGCGGCTTGGAAGCACCGACCAACGTGAGCGACGCGGCAGGGAC 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 ACTAGAGGGTGGGGTTAGCGGCTTGGAAGCACCGACCAACGTGAGCGACGCGGCAGGGAC 60

Qy         61 ACCTGACACCCGGCGCGGCGCCCAGCCCCTCGGATTGCCAGTCACTCGCTTGGGGCACG 120
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 ACCTGACACCCGGCGCGGCGCCCAGCCCCTCGGATTGCCAGTCACTCGCTTGGGGGCACG 120

Qy        121 GAGGTGCCCAGTCCTGCGCGGGGCGCGCCACCCGAGCTCCTTCGTCGCGCGACAGGGTCAGT 180
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        121 GAGGTGCCCAGTCCTGCGCGGGGCGCGCCACCCGAGCTCCTTCGTCGCGACAGGGTCCGGAGTCAGT 180
```

Left column:

```
Qy   181  ATAGCTCGGGTTCTTAGTCCCATCACAGGCAGGCAAAAACTTCGGCGGGAGCGCTTGGGCTCCGGCCCCGCTTTTTA  240
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181  ATAGCTCGGGTTCTTAGTCCCATCACAGGCAAAAAACTCCGGCGGGAGCGCTTGGGCTCCGGCCCCGCTTTTTA  240

Qy   241  CCTGGGGCCTCAGTTTCCCCATCCGTAAAATAGAACGGGTTGGGATCTCCCGGCGGGCTAACA  300
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241  CCTGGGGCCTCAGTTTCCCCATCCGTAAAATAGAACGGGTTGGGATCTCCCGGCGGGCTAACA  300

Qy   301  TTCCAGAACTCGGATGGGGGCGAAGGGGGAGGGGGGATGGGGTGGGGACCTCCC  360
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301  TTCCAGAACTCGGATGGGGGCGAAGGGGGAGGGGGGATGGGGTGGGGACCTCCC  360

Qy   361  CCGGTGGAGCCCGCCTACCACTGATCCAGGGGGTGGGCAGCTCCGGCTCGGGACGAGCCGG  420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361  CCGGTGGAGCCCGCCTACCACTGATCCAGGGGGTGGGCAGCTCCGGCTCGGGACGAGCCGG  420

Qy   421  GTGGGGCGGGGTCCTTAGGAAAACCCTACCCGGCGCGCCCCTTGGCCGGGAGGGGCG  480
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421  AGTGCGCGCCTGGGGAATGGCAGAGGGACGGGGGCGGGGGGGACCCGCTAAACGGGC  480

Qy   481  CGGCTCTCGCAGCCTGCTTGCACCCACGGGACCGCACCCTC  540
          |||||||||||||||||||||||||||||||||||||||||
Db   481  CGGCTCTCGCAGCCTGCTTGCACCCACGGGACCGCACCCTC  540
```

RESULT 2
AK124499

LOCUS   AK124499   3122 bp   mRNA   linear   PRI 09-SEP-2003
DEFINITION Homo sapiens cDNA FLJ42508 fis, clone BRACE2043665.
ACCESSION   AK124499
VERSION   AK124499.1 GI:34520295
KEYWORDS   oligo capping; fis (full insert sequence).
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Kawakami,B., Sugiyama,A., Takemoto,M., Sugiyama,T., Irie,R.,
            Otsuki,T., Sato,H., Wakamatsu,A., Ishii,S., Yamamoto,J., Isono,Y.,
            Kawai-Hio,Y., Saito,K., Nishikawa,T., Kimura,K., Yamashita,H.,
            Matsuo,K., Nakamura,Y., Nakamura,Y., Sekine,M., Kanda,K.,
            Wagatsuma,M., Murakawa,K., Kanehori,K., Takahashi-Fujii,A.,

  TITLE   NEDO human cDNA sequencing project
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 3122)
  AUTHORS   Isogai,T. and Yamamoto,J.
  TITLE   Direct Submission
  JOURNAL   Submitted (15-JUL-2003) Takao Isogai, FLJ Project(HRI Team); 2-6-7
            Kazusa-Kamatari, Kisarazu, Chiba 292-0818, Japan
            (E-mail:genomics@nhri.co.jp, Tel:81-438-52-3975, Fax:81-438-52-3986)
REFERENCE   (bases 1 to 3122)
  AUTHORS   Oshima,A., Suzuki,Y., Sugano,S., Nagahari,K., Masuho,Y., Nagai,K.
            and Isogai,T.

COMMENT   NEDO human cDNA sequencing project supported by Ministry of
            Economy, Trade and Industry of Japan; cDNA full insert sequencing:
            Research Association for Biotechnology (RAB); cDNA library
            construction: Helix Research Institute (HRI) (supported by Japan
            Key Technology Center etc.); 5'- & 3'-end one pass sequencing: RAB,
            HRI, and Biotechnology Center, National Institute of Technology and
            Evaluation; clone selection for full insert sequencing: HRI and
            RAB; annotation: HRI and RAB.

FEATURES   Location/Qualifiers
     source   1..3122
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="BRACE2043665"
                     /tissue_type="cerebellum"
                     /clone_lib="BRACE2"
                     /note="cloning vector: pME18SFL3"
     CDS   858..1565
                     /note="unnamed protein product"
                     /codon_start=1
                     /protein_id="BAC85865.1"
                     /db_xref="GI:34520296"
                     /translation="MAREECKALLDGLNKTTACYHHDLVLTVGGSADSQNLRQELQKTR
                     QKAQELAVSTCARLTAVLRDRGLAAEDERAEFERLWVAFSGICLDLLEADMRRSLELGAA
                     FPLHAPPRPLVRTGVAGASSGVAARALSTRSLRLEAEGDFDVADLRELEREVLQVGEM
                     IDNMEMKVNVPRWTVQARQAAGAELLSTVSAGPSSVVSLQERRGGCDPRKALAAILFG
                     AVILAAVALAVCVAKLS"

ORIGIN

Query Match   100.0%; Score 3122; DB 8; Length 3122;
Best Local Similarity   100.0%;
Matches 3122; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 ACTRAGAGGTGGGGGTTAGGCCCTTGGAAGCACCGACCAACGTGAGCGCCAGCGGGGAC 60
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 ACTRAGAGGTGGGGGTTAGGCCCTTGGAAGCACCGACCAACGTGAGCGCCAGCGGGGAC 60

Qy   61 ACCTGACCCCCGGCGGCGGCGCCCAGCCCCCTCGGATTGCCAGTCACTGCTTCGCTTTGGGGCACG 120
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 ACCTGACCCCCGGCGGCGGCGCCCAGCCCCCTCGGATTGCCAGTCACTGCTTCGCTTTGGGGCACG 120

Qy   121 GAGGTGCCCAGTCCTGCGGGGGCACCCGACGTCCGTGCGCCGGCACAGGGGTCGGGAGTCAGT 180
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 GAGGTGCCCAGTCCTGCGGGGGCACCCGACGTCCGTGCGCCGGCACAGGGGTCGGGAGTCAGT 180

Qy   181 ATAGCTGGGGTTCTRAGTCCCATCACAGGCAAAAAACTCCGCGGGGGGCCCGCTTTTA 240
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 ATAGCTGGGGTTCTRAGTCCCATCACAGGCAAAAAACTCCGCGGGGGGCCCGCTTTTA 240

Qy   241 CCTGGGGCCTCAGTTTCCCCATCCGTAAAATAGAACAGGGGTTGGATCTCCGAGCGGTAACA 300
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 CCTGGGGCCTCAGTTTCCCCATCCGTAAAATAGAACAGGGGTTGGATCTCCGAGCGGTAACA 300

Qy   301 TTCCAGAACTCGGATGGGGCCGGAGGGGAGGGGAGATGGGGCCACCCACACGTGACCTCCC 360
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 TTCCAGAACTCGGATGGGGCCGGAGGGGAGGGGAGATGGGGCCACCCACACGTGACCTCCC 360

Qy   361 CGGCGTGGAGCCCCGCCCTACCCACTGATCCAGGGGGTGGGCAGCTCCGGGCCGGGACGCGGG 420
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 CGGCGTGGAGCCCCGCCCTACCCACTGATCCAGGGGGTGGGCAGCTCCGGGCCGGGACGCGGG 420

Qy   421 GTGGGCGGGGTCCTAGGAAACCCTACCCCGGGCCGCGCCCTTGGCAGCGGCCTAAGGCCGGAGCGCG 480
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421 GTGGGCGGGGTCCTAGGAAACCCTACCCCGGGCCGCGCCCTTGGCAGCGGCCTAAGGCCGGAGCGCG 480

Db   2341 GGGTAAGAGGAAGAAGCAGAGGAGGGGGTAGGGCGTAGGGGCCACTGGGTGTGTTTAAACAGCAGCACTTTC 2400

Qy   2401 TCCTTCTCTGGGGCCTTATTTTTGTTCAGAACTAGACACAGAGTGTTGAACCTCCTTTGCA 2460
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2401 TCCTTCTCTGGGGCCTTATTTTTGTTCAGAACTAGACACAGAGTGTTGAACCTCCTTTGCA 2460

Qy   2461 GGAGGGGCTGGGAATCCTCTTTAGACACTTAATCCTATTATCCCCTGGAATGTGCGTGC 2520
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2461 GGAGGGGCTGGGAATCCTCTTTAGACACTTAATCCTATTATCCCCTGGAATGTGCGTGC 2520

Qy   2521 TGGCCAGTAGGAGGGGGCTGGGCTTGGCAGCTCCCTGACCCCCCGCGGGGCGGCCGCCCGG 2580
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2521 TGGCCAGTAGGAGGGGGCTGGGCTTGGCAGCTCCCTGACCCCCCGCGGGGCGGCCGCCCGG 2580

Qy   2581 GGTAAGTGGGCATTACTGGCCCCACGAGGGTTTGAGCCAAATCAGCTCTGAGACTGGGGTTA 2640
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2581 GGTAAGTGGGCATTACTGGCCCCACGAGGGTTTGAGCCAAATCAGCTCTGAGACTGGGGTTA 2640

Qy   2641 GAATGTAACAGCTTTAACTTGGGATTTTAAGAAGCTTTTAAAAGGTAATAATCCTCTGAAA 2700
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2641 GAATGTAACAGCTTTAACTTGGGATTTTAAGAAGCTTTTAAAAGGTAATAATCCTCTGAAA 2700

Qy   2701 GAAAAAATGACGTAACCACGAGCGTGTACTGTTTATTTTAATTAAAAGGAACGGCTGG 2760
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2701 GAAAAAATGACGTAACCACGAGCGTGTACTGTTTATTTTAATTAAAAGGAACGGCTGG 2760

Qy   2761 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATCTTTAYGTAGATACTTAGATT 2820
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2761 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATCTTTAYGTAGATACTTAGATT 2820

Qy   2821 ACTAAATATATTATTTCATCTACTTCTGAAGTTGATGAGTTAGTTCTTTCCCCCCCCACTTTTT 2880
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2821 ACTAAATATATTATTTCATCTACTTCTGAAGTTGATGAGTTAGTTCTTTCCCCCCCCACTTTTT 2880

Qy   2881 TCTTTTTTTGAGGCAGGTGGATCACCTGAGGCCAGAGCAGCCCTGCCCAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2881 TCTTTTTTTGAGGCAGGTGGATCACCTGAGGCCAGAGCAGCCCTGCCCAACAT 2940

Qy   2941 AGGGAAAACCGGATCTCTACTAAAAATATAAAAAATTGGCCGGGCGTGGCGGCCATGCCT 3000
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2941 AGGGAAAACCGGATCTCTACTAAAAATATAAAAAATTGGCCGGGCGTGGCGGCCATGCCT 3000

Qy   3001 GTGGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCGTTGAATGCAGGAGGTTGGAGG 3060
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   3001 GTGGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCGTTGAATGCAGGAGGTTGGAGG 3060

Qy   3061 TTGCAATGAGCAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGACTCTGTC 3120
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   3061 TTGCAATGAGCAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGACTCTGTC 3120

Qy   3121 TC 3122
             ||
Db   3121 TC 3122

```
Qy        1561 GCTGCACAGACACCCGACGGCCCGCCTTGCTGCTGCGGCTCCCCTCCCCCTGAGAAAAGACTCGG 1620
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        1561 GCTGCACAGACACCCGACGGCCCGCCTTGCTGCTGCGGCTCCCCTCCCCCTGAGAAAAGACTCGG 1620
```

(Page consists of a full DNA sequence alignment between query "Qy" and database "Db" sequences, in paired rows with position numbers; sequence content is dense nucleotide data not reliably transcribable at this resolution.)

```
Qy   2641 GAATGTAACAGCTTTAACTTGGGATTTAAGAAGCTTTTAAAAGGTAATAAATCCTCTGAAA 2700
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2641 GAATGTAACAGCTTTAACTTGGGATTTAAGAAGCTTTTAAAAGGTAATAAATCCTCTGAAA 2700

Qy   2701 GAAAAAATGACGTAACCACAGCGYGTACTATGAAAAGCTGTTATTTTAATAAAGAACGCTGG 2760
          |||||||||||||||||||||| ||||||||||||||||||||||||||||||||||||||
Db   2701 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATCTTTAGTAGATACTTAGATT 2760

Qy   2761 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATCTTTAGTAGATACTTAGATT 2820
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2761 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATCTTTAGTAGATACTTAGATT 2820

Qy   2821 ACTAAAATATATATATTTCATTCACTACTTCTGAAGTTGATAGTCTTTCCCCCTCTTTTT 2880
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2821 ACTAAAATATATATATTTCATTCACTACTTCTGAAGTTGATAGTCTTTCCCCCTCTTTTT 2880

Qy   2881 TCTTTTTTGAGGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2881 TCTTTTTTGAGGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940

Qy   2941 AGCCGAAACCCGATCTCTACTAAAAATAAAAATAATTGGGCGGGTGGCGGGCGCATGCCT 3000
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2941 AGCCGAAACCCGATCTCTACTAAAAATAAAAATAATTGGGCGGGTGGCGGGCGCATGCCT 3000

Qy   3001 GTGGTCCCAGCTACTTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAAATGCAGGAGGTGGAGG 3060
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   3001 GTGGTCCCAGCTACTTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAAATGCAGGAGGTGGAGG 3060

Qy   3061 TTGCAATGAGCAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGACTCTGTC 3120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   3061 TTGCAATGAGCAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGACTCTGTC 3120

Qy   3121 TC 3122
          ||
Db   3121 TC 3122
```

RESULT 3

```
LOCUS       AC008736            191925 bp    DNA     linear   PRI 27-SEP-2000
DEFINITION  Homo sapiens chromosome 19 clone CTD-2538C1, complete sequence.
ACCESSION   AC008736
VERSION     AC008736.6  GI:10312244
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 191925)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 191925)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (03-AUG-1999) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3  (bases 1 to 191925)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Submitted (27-SEP-2000) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT     On Sep 27, 2000 this sequence version replaced gi:8575905.
            Draft Sequence Produced by DOE Joint Genome Institute
            www.jgi.doe.gov
            Finishing Completed at Stanford Human Genome Center
            www-shgc.stanford.edu
            Quality: Phrap Quality >=40 99.9% of Sequence;
            Estimated Total Number of Errors is 0.1.
            STS Content:
            SHGC-57769 G37408.
FEATURES             Location/Qualifiers
     source          1..191925
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="19"
                     /clone="CTD-2538C1"
ORIGIN
```

```
Query Match 92.7%; Score 2892.8; DB 8; Length 191925;
Best Local Similarity 99.9%; Mismatches 0;
Matches 2894; Conservative 0; Pred. No. 0; Indels 0; Gaps 0;
```

```
Qy      1 ACTAGAGGTGGGGGTTGGGGTTAGGCGTTGAAGCACCGACCGACCAAACGTGAGCCCGGGAC 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129460 ACTAGAGGTGGGGGTTGGGGTTAGGCGTTGAAGCACCGACCGACCAAACGTGAGCCCGGGAC 129401

Qy     61 ACCTGACCCCGGGCGCGCGCCCCCCAGCCCCTCGGATTGCCAGTCACTGCTCGCTTCGGCACG 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129400 ACCTGACCCCGGGCGCGCGCCCCCCAGCCCCTCGGATTGCCAGTCACTGCTCGCTTCGGCACG 129341

Qy    121 GAGGTGCCCAGTCCTGCGGGGGCACCCGACGTCCTGTCGCCGACAGGGGTCCGGGGAGTCAGT 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129340 GAGGTGCCCAGTCCTGCGGGGGCACCCGACGTCCTGTCGCCGACAGGGGTCCGGGGAGTCAGT 129281

Qy    181 ATAGCTGGGTTCTTAGTCCCATCACAGGCAAAAACTCCCGCGTCCCGTGTGCCCGTTTTTTA 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129280 ATAGCTGGGTTCTTAGTCCCATCACAGGCAAAAACTCCCGCGTCCCGTGTGCCCGTTTTTTA 129221

Qy    241 CCTGGGCCTCAGTTTCCCCATCCGTAAAATAGAACGGGGTTGGATTCTCCCGAGCGCTAACA 300
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129220 CCTGGGCCTCAGTTTCCCCATCCGTAAAATAGAACGGGGTTGGATTCTCCCGAGCGCTAACA 129161

Qy    301 TTCCAGAACTCGGATGGGGGAAGGGGAGGAGGGATGGGGCCACCCAACGTGACCTGACTCGG 360
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129160 TTCCAGAACTCGGATGGGGGAAGGGGAGGAGGGATGGGGCCACCCAACGTGACCTCCC 129101

Qy    361 CGCCTGGGACCCCCCTACCACTCAATCCAGGGGTTGGCAGCTCCGGCCGGGGACGAGCGGG 420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129100 CGCGTGGGAGCCCGCCTACCACTGAATCCAGGGGTGGCAGCTCCGGCCGGGGACGAGCGGG 129041

Qy    421 GTGGGCGCGGGTCCTAGGAAACCCTACCCGGGGCGCGGCGCCCTTGGCAGCGGCCTAAGGCG 480
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129040 GTGGGCGCGGGTCCTAGGAAACCCTACCCGGGGCGCGGCGCCCTTGGCAGCGGCCTAAGGCG 128981

Qy    481 CGGCTCTCGAGCCTGCTTGCCCCGGAGTTGGCACCCACGGATGGGGGACCGCACCCTC 540
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 128980 CGGCTCTCGAGCCTGCTTGCCCCGGAGTTGGCACCCACGGATGGGGGACCGCACCCTC 128921

Qy    541 AGCTTCGCAGGGAGCCAGCCACCGGTGCAGAGCACGACGACGAGGGGGTA 600
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 128920 AGCTTCGCAGGGAGCCAGCCACCGGTGCAGAGCACGACGACGAGGGGGTA 128861

Qy    601 AGTGCGCCTGGGGAGGATGGACGAGGGAGGGGAGGGGGACGCTCCCCTCTCGCGC 660
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 128860 AGTGCGCCTGGGGAGGATGGACGAGGGAGGGGAGGGGGACGCTCCCCTCTCGCGC 128801

Qy    661 GCCCCGTCCGCAGAGGCGCACGTCGAGGGTCCCGGCGGCGGCGTCCGTGGACGTTGCGGTA 720
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 128800 GCCCCGTCCGCAGAGGCGCACGTCGAGGGTCCCGGCGGCGGCGTCCGTGGACGTTGCGGTA 128741

Qy    721 GCGCGCGAGCGGAGTCACCGGACGACCATGAAGACGCTTCGTGCCGCCCAAGGCCCGGGATG 780
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 128740 GCGCGCGAGCGGAGTCACCGGACGACCATGAAGACGCTTCGTGCCGCCCAAGGCCCGGGATG 128681

Qy    781 GGGGTTAGCCACATCCTGCGCGCGTGAGCGGAGGCTAACGGGGGGGGGGGGCGCGGGGCCC 840
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 128680 GGGGTTAGCCACATCCTGCGCGCGTGAGCGGAGGCTAACGGGGGGGGGGGGCGCGGGGCCC 128621

Qy    841 AGCCGGAGCCCACCCGCGATGGCGAGGGAGGAGGTGCAAGGCGGCTAACGGGGGCGGGGCC 900
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 128620 AGCCGGAGCCCACCCGCGATGGCGAGGGAGGAGGTGCAAGGCGGCTAACA 128561

Qy    901 AGACGGACTCGTGTGCTACCACCTGGTCGTCGACCGTCGGCGTGGCGTCGGAGAGGACTCGCAGA 960
```

This page consists of a rotated DNA/nucleotide sequence alignment (Query "Qy" versus Database "Db") with match bars, numbered by position. Representative structural elements:

The alignment rows alternate between Qy (query) and Db (database) sequences with position numbers on each side, for example Db positions running 128560, 128500, 128440 … and Qy positions 961, 1021, 1081 … with corresponding Db coordinates near 127421, 127481, 127541 …

```
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 216441)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Sequencing of Human Chromosome 19
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 216441)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (30-MAR-2000) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT     On Jul 15, 2000 this sequence version replaced gi:7341654.
            -------Genome Center
            Center: Joint Genome Institute
            Center Code: JGI
            Web site: http://www.jgi.doe.gov
            -------
            Project Information
            Center Project Name: 726304, BC691328
            Center clone name: CITB-H1_2257C19
            -------
            Summary Statistics
            Consensus quality: 164680 bases at least Q40
            Consensus quality: 187929 bases at least Q30
            Consensus quality: 195340 bases at least Q20
            Estimated Insert size: 159060; agarose-fp estimation
            Estimated insert size: 211341; sum-of-contigs estimation
            Quality coverage: 8.59 in Q20 bases; agarose-fp estimation
            Quality coverage: 6.46 in Q20 bases; sum-of-contigs estimation.
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 52 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *        1    1041: contig of 1041 bp in length
            *     1042    1141: gap of unknown length
            *     1142    2370: contig of 1229 bp in length
            *     2371    2470: gap of unknown length
            *     2471    3552: contig of 1082 bp in length
            *     3553    3652: gap of unknown length
            *     3653    4683: contig of 1031 bp in length
            *     4684    4783: gap of unknown length
            *     4784    6178: contig of 1395 bp in length
            *     6179    6278: gap of unknown length
            *     6279    7442: contig of 1164 bp in length
            *     7443    7542: gap of unknown length
            *     7543    8661: contig of 1119 bp in length
            *     8662    8761: gap of unknown length
            *     8762   10030: contig of 1269 bp in length
            *    10031   10130: gap of unknown length
            *    10130   11491: contig of 1361 bp in length
            *    11492   11591: gap of unknown length
            *    11592   12967: contig of 1376 bp in length
            *    12968   13067: gap of unknown length
            *    13068   14173: contig of 1106 bp in length
            *    14174   14273: gap of unknown length
            *    14274   15840: contig of 1567 bp in length
            *    15841   15940: gap of unknown length
            *    15941   17242: contig of 1302 bp in length
            *    17243   17342: gap of unknown length
            *    17343   18449: contig of 1107 bp in length
            *    18450   18549: gap of unknown length
            *    18550   19683: contig of 1134 bp in length
            *    19684   19783: gap of unknown length
            *    19784   21247: contig of 1464 bp in length
            *    21248   21347: gap of unknown length
            *    21348   22952: contig of 1605 bp in length
            *    22953   23052: gap of unknown length
            *    23053   24452: contig of 1400 bp in length
            *    24453   24552: gap of unknown length
            *    24553   25825: contig of 1273 bp in length
            *    25826   25925: gap of unknown length
            *    25926   27109: contig of 1184 bp in length
            *    27110   27209: gap of unknown length
            *    27210   28292: contig of 1083 bp in length
            *    28293   28392: gap of unknown length
            *    28393   29744: contig of 1352 bp in length
            *    29745   29844: gap of unknown length
            *    29845   31042: contig of 1198 bp in length
            *    31043   31142: gap of unknown length
            *    31143   32629: contig of 1487 bp in length
            *    32630   32729: gap of unknown length
            *    32730   33897: contig of 1168 bp in length
            *    33898   33997: gap of unknown length
            *    33998   35704: contig of 1707 bp in length
            *    35705   35804: gap of unknown length
            *    35805   37471: contig of 1667 bp in length
            *    37472   37571: gap of unknown length
            *    37572   39285: contig of 1714 bp in length
            *    39286   39385: gap of unknown length
            *    39386   40577: contig of 1192 bp in length
            *    40578   40677: gap of unknown length
            *    40678   41930: contig of 1253 bp in length
            *    41931   42030: gap of unknown length
            *    42031   43743: contig of 1713 bp in length
            *    43744   43843: gap of unknown length
            *    43844   46054: contig of 2211 bp in length
            *    46055   46154: gap of unknown length
            *    46155   49479: contig of 3225 bp in length
            *    49480   49579: gap of unknown length
            *    49580   53371: contig of 3892 bp in length
            *    53372   53471: gap of unknown length
            *    53472   55756: contig of 2285 bp in length
            *    55757   55856: gap of unknown length
            *    55857   58019: contig of 2163 bp in length
            *    58020   58119: gap of unknown length
            *    58120   60327: contig of 2208 bp in length
            *    60328   60427: gap of unknown length
            *    60428   64323: contig of 3896 bp in length
            *    64324   64423: gap of unknown length
            *    64424   67218: contig of 2895 bp in length
            *    67219   67318: gap of unknown length
            *    67319   71797: contig of 4479 bp in length
            *    71798   71897: gap of unknown length
            *    71898   76856: contig of 4959 bp in length
            *    76857   76956: gap of unknown length
            *    76957   82060: contig of 5104 bp in length
            *    82061   82160: gap of unknown length
            *    82161   87557: contig of 5397 bp in length
            *    87558   87657: gap of unknown length
            *    87658   94326: contig of 6569 bp in length
            *    94327   94426: gap of unknown length
            *    94427  101878: contig of 7552 bp in length
            *   101879  101978: gap of unknown length
            *   101979  110729: contig of 8651 bp in length
            *   110730  110829: gap of unknown length
            *   110830  119183: contig of 8354 bp in length
            *   119184  119283: gap of unknown length
            *   119284  128919: contig of 9736 bp in length
            *   128920  129019: gap of unknown length
            *   129020  142791: contig of 13772 bp in length
            *   142792  142891: gap of unknown length
            *   142892  156079: contig of 13188 bp in length
            *   156080  156179: gap of unknown length
            *   156180  183092: contig of 26913 bp in length
            *   183093  183192: gap of unknown length
            *   183193  216441: contig of 33249 bp in length.
FEATURES             Location/Qualifiers
     source          1..216441
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
```

```
                    /chromosome="19"
                    /clone="CTD-2257C19"
                    /clone_lib="CalTech human BAC library D"
gap                 1042. .1141
                    /estimated_length=unknown
gap                 2371. .2470
                    /estimated_length=unknown
gap                 3553. .3652
                    /estimated_length=unknown
gap                 4684. .4783
                    /estimated_length=unknown
gap                 6179. .6278
                    /estimated_length=unknown
gap                 7443. .7542
                    /estimated_length=unknown
gap                 8662. .8761
                    /estimated_length=unknown
gap                 10031. .10130
                    /estimated_length=unknown
gap                 11492. .11591
                    /estimated_length=unknown
gap                 12968. .13067
                    /estimated_length=unknown
gap                 14174. .14273
                    /estimated_length=unknown
gap                 15841. .15940
                    /estimated_length=unknown
gap                 17243. .17342
                    /estimated_length=unknown
gap                 18450. .18549
                    /estimated_length=unknown
gap                 19684. .19783
                    /estimated_length=unknown
gap                 21248. .21347
                    /estimated_length=unknown
gap                 22953. .23052
                    /estimated_length=unknown
gap                 24453. .24552
                    /estimated_length=unknown
gap                 25826. .25925
                    /estimated_length=unknown
gap                 27110. .27209
                    /estimated_length=unknown
gap                 28293. .28392
                    /estimated_length=unknown
gap                 29745. .29844
                    /estimated_length=unknown


Query Match   92.7%;  Score 2892.8;  DB 14;  Length 216441;
Best Local Similarity  99.9%;   Pred. No. 0;
Matches 2894;  Conservative 0;  Mismatches 2;  Indels 0;  Gaps 0;
```

```
Qy        1 ACTAGAGGTGGGGTTAGCGCTTGGAAGCACCGACCGAACGTGAGCGGCAGGGAC       60
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   117034 ACTAGAGGTGGGGTTAGCGCTTGGAAGCACCGACCGAACGTGAGCGGCAGGGAC   116975

Qy       61 ACCTGACCCCGGCGCGCGCCCAGCCCCTCGGATTGCCCAGTCACTGCTTCGGCG      120
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   116974 ACCTGACCCCGGCGCGCGCCCAGCCCCTCGGATTGCCCAGTCACTGCTTCGGCG   116915

Qy      121 GAGGTGCCCAGTCCTGCGGGGGCACCCGAGCTCTGTGCGGGAGTCGGGGAGTCAGT      180
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   116914 GAGGTGCCCAGTCCTGCGGGGGCACCCGAGCTCTGTGCGGGAGTCGGGGAGTCAGT   116855

Qy      181 ATAGCTGGGTTCTAGTCCCATCACAGGACAAAAACTTCCGGGGAGCCGGGGTCC      240
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   116854 ATAGCTGGGTTCTAGTCCCATCACAGGACAAAAACTTCCGGGGAGCCGGGGTCC   116795

Qy      241 CCTGGGCCTCAGTTTCCCATCCTAAAATAGAACGGGTTGGATCTCCCGGAGGCCTAACA      300
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   116794 CCTGGGCCTCAGTTTCCCATCCTAAAATAGAACGGGTTGGATCTCCCGGAGGCCTAACA   116735

Qy      301 TTCCAGAACTCGGATGGGGCGGGCGGAAGGGAGGGAGGGGATGGGCCACCCACACGTGACCTCCC      360
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   116734 TTCCAGAACTCGGATGGGGCGGGCGGAAGGGAGGGAGGGGATGGGCCACCCACACGTGACCTCCC   116675
```

(Alignment continues — Qy coordinates 361–1381; Db coordinates 116674 down to 115595)

```
Qy    1441 CGGTTCGTGTTCCTTGCAGGAGGAGGGCCCTTGGCGCGCCA 1500
           ||||||||||||||||||||||||||||||||||||||||||
Db  115594 CGGTTCGTGTTCCTTGCAGGAGGAGGGCCCTTGGCGCGCCA 115535

Qy    1501 TCCTTTTTCGGCGCCGCTGTCTGTGGCGCTGTGGCGAAGCTGA 1560
           ||||||||||||||||||||||||||||||||||||||||||
Db  115534 TCCTTTTTCGGCGCCGCTGTCTGTGGCGCTGTGGCGAAGCTGA 115475

Qy    1561 GCTGACAGACACCCGACGCCGCGCCTGCTCGTCGTCGCCTCG 1620
           ||||||||||||||||||||||||||||||||||||||||||
Db  115534 GCTGACAGACACCCGACGCCGCGCCTGCTCGTCGTCGCCTCG 115475

Qy    1621 GATGGGTGTGGGGGTCTGGCCCTGTCGCAAGGGGAGTGGTCC 1680
           ||||||||||||||||||||||||||||||||||||||||||
Db  115414 GATGGGTGTGGGGGTCTGGCCCTGTCGCAAGGGGAGTGGTCC 115355

Qy    1681 GTACACGCGCGGTTTCCAGTGCACATCTGCCTGGGCCAGGGA 1740
           ||||||||||||||||||||||||||||||||||||||||||
Db  115354 GTACACGCGCGGTTTCCAGTGCACATCTGCCTGGGCCAGGGA 115295

Qy    1741 CCCGGGAGAAGTTAACTTTGCGGCCCGTCAAGCGGTTTCCTT 1800
           ||||||||||||||||||||||||||||||||||||||||||
Db  115294 CCCGGGAGAAGTTAACTTTGCGGCCCGTCAAGCGGTTTCCTT 115235

Qy    1801 TTATTCCCTTATTAATAGAAAACCGTCACAGTGACCCTAGAT 1860
           ||||||||||||||||||||||||||||||||||||||||||
Db  115234 TTATTCCCTTATTAATAGAAAACCGTCACAGTGACCCTAGAT 115175

Qy    1861 AACACAGTGTGTCTGTTGGGGGGGTCCGACGTTCGTCGTGCC 1920
           ||||||||||||||||||||||||||||||||||||||||||
Db  115174 AACACAGTGTGTCTGTTGGGGGGGTCCGACGTTCGTCGTGCC 115115

Qy    1921 GCCGTCGCGCCCCCTTTCTGCGTGGGACAGTTTGAAAAGGTG 1980
           ||||||||||||||||||||||||||||||||||||||||||
Db  115114 GCCGTCGCGCCCCCTTTCTGCGTGGGACAGTTTGAAAAGGTG 115055

Qy    1981 GAGAGGGACGCTGTTGGGTTCTATGTGGGGGTCGTGTTCCCG 2040
           ||||||||||||||||||||||||||||||||||||||||||
Db  115054 GAGAGGGACGCTGTTGGGTTCTATGTGGGGGTCGTGTTCCCG 114995

Qy    2041 TCAAATGTCAGCAGCTTTTATTTATTACCTTAATCTTTCAGG 2100
           ||||||||||||||||||||||||||||||||||||||||||
Db  114994 TCAAATGTCAGCAGCTTTTATTTATTACCTTAATCTTTCAGG 114935

Qy    2101 TGGAGGCAGTTCATACAAAGGGGCTTTTCTTTCTTCCTAGGA 2160
           ||||||||||||||||||||||||||||||||||||||||||
Db  114934 TGGAGGCAGTTCATACAAAGGGGCTTTTCTTTCTTCCTAGGA 114875

Qy    2161 TTATCCATTCGTCCCAAGAGCAGTTGAGAGGATTTGAGGTCA 2220
           ||||||||||||||||||||||||||||||||||||||||||
Db  114874 TTATCCATTCGTCCCAAGAGCAGTTGAGAGGATTTGAGGTCA 114815

Qy    2221 CTCAGGGGCTGACCCTTATTTATTTAGGAAACCAAAGAGGGT 2280
           ||||||||||||||||||||||||||||||||||||||||||
Db  114814 CTCAGGGGCTGACCCTTATTTATTTAGGAAACCAAAGAGGGT 114755

Qy    2281 TTGGATCCAGTGCGCACACTTGCCTCGCGGAAAAGGCTCTCC 2340
           ||||||||||||||||||||||||||||||||||||||||||
Db  114754 TTGGATCCAGTGCGCACACTTGCCTCGCGGAAAAGGCTCTCC 114695

Qy    2341 GGGTAAGAGAGCAGAGAGGCTTGGGGTAGGGCCACCTGGGGT 2400
           ||||||||||||||||||||||||||||||||||||||||||
Db  114694 GGGTAAGAGAGCAGAGAGGCTTGGGGTAGGGCCACCTGGGGT 114635

Qy    2401 TCCTTCTCTGGGGCTTATTTGTTCAGGACCAGAGTGTTTGAA 2460
           ||||||||||||||||||||||||||||||||||||||||||
Db  114634 TCCTTCTCTGGGGCTTATTTGTTCAGGACCAGAGTGTTTGAA 114575

Qy    2461 GGAGGGCTGGGAATCCTCTTCTTTAGAGACACTTAATCTCTA 2520
           ||||||||||||||||||||||||||||||||||||||||||
Db  114574 GGAGGGCTGGGAATCCTCTTCTTTAGAGACACTTAATCTCTA 114515

Qy    2521 TGGGCCAGTAGGAGGGCGCTGGGCTTTGGGCAGTCTCCCCTG 2580
           ||||||||||||||||||||||||||||||||||||||||||
Db  114514 TGGGCCAGTAGGAGGGCGCTGGGCTTTGGGCAGTCTCCCCTG 114455

Qy    2581 GGTAATGTGGCATTACTGGGCCCACAGAGGGTTTGGAGGTTA 2640
           ||||||||||||||||||||||||||||||||||||||||||
Db  114454 GGTAATGTGGCATTACTGGGCCCACAGAGGGTTTGGAGGTTA 114395

Qy    2641 GAATGTAACAGCCTTTAACTTGGGATTTAAGAAAGCTTTTAA 2700
           ||||||||||||||||||||||||||||||||||||||||||
Db  114394 GAATGTAACAGCCTTTAACTTGGGATTTAAGAAAGCTTTTAA 114335

Qy    2701 GAAAAATGACGTAACCACACGCGTGTACTATGTAAAAGCTGT 2760
           ||||||||||||||||||||||||||||||||||||||||||
Db  114334 GAAAAATGACGTAACCACACGCGTGTACTATGTAAAAGCTGT 114275

Qy    2761 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATCTT 2820
           ||||||||||||||||||||||||||||||||||||||||||
Db  114274 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATCTT 114215

Qy    2821 ACTAAATATATATTTCATCTACTTCTGAAGTTGATAGTGTCT 2880
           ||||||||||||||||||||||||||||||||||||||||||
Db  114214 ACTAAATATATATTTCATCTACTTCTGAAGTTGATAGTGTCT 114155

Qy    2881 TCTTTTTTTGAGGCAGG 2896
           |||||||||||||||||
Db  114154 TCTTTTTTTGAGGCAGG 114139
```

RESULT 5

```
LOCUS       AC008474    186115 bp    DNA    linear    PRI 13-JUL-2002
DEFINITION  Homo sapiens chromosome 19 clone CTC-379B2, complete sequence.
ACCESSION   AC008474
VERSION     AC008474.9  GI:21743729
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 186115)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 186115)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (03-AUG-1999) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3  (bases 1 to 186115)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-JUL-2000) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
REFERENCE   4  (bases 1 to 186115)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Submitted (17-OCT-2001) DOE Joint Genome Institute and Stanford
            Drive, Walnut Creek, CA 94598, USA
REFERENCE   5  (bases 1 to 186115)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-JUL-2002) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT     On Jul 13, 2002 this sequence version replaced gi:16197759.
            Draft Sequence produced by DOE Joint Genome Institute
            www.jgi.doe.gov
            Finishing Completed at Stanford Human Genome Center
            www-shgc.stanford.edu
            Quality: Phrap Quality >=40 99.8% of Sequence;
            Estimated Total Number of Errors is 0.4.
FEATURES             Location/Qualifiers
```

```
ORIGIN

source          1..186115
                /organism="Homo sapiens"
                /mol_type="genomic DNA"
                /db_xref="taxon:9606"
                /chromosome="19"
                /clone="CTC-379B2"

Query Match     91.6%;  Score 2860.8;  DB 8;  Length 186115;
Best Local Similarity   99.7%;
Matches 2887;   Conservative 0;   Mismatches 7;   Indels 2;   Gaps 2;
                Pred. No. 0;
```

(Remainder of page is a dense nucleotide sequence alignment between Query (Qy) and Database (Db) sequences, with match-bar lines, running from Query position 1 / Db position 180657 through Query position 2040, and numbered in increments of 60 per line.)

RESULT 6
LOCUS   CQ850499   2327 bp   DNA   linear   PAT 23-AUG-2004
DEFINITION Sequence 968 from Patent EP1447413.
ACCESSION   CQ850499
VERSION   CQ850499.1 GI:51508711
KEYWORDS   .
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Isogai,J., Yamamoto,J., Nishikawa,T., Isono,Y., Sugiyama,T.,
            Otsuki,T., Wakamatsu,A., Ishii,S., Nagai,K. and Irie,R.
  TITLE   Full-length human cDNA
  JOURNAL   Patent: EP 1447413-A 968 18-AUG-2004;
            Research Association for Biotechnology (JP)
FEATURES   Location/Qualifiers
     source   1..2327
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
ORIGIN

Query Match   73.9%; Score 2308; DB 6; Length 2327;
Best Local Similarity   99.7%; Pred. No. 4.4e-290;
Matches 2322; Conservative 0; Mismatches 5; Indels 1; Gaps 1;

Db 182636 GAGAGGGAGGGCTGGTTGGTTCTATGTGGTTGGTCTTGTGTTCCCGGACAAGAAAAATTGCAA 182695
Qy   2041 TCAAATGTCAGCAGCTTTTATTACCTTAATCTTTCAGGGCCTAAATTTAGGAGAGTGTCC 2100
Db 182696 TCAAATGTCAGCAGCTTTTATTACCTTAATCTTTCAGGGCCTAAATTTAGGAGAGTGTCC 182755
Qy   2101 TGAGAGCAGTTCATACAAAGGGCTTTTCTCTTAAGACGGCGTACACCCCTTCCTCAGAGT 2160
Db 182756 CGAGAGCAGTTCATACAAAGGGCTTTTCTCTTAAGACGGCGTACACCCCTTCCTCAGAGT 182815
Qy   2161 TTATCCATTCGTCCCCAGAGAGCAGCTAGAAGAGATTTGAGGTCATGACCTCCACTGCCG 2220
Db 182816 TTATCCATTCGTCCCCAGAGAGCAGCTAGAAGAGATTTGAGGTCATGACCTCCACTGCCG 182875
Qy   2221 CTCAGGGGGCTGACCCTATTTAGGAAAACCAAAGAGAGGGTGGGTTGAACCTACTCTCACGGAC 2280
Db 182876 CTCAGGGGGCTGACCCTATTTAGGAAAACCAAAGAGAGGGTGGGTTGAACCTACTCTCACGGAC 182935
Qy   2281 TTTGGATCCAGTGCCCACACTTGCCTGCGCGAAAAAGGGCTCTCCCCCGCCACCCGGAGATGG 2340
Db 182936 TTTGGATCCAGTGCGCACACTTGCCTGCGCGAAAAAGGGCTCTCCCCCGCCACCCGGAGATGG 182995
Qy   2341 GGGTAAGAGGAAGAGCAGAGAGGCCTTGGGGTAGGGCCACCTGGGTTGGGTAGGGCCACCGTGG 2400
Db 182996 GGGTAAGAGGAAGAGCAGAGAGGCCTTGGGGTAGGGCCACCTGGGTTGGGTAGGGCCACCGTGG 183055
Qy   2401 TCCTTCTCTCTGGGGCTTATTTTTGTTCAGAACTAGACCAGAGTTGTTTGAACCTTCCTTTGCA 2460
Db 183056 TCCTTCTCTCTGGGGCTTATTTTTGTTCAGAACTAGACCAGAGTTGTTTGAACCTTCCTTTGCA 183115
Qy   2461 GGAGGGCTCGGGAATCCTCTTCTTTAGGAGGCACTTAAATCCTATTTATCCCCTCTGAAATGTTCGGTGC 2520
Db 183116 GGAGGGCTCGGGAATCCTCTTCTTTAGGAGGCACTTAAATCCTATTTATCCCCTCTGAAATGTTCGGTGC 183175
Qy   2521 TGGGCCAGTAGGAGGGGCTGGGCTTGGGCGCTTGGGCAGCTTCCCCTGACCCTCCTTCCGG 2580
Db 183176 TGGGCCAGTAGGAGGGGCTGGGCTTGGGCGCTTGGGCAGCTTCCCCTGACCCTCCTTCCGG 183235
Qy   2581 GGTAAGTGTGGCATTACTGGCCCACAGAGGTTTTGAGCTCTCGAGACTGGGTTA 2640
Db 183236 GGTAAGTGTGGCATTACTGGCCCACAGAGGTTTTGAGCTCTCGAGACTGGGTTA 183295
Qy   2641 GAATGTAACAGCTTTAACTTGGGGATTAAGAAGCTGTAATAATCCTTCTGAAA 2700
Db 183296 GAATGTAACAGCTTTAACTTGGGGATTAAGAAGCTGTAATAATCCTTCTGAAA 183355
Qy   2701 GAAAAATGAGGTAACCACCAGGCGTGTACTACCATGGAAAGCTGTTATTTAAATAAAGAACGCTGG 2760
Db 183356 GAAAAATGAGGTAACCACCAGGCGTGTACTACCATGGAAAGCTGTTATTTAAATAAAGAACGCTGG 183415
Qy   2761 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATCTTTATGTAGATACTTAGATT 2820
Db 183416 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATCTTTATGTAGATACTTAGATT 183475
Qy   2821 ACTAAAATATATATTTCATCTACTTCTGAAGTTGAAGTTGTAGTCTT-CCCCCCCCCCCCCCCACTTTTTT 2880
Db 183476 ACTAAAATATATATTTCATCTACTTCTGAAGTTGAAGTTGTAGTCTTTCCCCCCCCCCCCCCCACTTTTTT 183534
Qy   2881 TCTTTTTTTGAGGCAGG 2896
Db 183535 TCTTTTTTTGAGACAGG 183550

Qy   444 ACCCGGCCCGCCCCTTGGCCAGCGGCGGCGGCCTAAGGCGGGAGGGCGGGCGGGCCTTGCTTGCCCC 503
Db   1 ACCCGGCCCGCCCCTTGGCCAGCGGCGGCGGCCTAAGGCGGGAGGGCGGGCGGGCCTTGCTTGCCCC 60
Qy   504 GGAGTTGGGCACCCACCGGAGGATGGGGGACCCGCACCCCTCAGCTTCGCGAGGAGGCCACCGTGG 563
Db   61 GGAGTTGGGCACCCACCGGAGGATGGGGGACCCGCACCCCTCAGCTTCGCGAGGAGGCCACCGTGG 120
Qy   564 AGGCCAGGAGCGGCGGGGTGCAGGACCACGGTGTTGACTCGGAGGTGGGGAGGAGGGGAGGGAGGGGAAG 623
Db   121 AGGCCAGGAGCGGCGGGGTGCAGGACCACGGTGTTGACTCGGAGGTGGGGAGGAGGGGAGGGAGGGGAAG 180
Qy   624 AGGGAGCGGGGAGGACCCGCTAAGCGGGGCTTCCCCTCTGCCGCCGCCGTCCGAGCAGAGGGGACACGT 683
Db   181 AGGGAGCGGGGAGGACCCGCTAAGCGGGGCTTCCCCTCTGCCGCCGCCGTCCGAGCAGAGGGGACACGT 240
Qy   684 CGAGGGGTCCCGGCGGCGGCTCGGTGACGTTGCGGTTGCGGCCGACGCGGACCAT 743
Db   241 CGAGGGGTCCCGGCGGCGGCTCGGTGACGTTGCGGTTGCGGCCGACGCGGACCAT 300
Qy   744 GAAGAGCGGTTCGTCGGGCGCGGGGGCGGGGATGGAGAAGGGGGGCGGGGAGGAGGGGAGGATGGACG 803
Db   301 GAAGAGCGGTTCGTCGGGCGCGGGGGCGGGGATGGAGAAGGGGGGCGGGGAGGAGGGGAGGATGGACG 360
Qy   804 CTGAGGGGGGGAGGGCTAACGGGGCGCGCGGGGGCGCGGGAGCCCCCACCGGGGATGGCG 863
Db   361 CTGAGGGGGGGAGGGCTAACGGGGCGCGCGGGGGCGCGGGAGCCCCCACCGGGGATGGCG 420
Qy   864 AGGGGAGGGAGTCCAAGGCGCTGCTGAACGGGCTCAACAAGCGACTGCGTGCTTACCACCAC 923
Db   421 AGGGGAGGGAGTCCAAGGCGCTGCTGAACGGGCTCAACAAGCGACTGCGTGCTTACCACCAC 480
Qy   924 CTGGTGCTGACCGGTCGTGCGGGTCTGCTCGCAGAGAACCTGCGCGAGGAGCTGCAAAAG 983
Db   481 CTGGTGCTGACCGGTCGTGCGGGTCTGCTCGCAGAGAACCTGCGCGAGGAGCTGCAAAAG 540
Qy   984 ACGCGCCCAGAAGGGCCAGGAGGAGTCCACCTGGGCGTGTCCACCTGACTGCTGCTG 1043
Db   541 ACGCGCCCAGAAGGGCCAGGAGGAGTCCACCTGGGCGTGTCCACCTGACTGCTGCTG 600
Qy   1044 CGCGACCGGCGGCCCTGCCGCCGACCAGCGACGTTCGAGCGGCGCCTTCTGGGTGGCCTTC 1103
Db   601 CGCGACCGGCGGCCCTGCCGCCGACCAGCGACGTTCGAGCGGCGCCTTCTGGGTGGCCTTC 660
Qy   1104 TCGGGGCTGCCCTGGACCTGCTCTGGAAGCGGACGACGGCGCTGCTGGAGCGCTGGGGGCG 1163
Db   661 TCGGGGCTGCCCTGGACCTGCTCTGGAAGCGGACGACGGCGCTGCTGGAGCGCTGGGGGCG 720
Qy   1164 TTCCCGCTGCACGCGCCGCCGGCACCGGCTGGTCGCCAGCGCTCCGCACAGCTTC 1223
Db   721 TTCCCGCTGCACGCGCCGCCGGCACCGGCTGGTCGCCAGCGCTCCGCACAGCTTC 780
Qy   1224 GGGCGTGGCGCGCGCGCTGAGCACCCGCCCGAGCTTCGGGGTGGCGGACTTC 1283
Db   781 GGGCGTGGCGCGCGCGCTGAGCACCCGCCCGAGCTTCGGGGTGGCGGACTTC 1283

```
Qy    2364 TGGGGTAGGGGCCACCTGGTGTGTTAAAACAGGGCACACTTTCTCCTTCTCTGGGGGCTTATTTTTG 2423
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1920 TGGGGTAGGGGCCACCTGGTGTGTTAAAACAGGGCACACTTTCTCCTTCTCTGGGGGCTTATTTTTG 1979

Qy    2424 TTCAGAACTAGACCAGAGTGTTTGAACCCTCCTTTGCAGGAGGGGAATCCCTCTTTTAG 2483
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1980 TTCAGAACTAGACCAGAGTGTTTGAACCCTCCTTTGCAGGAGGGGAATCCCTCTTTAG 2039

Qy    2484 AGCACTTAATCCTTATTTATCCCCTGGGAATGTGGCGTGCTCGGCCAGTAGGAGGGCTGGGCTTT 2543
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    2040 AGCACTTAATCCTTATTTATCCCCTGGGAATGTGGCGTGCTCGGCCAGTAGGAGGGCTGGGCTTTT 2099

Qy    2544 GGCAGCTCCCTGACCCCCGCGGCGCCGCGCGCCCGGGGGTAAGTGGGCATTACTGGGCCCA 2603
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    2100 GGCAGCTCCCTGACCCCCGCGGCGCCGCGCGCCCGGGGGTAAGTGGGCATTACTGGGCCCA 2159

Qy    2604 CAGAGGTTTTGAGCCAATCAGCCTCCTGAGACTGGGTTAGAAGTGTAACAGCTTTAACTTGGG 2663
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    2160 CAGAGGTTTTGAGCCAATCAGCCTCCTGAGACTGGGTTAGAAGTGTAACAGCTTTAACTTGGG 2219

Qy    2664 ATTTAAGAAGGCTTTTTAAAAGGGTAATAAATCCTCTGAAAGAAAAATGACAGGCGT 2723
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    2220 ATTTAAGAAGGCTTTTTAAAAGGGTAATAAATCCTCTGAAAGAAAAATGACAGGCGT 2279

Qy    2724 GTACTATGAAAAGCTGTTATTTAATTAAAGAACGCTGGGGGCCATGAAACTC 2771
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db    2280 GTACTATGAAAAGCTGTTATTTAATTAAAGAACGCTGGGGGCCATGAAACTC 2327
```

RESULT 7
AK127646

LOCUS   AK127646   2327 bp   mRNA   linear   PRI 19-FEB-2004
DEFINITION Homo sapiens cDNA FLJ45744 fis, clone KIDNE2017153.
ACCESSION   AK127646
VERSION   AK127646.1 GI:34534649
KEYWORDS   oligo capping; fis (full insert sequence).
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Oshima,A., Takahashi-Fujii,A., Tanase,T., Imose,N., Takeuchi,K.,
            Arita,M., Musashino,K., Yuuki,H., Hara,H., Suglyama,T., Irie,R.,
            Otsuki,T., Sato,H., Wakamatsu,A., Ishii,S., Yamamoto,J., Isono,Y.,
            Kawai-Hio,Y., Saito,K., Nishikawa,T., Kimura,K., Yanashita,H.,
            Matsuo,K., Nakamura,Y., Sekine,M., Kikuchi,H., Kanda,K.,
            Wagatsuma,M., Murakawa,K., Kanehori,K., Sugiyama,A., Kawakami,B.,
            Suzuki,Y., Sugano,S., Nagahari,K., Masuho,Y., Nagai,K. and
            Isogai,T.
  TITLE   NEDO human cDNA sequencing project
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 2327)
  AUTHORS   Isogai,T. and Yamamoto,J.
  TITLE   Direct Submission
  JOURNAL   Submitted (15-JUL-2003) Takao Isogai, FLJ Project (HRI Team); 2-6-7
            Kazusa-Kamatari, Kisarazu, Chiba 292-0818, Japan
            (E-mail:genomics@hri.co.jp; Tel:81-438-52-3975; Fax:81-438-52-3986)
COMMENT   NEDO human cDNA sequencing project supported by Ministry of
            Economy, Trade and Industry of Japan; cDNA full insert sequencing:
            Research Association for Biotechnology (RAB); cDNA library
            construction: Helix Research Institute (HRI) (supported by Japan
            Key Technology Center etc.); 5'- & 3'-end one pass sequencing: RAB,
            HRI, and Biotechnology Center, National Institute of Technology and
            Evaluation; clone selection for full insert sequencing: HRI and
            RAB; annotation: Reverse Proteomics Research Institute, HRI and
            RAB.
FEATURES   Location/Qualifiers
     source   1..2327
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"

CDS
```
/clone="KIDNE2011153"
/tissue_type="kidney"
/clone_lib="KIDNE2"
/note="clone_lib="KIDNE2"
415..1122
/note="cloning vector: pME18SFL3"
/codon_start=1
/protein_id="BAC87072.1"
/db_xref="GI:34534650"
/translation="MARBECKALLDGLNKTTACYHHLVLTVGGSADSONLRELQKTR
QKAQELAVSTCARLLTAVLRDRGILAADERAEFERLWVARSGGCLDLLEADMRRALELGANA
FPLHAPRRPLVRTCVAGASSGVAARALSTRSLRLEABGDFDVADLRELEREVLQVGEM
IDNMEMKVNVPRRWTVQORQOAAGABLLSTVSAGPSSVVSLQERGGGCDPRKALAAILFG
AVLIAAVALAVCVAKLS"
```

ORIGIN

Qy   Query Match   73.9%;   Score 2308;   DB 8;   Length 2327;
Db   Best Local Similarity   99.7%;   Pred. No. 4.4e-290;
    Matches 2322;   Conservative   0;   Mismatches   5;   Indels   1;   Gaps   1;

(Nucleotide sequence alignment, Qy = query, Db = database)

```
Qy   1860 CTGCGGAAAAGGGGCTCTCCCAGCCACCCGGAGGATGGGGGGGTAGGAGAGGAAGAGCAGAGGCT 1919
Db   2364 TGGGGTAGGGCCACCTGGTGTTAAACAGGCACTTTCTCCTTCTCGGGGGCTTATTTTTG 2423

Qy   2364 TGGGGTAGGGCCACCTGGTGTTAAACAGGCACTTTCTCCTTCTCGGGGGCTTATTTTTG 2423
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1980 TTCAGAACTAGACCACCAGAGTGTTTGAACCTTGCAGGAGGGGCTGGGGAATCCTCTTTAG 2039

Qy   1920 TGGGGTAGGGCCACCTGGTGTTAAACAGGCACTTTCTCCTTCTCGGGGGCTTATTTTTG 1979

Qy   2424 TTCAGAACTAGACCACCAGAGTGTTTGAACCTTCCTTTGCAGGAGGGGCTGGGGAATCCTCTTTAG 2483
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1980 TTCAGAACTAGACCACCAGAGTGTTTGAACCTTGCAGGAGGGGCTGGGGAATCCTCTTTAG 2039

Qy   1980 TTCAGAACTAGACCACCAGAGTGTTTGAACCTTGCAGGAGGGGCTGGGGAATCCTCTTTAG 2039

Qy   2484 AGCACTTAATCCTATTTATCCCTGGAATGTGGCGTGCTGGCCTGGCGAGAGGGGCTGGGCTTT 2543
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2040 AGCACTTAATCCTATTTATCCCTGGAATGTGGCGTGCTGGCCTGGCGAGAGGGGCTGGGCTTT 2099

Qy   2040 AGCACTTAATCCTATTTATCCCTGGAATGTGGCGTGCTGGCCTGGCGAGAGGGGCTGGGCTTT 2099

Qy   2544 GGCAGGCTTCCCTGACCCGGCTGCCCGGCCCTCGGGGGTTAATGTGGCATTACTGGGCCCA 2603
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2100 GGCAGGCTTCCCTGACCCGGCTGCCCGGCCCTCGGGGGTTAATGTGGCATTACTGGGCCCA 2159

Qy   2100 GGCAGGCTTCCCTGACCCGGCTGCCCGGCCCTCGGGGGTTAATGTGGCATTACTGGGCCCA 2159

Qy   2604 CAGAGGTTTTGAGCCAATCAGCTCTGAGACTGGGTTAGAATGTAACAGCTTTACTGGGCCCA 2663
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2160 CAGAGGTTTTGAGCCAATCAGCTCTGAGACTGGGTTAGAATGTAACAGCTTTACTTGGG 2219

Qy   2160 CAGAGGTTTTGAGCCAATCAGCTCTGAGACTGGGTTAGAATGTAACAGCTTTACTTGGG 2219

Qy   2664 ATTTAAGAAGCTTTTAAAAGGTAATAATCCTCTGAAAGAAAAATGACGTAACCACAGCGGT 2723
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2220 ATTTAAGAAGCTTTTAAAAGGTAATAATCCTCTGAAAGAAAAATGACGTAACCACAGCGGT 2279

Qy   2220 ATTTAAGAAGCTTTTAAAAGGTAATAATCCTCTGAAAGAAAAATGACGTAACCACAGCGGT 2279

Qy   2724 GTACTATGAAAGCTGTTATTTTAATTAAAGAAACGCTGGGCGCCATGAACTC 2771
          ||||||||||||||||||||||||||||||||
Db   2280 GTACTATGAAAGCTGTTATTTTAATTAAAGAAACGCTGGGCCATGAACTC 2327
```

```
RESULT 8
ACC027340
LOCUS          AC027340          216441 bp    DNA    linear   HTG 15-JUL-2000
DEFINITION     Homo sapiens chromosome 19 clone CTD-2257C19, WORKING DRAFT
               SEQUENCE, 52 unordered pieces.
ACCESSION      AC027340
VERSION        AC027340.2  GI:9211228
KEYWORDS       HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE         Homo sapiens (human)
  ORGANISM     Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
               Hominidae; Homo.
REFERENCE      1  (bases 1 to 216441)
  AUTHORS      DOE Joint Genome Institute.
  TITLE        Sequencing of Human Chromosome 19
  JOURNAL      Unpublished
REFERENCE      2  (bases 1 to 216441)
  AUTHORS      DOE Joint Genome Institute.
  TITLE        Direct Submission
  JOURNAL      Submitted (30-MAR-2000) Production Sequencing Facility, DOE Joint
               Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT        On Jul 15, 2000 this sequence version replaced gi:7341654.
               -------Genome Center
               Center: Joint Genome Institute
               Center Code: JGI
               Web site: http://www.jgi.doe.gov
               -------
               Project Information
               Center Project Name: 726304, BC691328
               Center clone name: CITB-H1_2257C19
               -------
               Summary Statistics
               Consensus quality: 164680 bases at least Q40
               Consensus quality: 187929 bases at least Q30
               Consensus quality: 195340 bases at least Q20
               Estimated insert size: 159060; agarose-fp estimation
               Estimated insert size: 211341; sum-of-contigs estimation
               Quality coverage:  8.59 in Q20 bases; agarose-fp estimation
               Quality coverage:  6.46 in Q20 bases; sum-of-contigs estimation.
               * NOTE: This is a 'working draft' sequence. It currently
               * consists of 52 contigs. The true order of the pieces
```

```
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
*
*        1     1041: contig of 1041 bp in length
*     1042     1141: gap of unknown length
*     1142     2370: contig of 1229 bp in length
*     2371     2470: gap of unknown length
*     2471     3552: contig of 1082 bp in length
*     3553     3652: gap of unknown length
*     3653     4683: contig of 1031 bp in length
*     4684     4783: gap of unknown length
*     4784     6178: contig of 1395 bp in length
*     6179     6278: gap of unknown length
*     6279     7442: contig of 1164 bp in length
*     7443     7542: gap of unknown length
*     7543     8661: contig of 1119 bp in length
*     8662     8761: gap of unknown length
*     8762    10030: contig of 1269 bp in length
*    10031    10130: gap of unknown length
*    10131    11491: contig of 1361 bp in length
*    11492    11591: gap of unknown length
*    11592    12967: contig of 1376 bp in length
*    12968    13067: gap of unknown length
*    13068    14173: contig of 1106 bp in length
*    14174    14273: gap of unknown length
*    14274    15840: contig of 1567 bp in length
*    15841    15940: gap of unknown length
*    15941    17242: contig of 1302 bp in length
*    17243    17342: gap of unknown length
*    17343    18449: contig of 1107 bp in length
*    18450    18549: gap of unknown length
*    18550    19683: contig of 1134 bp in length
*    19684    19783: gap of unknown length
*    19784    21247: contig of 1464 bp in length
*    21248    21347: gap of unknown length
*    21348    22952: contig of 1605 bp in length
*    22953    23052: gap of unknown length
*    23053    24452: contig of 1400 bp in length
*    24453    24552: gap of unknown length
*    24553    25825: contig of 1273 bp in length
*    25826    25925: gap of unknown length
*    25926    27109: contig of 1184 bp in length
*    27110    27209: gap of unknown length
*    27210    28292: contig of 1083 bp in length
*    28293    28392: gap of unknown length
*    28393    29744: contig of 1352 bp in length
*    29745    29844: gap of unknown length
*    29845    31042: contig of 1198 bp in length
*    31043    31142: gap of unknown length
*    31143    32629: contig of 1487 bp in length
*    32630    32729: gap of unknown length
*    32730    33898: contig of 1169 bp in length
*    33899    33998: gap of unknown length
*    33999    35704: contig of 1706 bp in length
*    35705    35804: gap of unknown length
*    35805    37471: contig of 1667 bp in length
*    37472    37571: gap of unknown length
*    37572    39285: contig of 1714 bp in length
*    39286    39385: gap of unknown length
*    39386    40577: contig of 1192 bp in length
*    40578    40677: gap of unknown length
*    40678    41930: contig of 1253 bp in length
*    41931    42030: gap of unknown length
*    42031    43743: contig of 1713 bp in length
*    43744    43843: gap of unknown length
*    43844    46054: contig of 2211 bp in length
*    46055    46154: gap of unknown length
*    46155    49379: contig of 3225 bp in length
*    49380    49479: gap of unknown length
*    49480    53371: contig of 3892 bp in length
```

```
 *  53372   53471: gap of unknown length
 *  53472   55756: contig of 2285 bp in length
 *  55757   55856: gap of unknown length
 *  55857   58019: contig of 2163 bp in length
 *  58020   58119: gap of unknown length
 *  58120   60327: contig of 2208 bp in length
 *  60328   60427: gap of unknown length
 *  60428   64223: contig of 3796 bp in length
 *  64224   64323: gap of unknown length
 *  64324   67218: contig of 2895 bp in length
 *  67219   67318: gap of unknown length
 *  67319   71797: contig of 4479 bp in length
 *  71798   71897: gap of unknown length
 *  71898   76856: contig of 4959 bp in length
 *  76857   76956: gap of unknown length
 *  76957   82060: contig of 5104 bp in length
 *  82061   82160: gap of unknown length
 *  82161   87557: contig of 5397 bp in length
 *  87558   87657: gap of unknown length
 *  87658   94226: contig of 6569 bp in length
 *  94227   94326: gap of unknown length
 *  94327  101878: contig of 7552 bp in length
 * 101879  101978: gap of unknown length
 * 101979  110629: contig of 8651 bp in length
 * 110630  110729: gap of unknown length
 * 110730  119083: contig of 8354 bp in length
 * 119084  119183: gap of unknown length
 * 119184  128919: contig of 9736 bp in length
 * 128920  129019: gap of unknown length
 * 129020  142791: contig of 13772 bp in length
 * 142792  142891: gap of unknown length
 * 142892  156079: contig of 13188 bp in length
 * 156080  156179: gap of unknown length
 * 156180  183092: contig of 26913 bp in length
 * 183093  183192: gap of unknown length
 * 183193  216441: contig of 33249 bp in length.
```

FEATURES   Location/Qualifiers
source   1..216441
            /organism="Homo sapiens"
            /mol_type="genomic DNA"
            /db_xref="taxon:9606"
            /chromosome="19"
            /clone="CTD-2257C19"
            /clone_lib="CalTech human BAC library D"

gap   1042..1141
            /estimated_length=unknown
            2371..2470
            /estimated_length=unknown
gap   3553..3652
            /estimated_length=unknown
gap   4684..4783
            /estimated_length=unknown
gap   6179..6278
            /estimated_length=unknown
gap   7443..7542
            /estimated_length=unknown
gap   8662..8761
            /estimated_length=unknown
gap   10031..10130
            /estimated_length=unknown
gap   11492..11591
            /estimated_length=unknown
gap   12968..13067
            /estimated_length=unknown
gap   14174..14273
            /estimated_length=unknown
gap   15841..15940
            /estimated_length=unknown
gap   17243..17342
            /estimated_length=unknown
gap   18450..18549
            /estimated_length=unknown
gap   19684..19783
            /estimated_length=unknown

gap   21248..21347
            /estimated_length=unknown
            22953..23052
            /estimated_length=unknown
gap   24453..24552
            /estimated_length=unknown
gap   25826..25925
            /estimated_length=unknown
gap   27110..27209
            /estimated_length=unknown
gap   28293..28392
            /estimated_length=unknown
gap   29745..29844
            /estimated_length=unknown

Query Match   32.8%;   Score 1024.4;   DB 14;   Length 216441;
Best Local Similarity   98.3%;   Pred. No. 4.6e-124;
Matches 1119;   Conservative   0;   Mismatches 11;   Indels   8;   Gaps   8;

Qy   1775 CATTACCGCTTAACGTTCTGCAGGAGGAGCTTTATTCCCTPATTAATAGAAAACCGTCACAGTGAC 1834
          ||||||||||||||||||||||||||||||||||||||||||| ||||||||||||||||||||||
Db 42031 CATTACCGCTTAACGTTCTGCAGGAGGAGCTTTATTCCCTPATTAATAGAAAACCGTCACAGTGAC 42090

Qy   1835 CCTAGGATCCCTCCGAGTTAATGAGTTAACACATGTCGTGTTGGGGGCGTCTTTACAGGGAG 1894
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 42091 CCTAGGATCCCTCCGAGTTAATGAGTTAACACATGTCGTGTTGGGGGCGTCTTTACAGGGAG 42150

Qy   1895 TCCCAGTTCGGTGCCACCCCCTGCCAGCCGTCGCCCCCCCTTTCTGCGTGGGACAGTTTGAAA 1954
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||| ||||
Db 42151 TCCCAGTTCGTGCCACCCCCTGCCAGCCGTCGCCCCCCTTTCTGCGTGGGACAGTTTGAAA 42210

Qy   1955 AGGTGGGGTGGGGGTGGAGTGAAGTTTGGAGGAGGAGGCTGTTGGTTCTANGTGGGTTGGGTC 2014
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 42211 AGGTGGGGTGGGGGTGGAGTGAAAG-TTGGAGAGGGGACGCTG-TTGGTTCTANGTGG-TGGTC 42267

Qy   2015 TGTTTCCCGGACAACAGAAAAATTGCAATCAAAATGTCAGCAGCTTTTTATTACCTTAATCTTT 2074
          |||||||||||||||| |||||||| ||||||||||||||||||||||||||||||||||||||
Db 42268 TGTTTCCCGGACAAGAAAAAT-TGCAATCAAAATGTCAGCAGCTTTTTATTACCTTAATCTTT 42326

Qy   2075 CAGGGCCTAAAATTTAGGAGAGTGTCCTGAGAGCAGTTCATACAAAGGGCGTTTTCTCTAAGA 2134
          |||||||||||||||||||||||||||||||||||||||||||||||||||| |||||
Db 42327 CAGGGCCTAAAATTTAGGAGAGTGTCCTGAGAGCAGTTCATACAAAGGGCGTTTTCTCTAAGA 42386

Qy   2195 TTTGAGGTCATGACCTCCCACTGCCGCTCAGGGGGCTGACCCTATTTAGGAGAAAACCAAAGAG 2254
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 42447 -TTGAGGTCATGACCTCCCACTGCCGCTCAGGGGGCTGACCCTATTTAGGAGAAAACCAAAGAG 42505

Qy   2255 GGTGGGGTTGAAACCTTACTCTCCACGGACTTGGATCCAGTGGGCACACTTGCCTTGCGGAAAAG 2314
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 42506 GGTGGGGTTGAAACCTTACTCTCCACGGACTTGGATCCAGTGGGCACACTTGCCTTGCGGAAAAG 42565

Qy   2315 GGCTCTCCCCAGCCACCCCGGAGATGGGGGTAAGAGACGCAGAGGCTTGGGGGTAGGGC 2374
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 42566 GGCTCTCCCCAGCCACCCCGGAGATGGGGGTAAGAGACGCAGAGGCTTGGGGGTAGGGC 42625

Qy   2375 CACCTGGTGTTTAAACAGGCACTTTCTCCTTCTCTGGGGGCTTATTTTTGTTCAGAGTAG 2434
          |||||||||||||||||||||||||||||||||||||| ||||||||||||||||||||
Db 42626 CACCTGGTGTTTAAACAGGCACTTTCTCCTTCTCTGGGGCTTA-TTTGTTCAGAGAACTAG 42684

Qy   2435 ACCAGAGTGTTTGAAACCTCCTTTGCAGAGAGGGCTGGGGAATCCCTCTTTAGAGCACTTAAATC 2494
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 42685 ACCAGAGTGTTTGAAACCTCCTTTGCAGAGAGGGCTGGGAATCCCTCTTTAGAGCACTTAAATC 42744

Qy   2495 CTATTTATCCCCTGGAAGTGTGCGTGCTGGCCAGTAGGAGCTGGCTTGGGCTCCCCT 2554
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 42745 CTATTTATCCCCTGGAAATGTGCGTGCTGGCCAGTAGGAGGGGCTGGC-TTGGCAGCTCCCT 42803

Qy   2555 GACCCCGCCGCCTGCCCCCCTCCGGGGTAATGTGGCATTACTGGCCCAGAGAGGTTTTG 2614
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 2555 GACCCCGCCGCCTGCCCCCCTCCGGGGTAATGTGGCATTACTGGCCCAGAGAGGTTTTG 2614
```

```
RESULT 9
LOCUS       AC151531            211799 bp    DNA     linear   ROD 21-JUN-2005
DEFINITION  Mus musculus BAC clone RP24-387D22 from chromosome 7, complete
            sequence.
ACCESSION   AC151531
VERSION     AC151531.2  GI:63004089
KEYWORDS    HTG.
SOURCE      Mus musculus (house mouse)
  ORGANISM  Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
            Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1  (bases 1 to 211799)
  AUTHORS   Zheng,X. and Cotton,M.
  TITLE     The sequence of Mus musculus BAC clone RP24-387D22
  JOURNAL   Unpublished (2001)
REFERENCE   2  (bases 1 to 211799)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (10-SEP-2004) Genome Sequencing Center, 4444 Forest Park
            Parkway, St. Louis, MO 63108, USA
REFERENCE   3  (bases 1 to 211799)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (09-MAR-2005) Genome Sequencing Center, 4444 Forest Park
            Parkway, St. Louis, MO 63108, USA
REFERENCE   4  (bases 1 to 211799)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (03-MAY-2005) Genome Sequencing Center, 4444 Forest Park
            Parkway, St. Louis, MO 63108, USA
REFERENCE   5  (bases 1 to 211799)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (21-JUN-2005) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
COMMENT     On May 3, 2005 this sequence version replaced gi:51972398.
            -----------------------------------------------------------
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu
            Contact: submissions@watson.wustl.edu
            -----------------------------------------------------------
            Summary Statistics
            Center project name: M_BB0387D22
            -----------------------------------------------------------
            NOTICE:

            This sequence was finished as follows unless otherwise noted:
            all regions were double stranded, sequenced with an alternate
            chemistry, or covered by high quality data (i.e. phred quality
            >=30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one plasmid subclone, fosmid clone or direct clone walk sequence.
            Sequence from the Mouse Genome Sequencing Consortium whole genome
            shotgun may have been used to obtain the consensus sequence. The
            assembly was confirmed by restriction digest.
            This finishing standard has slightly changed from the previous
            Human standard. Specifically, standards for regions of low sequence
            complexity (such as dinucleotide repeats and small unit tandem
            repeats) have been relaxed. These regions are very prevalent in the
            mouse genome, and the return on extended finishing efforts is
            minimal.
            If a sequence meets the criteria of the above statement, it needs
            no comments or tags. If the criteria are not met, such as ambiguous
            bases, then the region is duly annotated.

            MAPPING INFORMATION:
            Mapping information for this clone was provided by Dr. Wes Warren,
            Department of Genetics, Washington University, St. Louis MO. For
            additional information about the map position of this sequence, see
            http://genome.wustl.edu

            SOURCE INFORMATION:
            The BAC Library has been constructed by Pieter de Jong and
            coworkers (http://www.chori.org) from male C57BL/6J mouse spleen
            and/or brain genomic DNA. The clone and detailed information can be
            obtained from Pieter de Jong and coworkers at http://www.chori.org

            This sequence is the entire insert of the clone.
FEATURES             Location/Qualifiers
     source          1..211799
                     /organism="Mus musculus"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:10090"
                     /chromosome="7"
                     /clone="RP24-387D22"
                     /clone_lib="RPCI-24"
     unsure          11573..11848
                     /note="Unresolved tandem repeat."
     unsure          15154..15175
                     /note="Unresolved tandem repeat."
     unsure          57981..57992
                     /note="Sequence derived from one plasmid subclone."
     unsure          57987
                     /note="Unresolved bases"
     unsure          100216..100326
                     /note="Sequence derived from one plasmid subclone."
     unsure          100748..100942
                     /note="Sequence derived from one plasmid subclone."
     unsure          118186..118246
                     /note="Sequence derived from one plasmid subclone."
     unsure          203111..203365
                     /note="Unresolved simple sequence repeat."
ORIGIN

Query Match    24.1%;  Score 753.8;  DB 9;  Length 211799;
Best Local Similarity   64.5%;
Matches 1597;  Conservative   0;  Mismatches  692;  Indels  188;  Gaps  24;

Qy    252 GTTTCCCATCCGTAAAATAGAACGGGTTGGATCTCCCGAGCGCGCTAACATTCCAGAACTC 311
          ||||  ||||   |||||||  |||| |||||||||||||||||||||||||||||||| |
Db  59785 GTCTGCAAGTAGGAAAAAAAAAAACCTTGAATTTGTAGGCGCGCTAAGGTTCCAGAAGTTA 59844

Qy    312 GGATGGGGCGAAGGGGGAGGGAGGTAGGGCGCCACCACAGTGACCTCCCCGCGTGGGAGCC 371
          |||||            |||||   |  |  |||||||||||| |||||||| ||||| ||
Db  59845 TCAT------------GGTAGGGAGAGAGGGGAAAGCCACACTTGATCTACCTGGGCTGGCC 59895

Qy    372 CCGGCTACCACTGATCCCAGGGAGTTGGGCCAGCTCCGGCCCGGCGGGGGTG-------- 423
          |||||||||| |   | | |||||  ||| || || | ||||||||||||||
Db  59896 CCGGCTACCCCTTGGCGCCGGGGGCGGGGCGGGGGGGCGGGGGCGGGGGGGGAAGCCCCG 59955

Db  42804 GACCCCCGCGCTGCCCGCCCCTCCGGGGTAAGTGGCATTACTGGGCCACAGAGGTTTG    42863
Qy   2615 AGCCAATCAGCTCTGAGACTGGGGTTAGAATGTAACAGCTTTAACTTGGGATTTAAGAAGC  2674
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||| |||
Db  42864 AGCCAATCAGCTCTGAGACTGGGGTTAGAATGTAACAGCTTTAACTTGGGATTTAAGAGC  42923
Qy   2675 TTTTAAAAAGGTAATAATTCCTCTGAAAGAAAAATGACAGGTAACACACAGCCGTGTACTATATGAAA  2734
          |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||||||||
Db  42924 TTTTAAAAAGGTAATAATTCCTCTGAAAGAAAAATGACAGGTAACACACAGCGTGTACTATATGAAA  42983
Qy   2735 GCTGTTATTTAATAAAGAACGCTGTGGGCCCATGAACTCATACCTGCCAATGAGTCAAACAT  2794
          |||||||||||||||||||||||| ||||||||||||||||||||||||||||||| |||||
Db  42984 GCTGTTATTTAATAAAGAACGCTGGGGCCCATGAACTCATACCTGCCAATGAGTC-AACAT  43042
Qy   2795 AGTATCTTTATGTAGATACTTAGATTACTACAAAATATATATATTCACTACTTCTGAAGTTGA  2854
          |||||||||||||||||||||||||||||  |||||||||| || ||||||||||||||||||
Db  43043 AGTATCTTTATGTAGATACTTAGATTACTAAAATATATATTTCATCTACTTCTGAAGTTGA  43102
Qy   2855 TAGTTCTTCCCCCCCCCCCCCCCCCCCCACTTTTTCTTTTTTTTTTGAGACAGGGTCCCTCTGTCACC  2912
          ||||||||||||||||        ||||||||||||||||||||||||||||||||||||||||||||
Db  43103 TAGTTCTTCCCCCCCCCCCCCCCCACTTTTTCTTTTTTTTTTGAGACAGGGTCCCTCTGTCACC  43160
```

This page contains a DNA sequence alignment rendered in rotated (vertical) orientation, consisting of paired "Qy" (query) and "Db" (database) nucleotide sequences with flanking position coordinates. The alignment is arranged in two column blocks.

Left block (selected line starts, Qy/Db with coordinates):
Qy 424 ... 463
Db 59956 ... 60015
Qy 464 ... 523
Db 60016 ... 60060
Qy 524 ... 583
Db 60061 ... 60120
Qy 584 ... 643
Db 60121 ... 60180
Qy 644 ... 703
Db 60181 ... 60239
Qy 704 ... 763
Db 60240 ... 60283
Qy 764 ... 823
Db 60284 ... 60329
Qy 824 ... 883
Db 60330 ... 60388
Qy 884 ... 943
Db 60389 ... 60448
Qy 944 ... 1003
Db 60449 ... 60508
Qy 1004 ... 1063
Db 60509 ... 60568
Qy 1064 ... 1123
Db 60569 ... 60628
Qy 1124 ... 1183
Db 60629 ... 60688
Qy 1184 ... 1243
Db 60689 ... 60748
Qy 1244 ... 1303
Db 60749 ... 60808
Qy 1304 ... 1363
Db 60809 ... 60868
Qy 1364 ... 1423
Db 60869 ... 60928
Qy 1424 ... 1477
Db 60929 ... 60988

Right block (Qy/Db with coordinates):
Qy 1478 ... 1537
Db 60989 ... 61048
Qy 1538 ... 1597
Db 61049 ... 61108
Qy 1598 ... 1657
Db 61109 ... 61154
Qy 1658 ... 1716
Db 61155 ... 61214
Qy 1717 ... 1771
Db 61215 ... 61273
Qy 1772 ... 1830
Db 61274 ... 61333
Qy 1831 ... 1890
Db 61334 ... 61371
Qy 1891 ... 1950
Db 61372 ... 61431
Qy 1951 ... 2010
Db 61432 ... 61486
Qy 2011 ... 2068
Db 61487 ... 61546
Qy 2069 ... 2127
Db 61547 ... 61606
Qy 2128 ... 2187
Db 61607 ... 61661
Qy 2188 ... 2247
Db 61662 ... 61702
Qy 2248 ... 2307
Db 61703 ... 61744
Qy 2308 ... 2367
Db 61745 ... 61804
Qy 2368 ... 2426
Db 61805 ... 61864
Qy 2427 ... 2485
Db 61865 ... 61924
Qy 2486 ... 2545
Db 61925 ... 61982
Qy 2546 ... 2605

```
Db  61983  TAGAGAGCTGCCCAACTGTCTGACCCATGTTACAGGGAGGGCGGATGCTGGTATCACTA  62042
                |||||      |||||  |  |||   |||  ||  |||||||
Qy   2606  GAGGTTTGAGCGAAATCAGCTCTGAGACTGGGTTAGAATGTAACAGCTTTAACTTGGGAT  2665
                          ||||||      |  ||| |||||||||| ||||||||| |||||||
Db  62043  GTAACCAGGAGGTTGTGAGCCTGGCAGCTCGAGTTCAAAAATGTAACAGCTTTAATTTGGGAAT  62102

Qy   2666  TTAAGAAGCTTTTAAAA  2682
                |||| ||||| ||||
Db  62103  TTAAAGAGCTTTAAACA  62119
```

RESULT 10

LOCUS   AC166160   222531 bp   DNA   linear   HTG 26-JUL-2005
DEFINITION Mus musculus chromosome 7 clone RP24-86019, *** SEQUENCING IN
            PROGRESS ***, 14 unordered pieces.
ACCESSION   AC166160
VERSION   AC166160.1 GI:71143373
KEYWORDS   HTG; HTGS_PHASE1.
SOURCE   Mus musculus (house mouse)
  ORGANISM Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
            Sciurognathi; Muroidea; Muridae; Murinae; Mus.
REFERENCE   1 (bases 1 to 222531)
  AUTHORS   Wilson,R.K.
  TITLE   The sequence of Mus musculus clone
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 222531)
  AUTHORS   Wilson,R.K.
  TITLE   Direct Submission
  JOURNAL   Submitted (26-JUL-2005) Genome Sequencing Center, 4444 Forest Park
            Parkway, St. Louis, MO 63108, USA
COMMENT   -------------- Genome Center --------------
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu
            -------------- Project Information --------------
            Center project name: M_BB008019
            -------------- Summary Statistics --------------
            Sequencing vector: M13; 0%
            Sequencing vector: plasmid; 100%
            Chemistry: Dye-primer ET; 0% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 216535 bases at least Q40
            Consensus quality: 217881 bases at least Q30
            Consensus quality: 218799 bases at least Q20
            ----
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 14 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *   1   6578: contig of 6578 bp in length
            *   6579   6678: gap of unknown length
            *   6679   13288: contig of 6610 bp in length
            *   13289   13388: gap of unknown length
            *   13389   20217: contig of 6829 bp in length
            *   20218   20317: gap of unknown length
            *   20318   28619: contig of 8302 bp in length
            *   28620   28719: gap of unknown length
            *   28720   42603: contig of 13884 bp in length
            *   42604   42703: gap of unknown length
            *   42704   59669: contig of 16966 bp in length
            *   59670   59769: gap of unknown length
            *   59770   71649: contig of 11880 bp in length
            *   71650   71749: gap of unknown length
            *   71750   86131: contig of 14382 bp in length
            *   86132   86231: gap of unknown length
            *   86232   107186: contig of 20955 bp in length
            *   107187   107286: gap of unknown length
            *   107287   134561: contig of 27275 bp in length
            *   134562   134661: gap of unknown length
            *   134662   215890: contig of 81229 bp in length
            *   215891   215990: gap of unknown length
            *   215991   217539: contig of 1549 bp in length
            *   217540   217639: gap of unknown length
            *   217640   219158: contig of 1519 bp in length
            *   219159   219258: gap of unknown length
            *   219259   222531: contig of 3273 bp in length
FEATURES   Location/Qualifiers
     source   1..222531
                     /organism="Mus musculus"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:10090"
                     /chromosome="7"
                     /clone="RP24-86019"
     misc_feature   1..6578
                     /note="assembly_name:Contig11"
     gap   6579..6678
                     /estimated_length=unknown
     misc_feature   6679..13288
                     /note="assembly_name:Contig12"
     gap   13289..13388
                     /estimated_length=unknown
     misc_feature   13389..20217
                     /note="assembly_name:Contig13
                     vector_side:right"
                     clone_end:T7
     gap   20218..20317
                     /estimated_length=unknown
     misc_feature   20318..28619
                     /note="assembly_name:Contig14"
     gap   28620..28719
                     /estimated_length=unknown
     misc_feature   28720..42603
                     /note="assembly_name:Contig15"
     gap   42604..42703
                     /estimated_length=unknown
     misc_feature   42704..59669
                     /note="assembly_name:Contig16"
     gap   59670..59769
                     /estimated_length=unknown
     misc_feature   59770..71649
                     /note="assembly_name:Contig17"
     gap   71650..71749
                     /estimated_length=unknown
     misc_feature   71750..86131
                     /note="assembly_name:Contig18"
     gap   86132..86231
                     /estimated_length=unknown
     misc_feature   86232..107186
                     /note="assembly_name:Contig19"
     gap   107187..107286
                     /estimated_length=unknown
     misc_feature   107287..134561
                     /note="assembly_name:Contig20
                     vector_side:right"
                     clone_end:SP6
     gap   134562..134661
                     /estimated_length=unknown
     misc_feature   134662..215890
                     /note="assembly_name:Contig21"
     gap   215891..215990
                     /estimated_length=unknown
     misc_feature   215991..217539
                     /note="assembly_name:Contig5"
     gap   217540..217639
                     /estimated_length=unknown
```

```
misc_feature      217640. .219158
gap               219159. .219258
                  /note="assembly_name:Contig8"
                  /estimated_length=unknown
misc_feature      219259. .222531
                  /note="assembly_name:Contig9"

ORIGIN

Query Match      24.1%;  Score 753.8;  DB 14;  Length 222531;
Best Local Similarity  64.5%;  Pred. No. 5.6e-89;
Matches 1597;  Conservative  0;  Mismatches 692;  Indels 188;  Gaps 24;
```

Qy 252 GTTTCCCATCCGTAAAATAGACGGGGTTTGGATCTCCCGAGCGGCTTAACATTCAGAACTC 311
         |||||| |||||| ||||
Db 179225 GTCTGCAAAGTAGGAAAAAAAACCTTGAATTTGTAGGCGGCGTTCAGAATTA 179284

Qy 312 GGATGGGGGCCGAAGGGGGAGGGGGATGGGCCACCCACAGTGACCTTCCCCGGCGTGGAGCC 371
         |||||| |||||||||||||||||||| ||||||||
Db 179285 TCAT--------GGTAGGGAGGAAGAGAGGGAAAAGCCACACTTGATCTACTTGGGGCTGGGCC 179335

Qy 372 CCGGCCTACCACTGATTCCAGGGGGTGGCAGCTCCCGCCCGGGGACGAGCGGGGGGTG 423
         |||||| ||||||||||||
Db 179336 CCCGCCTACCCCTGGCCCCGGGCGGGGGGGGGGGGCGGGGCGGGAAGCCCCG 179395

Qy 424 -------------------------GGGGGGTCCTAGGAAAAAACCCTACCCCGGCGGCCCTTGGCAGC 463
                                  ||||||||
Db 179396 GGGCCTGGACTGGTGGCTGGACGGGCGGCGTGTCCTAGGGAAAACTGGATCCTGCTGCCCCTTGGCCCCT 179455

Qy 464 GCCTAAGGCGGGGGAGCGGGGGGGCTCTTGCCCCGGGCCGGAGTTGGGCCACCCACGGAGG 523
         |||||||||||||||||| ||||||||
Db 179456 GGCTAAGGCGGCGGGGGGGGCTCGTTCTTGGA--------GACTTGGGGGTCGGATCAAGG 179500

Qy 524 ATGGGGACCGGCACCCTCACCTTCGCAGGCGAGCCACCGTGGAGCCCAGGGCGTGCAGACA 583
         ||||| |||||||||||||||||
Db 179501 ATGGGGTCTTCACTCTGGGCCTTCTCAGGGAGGACCCGGTGAAAAAAGAAAAGTGGTCGCAAAAGA 179560

Qy 584 CACGACGTGTGACTCGGAGTGCGCCCCTGGGGGAGGGGGGGGCGGCAGGGGACCGCTAA 643
         |||||||||||| |||||||||||||||
Db 179561 CACTACGGCCGTGACCCGGACCGGCGTCTGGGGGAAATGGAGGGCGGCGGAAGCTAA 179620

Qy 644 CGGGGCCTCCCTCTGCGCGCCCGTCGCAGAGGGCCACGTCGCAGGGGTCCCGGGGCGGGTC 703
         |||||| ||||||||||||
Db 179621 CCAGACTACCCCAGC--CCTGGGGACGCGCGGGCGCACCTCAAGGGTCCAAGGGCTC 179679

Qy 704 CGTGGACGTTGGGCGGTAGGCCGAGCGAGTCACCGAACGGGTTCGTCGTCGCCGCC 763
         |||||| |||||||||||
Db 179680 TGTTGAGAACAGCGG------------CGAGGACAATGAGGGAGCTTTCAGTTCCGCGCC 179723

Qy 764 GGCCCAAGGCCCGGGATGGGGGGTTAGCACATCCTGCCCGCCTGAGGCGGGCTAACGGG 823
         |||||| |||||||||||
Db 179724 TGCTCAAGGCTGCTGGCATCAGGCGTCGAGGCGACGTTGAAG-----------179769

Qy 824 -GTTGCAAGTAGGGTACCGCCCGGAGGGGCCATGGGCAGCGCGCCACCCGCCGATGGGCGAGGGGAGGGGAGTGCAAGGGCGT 883
         |||||| |||||||||||
Db 179770 CGCCGCGGGCGCCCGGGGGCCCGCCCACCGCCGGAGGGCACCGAGAGGGAGGCTT 179828

Qy 884 GCTGGACCGGCTCAACACAGACGACTGCGTGCGTACCACCGCCACCACCTGCAGCGGCGGG 943
         |||||| |||||||||||
Db 179829 GCTGGACCGCGCGCTCAACGACCACACAGCGGTGCTGCTACCCATCACTTGCTTACTGTGTGGGCG 179888

Qy 944 CTCGGGCGGTGTCCACCTGGCCTCTGCGAGAGGGCGGGCGCAGCAGAGCTGCAAAAGAACGCGCCGCAGGA 1003
         |||||| |||||||||||
Db 179889 CTCCGCGGACACTTCAGGACTTCCGCTGAGGCCGGAAGACACCCGCCGCCAGAGTTGAAG 179948

Qy 1004 GCTGGGCGGTGTCCACCTGGCGCGGCTGACGTGTTGTTGCTGCGCGTCGCGGCCTTAGCTAC 1063
         |||||| |||||||||||
Db 179949 GCTGGGCCGTGGCCACCGGCGCCCGGTTCACCGGGCGTCGGGCCTCCGGGAGCCTTAGCTAC 180008

Qy 1064 CGACGAGCGCGCGCCGAGTTCGGAGCGGCTGGGGTGGCCTTCTCTCGGGCTGGCTGGACCTGCT 1123
         |||||| |||||||||||
Db 180009 CGAGGAGCGCGCGGCGAGTTTGAGCGGCTCTGGGGTGGCCTTTTCAGGTGGGCTGACCTGCT 180068

Qy 1124 GGAAGCGGACAATGCGACGTCGCTGTGGAGCGCTGGCGGCCCCGGTTCCCGCGTTGCACCGCGCCGG 1183
         |||||| |||||||||||
Db 180069 CGGAGCGGCGGACGCATTGCAGGCGCGCCACAGGTGTGGGCTGGCGGTGCGCGCGTGGGGGG 180128

Qy 1184 GCGACCGCGGTGGTGGGCGACCAGGAGGTCGGTGGGCACGCGCTCCTCCTCCGGGCGTGGCGGGCT 1243
         |||||| |||||||||||
Db 180189 GAGGCGGCGCGGCCGGCTGCAGCGCACGAAGCGGCGGCCGCACTTCGGATCGCGGCGACTCGCCCCA 180248

Qy 1244 GAGCACCCGCGGCAGCCGTTGGCGGGGCCGGAGGGCGGGCCGGACTTCGACGTCGGCGGGA 1303
         |||||| |||||||||||
Db 180129 CCGGCGCCACTTGTTCGCACTCGGGGTGGGGACGGCCGCCGGAGTGGGGGGGGCCT 180188

Qy 1304 CCCCAGGGAAGGCCCTGGGCGCCCCATCCTTTCTGGGCGGCTGCTTTTCTGGGCTGTGGCCCT 1363
         |||||| |||||||||||
Db 180369 CAGTGCCGGCGGCGTCCTCAGCCCGTGGGCATTCGGTTGGCGGTAGAGGAGGAGGAGCTGGGA 180428

Qy 1424 CAGCGCGCCGGCGCGCCCGCCTCCTTCGGTCG-----TGTCCTTGCAGGAGGCGGGGGGCCGTCA 1477
         |||||| |||||||||||
Db 180309 CGTGGCCCGCGCTGGACTTGTACAGGCGGGGGGCGGACTGCCTTTTCGTTCCGGTGC 180368

Qy 1478 CCCCAGGAGGCCCTTGGCCGCCATCCTTTTCTGGGCGGCGTGCTGGCGTGCCCT 1537
         |||||| |||||||||||
Db 180429 CCCCAGACAAGGCCTGGGCTCGCCACACGGTTTTCAGGGCGGGTGGGGGGGGCCT 180488

Qy 1538 AGCCGTGTGCGTGGCGGAAGCTGACGTGACGTGACAGACAGACACCCGACGGGGGGCGCCGCTCA 1597
         |||||| |||||||||||
Db 180489 CGCCTTATGTGTGCGGCAAAGCTGAGCTGACTGATACCCAAGGTCGTCCGCTGGCCCTTT 180548

Qy 1598 CCCTCCCCTGAGAAAAGACTCGGGGATGGGGGTGTGGGGGGTCTGGCCTTGCAAGGGGAGTGGGT 1657
         |||||| |||||||||||
Db 180549 CAGGGGCATGGGCGTTCGGGTTTGAAACCGT--TAAGGAGAGGAGGT 180594

Qy 1658 CCTAAAAACCCCGTGTTGTGCATGGGGTACACCGCGCGTTTC--CAGTGCACATCTGCCTGGGCA 1716
         |||||| |||||||||||
Db 180595 AGTGAGCCTGAAATGTGCATATGAACATAGGANGATCCTTTCAAAAGCCACCCTCTGCCTGGGCA 180654

Qy 1717 GGAC-------ACGGTTTTCCTCTTCGTTGCTTCCGCCCCGGGGAGAGGTTAAACTTTGGCCGGCCGTCA 1771
         |||||| |||||||||||
Db 180655 AAACGTGTTTTGTTTTTTAACATGCTGGCCCCAAGGAGGAGTTAAACAGCAC-AGGGCCGGCCA 180713

Qy 1772 GGGGCATTACCGCTAACGTCTGCAGGGAGCGCTTTATTCCCTATTAATAGAAAACCGGT-CACAG 1830
         |||||| |||||||||||
Db 180714 GGCCATTACCTCTAAATGTCTGGTAGGAGCTTTACCTCCTATTAATAAAATCGGGTCCACAG 180773

Qy 1831 TGACCCTAGATCCCTCCCGAGTTAATGAGTTAACACATGTCGTGTGGGGGTCTTTACAG 1890
         |||||| |||||||||||
Db 180774 TGACCCCAGGTGCCCTTCTGAGT-----------TTGATGGGTTAAGACGT 180811

Qy 1891 ATGTCCCAAGTTTGTTCGGTGCCCACCCCCGCCCCCCTTTCTCGTGGGGACAGTTT 1950
         |||||| |||||||||||
Db 180812 GGAGTCCGAGTTCGGTGCCCACCCCCGCCCCCCTTTCTCGTGGGGACAGTTT 180871

Qy 1951 GAAAAGGTGGGGTGGGGTGGAGTGAAGTTTGGAGAGGGGACCGCTGTTGGTTCTAGTGGTT 2010
         |||||| |||||||||||
Db 180872 AATTTTGTTAAGGTGTGGGGTTGTTATCAAGCATAGTGTGGGTGGGG-----AGGGAGAC 180926

Qy 2011 GGTCTGTTCCCGGACAAGGAAGAAA--AATTGCAATCAAAATGTCAGCAGCTTTTATTACCTTA 2068
         |||||| |||||||||||
Db 180927 ATTTTGTTCCCTAGAACAGAAGAAAAACCAGTTGGCAGTGAAGAGATGGGGTTTTGTTACCTTA 180986

Qy 2069 ATCTTTCACGGGCCTA--AATTTAGAGAGAGTGTCTGAGAGCAGTGTCATAGAAAAGGGCTTTC 2127
         |||||| |||||||||||
Db 180987 ATCCTTTGGGGCCTAGGCTTTGGGAGTGTGTACGGGTAGAGAAGTGCCTTTC 181046

Qy 2128 TCTAAGACGGGCTACAGACCCTTCCTTAGCGAAGAGTTTATCCATTCGTCCCCAAGAGCAGCTTA 2187
         |||||| |||||||||||
Db 181047 TCTCTGATACACTACTGCACTTG---GCAGAGCCTGCCTTATTAGTCACCAGGAGTGC-- 181101

Qy 2188 GAAGAGGATTTGAGGTCATGACCTCCCACTGCCGCTCAGGGGCTGACCCTATTAGGAGAAAC 2247
         ||| |||||||
Db 181183 ...

```
RESULT 11
AY229888
LOCUS       AY229888                6560 bp    mRNA    linear   ROD 01-JAN-2004
DEFINITION  Mus musculus RGS9-1 anchoring protein R9AP mRNA, complete cds.
ACCESSION   AY229888
VERSION     AY229888.1  GI:37910119
KEYWORDS    .
SOURCE      Mus musculus (house mouse)
  ORGANISM  Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
            Sciurognathi; Muroidea; Muridae; Murinae; Mus.
REFERENCE   1  (bases 1 to 6560)
  AUTHORS   Keresztes,G., Mutai,H., Hibino,H., Hudspeth,A.J. and Heller,S.
  TITLE     Expression patterns of the RGS9-1 anchoring protein R9AP in the
            chicken and mouse suggest multiple roles in the nervous system
  JOURNAL   Mol. Cell. Neurosci. 24 (3), 687-695 (2003)
  PUBMED    14664818
REFERENCE   2  (bases 1 to 6560)
  AUTHORS   Keresztes,G. and Heller,S.
  TITLE     Direct Submission
  JOURNAL   Submitted (03-FEB-2003) Otolaryngology, Harvard Medical School, 243
            Charles Street, Boston, MA 02114, USA
FEATURES             Location/Qualifiers
     source          1..6560
                     /organism="Mus musculus"
                     /mol_type="mRNA"
                     /strain="C57BL"
                     /db_xref="taxon:10090"
                     /tissue_type="retina"
     CDS             325..1038
                     /codon_start=1
                     /product="RGS9-1 anchoring protein R9AP"
                     /note="membrane-spanning; SNARE-like"
                     /protein_id="AAP55847.1"
                     /db_xref="GI:37910120"
                     /translation="MAREECKALLDALNKTTACYHHLVLTVGGSADTQDLREELQKTR
                     QKARELAVATGARLTVALRDRSLATEERAEFERLWVAFSGCLDLLEADMQRALALGAT
                     FPLHAPRPLVRTGVTGGSSAVAARALSARSLRHEAASDFDVADLPQLEREVLQVGEM
                     IDDMEMKVNVPRMTVQARQAAGAELLSGASAGSASAGGISVEBRAGPCDPSKALAATV
                     FSAVLLVAVALALCVAKLS"

ORIGIN
Query Match    23.6%;  Score 738;  DB 9;  Length 6560;
Best Local Similarity  66.0%;  Pred. No. 1.3e-86;
Matches 1450;  Conservative 0;  Mismatches 610;  Indels 136;  Gaps 21;

Qy    2248 CAAAGAGAGGGTGGGTTGAACCTACTTCACGGGACTTGGATCCACGTGCGCACACTTGCCTGC 2307
Db  181102 ------------------------------AGCTATGAGAGAGGTTTTGTGTCGTGAGACCCCATTTAGGGTCA 181142

Qy    2308 GGAAAAGGGGCTCTCCCAGCCACCACCCCGAGAGATGGGGGTAAGAGGAAGAGAGGAGCTTGGG 2367
Db  181143 CAGCCCAAGAAGGTTGTGGGTGTATCCTC------------------TGCACACTTGCTTCA 181184

Qy    2368 GTAGGGGCCACCTGG--TGTTTAAACAGGCACTTGGGGCCTTATTTTTGTTC 2426
Db  181185 AGAGAAGAACGGCTTCCATACTCATCCCCGATGGGGGACAGGATGGTGCTGCTTTCG 181244

Qy     563 GAGTTGGCACCCACGGGGAGGATGGGGGACCCGCACCCTTCAGCTTCGGCAGGGGAGCCACCGTGGA 564
Db     181245 GAAGGGCCCACACCGGCTAGTGTAAACACAGGCACGCTTCCTTCTCACTCTGGGCTTGAA 181304

... (alignment continues through additional Qy/Db segment pairs) ...

Qy    2666 TTAAGAGAGCTTTTAAAA 2682
Db  181543 TTAAAGAGAGCTTTAAAAACA 181559
```

```
Qy  1459 AGCGCGGGGGGGGGGGGTTGCGACCCCAGGAGGCCATCCTTTTCGGGCCGTGC 1518
         |||                    ||||||||||||||||||||||||||||||||
Db   932 AGCGGCGGCGGCGGCCCTGCGACCCCAGCAAGGCCCTTGGCCCTTTTCAGCGCGTGC  991

Qy  1519 TGCTGGCGGCGGCGGTCTGGGCCCCTTAGCCGTGTGGGGCGGAAGCTGAGCTGAC  1578
         |                       |||||||||||||||||||||||||||||
Db   992 TGTTGGGTGGCGGTGTGGGCCCCTTCGCCTTATGTGTGGCAAAGTGAGCTGACTAGTATCCAACG 1051

Qy  1579 GCCGCCGTCGCTGCTGCTCGCGCTCCCTCCCTGAGAAAAGACTCGGGATGGGGTGTTGGGGTCTGG 1638
         |||                     ||||||||||||||||||||||||||||||||
Db  1052 GTCGTCCGCGCTGCCCCTTTTCTTTC------------CAGGGCCATGGGGCTTCGGGTTTGA 1098

Qy  1639 CCTGTGCAAGGGAGGGAGTGGGGTCCTAAAACCCGTGTGGTGCGAGGGGTACACGCGCGGTTTC-CA 1697
         |||                   |||||||||||||||||||||||||||||||
Db  1099 ACCGTT-AAGGAGGAGGTTAGTGAGCCTGAAGAATGNTCGCATAATGAGAACATAGATCCTTTCAAA 1157

Qy  1698 GTGCACAATCTGCCTTGGGGGCAGGAC-------ACGGTTTTTCCTTCTTGCTTGGCCCGGGGAGAGTT 1752
         |||                    |||||||||||||||||||||||||||||
Db  1158 GCCCACCTTCTGCCTGCGGAAAACGTGTTTGTTTTTTAACATGTGGGCCCAAGAGAGTT 1217

Qy  1753 AACTTTGCGGCTGGGACAGTTTGAAAAGGTGGGGTGGGGGACTGGGAGAGTTTTATTCCCTATT 1812
         |||                    |||||||||||||||||||||||||||||
Db  1218 AACAGCAC-AGGGCGGGCCAGGGCCAATTACCTCTAAATGTCTAGGAGCTTTACCTTCCTATT 1276

Qy  1813 AATAGAAAAACCGT-CACAGTGACCCCTAGTATCCCCCGCCGACTTAACTGGGGGAGAGAGTTAACACATGTGCC 1871
         |||                    |||||||||||||||||||||||||||||
Db  1277 AATAGAAATCGGTCCACACTGACCCCAGGTCCCTCTGAGT------ 1316

Qy  1872 TGTTGGGGGCGGTCTTTTACAGGGAGTTCCGTAGTTCCCACCCCTTGCCAGGCCGTTCGCCCCCC 1931
         |||                    |||||||||||||||||||||||||||||
Db  1317 --TTGATGGGTTAAGACGTATGTCCACGTTGTTGCTCCTTACACGCTGTGGGGGTTGGGTTAGCACTC 1374

Qy  1932 TTTTGTGCGTGGGACAGTTTGAAAAAGGTGGGGTGGGGGGACTGGGAGGGTTTGGAGAGGGGACGC 1991
         |||                    |||||||||||||||||||||||||||||
Db  1375 ATTCTGTGTTTTTAGACGAGGACGAATTTGTTTTGTTAAGGTTGGGTGGGGTTGTATCAGGCATAGTGGTCGG 1434

Qy  1992 AGCAGCTTTTATTTACCTTTAAATCTTTTCAGGGCCTA-AATTTAGGAGNAGGGNGTCCTGAGGAGCA 2049
         |||                    |||||||||||||||||||||||||||||
Db  1435 CGTGGGGTTTTGTTTGTTCCCTTGGGGCGGGTAGGGCTTGGGAGTTGTGTACGGATAAGATGCC 1489

Qy  2050 GTTCATACAAAGGGCTTTCTCTAAGAGACGGGCTCACAGCCCTTCCTAGACAGAGTTTTATTCCAT 2108
         |||                    |||||||||||||||||||||||||||||
Db  1490 AGGAGACATTTTGGTTCCCTTGGGGAGGNAGGGTCTTGGGGGGTTGTTGGGGGTTTTCGCTCGCTGTCACGGATAGAG 1549

Qy  2109 GTTCATACAAAGGGCTTTCTCTAAGAGACGGGCTCACAGCCCTTCCTAGACAGAGTTTTATTCCAT 2168
         |||                    |||||||||||||||||||||||||||||
Db  1550 GCTCGGTCGAAAGTGCTTTTCTCGTTGATACTACTGCACT---TGGCGAGCCTGCCTAT 1606

Qy  2169 TCGTCCCAAGACCAGCCTAGAAGAGAGATTTGAGGGTTCATCAGGGG 2228
         |||                    |||||||||||||||||||||||||||||
Db  1607 TAGTCACCAGGAGCTGC------AGCTATGAGAGGTTTTTGTGTC 1645

Qy  2229 CTGACCCCTTATTTAGGAAAACCAAAGAGAGGGTGGGGTTGAACCTACTCTCACGGGATCC 2288
         |||                    |||||||||||||||||||||||||||||
Db  1646 GTGACCCCATTTAGGGCTCACAGGAAGGTTGTGGGTTGTATCCTCT------ 1692

Qy  2289 AGTGGCACACTTGCCTGCGGAAAGGGGCTCTCCCCAGCGATGGGGGGGTAAGA 2348
         |||                    |||||||||||||||||||||||||||||
Db  1693 -----GCACTTGCTTCAAGAGGGGCTCCATACTCATCCCCGGGATGGGGGGAGGA 1747

Qy  2349 GGAAGAGCAGAGAGCGCTTGGGGTAGGGCCAC-CTGGTGTTTAAACAGGCACTTTCTCCTTCT 2407
         |||                    |||||||||||||||||||||||||||||
Db  1748 CAGGATAGTGCTGCTTGGGAAGGGCCACACGGGCTTTGGGAAGGTTCTCCCTTCT 1807

Qy  2408 CTGGGGCTTATTTTTTGTTCAGGACTAGAACTAGTGTTTGACCTCCTTTGCAGGAGGGC 2467
         |||                    |||||||||||||||||||||||||||||
Db  1808 CACCGGCTTACTTTATCCCAGAATTAGACCACAGTGTTTGACCTCCTTTGAGGGAGGGC 1867

Qy  2468 T-GGGAATCCTCTTTAGAGCACTTAATCCTATTTATATTCCCTGGAAATGNGGCGTGCTAGGGCCA 2526
         |||                    |||||||||||||||||||||||||||||
Db  1868 TGGGGAATCCTCTTTGAGCTCTTAAATCCTATCTAT-CCCTGGAAATTTTACTCGGATAGCCA 1926

Qy  2527 GTAGGAGGGGCTGGCTTTGGGCAGCTCCCTGAGCCCCGGCTGCCCGGGGCTGCCCCTTCCGGGGTAAT 2586
         |||                    |||||||||||||||||||||||||||||
Db  1927 ATAGGAAACGCTAG-TTTTCTAGAGAAGGCTGGCCCACTGCCCACACTGTCTGAGACCCATGTTACAGGGGAAG 1985

Qy  2587 GTGGGCATTACTGGGCCCCACACAGAGGTTTTGAGGGCCAATCAGCTCTGAGACTGGGTTAGAATGT 2646
         |||                    |||||||||||||||||||||||||||||
Db  1986 GGCGGATGCTGGGTATCACTAGTAACCAGAGGGGTTGTGAGCCTGGCAGCTGAGTTCAAAATGT 2045

Qy  2647 AACAGCTTTTAACTTGGGGGATTTAAGAAGCTTTTAAAA 2682
         |||                    |||||||||||||||||||||||||||||
Db  2046 AACAGCTTTAATTTGGAAATTTAAAGAGCTTTAAACA 2081
```

```
                 TITLE
                 REFERENCE  2  (bases 1 to 255844)
                 JOURNAL    Unpublished
                 AUTHORS    Worley,K.C.
                 TITLE      Direct Submission
                 JOURNAL    Submitted (19-JUL-2002) Human Genome Sequencing Center, Department
                            of Molecular and Human Genetics, Baylor College of Medicine, One
                            Baylor Plaza, Houston, TX 77030, USA
                 REFERENCE  3  (bases 1 to 255844)
                 AUTHORS    Rat Genome Sequencing Consortium.
                 TITLE      Direct Submission
                 JOURNAL    Submitted (20-NOV-2002) Human Genome Sequencing Center, Department
                            of Molecular and Human Genetics, Baylor College of Medicine, One
                            Baylor Plaza, Houston, TX 77030, USA
                 COMMENT    On Nov 20, 2002 this sequence version replaced gi:23195946.
                            The sequence in this assembly is a combination of BAC based reads
                            and whole genome shotgun sequencing reads assembled using Atlas
                            (http://www.hgsc.bcm.tmc.edu/projects/rat/). Each contig described
                            in the feature table below represents a scaffold in the Atlas
                            assembly (a 'contig-scaffold'). Within each contig-scaffold,
                            individual sequence contigs are ordered and oriented, and separated
                            by sized gaps filled with Ns to the estimated size. The sequence
                            may extend beyond the ends of the clone and there may be sequence
                            contigs within a contig-scaffold that consist entirely of whole
                            genome shotgun sequence reads. Both end sequences and whole genome
                            shotgun sequence only contigs will be indicated in the feature
                            table.
                            -------------- Genome Center
                            Center: Baylor College of Medicine
                            Center code: BCM
                            Web site: http://www.hgsc.bcm.tmc.edu/
                            Contact: hgsc-help@bcm.tmc.edu
                            -------------- Project Information
                            Center project name: GYST
                            Center clone name: CH230-328014
                            -------------- Summary Statistics
                            Assembly program: Phrap; version 0.990329
                            Consensus quality: 220111 bases at least Q40
                            Consensus quality: 224134 bases at least Q30
                            Consensus quality: 227087 bases at least Q20
                            Estimated insert size: 227400; sum-of-contigs estimation
                            Quality coverage: 6x in Q20 bases; sum-of-contigs estimation
                            ---------------
                            * NOTE: Estimated insert size may differ from sequence length
                            *    (see http://www.hgsc.bcm.tmc.edu/docs/Genbank_draft_data.html).
                            * NOTE: This is a 'working draft' sequence. It currently
                            * consists of 3 contigs. The true order of the pieces
                            * is not known and their order in this sequence record is
                            * arbitrary. Gaps between the contigs are represented as
                            * runs of N, but the exact sizes of the gaps are unknown.
                            * This record will be updated with the finished sequence
                            * as soon as it is available and the accession number will
                            * be preserved.
                            *        1                  contig of 49930 bp in length
                            *    49931                  gap of unknown length
                            *    50031                  contig of 201558 bp in length
                            *   251588                  gap of unknown length
                            *   251689                  contig of 4156 bp in length.
                 FEATURES             Location/Qualifiers
                      source          1..255844
                                      /organism="Rattus norvegicus"
                                      /mol_type="genomic DNA"
                                      /db_xref="taxon:10116"
                      misc_feature    600..1440
                                      /clone="CH230-328014"
                                      /note="clone_boundary
                                      site"
                                      clone_end:T7
                      misc_feature    1490..4017
                                      /note="wgs_contig"
```

```
Qy                  misc_feature    complement(4520..5390)
                                    /note="clone_boundary
                                    site:
                                    end_sequence:BZ164083"
                                    clone_end:Sp6"
                    gap             49931..50030
                                    /estimated_length=unknown
                    misc_feature    50031..52743
                                    /note="wgs_end_extension
                                    clone_end:Sp6"
                    misc_feature    52794..54086
                                    /note="wgs_end_extension
                                    clone_end:Sp6"
                    misc_feature    102690..103774
                                    /note="wgs_end_extension
                                    clone_end:Sp6"
                    misc_feature    125888..127459
                                    /note="wgs_end_extension
                                    clone_end:Sp6"
                    misc_feature    163255..165112
                                    /note="wgs_end_extension
                                    clone_end:Sp6"
                    gap             251589..251688
                                    /estimated_length=unknown
ORIGIN
     Query Match       22.8%;  Score 711.8;  DB 14;  Length 255844;
     Best Local Similarity  60.7%;  Pred. No. 1.5e-83;
     Matches 1575; Conservative   0; Mismatches  817;  Indels 203; Gaps  20;

Qy      310  TCGGATGGGGCGGGAGAGGGGGAGGGAGGGGATGGGCCCACCACAGCGTGACCTCCCGGGGTGGGAG   369
Db   174686  TGGGGGAGGGCGGGGAGGGGGGGGCCNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN   174627
Qy      370  CCCCGGCCTACCACTGATCCAGGGGGGTGGGCAGCTCCGGCGCCCGGGACGAGCGGGGGTGGGCGGG   429
Db   174626  NNNNNNNNNNNGAGAGGGCGGGGAGGGAGGAAGCTTCTCGGGCCTAGACAGGCGGCGGGGCTGAGGCG   174567
Qy      430  TCCTAGGAAAACCCTACCCGCGCCGCCCCTTTGCAGCGCCTAAGGGCGGAGGGCGGAGGGGGCTCTGC   489
Db   174566  TGTCCTTAGAAAACGGATCCTCGGGGGCCCTTGGGCCCTGGGCCTAAGGGGCCTGGGCTCAGCTTGAA   174507
Qy      490  AGCCCTGCTTGCCCCGGGGAGTTGGCACCCACCGGAGGAGAAGGGGAGGGGGTCTGCACTCTCGGGTTTCTCA   549
Db   174506  GACTTGGG----------------GTCGATCAGGAGGATGGGGGGTCTGCACTCTGGGTTTCTCA   174463
Qy      550  GGGGAGGCCACCCGTGGAGGGCGGTGTCGAGGAGCACGACGTGTGACTCCGGAGTGCGGCCCT   609
Db   174462  GGGGAGCCGCCGTGAAAAAAAGTTATGCAAAGACCCTAGCGTGACTCGGAGCGCGTCT   174403
Qy      610  GGGGAGGGATGGACGAGGGGAGGGACGGGGGAGCCGGACCGGCTACCGCGCTAACGGGGGCCCGTCC   669
Db   174402  AGGGGAAAATGGAGGAGCGGGTTTGGGGAGCAGCTAACCAGACTAACCTTCGTGCTGTGGGGAACG   174343
Qy      670  GCAGAGGCGCCACGCGTCGAGGGTCCGGCGGGCGGCTCCGGTGACGGTTGGCGCGAGCCGCGAGC   729
Db   174342  ACAGAGGTGCATGTCGAGGGTCTCTCGGAGAGCTCCGTTGAGCAGCGGCGAGGA-----   174288
Qy      730  GAGTCACGGGACCCATGAAGACGGTTCGTCGCCCGCGCCCAAGGCCCGGGGGGGTTAGC   789
Db   174287  ---------------CATGAGGGACCATTCAGTCGCCTCCGCTCTTGCCCAAGAATTGGGCATCAGGGCTGGA   174239
Qy      790  CACATCCTGCCGCGCTGAGGGGGGAGGCGTAACGGGGGCGCGGGCCCAGCCGCCGGAGC   849
Db   174238  GGCGACCTGGGACGTTGAGGGGT------------GCAAGTGGGGCGCCGGGGG   174191
Qy      850  CCACCGGCGATGGCGGGAGGAGAGTCCAAGCGGGT   909
Db   174190  GCAGCGCCCATGGCCAGAGAGGAGGTGCAAGGGCGGCTGCTGGACGGCGGCTCAATAAGACCACAG   174131
Qy      910  CGTGCTTACCACCACCTGGTTGCTTGACGCGTTCGGTGGCTTCGGGCGGTCTCGCGGAGAAACCTTGCGCG   969
Db   174130  CGTTGCTACCATCACTTAGTGTCTTACTGGTGGCGGGCGGCACACAGGAGACCTTACGCG   174071
```

```
Qy     970  AGGAGCTGCAAAAGACGGGCGGCAGAGAGCTGGCGGGTGTCGTGTCCACCTGGCCCCGC 1029
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  174070  AAGAACTGCAGAAGACCCGCCCAGAAGGGGGCGGGAGCGGCCCATGGCCGGGCTCCCGGT 174011

Qy    1030  TGACTGCTGTGTGCTGCCGGACCGGCGGCGGCCTGGCGCCGACGAGGGGGTTCGAGCGGC 1089
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  174010  TGACCGTCGCACTCCGCGCGCACCGGAGCTTAGCTACCGACGAGCGCGGGGTTTGAGCGTC 173951

Qy    1090  TCTGGGGTGGGCCTTCTCGGGTCTGACCTGTCTGTGGAGAGCGGACATGGGACGTCGCTGG 1149
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173950  TCTGGGGTGGCCTTTTCGGGGTGCTGCCTGGGACCTGCGTCGGAAGCCGGAGAGCGCGG 173891

Qy    1150  AGCTGGGGCGGGCCCGGGGTTCCCGGGGCTGCCTGGACGTGCAGGGCGGGGCCGCACTGG 1209
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173890  CGCTGGGGGGAGCCGCGCCCTTCCCGGGGCTGCCTGGACGTGCAGGGCGGGCCGGCGAGGG 173831

Qy    1210  CTGGGCGGCCTCCTCCGGCGGTGGGGGGGGGGCGCGCAGCCCGCAGCCTCGAGGG 1269
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173830  CCGCGGAGCCGGCTCCTCTGCCTGCGTAGCGCGGCGGCGCCCTGAGCGGGGGCTGGA 173771

Qy    1270  CGGAGGGGCGGACACTTCGCAGCGTCGCGGGCACTGCGGCGGCCTGAGCGTCCTTCAGTGTGG 1329
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173770  CCAGAGACGGACTTCGACGTCGCCGATCGTGGACGCGGCGGCTCCTCCAGGTCGG 173711

Qy    1330  GCGGAGATGATCGACAACATGGGAGAGAAGGTCAAGTGGCCCCCGGACCTGCAAGCCC 1389
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173710  GGCGAGATGAATCGACATCGGAAAATGAAAAGTCAAGGTGCCCCGCTGACTGTACAGGCGC 173651

Qy    1390  GACAGACACCCGACGCGGCGGCCTGTCCTCGTCAGCGGCCCCCTCCTC------GG 1443
             ||||||||||||||||||||||||||||||||||||||||||||||||      ||
Db  173650  GACAATCCGGGCGGGGCGCCCGGAACTCCGTGTCCGCAGTGCGGGCGTCCTCCGGGGTG 173591

Qy    1444  TCGTGTCTTTGCTGCAGGGAGGCGGCGGGCGGGGGGTTGGCGGTCGCCGGCCATCC 1503
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173590  GCATTTCTGTGTAGGAGGAGGCGCGCGGGACCCTGCGACCCCCAGCTTGGGGCCCGG 173531

Qy    1504  TTTTTCGGGGCCCGTGTCTCGCTGCTGGGCCTTAGCCCGGTGTGTCCTGGGAAGCTGAGCT 1563
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173530  TTTTCAGCGCGTCGTGCTGTCGTGTGGGCGTGTGCTGGGCCCGGGATGTGTGTGGCCCACCG 173471

Qy    1564  GACAGACACCCGACGCGCCGCTCGCTGCTGCCCCCTCGAGAAAAAGACTCGGGAT 1623
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173470  GACTGATATCCAAACGACGTCCGGCTGCCCCTTCTCTTTC------CAGGGCAT 173424

Qy    1624  GGGTGTGGGGGTCTGGCCTGTTGCAAGGGGAGTGGTCCTAAAAACCCGGTGTGTTGCATGGGTA 1683
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173423  GGGCCTTGGGGTTTGAACCGT-TAAGGAGAGAGGTAGTGAGCCCGGATGTGTGTGGTGTGAA 173365

Qy    1684  CACGCGGCGTTTCCA-GTGCACATCTGCCTGGGGCCAGGACA 1721
             ||||||||||||||| ||||||||||||||||||||||||||
Db  173364  CATGATCCTCTCAAAGGCCCACCTCACTTTATTCCCATATTTTGGGTTTGTTTTGTTT 173305

Qy    1722  ------CGGTTTCCTCTTGCTTGGCCCGGGAGAGGAGTTAACTTTGGCG 1762
                   ||||||||||||||||||||||||||||||||||||||||||
Db  173304  TGTTTGTTTGTTTTGTTTGTTTTTAACATGCTGGGGCCCAAGAGGAGTTAACAGCAC-A 173246

Qy    1763  CGGGCCGTCAGGGCAATTACCGCTAAAGTGTCTGCAGGGGGACACTTGGGGGCG 1822
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173245  GGGCGGTCAGGGCCATTACCTCTAAATGCCTGTAGGAGCTTTACCTCCTATTAATTAAGAAAAAC 173186

Qy    1823  CGT-CACAGTGACCCTAGAATCCCTCCGAGTTAATGAGTTAACACATGTGCTCGTGTTGGGGCG 1881
             ||| ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173185  GGTCCCACAGTGACCTCCTTGATCCCTTCGGGT------TTGATGGG 173148

Qy    1882  TCTTTACAGGGAGTCCGAGTTCGCGTGCCACCCCCTG------ 1941
             ||||||||||||||||||||||||||||||||||||
Db  173147  TTAACACATATGTCCCAGGTTTGCCTCACACTGGTTGGGGAGCTCTCATTCTGCTTT 173088

Qy    1942  GGAC-----AGTTTGAAAAGTGGGGTGGGGTGGGGTGAAGTTTGGAGGAGACGCGTGTT 1995
             ||||     |||||||||||||||||||||||||||||||||||||||||||||||||
Db  173087  AGACGAGGGCAATTGGTAAAGGTGTGGGGGGTTGTGTATAAAGCATGGGTGGGGGGGGCAATTT 173028

Qy    1996  TGGTTCTATGTGGGTTGGGTTCTGTGTTTCCCCGGACAACGAAAAAAATTGCAAATCAAATGTGCAGC 2055
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  173027  TGTTCCCTAG-------------ACAAGAAAGCAACTGTAGTAAGATGTGC 172990

Qy    2056  TTTATTACCTTAATCTTTCAGGGGCCTAAAATTTAGGAGGAGTGTCCTGAGAGCAGTTCATA 2115
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  172989  GTGGGTACCTTAATCCTTCGGGGGCCTAGGCTTTGGAAGACGCTTTGAGAGAGTTTCATG 172930

Qy    2116  CAAAGGGGCTTTCTTCTTCAAGACGGCGCTACAGCCCTTCCTAGCGAGAGTTTATCCGATTCTCC 2175
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  172929  CAAAGTGCTTTTCTCTGTGGTTAGTACACTATTGCGGCGCGCCCTGGGCAGGATTGCCCTATTTAGTCACCAG 172870

Qy    2176  CAAGACAGCAGCTAGAAGAGATTGAGGTCATGACTCCCACTGCCGCTCCAGGGGCCTGGACCC 2235
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  172869  GAACTACGCAGCTCTCGAGAGGGCTTTGTGTCGGTGGACC------CCATTTAGGGTGTCACAACC 172818

Qy    2236  TATTTAGGAAAACCAAAGAGGGGGTTGGGGGGTTGAACCTACTCTCACGGGACTTGGATCCAGTGCGC 2295
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  172817  AAAAAGGTTGCTTCAAATTCGATGTGGTGATGTATCCACT-------------GC 172780

Qy    2296  ACACTTGCCTGCGGGAAAAGGGGCTCTCCCCCAGCCACACCCGGAGGATGGGGGTTGTAAGAGGAGAGAG 2355
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  172779  ACACCTGCGCGCAAATTGAAGACCGGGTTTCCCCTACCCGATGGGGGGAAGGGGAGGAAACAGGAGG 172720

Qy    2356  CAGAGGGCTTGGGGGTTAGGG-CCACCTGTGTGTTTAAACAGGACACTTTCTCCTTTCTTCTGGGGGC 2414
             ||||||||||||||||||||| ||||||||||||||||||||||||||||||||||||||
Db  172719  CCGCTGCTTTTGGGAGGAGGGGCCCTACTGAGATGGAGTAAAACAGTCAGGTTCTTCTCTTCACCGGC 172660

Qy    2415  TTATTTTTGTTCAGAACTAGACCAGAGTGTGTTGGAGTGTTTGAACCTCCTTTGCAAGGGCT-GGGAA 2473
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||| |||||
Db  172659  TTACTTTATTCCCAGAATTAGACCACACAGTGTTCGACCCTTCTTTTGTGGGGAGGGGCTGGGGGAA 172600

Qy    2474  TCCTCTTTAGAGCACTTAATCCTATTTATTCCCCCTGGAAGTGCGTGCTGCCAGTGAGGAG 2533
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  172599  TCCTCTCTTTGGAAGCTCTTAATCCTATCCTATCCCC-GGAATTTACTCAATAGCCAATCGGAG 172541

Qy    2534  GGCTGGGGCTTTGGGGCTCCCCGACCCCGGGCGGCGCCCGCGTGCCCCTCGGGTAAATGTGGCAT 2593
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  172540  CACTAGTTTTTCTAGAGACTGCCCCAACTGTCTGACCCCCATGTCTACACGGGAAGGGGAG 172481

Qy    2594  TACTGGCCCACAGAGGTTTTTGAGGCCAATCAGCTCTGAGAGTGGGTTAGAGTGAACAGCT 2653
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  172480  GTTGGTATCAGTGGGGTAACCAGGGGGCTGTGAGCCCGAGCTGAGTTCGGAACATAACAAGT 172421

Qy    2654  TTAACTTCGGATTTAAGGAGGCTTTAAAAGGTAATAATTAAATCCTCTGAAAGAAAAATGACGTA 2713
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  172420  TTAATTGAAATTTAAGGAGGCTTACACACACAAATCTGAAAGAATGACGGTTAGTAC 172361

Qy    2714  A-----CCACAGCGTGTACTATGTAAAGCTGTTATTTTAATAAAAGAAACGCTGGGGCCATGAA 2768
             |     ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  172360  ATTAGTACCAAAAGCTGGGTTGTTTTTTGTTTTCGTTTTTTGTAAAGGAAAACTGGGCCAG 172301

Qy    2769  CTCATACCTGCCAATGA------GTCAAACATAGTATCTTTATTGAGATACTTAGATT 2820
             ||||||||||||||||      ||||||||||||||||||||||||||||||||||
Db  172300  CTCATAATAGGAGACTTTTACCATTGTACGGTAGTCTACTACACATGTATGTGTAGTGGTAGTCT 172241

Qy    2821  ACTAAATATATATATTT 2835
             |||||||||||||||||
Db  172240  ACTAAATATGAAATCT 172226
```

```
REFERENCE   1  (bases 1 to 220118)
  AUTHORS   Muzny,D.Marie., Metzker,M.Lee., Abramzon,S., Adams,C., Alder,J.,
            Allen,C., Allen,H., Alsbrooks,S., Amin,A., Anguiano,D.,
            Anyalebechi,V., Aoyagi,A., Ayodeji,A., Baca,B., Baden,H.,
            Baldwin,D., Bandaranaike,D., Barber,M., Barnstead,M., Benahmed,F.,
            Biswalo,K., Blair,J., Blankenburg,K., Blyth,P., Brown,M.,
            Bryant,N., Buhay,C., Burch,P., Burrell,K., Calderon,B.,
            Cardenas,V., Carter,K., Cavazos,I., Ceasar,H., Center,A.,
            Chacko,J., Chavez,D., Chen,G., Chen,R., Chen,Y., Chen,Z., Chu,J.,
            Cleveland,C., Cockrell,R., Cox,C., Coyle,M., Cree,A., D'Souza,J.,
            Davila,M.L., Davis,C., Davy-Carroll,L., De Anda,C., Dederich,D.,
            Delgado,O., Denson,S., Deramo,C., Ding,Y., Dinh,H., Divya,K.,
            Draper,H., Dugan-Rocha,S., Dunn,P., Durbin,K., Duval,B., Eaves,K.,
            Egan,A., Escotto,M., Eugene,C., Evans,C.A., Falls,T., Fan,G.,
            Fernandez,S., Finley,M., Flagg,N., Forbes,L., Foster,M., Foster,P.,
            Fraser,C.M., Gabisi,A., Ganta,R., Garcia,R., Garner,T., Garza,M.,
            Gebregeorgis,E., Geer,K., Gill,R., Grady,M., Guerra,W., Guevara,W.,
            Gunaratne,P., Haaland,W., Hamil,C., Hamilton,C., Hamilton,K.,
            Harvey,Y., Havlak,P., Hawes,A., Henderson,N., Hernandez,J.,
            Hernandez,R., Hines,S., Hladun,S.L., Hodgson,A., Hogues,M.,
            Hollins,B., Howells,S., Hulyk,S., Hume,J., Idlebird,D., Jackson,A.,
            Jackson,J., Jacob,J., Jiang,H., Johnson,B., Johnson,R., Jolivet,A.,
            Karpathy,S., Kelly,S., Kelly,S., Khan,Z., King,L., Kovar,C.,
            Kowis,C., Kraft,C.L., Lebow,H., Levan,J., Lewis,L., Li,Z., Liu,J.,
            Liu,J., Liu,W., Liu,Y., London,P., Longacre,S., Lopez,J.,
            Lorensuhewa,L., Loulseged,H., Lozado,R.J., Lu,X., Ma,J.,
            Maheshwari,M., Mahindartne,M., Mahmoud,M., Malloy,K., Mangum,A.,
            Mangum,B., Mapua,P., Martin,R., Martinez,E.,
            Mawhiney,S., McLeod,M.P., McNeill,T.Z., Meenen,B.,
            Milosavljevic,A., Miner,G., Minja,E., Montemayor,J., Moore,S.,
            Morgan,M., Morris,M., Morris,S., Munidasa,M., Murphy,M., Nair,L.,
            Nankervis,C., Neal,D., Newton,N., Nguyen,N., Norris,S.,
            Nwaokelemeh,O., Okwuonu,G., Olarunpunsagoon,A., Pai,S., Parks,K.,
            Pasternak,S., Paul,H., Perez,A., Perez,J., Pfannkoch,C.,
            Plopper,F., Poindexter,A., Popovic,D., Primus,E., Pu,L., Puazo,M.,
            Quiroz,J., Rachlin,E., Reeves,C., Regier,M.A., Reigh,R.,
            Reilly,B., Reilly,M., Ren,Y., Reuter,M., Richards,S., Riggs,P.,
            Rives,C., Rodkey,T., Rojas,A., Rose,M., Rose,R., Ruiz,S.J.,
            Sanders,W., Savery,G., Scherer,S., Scott,G., Shatsman,S., Shen,H.,
            Shetty,J., Shvartsbeyn,A., Sisson,I., Sitter,C.D., Smajs,D.,
            Sneed,A., Sodergren,E., Song,X-Z., Sorelle,R., Sosa,J.,
            Steimle,M., Strong,R., Sutton,A., Svatek,A., Tabor,P., Taylor,C.,
            Taylor,T., Thomas,N., Thomas,S., Tingey,A., Trejos,Z., Usmani,K.,
            Vala,R., Vera,V., Villasana,D., Waldron,L., Walker,B., Wang,J.,
            Wang,Q., Wang,S., Warren,J., Warren,R., Wei,X., White,F.,
            Williams,G., Willson,R., Wieczyk,R., Wooden,H., Worley,K.,
            Wright,D., Wright,R., Wu,J., Yakub,S., Yen,J., Yoon,L., Yoon,V.,
            Yu,F., Zhang,J., Zhou,J., Zhou,X., Zhao,S., Dunn,D., von
            Niederhausern,A., Weiss,R., Smith,D.R., Holt,R.A., Smith,H.O.,
            Weinstock,G. and Gibbs,R.A.
  TITLE     Sciurognathi; Muroidea; Muridae; Murinae; Rattus.
  JOURNAL   Direct Submission
REFERENCE   2  (bases 1 to 220118)
  AUTHORS   Rat Genome Sequencing Consortium.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   3  (bases 1 to 220118)
  AUTHORS   Rat Genome Sequencing Consortium.
  TITLE     Direct Submission
  JOURNAL   Submitted (07-NOV-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
  TITLE     Rat Genome Sequencing Consortium.
  JOURNAL   Submitted (23-NOV-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
COMMENT     On Nov 23, 2002 this sequence version replaced gi:24756853.
            The sequence in this assembly is a combination of BAC based reads
            and whole genome shotgun sequencing reads assembled using Atlas
            (http://www.hgsc.bcm.tmc.edu/projects/rat/). Each contig described
            in the feature table below represents a scaffold in the Atlas
            assembly (a 'contig-scaffold'). Within each contig-scaffold,
            individual sequence contigs are ordered and oriented, and separated
            by sized gaps filled with Ns to the estimated size. The sequence
            may extend beyond the ends of the clone and there may be sequence
            contig within a contig-scaffold that consist entirely of whole
            genome shotgun sequence reads. Both end sequences and whole genome
            shotgun sequence only contigs will be indicated in the feature
            table.
            -------------------- Genome Center
            Center: Baylor College of Medicine
            Center code: BCM
            Web site: http://www.hgsc.bcm.tmc.edu/
            Contact: hgsc-help@bcm.tmc.edu
            -------------------- Project Information
            Center project name: KBUP
            Center clone name: CH230-486F10
            -------------------- Summary Statistics
            Assembly program: Phrap; Version 0.990329
            Consensus quality: 189341 bases at least Q40
            Consensus quality: 190385 bases at least Q30
            Consensus quality: 191057 bases at least Q20
            Estimated insert size: 195411; sum-of-contigs estimation
            Quality coverage: 6x in Q20 bases; sum-of-contigs estimation

            NOTE: Estimated insert size may differ from sequence length
            (see http://www.hgsc.bcm.tmc.edu/docs/Genbank_draft_data.html).
            NOTE: This is a 'working draft' sequence. It currently
            consists of 1 contigs. Gaps between the contigs
            are represented as runs of N. The order of the pieces
            is believed to be correct as given, however the sizes
            of the gaps between them are based on estimates that have
            provided by the submittor.
            This sequence will be replaced
            by the finished sequence as soon as it is available and
            the accession number will be preserved.
            1   220118: contig of 220118 bp in length.
FEATURES             Location/Qualifiers
     source          1..220118
                     /organism="Rattus norvegicus"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:10116"
                     /clone="CH230-486F10"
     misc_feature    1..1070
                     /note="wgs_contig"
     misc_feature    211796..212627
                     /note="clone_boundary"
                     /note="clone_end:T7"
     misc_feature    215456..216816
                     /note="wgs_end_extension"
                     /clone_end:T7"
     misc_feature    217092..220118
                     /note="wgs_end_extension"
                     /clone_end:T7"
ORIGIN

Query Match             22.7%;  Score 709.8;  DB 14;  Length 220118;
Best Local Similarity   61.9%;
Matches 1573;  Conservative   0;  Mismatches 767;  Indels 203;  Gaps 20;

Qy    362 GCGTGGGAGCCCCGCCTACCCACTGATCCAGGGGTGGCAGGTCCGCGCGGGACGAGCGGGG    421
          |||  |||| ||||||||||| |||||||| || |||||||||||||  ||| || || |
Db  73252 GCGGGGGGGGCCGCGGGGGGCCGGAGAGGGCGGGAGGGAGGAAGCTCTCGGCCTAGACAGGCGC  73311

Qy    422 TGGGGCGGGGTCCTAGGAAAACCCTACCCGGCCCGCCCTTGGCAGCGCGCCTAAGCGGGAGC    481
          ||| || |||||||||| |||| || || |  || |||||||||||| ||| ||| || |||
Db  73312 TGGAGGCGGTGTCCTAGAAAAACGATCCTGCTGGCCCCAGGCCTAAGCGCGCGGCGCTC  73371

Qy    482 GGGCTCTGCAGCCTGCTTGCCCCGGAGTTGGCCACCCACGGAGGGATGGGGACCGCACCCTCA    541
          |||||  | | |||| || | | |              ||| || |||| ||| | || |||
Db  73372 AGCTTGAAGACTT------------------GGGGTCGATCAGGATGGGGTGTCACTCTGG  73415

Qy    542 GCTTCGCAGGGAGCGCCACCGTGGAGCGCCAGGGCGTGCAGAGACACGAGGTGACTCGGA    601
          | ||| ||||||||| | || | |||||||              || ||||||| || ||
Db  73416 GTTTCTCAGGGAGCCGCGCCCTGAAAAAGAAGAGTTATGCAAAGACCCTACGCGTGGGA  73475
```

Qy   602 GTGCGCGCCTGGGGAGGAGGATGGACAGGAGGGAGGGGGACCGGCTAACGGGAGGGTCCCTTCCTGCGCG 661
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 73476 GGCGTCGTAGGGAGGAAAATGAGAGGAGGCGTTTGGGGGGAGCGCACTAACGACTACCTTCGTGCTG 73535

Qy   662 CCCCGGTCCCGCACGTCCAGAGGCGCACGTTCCCGGGCGGGGGTCCCGGGGACGTTGGGGGTAG 721
           ||||||||
Db 73536 TCGGGACAGGACAGAGAGGTGGCATGTGGAGGGTCTCTGGGAGAGCTCGGTTGA- 73583

Qy   722 CCCCGAGCGGAGTCACGGACCATGAGGACGCGGGGGGCCCAAGGCCGGGATGG 781
           ||||||||
Db 73584 -----GAGCAGCGGCGAGGACATGAGGAGGCATTCAGTCCCTGCCCAAGATTGGGCATCA 73639

Qy   782 GGGGTTAGCGCCACATCCTGCCGCGGGGGGGCTGAGGGGGGCGGCGGCGGGCGCCA 841
           ||||||||
Db 73640 GGGGCTGGAGGGGCGGGACCTGGGACGTTGAG------------GGGTGCAGTGGGGCGCACCACC 73687

Qy   842 GCCGGAGCCCACCCGGATGGCGGAGGAGGAGGTGCGAAGGCGGCTGCTGCTGGACAA 901
           ||||||||
Db 73688 GCCGGAGCGGAGCGCCACGGGCCAGAGAGGGAGTGCAAGGCGGGGCTCAATTAA 73747

Qy   902 GACGACTGCGCTGCTACCACCTGGTTGCTGACCGTCGGTCGGTCGGCGGGGACTCGCGAA 961
           ||||||||
Db 73748 GACCACACCGTGCTACCATCACTTAGTCGTGGGGCGGCCGGACACACAGGA 73807

Db   962 CCTGCGGCAGGAGGAGCTGCAAAAGACGCGGGCCGGAGGAGCGCCCAGGGGGTGTCCACTG 1021
           ||||||||
Qy 73808 CCTACCGGAAAGAACTGCAGAAGACACCCGCCACGGGAGGACTGGCCATGGCCACCGG 73867

Qy   1022 CGCCGGCGCTGCTGCTGTCTGGCGGCGTCGGCGCGGGGGCCTGGCGCACCCGCGCGCGAGTT 1081
           ||||||||
Db 73868 CTCCCGGGTTGACCGTCGCGCGCACTCCCGGCGCGGGACGGCTTAGTCTACCGAAGAGT 73927

Qy   1082 CGAGCGGGCTCTGGGGTGGCCTTCTCGGGGCTGCGGCGACCTGGCGCGGGACACATGCGACG 1141
           ||||||||
Db 73928 TGAGCGGTTCTCTGGTGGGCTTTTCGGGGCTGCCTCGGGGACCTGGCTGCTCGGGAGGCG 73987

Db   1142 CTCGCGCTGGAAGCTGGGGGGCGGGGCGCGTTCCCGCGTTCCACGGGACCCGGTCGGTGCGGCAC 1201
           ||||||||
Qy 73988 CGCGACTGCGCGTGGGGAGCGCGCCTTCCCGGGGGTGGGGGCGGCCCGCCACGGGGG 74047

Qy   1202 AGGTGTGGCTGGCGCGCCTCCTCCTCCGGCGTGCGCGGGGGCTCGAGGGCGCAGCCTGCG 1261
           ||||||||
Db 74048 TGGGGGTGGCGGGGCGGGGCGCTCCTCTCTGCTGTAGCCGGGGGGGGCCCGACGGGGTT 74107

Qy   1262 GCTTCGGAGCGGCGGAGGGGCGGCGGACTTCGACGTCGGGGGACCTGCTGCGGAGCTGGGG 1321
           ||||||||
Db 74108 GCACGAAGCCGAGAGCGAGGCGACTTCGAGGTCGCCGGATCTGCCCCAGTTGGGGAGGGCGAAGTCCTT 74167

Qy   1322 TCAGGTGGGGCGGGAGATGATGATGACAGCAGCTGACACATGGAGATGAAGGTCAACGTGCCCCGGCT 1381
           ||||||||
Db 74168 CCAGGTGGCGCGGCGGAGGGGTCCCGGCCCTTCCCCGGGTGGGGCGCCCGGCTCGGACCGT 74227

Qy   1382 GCAAGCCCCGCAGCGGGCGCCGCGGCGCGAGCTCCTTGTCCACGGTCAGCGGCGGCCCCTCCTC 1441
           ||||||||
Db 74228 ACAGGGCGGGACAATCGGCGGGCGCGGAACTCCTGTCCGGTGCCAGTGCCGGACGGTCCTC 74287

Qy   1442 -----GGTCGTGTCCTTGCAGAGGGGGCCGGAGGGGGTGGCATTTCTGTGAGAGCGGCGGACCC 1495
           ||||||||
Db 74288 CGGGGGGTGGCATTTCTGTGAGAGGCGGGGACCCTGGGGAGGGCGGGGGGTTGGCAGGGCCCTGGC 74347

Qy   1496 CGGCCATCCTTTTCGGCGCGGCCGTGCCGTGGGGGCCTAGGCGGTGCGGTGGCCGAA 1555
           ||||||||
Db 74348 TGGCCACCGTTTTCAGCGCGCGTGCTGCTGCGTGTGGGCGTGTGGCCTTATGTGTGGGCAAA 74407

Qy   1556 GCTGAGCTGACACACCGACGCGGCGCGCTGCTGCTGCGCGCTCCCTCCCTGACAAAAGA 1615
           ||||||||
Db 74408 GCTTGAGCTGACTGATATATCCAAGCGACGGCTGCCCCCTTCTCTTTC----- 74454

Qy   1616 CTCGGGATGGGTGTGGGGGTCTGCGGCCTGTGTCGCAAGGGGGTGGGGTTTGAACCCGT-TAAGGAGAGAGGTG 1675
           ||||||||
Db 74455 CAGGGCATGGGGCTTGGGGTTTGGGGTTTTGAACCGTAGTGAGCCCGGAATGGTG 74513

Qy   1676 CATGGGTACACGCGCGTTTCCA-GTGCACATCTGCCTGGGCAGGACA 1721
           ||||||||
Db 74514 CGTGTTGGAACATGAATCCTCTCAAGGCCCACCTCTTTGCCCTGGGCCAAAAACATATTTTGGGTTTG 74573

Qy   1722 -----CGGTTTTTCCTTCTTTTGCTTGCTTGGGCCCAAGCTGCTGGCCCAAGAGGAGAAGTTAA 1754
           ||||||||
Db 74574 TTTTGTTTTTGTTTTTTGTTTTTTTTTTTTTTTTTTTTAACATTGCTGGCCCAAGAGGAGTTAA 74633

Qy   1755 CTTTTGGCGCCGGCCCCTGCAGGGGCATTACCCGCTAACGTCTCGCAGGAGGCGTTTATTCCCTTATTAA 1814
           ||||||||
Db 74634 CAGCACAG--GGCGCGTCAGCGCCCACCATTACCTCTAATCCCTGTAAGCCGTGCGTTTTTAACCTTCCTATTAA 74692

Qy   1815 TAGAAAACCGT-CACAGTGACCCCTAGATCCCTCCGTCCTCCGAGTTCCTAAAAAGGCTCCAT 1873
           ||||||||
Db 74693 TAGAAATCGGTCCACACTAGCTCTGAATCCCTTTGGGGT- 74730

Qy   1874 TTGGGGGCCGTCTTTTACAGGGAGTCCGGAGTTCGGGTCGCCCCCACCCCTGCCAGGGTTCGCCCCCTT 1933
           ||||||||
Db 74731 TTGATGGGTTAACACATATGTCCCAGGGTTTTGGGTCCCCTCACACTCGGTTGGGAGTTCTCAT 74790

Qy   1934 TCTCGCGTGGGAC-------AGTTTGAAAAAGGTGGGGGTGGGGGTGGAGTGAAGTTTGGGAGGGG 1987
           ||||||||
Db 74791 TCTCGCTTTAGACGGAGGCAATTTGGTTGTAAAGGTGTGGGGGTGTATAAAGGCATTGGTGTGGGGG 74850

Qy   1988 ACGGTGTTTGGTTGTTCTATGTGGTTCGTCTCTTTCCGGACAAGAAAAAAATTGCAATCAAATG 2047
           ||||||||
Db 74851 GGGGCATTTTGTTCCCTAG-------ACAAGGAAGCAACTGTAGTA 74888

Qy   2048 TCAGCAGCTTTTATTACCTTAATCTTTCAGGGGGCCTAAATTTAGGAGGAGGAGC 2107
           ||||||||
Db 74889 AGAATGTGGGTGGGGTTACCTTAATCCTTCCGGGGGCTTTGGGAAGGAGTGTGGACTTCATGGGGAGA 74948

Qy   2108 AGTTCATACACAAAGGCGGGCTTTCTCTAAGAGACGGGGCTACAGCCCTTCCTTAGCAGAGTTTATCCA 2167
           ||||||||
Db 74949 GGGTTCATGCAAAGTGGCTTTTCTCTGTGGGGTTACACTATTGGGTGGGTCATTGCCTATTA 75008

Qy   2168 TTTCGTCCCAAAGACGACAGCTTAGAAGAGGATTTTGAGGTCATGGAGGCCTCCCACTGCGGTCTCGGG 2227
           ||||||||
Db 75009 GTCACCAGGGGAACTGCAGCTCTCGAGAGGGGTTTTTGTGTGGTGACC-----CCATTTAGGG 75060

Qy   2228 GGGCGACCCTTATTTTGGTTTAGGAAAACCAAAGAGAGGGGTGGGGGTTGAACCTACTCTCACGGGACTGGGATC 2287
           ||||||||
Db 75061 TCACAACCAAAAAGGTTGGTTGCTTTCAAATTCGANGTGGGTTATCCACT-- 75104

Qy   2288 CAGTCGCACACTTGCCCTGGCGGGAAAAGGGGCTCTCCCCAGCACCCGGAGGATGGGGGTAAG 2347
           ||||||||
Db 75105 ------GCACACCTGCCCGCCAAATTGAAGACCGGCTCCTCCTACCCATCCCTGGGGATTGCCTATTA 75158

Qy   2348 AGGAAGAGACAGAGAGGCGCTTGGGGTAGGGG--CCACCGTGGTTGTTTAAAACAGGACACTTTTCCTTC 2406
           ||||||||
Db 75159 ACAGGATGCCGCTGCTTTGGGAACGGGCCCTTACTGAGATCGTGAGGGTTTCTTC 75218

Qy   2407 TCTCGGGGGCTTATTTTGGTTCAGGAACTAGACCAAGAGAGTGTTTGGAACCTCCTTTGTGGGGAGGG 2466
           ||||||||
Db 75219 TCACCGGCTTTACTTTTATCCCGAATTAGACCACAGTGTTTCGACCCCTTTTCTGTGTGCTTGGGGG 75278

Qy   2467 CT-GGGAATCCTCTTTTAGAGCACTTTTAATCCTATTTTATCCCCTGGAATGTGCGGTGCTGGCC 2525
           ||||||||
Db 75279 CTGGGGGGAATCCTCTTTTGAAGCTCTTAAATCCTTATCCTACTCTATCCCC-GGAATTTACTCAATAGCC 75337

Qy   2526 AGTAGGAGGGAGGGCTGCGCTTTGGCAGCTCCCTGACCCCGCCGCCCCGGGGTAA 2585
           ||||||||
Db 75338 AATCGGACGACTAGTTTTTCTAGAGACTCCCCAACTGTCTGACCCCAAGTACAGGGA 75397

Qy   2586 TGTGGCATTACTGGCCCACAGAGGGTTTGAGGCCAATCAGCTCTGAGACTGGGGTTAGAATG 2645
           ||||||||
Db 75398 AGGGCGAGGTTGGGTATCANGGGAACCAGGGGCGTGACCGGTGAGTTCGAACA 75457

Qy   2646 TAACAGCTTTAACTTGGGATTTAAGAGAAGGTTTTAAAAGGTAAATAAATCCTCTGAAAGAAAA 2705
           ||||||||
Db 75458 TAACAAGTTTAATTTGGAATTTAAGGAGGCTACACACACACACAAATCTGAAAGAAATGAC 75517

Qy   2706 ATGACGTAA-------CCACAGCGTGTACTATGAAAGCTGTTATTTTAATAAAGAGAACGCTGG 2760

RESULT 14

```
LOCUS       CQ748891                708 bp    DNA     linear   PAT 03-FEB-2004
DEFINITION  Sequence 34825 from Patent WO02068579.
ACCESSION   CQ748891
VERSION     CQ748891.1  GI:42376058
KEYWORDS    .
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Venter,C.J., Adams,M.C., Li,P.W. and Myers,E.W.
  TITLE     Kits, such as nucleic acid arrays, comprising a majority of
            humanexons or transcripts, for detecting expression and other uses
            thereof
  JOURNAL   Patent: WO 02068579-A 34825 06-SEP-2002;
            PE Corporation (NY) (US)
FEATURES             Location/Qualifiers
     source          1..708
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
ORIGIN

Query Match             22.6%;  Score 706.4;  DB 6;  Length 708;
Best Local Similarity   99.9%;  Pred. No. 2.6e-82;
Matches  707;  Conservative    0;  Mismatches    1;  Indels    0;  Gaps    0;
```

```
Qy    858 ATGGCGAGGAGGAGGAGTGCAAAGGGCTGCTGTCGGACGGGGCTCAACAAGAGACTGGGTGCTAC 917
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 ATGGCGAGGAGGAGGAGTGCAAAGGGCCCTGCTGTCGGACGGGGCTCAACAAGAGACTGGGTGCTAC 60

Qy    918 CACCACCTGGTGTCAGCCTGGCTTGGCTTCGGGACTCGCAGAACCTTCGGGCACGAGCTG 977
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 CACCACCTGGTGTCAGCCTGGCTTGGCTTCGGGACTCGCAGAACCTTCGGGCACGAGCTG 120

Qy    978 CAAAAGACCGCGCCAGAAGCGCAGGAGTGCGGCGTGTCCACCTGCGCCGGGCTGACTGCT 1037
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 CAAAAGACCGCGCCAGAAGCGCAGGAGTGCGGCGTGTCACCTGCGCCGGGCTGACTGCT 180

Qy   1038 GTGCTGCGCGACCGGGGCCTGGCCGCGACGAGCGGGGCTTCTGGGGTG 1097
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 GTGCTGCGCGACCGGGGCCTGGCCGCGACGAGCGGGGCTTCTGGGGTG 240

Qy   1098 GCCTTCTCGGGCTGCCTGGACCTCGGTGAAGGGGACATCGGACGCGCCGGGGGCTGGGC 1157
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 GCCTTCTCGGGCTGCCTGGACCTCGGTGAAGGGGACATCGGACGCGCCGGGGGCTGGGC 300

Qy   1158 GCCGCGGTTCCCGGCTGCACGCGGCCGACAGGTGGTCGGCAGCAGTGTGGGCGTGGCGCC 1217
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301 GCCGCGGTTCCCGGCTGCACGCGGCCGACAGGTGGTCGGCAGCAGTGTGGGCGTGGCGCC 360

Qy   1218 TCCTCCCGGCGGGGTGCGCGGCGCGGGGCCTGAGCGGGGGAGGGGAGGGGC 1277
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361 TCCTCCCGGCGGGGTGCGCGGCGCGGGGCCTGAGCGGGGGAGGGGAGGGGC 420

Qy   1278 GACTTCGACGTCCGGGACTGCGGGGACTGGGGGGGGGGCCGGGGC 1337
          |||||||||||||||||||||||||||||||||||||||||||||
Db    421 GACTTCGACGTCCGGGAGCTGGGGGAGGGGGACGCGGAGCTGGGGGGCGGGGC 480
```

RESULT 15

```
LOCUS       CQ746021                708 bp    DNA     linear   PAT 03-FEB-2004
DEFINITION  Sequence 31955 from Patent WO02068579.
ACCESSION   CQ746021
VERSION     CQ746021.1  GI:42365754
KEYWORDS    .
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Venter,C.J., Adams,M.C., Li,P.W. and Myers,E.W.
  TITLE     Kits, such as nucleic acid arrays, comprising a majority of
            humanexons or transcripts, for detecting expression and other uses
            thereof
  JOURNAL   Patent: WO 02068579-A 31955 06-SEP-2002;
            PE Corporation (NY) (US)
FEATURES             Location/Qualifiers
     source          1..708
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
ORIGIN

Query Match             22.6%;  Score 704.8;  DB 6;  Length 708;
Best Local Similarity   99.7%;  Pred. No. 4.2e-82;
Matches  706;  Conservative    0;  Mismatches    2;  Indels    0;  Gaps    0;
```

```
Qy    858 ATGGCGAGGAGGAGGAGTGCAAAGGGCTGCTGTCGGACGGGGCTCAACAAGAGACTGGGTGCTAC 917
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 ATGGCGAGGAGGAGGAGTGCAAAGGGCCCTGCTGTCGGACGGGGCTCAACAAGAGACTGGGTGCTAC 60

Qy    918 CACCACCTGGTGTCAGCCTGGCTTGGCTTCGGGACTCGCAGAACCTTCGGGCACGAGCTG 977
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 CACCACCTGGTGTCAGACCTGGCTTGGCTTCGGGACTCGCAGAACCTTCGGGCACGAGCTG 120

Qy    978 CAAAAGACCGCGCCAGAAGCGCAGGAGTGCGGCGTGTCCACCTGCGCCGGGCTGACTGCT 1037
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 CAAAAGACCGCGCCAGAAGCGCAGGAGTGCGGCGTGTCACCTGCGCCGGGCTGACTGCT 180

Qy   1038 GTGCTGCGCGACCGGGGCCTGGCCGCGACGAGCGGGGCTTCTGGGGTG 1097
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 GTGCTGCGCGACCGGGGCCTGGCCGCGACGAGCGGGGCTTCTGGGGTG 240

Qy   1098 GCCTTCTCGGGCTGCCTGGACCTCGGTGAAGGGGACATCGGACGCGCCGGGGGCTGGGC 1157
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 GCCTTCTCGGGCTGCCTGGACCTCGGTGAAGGGGACATCGGACGCGCCGGGGGCTGGGC 300

Qy   1158 GCCGGCGTTCCCGGCTGCACGCGGCCGACAGGTGGTCGGCAGCAGTGTGGGCGTGGCGCC 1217
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301 GCCGGCGTTCCCGGCTGCACGCGGCCGACAGGTGGTCGGCAGCAGTGTGGGCGTGGCGCC 360

Qy   1218 TCCTCCCGGCGGGGTGGCGCGGCGCGGGGCCTGAGCGACACCCGGCTGACGCGGAGGGC 1277
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361 TCCTCCCGGCGGGGTGGCGCGGCGCGGGGCCTGAGCGACACCCGGCTGACGCGGAGGGC 420
```

```
Qy   1518 CTGCTGGCGCGGCTGTGTGGCGGCCCTAGCCGGTGGCGTGTGCGTGGCGGAAGCTGAGCTGA 1565
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    661 CTGCTGGCGCGGCTGTGTGGCCCTAGCCGGTGGCGTGTGCGTGGCGGAAGCTGAGCTGA 708
```

```
Db   361  TCCTTCCGGCGGTGGCGGGGCGCGGGCGGCGGCCTGAGCACCCCGCAGCGTCGGGCTCCGGAGGCGGAGGGC
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||

Qy  1278  GACTTCGACGTCCGGGACCTGCGGGAGCTGGGACGGCGACGGTCTTTCAGGTGGGCGAGATG 1337
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421  GACTTCGACGTCCGGGACCTGCGGGAGCTGGGAGCGGCGACGGTCCTTCAGGTGGGCGAGATG 480

Qy  1338  ATCGACAACAATGGAGATGAAAGGTCAAACGTGCCCCGCTGGACCCGTGCAAGCCCCGGCAGGCG 1397
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481  ATCGACAACAATGGAGATGAAAGGTCAAACGTGCCCCGGCTGACCCGTGCAAGCCCCGGCAGGCG 540

Qy  1398  GCGGGCGCCCGAGCTTCCTGTTCCACCGGTCAGCGCGCCGGGCCCCTTCCTCGGTCGTGTCCTTGCAG 1457
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541  GCCGGGCGCCGAGCTTCCTCGTCCACGGGTCAGCGCCGGGCCCCCTTCCTCGGGTCGTGTCCTTGCAG 600

Qy  1458  GACGCGCGGGGGGGGTTGCGACCCCAGGAAGGCCCTGGCCCGCCATCCTTTTCGGCGCCGTG 1517
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   601  GAGCGCGCGGGGGGGGTTGCGACCCCAGGAAGGCCCTGGCCCGCCATCCTTTTCGGGGCGCCGTG 660

Qy  1518  CTGCTGGGCGGGCTCGTGGCCCTAGCCGTGTGCGTGGCGAAGCTGAGCTGA 1565
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   661  CTGCTGGGCGGGCTCGTGGGCCCTAGCCGTGTGCGTGGCGAAGCTGAGCTGA 708
```

Search completed: May 11, 2006, 05:54:09
Job time : 15360 secs

THIS PAGE BLANK (USPTO)

GenCore version 5.1.8
Copyright (c) 1993 - 2006 Bioacceleration Ltd.

OM nucleic - nucleic search, using sw model

Run on: May 11, 2006, 01:07:20 ; Search time 1766 Seconds
                       (without alignments)
                       11782.090 Million cell updates//sec

Title: US-10-760-320A-102
Perfect score: 3122
Sequence: 1 actagaggtggggttagcgc..........acagagcaagactctgtctc 3122
Scoring table: IDENTITY_NUC
               Gapop 10.0 , Gapext 1.0
Searched: 4996997 seqs, 3332346308 residues

Total number of hits satisfying chosen parameters: 9993994

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
               Maximum Match 100%
               Listing first 45 summaries

Database :   N_Geneseq_21:*
          1: geneseqn1980s:*
          2: geneseqn1990s:*
          3: geneseqn2000s:*
          4: geneseqn2001as:*
          5: geneseqn2001bs:*
          6: geneseqn2002as:*
          7: geneseqn2002bs:*
          8: geneseqn2003as:*
          9: geneseqn2003bs:*
        10: geneseqn2003cs:*
        11: geneseqn2003ds:*
        12: geneseqn2004as:*
        13: geneseqn2004bs:*
        14: geneseqn2005s:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	Match DB ID	Description
1	3122	100.0	3122	12	ADQ62941	Adq62941 Novel hum
2	2308	73.9	2327	13	ADR07462	Adr07462 Full leng
3	1009	32.3	1009	4	AAK83424	Aak83424 Human imm
4	1009	32.3	1009	4	AAK83423	Aak83423 Human imm
5	1005.8	32.2	1009	4	AAK83422	Aak83422 Human imm
6	883.2	28.3	973	4	AAK62785	Aak62785 Human imm
7	846.8	27.1	850	5	AAS93728	Aas93728 DNA encod
8	726.6	23.3	1061	6	ABQ40781	Abq40781 Oligonucl
9	726.6	23.3	1061	6	ABQ40780	Abq40780 Oligonucl
10	706.4	22.6	708	12	ACH87504	Ach87504 Human gen
11	594.4	19.0	1061	6	ABQ40779	Abq40779 Oligonucl
12	594.4	19.0	1061	6	ABQ40778	Abq40778 Oligonucl
13	524	16.8	524	12	ACH73793	Ach73793 Human gen
14	474.4	15.2	476	4	AAK83430	Aak83430 Human imm
15	474.4	15.2	476	4	AAK83427	Aak83427 Human imm
16	472.8	15.1	476	4	AAK83426	Aak83426 Human imm
17	318.5	10.2	1349	5	AAS72508	Aas72508 DNA encod
18	256.2	8.2	432	5	AAS93725	Aas93725 DNA encod
19	180.2	5.8	185371	6	ABT10718	Abt10718 Human bre
20	177.2	5.7	24295	12	ADP31706	Adp31706 Human oes
21	176.4	5.7	158001	12	ADL17884	Adl17884 Human pho
22	176	5.6	19300	12	ADP74371	Adp74371 Human X c
23	175.6	5.6	3815	12	ADQ85711	Adq85711 Human tum
24	175	5.6	283	4	AAK86976	Aak86976 Human imm
25	174.8	5.6	22021	11	ACN44670	Acn44670 Human gen
26	174.8	5.6	99014	14	ADZ42280	Adz42280 Human end
27	174.8	5.6	109906	6	ABN96931	Abn96931 Gene #342
28	174.8	5.6	199906	12	ABK94411	Abk94411 DNA encod
29	174.2	5.6	110000	14	AEB85185_09	Adl08112 Human gen
30	174.6	5.6	65454	12	ADL08112	Adn01773 Human hun
31	174.6	5.6	110000	14	ADN01773	Continuation (2 of
32	174.2	5.6	110000	12	ADZ45062_01	Continuation (10 o
33	174.2	5.6	110000	12	ABX08336_09	Continuation (10 o
34	174.2	5.6	110000	12	ADJ25985_09	Continuation (10 o
35	174.2	5.6	110000	12	ADN97989_09	Continuation (10 o
36	174.2	5.6	110000	12	ADO50281_09	Continuation (10 o
37	174.2	5.6	13695	14	ADC86452	Adc86452 Human GPC
38	174	5.6	20001	14	ADZ59513	Adz59513 Secondary
39	174	5.6	65387	13	ADZ15534	Adz15534 Human can
40	174	5.6	64958	14	ABD33284	Abd33284 Human can
41	174	5.6	65387	13	ADR67040	Adr67040 Human can
42	174	5.6	20001	14	AEB77360	Aeb77360 Human TGF
43	174	5.6	89014	11	ACN44262	Acn44262 Human gen
44	173.2	5.5	168821	11	ABQ99653	Abq99653 Human MS4
45	173.2	5.5	143306	6	ABK49586	Abk49586 Human tra

ALIGNMENTS

RESULT 1
ADQ62941
ID   ADQ62941 standard; cDNA; 3122 BP.
XX
AC   ADQ62941;
XX
DT   07-OCT-2004 (first entry)
XX
DE   Novel human cDNA sequence #102.
XX
KW   ss; gene; osteopathic; neuroprotective; nootropic; antiparkinsonian;
KW   cytostatic; gene therapy; diagnostic marker; morbid state; osteoporosis;
KW   neurological disease; Alzheimer's disease; Parkinson's disease; dementia;
KW   cancer.
XX
OS   Homo sapiens.
XX
PN   EP1440981-A2.
XX
PD   28-JUL-2004.
XX
PF   21-JAN-2004; 2004EP-00001196.
XX
PR   21-JAN-2003; 2003JP-00102206.
PR   09-MAY-2003; 2003JP-00113392.
XX
PA   (REAS-) RES ASSOC BIOTECHNOLOGY.
XX
PI   Isogai T, Sugiyama T, Otsuki T, Wakamatsu A, Sato H, Ishii S;
PI   Yamamoto J, Isono Y, Nagai K, Irie R;
XX
DR   WPI; 2004-535376/52.
DR   P-PSDB; ADQ65129.
XX
PT   Novel 2495 cDNA, useful for treating osteoporosis, neurological diseases,
PT   Alzheimer's diseases, Parkinson's diseases, dementia and various cancers.
XX
PS   Claim 1; SEQ ID NO 102; 2449pp; English.
XX
CC   The invention relates to 2495 novel polynucleotides (I) and their encoded
CC   polypeptides, sequences hybridizing to these nucleotides, sequences
CC   encoding partial polypeptides and sequences having 70% or 90% identity to

```
CC   the nucleotide and protein sequences. The nucleotides and polypeptides
CC   are useful as diagnostic markers or therapeutic target for the diseases
CC   or morbid states. They are also useful for treating osteoporosis,
CC   neurological diseases, Alzheimer's disease, Parkinson's disease,
CC   dementia and various cancers. This sequence corresponds to a nucleotide
CC   sequence of the invention.
XX
SQ   Sequence 3122 BP; 601 A; 891 C; 1019 G; 611 T; 0 U; 0 Other;

Query Match            100.0%;  Score 3122;  DB 12;  Length 3122;
Best Local Similarity 100.0%;  Pred. No. 0;
Matches 3122;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;
```

```
Qy      1  ACTAGAGGTGGGGTTAGCGTTGGAAGCACCGACCAAGTGAGGGCAAGGGCAGGGAC    60
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1  ACTAGAGGTGGGGTTAGCGCTTGGAAGCACCGACCAAGTGAGGGCAAGGGCAGGGAC    60

Qy     61  ACCTGACCCCGGCGCGCGCCCCTCGGATTGCCCAGTCACTCACTCGCTTTCGGGGCACG   120
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61  ACCTGACCCCGGCGCGCGCCCCTCGGATTGCCCAGTCACTCACTCGCTTTCGGGGCACG   120

Qy    121  GAGGTGCCCAGTCCTGCGCGGGCACCGAGCTCCTGTCTGCGCGGGAGGTCCGGGAGTCAGT   180
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121  GAGGTGCCCAGTCCTGCGGGGCACCGAGCTCCTGTCTGCGCGGGAGGTCCGGGAGTCAGT   180

Qy    181  ATAGCTGGGTTCTAGTCCCATCACAGGGCAAAAAACTCCGGGGGCAAGTCCGGGCTTTTTA   240
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181  ATAGCTGGGTTCTAGTCCCATCACAGGGCAAAAAACTCCGGGGGCAAGTCCGGGCTTTTTA   240

Qy    241  CCTGGGGCCTCAGTTTCCCATCCGTAAAATAGAACGGGTTGGATCTCCCGGACGGCTAACA   300
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241  CCTGGGGCCTCAGTTTCCCATCCGTAAAATAGAACGGGTTGGATCTCCCGGACGGCTAACA   300

Qy    301  TTCCAGAACTCGGATGCGGCGGAGGGGAGGGGGAGGGGGAGGCCACCGAGCTTCCCGAGCG   360
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301  TTCCAGAACTCGGATGGGGCGGAGGGGAGGGGGAGGGGGAGGCCACCGAGCTTCCCGAGCG   360

Qy    361  CGGGTGGAGCCCCGCCCTACCACTGATCCAGGGGGTGGGCAGCTCCGGCCCGGACGAGCGG   420
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361  CGGGTGGAGCCCCGCCCTACCACTGATCCAGGGGGTGGGCAGCTCCGGCCCGGACGAGCGG   420

Qy    421  GTGGGGCGGGTCCTAGGAAAACCCTACCCGGCCCTTGGCAGCCGGGCCGGAGCGCG   480
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    421  GTGGGGCGGGTCCTAGGAAAACCCTACCCGGCCCTTGGCAGCCGGGCCGGAGCGCG   480

Qy    481  CGGCTCTGCAGCCTTGCTTGCCCCGGAGTTGGGCACCCACCACCGGGCACCCTC   540
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    481  CGGCTCTGCAGCCTTGCTTGCCCCGGAGTTGGGCACCCACCACCGGGCACCCTC   540

Qy    541  AGCTTCGCAGGGAGCCACCGTGGAGGGCCAGGGGTGCAGAGACACGAGCGGTGTGACTCGG   600
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    541  AGCTTCGCAGGGAGCCACCGTGGAGGGCCAGGGGTGCAGAGACACGAGCGGTGTGACTCGG   600

Qy    601  AGTCGGCCTCTGGGGAGGGAGTGGACGAGGGGACCCTCCCTTGGCAGCCGGGCTCGCGC   660
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    601  AGTCGGCCTCTGGGGAGGGAGTGGACGAGGGGACCCTCCCTTGGCAGCCGGGCTCGCGC   660

Qy    661  GCCCCGTCCGCACGAGGGCGGCCCACGTCGGAGGGTTCCCGTGGACGTTGGCGCGTA   720
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    661  GCCCCGTCCGCACGAGGGCGGCCCACGTCGGAGGGTTCCCGTGGACGTTGGCGCGTA   720

Qy    721  GCCCCGACGGGAGTCACGGACCATGAAGACGGTTCGTGCGCCAAGGCGGGGATG   780
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    721  GCCCCGACGGGAGTCACGGACCATGAAGACGGTTCGTGCGCCAAGGCGGGGATG   780

Qy    781  GGGGTTAGCCACATCCTGCCGCGGCTCGAGGGGGAGGGCTAACGGGGGGGGCCC   840
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    781  GGGGTTAGCCACATCCTGCCGCGGCTCGAGGGGGAGGGCTAACGGGGGGGGCCC   840

Qy    841  AGCCGGGAGCCCACCGCGATGGGGCGCGGGAGGGGGAGGGAGTGCAAGGCGCGCTGCTGACNGGACGGGCTCAACA   900
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    841  AGCCGGGAGCCCACCGCGATGGGGCGCGGGAGGGGGAGGGAGTGCAAGGCGCGCTGCTGACNGGACGGGCTCAACA   900

Qy    901  AGAGCGACTGCGTGCTACCACCACCTGGTCGTCGACCTCGGCGGCGGGGACTCGGCAGA   960
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    901  AGAGCGACTGCGTGCTACCACCACCTGGTCGTCGACCTCGGCGGCGGGGACTCGGCAGA   960

Qy    961  ACCTTGCGCCAGGAGGCTGCAAAAGACGGGCCGGAGAAGGCGCAGGAGGCTTGGCGGGTGCCACCT   1020
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    961  ACCTTGCGCCAGGAGGCTGCAAAAGACGGGCCGGAGAAGGCGCAGGAGGCTTGGCGGGTGCCACCT   1020

Qy   1021  GCGGCCCGGCTGACTGCTGTGCGCGACCGGGCGGCGGCGGGCTGGGCGGCGCGCGGAGT   1080
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1021  GCGGCCCGGCTGACTGCTGTGCGCGACCGGGCGGCGGCGGGCTGGGCGGCGCGCGGAGT   1080

Qy   1081  TCGAGCGGCGCTCTGGGTGGCCCTTCTCGGGGTTGCCTGGAACCTGCTGGAAGCGGACATGCGGAC   1140
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1081  TCGAGCGGCGCTCTGGGTGGCCCTTCTCGGGGTTGCCTGGAACCTGCTGGAAGCGGACATGCGGAC   1140

Qy   1141  GCTCGGCTGGAGCTGGGGCGCGCGGTTCCCGCGGCGGGGCGCACGGCCGGACCGGCTGGTGCGCA   1200
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1141  GCTCGGCTGGAGCTGGGGCGCGCGGTTCCCGCGGCGGGGCGCACGGCCGGACCGGCTGGTGCGCA   1200

Qy   1201  CAGGTGTTGGCTGGGCGGCCCTCCGGCGGGCGGCTTCTCCGGGCGGCGGGGCTGAGCAGCCTGC   1260
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1201  CAGGTGTTGGCTGGGCGGCCCTCCGGCGGGCGGCTTCTCCGGGCGGCGGGGCTGAGCAGCCTGC   1260

Qy   1261  GGCTCGGAGGCGGAGGGGGACTTCGACGTCGGCGGCTGGGGCGGCTCGAGCGGCTGGGACGAGGTCC   1320
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1261  GGCTCGGAGGCGGAGGGGGACTTCGACGTCGGCGGCTGGGGCGGCTCGAGCGGCTGGGACGAGGTCC   1320

Qy   1321  TTCAGGTGGGCGGAGAGATGATCGACAACACATGGAGAGAAGGTCAAGTTCAAGTCCCGGACCG   1380
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1321  TTCAGGTGGGCGGAGAGATGATCGACAACACATGGAGAGAAGGTCAAGTTCAAGTCCCGGACCG   1380

Qy   1381  TGCAAGCCCGGCAGGCGCAGGGCGGCGGGGCGGCGAGCTCCTGTCCCAGGTCAGCGGCGCCCTCCT   1440
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1381  TGCAAGCCCGGCAGGCGCAGGGCGGCGGGGCGGCGAGCTCCTGTCCCAGGTCAGCGGCGCCCTCCT   1440

Qy   1441  CGGGTCGTGTGTCCTTGCAGGACCGCGGGGAGTGGTTCGGCGACCCCAGGAGAAGGCCCTGGCGGCCA   1500
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1441  CGGGTCGTGTGTCCTTGCAGGACCGCGGGGAGTGGTTCGGCGACCCCAGGAGAAGGCCCTGGCGGCCA   1500

Qy   1501  TCCTTTTCGGGGTCGTCTCCTGGGGGTTGGGCCTAGCCGGCTGA   1560
           ||||||||||||||||||||||||||||||||||||||||||||
Db   1501  TCCTTTTCGGGGTCGTCTCCTGGGGGTTGGGCCTAGCCGGCTGA   1560

Qy   1561  GCTGACAGACACCCCAGCGCCGCTGTCGCTGGCGGCTCCCCTTGAGAAAAGACTCGG   1620
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1561  GCTGACAGACACCCCAGCGCCGCTGTCGCTGGCGGCTCCCCTTGAGAAAAGACTCGG   1620

Qy   1621  GATGGGGTGTGGGGGTCTGGCCTGTGCAAAGGGGAGTGGTCCTAAAAACCCCGTGTGTGGCATGG   1680
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1621  GATGGGGTGTGGGGGTCTGGCCTGTGCAAAGGGGAGTGGTCCTAAAAACCCCGTGTGTGGCATGG   1680

Qy   1681  GTACACGCGGGGGTTTCCAGTGCACATCTGCCTCTGGGCCGAGGACACGGTTTTTCCTCTGCTGGC   1740
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1681  GTACACGCGGGGGTTTCCAGTGCACATCTGCCTCTGGGCCGAGGACACGGTTTTTCCTCTGCTGGC   1740

Qy   1741  CCGGGAGAAGTTAACTTTGCGCGGCCATTACGCTGTCGCAGGAGCT   1800
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   1741  CCGGGAGAAGTTAACTTTGCGCGGCCATTACGCTGTCGCAGGAGCT   1800

Qy   1801  TTATTCCCTATTAATTAAATAGAAAAAACCTCACAGTGACCCTACAGATCCTCCGGAGTTAATGAGTT   1860
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1801  TTATTCCCTATTAATTAAATAGAAAAAACCTCACAGTGACCCTACAGATCCTCCGGAGTTAATGAGTT   1860

Qy   1861  AACACATGTCGTTGGGAGGGTCTTTACAGGGAGTCCGAGTTCGGTGCCCACCCCCTGCCA   1920
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1861  AACACATGTCGTTGGGAGGGTCTTTACAGGGAGTCCGAGTTCGGTGCCCACCCCCTGCCA   1920

Qy   1921  GCGTGCGCCCCCTTTCTGCCGTGGGGACAGTTTGAAAAGGTGGGGTGGGAGTGGAAGTTTG   1980
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1921  GCGTGCGCCCCCTTTCTGCCGTGGGGACAGTTTGAAAAGGTGGGGTGGGAGTGGAAGTTTG   1980

Qy   1981  GAGAGGGACGCGCTGTTTGGGTTCTATGTGGGTTGGTTGTTTCCCGGACAAGAGAAAATTGCAA   2040
```

```
Qy   1981 GAGAGGGAACGCTGTTTGTTTGGTTCTATGTGGTTGGTCTGTTGTTCCCGGACAAGAGAAAATTGGAA 2040

Qy   2041 TCAAATGTCAGCAGCTGTTTTATTACCTTAATCTTTCAGGGCCTAAATTTAGGAGAGTGTCC 2100
          ||||||||||||||||  ||||||||||||||||||||||||||||||||||||||||||||
Db   2041 TCAAATGTCAGCAGCTTTTATTACCTTAATCTTTCAGGGCCTAAATTTAGGAGAGTGTCC   2100

Qy   2101 TGAGAGCAGTTCATACAAAAGGGCTTTTCTCTAAGACGCCTACAGCCCTTCCTTAGCAGAGT 2160
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2101 TGAGAGCAGTTCATACAAAAGGGCTTTTCTCTAAGACGCCTACAGCCCTTCCTTAGCAGAGT 2160

Qy   2161 TTATCCATTCGTCCCCAAGAGCAGCTAGAAGCAGCTAGAGAGAGAGATTTGAGGTCATGACCTCCCACTGCCG 2220
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2161 TTATCCATTCGTCCCCAAGAGCAGCTAGAAGCAGCTAGAGAGAGAGATTTGAGGTCATGACCTCCCACTGCCG 2220

Qy   2221 CTCAGGGGGCTGACCCTATTTAGGAAAAACAAAAGAGGGTGGGTGGGGTTGAAACCTACTCTCACGGAC 2280
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2221 CTCAGGGGGCTGACCCTATTTAGGAAAAACAAAAGAGGGTGGGTGGGGTTGAAACCTACTCTCACGGAC 2280

Qy   2281 TTGGATCCAGTGGCACACTTGCCTTGGCCTGCGGAAAAGGGGCTTCTCCCCAGCGCCACCCGGAGATGG 2340
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2281 TTGGATCCAGTGGCACACTTGCCTTGGCCTGCGGAAAAGGGGCTTCTCCCCAGCGCCACCCGGAGATGG 2340

Qy   2341 GGGTTAAGAGAAGCAGAGCAGAGGGCTGGGGTTGGGGGTTAGGGGCCACCTGGGTGTTAAACAGGGCACTTTC 2400
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2341 GGGTTAAGAGGAAGCAGAGCAGAGGCTAGGGGCTAGGGGCCACCTGGGTGTTAAACAGGGCACTTTC 2400

Qy   2401 TCCTTCTCTCTGGGGCTTATTTTGTTCAGAACTAGACCAGAGTGTTTGAACCTTCCTTTGCA 2460
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2401 TCCTTCTCTCTGGGGCTTATTTTTGTTCAGAACTAGACCAGAGTGTTTGAACCTTCCTTTGCA 2460

Qy   2461 GGAGGGGCTGGGGAATCCTCTTTAGGGGATTTAAGAGCACTTGCCTGCCGGAAAAGGGGCTCTCCCCAGCCACCCCGGAGATGG 2520
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2461 GGAGGGGCTGGGGAATCCTCTTTAGGGGATTTAAGAGCACTTAATCCTTATTTATCCCCTGGAAATGTGCGTGC 2520

Qy   2521 TGGGCCAGTAGGAGGGCTGGCTTTGGCAGGTGTTTGGGGTTA 2580
          ||||||||||||||||||||||||||||||||||||||||||
Db   2521 TGGGCCAGTAGGAGGGCTGGCTTTGGCAGGTGTTTGGGGTTA 2580

Qy   2581 GGTAAGTGGGCATTACTGGCCCACAGAGGTTTGGAGCCAATCAGCTCTGAGACTGGGTTA 2640
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2581 GGTAAGTGGGCATTACTGGCCCACAGAGGTTTGGAGCCAATCAGCTCTGAGACTGGGTTA 2640

Qy   2641 GAATGTAACAGCTTTAACTTAGGGATTTAAGAGGTTAATAATCTTCTCTGAA 2700
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2641 GAATGTAACAGCTTTAACTTAGGGATTTAAGAGGTTAATAATCTTCTCTGAA 2700

Qy   2701 GAAAAATGACGTAACCACCAGCGTGTACTATTGAAAAGCTGTTATTTTAATAAAGAAGAACGCTGG 2760
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2701 GAAAAATGACGTAACCACCAGCGTGTACTATTGAAAAGCTGTTATTTTAATAAAGAAGAACGCTGG 2760

Qy   2761 GCCATGAACTCATACCTCCCAATGAGTCAAACATAGTATCTTTATGTAGATACTTAGATT 2820
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2761 GCCATGAACTCATACCTCCCAATGAGTCAAACATAGTATCTTTATGTAGATACTTAGATT 2820

Qy   2821 ACTAAAATATATATTCATCTACTTCTGAAGTTGAATGAGTAGTTCCCCCACTTTTT 2880
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2821 ACTAAAATATATATTCATCTACTTCTGAAGTTGAATGAGTAGTTCCCCCACTTTTT 2880

Qy   2881 TCTTTTTTGAGGCAGGTGGATCAGCTGAGGCCAGAGTTGCTGAGACGACCAGCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2881 TCTTTTTTGAGGCGAGGTGGATCAGCTGAGGCTGAGAGTCAGGCTGGCCAGCAT 2940

Qy   2941 AGCGAAACCCGACATCTACTAAAAAATATATAAAAATTGGCCGGGCATGGTGGCCCATGCCT 3000
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2941 AGCGAAACCCGACATCTACTAAAAAATATATAAAAATTGGCCGGGCATGGTGGCCCATGCCT 3000

Qy   3001 GTGGTCCCAGCTACTCGGGAGGGTTGAGGCAGGAGTGCGCTTGAAATGCAAGGTGGGAGG 3060
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   3001 GTGGTCCCAGCTACTCGGGAGGGTTGAGGCAGGAGTGCGCTTGAAATGCAAGGTGGGAGG 3060

Qy   3061 TTGCAATGAGCAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTC 3120
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   3061 TTGCAATGAGCAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTC 3120

Qy   3121 TC 3122
          ||
Db   3121 TC 3122
```

RESULT 2
ADR07462
ID   ADR07462 standard; cDNA; 2327 BP.
XX
AC   ADR07462;
XX
DT   04-NOV-2004 (first entry)
XX
DE   Full length human cDNA useful for treating neurological disease Seq 968.
XX
KW   gene; ss; human; oligo-capping method; diagnostic marker; gene therapy;
KW   osteoporosis; neurological disease; Alzheimer's disease;
KW   Parkinson's disease; dementia; short memory; cancer;
KW   sense or motor function; emotional reaction; fear response; panic;
KW   osteopathic; neuroprotective; nootropic; antiparkinsonian; cytostatic;
KW   tranquiliser.
XX
OS   Homo sapiens.
XX
PN   EP1447413-A2.
XX
PD   18-AUG-2004.
XX
PF   12-FEB-2004; 2004EP-00003145.
XX
PR   14-FEB-2003; 2003JP-00102207.
PR   09-MAY-2003; 2003JP-00131452.
XX
PA   (REAS-) RES ASSOC BIOTECHNOLOGY.
XX
PI   Isogai T, Yamamoto J, Nishikawa T, Isono Y, Sugiyama T, Otsuki T;
PI   Wakamatsu A, Ishii S, Nagai K, Irie R;
XX
PT   New 1995 cDNA, useful for treating osteoporosis, neurological diseases,
PT   Alzheimer's diseases, Parkinson's diseases, dementia and various cancers.
XX
PS   Claim 1; SEQ ID NO 968; 2686pp; English.
XX
DR   WPI; 2004-583265/57.
DR   P-PSDB; ADR09418.
XX
CC   This invention relates to novel, isolated full length human cDNA
CC   molecules and the encoded proteins thereof. Specifically, it refers to
CC   cDNA clones obtained by an oligo-capping method, where none of these
CC   clones are identical to any known human mRNA. The present invention
CC   describes an immunoassay to identify agonists and antagonists, as well as
CC   antibodies, antisense molecules and siRNAs that can all be used to bind
CC   to and modulate expression of the cDNA molecules. As such, these
CC   molecules are useful for diagnostic markers or therapeutic targets for
CC   the various diseases or morbid states. In particular, they are useful in
CC   gene therapy for treating osteoporosis, neurological disease, Alzheimer's
CC   disease, Parkinson's disease, dementia, short memory and various cancers,
CC   as well as for maintaining equilibrium of sense or motor function, and
CC   for treating emotional reaction, fear response and panic. Accordingly,
CC   they exhibit osteopathic, neuroprotective, nootropic, antiparkinsonian,
CC   cytostatic and tranquiliser activities.This polynucleotide is a full
CC   length human cDNA sequence of the invention. NOTE: This sequence is not
CC   given in the sequence listing of the specification but can be obtained on
CC   CD-ROM from the European Patent Office, Vienna Sub-office.
XX
SQ   Sequence 2327 BP; 424 A; 667 C; 788 G; 448 T; 0 U; 0 Other;

Query Match   73.9%;   Score 2308; DB 13; Length 2327;
Best Local Similarity   99.7%;   Pred No. 0;
Matches 2322; Conservative   0; Mismatches   5; Indels   1; Gaps   1;

```
Qy    444 ACCCGCGGCGGCCCTTGGCGCAGGCGGCCTAAGGCGGCGGCGGCGGCGGCTTCGGAGCCTCGCTTGCCC  503
Db      1 ACCCGGCGCGGCCCTTGGCGCAGGCGGCCTAAGGCGGCGGCGGCGGCGGCTTCGGAGCCTCGCTTGCCC   60

Qy    504 GGAGTTGGCACCCAGGGAGGGACCGGCCACCGCGTGG  563
Db     61 GGAGTTGGCACCCAGCGAGGGACCGACCGCCACCGCGTGG  120

Qy    564 AGGCCAGGGCGGTGCAGAGCACGACGTGTGACTCGGAGTCGCCTGGGGAGTGGACG  623
Db    121 AGGCCAGGGCGGTGCAGAGCACGACGTGTGACTCGGAGTCGCCTGGGGAGTGGACG  180

Qy    624 AGGGGAGGCGGGGAACCGGCTAAGCGGCCTCCCCTCTGGCGCGGGGCCCCGTCCCGAGGAGGCACGT  683
Db    181 AGGGGAGGCGGGGAACCGGCTAAGCGGCCTCCCCTCTGGCGCGGGGCCCCGTCCCGAGGAGGCACGT  240
```

```
Db   2160  CAGAGGTTTTGAGCCAATCAGCTCTCTGAGACTGGGTTAGAATGTAACAGCTTTAACTTGGG
Qy   2664  ATTTAAGAAGCTTTTAAAAGGTAATAATCCTCTGAAAGAAAGAAAAATGAGGTAACCACAGCGT  2219
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2220  ATTTAAGAAGCTTTTAAAAGGTAATAATCCTCTGAAAGAAAGAAAAATGAGGTAACCACAGCGT  2723
Qy   2724  GTACTATGAAAAGCTGTTATTTTAATAAAAGAACGCTGGGGCCATGAACTC  2279
            ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2280  GTACTATGAAAAGCTGTTATTTTAATAAAAGAACGCTGGGGCCATGAACTC  2771
                                                                     2327
```

RESULT 3
AAK83424/c
ID   AAK83424 standard; DNA; 1009 BP.
XX
AC   AAK83424;
XX
DT   07-NOV-2001 (first entry)
-XX
DE   Human immune/haematopoietic antigen genomic sequence SEQ ID NO:38236.
XX
KW   Human; immune; haematopoietic; immune/haematopoietic antigen; cancer;
KW   cytostatic; gene therapy; vaccine; metastasis; ds.
XX
OS   Homo sapiens.
XX
PN   WO200157182-A2.
XX
PD   09-AUG-2001.
XX
PF   17-JAN-2001; 2001WO-US001354.
XX
PR   31-JAN-2000; 2000US-0179065P.
PR   04-FEB-2000; 2000US-0180628P.
PR   24-FEB-2000; 2000US-0184664P.
PR   02-MAR-2000; 2000US-0186350P.
PR   16-MAR-2000; 2000US-0189874P.
PR   17-MAR-2000; 2000US-0190076P.
PR   18-APR-2000; 2000US-0198123P.
PR   19-MAY-2000; 2000US-0205515P.
PR   07-JUN-2000; 2000US-0209467P.
PR   28-JUN-2000; 2000US-0214886P.
PR   30-JUN-2000; 2000US-0215135P.
PR   07-JUL-2000; 2000US-0216647P.
PR   07-JUL-2000; 2000US-0216880P.
PR   11-JUL-2000; 2000US-0217487P.
PR   11-JUL-2000; 2000US-0217496P.
PR   14-JUL-2000; 2000US-0218290P.
PR   26-JUL-2000; 2000US-0220963P.
PR   26-JUL-2000; 2000US-0220964P.
PR   14-AUG-2000; 2000US-0224518P.
PR   14-AUG-2000; 2000US-0224519P.
PR   14-AUG-2000; 2000US-0225213P.
PR   14-AUG-2000; 2000US-0225214P.
PR   14-AUG-2000; 2000US-0225266P.
PR   14-AUG-2000; 2000US-0225267P.
PR   14-AUG-2000; 2000US-0225268P.
PR   14-AUG-2000; 2000US-0225270P.
.PR   14-AUG-2000; 2000US-0225447P.
PR   14-AUG-2000; 2000US-0225757P.
PR   14-AUG-2000; 2000US-0225758P.
PR   14-AUG-2000; 2000US-0226279P.
PR   18-AUG-2000; 2000US-0226681P.
PR   22-AUG-2000; 2000US-0266868P.
PR   22-AUG-2000; 2000US-0271822P.
PR   22-AUG-2000; 2000US-0271824P.
PR   23-AUG-2000; 2000US-0227009P.
PR   30-AUG-2000; 2000US-0228924P.
PR   01-SEP-2000; 2000US-0228927P.
PR   01-SEP-2000; 2000US-0229343P.
PR   01-SEP-2000; 2000US-0229344P.
PR   01-SEP-2000; 2000US-0229345P.
PR   01-SEP-2000; 2000US-0229345P.
PR   05-SEP-2000; 2000US-0229509P.
```

```
PR    05-SEP-2000;  2000US-0229513P.
PR    06-SEP-2000;  2000US-0230437P.
PR    06-SEP-2000;  2000US-0230438P.
PR    08-SEP-2000;  2000US-0231242P.
PR    08-SEP-2000;  2000US-0231243P.
PR    08-SEP-2000;  2000US-0231244P.
PR    08-SEP-2000;  2000US-0231413P.
PR    08-SEP-2000;  2000US-0231414P.
PR    08-SEP-2000;  2000US-0232080P.
PR    08-SEP-2000;  2000US-0232081P.
PR    12-SEP-2000;  2000US-0231968P.
PR    14-SEP-2000;  2000US-0232397P.
PR    14-SEP-2000;  2000US-0232398P.
PR    14-SEP-2000;  2000US-0232399P.
PR    14-SEP-2000;  2000US-0232400P.
PR    14-SEP-2000;  2000US-0232401P.
PR    14-SEP-2000;  2000US-0233063P.
PR    14-SEP-2000;  2000US-0233064P.
PR    14-SEP-2000;  2000US-0233065P.
PR    21-SEP-2000;  2000US-0234223P.
PR    21-SEP-2000;  2000US-0234274P.
PR    25-SEP-2000;  2000US-0234997P.
PR    25-SEP-2000;  2000US-0234998P.
PR    26-SEP-2000;  2000US-0235484P.
PR    27-SEP-2000;  2000US-0235834P.
PR    27-SEP-2000;  2000US-0235836P.
PR    29-SEP-2000;  2000US-0236327P.
PR    29-SEP-2000;  2000US-0236367P.
PR    29-SEP-2000;  2000US-0236368P.
PR    29-SEP-2000;  2000US-0236369P.
PR    02-OCT-2000;  2000US-0236370P.
PR    02-OCT-2000;  2000US-0236802P.
PR    02-OCT-2000;  2000US-0237037P.
PR    02-OCT-2000;  2000US-0237038P.
PR    02-OCT-2000;  2000US-0237039P.
PR    02-OCT-2000;  2000US-0237040P.
PR    13-OCT-2000;  2000US-0239935P.
PR    13-OCT-2000;  2000US-0239937P.
PR    20-OCT-2000;  2000US-0240960P.
PR    20-OCT-2000;  2000US-0241221P.
PR    20-OCT-2000;  2000US-0241785P.
PR    20-OCT-2000;  2000US-0241786P.
PR    20-OCT-2000;  2000US-0241787P.
PR    20-OCT-2000;  2000US-0241808P.
PR    20-OCT-2000;  2000US-0241809P.
PR    20-OCT-2000;  2000US-0241826P.
PR    01-NOV-2000;  2000US-0244617P.
PR    08-NOV-2000;  2000US-0246474P.
PR    08-NOV-2000;  2000US-0246477P.
PR    08-NOV-2000;  2000US-0246475P.
PR    08-NOV-2000;  2000US-0246476P.
PR    08-NOV-2000;  2000US-0246478P.
PR    08-NOV-2000;  2000US-0246523P.
PR    08-NOV-2000;  2000US-0246524P.
PR    08-NOV-2000;  2000US-0246525P.
PR    08-NOV-2000;  2000US-0246526P.
PR    08-NOV-2000;  2000US-0246527P.
PR    08-NOV-2000;  2000US-0246528P.
PR    08-NOV-2000;  2000US-0246532P.
PR    08-NOV-2000;  2000US-0246609P.
PR    08-NOV-2000;  2000US-0466610P.
PR    08-NOV-2000;  2000US-0466611P.
PR    17-NOV-2000;  2000US-0492087P.
PR    17-NOV-2000;  2000US-0492088P.
PR    17-NOV-2000;  2000US-0492089P.
PR    17-NOV-2000;  2000US-0492090P.
PR    17-NOV-2000;  2000US-0492110P.
PR    17-NOV-2000;  2000US-0492111P.
PR    17-NOV-2000;  2000US-0492112P.
PR    17-NOV-2000;  2000US-0492113P.
PR    17-NOV-2000;  2000US-0492114P.
PR    17-NOV-2000;  2000US-0492115P.
PR    17-NOV-2000;  2000US-0492416P.
```

PR   17-NOV-2000; 200US-0249217P.
PR   17-NOV-2000; 200US-0249218P.
PR   17-NOV-2000; 200US-0249244P.
PR   17-NOV-2000; 200US-0249245P.
PR   17-NOV-2000; 200US-0249264P.
PR   17-NOV-2000; 200US-0249265P.
PR   17-NOV-2000; 200US-0249297P.
PR   17-NOV-2000; 200US-0249299P.
PR   17-NOV-2000; 200US-0249300P.
PR   01-DEC-2000; 200US-0250100P.
PR   01-DEC-2000; 200US-0250391P.
PR   05-DEC-2000; 200US-0251030P.
PR   05-DEC-2000; 200US-0251988P.
PR   08-DEC-2000; 200US-0256799P.
PR   08-DEC-2000; 200US-0251479P.
PR   05-DEC-2000; 200US-0251856P.
PR   08-DEC-2000; 200US-0251869P.
PR   06-DEC-2000; 200US-0251869P.
PR   08-DEC-2000; 200US-0251989P.
PR   08-DEC-2000; 200US-0251990P.
PR   11-DEC-2000; 200US-0254097P.
PR   05-JAN-2001; 2001US-0259678P.
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Rosen CA, Barash SC, Ruben SM;
XX
DR   WPI; 2001-483426/52.
XX
PT   Nucleic acids encoding human immune/hematopoietic antigen polypeptides,
PT   useful for preventing, diagnosing and/or treating cancers and metastasis.
XX
PS   Disclosure; SEQ ID NO 38236; 3071pp + Sequence Listing; English.
XX
CC   AAK54951 to AAK64702 encode the human immune/haematopoietic antigen (I)
CC   amino acid sequences given in AAM82170 to AAM91921. (I) have cytostatic
CC   activity, and can be used in gene therapy and vaccine production. (I)
CC   proteins and polynucleotides may be used in the prevention, diagnosis and
CC   treatment of diseases associated with inappropriate (I) expression. For
CC   example, they may be used to treat disorders associated with decreased
CC   expression by rectifying mutations or deletions in a patient's genome
CC   that affect the activity of (I) by expressing inactive proteins or to
CC   supplement the patients own production of (I). Additionally, (I)
CC   polynucleotides may be used to produce the secreted (I), by inserting the
CC   nucleic acids into a host cell and culturing the cell to express the
CC   protein. (I) proteins and polynucleotides may be used to prevent,
CC   diagnose and treat immune/haematopoietic-related diseases, especially
CC   cancers and cancer metastases of haematopoietic-derived cells. AAK64703
CC   to AAK87694 represent human immune/haematopoietic antigen genomic
CC   sequences from the present invention. AAK54942 to AAK54950 and AAM82169
CC   represent sequences used in the exemplification of the present invention
SQ   Sequence 1009 BP; 260 A; 269 C; 239 G; 241 T; 0 U; 0 Other;

Query Match   32.3%; Score 1009; DB 4; Length 1009;
Best Local Similarity   100.0%;
Matches 1009; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1766 CCGTCAGGGCATTACCGCTAACGTTCTGCAGGAGGAGCTTATTCCCTATTAATTAGAAAACCGT 1825
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1009 CCGTCAGGGCATTACCGCTAACGTTCTGCAGGAGGAGCTTATTCCCTATTAATTAGAAAACCGT 950

Qy   1826 CACAGTGACCCTAGATCCCTCCGAGTTAATGAGTTAACACATGTGCTGTTGGGGCGTCTT 1885
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   949 CACAGTGACCCTAGATCCCTCCGAGTTAATGAGTTAACACATGTGCTGTTGGGGCGTCTT 890

Qy   1886 TACAGGGGAGTCCCAGTTCGGTCGCCCACCCCTGCCCCCTTTTCTGCGGTGGGAC 1945
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   889 TACAGGGGAGTCCCAGTTCGGTCGCCCACCCCTGCCCCCTTTTCTGCGGTGGGAC 830

Qy   1946 AGTTTGAAAAGGTGGGTGGGGTGGAGTGAAGTTGGAGAGGAGGACGCTGTTTGGTTCTATG 2005
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   829 AGTTTGAAAAGGTGGGTGGGGTGGAGTGAAGTTGGAGAGGAGGACGCTGTTTGGTTCTATG 770

Qy   2006 TGGTTGGTCGTGTTTTCCCGGACAAGAAGAAAATTGCAATCAAAGTCAGCAGCTTTTATTACC 2065
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   769 TGGTTGGTCGTGTTTTCCCGGACAAGAAGAAAATTGCAATCAAAGTCAGCAGCTTTTATTACC 710

Qy   2066 TTAATCTTTCAGGGCCCTAAAATTTAGGAGAGAGTGTCCTGAGAGCAGTTCATACAAAGGGCTT 2125
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   709 TTAATCTTTCAGGGCCCTAAAATTTAGGAGAGAGTGTCCTGAGAGCAGTTCATACAAAGGGCTT 650

Qy   2126 TCTCTAAGACGCGCTACAGCGCCCTTTCCTTCCTTAGCGAGAGTTTATTCCATTCGTTCCCCAAGAGCGAGC 2185
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   649 TCTCTAAGACGCGCTACAGCGCCCTTTCCTTCCTTAGCGAGAGTTTATTCCATTCGTTCCCCAAGAGCAGC 590

Qy   2186 TAGAAGAGAGATTTGAGGTCATGAACCTTCCCACTGCCGCGCTCAGGGGGCTGGGACCCTATTTAGGAA 2245
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   589 TAGAAGAGAGATTTGAGGTCATGAACCTTCCCACTGCCGCGCTCAGGGGGCTGGGACCCTATTTAGGAA 530

Qy   2246 ACCAAAGAGGGGTGGGGTTGAAACCTTACTCTCACGGACACTTGGATTCAGTGCCGCACACTTGCCT 2305
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   529 ACCAAAGAGGGGTGGGGTTGAAACCTTACTCTCACGGACACTTGGATTCAGTGCCGCACACTTGCCT 470

Qy   2306 GCCGGAAAAAGGGCTTCTCCCCAGCCACCCCGGAGATGGGGGTTGAAGAGGAGGAGAGCAGAGGCTTG 2365
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   469 GCCGGAAAAAGGGCTTCTCCCCAGCCACCCCGGAGATGGGGGTTGAAGAGGAGGAGAGCAGAGGCTTG 410

Qy   2366 GGGGTAGGGGGCCACCTGGGTGGTTGTTTAAACAGGCACTTTCTTCCTTCTCTGGGGGGCTTTATTTTTGTT 2425
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   409 GGGGTAGGGGGCCACCTGGGTGGTTGTTTAAACAGGCACTTTCTTCCTTCTCTGGGGGGCTTTATTTTTGTT 350

Qy   2426 CAGAACTAGACCACAGTGTTGTTGAACCTTCTTTGCAGGAGGGGAATCCTCTTCTTTAGAG 2485
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   349 CAGAACTAGACCACAGTGTTGTTGAACCTTCTTTGCAGGAGGGGAATCCTCTTCTTTAGAG 290

Qy   2486 CACTTAAATCCTATTTATTCCCTGGAAATGTGCGTGTGCTGGCCAGTAGGAGGGAGGGCTGGCTTTGG 2545
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   289 CACTTAAATCCTATTTATTCCCTGGAAATGTGCGTGTGCTGGCCAGTAGGAGGGAGGGCTGGCTTTGG 230

Qy   2546 CAGTCCCTGACCCCCGCCCTGCCCCCTCCGGGGGTAATGTGTGGCCATTACTACTGCCCACA 2605
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   229 CAGTCCCTGACCCCCGCCCTGCCCCCTCCGGGGGTAATGTGTGGCCATTACTACTGCCCACA 170

Qy   2606 GAGGTTTGAGCCAATCAGCTCTGAGACTGGGGTTAGAAGTGTAACAGCTTAAACTTAACTTGGGAT 2665
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   169 GAGGTTTGAGCCAATCAGCTCTGAGACTGGGGTTAGAAGTGTAACAGCTTAAACTTAACTTGGGAT 110

Qy   2666 TTAAGAAGCTTTTAAAAGGTAATAATATCCTCTGAAAGAAAAAATGACGTAACCACAGCGTGT 2725
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   109 TTAAGAAGCTTTTAAAAGGTAATAATATCCTCTGAAAGAAAAAATGACGTAACCACAGCGTGT 50

Qy   2726 ACTATGAAAGCTGTTATTTTAATAAAGAACGCTGGGGCCATGAACTCATA 2774
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   49 ACTATGAAAGCTGTTATTTTAATAAAGAACGCTGGGGCCATGAACTCATA 1

RESULT 4
AAK83423/c
ID   AAK83423 standard; DNA; 1009 BP.
XX
AC   AAK83423;
XX
DT   07-NOV-2001 (first entry)
XX
DE   Human immune/haematopoietic antigen genomic sequence SEQ ID NO:38235.
XX
KW   Human; immune; haematopoietic; immune/haematopoietic antigen; cancer;
KW   cytostatic; gene therapy; vaccine; metastasis; de.
XX
OS   Homo sapiens.
XX
PN   WO20015718182-A2.
XX
PD   09-AUG-2001.
XX

```
PF  17-JAN-2001;  201WO-US001354.
XX
PR  31-JAN-2000;  200US-0179065P.
PR  04-FEB-2000;  200US-0180628P.
PR  24-FEB-2000;  200US-0184664P.
PR  02-MAR-2000;  200US-0186350P.
PR  16-MAR-2000;  200US-0189874P.
PR  17-MAR-2000;  200US-0190076P.
-PR 18-APR-2000;  200US-0198123P.
PR  19-MAY-2000;  200US-0205515P.
PR  07-JUN-2000;  200US-0209467P.
PR  28-JUN-2000;  200US-0214886P.
PR  30-JUN-2000;  200US-0215135P.
PR  07-JUL-2000;  200US-0216647P.
PR  07-JUL-2000;  200US-0216880P.
PR  11-JUL-2000;  200US-0217487P.
PR  11-JUL-2000;  200US-0217496P.
PR  14-JUL-2000;  200US-0218290P.
PR  26-JUL-2000;  200US-0220963P.
PR  26-JUL-2000;  200US-0220964P.
PR  14-AUG-2000;  200US-0224518P.
PR  14-AUG-2000;  200US-0224519P.
PR  14-AUG-2000;  200US-0225211P.
PR  14-AUG-2000;  200US-0225214P.
PR  14-AUG-2000;  200US-0225266P.
PR  14-AUG-2000;  200US-0225267P.
PR  14-AUG-2000;  200US-0225268P.
PR  14-AUG-2000;  200US-0225270P.
PR  14-AUG-2000;  200US-0225447P.
PR  14-AUG-2000;  200US-0225757P.
PR  14-AUG-2000;  200US-0225758P.
PR  14-AUG-2000;  200US-0225759P.
PR  18-AUG-2000;  200US-0226279P.
PR  22-AUG-2000;  200US-0226681P.
PR  22-AUG-2000;  200US-0226860P.
PR  30-AUG-2000;  200US-0227009P.
PR  01-SEP-2000;  200US-0227182P.
PR  01-SEP-2000;  200US-0228924P.
PR  01-SEP-2000;  200US-0229287P.
PR  23-AUG-2000;  200US-0229343P.
PR  01-SEP-2000;  200US-0229344P.
PR  01-SEP-2000;  200US-0229345P.
PR  05-SEP-2000;  200US-0229509P.
PR  05-SEP-2000;  200US-0229511P.
PR  06-SEP-2000;  200US-0230437P.
PR  06-SEP-2000;  200US-0230438P.
PR  08-SEP-2000;  200US-0231242P.
PR  08-SEP-2000;  200US-0231243P.
PR  08-SEP-2000;  200US-0231244P.
PR  08-SEP-2000;  200US-0231413P.
PR  08-SEP-2000;  200US-0231414P.
PR  08-SEP-2000;  200US-0232080P.
PR  08-SEP-2000;  200US-0232081P.
PR  12-SEP-2000;  200US-0231968P.
PR  14-SEP-2000;  200US-0232397P.
PR  14-SEP-2000;  200US-0232399P.
PR  14-SEP-2000;  200US-0232400P.
PR  14-SEP-2000;  200US-0232401P.
PR  14-SEP-2000;  200US-0233063P.
PR  14-SEP-2000;  200US-0233064P.
PR  14-SEP-2000;  200US-0233065P.
PR  21-SEP-2000;  200US-0234223P.
PR  21-SEP-2000;  200US-0234274P.
PR  25-SEP-2000;  200US-0234997P.
PR  25-SEP-2000;  200US-0234998P.
PR  26-SEP-2000;  200US-0235484P.
PR  27-SEP-2000;  200US-0235834P.
PR  27-SEP-2000;  200US-0235835P.
PR  29-SEP-2000;  200US-0236327P.
PR  29-SEP-2000;  200US-0236367P.
PR  29-SEP-2000;  200US-0236368P.
PR  29-SEP-2000;  200US-0236369P.

PR  29-SEP-2000;  200US-0236370P.
PR  02-OCT-2000;  200US-0236802P.
PR  02-OCT-2000;  200US-0237037P.
PR  02-OCT-2000;  200US-0237038P.
PR  02-OCT-2000;  200US-0237039P.
PR  02-OCT-2000;  200US-0237040P.
PR  13-OCT-2000;  200US-0239935P.
PR  20-OCT-2000;  200US-0239937P.
PR  20-OCT-2000;  200US-0240960P.
PR  20-OCT-2000;  200US-0241221P.
PR  20-OCT-2000;  200US-0241785P.
PR  20-OCT-2000;  200US-0241786P.
PR  20-OCT-2000;  200US-0241787P.
PR  20-OCT-2000;  200US-0241808P.
PR  20-OCT-2000;  200US-0241809P.
PR  20-OCT-2000;  200US-0241826P.
PR  01-NOV-2000;  200US-0446417P.
PR  08-NOV-2000;  200US-0464747P.
PR  08-NOV-2000;  200US-0464748P.
PR  09-NOV-2000;  200US-0464755P.
PR  08-NOV-2000;  200US-0464762P.
PR  08-NOV-2000;  200US-0464767P.
PR  08-NOV-2000;  200US-0464778P.
PR  08-NOV-2000;  200US-0464780P.
PR  08-NOV-2000;  200US-0465323P.
PR  08-NOV-2000;  200US-0465523P.
PR  08-NOV-2000;  200US-0465524P.
PR  08-NOV-2000;  200US-0465525P.
PR  08-NOV-2000;  200US-0465526P.
PR  08-NOV-2000;  200US-0465527P.
PR  08-NOV-2000;  200US-0465528P.
PR  08-NOV-2000;  200US-0466009P.
PR  08-NOV-2000;  200US-0466013P.
PR  17-NOV-2000;  200US-0466100P.
PR  17-NOV-2000;  200US-0466611P.
PR  08-NOV-2000;  200US-0492080P.
PR  17-NOV-2000;  200US-0492090P.
PR  17-NOV-2000;  200US-0492100P.
PR  17-NOV-2000;  200US-0492111P.
PR  17-NOV-2000;  200US-0492112P.
PR  17-NOV-2000;  200US-0492113P.
PR  17-NOV-2000;  200US-0492114P.
PR  17-NOV-2000;  200US-0492115P.
PR  17-NOV-2000;  200US-0492116P.
PR  17-NOV-2000;  200US-0492117P.
PR  17-NOV-2000;  200US-0492118P.
PR  17-NOV-2000;  200US-0492244P.
PR  17-NOV-2000;  200US-0492245P.
PR  17-NOV-2000;  200US-0492264P.
PR  17-NOV-2000;  200US-0492265P.
PR  17-NOV-2000;  200US-0492297P.
PR  17-NOV-2000;  200US-0492299P.
PR  17-NOV-2000;  200US-0492930P.
PR  01-DEC-2000;  200US-0250160P.
PR  01-DEC-2000;  200US-0250391P.
PR  05-DEC-2000;  200US-0251030P.
PR  05-DEC-2000;  200US-0251988P.
PR  05-DEC-2000;  200US-0256719P.
PR  06-DEC-2000;  200US-0251479P.
PR  08-DEC-2000;  200US-0251856P.
PR  08-DEC-2000;  200US-0251868P.
PR  08-DEC-2000;  200US-0251869P.
PR  08-DEC-2000;  200US-0251989P.
PR  08-DEC-2000;  200US-0251990P.
PR  11-DEC-2000;  200US-0254097P.
PR  05-JAN-2001;  201US-0259678P.
XX
PA  (HUMA-) HUMAN GENOME SCI INC.
PI  Rosen CA, Barash SC, Ruben SM;
XX
DR  WPI; 2001-483426/52.
XX
PT  Nucleic acid encoding human immune/hematopoietic antigen polypeptides,
```

PT useful for preventing, diagnosing and/or treating cancers and metastasis.
XX
PS Disclosure; SEQ ID NO 38235; 3071pp + Sequence Listing; English.
XX
CC AAK54951 to AAK64702 encode the human immune/haematopoietic antigen (I)
CC amino acid sequences given in AAM82170 to AAM91921. (I) have cytostatic
CC activity, and can be used in gene therapy and vaccine production. (I)
CC proteins and polynucleotides may be used in the prevention, diagnosis and
CC treatment of diseases associated with inappropriate (I) expression. For
CC example, they may be used to treat disorders associated with decreased
CC expression by rectifying mutations or deletions in a patient's genome
CC that affect the activity of (I) by expressing inactive proteins or to
CC supplement the patients own production of (I). Additionally, (I)
CC polynucleotides may be used to produce the secreted (I), by inserting the
CC nucleic acids into a host cell and culturing the cell to express the
CC protein. (I) proteins and polynucleotides may be used to prevent,
CC diagnose and treat immune/haematopoietic-related diseases, especially
CC cancers and cancer metastases of haematopoietic-derived cells. AAK64703
CC to AAK87694 represent human immune/haematopoietic antigen genomic
CC sequences from the present invention. AAK54942 to AAK54950 and AAM82169
CC represent sequences used in the exemplification of the present invention
XX
SQ Sequence 1009 BP; 260 A; 269 C; 239 G; 241 T; 0 U; 0 Other;

Query Match   32.3%; Score 1009; DB 4; Length 1009;
Best Local Similarity 100.0%; Pred. No. 5.7e-181;
Matches 1009; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1766 CCGTCAGGGCAATTACCGCTTAACGTTCTGCAGAAGTTCTGAGGAGCTTTATTCCCTTAATTAATAGAAAAAACCGT 1825
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1009 CCGTCAGGGCAATTACCGCTTAACGTTCTGCAGAAGTTCTGAGGAGCTTTATTCCCTTAATTAATAGAAAAAACCGT 950

Qy   1826 CACAGTGACCTAGATCCCTCCGAGTTAATGAGTTAACACATGTGCTGTTGGGGCGTCTT 1885
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   949   CACAGTGACCTAGATCCCTCCGAGTTAATGAGTTAACACATGTGCTGTTGGGGCGTCTT 890

Qy   1886 TACAGGGAGTCCGAGTTCGGTGCCCACCCCTGCGCAGCGTCGCCCCCTTTCTGCGGTGGGAC 1945
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   889   TACAGGGAGTCCGAGTTCGGTGCCCACCCCTGCGCAGCGTCGCCCCCTTTCTGCGGTGGGAC 830

Qy   1946 AGTTTGAAAAGTGGGTGGGGTGGAGTGAAGTTTGGAGGGAGGGACAGCGCTGTTTGGTTCTATG 2005
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   829   AGTTTGAAAAGTGGGTGGGGTGGAGTGAAGTTTGGAGGGAGGGACAGCGCTGTTTGGTTCTATG 770

Qy   2006 TGGTTGGTCTGTTTCCCGACAAGAAAAATTGCAATCAAATGTCAGCTTTATTATTACC 2065
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   769   TGGTTGGTCTGTTTCCCGACAAGAAAAATTGCAATCAAATGTCAGCTTTATTATTACC 710

Qy   2066 TTAATCTTTCAGGGCCTAAATTTAGGAGAGTGTCCTGAGAGCAGTTCATACAAAAGGGCTT 2125
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   709   TTAATCTTTCAGGGCCTAAATTTAGGAGAGTGTCCTGAGAGCAGTTCATACAAAAGGGCTT 650

Qy   2126 TCTCTAAGACGCGCCTACAGCCCCTTCCTTCCTAGCAGAGTTTATTCATTCGTCCCCAAGAGCAGC 2185
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   649   TCTCTAAGACGCGCCTACAGCCCCTTCCTTCCTAGCAGAGTTTATTCATTCGTCCCCAAGAGCAGC 590

Qy   2186 TAGAAGAGATTTGAGGTCATGACCTTCCCACTGCCGCTCAGGGGGGCTGACCCTATTTAGGAA 2245
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   589   TAGAAGAGATTTGAGGTCATGACCTTCCCACTGCCGCTCAGGGGGGCTGACCCTATTTAGGAA 530

Qy   2246 ACCAAAGAGGGTGGGTTGAACCTACTCTCACGACTTGGATCTCAGTGGGCACACTTGCCT 2305
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   529   ACCAAAGAGGGTGGGTTGAACCTACTCTCACGACTTGGATCTCAGTGGGCACACTTGCCT 470

Qy   2306 GCCGGAAAAGGGGCTCTCCCCGAGGATGGGGGTAAGGAGGAACAGCAGAGGGCTTG 2365
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   469   GCCGGAAAAGGGGCTCTCCCCGAGGATGGGGGTAAGGAGGAACAGCAGAGGGCTTG 410

Qy   2366 GGGGTAGGGGCCACCTGGTGTGGTTTAAACAGGCACTTTCTCCTTCCTTCTGGGGGCTTG 2425
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   409   GGGGTAGGGGCCACCTGGTGTGGTTTAAACAGGCACTTTCTCCTTCCTTCTGGGGGCTTG 350

Qy   2426 CAGAACTAGAACCAGAGTGTTTGAACCTCTTTGCAGGAGGGCTGGGGAATCCTCTTTAGAG 2485
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   349   CAGAACTAGAACCAGAGTGTTTGAACCTCTTTGCAGGAGGGCTGGGGAATCCTCTTTAGAG 290

Db   349   CAGAACTAGAACCAGAGTGTTTGAACCTCTTTGCAGGAGGGCTGGGGAATCCTCTTTAGAG 290

Qy   2486 CACTTAATCCTATTTATCCCCTGGAATGTGGGTGGCTGGCCAGTTAGGAGGGGGCTGGCTTTGG 2545
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   289   CACTTAATCCTATTTATCCCCTGGAATGTGGGTGGCTGGCCAGTTAGGAGGGGGCTGGCTTTGG 230

Qy   2546 CAGGTCCCTGACCCCGCGCCGGGCCGCCCCCCGGGGTAATGGGCATTACTGGCCCACA 2605
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   229   CAGGTCCCTGACCCCGCGCCGGGCCGCCCCCCGGGGTAATGGGCATTACTGGCCCACA 170

Qy   2606 GAGGTTTTGAGCCAATCAGCTCTCGAGACTGGGTTAGAAGTGAACAGCTTAACTTGGGAT 2665
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   169   GAGGTTTTGAGCCAATCAGCTCTCGAGACTGGGTTAGAAGTGAACAGCTTAACTTGGGAT 110

Qy   2666 TTAAGAAGCTTTTAAAAGGTAATAATCCCTCTGAAAAGAAAAAATGACGTAACCACAGCGGTGT 2725
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   109   TTAAGAAGCTTTTAAAAGGTAATAATCCCTCTGAAAAGAAAAAATGACGTAACCACAGCGGTGT 50

Qy   2726 ACTATGAAAGCTGTTATTTTAATAAAGAAGAACGCTGGGGCCATGAACTCATA 2774
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   49   ACTATGAAAGCTGTTATTTTAATAAAGAAGAACGCTGGGGCCATGAACTCATA 1

RESULT 5
AAK83422/c
ID   AAK83422 standard; DNA; 1009 BP.
XX
AC   AAK83422;
XX
DT   07-NOV-2001 (first entry)
XX
DE   Human immune/haematopoietic antigen genomic sequence SEQ ID NO:38234.
XX
KW   Human; immune; haematopoietic; immune/haematopoietic antigen; cancer;
KW   cytostatic; gene therapy; vaccine; metastasis; db.
XX
OS   Homo sapiens.
XX
PN   WO20157182-A2.
XX
PD   09-AUG-2001.
XX
PF   17-JAN-2001; 2001WO-US001354.

PR	31-JAN-2000;	2000US-0179065P.
PR	04-FEB-2000;	2000US-01806288P.
PR	24-FEB-2000;	2000US-01846642P.
PR	02-MAR-2000;	2000US-01863503P.
PR	16-MAR-2000;	2000US-01898742P.
PR	17-MAR-2000;	2000US-01900762P.
PR	18-APR-2000;	2000US-0198123P.
PR	19-MAY-2000;	2000US-02055515P.
PR	07-JUN-2000;	2000US-0209467P.
PR	28-JUN-2000;	2000US-02148862P.
PR	30-JUN-2000;	2000US-02151352P.
PR	07-JUL-2000;	2000US-02166477P.
PR	07-JUL-2000;	2000US-02168880P.
PR	11-JUL-2000;	2000US-02174966P.
PR	11-JUL-2000;	2000US-02174887P.
PR	14-JUL-2000;	2000US-02178290P.
PR	26-JUL-2000;	2000US-02209642P.
PR	26-JUL-2000;	2000US-02209963P.
PR	14-AUG-2000;	2000US-02245182P.
PR	14-AUG-2000;	2000US-02245199P.
PR	14-AUG-2000;	2000US-02252131P.
PR	14-AUG-2000;	2000US-02252141P.
PR	14-AUG-2000;	2000US-02252266P.
PR	14-AUG-2000;	2000US-02252677P.
PR	14-AUG-2000;	2000US-02252688P.
PR	14-AUG-2000;	2000US-02252570P.
PR	14-AUG-2000;	2000US-02254472P.
PR	14-AUG-2000;	2000US-02257577P.

PR 14-AUG-2000; 2000US-0225758P.
PR 14-AUG-2000; 2000US-0225759P.
PR 18-AUG-2000; 2000US-0226279P.
PR 22-AUG-2000; 2000US-0226681P.
PR 22-AUG-2000; 2000US-0226868P.
PR 22-AUG-2000; 2000US-0227182P.
PR 23-AUG-2000; 2000US-0227009P.
PR 30-AUG-2000; 2000US-0228924P.
PR 01-SEP-2000; 2000US-0229287P.
PR 01-SEP-2000; 2000US-0229343P.
PR 01-SEP-2000; 2000US-0229344P.
PR 01-SEP-2000; 2000US-0229345P.
PR 05-SEP-2000; 2000US-0229509P.
PR 05-SEP-2000; 2000US-0229513P.
PR 06-SEP-2000; 2000US-0230437P.
PR 06-SEP-2000; 2000US-0230438P.
PR 08-SEP-2000; 2000US-0231242P.
PR 08-SEP-2000; 2000US-0231243P.
PR 08-SEP-2000; 2000US-0231244P.
PR 08-SEP-2000; 2000US-0231413P.
PR 08-SEP-2000; 2000US-0231414P.
PR 08-SEP-2000; 2000US-0232080P.
PR 08-SEP-2000; 2000US-0232081P.
PR 12-SEP-2000; 2000US-0231968P.
PR 14-SEP-2000; 2000US-0232397P.
PR 14-SEP-2000; 2000US-0232398P.
PR 14-SEP-2000; 2000US-0232399P.
PR 14-SEP-2000; 2000US-0232400P.
PR 14-SEP-2000; 2000US-0232401P.
PR 14-SEP-2000; 2000US-0230639P.
PR 14-SEP-2000; 2000US-0233064P.
PR 14-SEP-2000; 2000US-0233065P.
PR 21-SEP-2000; 2000US-0234223P.
PR 21-SEP-2000; 2000US-0234274P.
PR 25-SEP-2000; 2000US-0234997P.
PR 25-SEP-2000; 2000US-0234998P.
-PR 26-SEP-2000; 2000US-0235484P.
PR 27-SEP-2000; 2000US-0235834P.
PR 27-SEP-2000; 2000US-0235836P.
PR 29-SEP-2000; 2000US-0236327P.
PR 29-SEP-2000; 2000US-0236367P.
PR 29-SEP-2000; 2000US-0236368P.
PR 29-SEP-2000; 2000US-0236369P.
PR 29-SEP-2000; 2000US-0236370P.
PR 02-OCT-2000; 2000US-0236802P.
PR 02-OCT-2000; 2000US-0237037P.
PR 02-OCT-2000; 2000US-0237038P.
PR 02-OCT-2000; 2000US-0237039P.
PR 02-OCT-2000; 2000US-0237040P.
PR 13-OCT-2000; 2000US-0239935P.
PR 13-OCT-2000; 2000US-0239937P.
PR 20-OCT-2000; 2000US-0240960P.
PR 20-OCT-2000; 2000US-0241221P.
PR 20-OCT-2000; 2000US-0241785P.
PR 20-OCT-2000; 2000US-0241786P.
PR 20-OCT-2000; 2000US-0241787P.
PR 20-OCT-2000; 2000US-0241808P.
PR 20-OCT-2000; 2000US-0241809P.
PR 20-OCT-2000; 2000US-0241826P.
PR 01-NOV-2000; 2000US-0244617P.
PR 20-NOV-2000; 2000US-0246474P.
PR 08-NOV-2000; 2000US-0246475P.
PR 08-NOV-2000; 2000US-0246476P.
PR 08-NOV-2000; 2000US-0246477P.
PR 08-NOV-2000; 2000US-0246478P.
PR 08-NOV-2000; 2000US-0246523P.
PR 08-NOV-2000; 2000US-0246524P.
PR 08-NOV-2000; 2000US-0246525P.
PR 08-NOV-2000; 2000US-0246526P.
PR 08-NOV-2000; 2000US-0246527P.
PR 08-NOV-2000; 2000US-0246528P.
PR 08-NOV-2000; 2000US-0246532P.
PR 08-NOV-2000; 2000US-0246609P.

PR 08-NOV-2000; 2000US-0246610P.
PR 08-NOV-2000; 2000US-0246611P.
PR 08-NOV-2000; 2000US-0246613P.
PR 17-NOV-2000; 2000US-0249207P.
PR 17-NOV-2000; 2000US-0249208P.
PR 17-NOV-2000; 2000US-0249209P.
PR 17-NOV-2000; 2000US-0249210P.
PR 17-NOV-2000; 2000US-0249211P.
PR 17-NOV-2000; 2000US-0249212P.
PR 17-NOV-2000; 2000US-0249213P.
PR 17-NOV-2000; 2000US-0249214P.
PR 17-NOV-2000; 2000US-0249215P.
PR 17-NOV-2000; 2000US-0249216P.
PR 17-NOV-2000; 2000US-0249217P.
PR 17-NOV-2000; 2000US-0249218P.
PR 17-NOV-2000; 2000US-0249244P.
PR 17-NOV-2000; 2000US-0249245P.
PR 17-NOV-2000; 2000US-0249265P.
PR 17-NOV-2000; 2000US-0249277P.
PR 17-NOV-2000; 2000US-0249299P.
PR 17-NOV-2000; 2000US-0249300P.
PR 01-DEC-2000; 2000US-0250391P.
PR 01-DEC-2000; 2000US-0250160P.
PR 05-DEC-2000; 2000US-0251030P.
PR 06-DEC-2000; 2000US-0251479P.
PR 05-DEC-2000; 2000US-0251856P.
PR 08-DEC-2000; 2000US-0251988P.
PR 05-DEC-2000; 2000US-0256719P.
PR 08-DEC-2000; 2000US-0251868P.
PR 08-DEC-2000; 2000US-0251869P.
PR 08-DEC-2000; 2000US-0251989P.
PR 08-DEC-2000; 2000US-0251990P.
PR 11-DEC-2000; 2000US-0254097P.
PR 05-JAN-2001; 2001US-0259678P.
XX
PA (HUMA-) HUMAN GENOME SCI INC.
XX
PI Rosen CA, Barash SC, Ruben SM;
XX
XX
DR WPI; 2001-483426/52.
XX
PT Nucleic acids encoding human immune/hematopoietic antigen polypeptides, useful for preventing, diagnosing and/or treating cancers and metastasis.
XX
PS Disclosure; SEQ ID NO 38234; 3071pp + Sequence Listing; English.
XX
CC AAK54951 to AAK64702 encode the human immune/haematopoietic antigen (I) amino acid sequences given in AAM82170 to AAM91921. (I) have cytostatic activity, and can be used in gene therapy and vaccine production. (I) proteins and polynucleotides may be used in the prevention, diagnosis and treatment of diseases associated with inappropriate (I) expression. For example, they may be used to treat disorders associated with decreased expression by rectifying mutations or deletions in a patient's genome that affect the activity of (I) by expressing inactive proteins or to supplement the patients own production of (I). Additionally, (I) polynucleotides may be used to produce the secreted (I), by inserting the nucleic acids into a host cell and culturing the cell to express the protein. (I) proteins and polynucleotides may be used to prevent, diagnose and treat immune/haematopoietic-related diseases, especially cancers and cancer metastases of haematopoietic-derived cells. AAK64703 to AAK87694 represent human immune/haematopoietic antigen genomic sequences from the present invention. AAK54942 to AAK54950 and AAM82169 represent sequences used in the exemplification of the present invention
XX
SQ Sequence 1009 BP; 259 A; 269 C; 239 G; 242 T; 0 U; 0 Other;

Query Match 32.2%; Score 1005.8; DB 4; Length 1009;
Best Local Similarity 99.8%; Pred. No. 2.3e-180;
Matches 1007; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1766 CCGTCAGGGCCATTACCGCTAACGTCTGCAGGAGCTTTATTCCCTAATTAATAGAAAACCGT 1825
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||

```
RESULT 6
AAK62785/c

ID   AAK62785 standard; cDNA; 973 BP.
XX
AC   AAK62785;
XX
DT   06-NOV-2001   (first entry)
XX
DE   Human immune/haematopoietic antigen encoding cDNA SEQ ID NO:7845.
XX
KW   Human; immune; haematopoietic; immune/haematopoietic antigen; cancer;
KW   cytostatic; gene therapy; vaccine; metastasis; ss.
XX
OS   Homo sapiens.
XX
PN   WO200157182-A2.
XX
PD   09-AUG-2001.
XX
PF   17-JAN-2001; 2001WO-US001354.
XX
PR   31-JAN-2000; 2000US-01790652P.
PR   04-FEB-2000; 2000US-01806288P.
PR   24-FEB-2000; 2000US-01846648P.
PR   02-MAR-2000; 2000US-01863508P.
PR   06-MAR-2000; 2000US-01898748P.
PR   16-MAR-2000; 2000US-01900768P.
PR   17-MAR-2000; 2000US-01901238P.
PR   18-APR-2000; 2000US-01981238P.
PR   19-MAY-2000; 2000US-02055158P.
PR   07-JUN-2000; 2000US-02094678P.
PR   28-JUN-2000; 2000US-02148808P.
PR   30-JUN-2000; 2000US-02151358P.
PR   07-JUL-2000; 2000US-02166478P.
PR   07-JUL-2000; 2000US-02168808P.
PR   11-JUL-2000; 2000US-02174878P.
PR   14-JUL-2000; 2000US-02174968P.
PR   26-JUL-2000; 2000US-02182908P.
PR   26-JUL-2000; 2000US-02209638P.
PR   01-AUG-2000; 2000US-02209648P.
PR   14-AUG-2000; 2000US-02245188P.
PR   14-AUG-2000; 2000US-02245198P.
PR   14-AUG-2000; 2000US-02252138P.
PR   14-AUG-2000; 2000US-02252148P.
PR   14-AUG-2000; 2000US-02252668P.
PR   14-AUG-2000; 2000US-02252678P.
PR   14-AUG-2000; 2000US-02252688P.
PR   14-AUG-2000; 2000US-02252708P.
PR   14-AUG-2000; 2000US-02254478P.
PR   14-AUG-2000; 2000US-02255758P.
PR   14-AUG-2000; 2000US-02255758P.
PR   14-AUG-2000; 2000US-02257598P.
PR   18-AUG-2000; 2000US-02262798P.
PR   22-AUG-2000; 2000US-02266818P.
PR   22-AUG-2000; 2000US-02268688P.
PR   22-AUG-2000; 2000US-02271828P.
PR   23-AUG-2000; 2000US-02277009P.
PR   30-AUG-2000; 2000US-02289248P.
PR   01-SEP-2000; 2000US-02292878P.
PR   01-SEP-2000; 2000US-02293438P.
PR   01-SEP-2000; 2000US-02293448P.
PR   01-SEP-2000; 2000US-02293458P.
PR   05-SEP-2000; 2000US-02295098P.
PR   05-SEP-2000; 2000US-02295138P.
PR   06-SEP-2000; 2000US-02304378P.
PR   06-SEP-2000; 2000US-02304388P.
PR   08-SEP-2000; 2000US-02312428P.
PR   08-SEP-2000; 2000US-02312428P.
PR   08-SEP-2000; 2000US-02312448P.
PR   08-SEP-2000; 2000US-02314138P.
PR   08-SEP-2000; 2000US-02314148P.
PR   08-SEP-2000; 2000US-02320808P.
PR   08-SEP-2000; 2000US-02320818P.
PR   12-SEP-2000; 2000US-02319688P.
PR   14-SEP-2000; 2000US-02322397P.
PR   14-SEP-2000; 2000US-02323398P.
PR   14-SEP-2000; 2000US-02323998P.
PR   14-SEP-2000; 2000US-02324008P.
PR   14-SEP-2000; 2000US-02324018P.
PR   14-SEP-2000; 2000US-02333063P.
```

```
Db  1009 CCGTCAGGGCATTACCGCTTAACGTCTCGCCAGGAGCTTTATTCCCTATTAATAGAAAACCGT  950
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1826 CACAGTGACCCTAGATCCCTCCGAGTTAATGAGTTAACACATGTCGTTGTTGGGGCGTCTT  1885

Db   949 CACAGTGACCCTAGATCCCTCCGAGTTAATGAGTTAACACATGTCGTTGTTGGGGCGTCTT  890
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1886 TACAGGGAGAGTCCGGAGTTCGGGTGCCACCCTGCCACCCTTCGCCAGGTCGGCGGGGGAC  1945

Db   889 TACAGGGAGAGTCCGGAGTTCGGGTGCCACCCTGCCACCCTTCGCCAGGTCGGCGGGGGAC  830
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1946 AGTTTGAAAAGGTGGGTGGGGGTGGAGTGAAGTGTTTGGTTCTATG  2005

Db   829 AGTTTGAAAAGGTGGGTGGGGGTGGAGTGAAGTGTTTGGTTCTATG  770
         ||||||||||||||||||||||||||||||||||||||||||||||
Qy  2006 TGGTTGGTTCTGTTTTCCCGGACAAGAGAAAATTGCAATCAAAATGTCAGCAGCTTTTATTACC  2065

Db   769 TGGTTGGTTCTGTTTTCCCGGACAAGAGAAAATTGCAATCAAAATGTCAGCAGCTTTTATTACC  710
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2066 TTAATCTTTCAGCGGCCTAAAATTTAGGAGAGTGTCCTCGAGAGCAGTGTCATCAGAGCTT  2125

Db   709 TTAATCTTTCAGCGGCCTAAAATTTAGGAGAGTGTCCTCGAGAGCAGTGTCATCAGAGCTT  650
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2126 TCTCTAAGACGCGCTACAGCCCCTTCCTAGCAGAGTTTATCATTCGTCCCCAAGAGCAGC  2185

Db   649 TCTCTAAGACGCGCTACAGCCCCTTCCTAGCAGAGTTTATCATTCGTCCCCAAGAGCAGC  590
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2186 TAGAAGAGATTTGAGGTCATGACCTCCACTGCCGCTCAGCCCTATTTAGGAA  2245

Db   589 TAGAAGAGATTTGAGGTCATGACCTCCACTGCCGCTCAGCCCTATTTAGGAA  530
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2246 ACCAAAGAGAGGGTGGGTTGAAACCTACTCTCTCACGGAGTCCAGTGGGCACACTTGCCT  2305

Db   529 ACCAAAGAGAGGGTGGGTTGAAACCTACTCTCTCACGGAGTCCAGTGGGCACACTTGCCT  470
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2306 GCGGAAAAGGGGCTCTCCCCAGCCACCCCGGAATGTGGGGTAAGAGAAGCAGAGGCTTG  2365

Db   469 GCGGAAAAGGGGCTCTCCCCAGCCACCCCGGAATGTGGGGTAAGAGAAGCAGAGGCTTG  410
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2366 GGGTAGGGGCCACCTGGTGTTTAAAACAGGCACTTTCTCTCCTTCTTTATTTTTGTT  2425

Db   409 GGGTAGGGGCCACCTGGTGTTTAAAACAGGCACTTTCTCTCCTTCTTTATTTTTGTT  350
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2426 CAGAACTAGACCAGAGTGTTTGAACCTCCTTGCAGAGGAGGCTTGGGAATCCCTCTTTTAGAG  2485

Db   349 CAGAACTAGACCAGAGTGTTTGAACCTCCTTGCAGAGGAGGCTTGGGAATCCCTCTTTTAGAG  290
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2486 CACTTAATCCTATTTATCCCGGAATGTGCGTGCTGGCCAGTAGGAGGAGGCTGGCTTTGG  2545

Db   289 CACTTAATCCTATTTATCCCGGAATGTGCGTGCTGGCCAGTAGGAGGAGGCTGGCTTTGG  230
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2546 CAGCTCCCTGACCCCGCGCCCCTGCCGGTAATGTGGCATTACTGGCCCACA  2605

Db   229 CAGCTCCCTGACCCCGCGCCCCTGCCGGGTTAATGTGGCATTACTGGCCCACA  170
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2606 GAGGTTTTGAGCGCAATCAGCTCTGAGACTGGGTTAGAGAATGTAACAGCTTTAACTTGGGAT  2665

Db   169 GAGGTTTTGAGCGCAATCAGCTCTGAGACTGGGTTAGAGAATGTAACAGCTTTAACTTGGGAT  110
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2666 TTAAGAAGCTTTTTAAAAGGTAATAATACTCTGAAAGAAAAATGACGTAACCACAGCCGTGT  2725

Db   109 TTAAGAAGCTTTTTAAAAGGTAATAATACTCTGAAAGAAAAATGACGTAACCACAGCCGTGT  50
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  2726 ACTATGAAAAGCTGTTATTTTAATAAAAGAAACGCTGGGCCATGAACTCATA  2774

Db    49 ACTATGAAAGCTGTTATTTTAATAAAAGAAACGCTGGGCCATGAACTCATA  1
         |||||||||||||||||||||||||||||||||||||||||||||||||
```

PR   14-SEP-2000; 2000US-0233064P.
PR   14-SEP-2000; 2000US-0233065P.
PR   21-SEP-2000; 2000US-0234223P.
PR   21-SEP-2000; 2000US-0234274P.
PR   25-SEP-2000; 2000US-0234997P.
PR   25-SEP-2000; 2000US-0234998P.
PR   26-SEP-2000; 2000US-0235484P.
PR   27-SEP-2000; 2000US-0235834P.
PR   27-SEP-2000; 2000US-0235836P.
PR   29-SEP-2000; 2000US-0236327P.
PR   29-SEP-2000; 2000US-0236367P.
PR   29-SEP-2000; 2000US-0236368P.
PR   29-SEP-2000; 2000US-0236369P.
PR   02-OCT-2000; 2000US-0237037P.
PR   02-OCT-2000; 2000US-0237038P.
PR   02-OCT-2000; 2000US-0237039P.
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Rosen CA, Barash SC, Ruben SM;
XX
DR   WPI; 2001-483426/52.
DR   P-PSDB; AAM90004.
XX
PT   Claim 1; SEQ ID NO 7845; 3071pp + Sequence Listing; English.
XX
PS   Claim 1; SEQ ID NO 7845; 3071pp + Sequence Listing; English.
XX

Nucleic acids encoding human immune/hematopoietic antigen polypeptides,
useful for preventing, diagnosing and/or treating cancers and metastasis.

CC   AAK54951 to AAK64702 encode the human immune/haematopoietic antigen (I)
CC   amino acid sequences given in AAM82170 to AAM91921. (I) have cytostatic
CC   activity, and can be used in gene therapy and vaccine production. (I)
CC   proteins and polynucleotides may be used in the prevention, diagnosis and
CC   treatment of diseases associated with inappropriate (I) expression. For
CC   example, they may be used to treat disorders associated with decreased
CC   expression by rectifying mutations or deletions in a patient's genome
CC   that affect the activity of (I) by expressing inactive proteins or to
CC   supplement the patients own production of (I). Additionally, (I)
CC   polynucleotides may be used to produce the secreted (I), by inserting the
CC   nucleic acids into a host cell and culturing the cell to express the
CC   protein. (I) proteins and polynucleotides may be used to prevent,
CC   diagnose and treat immune/haematopoietic-related diseases, especially
CC   cancers and cancer metastases of haematopoietic-derived cells. AAK64703
CC   to AAK87694 represent human immune/haematopoietic antigen genomic
CC   sequences from the present invention. AAK54942 to AAK54950 and AAM82169
CC   represent sequences used in the exemplification of the present invention.
XX
SQ   Sequence 973 BP; 255 A; 253 C; 226 G; 234 T; 0 U; 5 Other;

Query Match   28.3%;   Score 883.2;   DB 4;   Length 973;
Best Local Similarity   96.6%;   Pred. No. 3.2e-157;
Matches 941; Conservative 1; Mismatches 28; Indels 4; Gaps 4;

Qy   1803 ATTCCCTATTAATTAAATAGAAAAACCGTCACAGTGACCTTAGAATCCCTTCGAGTTAATGAGTTAA 1862
          ||||||||||||||||||||||||||||||||||||||||||| |||||||||||||||||||||||
Db   973 ATCCCTTATTTAATTAGAAACCNTTCACAGTGACCTTAGACCCTTCGGAGTTAATGATTAAC 914

Qy   1863 CACATGTGCTGCGTTGGGGGCCGTTCTTTACAGGGAGTCCGGAGTTCGGTTGCCCACCCCTG-CCAG 1921
          |||||| |||||||||||||||||||||||||||||||||||||||||||||||||||||| ||||
Db   913 ACAATGTGCGTGTTTGGGNCNTCTTTACAGGGAGTCCGAGTTCGGTTGCCCACCCTTGCCCAG 854

Qy   1922 CGTCGCCCCCCTTTCTCGCGTGGGACAGTTGAAAAACGGTGGGTGGGGTGGAGTGAAGTTGG 1981
          |||||||||||||||||||||||| ||||||||||||||||||||||||||||||||||||||
Db   853 CGTCGCCCCCCTTTCTCGCTTGGGACACAGTTGAAAAAGNTGGGGTGGGGTGGAGTTTGG 794

Qy   1982 AGAGGGGACCCTGTTTTGGTTCTATGTGGGTTGGTCTGTTTCCCGGACAAGAAAAATTGCAAT 2041
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   793 AGAGGGGACCCTGTTTTGGTTCTATGTGGGTTGGTCNGTTTCCCGGACAAGAAAAATTGCAAT 734

Qy   2042 CAAATGTCAGCAGCTTTTATTACCTTAATCTTTCAGGGGCCTAAATTTAGGAGAGTGTCCT 2101
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   733 CAAATGTCAGCAGCTTTTATTACCTTAATCTTTCAGGGGCCTAAATTTAGGAGAGTGTCCT 674

Qy   2102 GAGAGCAGTTCATACAAAGGGCTTTTCTCTAAGACCGCTACAGCGCCTTCCTAGCAGAGTT 2161
          ||||||||||||||||| ||||||||||||||||||||||||||||||||||||||||||||
Db   673 GAGAGCAGTTCATACAAGGGGCTTTCTCTTAAGACCGCTACAGCGCCTTCCTAGCAGAGTT 614

Qy   2162 TATCCATTCGTTCTCCCAAGAGCAGCTAGAGAGAGATTTGAGTCATGACCTTCCCACTGCCGC 2221
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   613 TATCCATTCGTTCCCCAAGAGCCAGCTAGAGAGAGATTTGAGGTCATGACCTTCCCACTGCCGC 554

Qy   2222 TCACGGGGCTGACCCTATTTAGGRAAACCAAAAGAGGGGTTGGGGTTGAACCTACTCTCACGGGACT 2281
          |||||||||||||||||||||||||||| ||||||||||||||||||||||||||||||||||||||
Db   553 TCACGGGGCTGACCCTATTTAGGRAAACCAAAAGAGGGGTTGGGGTTGAACCTACTCTCACGGGACT 494

Qy 2282 TGGATCCAGTGCGGCCACTTGCCTGCTGCGGGAAAAAGGGGCTCTCCCCAGCCACCCCGGAGATGGG 2341
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 493   TGGATCCAGTGCGGCCACACTTGCCTGCTGCGGGAAAAAGGGGCTCTCCCCAGCCACCCCGGAGATGGG 434

Qy 2342 GGTAAGAGGAAGAGCAGGAGGGCTTGGGGTTAGGGGCCACCTGGTGTGTTAAAACA-GGCACTTTC 2400
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||| ||||||||
Db 433   GGTAAGAGGAAGAGCAGGAGGGCTTGGGGTTAGGGGCCACCTGGTGTGTTAAAACACGGCACTTTC 374

Qy 2401 TCCTTCTCTGGGGCTTATTTTGTTTGTTCAGAACTAGACCAGAGTGTTTGAACCTCCTTTGCA 2460
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 373   TCCTTCTCTGGGGCTTATTTTTGTTTGTTCAGAACTAGACCAGAGTGTTTGAACCTCCTTTGCA 314

Qy 2461 GGAGGGCTCGGGGAATCCTCTTTTAGAGCACTTAATCCTATTTTATCCCTCTGGAATGTGCCTGC 2520
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 313   GGAGGGCTCGGGGAATCCTCTTTTAGAGCACTTAATCCTATTTTATCCCTCTGGAATGTGCCTGC 254

Qy 2521 TGGCCAGTAGGAGGGGCTGGCTTTGGCAGCTCCCTGACCCCGCCCCGCCCCTCCGG 2580
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 253   TGGCCAGTAGGAGGGGCCTGGCTTTGGCAGCTCCCTGACCCCGCCCCCTCC-G 195

Qy 2581 GGTTAATGTGGCCATTACTGGGCCCACAGAGGTTTTTGAGCCAATCAGCTCTGAGACTGGGTTA 2640
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 194   GGTTAATGTGGCCATTACTGG--CCACAGAGGTTTTTGAGCCAATCAGCTCTGAGACTGGGTTA 136

Qy 2641 GAATGTAACAGCTTTAACTTGGGATTTAAGAAGCTTTTTAAAAGGTAATAATCCTTCTCTGAAA 2700
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 135   GAATGTAACAGCTTTAACTTGGGATTTAAGAAGCYTTTTTAAAAGGTAATAATCCTTCTCTGAAA 76

Qy 2701 GAAAAATGACGTAACCACAGGCGTGTACTATGAAAGCTGTTATTTTAATAAAGAAACGCTGG 2760
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 75   GAAAAATGACGTAACCACAGGCGTGTACTATGAAAGCTGTTATTTTAATAAAGAAACGCTGG 16

Qy 2761 GCCATGAACTCATA 2774
          ||||||||||||||
Db 15   GCCATGAACTCATA 2

RESULT 7
AAS93728

XX
ID   AAS93728 standard; cDNA; 850 BP.
XX
AC   AAS93728;
XX
DT   13-FEB-2002   (first entry)
XX
DE   DNA encoding novel human diagnostic protein #29532.
XX
KW   Human; chromosome mapping; gene mapping; gene therapy; forensic;
KW   food supplement; medical imaging; diagnostic; genetic disorder; ss.
XX
OS   Homo sapiens.
XX
PN   WO200175067-A2.
XX
PD   11-OCT-2001.
XX
PF   30-MAR-2001; 2001WO-US008631.
XX
PR   31-MAR-2000; 2000US-00540217.
PR   23-AUG-2000; 2000US-00649167.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Drmanac RT, Liu C, Tang YT;
XX
DR   WPI; 2001-639362/73.
DR   P-PSDB; ABG29541.
XX
PT   New isolated polynucleotide and encoded polypeptides, useful in
PT   diagnostics, forensics, gene mapping, identification of mutations
PT   responsible for genetic disorders or other traits and to assess
PT   biodiversity.

XX
PS   Claim 1; SEQ ID NO 29532; 103pp; English.
XX
CC   The invention relates to isolated polynucleotide (I) and polypeptide (II)
CC   sequences. (I) is useful as hybridisation probes, polymerase chain
CC   reaction (PCR) primers, oligomers, and for chromosome and gene mapping,
CC   and in recombinant production of (II). The polynucleotides are also used
CC   in diagnostics as expressed sequence tags for identifying expressed
CC   genes. (I) is useful in gene therapy techniques to restore normal
CC   activity of (II) or to treat disease states involving (II). (II) is
CC   useful for generating antibodies against it, detecting or quantifying a
CC   polypeptide in tissue, as molecular weight markers and as a food
CC   supplement. (II) and its binding partners are useful in medical imaging
CC   of sites expressing (II). (I) and (II) are useful for treating disorders
CC   involving aberrant protein expression or biological activity. The
CC   polypeptide and polynucleotide sequences have applications in
CC   diagnostics, forensics, gene mapping, identification of mutations
CC   responsible for genetic disorders or other traits to assess biodiversity
CC   and to produce other types of data and products dependent on DNA and
CC   amino acid sequences. AAS64197-AAS94564 represent novel human diagnostic
CC   coding sequences of the invention. Note: The sequence data for this
CC   patent did not appear in the printed specification, but was obtained in
CC   electronic format directly from WIPO at
CC   ftp.wipo.int/pub/published_pct_sequences
XX
SQ   Sequence 850 BP; 116 A; 278 C; 340 G; 116 T; 0 U; 0 Other;

Query Match   27.1%; Score 846.8; DB 5; Length 850;
Best Local Similarity 99.8%; Pred. No. 2.4e-150;
Matches 848; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 716   CCGGTAGCGCCGAGCGAGTCACGGACCCATGAAAGAGACGTTCGTGCCGCGGCCCAAGGCCG 775
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1   CCGGTAGCGCCGAGCGAGTCACGGACCCATGAAAGAGACGTTCGTGCCGCGGCCCAAGGCCG 60

Qy 776   GGATGGGGGGTTAGCCACATCCTGCCCGCGGCTGAGGGGAGGGGCGCTAACGGGGCGCGGGGCT 835
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 61   GGATGGGGGGTTAGCCACATCCTGCCCGCGGCTGAGGGGAGGGGCGCTAACGGGGCGCGGGGCT 120

Qy 836   GGCCCAGCCGGAGCCCACCGGATGGCGAGGGGGAGGAGTGCAAGGCGCCGCTGGCTGGACGGGCT 895
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121   GGCCCAGCCGGAGCCCACCGGATGGCGAGGGGGAGGAGTGCAAGGCGCCGCTGGCTGGACGGGCT 180

Qy 896   CAACAAGACGACTCGGTGCTYACCACCACCTGTGTCGACCGTCGGTGGCTGGCGGGGACTC 955
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 181   CAACAAGACGACTCGGTGCTTACCACCACCTGTGTCGACCGTCGGTGGCTGGCGGGGACTC 240

Qy 956   GCAGAACCTGCGGCGAGGAGCTGCAAAAGACGCGCGAGAAGGGCCCAGGAGCTGGCGGGTGTC 1015
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 241   GCAGAACCTGCGGCGAGGAGCTGCAAAAGACGCGCGAGAAGGGCCCAGGAGCTGGCGGGTGTC 300

Qy 1016 CACCTGCGCGCGGCGCTGACTGTCGTGCGCGGCGACCGGGCGCCTGCGCGGACGAGGCGGC 1075
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 301   CACCTGCGCGCGGCGCTGACTGTCGTGCGCGGCGACCGGGCGCCTGCGCGGACGAGGCGGC 360

Qy 1076 CGAGTTCGAGCGGCTTCTGGGTTGGCCTTCTCCGGGACCTGCTCTGGAAGGCGGGACAT 1135
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 361   CGAGTTCGAGCGGCTTCTGGGTTGGCCTTCTCCGGGACCTGCTCTGGAAGGCGGGACAT 420

Qy 1136 GCGACGGCTCGCTGGAGCTGGGGCGCCCCGGGTTCCCGCTGCACGGCGGCACCGCTGGT 1195
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 421   GCGACGGCTCGCTGGAGCTGGGGCGCCCCGGGTTCCCGCTGCACGGCGGCACCGCTGGT 480

Qy 1196 GCGCACAGGTGTGGCTGGGGCGCCCTCCTCCGGGGCGCGGCGCTGAGCACCCGGCACAG 1255
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 481   GCGCACAGGTGTGGCTGGGGCGCCCTCCTCCGGGGCGCGGCGCTGAGCACCCGGCACAG 540

Qy 1256 CCTGCGCGGCTTCGAGCGCGGAGGGCGACTTCGACGTGCGGCGGACCTGGAACGGCGA 1315
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 541   CCTGCGCGGCTTCGAGCGCGGAGGGCGACTTCGACGTGCGGCGGACCTGGAACGGCGA 600

Qy 1316 GGTCCTTCAGGTGCGGGCGGATGATCGACAACATCGGAGATGGAAGGTCAACGTGCCCCGCGCTG 1375
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db ...

```
Db    601  GGTCCTTCAGGTGGGCGAGATGAATCGACAAACATGGAGGTCAACGTGCCCGCTG  660
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy    1376 GACCGTGCAAGCCCGGCAGGGCGGGCGGGCGGCCGACTCCGTGTCCACGGTGCAGCGCGGGCCC  1435

Qy    661  GACCGTGCAAGCCCGGCAGGGCGGGCGGGCGGCCGACTCCGTGTCCACGGTGCAGCGCGGGCCC  720
Db         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||

Qy    1436 CTCCTCGTCGTGTCGTCCTTGCAGGAGGAGCGCGGGGGGTTGCGACCCCCAGGAGAAGGCCCTGGC  1495
Db         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||

Db    721  CTCCTCGGTCGTGTCCTTGCAGGAGGAGCGCGGGGGGTTGCGACCCCCAGGAGAAGGCCCTGGC  780
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||

Qy    1496 CCGCCATCCTTTTCGGGGCCGGCCGGGCCGGCCGGGGCCGTGGCGTGGCTGGGCCAA  1555
Db         ||||||||||||||||||||||||||||||||||||||||||||||||||||||

Db    781  CCGCCATCCTTTTCGGGGCCGGCCGGGCCGGCCGGGGCCGTGGCGTGGCTGGGCCAA  840

Qy    1556 GCTGAGCTGA  1565
           ||||||||||
Db    841  GCTGAGCTGA  850
```

RESULT 8

```
ABQ40781/c
ID    ABQ40781 standard; DNA; 1061 BP.
XX
AC    ABQ40781;
XX
DT    12-JUL-2002  (first entry)
XX
DE    Oligonucleotide for detecting cytosine methylation SEQ ID NO 27372.
XX
KW    Human; cytosine methylation; 5'-CpG-3'; uracil; cytosine; diagnosis;
KW    drug; side effect; cancer; central nervous system; cardiovascular;
KW    gastrointestinal; respiratory system; single nucleotide polymorphism;
KW    SNP; cell differentiation; ds.
XX
OS    Homo sapiens.
XX
PN    WO20021 8632-A2.
PD    07-MAR-2002.
XX
DR    WPI; 2002-371829/40.
XX
PI    Olek A, Piepenbrock C, Berlin K, Guetig D;
XX
PA    (EPIG-) EPIGENOMICS AG.
PR    05-SEP-2000; 2000DE-01044543.
PR    01-SEP-2000; 2000DB-01043826.
PT    01-SEP-2001; 2001WO-EP010074.
PT    Determining the degree of cytosine methylation in genomic DNA, useful for
PT    diagnosis and prognosis, comprises selective hybridization of amplicons
PT    from chemically treated DNA.
XX
PS    Claim 12; 56pp + Sequence Listing; 56pp; German.
XX
CC    This invention describes a novel method for determining the degree of
CC    methylation of a particular cytosine in a motif 5'-CpG-3', present in a
CC    genomic sample of DNA. The sample is treated chemically to convert
CC    cytosine (C) but not methylated C, to uracil, then part of the genomic
CC    DNA that contains the target C is amplified to form a labeled amplicon.
CC    The amplicon is hybridised to two classes, each with at least one member,
CC    of oligonucleotides and/or peptide-nucleic acid (PNA) oligomers and the
CC    degree of hybridisation to both classes is determined from the label on
CC    the amplicon. From the ratio of labels hybridised to the two classes of
CC    oligomers, the degree of methylation is calculated. The method is used:
CC    (i) for diagnosis and/or prognosis of side effects of therapeutic drugs
CC    and of a wide range of diseases, e.g. cancer, disorders of the central
CC    nervous, cardiovascular, gastrointestinal and respiratory systems etc.,
CC    particularly by detecting mutations or single nucleotide polymorphisms
CC    (SNP's); and (ii) for differentiation of cell or tissue types and for
CC    investigating cell differentiation. The method allows the methylation
CC    status of many C residues to be determined simultaneously. ABQ13410-
CC    ABQ54121 represent genomic DNA sequences used to illustrate the method
CC    for determining the degree of cytosine methylation described in the
CC    disclosure of the invention
XX
SQ    Sequence 1061 BP; 348 A; 429 C; 137 G; 147 T; 0 U; 0 Other;
```

```
Query Match             23.3%;  Score 726.6; DB 6;  Length 1061;
Best Local Similarity   80.3%;  Pred. No. 1.2e-127;
Matches  852; Conservative  0; Mismatches 209; Indels  0; Gaps  0;
```

```
Qy    495  GCTTGCCCCCGAGGTTGGCACCCACCGGGACGGATGGGGGACCGACCCTCAGCTTCGCAGGAG  554
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1061 GTTTGTTTCGGGAGTTGGGTATTTACGGGAGGATACGGACGTGGTTATTTTGAGTTGGGGA  1002

Qy    555  CCACCGGTGGCGGCCAGGGCCGGGGCGGGGTGCAGAGGACACACGACGTGTGACTGGGGA  614
Db    1001 TTATCGTGGAGGTTAGGGCCGGTGTAGAGATACGGACGTGAATTCGGAGTGCGGTTTGGGGA  942

Qy    615  GGGATGGGACGAGGGGAGAGCGGGGGGGCGGGGGCTAACGGGGCTCCCTCTGGGGGCCCGGGT  674
Db    941  GGGATGGGACGAGGGGAGGCGGGGGGGGATCGTTAACGGGGCTTTTTTTTTGCCGTTCGTTGTAGA  882

Qy    675  GGGGCGCAGTGCGTCGGAGGGGTCCCGGGCGGCGGCTCCGTGGAGCGTTGGCGTGGCCGAGCAGGTC  734
Db    881  GGCGTAACGTCGAGGGGTTTCGGGGCGGTTTCGTTGGACGTTTGGCGGTTCGGAGCGAGTT  822

Qy    735  ACGGACCAATGAAAGAGCGTTCGTGCCGCGGCGCCCAAAGGCCCGGGAATGGGGGGGGTTAGCCACAT  794
Db    821  ACGGATTATGAAGAGACGTTCGTTCGTTCGTCGGGGATGGGGTCGGGATGGGGGGTTAGTTATAT  762

Qy    795  CCCTGCCGCCCGCTGAGCGGGGGGGCTAACGGGCGCGGCGCCGCCCAGCCGGAGCGCCACC  854
Db    761  TTTGTCGGCCTTGAGGGGGGGAGGTTAACGGGCGCGGCGGGGTTTATCGTGGGGAGTTTATC  702

Qy    855  GCGGATGGCGAGGGGACGAGTGCAAGGCGGCTCGCTGGACGGGGCTCAACAGAGGACTCGGTGC  914
Db    701  GCGATGGCGCGAGGGGGAGGTGTAAGGCGGGTTTAATAAGACGGATTGCGTGT  642

Qy    915  TACCACCACCTCGGTGCTGCTGACCGTCGGTCGCGGGGGACTCGCGAGGAACCTGCCGCAGGAG  974
Db    641  TATTATTATTTCGGGCGTTGTGATCGGTCGGCCGGGGTCGTAGAATTTGGCGGTTAGGAG  582

Qy    975  CTTGCAAAAGACGCGCGCACGGAGAAGGGCGCCAGAGACTTGCGGGGTTGGCGCCCCGGCTGACT  1034
Db    581  TTGTAAAAGAACGCGCTTAGAAGGGCGCGGGGTTTATTGGCGTTCGGTTGATT  522

Qy    1035 GCTGTGCTGCGCGGCGGACCGGGCGGCCTGGCGCGCGACGAGGGCGCCCGAGTTCGGAGCGGCTCTGG  1094
Db    521  GTTGTCGTTGGCGGGCGGATCGGGGTTTCGGTCGTTGCGGACGAGGTTTCGGAGCGGTTTTGG  462

Qy    1095 GTGGCCTTCTCCGGGGGCTGGGGCGGCGGGGCGGCGGGGCTCAGCCAGGTCGGCGGCTGGAGCTG  1154
Db    461  GTGGGTTTTTTCGGGCGTTGGGGTTGTTTGGATTGGTTGGAAGCGGGATATGCGACGGCGGTTGGGAGTTG  402

Qy    1155 GGGCCGGCGGTTCCCGGCTGACCGGCGCCCGGACCGGCTGGTTGCCGGTGTGGTTGGCTGGC  1214
Db    341  GGGCGACTTCGACGTGCGGGGAGACCTCGCGGGGCTGGAGGCCGGGGCGGAGGCGGAG  282

Qy    1215 GCCTCCTCCGGGTGGGCGGGGCGGGGGCCGCTGGGCTCAGACCACCCGGGGCTTCGGGGCGGGGCGGAG  1274
Db    281  GGGGATTTCGGACGTTCGCGGGAGTTGGGGGGGGGTTTTTTTAGGGTGGGGGCGGAG  222

Qy    1275 GGGGAGTTCGACGTGCGGGGAGGACCTCGCGGGGCGGAGGGGGGTTTTTTCAGGTGGTGGGCAG  1334
Db    221  ATGATCGGACAACATGGAGGATGAAGGTTAACGTGTTTCGTTGGACGTGTAAGTTCGGTAG  162

Qy    1335 ATGATCGACAACATGGAGGATGAAGGTCAACGTGCCCGGCGCTGGAGGCGGCAGCGCAG  1394
Db    161  ATGATCGATAAATATGGAGGATGAAGGTTAACGTGTTTCGTTGGACGTGTAAGTTCGGTAG  162

Qy    1395 GCGGCGGGGCCGGAGCTCCTGTTCCACGGTGTCAGGCGGCGTCCAGCCCGCCCTCCTCGCGTGTCCTTG  1454
Db    162  ||||||||||||  |||   |||
```

```
Db    161 GCGGGCGGGGCGTCGGAGTTTTGTTGTTACGGTTAGCGTCGGCGTTCGGTCGTCGTGTGTTTTG 102
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1455 CAGGAGGCGCGGGGGGGGGGTTGCGACCCCAGGAGGAGGCCCTGGCGTCGGCCATCCTTTTCGGGCGCC 1514

Db    101 TAGGAGGCGCGGGGGGGTTGCGATTTTAGGAGGAGGGTTTGGTCGTGTTATTTTTTTTCGGGGTC 42
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1515 GTGCTGCTGGGCGCGGGGCGCGTGGCCCCTAGCCGTGTGCGGTGCGGAA 1555

Db     41 GTGTTGGTTGGGGCCGTTGTGGTTTTTAGTCGTGTCGGTGCGGAA 1
```

RESULT 9

ABQ40780

```
ID   ABQ40780 standard; DNA; 1061 BP.
XX
AC   ABQ40780;
XX
DT   12-JUL-2002  (first entry)
XX
DE   Oligonucleotide for detecting cytosine methylation SEQ ID NO 27371.
XX
KW   Human; cytosine methylation; 5'-CpG-3'; uracil; cytosine; diagnosis;
KW   drug; side effect; cancer; central nervous system; cardiovascular;
KW   gastrointestinal; respiratory system; single nucleotide polymorphism;
KW   SNP; cell differentiation; ds.
XX
OS   Homo sapiens.
XX
PN   WO20021863-A2.
XX
PD   07-MAR-2002.
XX
PF   01-SEP-2001; 2001WO-EP010074.
XX
PR   01-SEP-2000; 2000DB-01043826.
PR   05-SEP-2000; 2000DB-01044543.
XX
PA   (EPIG-) EPIGENOMICS AG.
XX
PI   Olek A, Piepenbrock C, Berlin K, Guetig D;
XX
DR   WPI; 2002-371829/40.
XX
PT   Determining the degree of cytosine methylation in genomic DNA, useful for
PT   diagnosis and prognosis, comprises selective hybridization of amplicons
PT   from chemically treated DNA.
XX
PS   Claim 12; 56pp + Sequence Listing; 56pp; German.
XX
CC   This invention describes a novel method for determining the degree of
CC   methylation of a particular cytosine in a motif 5'-CpG-3', present in a
CC   genomic sample of DNA. The sample is treated chemically to convert
CC   cytosine (C) but not methylated C, to uracil, then part of the genomic
CC   DNA that contains the target C is amplified to form a labeled amplicon.
CC   The amplicon is hybridised to two classes, each with at least one member,
CC   of oligonucleotides and/or peptide-nucleic acid (PNA) oligomers and the
CC   degree of hybridisation to both classes is determined from the label on
CC   the amplicon. From the ratio of labels hybridised to the two classes of
CC   oligomers, the degree of methylation is calculated. The method is used:
CC   (i) for diagnosis and/or prognosis of side effects of therapeutic drugs
CC   and of a wide range of diseases, e.g. cancer, disorders of the central
CC   nervous, cardiovascular, gastrointestinal and respiratory systems etc.,
CC   particularly by detecting mutations or single nucleotide polymorphisms
CC   (SNP's); and (ii) for differentiation of cell or tissue types and for
CC   investigating cell differentiation. The method allows the methylation
CC   status of many C residues to be determined simultaneously. ABQ13410-
CC   ABQ54121 represent genomic DNA sequences used to illustrate the method
CC   for determining the degree of cytosine methylation described in the
CC   disclosure of the invention.
XX
SQ   Sequence 1061 BP; 147 A; 137 C; 429 G; 348 T; 0 U; 0 Other;
```

Query Match   23.3%;   Score 726.6;   DB 6;   Length 1061;

Best Local Similarity   80.3%;   Pred. No. 1.2e-127;
Matches   852;   Conservative   0;   Mismatches   209;   Indels   0;   Gaps   0;

```
Qy     495 GCTTGCCCCGGGAGTTGGCACCCACCGAAGCGGAGGAGGGAGGGGGACCGGACACCCCAGCTTCGGCAGGAG  554
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       1 GTTTGTTTTCGGAGTTGGTATTTACGGGGGGATGGGGATCGTATTTTTAGTTCGTAGGAG   60

Qy     615 GGATGGACGGAGGAGCGGGGGGGACCGCTAACGGAGGGCTCCCTCTCGCGGCGCCCGTCCGCAGA  674
           |||||||||||||||||||||||||||||||||
Db     121 GGATGGACGGAGGGAGAGCGGGGGATCGTTAACGGGGGTTTTTTTCGGGCGTTTCGTTAGA  180

Qy     675 GGCGGCACGTTCGGAGGGTTCCCGGGCGGGGGCTCCGTGGGACGTTGGCGGGGTTAGCGGAGTC  734
           ||||||||||||||||||||||||||||||||||
Db     181 GGCGTACGTCGGAGGGTTTCGGCGGGTTTCGTGGACGTTGGCGTAGGCGGAGTT  240

Qy     735 ACGGACCATGAAGAGCGTTCGTGTCCGCCCAAGCCGCCGGGATGGGTTAGCCACAT  794
           |||||||||||||||||||||||||
Db     241 ACGGATTATGAAGACGTTCGTGTCGCGGTTAAGTCGCAGGGGGTTAGTTAT  300

Qy     795 CCTGCCCGCGCCTGAGGGGGCTAACGCGGGGGAGGCGGGGCGGCCCGGGGCGGCCGGCGGAGCCCACC  854
           |||||||||||||||||||||||||||||||
Db     301 TTTGTGTCGGTTGAGGGGTTAACGGGGGGGGGCGGGGGGTTTATC  360

Qy     855 GGCGATGGCGGAGGGGAGGGAGTGCAAGGGGCCGTTCGTTCGGAGGGGCTCAACAAGAGCGACTGCGTGC  914
           ||||||||||||||||||||||||||||
Db     361 GGCGATGGCGAGGAGGAGGTAAGGGGGTTGTTCGGACGGGTTTAATAAGGACGATTTGCGTGT  420

Qy     915 TACCACCACCTGGTTCGTGCTGACCGTTCGGGGTGGCCTTCGGGGAACTCGGAGGAACCTGGCGCAGGAG  974
           ||||||||||||||||||||||||
Db     421 TATTATTATTTATTTTCGGGTTGATCGTCGGGTTTGGTTCGGCGGGTTTCACCTGCGCCCGGCTGACT  480

Qy     975 CTCGCAAAAGACGCGCCAGAAGGGCCAGAGAGCTGGCCGTTCGGCGGCGGGGGGGCGGTTCGGTTGATT  1034
           |||||||||||||||||||||||||||||||
Db     481 TTTGTAAAAGACGGCGTTAGGAAGGGCCTAGGAAGTTGGGGGGTTGATT  540

Qy    1035 GGCGTGTGCGCGGACACCGGGGCGTTGGGGCGGGCGGCCGGGACGGCGGCGCCCGAGTTCGGAGCGCTGG  1094
           ||||||||||||||||||||||||||||||
Db     541 GTTGTGGTTGCGCGATCGGGGGTTTGGTCGTCGACCGGCGTTAATAAGGACGAGTTGCGTGT  600

Qy    1095 GTGGGCCTTCGTCGGGCTGACCTGCTGGGGAGGCGGAGCCGGGCAGATGGGGCGCGCCCAGCTTCGCTGGGGACTG  1154
           ||||||||||||||||||||||||||||||
Db     601 GTGGGTTTTTTCGGGTTGTTGTTTTGTTGGAAGCGGATATGGCGCCGGTTGGGTTGG  660

Qy    1155 GGCGCCGCGTTCCCGCTGCACGGCCCGCGGACCGCGTCGTGCCGCCACAGGTGTGGCTGGC  1214
           ||||||||||||||||||||||||||||||
Db     661 GGGCTCGGCGTTTTCGTTGTTACGGCGGTCGTTGGCGTTATAGGTGTGGTTGGC  720

Qy    1215 GCCTCCTCCGGCGTTGGCCGGCGCGGCGGCGGCCGGCGCGGTTGAGTATTCGTTGGCGGTTGAGGGCGGAG  1274
           ||||||||||||||||||||||||||||||
Db     721 GTTTTTTTCGGGGTTGGCGGGCGGTTGAGGCGGGTTTGAGGTAGTTCGTTGAGGGCGGAG  780

Qy    1275 GGCGGAACTTCGACGTCGCGCGGAGCTTGCGGCGGGGAGGGCGGGGAGGTCCTTCGGTGGGGGGAG  1334
           ||||||||||||||||||||||||||||||
Db     781 GGGGGGATTTCGACCTTCGCGCGGAGTTGGCGGGCGGAGTTGGTTTTTTAGGTGGCGGAG  840

Qy    1335 ATGATCGACAACATGGAGAGTGAAGGTCAACGTGCCCCGGGACCGGTGGCAAGCCCGGCAG  1394
           ||||||||||||||||||||||||||||||
Db     841 ATGATCGATAAATATGGAGAGTTAAGGTTAACGTGTTTCGGGGATCGGTGGTAAGTTCGGTAG  900

Qy    1395 GCGCGGCGGGCGTCGAGTTTTGTTACGGGTTAGCCGTCGGTTTTG  1454
           |||||||||||||||||||||||||
Db     901 GCGCGGCGGGCGTCGAGTTTTGTTACGGGTTAGCCGTCGGTTTTG  960

Qy    1455 CAGGAGGCGCGGGGGGGGGGTTGCGACCCCAGGAGGAGGCCCATCCTTTTCGGGCGCC  1514
           |||||||||||||||||||||||||
Db     961 TAGGAGGCGCGGGGGGGTTGCGATTTTAGGAGGAGGGTTTGGTCGTGTTATTTTTTTTCGGGGTC  1020

Qy    1515 GTGCTGCTGGGCGTGGCCCCTAGCCGTGTGCCGGTGCGGAA  1555
           ||||||||
Db         ...
```

Db   1021 GTGTGTTCGGCGGTTGTGGTTTTAGTCGTGTGCGTGGCGAA 1061

Query Match   22.6%;   Score 706.4;   DB 12;   Length 708;
Best Local Similarity 99.9%;   Pred. No. 7.4e-124;
Matches 707;   Conservative   0;   Mismatches   1;   Indels   0;   Gaps   0;

Qy   858 ATGGGCGAGGGAGGAGTGCAAGGCGCTTGGCGTCGGACGGGCGCTCAACAAGACGACTGCGGTCTAC 917
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   708 ATGGGCGAGGGAGGAGTGCAAGGCGCTTGGCGTCGGACGGGCGCTCAACAAGACGACTGCGGTCTAC 649

RESULT 10
ID   ACH87504/c
AC   ACH87504;
XX
ID   ACH87504 standard; DNA; 708 BP.
XX
DT   29-JUL-2004 (first entry)
XX
DE   Human genome derived single exon probe #20699.
XX
KW   Human; probe; SB; gene expression; single exon probe; microarray;
KW   alternative splicing event; genomic alteration.
XX
OS   Homo sapiens.
XX
PN   US20031947O4-A1.
XX
PD   16-OCT-2003.
XX
PF   03-APR-2002; 2002US-00029386.
PR   03-APR-2002; 2002US-00029386.
XX
PA   (PENN/) PENN S G.
PA   (RANK/) RANK D R.
PA   (HANZ/) HANZEL D K.
XX
PI   Penn SG, Rank DR, Hanzel DK;
XX
DR   WPI; 2004-119264/12.
XX
PT   New human genome-derived single exon nucleic acid probes useful for human
PT   gene expression analysis, for identifying or characterizing alternative
PT   splicing events, for assessing genomic alterations or as tools for
PT   surveying tissues.
XX
PS   Claim 1; SEQ ID NO 20699; 80pp; English.

Qy   918 CACCACCTGGTTGCTCGACCGTCGGTGGCTCGGACGGGCGCTTCGAGAACCTGCGGTCGGAGGACTG 977
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   648 CACCACCTGGTTGCTCGACCGTCGGTGGCTCGGACGGGCGCTTCGAGAACCTGCGGTCGGAGGACTG 589

CC   The invention relates to a nucleic acid probe for measuring human gene
CC   expression, comprising any of the 27,400 fully defined nucleotide
CC   sequences in the specification, or their complements or fragments, and
CC   encoding at least 8 amino acids of any of the 6888 amino acid sequences
CC   fully defined in the specification. The probe is a single exon probe that
CC   hybridises under high stringency conditions to a nucleic acid molecule
CC   expressed in human cells or tissues. Also included are a spatially-
CC   addressable set of single exon nucleic acid probes for measuring human
CC   gene expression (comprising a plurality of single exon nucleic acid
CC   probes cited above, where each of the plurality of probes is separately
CC   and addressably isolatable or amplifiable from the plurality), a single
CC   exon microarray for measuring human gene expression, a method of
CC   measuring human gene expression, a vector comprising the single exon
CC   probe cited above, an ORF-encoded peptide comprising at least 8
CC   contiguous amino acids of any of the above-mentioned amino acid
CC   sequences (optionally with conservative amino acid substitutions), an
CC   isolated antibody that binds specifically to a peptide or microarrays
CC   methods of selling and/or licensing single exon probes or microarrays to
CC   a customer desiring to measure gene expression, a method of providing
CC   human gene expression data by subscription, and a computer-readable
CC   storage medium which contains a database having a plurality of records
CC   (each record including data on the expression of a single exon probe
CC   cited above. The probe, methods and apparatus are useful in gene
CC   expression analysis. The probes may be used as tools for surveying
CC   tissues to detect the presence of expressed messages that contain their
CC   specific exon, or in constructing genome-derived single exon microarrays.
CC   In addition, the probes are used in identifying and characterising
CC   alternative splicing events, in detecting and characterising gross
CC   alterations in the genomic locus that includes their exon, in assessing
CC   smaller genomic alterations, in priming the synthesis of nucleic acids,
CC   or in expressing the ORF-encoded peptide. The present sequence is a human
CC   single exon probe of the invention. Note: The sequence data for this

Qy   978 CAAAAGACGCGCCCAGAAGGGCCAGAGCTGCGGGTGTCCACCTGCCCCCGCTGACTGCT 1037
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   588 CAAAAGACGCGCCCAGAAGGGCCAGAGCTGCGGGTGTCCACCTGCCCCCGCTGACTGCT 529

Qy   1038 GTGCTGGCGCGACCGGGGCCTTGGGCCCCCGACGACGGGCGCCCCAGTTCGAGCGGCTTCTCGGTG 1097
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   528 GTGCTGCGCGACCGGGGCCTTGGGCCCCCGACGACGGGCGCCCCAGTTCGAGCGGCTTCTCGGTG 469

Qy   1098 GCCTTCTCTGGGCGTCGCCTGGGACGGGCATGCAAGCGGAACATGCAAGCGCTCGCGTGGAGCTGGC 1157
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   468 GCCTTCTCTGGGCGTCGCCTGGGACGGGCATGCAAGCGGAACATGCAAGCGCTCGCGTGGAGCTGGC 409

Qy   1158 GCCGCGGTTCCCGCGTCGCACGCGGCGCGCGGGGCGGCCACCAGGTGTGGGTGGCTGGCC 1217
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   408 GCCGCGGTTCCCGCGTCGCACGCGGCGCGCGGGGCGGCCACCAGGTGTGGGTGGCTGGCC 349

Qy   1218 TCCTCCGGCGGTGGCGGCGGCGGCGGCGGCGGGCTTGAGCACCCCAGCTCGAGGCGCGAGGGC 1277
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   348 TCCTCCGGCGGTGGCGGCGGCGGCGGCGGCGGGCTTGAGCACCCCAGCTCGAGGCGCGAGGGC 289

Qy   1278 GACTTCGACGTCGCGGACCTGCGGGAGGCTGGAGCGCGGAGGTCCTTCAGGTGGCGGAGATG 1337
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   288 GACTTCGACGTCGCGGACCTGCGGGAGGCTGGAGCGCGGAGGTCCTTCAGGTGGCGGAGATG 229

Qy   1338 ATCGACACACATGGAGATGAAGGTCAAGTCCCCGCTGACCGGTGCAAGCCCGGCCCGGCAGGCG 1397
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   228 ATCGACAACATGGAGATGAAGGTCAAGTCCCCGCTGACCGGTGCAAGCCCGGCCCGGCAGGCG 169

Qy   1398 GCGGGCGCCCAGTCCTGTCCACGGTCAGCGCGCCCTTCCCGGTCGTGTCCTTGCAG 1457
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   168 GCGGGCGCCCAGTCCTGTCCACGGTCAGCGCGCCCTTCCCGGTCGTGTCCTTGCAG 109

Qy   1458 GAGCGCGGGGGGTTGCGGACCCCAGGAAGGCCCTTGCCGCCCATCCTTTTCGGGGCCGTG 1517
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   108 GAGGCGCGGGGGGTTGCGGACCCCAGGAAGGCCCATCCTTTTCGGGGCCGTG 49

Qy   1518 CTGCTGGCGGCGGCTGTGGGCCCTTAGCCGTGTTCGCGTGCGGAAGCTGAGCTGA 1565
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   48 CTGCTGGCGGCGGCTGTGGGCCCTTAGCCGTGTTCGCGTGCGGAAGCTGAGCTGA 1

RESULT 11
ID   ABQ40778/c
AC   ABQ40778;
XX
ID   ABQ40778 standard; DNA; 1061 BP.
XX
DT   12-JUL-2002 (first entry)
XX
DE   Oligonucleotide for detecting cytosine methylation SEQ ID NO 27369.
XX
KW   Human; cytosine methylation; 5'-CpG-3'; uracil; cytosine; diagnosis;
KW   drug; side effect; cancer; central nervous system; cardiovascular;
KW   gastrointestinal; respiratory system; single nucleotide polymorphism;
KW   SNP; cell differentiation; ds.

```
XX
OS   Homo sapiens.
XX
PN   WO200218632-A2.
XX
PD   07-MAR-2002.
XX
PF   01-SEP-2001; 2001WO-EP010074.
XX
PR   01-SEP-2000; 2000DE-01043826.
PR   05-SEP-2000; 2000DE-01044543.
XX
PA   (EPIG-) EPIGENOMICS AG.
XX
PI   Olek A, Piepenbrock C, Berlin K, Guetig D;
XX
DR   WPI; 2002-371829/40.
XX
PS   Claim 12; 56pp + Sequence Listing; 56pp; German.
XX
CC   This invention describes a novel method for determining the degree of
CC   methylation of a particular cytosine in a motif 5'-CpG-3', present in a
CC   genomic sample of DNA. The sample is treated chemically to convert
CC   cytosine (C) but not methylated C, to uracil, then part of the genomic
CC   DNA that contains the target C is amplified to form a labeled amplicon.
CC   The amplicon is hybridised to two classes, each with at least one member,
CC   of oligonucleotides and/or peptide-nucleic acid (PNA) oligomers and the
CC   degree of hybridisation to both classes is determined from the label on
CC   the amplicon. From the ratio of labels hybridised to the two classes of
CC   oligomers, the degree of methylation is calculated. The method is used:
CC   (i) for diagnosis and/or prognosis of side effects of therapeutic drugs
CC   and of a wide range of diseases, e.g. cancer, disorders of the central
CC   nervous, cardiovascular, gastrointestinal and respiratory systems etc.,
CC   particularly by detecting mutations or single nucleotide polymorphisms
CC   (SNP's); and (ii) for differentiation. The method allows the methylation
CC   status of many C residues to be determined simultaneously. ABQ13410-
CC   ABQ54121 represent genomic DNA sequences used to illustrate the method
CC   for determining the degree of cytosine methylation described in the
CC   disclosure of the invention
XX
SQ   Sequence 1061 BP; 141 A; 137 C; 344 G; 439 T; 0 U; 0 Other;
```

```
Query Match             19.0%;  Score 594.4;  DB 6;  Length 1061;
Best Local Similarity   72.5%;
Matches  769;  Conservative   0;  Mismatches 291;  Indels   0;  Gaps   0;

Qy         496 CTTGCCCCGGAGTTGGCACCCACGGACGGAGGAGGGAGGGGGGAGGGGGAGGGGAGGGAGC 555
               ||| ||  ||  ||          ||||||        ||  | |    ||| |  ||||
Db        1060 CTTACCCCGAAAATTAACACCCACGGACCCCCTCAACTTCGCAAAAAAC 1001

Qy         556 CACCGTGGAGGCCAGGGGGTGCAGAGACGACGACGTGGATCCGTCGGGGAG 615
               ||||| || ||| || |||| |||||||||| ||||| |||||||||| |||||
Db        1000 CACCGTAAAAACCAAAAACGATACAAAAAACGACGTATAAACTCGAAAAATACGCCTAAAAAA 941

Qy         616 GATGGACGAGGGAGCGGCGGGGGACCGCTAACGGCGGGTCCCTCTGCGGCGCCGTCCGCAGAG 675
               ||  ||  |  ||     ||        ||  || | |  | | |  |||||||
Db         940 AATAAACGAAAAAACGAAAAAACCCGTACCGGGTCCCTACGGAAAACTCCCTTCTACGGCGCCGGAGTCA 881

Qy         676 GCGCGACGTCGGAGGGGTTCCCGTGGGACGGGTTGCGCGGTAGCGCCGCAGCGGGGGCTAA 735
               ||||| || || ||| |  || ||  ||||  |||| ||||  || | ||||
Db         880 ACGGACAGTCGAAAATCCCGAACGAACTCCGTAAAGTTAACGAACGAAATCA 821

Qy         736 CGGACCCATGAAGAGAGGCGGTTCGTGTGCGGCGCGCGCGGGAGGGGTTAGCCACATC 795
               ||  | |  |  |||  || ||| |||  |||||||||||  | | |  |  |||| |||
Db         820 CGAACCATAAAAAACGTTCGTACGCGCGCCAAAAACCGCAATCCTTACCACATC 761

Qy         796 CTGCCGCGCGCTGAGGGGGAGGGGGAGGGGAGGCTAACGGGGGGCCGGGCGGCCGAGCCCACCG 855
               ||| |||  |  ||  | ||     ||        ||  |||
Db
```

(sequence listing data)

```
Db         760 CTACGGCGCTTAAAAAAAACTTAACGAACGGAACGGACGGGAGACGACGGAACCCAACCCACCG 701
Qy         856 CGATGGCGAGGGAGGAGTGCAAGGCGCTGCTTGGACGCGTGCTGGAGC 915
Db         700 CGATAACGAAAAAAAAATACAAAACGGAACGGAACTTCAACAAAAAACGAACTACGTACT 641
Qy         916 ACCACCACCTTGGGTTCGTGACCGTCGGTCGGTGGCTTCGGGGGGACTCGCAGAAACCTGCGGCAGGGAGC 975
Db         640 ACCACCACCTTAATTACTTAACGCTCGATAACTCGACAAAACCTGCAAAAACC 581
Qy         976 TGCAAAGAGACGGCCCAGAAGCGGCGGGAGGAGCTGGCGGGTGTTCCACCTTGGCGGCCGGGTGACTG 1035
Db         580 TACAAAAAACGCGCCCAAAAACGCAAAAAACTAACGATATCCACCTCTAGGCCCCGACTAACTA 521
Qy        1036 CTGTGTCTGCCGACCGGGGGGGCCTGGCGCGGCCGACGACGGGGGAGTTCGACGACTCTAA 1095
Db         520 CTATACTACGCGACGAAAACCTAAACCGCCGGACGAACGGGGGAATTCGAACGACTCTAA 461
Qy        1096 TGGGCCTTTCCGTGGGCCGTGCTTGGGACCTTCGCGCGGGGCGGCGGCGGGGAAAGGGGACGCTGGAGCGTGG 1155
Db         460 TAACCTTTCCTGAACTACCTAAAACCTACTAAAAACGAACATACGAGGGCGGCGGCTAAAACTAA 401
Qy        1156 GCGCGCGGTTCCCGCTGCAGCGGGGCGCGGGCGGCGCCGCCGCTGGTGCGCACAGGTGTGCGCTGGCG 1215
Db         400 ACGGCGCGGTTCCCGCTACGACGCGCGCGCGCTAATACGCACAAAATATACTAACG 341
Qy        1216 CCTCCTCCGGCGGTGGCGGCGGCGGGGGCGGGGGCGCCGCAGCGCTGGGGCGTCGAGGGGGAG 1275
Db         340 CCTCCTCCGACGGTAACGACGGCGGCGCTAAACCGCAACCTACGACTCGAAACGAAAA 281
Qy        1276 GCGGACTTGCGACGTGCGGGACTTGCGGAGCGCGGGGCGAGGGTTCTTCAGGTGGCGAGA 1335
Db         280 ACGACTTCGACGTCGGCGAACCTACGAAAACTAAAAAACGCGAAAATCCTTCAAAATAAACGAAA 221
Qy        1336 TGATCGCAACATGGAGATGAAGGTTCAACGTGCCCCCGGCTGGACCGTGCAAGCCCCGGCCAGG 1395
Db         220 TAATCGACAACATAAAAAAAATCAAACGTACCCCCGCTAAAACCGTACAAAACCCGACAAA 161
Qy        1396 CGGCGCGGAGCGCCGAGCGCCTTCCGTCCCAGCCGCGCGGCGGGTCCCTTCCTCCGGTGTGGGGTCCTTGC 1455
Db         160 CGACCGAACCGCGAACTCCTTATCCACGAATCAAAAACCCCTTCCTTCGATACGTTATCCTTAC 101
Qy        1456 AGGGACGCGCGGGGGGGTTCGGACCCCCAGGAGAAGGGGCCCTTGGCCGCCATCCTTTTCGCGGCGCCG 1515
Db         100 AGGGACGCGAAAAAATTAGGACCCCCAAAAAACCCTAACGCCCATCCTTTTCGACGCCG 41
Qy        1516 TGCTTGCTGGGGGCTTGCTGGGCCCTTAGCCGTGTGGCGTGTGGCCGAA 1555
Db          40 TACTACTTAACGGACTATTAACCCTTACCCGTTATACGTTAACGTAA 1
```

```
RESULT 12
ABQ40779
ID   ABQ40779 standard; DNA; 1061 BP.
XX
AC   ABQ40779;
XX
DT   12-JUL-2002  (first entry)
XX
DE   Oligonucleotide for detecting cytosine methylation SEQ ID NO 27370.
XX
KW   Human; cytosine methylation; 5'-CpG-3'; uracil; cytosine; diagnosis;
KW   drug; side effect; cancer; central nervous system; cardiovascular;
KW   gastrointestinal; respiratory system; single nucleotide polymorphism;
KW   SNP; cell differentiation; ds.
XX
OS   Homo sapiens.
XX
PN   WO200218632-A2.
XX
PD   07-MAR-2002.
XX
PF   01-SEP-2001; 2001WO-EP010074.
```

```
XX
PR   01-SEP-2000; 2000DE-01043826.
PR   05-SEP-2000; 2000DB-01044543.
XX
PA   (BPIG-) EPIGENOMICS AG.
XX
PI   Olek A, Piepenbrock C, Berlin K, Guetig D;
XX
DR   WPI; 2002-371829/40.
XX
PT   Determining the degree of cytosine methylation in genomic DNA, useful for
PT   diagnosis and prognosis, comprises selective hybridisation of amplicons
PT   from chemically treated DNA.
XX
PS   Claim 12; 56pp + Sequence Listing; 56pp; German.
XX
CC   This invention describes a novel method for determining the degree of
CC   methylation of a particular cytosine in a motif 5'-CpG-3', present in a
CC   genomic sample of DNA. The sample is treated chemically to convert
CC   cytosine (C) but not methylated C, to uracil, then part of the genomic
CC   DNA that contains the target C is amplified to form a labeled amplicon.
CC   The amplicon is hybridised to two classes, each with at least one member,
CC   of oligonucleotides and/or peptide-nucleic acid (PNA) oligomers and the
CC   degree of hybridisation to both classes is determined from the label on
CC   the amplicon. From the ratio of labels hybridised to the two classes of
CC   oligomers, the degree of methylation is calculated. The method is used:
CC   (i) for diagnosis and/or prognosis of side effects of therapeutic drugs
CC   and of a wide range of diseases, e.g. cancer, disorders of the central
CC   nervous, cardiovascular, gastrointestinal and respiratory systems etc.,
CC   particularly by detecting mutations or single nucleotide polymorphisms
CC   (SNP's); and (ii) for differentiation of cell or tissue types and for
CC   investigating cell differentiation. The method allows the methylation
CC   status of many C residues to be determined simultaneously. ABQ3410-
CC   ABQ54121 represent genomic DNA sequences used to illustrate the method
CC   for determining the degree of cytosine methylation described in the
CC   disclosure of the invention
XX
SQ   Sequence 1061 BP; 439 A; 344 C; 137 G; 141 T; 0 U; 0 Other;

Query Match    19.0%;  Score 594.4;  DB 6;  Length 1061;
Best Local Similarity   72.5%;   Pred. No. 1.1e-102;
Matches  769;  Conservative   0;  Mismatches 291;  Indels   0;  Gaps   0;
```

```
Qy    496 CTTGCCCCGGGGAGTTGGCACCCACGGCGAGGATGGGGGGACCCGGGCACCCTCAGCTTCGCAGGGGAGC 555
          || || | ||| |||||| || || | || |||| ||||||||| | |  |||| |||| ||||||||
Db      2 CTTACCCGAGAATTAACACCCACGAAAATAAAAACCCCACCTCAACTTGCGAAAAAAC 61

Db    422 ACCACCACTTAATTACTAACACGTCGATAACTCGACGAACTCGCAAAACCTACGACAAAAAC 481

Qy    556 CACCGTGGAGGCCAGGGCGTGCAGAGACACGAGCGTGCACTCGGAGTGCGCCTGGGGGAG 615
          ||| |  || | |||| |  || | || | || || | ||| ||| | |  ||||||||
Db     62 CACCGTAAAAACCAAAACGATACAAAAACACGACGTATAACTCGGAAATACGCCTAAAAAA 121

Qy    976 TGCAAAAGACCGGCCCAGAGAGGCGCGAGGAGGAGCTGGGCGGGTGTCCAACTCGCCGCTGG 1035
          ||| || || |||  |  |  || || |||| || ||||| |||| | ||  ||||| |||
Db    482 TACAAAAAACGGCGCCAAAAAACGCAAAAAACTAACGATATCCACCTTACGCCCGACTAACTA 541

Qy    616 GATGGACGAGGAGCGGGGGACCGCTAACGGGGCCTAACGGGGCCCCGTTCCGCGAG 675
          |||| ||| |||  | || | |||| |||| | ||| || | |||||||| ||||
Db    122 AATAAACGAAAAAACCGATAAAACCGCTAACGAAAACTCCCTCTACGGGCCGTCCGCGAA 181

Qy   1036 CTGTGCTGCGCGACCGGGGCGCCTGCGCGACGAGCGCGCCGAGTTCGAGCGGCTTCTGGG 1095
          || | ||| | |||||||| ||||| | |||| || | | |||| ||| || || |||
Db    542 CTATACTACCGCGACCGAAAACTTAACCGCGCGAAATCAGAAACGGCGCCGAATTCGAA 601

Qy    736 CGGACCATGAAGAGCGGTTCGTGCGCGCGCCCAAGGCGCGGGGATGGGGGGTTAGCGCACATC 795
          || ||||| ||| || || |  |||  | || ||| |  |||  || ||| ||| | || ||
Db    242 CGAACCATAAAAAACGTTCGTACGGCCGACCCAAAAATAAAAATTAACCACATC 301

Qy   1096 TGGCCTTCTCGGGCGTGCCTTGGGACCTTCGTGGAAGGCGGACGCATGCGCGGAGCTGG 1155
          |||||| || || |  | ||| ||||| ||| |||||| | || || || |  |||| |||
Db    602 TAACCTTCCTCGAACTTACCTTAAAACCTACTAAAAACCGAACATACGACGGCCGCGCGTAACTAA 661

Qy    182 ACGGCACGTCGAAAATCCGAACAACTCCGTAAACGTTAACGATAACGGAATCA 241
          || || ||| |||||| ||| | ||  || |  || ||| || | |||| |||
Db    676 GCGCACGTCGAGAGGTCCCGGGCGGGCGGCTTCCGGTGGACGTTAGCCGGACGGAGTCA 735

Qy   1156 GCGCGCGCGGTTCCGGCGTTCCAGGCGCCGGCGGGGGACCGCGCTGGTGCGCACAGGTGTGGCTGGCG 1215
          || || || || |||| | |||| || ||||| |||| ||||| |||| ||| |   ||| || ||||
Db    722 CCTCCTCCCGACGTAACGACCGCGCGCGGCGCTAAACACACCGACCGCGGGCTAAAACAAACCACCG 781

Qy    122 AATAAACGAAAAAACCGATAAAACCGCTAACGAAAACTCCCTCTACGGGCCGTCCGCGAA 181
          ...
Db    856 CGATGGCGCAGGGAGGAGTGCAAGCGCGCTGCTGACGGCTCAACAAGACGAACTGCGTGCT 915

Qy   1216 CCTCCTCCCGACGTAACGACCGCGCGCGGCGCTAAACACACCGACCGCGGGCTAAAACAAACCACCG 1275
          || || ||| | | || || |  |||| | | || || || | ||||  ||| || || ||| |||
Db    782 ACGACTTCCGACGTCGGGCCTACGAAAAAACGCGAAAAACTAAAAAACGCGGCAAAATAAACGAAA 841

Qy    856 CGATGGCGCAGGGAGGAGTGCAAGCGCGCTGCTGACGGCTCAACAAGACGAACTGCGTGCT 915
          ...
Db    362 CGATAACCGAAAAAATACAAAAACGCTACTAAACGAACTCAACAAAACGACTACGTACT 421

Qy   1276 GCGGACGTTCGACGTCGGCGGCGACCTTGGGCGGAGCTGGAGCGGGCGGGTCCTTCAGGTGGGGCGGAGA 1335
          || || ||||| | || || || | ||| | ||||||| || ||| ||| || |  ||| || |||| |
Db    842 ACGACTTCGACGTCGGGCCTACGAAAAAACGCGAAAAACGCGGCAAAATAAACGAAA 901

Qy    302 CTTACCGCGCCTAAAAAAAAAACTTAACGAACGAACAGACCCAACCTCAACCCACCG 361
          ...
Db    796 CTGCCGCGCTGAGGGGAGGAGGCTTAACGGGGCGGAGGGGGGGCGGGGCCCCACCG 855

Qy   1336 TGATGCGACAACATGGAGGATGAAGGTCAACGTGCCCCGGTCGCGCAGCCCGGCCAGG 1395
          ||| || |  |  | | |||||  || |  ||| || || | || ||  |||||||||
Db    902 CGACGAACGCGCGAACTCCTATCCACGATCAACGCGGCAACGGGGGCCCCTTAC 961

Qy    796 CTGCCGCGCTGAGGGGAGGAGGCTTAACGGGGCGGAGGGGGGGCGGGGCCCCACCG 855
          ...
Db    916 ACCACCACTTGGTCTCGACCGTCGGCGGCTGCGAGAACCTGCGCCGAGGAC 975

Qy   1396 CGGCGGGGGCCCCGAGCTCCGTTCCACGGTGCAGGCGGCGCGGGGGCGTTGTGTGTTGC 1455
          || ||||| ||||| | ||| | ||||| | |||| | | ||||| | |  |||| |||
Db    962 AAAAACGCGAAAAAATTACGACCCCAAAAAAAACCCTACCGCGCCCATCCTTTTCGACGCCG 1021

Qy   1456 AGGAGCGCGGGGGGGTTGCGACCCCAGGAGAAGGCCTGGCGGGCCCATCCTTTCGGCGCCG 1515
          || || || ||| || || ||| || | | ||| ||| | |  |||||| || | || ||
Db   1022 TACTACTAACGACTATAACCCTAACCGTATACGTAACGAA 1061

Qy    842 ACGACTTCGACGTCGGGCCTACGAAAAAACGCGAAAAACGCGGCAAAATAAACGAAA 901
          ...
Db    676 GCGCACGTCGAGAGGTCCCGGGCGGGCGGCTTCCGGTGGACGTTAGCCGGACGGAGTCA 735

Qy   1516 TGCTGCTGGGGGGCTGTGGGCCCTAGCGGGTGTGCGTGGCGAA 1555
          ||| | ||| || |  || ||| ||| | | |  |  ||||||
Db   1022 TACTACTAACGACTATAACCCTAACCGTATACGTAACGAA 1061

Qy    962 AAAAACGCGAAAAAATTACGACCCCAAAAAAAACCCTACCGCGCCCATCCTTTTCGACGCCG 1021
          ...
Qy    916 ACCACCACTTGGTCTCGACCGTCGGCGGCTGCGAGAACCTGCGCCGAGGAC 975
```

XX
PT New human genome-derived single exon nucleic acid probes useful for human
PT gene expression analysis, for identifying or characterizing alternative
PT splicing events, for assessing genomic alterations or as tools for
PT surveying tissues.
XX
PS
PT
XX
PS Claim 15; SEQ ID NO 6988; 80pp; English.
XX
CC The invention relates to a nucleic acid probe for measuring human gene
CC expression, comprising any of the 27,400 fully defined nucleotide
CC sequences in the specification, or their complements or fragments, and
CC encoding at least 8 amino acids of any of the 6888 amino acid sequences
CC fully defined in the specification. The probe is a single exon probe that
CC hybridises under high stringency conditions to a nucleic acid molecule
CC expressed in human cells or tissues. Also included are a spatially-
CC addressable set of single exon nucleic acid probes for measuring human
CC gene expression (comprising a plurality of probes for measuring human
CC gene expression, where each of the plurality of probes is separately
CC and addressably isolatable or amplifiable from the plurality), a single
CC exon microarray for measuring human gene expression, a method of
CC measuring human gene expression, a vector comprising the single exon
CC probe cited above, an ORF-encoded peptide comprising at least 8
CC contiguous amino acids of any of the above-mentioned amino acid
CC sequences (optionally with conservative amino acid substitutions), an
CC isolated antibody that binds specifically to a peptide cited above,
CC methods of selling and/or licensing single exon probes or microarrays to
CC a customer desiring to measure gene expression, a method of providing
CC human gene expression data by subscription, and a computer-readable
CC storage medium which contains data on the expression of a single exon
CC (each record including data on the expression of a single exon probe
CC cited above. The probe, methods and apparatus are useful in gene
CC expression analysis. The probes may be used as tools for surveying
CC tissues to detect the presence of expressed messages that contain their
CC specific exon, or in constructing genome-derived single exon microarrays.
CC In addition, the probes are used in identifying and characterising
CC alterations in the genomic locus that includes their exon, in assessing
CC smaller genomic alterations, in priming the synthesis of nucleic acids,
CC or in expressing the ORF-encoded peptide. The present sequence is a human
CC single exon probe of the invention. Note: The sequence data for this
CC patent did not form part of the printed specification, but was obtained
CC in electronic format directly from USPTO at
CC seqdata.uspto.gov/sequence.html?DocID=20030194704
XX
SQ Sequence 524 BP; 61 A; 212 C; 162 G; 89 T; 0 U; 0 Other;

Query Match   16.8%; Score 524; DB 12; Length 524;
Best Local Similarity   100.0%;
Matches 524; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    484 CTCTGCAGGCAGCCTGCTTGCCCCGGAGTTGGCACCCACGGAGGACCGCACCCTCAGC 543
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    524 CTCTGCAGGCAGCCTGCTTGCCCCGGAGTTGGCACCCACGGAGGACCGCACCCTCAGC 465

Qy    544 TTCGCAGGGAGCCACCGTGGAGGGCCCAGGGCGTGCAGAGACACGGACGTTGACTCGGAGT 603
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    464 TTCGCAGGGAGCCACCGTGGAGGGCCCAGGGCGTGCAGAGACACGGACGTTGACTCGGAGT 405

Qy    604 GCGCCCTGGGGGAGGATGGACGAGAGCGGAGGAGCGCGGCTTAACGGGGCTTCCCTTGCGCGCCCC 663
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    404 GCGCCCTGGGGGAGGATGGACGAGAGCGGAGGAGCGCGGCTTAACGGGGCTTCCCTTGCGCGCCCC 345

Qy    664 CCGTCCGCAGAGGCGCAGCGTCGAGGGTCCCGGCGGTTGGGCCGTAGCG 723
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    344 CCGTCCGCAGAGGCGCAGCGTCGAGGGTCCCGGCGGTTGGGCCGTAGCG 285

Qy    724 CCGAGCGAGTCACGGACCAATGAAGACGTTCGTTCCGGCGCGCCCAAGGCCCGGGGATGGGG 783
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    284 CCGAGCGAGTCACGGACCAATGAAGACGTTCGTTCCGGCGCGCCCAAGGCCCGGGGATGGGG 225

Qy    784 GTTAGCCACATCCTGCCCGCGCTGAGGGGAGGGCTAACGGGGCCCGCCGGGCCCAGC 843
          ||||||||||||||||||||||||||||||||||||||||||||
Db    224 GTTAGCCACATCCTGCCCGCGCTGAGGGGAGGGCTAACGGGGCCCGCCGGGCCCAGC 165
```

```
Qy    844 CGGAGCCCACCGGCGATGGCGGAGGGGGAGTGGAAGGCGGCTGGACGGGGCTCAACAGA 903
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    164 CGGAGCCCACCGGCGATGGCGGAGGGGGAGTGGCGAGGCGGCTGGACGGGGCTCAACAGA 105

Qy    904 CGACTGCCGTGCTACCACCACCACCTGGTTGACCGGTCGGTCGGCGTCGGCGACTCGGCAGACC 963
          ||||||||||||||||||||
Db    104 CGACTGCCGTGCTACCACCACCTGGTTGACCGGTCGGTGCTGCTCGGCGACTCGGCAGACC 45

Qy    964 TGGCGGCAGGAGCTGCAAAAGACCGCGCCAGAAGCGCGCAGGAGCTG 1007
          |||||||||||||||||||||||||||||||||
Db     44 TGGCGGCAGGAGCTGCAAAAGACCGCGCCAGAAGGGCGCAGGAGCTG 1
```

RESULT 14
AAK83430/c
ID   AAK83430 standard; DNA; 476 BP.
XX
AC   AAK83430;
XX
DT   07-NOV-2001 (first entry)
XX
DE   Human immune/haematopoietic antigen genomic sequence SEQ ID NO:38242.
XX
KW   Human; immune; haematopoietic; immune/haematopoietic antigen; cancer;
KW   cytostatic; gene therapy; vaccine; metastasis; ds.
XX
OS   Homo sapiens.
XX
PN   WO200157182-A2.
XX
PD   09-AUG-2001.
XX
PF   17-JAN-2001; 2001WO-US001354.
XX
PR   31-JAN-2000; 2000US-0179065P.
PR   04-FEB-2000; 2000US-0180628P.
PR   24-FEB-2000; 2000US-0184664P.
PR   02-MAR-2000; 2000US-0186350P.
PR   16-MAR-2000; 2000US-0189874P.
PR   17-MAR-2000; 2000US-0190076P.
PR   18-APR-2000; 2000US-0191223P.
PR   19-MAY-2000; 2000US-0205515P.
PR   07-JUN-2000; 2000US-0209467P.
PR   28-JUN-2000; 2000US-0214866P.
PR   30-JUN-2000; 2000US-0215135P.
PR   07-JUL-2000; 2000US-0216647P.
PR   07-JUL-2000; 2000US-0216880P.
PR   11-JUL-2000; 2000US-0217487P.
PR   14-JUL-2000; 2000US-0217496P.
PR   14-JUL-2000; 2000US-0218290P.
PR   26-JUL-2000; 2000US-0209642P.
PR   26-JUL-2000; 2000US-0224518P.
PR   14-AUG-2000; 2000US-0224519P.
PR   14-AUG-2000; 2000US-0252133P.
PR   14-AUG-2000; 2000US-0252142P.
PR   14-AUG-2000; 2000US-0252266P.
PR   14-AUG-2000; 2000US-0252267P.
PR   14-AUG-2000; 2000US-0252268P.
PR   14-AUG-2000; 2000US-0252270P.
PR   14-AUG-2000; 2000US-0254487P.
PR   14-AUG-2000; 2000US-0255578P.
PR   14-AUG-2000; 2000US-0255758P.
PR   14-AUG-2000; 2000US-0255759P.
PR   18-AUG-2000; 2000US-0262079P.
PR   22-AUG-2000; 2000US-0266881P.
PR   22-AUG-2000; 2000US-0266868P.
PR   22-AUG-2000; 2000US-0271182P.
PR   23-AUG-2000; 2000US-0271820P.
PR   30-AUG-2000; 2000US-0272009P.
PR   01-SEP-2000; 2000US-0288924P.
PR   01-SEP-2000; 2000US-0292879P.
PR   01-SEP-2000; 2000US-0293443P.

PR   01-SEP-2000; 2000US-0229344P.
PR   01-SEP-2000; 2000US-0229345P.
PR   05-SEP-2000; 2000US-0229509P.
PR   05-SEP-2000; 2000US-0229513P.
PR   06-SEP-2000; 2000US-0230437P.
PR   06-SEP-2000; 2000US-0230438P.
PR   08-SEP-2000; 2000US-0231242P.
PR   08-SEP-2000; 2000US-0231243P.
PR   08-SEP-2000; 2000US-0231244P.
PR   08-SEP-2000; 2000US-0231413P.
PR   08-SEP-2000; 2000US-0231414P.
PR   08-SEP-2000; 2000US-0232080P.
PR   08-SEP-2000; 2000US-0232081P.
PR   08-SEP-2000; 2000US-0232201P.
PR   12-SEP-2000; 2000US-0231968P.
PR   14-SEP-2000; 2000US-0232397P.
PR   14-SEP-2000; 2000US-0232398P.
PR   14-SEP-2000; 2000US-0232399P.
PR   14-SEP-2000; 2000US-0232400P.
PR   14-SEP-2000; 2000US-0232401P.
PR   14-SEP-2000; 2000US-0233063P.
PR   14-SEP-2000; 2000US-0233064P.
PR   14-SEP-2000; 2000US-0233065P.
PR   21-SEP-2000; 2000US-0234223P.
-PR 21-SEP-2000; 2000US-0234274P.
PR   25-SEP-2000; 2000US-0234997P.
PR   25-SEP-2000; 2000US-0234998P.
PR   26-SEP-2000; 2000US-0235484P.
PR   27-SEP-2000; 2000US-0235834P.
PR   27-SEP-2000; 2000US-0235835P.
PR   29-SEP-2000; 2000US-0236327P.
DR   29-SEP-2000; 2000US-0236367P.
PR   29-SEP-2000; 2000US-0236368P.
PR   29-SEP-2000; 2000US-0236369P.
PR   29-SEP-2000; 2000US-0236370P.
PR   02-OCT-2000; 2000US-0236802P.
PS   02-OCT-2000; 2000US-0237037P.
PR   02-OCT-2000; 2000US-0237038P.
PR   02-OCT-2000; 2000US-0237039P.
PR   02-OCT-2000; 2000US-0237040P.
PR   13-OCT-2000; 2000US-0239935P.
PR   13-OCT-2000; 2000US-0239937P.
PR   20-OCT-2000; 2000US-0240960P.
PR   20-OCT-2000; 2000US-0241221P.
PR   20-OCT-2000; 2000US-0241785P.
PR   20-OCT-2000; 2000US-0241786P.
PR   20-OCT-2000; 2000US-0241787P.
PR   20-OCT-2000; 2000US-0241808P.
PR   20-OCT-2000; 2000US-0241809P.
PR   20-OCT-2000; 2000US-0241826P.
PR   01-NOV-2000; 2000US-0244617P.
PR   08-NOV-2000; 2000US-0244674P.
PR   08-NOV-2000; 2000US-0244675P.
PR   08-NOV-2000; 2000US-0244676P.
PR   08-NOV-2000; 2000US-0244677P.
PR   08-NOV-2000; 2000US-0244678P.
PR   08-NOV-2000; 2000US-0246523P.
PR   08-NOV-2000; 2000US-0246524P.
PR   08-NOV-2000; 2000US-0246525P.
PR   08-NOV-2000; 2000US-0246526P.
PR   08-NOV-2000; 2000US-0246527P.
-PR 08-NOV-2000; 2000US-0246528P.
PR   08-NOV-2000; 2000US-0246532P.
PR   08-NOV-2000; 2000US-0246609P.
PR   08-NOV-2000; 2000US-0246610P.
PR   08-NOV-2000; 2000US-0246611P.
PR   08-NOV-2000; 2000US-0246613P.
PR   17-NOV-2000; 2000US-0249207P.
PR   17-NOV-2000; 2000US-0249208P.
PR   17-NOV-2000; 2000US-0249209P.
PR   17-NOV-2000; 2000US-0249210P.
PR   17-NOV-2000; 2000US-0249211P.
PR   17-NOV-2000; 2000US-0249212P.
PR   17-NOV-2000; 2000US-0249213P.

PR   17-NOV-2000; 2000US-0249214P.
PR   17-NOV-2000; 2000US-0249215P.
PR   17-NOV-2000; 2000US-0249216P.
PR   17-NOV-2000; 2000US-0249217P.
PR   17-NOV-2000; 2000US-0249218P.
PR   17-NOV-2000; 2000US-0249244P.
PR   17-NOV-2000; 2000US-0249245P.
PR   17-NOV-2000; 2000US-0249264P.
PR   17-NOV-2000; 2000US-0249265P.
PR   17-NOV-2000; 2000US-0249297P.
PR   17-NOV-2000; 2000US-0249299P.
PR   17-NOV-2000; 2000US-0249300P.
PR   01-DEC-2000; 2000US-0250160P.
PR   01-DEC-2000; 2000US-0250161P.
PR   05-DEC-2000; 2000US-0250391P.
PR   05-DEC-2000; 2000US-0251030P.
PR   05-DEC-2000; 2000US-0251988P.
PR   05-DEC-2000; 2000US-0256719P.
PR   06-DEC-2000; 2000US-0251479P.
PR   08-DEC-2000; 2000US-0251856P.
PR   08-DEC-2000; 2000US-0251868P.
PR   08-DEC-2000; 2000US-0251869P.
PR   08-DEC-2000; 2000US-0251889P.
PR   08-DEC-2000; 2000US-0251990P.
PR   11-DEC-2000; 2000US-0252519P.
PR   11-DEC-2000; 2000US-0254097P.
PR   05-JAN-2001; 2001US-0259678P.

XX
PA   (HUMA-) HUMAN GENOME SCI INC.

XX
PI   Rosen CA, Barash SC, Ruben SM;

XX
DR   WPI; 2001-483426/52.

XX
XX
PT   Nucleic acids encoding human immune/hematopoietic antigen polypeptides,
PT   useful for preventing, diagnosing and/or treating cancers and metastasis.

XX
PS   Disclosure; SEQ ID NO 38242; 307ipp + Sequence Listing; English.

XX
CC   AAK54951 to AAK64702 encode the human immune/haematopoietic antigen (I)
CC   amino acid sequences given in AAM82170 to AAM91921. (I) have cyostatic
CC   activity, and can be used in gene therapy and vaccine production. (I)
CC   proteins and polynucleotides may be used in the prevention, diagnosis and
CC   treatment of diseases associated with inappropriate (I) expression. For
CC   example, they may be used to treat disorders associated with decreased
CC   expression by rectifying mutations or deletions in a patient's genome
CC   that affect the activity of (II) by expressing inactive proteins or to
CC   supplement the patients own production of (I). Additionally, (II)
CC   polynucleotides may be used to produce the secreted (II), by inserting the
CC   nucleic acids into a host cell and culturing the cell to express the
CC   protein. (I) proteins and polynucleotides may be used to prevent,
CC   diagnose and treat immune/haematopoietic-related diseases, especially
CC   cancers and cancer metastases of haematopoietic-derived cells. AAK64703
CC   to AAK87694 represent human immune/haematopoietic antigen genomic
CC   sequences from the present invention. AAK54942 to AAK54950 and AAM82169
CC   represent sequences used in the exemplification of the present invention

XX
SQ   Sequence 476 BP; 59 A; 190 C; 157 G; 70 T; 0 U; 0 Other;

Query Match   15.2%; Score 474.4; DB 4; Length 476;
Best Local Similarity   99.8%;
Matches 475; Conservative   0; Mismatches   1; Indels   0; Gaps   0;

Qy   716 CGGTAGCCGCCGAGCGAGTCACGGACCATGAAGACGGTTCGTGCCGGCCGCGGGCCCAAGGCCG 775
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   476 CGGTAGCCGCCGAGCGAGTCACGGACCATGAAGACGGTTCGTGCCGGCCGCGGGCCCAAGGCCG 417

Qy   776 GGATGGGGGGTTAGCCACATCCTGCCGCGCTGAGGGGGGAGGCTAACGGGGCGGCGGCGGCCG 835
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   416 GGATGGGGGGTTAGCCACATCCTGCCGCGCTGAGGGGGGAGGCTAACGGGGCGGCGGCGGCCG 357

Qy   836 GGCCCAGCCGGAGCCCACCGCGATGGGCGGAGGGAGGAGGAGTGCAAGGCGCTGCTGGACGGGCT 895
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   356 GGCCCAGCCGGAGCCCACCGCGATGGGCGGAGGGAGGAGGAGTGCAAGGCGCTGCTGGACGGGCT 297

```
Qy    896 CAACAAGACGACTGCGTTGCTACCACCACCACTTGCTGTCTGACCGTCGGTCGGTCGGCGGGACTC 955
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    296 CAACAAGACGACTGCGTTGCTACCACCACCACTTGCTGTCTGACCGTCGGTCGGTCGGCGGGACTC 237

Qy    956 GCAGAACCTGCGCGGCAGGAGCTGCAAAAAGACGCGCCCAGAAGGGCGCCAGAGCCTGGCGGTGTC 1015
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    236 GCAGAACCTGCGCGGCAGGAGCTGCAAAAAGACGCGCCCAGAAGGGCGCCAGAGCCTGGCGGTGTC 177

Qy   1016 CACCTGCGCCCCGCGCTGACTGCTGTCTGCGCGACCAGCCGCGACCAGCGCGCGC 1075
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    176 CACCTGCGCCCCGCGCTGACTGCTGTCTGCGCGACCAGCCGCGACCAGCGCGCGC 117

Qy   1076 CGAGTTCGAGCGCGCTCTGGGGTGGCCTTCTCCGGGCTGCCTGGGACCTTGGAAGCGGGACAT 1135
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    116 CGAGTTCCAGCGCGCTCTGGGGTGGCCTTCTCCGGGCTGCCTGGGACCTTGCTGGAAGCGGGACAT 57

Qy   1136 GCGACGTCGCTGGAGCTGGGGCGGCGGGGGTTCCGCGTTCGACGGCGCGGGCGGGACCGC 1191
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||| 1
Db     56 GCGACGCTCGCTGGAGCTGGGGCGGCGGCGGGGCGGGCGCGGCGGGGCGGGGCGGCGC 1
```

RESULT 15
AAK83427/c

```
PR    31-JAN-2000; 2000US-0179065P.            PR    22-AUG-2000; 2000US-0226681P.
PR    04-FEB-2000; 2000US-0180628P.            PR    22-AUG-2000; 2000US-0226868P.
PR    24-FEB-2000; 2000US-0184664P.            PR    22-AUG-2000; 2000US-0227182P.
PR    02-MAR-2000; 2000US-0186350P.            PR    23-AUG-2000; 2000US-0227009P.
PR    16-MAR-2000; 2000US-0189874P.            PR    30-AUG-2000; 2000US-0228924P.
PR    17-MAR-2000; 2000US-0190076P.            PR    01-SEP-2000; 2000US-0229287P.
PR    18-APR-2000; 2000US-0198123P.            PR    01-SEP-2000; 2000US-0229343P.
PR    19-MAY-2000; 2000US-0205515P.            PR    01-SEP-2000; 2000US-0229344P.
PR    07-JUN-2000; 2000US-0209467P.            PR    01-SEP-2000; 2000US-0293452P.
PR    28-JUN-2000; 2000US-0214886P.            PR    05-SEP-2000; 2000US-0229509P.
PR    30-JUN-2000; 2000US-0215135P.            PR    05-SEP-2000; 2000US-0295139P.
PR    07-JUL-2000; 2000US-0216647P.            PR    06-SEP-2000; 2000US-0204377P.
PR    07-JUL-2000; 2000US-0216880P.            PR    06-SEP-2000; 2000US-0304438P.
PR    11-JUL-2000; 2000US-0174877P.            PR    08-SEP-2000; 2000US-0312442P.
PR    11-JUL-2000; 2000US-0217496P.            PR    08-SEP-2000; 2000US-0312443P.
PR    14-JUL-2000; 2000US-0182090P.            PR    08-SEP-2000; 2000US-0311244P.
PR    26-JUL-2000; 2000US-0209642P.            PR    08-SEP-2000; 2000US-0311413P.
PR    26-JUL-2000; 2000US-0220963P.            PR    08-SEP-2000; 2000US-0211414P.
PR    14-AUG-2000; 2000US-0224518P.            PR    08-SEP-2000; 2000US-0320080P.
PR    14-AUG-2000; 2000US-0245198P.            PR    08-SEP-2000; 2000US-0320081P.
PR    14-AUG-2000; 2000US-0225213P.            PR    12-SEP-2000; 2000US-0321968P.
PR    14-AUG-2000; 2000US-0225214P.            PR    14-SEP-2000; 2000US-0323397P.
PR    14-AUG-2000; 2000US-0225266P.            PR    14-SEP-2000; 2000US-0323398P.
PR    14-AUG-2000; 2000US-0225267P.            PR    14-SEP-2000; 2000US-0323399P.
PR    14-AUG-2000; 2000US-0225268P.            PR    29-SEP-2000; 2000US-0324000P.
PR    14-AUG-2000; 2000US-0225270P.            PR    14-SEP-2000; 2000US-0324001P.
PR    14-AUG-2000; 2000US-0225447P.            PR    14-SEP-2000; 2000US-0324063P.
PR    14-AUG-2000; 2000US-0257577P.            PR    14-SEP-2000; 2000US-0330655P.
PR    14-AUG-2000; 2000US-0257758P.            PR    21-SEP-2000; 2000US-0342223P.
PR    14-AUG-2000; 2000US-0257559P.            PR    21-SEP-2000; 2000US-0324974P.
PR    18-AUG-2000; 2000US-0262279P.            PR    25-SEP-2000; 2000US-0244977P.
                                               PR    25-SEP-2000; 2000US-0249998P.
                                               PR    26-SEP-2000; 2000US-0235484P.
                                               PR    27-SEP-2000; 2000US-0235834P.
                                               PR    27-SEP-2000; 2000US-0409960P.
                                               PR    27-SEP-2000; 2000US-0258360P.
                                               PR    29-SEP-2000; 2000US-0336327P.
                                               PR    29-SEP-2000; 2000US-0363677P.
                                               PR    29-SEP-2000; 2000US-0363368P.
                                               PR    29-SEP-2000; 2000US-0363669P.
                                               PR    02-OCT-2000; 2000US-0363770P.
                                               PR    02-OCT-2000; 2000US-0326802P.
                                               PR    02-OCT-2000; 2000US-0377037P.
                                               PR    02-OCT-2000; 2000US-0237038P.
                                               PR    02-OCT-2000; 2000US-0237039P.
                                               PR    02-OCT-2000; 2000US-0237040P.
                                               PR    13-OCT-2000; 2000US-0239935P.
                                               PR    13-OCT-2000; 2000US-0239937P.
                                               PR    20-OCT-2000; 2000US-0412251P.
                                               PR    20-OCT-2000; 2000US-0412221P.
                                               PR    20-OCT-2000; 2000US-0417785P.
                                               PR    20-OCT-2000; 2000US-0417786P.
                                               PR    20-OCT-2000; 2000US-0417787P.
                                               PR    20-OCT-2000; 2000US-0418808P.
                                               PR    20-OCT-2000; 2000US-0241809P.
                                               PR    20-OCT-2000; 2000US-0241826P.
                                               PR    01-NOV-2000; 2000US-0244617P.
                                               PR    08-NOV-2000; 2000US-0246476P.
                                               PR    08-NOV-2000; 2000US-0246474P.
                                               PR    08-NOV-2000; 2000US-0246475P.
                                               PR    08-NOV-2000; 2000US-0246477P.
                                               PR    08-NOV-2000; 2000US-0246478P.
                                               PR    08-NOV-2000; 2000US-0246523P.
                                               PR    08-NOV-2000; 2000US-0246524P.
                                               PR    08-NOV-2000; 2000US-0246525P.
                                               PR    08-NOV-2000; 2000US-0465526P.
                                               PR    08-NOV-2000; 2000US-0465527P.
                                               PR    08-NOV-2000; 2000US-0465528P.
                                               PR    08-NOV-2000; 2000US-0465332P.
                                               PR    08-NOV-2000; 2000US-0466609P.
                                               PR    08-NOV-2000; 2000US-0466610P.
                                               PR    08-NOV-2000; 2000US-0246611P.
                                               PR    08-NOV-2000; 2000US-0246613P.
```

```
PR   17-NOV-2000; 2000US-0249207P.
PR   17-NOV-2000; 2000US-0249208P.
PR   17-NOV-2000; 2000US-0249209P.
PR   17-NOV-2000; 2000US-0249210P.
PR   17-NOV-2000; 2000US-0249211P.
PR   17-NOV-2000; 2000US-0249212P.
PR   17-NOV-2000; 2000US-0249213P.
PR   17-NOV-2000; 2000US-0249214P.
PR   17-NOV-2000; 2000US-0249215P.
PR   17-NOV-2000; 2000US-0249216P.
PR   17-NOV-2000; 2000US-0249217P.
PR   17-NOV-2000; 2000US-0249218P.
PR   17-NOV-2000; 2000US-0249244P.
PR   17-NOV-2000; 2000US-0249245P.
PR   17-NOV-2000; 2000US-0249264P.
PR   17-NOV-2000; 2000US-0249265P.
PR   17-NOV-2000; 2000US-0249297P.
PR   17-NOV-2000; 2000US-0249299P.
PR   17-NOV-2000; 2000US-0249300P.
PR   17-NOV-2000; 2000US-0250160P.
PR   01-DEC-2000; 2000US-0250391P.
PR   05-DEC-2000; 2000US-0251030P.
PR   05-DEC-2000; 2000US-0251988P.
PR   05-DEC-2000; 2000US-0267192P.
PR   06-DEC-2000; 2000US-0251479P.
PR   05-DEC-2000; 2000US-0251856P.
PR   08-DEC-2000; 2000US-0251868P.
PR   08-DEC-2000; 2000US-0251869P.
PR   08-DEC-2000; 2000US-0251990P.
PR   08-DEC-2000; 2000US-0251856P.
PR   08-DEC-2000; 2000US-0251868P.
PR   11-DEC-2000; 2000US-0254097P.
PR   05-JAN-2001; 2001US-0259678P.
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Rosen CA, Barash SC, Ruben SM;
XX
DR   WPI; 2001-483426/52.
XX
PT   Nucleic acids encoding human immune/hematopoietic antigen polypeptides,
PT   useful for preventing, diagnosing and/or treating cancers and metastasis.
PS   Disclosure; SEQ ID NO 38239; 307lpp + Sequence Listing; English.
XX
CC   AAK54951 to AAK64702 encode the human immune/haematopoietic antigen (I)
CC   amino acid sequences given in AAM82170 to AAM91921. (I) have cytostatic
CC   activity, and can be used in gene therapy and vaccine production. (I)
CC   proteins and polynucleotides may be used in the prevention, diagnosis and
CC   treatment of diseases associated with inappropriate (I) expression. For
CC   example, they may be used to treat disorders associated with decreased
CC   expression by rectifying mutations or deletions in a patient's genome
CC   that affect the activity of (I) by expressing inactive proteins or to
CC   supplement the patients own production of (I). Additionally, (I)
CC   polynucleotides may be used to produce the secreted (I), by inserting the
CC   nucleic acids into a host cell and culturing the cell to express the
CC   protein. (I) proteins and polynucleotides may be used to prevent,
CC   diagnose and treat immune/haematopoietic-related diseases, especially
CC   cancers and cancer metastases of haematopoietic-derived cells. AAK54703
CC   to AAK87694 represent human immune/haematopoietic antigen genomic
CC   sequences from the present invention. AAK54942 to AAK54950 and AAM82169
CC   represent sequences used in the exemplification of the present invention
XX
SQ   Sequence 476 BP; 59 A; 157 C; 70 T; 0 U; 0 Other;

Query Match             15.2%;  Score 474.4;  DB 4;  Length 476;
Best Local Similarity   99.8%;
Matches  475;  Conservative  0;  Mismatches  1;  Indels  0;  Gaps  0;
                                Pred. No. 4.5e-80;

Qy    716 CGGTAGCGCCGCGAGCGAGTCACGGACCCATGAAGAGCGGTTCGTGCCGGCGCCCAAGGCCG 775
          ||||||||||| ||||||||||||||| ||||||||||||||||||||||||||||||||||
Db    476 CGGTAGCGCCGAGCGAGTCACGGACCATGAAGAGCGGTTCGTGCCGGCGCCCAAGGCCG 417

Qy    776 GGATGGGGGGTTAGCCACATCCTGCCGCGCGCCTGAGGGGGGAGGGGGAGGGGCGCGGGGGGGCCG 835
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    416 GGATGGGGGGTTAGCCACATCCTGCCGCGCGCCTGAGGGGGGAGGGGGAGGGGCGCGGGGGGGCCG 357

Qy    836 GGCCCAGCCAGCCGGAGCCCACCGCGATGGGCGAGGGAGGGAGGGAGGGGAGGGCTAACGGGGCGGGGCT 895
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    356 GGCCCAGCCAGCCGGAGCCCACCGCGATGGGCGAGGGAGGGAGGGAGGGGAGGGCTAACGGGGCGGGGCT 297

Qy    896 CAACAAGAGACCGACTGCGGTGCTTACCACCACCACCTGGTTGGTTGGTTGGTTCGGCGACTC 955
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    296 CAACAAGAGACACTGCGGTGCTTACCACCACCACCTGGTTGGTTGGTTGGTTCGGCGACTC 237

Qy    956 GCAGAACCTTGCGCAGGAGGTTGCAAAAAGACGCGGCAGGAGGCGCAGGAGGCTGGCGGTGTC 1015
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    236 GCAGAACCTTGCGCAGGAGGTTGCAAAAAGACGCGGCAGGAGGCGCAGGAGGCTGGCGGTGTC 177

Qy   1016 CACCTTGCGCCCCGGGCTTGACTGCTCGTTGCTCGGGGATGCCGGACGGGGGGGCGGACGGGCGC 1075
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    176 CACCTTGCGCCCCGGGCTTGACTGCTCGTTGCTCGGGGATGCCGGACGGGGGGGCGGACGGGCGC 117

Qy   1076 CGAGTTCGACGCGGCTTCTCGGGTGGCCTTCTCGGGGTCGCCTTCTCGGAAGCGGACGACAT 1135
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    116 CGAGTTCGACGCGGCTTCTCGGGTGGCCTTCTCGGGTCGCCTTGAAAGCGGACAT 57

Qy   1136 GCGACGCTCGCTCGGAGCTGGGCGCCGCGGGTTCCGGCGTTCAGGCGCGGACCGC 1191
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     56 GCGACGGCTCGCTCGGAGCTGGGCGCGGCGCGGTTCCCGGCTGCAGGCGGGGGGGCGCGGGCGGCGGGCGC 1
```

Search completed: May 11, 2006, 01:38:08
Job time : 1771 secs

THIS PAGE BLANK (USPTO)

OM nucleic - nucleic search, using sw model

Copyright (c) 1993 - 2006 Biacceleration ltd.

GenCore version 5.1.8

Run on: May 11, 2006, 01:31:02 ; Search time 11789 Seconds
(without alignments)
12390.302 Million cell updates/sec

Title: US-10-760-320A-102
Perfect score: 3122
Sequence: 1 actaggagtgtgggttagcgc.........acagacaagactctgtctc 3122
Scoring table: IDENTITY NUC
Gapop 10.0 , Gapext 1.0
Searched: 41078325 seqs, 23393541228 residues

Total number of hits satisfying chosen parameters: 82166650

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : EST:*
1: gb_est1:*
2: gb_est2:*
3: gb_est3:*
4: gb_htc:*
5: gb_est4:*
6: gb_est5:*
7: gb_est6:*
8: gb_est7:*
9: gb_gss1:*
10: gb_gss2:*
11: gb_gss3:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	700.6	22.4	3429	4	AK044285	AK044285 Mus muscu
2	668.4	21.4	677	6	CF145448	CF145448 UI-HF-CB0
3	662.4	21.2	670	6	CF145408	CF145408 UI-HF-CB0
4	649.4	20.8	655	3	BQ187216	BQ187216 UI-E-EJ1-
c	646.4	20.7	685	3	BM671616	BM671616 UI-E-CQ1-
5	646	20.7	660	5	BX116028	BX116028
6	577.4	18.5	972	5	BQ682843	BQ682843 AGENCOURT
7	560	17.9	578	3	BM707056	BM707056 UI-E-CR1-
8	534.8	17.1	595	8	W81663	W81663 zd85e06.r1
9	500	16.0	500	3	BM710194	BM710194 UI-E-CQ1-
10	500	16.0	500	3	BM710194	BM710194 UI-E-CQ1-
11	472.8	15.1	476	1	AW302149	AW302149 x601f06.x
12	461.8	14.8	480	3	BM673230	BM673230 UI-E-CR1-
13	445.2	14.3	1376	3	BM562937	BM562937 AGENCOURT
14	431.4	13.8	455	1	AI375213	AI375213 tc10f06.x
15	357.2	11.4	792	5	BX919953	BX919953
16	347.6	11.1	677	5	BX665878	BX665878
17	337	10.8	561	5	BX921379	BX921379
18	335.2	10.7	752	5	BX667653	BX667653
19	334.8	10.7	605	3	BI458731	BI458731 60319879
20	327.4	10.5	553	5	BX915965	BX915965
21	321.6	10.3	443	9	BZ884827	BZ884827
22	313.4	10.0	727	5	BX918257	BX918257
23	289.6	9.3	940	5	BU506122	BU506122 AGENCOURT
24	287.6	9.2	672	2	BB591662	BB591662
25	266.4	8.5	1128	3	DN684685	DN684685 JGI CAAO5
26	266.4	8.5	1313	8	DN690837	DN690837 CGX37-D05
27	266.2	8.5	1154	8	DN683797	DN683797 CGX72-H01
c	263.2	8.4	449	8	W81222	W81222 zd85e06.s1
28	255.6	8.2	1101	8	DN687616	DN687616 CGX32-B03
29	255.2	8.2	718	8	DN687616	DN687616 CGX54-A11
30	242	7.8	716	8	DN878715	DN878715 nae22d04.
31	242	7.8	677	8	DN876083	DN876083 nae03h03.
c	230.6	7.4	701	3	BJ735612	BJ735612 BJ735612
33	211.4	6.8	755	11	CR867967	CR867967 Sus scrof
34	211.4	6.8	800	8	CX937965	CX937965 JGI CAAO5
35	208.8	6.7	728	5	BX645932	BX645932 DKFZp781B
36	206.4	6.6	585	10	CE444344	CE444344 tigr-gss-
37	197.6	6.3	1307	3	BI730314	BI730314 603350295
38	196	6.3	307	8	DN705253	DN705253 CL358-C12
39	179.8	5.8	588	9	AQ636023	AQ636023 RPC1-11-4
40	179.2	5.7	556	7	CR548736	CR548736 DKFp469B
41	176.2	5.7	754	5	BX457023	BX457023
42	176.2	5.6	1123	5	BX404721	BX404721
43	175	5.6	564	5	CD694516	CD694516 ESTI11039
44	174.8	5.6	1035	2	BF672721	BF672721 601152030

ALIGNMENTS

RESULT 1
AK044285   3429 bp   mRNA   linear   HTC   03-APR-2004

LOCUS   AK044285
DEFINITION   Mus musculus adult retina cDNA, RIKEN full-length enriched library,
clone:A930005K04 product:unknown EST, full insert sequence.
ACCESSION   AK044285
VERSION   AK044285.1   GI:26090272
KEYWORDS   HTC; CAP trapper.
SOURCE   Mus musculus (house mouse)
ORGANISM   Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1
AUTHORS   Carninci,P. and Hayashizaki,Y.
TITLE   High-efficiency full-length cDNA cloning
JOURNAL   Meth. Enzymol. 303, 19-44 (1999)
PUBMED   10349636
REFERENCE   2
AUTHORS   Carninci,P., Shibata,Y., Hayatsu,N., Sugahara,Y., Shibata,K.,
Itoh,M., Konno,H., Okazaki,Y., Muramatsu,M. and Hayashizaki,Y.
TITLE   Normalization and subtraction of cap-trapper-selected cDNAs to
prepare full-length cDNA libraries for rapid discovery of new genes
JOURNAL   Genome Res. 10 (10), 1617-1630 (2000)
PUBMED   11042159
REFERENCE   3
AUTHORS   Shibata,K., Itoh,M., Aizawa,K., Nagaoka,S., Sasaki,N., Carninci,P.,
Konno,H., Akiyama,J., Nishi,K., Kitsunai,T., Tashiro,H., Itoh,M.,
Suni,N., Ishii,Y., Nakamura,S., Hazama,M., Nishine,T., Harada,A.,
Yamamoto,R., Matsumoto,H., Sakaguchi,S., Ikegami,T., Kashiwagi,K.,
Fujiwake,S., Inoue,K., Togawa,Y., Izawa,M., Ohara,E., Watahiki,M.,
Yoneda,Y., Ishikawa,T., Ozawa,K., Tanaka,T., Matsuura,S., Kawai,J.,
Okazaki,Y., Muramatsu,M., Inoue,Y., Kira,A. and Hayashizaki,Y.
TITLE   RIKEN integrated sequence analysis (RISA) system-384-format
sequencing pipeline with 384 multicapillary sequencer
JOURNAL   Genome Res. 10 (11), 1757-1771 (2000)
PUBMED   11076861
REFERENCE   4
AUTHORS   The RIKEN Genome Exploration Research Group Phase II Team and the
FANTOM Consortium.
TITLE   Functional annotation of a full-length mouse cDNA collection
JOURNAL   Nature 409, 685-690 (2001)
REFERENCE   5
AUTHORS   The FANTOM Consortium and the RIKEN Genome Exploration Research
Group Phase I & II Team.

TITLE   Analysis of the mouse transcriptome based on functional annotation
            of 60,770 full-length cDNAs
JOURNAL   Nature 420, 563-573 (2002)
REFERENCE   6 (bases 1 to 3429)
AUTHORS   Adachi,J., Aizawa,K., Akimura,T., Arakawa,T., Bono,H., Carninci,P.,
            Fukuda,S., Furuno,M., Hanagaki,T., Hara,A., Hashizume,W.,
            Hayashida,S., Imotani,K., Hiramoto,K., Hirao,A., Hirozane,T.,
            Hori,F., Imotani,K., Ishii,Y., Itoh,M., Kagawa,I., Kasukawa,T.,
            Katoh,H., Kawai,J., Kojima,Y., Kondo,S., Konno,H., Kouda,M.,
            Koya,S., Kurihara,C., Matsuyama,T., Miyazaki,K., Murata,M.,
            Nakamura,M., Nishi,K., Nomura,K., Numazaki,R., Ohno,M., Ohsato,N.,
            Okazaki,Y., Saito,R., Saitoh,H., Sakai,C., Sakai,K., Sakazume,N.,
            Sano,H., Sasaki,D., Shibata,K., Shinagawa,A., Shiraki,T.,
            Sogabe,Y., Tagami,Y., Tagawa,A., Takahashi,F., Takaku-Akahira,S.,
            Takeda,Y., Tanaka,T., Tomaru,A., Toya,T., Yasunishi,A.,
            Muramatsu,M. and Hayashizaki,Y.
TITLE   Direct Submission
JOURNAL   Submitted (16-JUL-2001) Yoshihide Hayashizaki, The Institute of
            Physical and Chemical Research (RIKEN), Laboratory for Genome
            Exploration Research Group, RIKEN Genomic Sciences Center (GSC),
            RIKEN Yokohama Institute; 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama,
            Kanagawa 230-0045, Japan (E-mail:genome-res@gsc.riken.jp,
            URL:http://genome.gsc.riken.jp/, Tel:81-45-503-9222,
            Fax:81-45-503-9216)
COMMENT   cDNA library was prepared and sequenced in Mouse Genome
            Encyclopedia Project of Genome Exploration Research Group in Riken
            Genomic Sciences Center and Genome Science Laboratory in Riken
            Division of Experimental Animal Research in Riken contributed to
            prepare mouse tissues.
            Retina RNA was provided by Dr. Stefano Gustincich (Department of
            Neurobiology, Harvard Medical School, 220 Longwood Ave., Boston, MA
            02115, USA) whose assistance is gratefully acknowledged. Please
            visit our web site for further details.
            URL:http://genome.gsc.riken.jp/
            URL:http://fantom.gsc.riken.jp/.
FEATURES   Location/Qualifiers
     source   1..3429
                     /organism="Mus musculus"
                     /mol_type="mRNA"
                     /strain="C57BL/6J"
                     /db_xref="FANTOM_DB:A930005K04"
                     /clone="A930005K04"
                     /tissue_type="retina"
                     /clone_lib="RIKEN full-length enriched mouse cDNA library"
                     /dev_stage="adult"
     misc_feature   1..3429
                     /note="unknown EST (GB|BI730314, evidence: BLASTN, 99%,
                     match=315)"
ORIGIN

Query Match   22.4%; Score 700.6; DB 4; Length 3429;
Best Local Similarity   65.5%; Pred. No. 9e-112;
Matches 1440; Conservative   0; Mismatches 619; Indels 138; Gaps 23;

Qy   505 GAGTTCGGCACCCACCGAGAGGATGGGGACACCCTCAGCTTCGCAGGAGGCCACCTGA 564
           ||| |||| |||||||||||||||
Db   266 AGGAGGCTTTCAGTCCCCTGCTCAAGGCTGGCATCAGGGGGCTGGAGGGCTGGAGGCGA 325

Qy   505 GAGTTCGGCACCCACCGAGAGGGGGAGCAGCACCCTGAA 564
Db   805 TGAGGGGGAGGAGCTAACGGGGCGCGGCGGCCCAGCCGCCACCGGATGGCGA 864

Qy   326 TGAAG------------GTTTGCAAAGTGGGGGTACCGGCGGAGGGGCCCATGGCCA 370
Db   371 GAGAGGAGTGCAAAGCGCGCTGGTGGACGCGGCTCAACAAGACACGTGGCTGTACCACCACCT 430

Qy   865 GGGGAGGAGTGCAAAAGCGCTGCTTGGTGGACGCGGCCTCAACAAGACACTGGCTGTACCACCACC 924
Db   431 TAGTGCTTACTGTGGGCGCGGGTTCCGCGGGACAACTCAGGAGCTGTGCAGAAGA 490

Qy   925 TGGTGCTGACCGTGCGTGGGCTCGGCGAGGAGCTGCAGGAGCTGCAAAGA 984
Db   491 CCCGGCCAGAACGGCGCGGAGCTGGCCGTGGCCACCTGGGGGCCCGGGGGTGACCGTCGCCTCC 550

Qy   985 CGCGGCCAGAACGGCGCGGAGCTGGGCGTGCCCACCTGGGGGTGACCTGCTGGCTGC 1044
Db   551 GGGGCACCGGAGCTTAGCTACCGAGAGAGCGGCGGGAGAGGCGGCCTTATGGGGTGGCCTTTT 610

Qy   1045 GCG-ACGGGGGGCCTGGGCCGGACGAGCGCGAGTTCGAGCGGCGGCGGCCTTC 1103
Db   611 TCAGGCTGGCTGGCGACCTTGCTCGGAACGCGGCGCGGGTGGGGAAGCGACC 670

Qy   1104 TCGGGGCTGCCTGCTTCGAAGCGGACAGGTCGCTGGAGAGGCTGGGGCGCGCG 1163
Db   671 CTTCCCGTCACGCGCGCGGGGCCGGTGGTTCGCACTCGGGGTGACGGGCCGGAT-CTAT 729

Qy   1164 TTCCCGCTGCACGCGCGCGGGGCGGACCGGCTGGTGGGCCACCAGTGTGGCGGCGGCCTTCCTCC 1223
Db   730 GCTGTAGCTTCCGGCGCCGGGCCCCTGAGCCGGCCCACGGGCTGCAGCAGCGGGGACTTC 789

Qy   1224 GCGGTGGCGGCGGCGGCGCTGAGCACCCGGCCTGGGGCGTCGGAGCGGAGGGCGGACTTC 1283
Db   790 GATGTGGCGCCGGATCCGCTGCCCCAGTTCGAGCGCGGGCTGGGGTGGGGCGCCGGGG 849

Qy   1284 GACGTCGCGCGGACCTGCGGGAGCTGAGCGCGGAGGTGCCTTCAGGTGGGGGCGAGATGACTGAC 1343
Db   850 GACATGGAAAATGAAAAGTCAACGTGCCCGGTGGACTGTACAGGCGGCAGAAC 909

Qy   1344 AACATGGATGAAGTCAACGTGCCCGGTGGCGGAACCGGTGCAAGCCCGGAGCAGGGGGGC 1403
Db   910 GCCGGAACTCCTTGTCCGGTGCCGGGTGCGGGCGGCCAGTTGCCGGGCATTTCGGTAGAG 969

Qy   1404 GCCGAGCTTCGTCCACGGTCGCAGCGGCGGGCGGCGCCCCTTCGGTCG------TGTCCTTGGCAG 1457
Db   970 GAGGCGGCGCGGGGCCCCTGCGACCCCCAGCGAAGGGCCCCTGGCCGTTTTCAGGGGCGTG 1029

Qy   1458 GAGGCGGCGGGGGGTTGCGACCCCCAGGAAGGGCCGGCCCATCCTTTTCGGGGCGTG 1517
Db   1030 CTGTTCGGTCGGGCTGTGGCCCTGCCTTATGTGTGGCAAAGCTGAGCTGACTGATATATCCAAC 1089

Qy   1518 CTGCTCGGTCGGGCTGTGGCCCTGCCTTAGCCGTTGTCGGGCGGAAGTGAGCTGACAGACACCCGAC 1577
Db   1090 GGTCGTCCGCGTCGCCCCTTTTCTTTC------CAGGGCATGGGCGTTCGGGGTTTG 1136

Qy   1578 GGCCGGCCTGCGTTGCCGCTCCCCTTTTCTTTC 1637
Db   1137 AACCGTT-AAGGAGAGAGGTAGTGAGCCTGAACATGATCCTTTCAA 1195

Qy   1638 GCCTGTGCAAGGGGGAGTGGGTCCTAAAACCCGTGTGTGTGCATGGGGTACACGGCGGTTC-C 1696
Db   1196 AGCCCACCTCTGCCTGGGCAAAAGCGTTGTTTTTTAACATGCGGGGCCAAGAGAGAGT 1255

Qy   1697 AGTGCACATCTGCCTGGGCAGGGAC-----ACGGGTTTTTCCTTCTTGCTGGGGGGGGGGAAGT 1751
Db   1256 TAACAGCAC-AGGGGGCGCCAGGCCCATTACCTTCTTAATGTCTGTAGGAGCTTTACCTCCTTAT 1314

Qy   1752 TAACTTTGCGCGGCCGCGTCAGGGCATTACGGCTAAGGTCTCGAAAGCTTTATTCCCTAT 1811
Db   1315 TAAATAGAAAATCGGTCCACAGTGACCCAGTTAATGATGAGTTAACACATGTG 1355

Qy   1812 GAGGGGTCCCTGGAGACGCTCTGTTGAGAACAGCGG 1870
Db   1256 TAACAGCAC-AGGGGGCGCCAGGCCCATTACCTTCTTAATGTCTGTAGGAGCTTTACCTCCTTAT 1314

Qy   745 AAGAGGCGTTCGTGCCCGCGCGGGATGGGGGGTTAGCCCATCAGGGCGGATCGAC 804
Db   1812 GAGGGGTCCCTGGAGACGCTCTGTTGAGAACAGCGG 1870

RESULT 2

LOCUS   CF145448   677 bp   mRNA   linear   EST   06-AUG-2003
DEFINITION   UI-HF-CB0-asp-a-08-0-UI.r1 NIH_MGC_210 Homo sapiens cDNA clone
               IMAGE:30569191 5', mRNA sequence.
ACCESSION   CF145448
VERSION   CF145448.1 GI:33260892
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
               Hominidae; Homo.
REFERENCE   1 (bases 1 to 677)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.

TITLE   Normalization and subtraction: two approaches to facilitate gene
               discovery
JOURNAL   Genome Res. 6 (9), 791-806 (1996)
PUBMED   8889548
COMMENT   Contact: Soares, MB
               Coordinated Laboratory for Computational Genomics
               University of Iowa
               375 Newton Road, 4156 MEBRF, Iowa City, IA 52242, USA
               Tel: 319 335 8250
               Fax: 319 335 9565
               Email: bento-soares@uiowa.edu
               Tissue Procurement: Tim Ratliff
               cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
               cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
               DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
               Clone Distribution: Distribution information can be found at
               http://genome.uiowa.edu/distribution/humanfl.html
               The following repetitive elements were found in this cDNA
               sequence: 129-236, >MIR#SINE/MIR
               Seq primer: pYX-5.
FEATURES   Location/Qualifiers
     source   1..677
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:30569191"
                     /tissue_type="CNCAP(3)T-225 cell line"
                     /clone_lib="NIH_MGC_210"
                     /lab_host="DH10B (T1 phage resistant)"
                     /note="Organ: Prostate; Vector: pT7T3 Pac; Site 1: EcoR I;
                     Site 2: Not I; The library was constructed according
                     Bonaldo, Lennon and Soares, Genome Research, 6:791-806,
                     1996. Denatured RNA was size fractionated on a 1% agarose
                     gel. First strand cDNA synthesis was primed with oligo-dT
                     primer containing a Not I site. Double strand cDNA was
                     size selected according to mRNA size fraction, ligated
                     with EcoR I adaptor, digested with Not I and then cloned
                     directionally into pT7T3 Pac vector. The library tag
                     sequence located between the Not I site and the polyA tail
                     is CCCAC. Tissue was provided by Tim Ratliff."
ORIGIN

Query Match   21.4%; Score 668.4; DB 6; Length 677;
Best Local Similarity   99.7%; Pred. No. 4.7e-106;
Matches 669; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy   43 GCGCAAGCGGCAGGGAGGACACTTGAACCCCGGCGCGGCGCGCCCTGGCGATTGGCCAGTCAC 102
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   7 GCGCAAGCGGCAGGGAGGACACTTGAACCCCGGCGCGGCGCGCCCTGGCGATTGGCCAGTCAC 66

Qy   103 TGCTCCGCTTTGGGGCACGGAGGTGCCCAGTCGTCCTGCGCCGGACGTCCTGTCGCCGA 162
         ||||||||||||||||||||||||||||||||||||||||||||||||||| ||||||||
Db   67 TGCTCCGCTTTGGGGCACGGAGGTGCCCAGTCGTCCTGCGCCGGACGTCCTGTCGCCGA 126

Qy   163 CAGGGTCCGGGAGTCAGTATAGCTGGGGGTTCTAGTCCCATCACAGGGCAAAAACTCCGGCG 222
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   127 CAGGGTCCGGGAGTCAGTATAGCTGGGGGTTCTAGTCCCATCACAGGGCAAAAACTCCGGCGGG 186

Qy   223 AGCCTGGCCCGCTGCTTTTTACCTGGGCCTTCAGTTTCCCAGTTCCCCAGTTAAAATAGAACGGGGTGG 282
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   187 AGCCTGGCCCGCTGCTTTTTACCTGGGCCTTCAGTTTCCCAGTTCCCCAGTTAAAATAGAACGGGGTGG 246

Qy   283 ATCTCCCGAGCGCGTAACATTCCAGAAACTCGGATGGGGCGGAAGAGGGAGGAGGGATGGGGCC 342
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   247 ATCTCCCGAGCGCGTAACATTCCAGAAACTCGGATGGGGCGGAAGAGGGAGGAGGGATGGGGCC 306

Qy   343 ACCCACACGTGACCTCCCCGCGGTGGAGCCCGCCTACCACTGAATCCAGGGGGGTGGGCAGCT 402
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   307 ACCCACACGTGACCTCCCCGCGGTGGAGCCCGCCTACCACTGAATCCAGGGGGGTGGGCAGCT 366

Qy   403 CCGGCCGGGACGAGCGGGGTGGGGCGGGGGCGGGGTCCTTAGGAAACCCTACCGGCGCCCTTGGCAG 462
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   367 CCGGCCGGGACGAGCGGGGTGGGGCGGGGGCGGGGTCCTTAGGAAACCCTACCGGCGCCCTTGGCAG 426

Qy 1871 CTGTTGGGGCGTCTTTACAGGGAGTCCGAGTTCGGTGCTGCCCACCCCTGCCACCGTCGCCCC 1930
         |||||||||||| |||||||||||||||||||||||||||||||||||||||||||||||||
Db 1356 ---TTGATGGGTTAAGCAGTATGTCCCAAGTTGGTGGTCCCCAAGTTTGGGTTGGTGGTAGCACT 1412

Qy 1931 CTTTCTCGCGTGGGCACAGTTTGAAAAGGGGGGTGGGGGTGGAGTGAAGTTTGGAGAGGACG 1990
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1413 CATTCTCTGTTTAGACGGACAACAATTTGGTGGTGTGGGGGTTGGTTGTTCAAGCATTAGTGGTG 1472

Qy 1991 CTGTTGGTTGTCTATGTGTGGTTGGTCTGTTGTTGTCGTTCCCGGACAAAGAAA--AATTGCAATCAAATGT 2048
         |||||||||||| ||||||| ||||||||||||||||||||||||||||||||| |||||||||||||||||
Db 1473 GTGGGGG------AGGGAGACATTTTGTTGTTTCTTTACCTTAGACAAGAAACCAGTTGCAGTTAAGATGC 1527

Qy 2108 AGTTCATACAAAAGGGGCTTTCTTCTTAAGACGCGCGCTACACCCTTCCTACCAGAGACTTTTACCA 2167
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1528 GCGTGGGGTTTTGTTTTACCTTAATCCTTTGGGGTGTGTGTTGTTATCAAGACATAGTGGTTGGTATAGA 1587

Qy 2168 TTCGTCCCAAGAGCAGCTAGAAGAGATTTGAGGTCATGACCTCCCACTGCCGCGCTCAGGG 2227
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1588 GGCTCGTTGCAAAGTGCTTTTCTCTGTGATACACTACTGGCCACT---TGGCAGAGCCTGCCTA 1644

Qy 1588 GGCTCGTTGCAAAGTGCTTTTCTCTGTGATACACTACTGGCCACT---TGGCAGAGCCTGCCTA 1644

Qy 2228 GCTGACCCTATTTAGGAAAACCAAAGAGGGGGGTTGAACCTACTCTCTCACGGACTTGGATC 2287
         |||||||||||||||||||||||||||||||||||||||||||||||||||| |||||||||
Db 1684 CGTGACCCCCATTTAGGGTCACGAGCCAAGAAGTTGTGGGTGTATCCTCT------------ 1731

Qy 1645 TTTAGTCACCCAGGAGCTGC----------------AGCTATAGAGAGTTTTTGTGT 1683

Qy 2288 CAGTGCCCACACTTGCTGCGGAAAAGGGCTCTCCCAGCCACCCCGAGAGATGGGGTAAG 2347
         |||||||||||||||||||||||||||||||||||||||||||||||||| |||||||
Db 1786 ACAGGATGGTGCTGCTTTGGGAAGGGCCCAACACGGGTCATATGTAAACACAGTTCTCCTTC 1845

Qy 1732 ------GCACACTTGCTTCAAGGAAGACCGGCTCCAATACTCATCCCCGGATGGGGGAGGG 1785

Qy 2348 AGGAAGAGCAGAGGGCTTGGGTAGGCCCAC-CTGGTGTTTAAACAGCACACTTTCTCCTTC 2406

Qy 2407 TCTGGGGGCTTATTTTTGTTCAGAACTAGACCAGAGTTGTTGAACTTCTTTGCAGGAGGG 2466
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1846 TCACCCGCTTACTTTTATCCCGAATTAGACCACAGTGTTTGACCTCCTTTGAGGGAGGG 1905

Qy 2467 CT-GGGAAATCCTCTTTATTTAATCCCTTATTTATCCCCTGGGAAATGTGCCTGCTGCC 2525
         || ||||||||| ||||||| ||||| ||||||||||||||||||||||| |||||||
Db 1906 CTGGGGGAATCCTCTTGAAGTCTTAAATCCTATCTAT-CCTGGAATTTACTCGATAGCC 1964

Qy 2526 AGTAGGAGGAGGGGCTGGGCCTTGGCAGCTCCCCGACCCCCGCCCCCTCCGGGGGTAA 2585
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1965 AATAGGAACGCTAG-TTTTCTAGAGACTTTGGCCAATCGGATGGGGCGGGAGCACACC 2023

Qy 2586 TGTGGCATTACTGGGCCCACAGAGGTTTTGACCAATCAGCTGGGTTAGAATG 2645
         |||||||||||||||||||||||||||||||||||||||||| || |||||
Db 2024 GGGCGGATGCTGGGTATCACTAGTAAACCAGGGGTTGTGTGAGCCTCGCCGA 2083

Qy 2646 TAACAGCTTTTAATTTGGAATTTAAAGAGAGCTTTTAAAA 2682
         ||||||||||||||||||||||||||||||||| |||||
Db 2084 TAAACAGCTTTTAATTTGGAATTTAAACGAGAGCTTTTAAACA 2120

RESULT 3

```
CF145408
LOCUS       CF145408              670 bp    mRNA    linear    EST 06-AUG-2003
DEFINITION  UI-HF-CB0-aeo-e-10-0-UI.r1 NIH_MGC_210 Homo sapiens cDNA clone
            IMAGE:30569145 5', mRNA sequence.
ACCESSION   CF145408
VERSION     CF145408.1  GI:33260852
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 670)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE     Normalization and subtraction: two approaches to facilitate gene
            discovery
  JOURNAL   Genome Res. 6 (9), 791-806 (1996)
   PUBMED   8889548
COMMENT     Contact: Soares, MB
            Coordinated Laboratory for Computational Genomics
            University of Iowa
            375 Newton Road, 4156 MEBRF, Iowa City, IA 52242, USA
            Tel: 319 335 8250
            Fax: 319 335 9565
            Email: bento-soares@uiowa.edu
            Tissue Procurement: Tim Ratliff
            cDNA library preparation: Dr. M. Bento Soares, University of Iowa
            cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
            DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
            Clone Distribution: Distribution information can be found at
            http://genome.uiowa.edu/distribution/humanfl.html
            The following repetitive elements were found in this cDNA
            sequence: 129-236, >MIR#SINE/MIR
            Seq primer: PYX-5.
FEATURES             Location/Qualifiers
     source          1..670
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:30569145"
                     /tissue_type="CNCAP(3)T-225 cell line"
                     /lab_host="DH10B (T1 phage resistant)"
                     /clone_lib="NIH_MGC_210"
                     /note="Organ: Prostate; Vector: pT7T3 Pac; Site 1: EcoR I;
                     Site 2: Not I; The library was constructed according
                     BonaIdo, Lennon and Soares, Genome Research, 6:791-806,
                     1996. Denatured RNA was size fractionated on a 1% agarose
                     gel. First strand cDNA synthesis was primed with oligo-dT
                     primer containing a Not I site. Double strand cDNA was
                     size selected according to mRNA size fraction, ligated
```

```
Qy    463  CGCCTAAGGCGCGGAGGGGGCGGCTCGTGCTGCTTGTCCAGCTCCGCGGAGGGGCCACGGAG  522
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    487  GATGGGGACCGGACCACCCTCAGCTTCCGCAGGGGATGGGGGGGGGGGCGGGGGTGCAGAG   486
```

(Alignment block — Qy/Db sequence rows 703/667, 667/607, 643/583, 607/547, 583/523, 547/487, 523/463, 463/427 with coordinates 522–427 / 582–486 etc.)

```
ORIGIN
            with EcoR I adaptor, digested with Not I and then cloned
            directionally into pT7T3 Pac vector. The library was
            sequence located between the Not I site and the polyA tail
            is CCCAC. Tissue was provided by Tim Ratliff."
```

```
Query Match                                           DB 6;    Length 670;
Best Local Similarity   99.8%;  Pred. No. 5.2e-105;
Matches  663;  Conservative  0;  Mismatches  1;  Indels  0;  Gaps  0;
```

```
Qy     43  GCGCAACGCGCGCAGGGACACCTGACCCCCGGCGGGGGGGGGCGGCGGCCCTTCGGATTGCCAGTCAC  102
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      7  GCGCAACGCGCGCAGGGACACCTGACCCCCGGCGGGGGGGGGCGGCGGCCCTTCGGATTGCCAGTCAC   66
```

RESULT 4

```
BQ187216
LOCUS       BQ187216              655 bp    mRNA    linear    EST 30-APR-2002
DEFINITION  UI-E-EJ1-ajz-e-14-0-UI.r1 UI-B-EJ1 Homo sapiens cDNA clone
            UI-E-EJ1-ajz-e-14-0-UI 5', mRNA sequence.
ACCESSION   BQ187216
VERSION     BQ187216.1  GI:20362767
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 655)
```

AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
TITLE   Normalization and subtraction: two approaches to facilitate gene
             discovery
JOURNAL   Genome Res. 6 (9), 791-806 (1996)
PUBMED   8889548
COMMENT   Contact: Soares, MB
             Coordinated Laboratory for Computational Genomics
             University of Iowa
             375 Newton Road, 4156 MERRF, Iowa City, IA 52242, USA
             Tel: 319 335 8250
             Fax: 319 335 9565
             Email: bento-soares@uiowa.edu
             Tissue Procurement: Dr. Gregg Hageman
             cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
             DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
             Clone Distribution: Researchers may obtain clones from Research
             Genetics (www.resgen.com).
             The following repetitive elements were found in this cDNA
             sequence: 296-333, >GC_rich#low_complexity (matched compliment)
             Seq primer: M13 REVERSE.
FEATURES   Location/Qualifiers
     source   1..655
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-E-EJ1"
                     /tissue_type="fetal eyes, lens, eye anterior segment,
                     optic nerve, retina, Retina Foveal and Macular, RPE and
                     Choroid"
                     /dev_stage="fetal and adult"
                     /lab_host="DH10B (Life Technologies) (T1 phage resistant)"
                     /clone_lib="UI-E-EJ1"
                     /note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a
                     modified polylinker; Site 1: EcoR I; Site_2: Not I;
                     UI-E-EJ1 is a subtracted cDNA library constructed
                     according to Bonaldo, Lennon and Soares, Genome Research,
                     6:791-806, 1996. First strand cDNA synthesis was primed
                     with an oligo-dT primer containing a Not I site. Double
                     stranded cDNA was ligated to an EcoR I adaptor, digested
                     with Not I, and cloned directionally into pT7T3-Pac
                     vector. The oligonucleotide used to prime the synthesis of
                     first-strand cDNA contains a library tag sequence that is
                     located between the Not I site and the (dT)18 tail. The
                     sequence tags for this library are: fetal eyes,
                     AGAATCAAGA; lens, CGATTAGGCA; eye anterior segment,
                     AATGCGGCAT; optic nerve, CCATAAGTG; retina, CCGCG; Retina
                     Foveal and Macular, GTCC; RPE and Choroid, ACCTA. This
                     library was created for the program, Gene Discovery in the
                     Visual System, supported by National Eye Institute (NEI)."
ORIGIN

Query Match
Best Local Similarity   99.4%;
Matches 650; Conservative   0; Mismatches   4; Indels   0; Gaps   0;
20.8%; Score 649.4; DB 3; Length 655;
Pred. No. 9.5e-103;

Qy   526 GGGGACCGCACCCTCAGCTTCGCAGGGACCGCCACCGTGGAGGCGAGGCCGGGTGCAGAGACA 585
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2 GGGGACCGCACCCTCAGCTTCGCAGGGACCGCCACCGTGGAGGCGAGGCCGGGTGCAGAGACA 61

Qy   586 CGACGTGTGACTCGGACTCGCCCTGGGAGGATGGACGAGGGACCGCACCGCTAACG 645
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   62 CGACGTGTGACTCGGAGTGCGGCCTGGGAGGATGGACGAGGGACCGCTTAACG 121

Qy   646 GGGGCTCCCTCTGCGCGCCGGTCCGCAGAGAGGGGCACGTCGAGGGGTCCCGGCGGGGTTCCG 705
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   122 GGGGCTCCCTCTGCGCGCCGGTCCGCAGAGAGGGGCACGTCGAGGGGTCCCGGCGGGGTTCCG 181

Qy   706 TGGACGTTGGGCCGTAGCCCCGAGCGGGGGTTCTCCGGCGGTTCGTTCGTCCGCGCGG 765
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   182 TGGACGTTGGGCGGTAGCGCCGAGTCACGGGACCAATGAACGAGCGTTCGTGTCCGCGCGG 241

Qy   766 CCCAAGGCCGGGATGGGGGTTAGCCACATCCTCGCCGCCGCTGAGCGGGGAGGGCTTAACGGGGCG 825
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   242 CCCAAGGCCGGGATGGGGGTTAGCCACATCCTCGCCGCCGCTGAGCGGGGAGGGCTTGC 301

RESULT 5
BM671616/c
LOCUS   BM671616   685 bp   mRNA   linear   EST 27-FEB-2002
DEFINITION UI-E-CQ1-agc-1-04-0-UI.s1 UI-E-CQ1 Homo sapiens cDNA clone
            UI-E-CQ1-agc-1-04-0-UI 3', mRNA sequence.
ACCESSION   BM671616
VERSION   BM671616.1   GI:18981514
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 685)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE   Normalization and subtraction: two approaches to facilitate gene
            discovery
  JOURNAL   Genome Res. 6 (9), 791-806 (1996)
  PUBMED   8889548
COMMENT   Contact: Soares, MB
            Coordinated Laboratory for Computational Genomics
            University of Iowa
            375 Newton Road, 4156 MERRF, Iowa City, IA 52242, USA
            Tel: 319 335 8250
            Fax: 319 335 9565
            Email: bento-soares@uiowa.edu
            Tissue Procurement: Dr. Gregg Hageman
            cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
            DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
            Clone Distribution: Researchers may obtain clones from Research
            Genetics (www.resgen.com).
            Seq primer: M13 Forward
            POLYA=Yes.
FEATURES   Location/Qualifiers
     source   1..685
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-E-CQ1-agc-1-04-0-UI"
                     /tissue_type="optic nerve"
                     /dev_stage="adult"
                     /lab_host="DH10B (Life Technologies) (T1 phage resistant)"
                     /clone_lib="UI-E-CQ1"
                     /note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a

Db   826 CGGGGCGCCGGGCCCAGCGCGGGAGCGGCCCCCACCGCGGATGGCGAGGGGAGGGAGTGCAAGGCGCTGC 885
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   302 CGGGGCGCCGGGCCCAGCGCGGGAGCGGCCCCCACCGCGGATGGCGAGGGGAGGGAGTGCAAGGCGCTC 361

Db   886 TGGACGGGGCTCAACAAGACGACTACTGCGTGCTACCACCACCACCTGGTGCGTCGGTCGGTGGCT 945
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   362 TGGACGGGGCTCAACAAGACGACTGGTGCTACCACCACCACCTGGTGCTGACGTCGGTGGGCT 421

Db   946 CGGCGGGGACTGCGCAGGACCTGCGGGCAGGAGCTGCAAAAGACGCGGCCCAGGAAGGGCCGCAGGAGC 1005
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   422 CGGCGGGGACTCGCANAACCTGGGGCTGCAGGAGCTGCAAAAGACGCGGCCCAGGAAGGGCCGCAGGAGC 481

Db 1006 TGGCGGTGTCCACCTGCGCGCCGCGGCCTGACTGCTGTCGTCGTGCGGCACCGGCGGCCTCGGCGCCCGG 1065
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   482 TGGCGGTGTCCACCTGCGCCGCGGCCTGACTGCTGTCGTCGTCGTGCGGCACCGGCGGCCTCGGCGCCCGG 541

Db 1066 ACGAGCGGCGCCGAGTTCGAGCGGCGCTCTGGGTGGTGGCCTTCTCGGGGCTGGACCTGCTGG 1125
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   542 ACGAGCGGCGCCGAGTTCGAGCGGCGCTCTGGGTGGTGGCCTTCTCGGGGCTGGACCTGCTGG 601

Db 1126 AACGGGACACATGCCGACGCTCGCTGGAGCTGGGGCCGCGCGGTTCCCGCGCTGCACGCGC 1179
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   602 AACGGGACACATGCCGACGCTCGCTGGAGCTGGGGCCGCGCGGTTCCCGCGCTGCACGCGC 655

RESULT 6

```
LOCUS       BX116028                 660 bp    mRNA    linear    EST 07-FEB-2003
DEFINITION  BX116028 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone
            IMAGp998C11795 ; IMAGE:347458, mRNA sequence.
ACCESSION   BX116028
VERSION     BX116028.1    GI:27880354
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 660)
  AUTHORS   Ebert,L., Heil,O., Hennig,S., Neubert,P., Partsch,E., Peters,M.,
            Radelof,U., Schneider,D. and Korn,B.
  TITLE     Human Unigeneset - RZPD3
  JOURNAL   Unpublished (2003)
COMMENT     Contact: Ina Rolfs
            RZPD Deutsches Ressourcenzentrum fuer Genomforschung GmbH
            Im Neuenheimer Feld 580, D-69120 Heidelberg, Germany
            RZPD; IMAGp998C11795.
            RZPDLIB; I.M.A.G.E. cDNA Clone Collection;
            Human UnigeneSet - RZPD3 (RZPDLIB No.972)
            http://www.rzpd.de/clonecards/cgi-
            bin/showlib.pl.cgi/response?libNo=972 Contact: Ina Rolfs
            RZPD Deutsches Ressourcenzentrum fuer Genomforschung GmbH
            Heubnerweg 6, D-14059 Berlin, Germany
            Tel: +49 30 32639 101
            Fax: +49 30 32639 111
            www.rzpd.de
            This clone is available royalty-free from RZPD;
            contact RZPD (clone@rzpd.de) for further information. Seq primer:
            M13r, Primer sequence: TTTCACACAGGAAAACAGCTATGAC.
FEATURES             Location/Qualifiers
     source          1..660
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGp998C11795 ; IMAGE:347458"
                     /sex="unknown"
                     /dev_stage="19 weeks"
                     /lab_host="DH10B (ampicillin resistant)"
                     /clone_lib="Soares_fetal_heart_NbHH19W"
                     /note="Organ: heart; Vector: pT7T3D (Pharmacia) with a
                     modified polylinker; Site_1: Eco RI; Site_2: Eco RI; 1st
                     strand cDNA was primed with a Not I - oligo(dT) primer [5'
                     TGTTACCAATCTGAAAGTGGGAGAGGGCGGCCGCATCTTTTTTTTTTTTTTTT 3'],
                     double-stranded cDNA was size selected, ligated to Eco RI
                     adapters (Pharmacia), digested with Not I and cloned into
                     the Not I and Eco RI sites of a modified pT7T3 vector
                     (Pharmacia). Library went through one round of
                     normalization to a Cot = 5. Library constructed by
                     M.Fatima Bonaldo. This library was constructed from the
                     same fetus as the fetal lung library, Soares fetal lung
                     NbHH19W."
ORIGIN
```

Query Match   20.7%;   Score 646;   DB 5;   Length 660;
Best Local Similarity 100.0%;   Pred. No. 3.7e-102;
Matches 646; Conservative   0;   Mismatches 0;   Indels 0;   Gaps 0;

```
Qy   2129 CTAAGACGGCGCTACACAGCCCTTCCTAGCAGAGCTTTATCCATTCGTCCCCAAGAGCAGCTAG 2188
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 CTAAGACGGCGCTACACAGCCCTTCCTAGCAGAGCTTTATCCATTCGTCCCCAAGAGCAGCTAG 60

Qy   2189 AAGAGATTTGAGGTCATGACCTCCCACTGCCGCCTCAGGGGTGACCCTATTTAGGAAACC 2248
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 AAGAGATTTGAGGTCATGACCTCCCACTGCCGCCTCAGGGGTGACCCTATTTAGGAAACC 120

Qy   2249 AAAGAGGGTGGGTTGAACCTACTCTCACGGACTTGGATCCAGTGCGCACACTTGCCTGCG 2308
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 AAAGAGGGTGGGTTGAACCTACTCTCACGGACTTGGATCCAGTGCGCACACTTGCCTGCG 180
```

```
ORIGIN
```

modified polylinker; Site_1: EcoR I; Site_2: Not I;
UI-E-CQ1 is a normalized cDNA library containing the
following tissue(s): optic nerve. The library was
constructed according to Bonaldo, Lennon and Soares,
Genome Research, 6:791-806, 1996. First strand cDNA
synthesis was primed with an oligo-dT primer containing a
Not I site. Double stranded cDNA was ligated to an EcoR I
adaptor, digested with Not I, and cloned directionally
into pT7T3-Pac vector. The oligonucleotide used to prime
the synthesis of first-strand cDNA contains a library tag
sequence that is located between the Not I site and the
(dT)18 tail. The sequence tag for this library is
CCATTAAGTG. This library was created for the program, Gene
Discovery in the Visual System, supported by National Eye
Institute (NBI).
TAG_TISSUE=human optic nerve
TAG_LIB=UI-E-CQ1
TAG_SEQ=CCATTAAGTG"

Query Match   20.7%;   Score 646.4;   DB 3;   Length 685;
Best Local Similarity 99.6%;   Pred. No. 3.1e-102;
Matches 669; Conservative   0;   Mismatches 1;   Indels 2;   Gaps 2;

```
Qy   2103 AGAGCAGTTCATACAAAAGGGGCTTTCTTAAGACGGCGCTACACAGCCCTTCCTTAGCAGAGTTT 2162
          ||||||||||||||||||||||||||||||||||||||| ||||||||||||||||||||||||
Db    685 AGAGCAGTTCATACAAAA-GGCTTTCTTAAGACGGCGCTACACAGCCCTTCCTTAGCAGAGTTT 627

Qy   2163 ATCCATTCGTCCCCAAGAGCAGCTAGAAGAGCAGGATTTGAGGTCATGACCTCCCACTGCCGCT 2222
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    626 ATCCATTCGTCCCCAAGAGCAGCTAGAAGAGCAGGATTTGAGGTCATGACCTCCCACTGCCGCT 567

Qy   2223 CAGGGGGCTGACCCTATTTAGGAAAACCAAAGAGGGGTGGGTTGAACCTTACTCTCACGGACTT 2282
          ||||||||||||||||||||||||||||||||||||||||||||| ||||||||||||||||||
Db    566 CAGGGGGCTGACCCTATTTAGGAAAACCAAAGAGGGGTGGG-TGAACCTTACTCTCACGGACTT 508

Qy   2283 GGATCCAGTGCGCACACTTGCCTGCGGGGAAAAAGGGGCTCTCCCCAGCCACCCGGAGATGGGG 2342
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    507 GGATCCAGTGCGCACACTTGCCTGCGGGGAAAAAGGGGCTCTCCCCAGCCACCCGGAGATGGGG 448

Qy   2343 GTAAGAGGAAGAGAGCAGAGAGGGCTTGGGGTAGGGCCACCTGGGTGTTTAAACACGGCACTTTCTC 2402
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    447 GTAAGAGGAAGAGAGCAGAGAGGGCTTGGGGTAGGGCCACCTGGGTGTTTAAACACGGCACTTTCTC 388

Qy   2403 CTTCTCTCGGGCCTTATTTTTTGTTCAGAACTAGACACCAGAGTGTTTGAAACTTCCTTTGCAGG 2462
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    387 CTTCTCTCGGGCCTTATTTTTTGTTCAGAACTAGACCAGAGTGTTTGAAACCTCCTTTGCAGG 328

Qy   2463 AGGGGCTGGGGAATCCTCCTTTAGAGCACTTAATCCTATTAATCCCTGGAATGTGCGTGCTG 2522
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    327 AGGGGCTGGGGAATCCTCCTTTAGAGCACTTAATCCTATTAATCCCTGGAATGTGCGTGCTG 268

Qy   2523 GCCAGTAGGAGGGGCTGGCTTGGCAGCTCCCTGACCCTGCCCGCGCCCCTCCGGGG 2582
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    267 GCCAGTAGGAGGGGCTGGCTTGGCAGCTCCCTGACCCTGCCCGCGCCCCTCCGGGG 208

Qy   2583 TAATCGTGGCATTACTGGGCCCACGAGGGTTTTGAGCCAATCAGCTCTGAGACTGGGGTTAGA 2642
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    207 TAATCGTGGCATTACTGGGCCCACGAGGGTTTTGAGCCAATCAGCTCTGAGACTGGGGTTAGA 148

Qy   2643 ATGTAACAGCTTTAACTGTGGGAGTTTTAAAAGGTAATAATCCTCTGAAAGA 2702
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    147 ATGTAACAGCTTTAACTGTGGGAGTTTTAAAAGGTAATAATCCTCTGAAAGA 88

Qy   2703 AAAAATGACGTAACCACAGCCGTGTACTATGAAAAGCGTTATTTAATAAAAGAACGCTGGGGC 2762
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     87 AAAAATGACGTAACCACAGCCGTGTACTATGAAAAGCGTTATTTAATAAAAGAACGCTGGGGC 28

Qy   2763 CATGAACTCATA 2774
          ||||||||||||
Db     27 CATGAACTCAAA 16
```

RESULT 7
BQ682843

LOCUS   BQ682843   972 bp   mRNA   linear   EST 15-JUL-2002
DEFINITION AGENCOURT_8495014 NIH_MGC_112 Homo sapiens cDNA clone IMAGE:6295149
            5', mRNA sequence.
ACCESSION   BQ682843
VERSION   BQ682843.1 GI:21795522
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 972)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: DCTD/DTP
            cDNA Library Preparation: Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Agencourt Bioscience Corporation
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM2500 row: o column: 22
            High quality sequence stop: 463.

FEATURES   Location/Qualifiers
     source   1..972
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:6295149"
                     /tissue_type="melanotic melanoma, cell line"
                     /lab_host="DH10B (phage-resistant)"
                     /clone_lib="NIH_MGC_112"
                     /note="Organ: skin; Vector: pOTB7; Site 1: XhoI; Site 2:
                     EcoRI; cDNA made by oligo-dT priming. Directionally cloned
                     into EcoRI/XhoI sites using the following 5' adaptor:
                     GGCACGAG(G). Library constructed by Ling Hong in the
                     laboratory of Gerald M. Rubin (University of California,
                     Berkeley) using ZAP-cDNA synthesis kit (Stratagene) and
                     Superscript II RT (Life Technologies). Note: this is a
                     NIH_MGC Library."
ORIGIN

Query Match   18.5%; Score 577.4; DB 5; Length 972;
Best Local Similarity   96.0%; Pred. No. 3e-90;
Matches 656; Conservative   0; Mismatches 21; Indels   6; Gaps   6;

Qy 1899 AGTTTCGGTGCCCAGCCACCCCTTGCCCAGCGTGCCCCCCTTCTTGCGTGGGACAGTTGAAAAGGT 1958
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 AGTTTCGGTGCCCACCCCACCCCTTGCCCAGCGTGCCCCCCTTCTTGCGTGGGACAGTTTGAAAGGT 60

Qy 1959 GGGTGGGGGTGGGAGTGAAGTTTGGAGGAGGGGACGGGCGTGTTTGGGTTCTAATGTGGTTCTGTT 2018
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 GGGTGGGGTGGGAGTGAAGTTTGGAGGAGGGGACGGGCGTGTTTGGGTTCTAATGTGGTTCTGTT 120

Qy 2019 TCCCGGACAAGAAAAATTGCAATCAAATGTCAGCAGCTTTTATTACCTTAATCTTTCTTCAGG 2078
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 TCCCGGACAAGAAAAATTGCAATCAAATGTCAGCAGCTTTTATTACCTTAATCTTTCAGG 180

Qy 2079 GCCTAAAATTTAGGAGAGTGTCCTGAGACGCAGTTCATACAAAGGGCATTTTCTCTAAAGACCG 2138
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 GCCTAAAATTTAGGAGAGTGTCCTGAGACGCAGTTCATACAAAGGGCATTTTCTCTAAAGACGCG 240

Qy 2139 CTACAGCCCTTCCTTAGCAGAGTTTATCCATTCGTCCCCAAGAGCCAGCTGAAGAGATTTG 2198
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 CTACAGCCCTTCCTTAGCAGAGTTTATCCATTCGTCCCCAAGAGCCAGCTGAAGAGATTTG 300

Qy 2199 AGGTCATGACCTCCCACTGCCCGCTCAGGGGCTGACCCCTATTTAGGGAAAACCAAAGAGAGGGTG 2258
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 AGGTCATGACCTCCCACTGCCCGCTCAGGGGCTGACCCCTATTTAGGGAAAACCAAAGAGAGGGTG 360

Qy 2259 GGTTGAACCTACTTCTCACGGACTTGGATCCCAGTGCACACACTTGCCCTCGCGGAAAAGGACT 2318
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 GGTTGAACCTACTTCTCACGGACTTGGATCCCAGTGCACACACTTGCCCTCGCGGAAAAGGACT 420

Qy 2319 CTCCCCAGCCACCCGGAGATGGGGGGTAAGAGGAGAAGACCAGAGGGCCTTGGGGTAGGGCCA-C 2377
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421 CTCCCCAGCCACCCGGAGATGGGGGTAAGAGGAGAAGACCAGAGGGCCTTGGGGTAGGGCCACC 480

Qy 2378 CTGGTGTTTAAACAGGGCACTTTCTCCTTCTCTGGGGCTTATTTTTTGTTCAGAACTAGAGACC 2437
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481 CTGGTGTTTAAACAGGGCACTTTCTCCTTCTCTGGGGCTTATTTTTTGTTCAGAACTAGAGACC 540

Qy 2438 AGAGTGTTTGAA-CCTCCTTTGCCAGGAGGGCTGGG-AATCCTCTCTTTAGAGCA-CTTAATC 2494
          |||||||||||| ||||||||||||||||||||| |||||||||||||||||| ||||||
Db   541 AGAGTGTTTGAACCCTCCTTTGCCAGGAGGGCTGGGAAATCCTCTTTTAAAACACCTTAATC 600

Qy 2495 CTATTTAT--CCCCTGGAATGTGCGTGTCTTGGCCAGTAGG-AGGGCTGGGTTTGGCAGCTCC 2552
          ||||||||| |||||||||||||||||||||||||||||| |||||||||||||||||||
Db   601 CTATTTATCCCCCTGGAATGTGCGGTGTCTTGGCCAGTAGGGAGGGCTGGGTTTGGCAGCTCC 660

Qy 2553 CTGACCCCCGCGGCTGCCCGCCCC 2575
          ||||||| ||| ||||||||
Db   661 CTTGAACCCCCGCGGGTTGGCCC 683

RESULT 8
BM707056

LOCUS   BM707056   578 bp   mRNA   linear   EST 28-FEB-2002
DEFINITION UI-E-CR1-adx-b-12-0-UI.r1 UI-E-CR1-adx-b-12-0-UI 5', mRNA sequence.
ACCESSION   BM707056
VERSION   BM707056.1 GI:19020314
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;

```
REFERENCE  1  (bases 1 to 578)
  AUTHORS  Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE    Normalization and subtraction: two approaches to facilitate gene
           discovery
  JOURNAL  Genome Res. 6 (9), 791-806 (1996)
  PUBMED   8889548
COMMENT    Contact: Soares, MB
           Coordinated Laboratory for Computational Genomics
           University of Iowa
           375 Newton Road, 4156 MERRF, Iowa City, IA 52242, USA
           Tel: 319 335 8250
           Fax: 319 335 9565
           Email: bento-soares@uiowa.edu
           Tissue Procurement: Dr. M. Bento Soares, University of Iowa
           cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
           DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
           Clone Distribution: Researchers may obtain clones from Research
           Genetics (www.resgen.com).
           Seq primer: M13 Reverse
FEATURES             Location/Qualifiers
     source          1..578
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-E-CR1-adx-b-12-0-UI"
                     /tissue_type="eye anterior segment"
                     /dev_stage="adult"
                     /lab_host="DH10B (life Technologies) (T1 phage resistant)"
                     /clone_lib="UI-E-CR1"
                     /note="Organ: eye; Vector: pT7T3 (Pharmacia) with a
                     modified polylinker; Site 1: EcoR I; Site 2: Not I;
                     UI-E-CR1 is a normalized cDNA library containing the
                     following tissue(s): eye anterior segment. The library was
                     constructed according to Bonaldo, Lennon and Soares,
                     Genome Research, 6:791-806, 1996. First strand cDNA
                     synthesis was primed with an oligo-dT primer containing a
                     Not I site. Double stranded cDNA was ligated to an EcoR I
                     adaptor, digested with Not I, and cloned directionally
                     into pT7T3-Pac vector. The oligonucleotide used to prime
                     the synthesis of first-strand cDNA contains a library tag
                     sequence that is located between the Not I site and the
                     (dT)18 tail. The sequence tag for this library is
                     AATGCCGGAT.This library was created for the program, Gene
                     Discovery in the Visual System, supported by National Eye
                     Institute (NEI)."
ORIGIN
Query Match           17.9%;  Score 560;  DB 3;  Length 578;
Best Local Similarity 99.8%;  Pred. No. 3.4e-87;
Matches 560;  Conservative   0;  Mismatches   1;  Indels   0;  Gaps   0;

Qy      1964 GGGGTGGAGTGGAAGTTTGGAGAGGGACCGCTCGTTGGTTCTCATGTGGTTGGTCGTGTTCCCG 2023
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        18 GGGGTGGAGTGGAAGTTTGGAGAGGGACCGCTCGTTGGTTCTCATGTGGTTGGTCGTGTTCCCG 77

Qy      2024 GACAAGAAAAATTGCAATCAAAATGTCAGCAGCGCTTTTATTTACCTTAATCTTTCATTGAGGGC 2083
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        78 GACAAGAAAAATTGCAATCAAAATGTCAGCAGCGCTTTTATTTACCTTAATCTTTCAGGGCCTA 137

Qy      2084 AATTTAGGAGAGAGTGTCCTGAGCAGCAGTTCATACACAAAGGCGCTTTCTCTTAAGACGCGGCTACA 2143
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       138 AATTTAGGAGAGAGTGTCCTGAGCAGCAGTTCATACACAAAGGCTTTCTCTTAAGACGCGGCTACA 197

Qy      2144 GCCCTTCCTAGCAGAGTTTATCCATTCGTCCCCAAGAGAGCTAGAAGAGATTTGAGGTC 2203
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       198 GCCCTTCCTAGCAGAGTTTATCCATTCGTCCCCAAGAGAGCTAGAAGAGATTTGAGGTC 257

Qy      2204 ATGACCTCCACTGCCGCCTCAGGGGGCTGACCCTATTTAGGAAAACCAAAGAGGGTGGGTTG 2263
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       258 ATGACCTCCACTGCCGCCTCAGGGGGCTGACCCTATTTAGGAAAACCAAAGAGGGTGGGTTG 317
```

```
RESULT 9
W81663
LOCUS       W81663                     595 bp    mRNA    linear   EST 17-OCT-1996
DEFINITION  zd85e06.r1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone
            IMAGE:347458 5', mRNA sequence.
ACCESSION   W81663
VERSION     W81663.1  GI:1392291
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 595)
  AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
            Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
            Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
            Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
            Wilson,R.
  TITLE     The WashU-Merck EST Project
  JOURNAL   Unpublished (1995)
COMMENT     Contact: Wilson RK
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Insert Length: 584   Std Error: 0.00
            Seq primer: mob.RBGA+ET
            High quality sequence stop: 431.
FEATURES             Location/Qualifiers
     source          1..595
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:1272833"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:347458"
                     /sex="unknown"
                     /dev_stage="19 weeks"
                     /lab_host="DH10B (ampicillin resistant)"
                     /clone_lib="Soares_fetal_heart_NbHH19W"
                     /note="Organ: heart; Vector: pT7T3D (Pharmacia) with a
                     modified polylinker; Site 1: Not I - oligo(dT) primer [5'
                     TGTTACCAATCTGAAGTGGGACGCGACGCCGCATCTTTTTTTTTTTTT 3'], 1st
                     strand cDNA was primed with a Not I oligo(dT) primer [5'
                     double-stranded cDNA was size selected, ligated to EcoR I
                     adapters (Pharmacia), digested with Not I and cloned into
                     the Not I and Eco RI sites of a modified pT7T3 vector
                     (Pharmacia). Library went through one round of
                     normalization to a Cot = 5. Library constructed by
```

Left column

ORIGIN

M.Fatima Bonaldo. This library was constructed from the
same fetus as the fetal lung library, Soares fetal lung
NbHL19W."

Query Match
Best Local Similarity   17.1%;   Score 534.8; DB 8; Length 595;
                         97.7%;   Pred. No. 8.2e-83;
Matches 584; Conservative   0; Mismatches   9; Indels   5; Gaps   4;

```
Qy  2129  CTAAGAGGCGCTACAGCCCCTCCTAGCGAGAGTTTATCCATTCGTCCCCAAGAGCAGCTAG  2188
          ||||||| ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     1  CTAAGACCGCTACAGCCCCTCCTAGCGAGAGTTTATCCATTCGTCCCCAAGAGCAGCTAG     60

Qy  2189  AAGAGATTTGAGGTCAATGAGCACTCCCACTGCCCGCCCTCAGGGGTCGCTTATTTAGGAAACC  2248
          |||||||||||||||||||||||||||||||||||||||||||||||||||| |||||||||||
Db    61  AAGAGATTTGAGGTCAATGAGCACTCCCACTGCCCGCCCTCAGGGGTCGCTTATTTAGGAAACC   120

Qy  2249  AAAGAGGGGTGGGGTTGAACCTACTCTCACGGACTTGGATCTGCGCACACTTGCCTGCG  2308
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121  AAAGAGGGGTGGGGTTGAACCTACTCTCACGGATCGGATCGTGCGCGACACTTGCCTGCG   180

Qy  2309  GAAAAGGGGCTCTCCCCAGCCACCCGGAGGATGGGGGGGGTAAGAGCAGAAGAGAGGGCTTGGGG  2368
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181  GAAAAGGGGCTCTCCCACCACCCGGAGATGGGGGGGTAAGAGCAGAAGAGAGGGCTTGGGG   240

Qy  2369  TAGGGGCCACCTGGTGTGTTTAAACA-GGCACTTTCTTCCTTCTCTGGGGGCCTTAITTTTTGTTCA  2427
          ||||||||||||||||||||||||||  ||||||||||||||||||||||||||||||||||||||
Db   241  TAGGGCCACCTGGTGTGTTTAAACACGGCACTTTCTTCCTTCTCTGGGGCCTTAITTTTTGTTCA   300

Qy  2428  GAACTAGACCAGAGTGTTGTTTGAACCTTCTTCCTTTGCAGGAGGGGGCTCGGGGAATCCTCTTCTTTAGAGCA  2487
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301  GAACTAGACCAGAGTGTTTGAACCTTCTTCTTTTGCAGGAGGGGCCTCGGGAATCCTCTCTTTAGAGCA   360

Qy  2488  CTTAATCCTATTTATTCCCCTGGAATGTTCGCGTCGTGCCCAGTAGGAGGGGGCTTGCCTTTGGCA  2547
          |||||||||||||||||| ||||||||||||||||||||||||||||||||||||||||||||||
Db   361  CTTAATCCTATTTATTCCCCTGGAATGTGCGTGCCCAGTAGGAGGGGGCTTGCCTTTGGCA   420

Qy  2548  GCTCCCTGACCCCCGCGCCCCGCCCCTCCGGGGGGTAATGTGGGCATTACTGGCCCACAGA  2607
          ||||||||||||||||||||||||||||||||||||||||||||||||| ||| |||||||
Db   421  GCTCCCTGACCCCCGCGCCCCGCCCCTCCGGGGTAAATGTGGGCATTACTGG-CCACAGA   479

Qy  2608  GGTTTTGAGCCCAAATCAGCTCTCGAGACTGGGGTTTAGAAATGTAACAGCTTTAAACTTG-GGGGATTT  2667
          |||||||||||||||||||||||||||||||||||||| ||| |||||||||||||||||
Db   480  GGTTTTGAGCCCAAATCAGCTCTCGAGACTGGGTTAGAAATGTAACAGCCTTTACTTGGGGATTT   539

Qy  2668  AAGAAGCTTTTAAAGGTTAATAAATCCTTCTGAAAGAAAAAATGAACGTAACCACCACAGCGTGT  2725
          ||||||||||||| |||||||||||||||||||| |||||||||||||||||||||||||||||
Db   540  AAGAAGCCTTTAAAA-GTAATAAATCCNCTGAA--GAAAATGACGTAACCNCAGCGGTTT   594
```

RESULT 10
BM710194

LOCUS   BM710194   500 bp   mRNA   linear   EST 28-FEB-2002
DEFINITION UI-B-CQ1-agc-1-04-0-UI.r1 UI-B-CQ1 Homo sapiens cDNA clone
            UI-B-CQ1-agc-1-04-0-UI 5', mRNA sequence.
ACCESSION   BM710194
VERSION   BM710194.1 GI:19023452
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 500)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE   Normalization and subtraction: two approaches to facilitate gene
            discovery
  JOURNAL   Genome Res. 6 (9), 791-806 (1996)
   PUBMED   8889548
  COMMENT   Contact: Soares, MB
            Coordinated Laboratory for Computational Genomics
            University of Iowa
            375 Newton Road, 4156 MEBRF, Iowa City, IA 52242, USA

Right column

Tel: 319 335 8250
Fax: 319 335 9565
Email: bento-soares@uiowa.edu
Tissue Procurement: Dr. Gregg Hageman
cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
Clone Distribution: Researchers may obtain clones from Research
Genetics (www.resgen.com).
Seq primer: M13 Reverse.

FEATURES   Location/Qualifiers
     source   1..500
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-B-CQ1-agc-1-04-0-UI"
                     /tissue_type="optic nerve"
                     /dev_stage="adult"
                     /lab_host="DH10B (life Technologies) (T1 phage resistant)"
                     /clone_lib="UI-B-CQ1"
                     /note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a
                     modified polylinker; Site 1: EcoR I; Site 2: Not I;
                     UI-B-CQ1 is a normalized cDNA library containing the
                     following tissue(s): optic nerve. The library was
                     constructed according to Bonaldo, Lennon and Soares,
                     Genome Research, 6:791-806, 1996. First strand cDNA
                     synthesis was primed with an oligo-dT primer containing a
                     Not I site. Double stranded cDNA was ligated to an EcoR I
                     adaptor, digested with Not I, and cloned directionally
                     into pT7T3-Pac vector. The oligonucleotide used to prime
                     the synthesis of first-strand cDNA contains a library tag
                     sequence that is located between the Not I site and the
                     (dT)18 tail. The sequence tag for this library is
                     CCATTAAGTG. This library was created for the program, Gene
                     Discovery in the Visual System, supported by National Eye
                     Institute (NEI)."

ORIGIN

Query Match
Best Local Similarity   16.0%;   Score 500; DB 3; Length 500;
                        100.0%;   Pred. No. 9.5e-77;
Matches 500; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy  2022  CGGACAAGAAAAAATTGCAAATCAAAATGTCAGCGAGCTTTATTTATTTACCTTAATCTTTCAGGGCC  2081
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     1  CGGACAAGAAAAAATTGCAAATCAAAATGTCAGCGAGCTTTATTTATTTACCTTAATCTTTCAGGGCC    60

Qy  2082  TAAATTTAGGAGAGTGTCCTGAGAGCAGTTCATTACAAAGGGCTTTCTTCTTAAGACCGCTA  2141
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61  TAAATTTAGGAGAGTGTCCTGAGAGCAGTTCATTACAAAGGGCTTTCTTCTTAAGACGCGCTA   120

Qy  2142  CAGCCCCTTCCTAGCGAGAGTTTATCCATTCGTCCCCAAGAGACAGCACTAGAAGAGAGAGATTTGAGG  2201
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121  CAGCCCCTTCCTAGCGAGAGTTTATCCATTCGTCCCCAAGAGCAGCACTAGAAGAGAGATTTGAGG   180

Qy  2202  TCATGAGCTTCCCACTGCCCGCCTCAGGGGTCGCTTATTTAGGAAAACCAAAGAGGGGTGGGGT  2261
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181  TCATGAGCTTCCCACTGCCCGCCTCAGGGGTCGCTTATTTAGGAAAACCAAAGAGGGGTGGGGT   240

Qy  2262  TGAACCTACTCTCACGGACTTGGATCCAGTGCGCACACTTGCCTGCGGAAAAGGGGCCTTC  2321
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241  TGAACCTACTCTCACGGACTTGGATCCAGTGCGCACACTTGCCTGCGGAAAAGGGGCTCTC   300

Qy  2322  CCCAGCCACCCGGAGATGGGGGGTAAGAGCAGAAGAGGGCTTGGGGTAGGGCCACCTGG  2381
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301  CCCAGCCACCCGGAGATGGGGGGGTAAGAGCAGAAGAGGGCTTGGGGTAGGGCCACCTGG   360

Qy  2382  TGTTTAAACAGGCACTTTCTTCCTTCTCTGGGGCCTTATTTTTTGTTCAGGACCCAGAG  2441
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361  TGTTTAAACAGGCACTTTCTTCCTTCTCTGGGCCTTATTTTTTGTTCAGAACCACAGAG   420

Qy  2442  TGTTTGAACCTCCTTTGCAGGAGGGGGCTGGGAATCCTCTTCTTTAGAGCACTTAATCCTATTTA  2501
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421  TGTTTGAACCTCCTTTGCAGGAGGGGCTGGAATCCTCTCTCTTTAGAGCACTTAATCCTATTTA   480
```

```
Qy    2502  TCCCCTGGGAAATGTGCGTGCT 2521
            |||||||||||||||||||||
Db     481  TCCCCTGGGAAATGTGCGTGCT 500
```

RESULT 11

AW302149/c

LOCUS   AW302149   476 bp   mRNA   linear   EST 18-JAN-2000
DEFINITION   xs01f06.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2768387 3',
             similar to contains TAR1 repetitive element ; mRNA sequence.
ACCESSION   AW302149
VERSION   AW302149.1 GI:6711826
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 476)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE   Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
             Email: cgapbs-r@mail.nih.gov
             Tissue Procurement: Christopher Moskaluk, M.D., Ph.D.
             Emmert-Buck, M.D., Ph.D.
             cDNA Library Preparation: M. Bento Soares, Ph.D.
             cDNA Library Arrayed by: Greg Lennon, Ph.D.
             DNA Sequencing by: Washington University Genome Sequencing Center
             Clone distribution: NCI-CGAP clone distribution information can be
             found through the I.M.A.G.E. Consortium/LLNL at:
             www.bio.llnl.gov/bbrp/image/image.html.

             Possible reversed clone: polyT not found
             Seq primer: -40UP from Gibco
             High quality sequence stop: 457.

FEATURES   Location/Qualifiers
     source   1..476
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:2768387"
                     /lab_host="DH10B"
                     /clone_lib="NCI_CGAP_Kid11"
                     /note="Organ: kidney; Vector: pT7T3D-Pac (Pharmacia) with
                     a modified polylinker; Site 1: Not I; Site 2: Eco RI;
                     Plasmid DNA from the normalized library NCI_CGAP_Kid3 was
                     prepared, and ss circles were made in vitro. Following HAP
                     purification, this DNA was used as tracer in a subtractive
                     hybridization reaction. The driver was PCR-amplified cDNAs
                     from a pool of 5,000 clones made from the same library
                     (cloneIDs 1322376-1323911, 1456007-1456775, and
                     1500552-1502855). Subtraction by Bento Soares and M.
                     Fatima Bonaldo."
```

ORIGIN

Query Match   15.1%;   Score 472.8;   DB 1;   Length 476;
Best Local Similarity   99.6%;   Pred. No. 5.1e-72;
Matches 474;   Conservative   0;   Mismatches   2;   Indels   0;   Gaps   0;

```
Qy    716  CGGTAGCGCCGAGCGAGTCACGGACCATGAAGAGACGCTTCGTGCGCGGCGGCCCAAGGCCG 775
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    476  CGGTAGCGCCGAGCGAGTCACGGACCATGAAGAGACGCTTCGTGCGCGGCGGCCCAAGGCCG 417

Qy    776  GGATGGGGGTTAGCCACCATCCTGCCGCGCTGAGGGGGGAGGCTAACGGCCGCGGCGGGCCG 835
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    416  GGATGGGGGTTAGCCACATCCTGCCGCGCTGAGGGGGGAGGCTAACGGCCGCGGCGGGCCG 357

Qy    836  GGCCCAGCCCGAGCCCCGGATGGCGAGGAGGAGAGTGCAAGGAGCTGGTTGGACGGGGCT 895
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    356  GGCCCAGCCCGAGCCCCACCCGGATGGCGAGGAGGAGAGTGCAAGGAGCTGGTTGGACGGGGCT 297
```

RESULT 12

BM673230/c

LOCUS   BM673230   480 bp   mRNA   linear   EST 27-FEB-2002
DEFINITION   UI-E-CR1-adx-b-12-0-UI.s1 UI-E-CR1 Homo sapiens cDNA clone
             UI-E-CR1-adx-b-12-0-UI 3', mRNA sequence.
ACCESSION   BM673230
VERSION   BM673230.1 GI:18983128
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 480)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE   Normalization and subtraction: two approaches to facilitate gene
             discovery
  JOURNAL   Genome Res. 6 (9), 791-806 (1996)
   PUBMED   8889548
COMMENT   Contact: Soares, MB
             Coordinated Laboratory for Computational Genomics
             University of Iowa
             375 Newton Road, 4156 MBRF, Iowa City, IA 52242, USA
             Tel: 319 335 8250
             Fax: 319 335 9565
             Email: bento-soares@uiowa.edu
             Tissue Procurement: Dr. Gregg Hageman
             cDNA Library Preparation: Dr. M. Bento Soares, University of Iowa
             cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
             DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
             Clone Distribution: Researchers may obtain clones from Research
             Genetics (www.resgen.com).
             Seq primer: M13 Forward
             POLYA=Yes.

FEATURES   Location/Qualifiers
     source   1..480
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-E-CR1-adx-b-12-0-UI"
                     /lab_host="DH10B (life Technologies) (T1 phage resistant)"
                     /clone_lib="UI-E-CR1"
                     /note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a
                     modified polylinker; Site 1: EcoR I; Site 2: Not I;
                     UI-E-CR1 is a normalized cDNA library containing the
                     following tissue(s): eye anterior segment. The library was
                     constructed according to Bonaldo, Lennon and Soares,
                     Genome Research, 6:791-806, 1996. First strand cDNA
                     synthesis was primed with an oligo-dT primer containing a
                     /tissue_type="eye anterior segment"
                     /dev_stage="adult"
```

```
Qy    896  CAACAAGAGACGACTGCGTGCTACCACCACCACTGGTTGCTTGACGCTGTTGGCTCGGCGACTC 955
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    296  CAACAAGACGACTGCGTGCTACCACCACCACTGGTTGCTTGACGCTGTTGGCTCGGCGACTC 237

Qy    956  GCAGAACACTGCCGCGCAGAGCGAGCTGCAAAAGACGCGGCAAGAGCGCAAGCGACGGAGCGTC 1015
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    236  GCAGAACACTGCCGCAGAGCGAGCTGCAAAAGACGCGGCAAGAGCGCAAGCGACGGAGCGGTC 177

Qy   1016  CACCTGCGCCCGGCCTGACTGGTGCGCGGCGACCGGGGCCTTGGCGCCCGACGAGCGCGC 1075
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    176  CACCTGCGCCCGGCCTGACTGGTGCGCGGCGACCGGGGCCTTGGCGCCCGACGAGCGCGC 117

Qy   1076  CGAGTTCGAGCGGGCGTCTGGGTGGGCGGCTTCTGGGGTGGACCTTGCTGGAAGCGGACAT 1135
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    116  CGAGTTCGAGCGGGCGTCTGGGTGGGCGGCTTCTGGGGTGGACCTTGCTGGAAGCGGACAT 57

Qy   1136  GCGAGCACCGCGCGTGGAGCTCGGGCGCCGCGCGTTCCCGCGTCGCACGCGCGGGACCGC 1191
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     56  GCGAGCACCGCGCGTGGAGCTCGGGCGCCGCGCGTTCCCGCGTCGCACGCGCGGGACCGC 1
```

Left column

ORIGIN

```
Not I site. Double stranded cDNA was ligated to an EcoR I
adaptor, digested with Not I, and cloned directionally
into pT7T3-Pac vector. The oligonucleotide used to prime
the synthesis of first-strand cDNA contains a library tag
sequence that is located between the Not I site and the
(dT)18 tail. The sequence tag for this library is
AATGCCGCAT. This library was created for the program, Gene
Discovery in the Visual System, supported by National Eye
Institute (NEI).
TAG_TISSU=human eye anterior segment
TAG_LIB=UI-E-CB1
TAG_SEQ=AATGCCGCAT"
```

ORIGIN

Query Match   14.8%;   Score 461.8; DB 3;   Length 480;
Best Local Similarity   99.6%; Pred. No. 4.2e-70;
Matches 463; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

```
Qy  2310 AAAAGGGGCTCTCCCCAGCCACCCCAGCACCCCGGAGGATGGGGGGTAAGAGAGAAGAGAGAGAGAGCTTGGGGT 2369
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   480 AAAAGGGGCTCTCCCCAGCCACCCCAGCACCCCGGAGGATGGGGGGTAAGAGAGAAGAGAGAGAGAGCTTGGGGT 421

Qy  2370 AGGGGCCACCTGGTGTTAAACAGGGCACACTTTCTCCCTTCTCTGGGCTTATTTTTTGTTCAGA 2429
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   420 AGGGGCCACCTGGTGTTAAACAGGGCACTTTCTCCCTTCTCTGGGCTTATTTTTTGTTCAGA 361

Qy  2430 ACTAGACCAGAGTGTTTGAACCCTCCTTTGCACGAGAGGCGGGAATCCTTCTTTAGAGCACT 2489
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360 ACTAGACCAGAGTGTTTGAACCCTCCTTTGCACGAGAGGCGTGGGAATCCTTCTTTAGAGCACT 301

Qy  2490 TAATCCTATTTATTCCCTCTGGAATGTTCGGTGCTGTCGGGCTAGAGAGGCGCTTGGCAGC 2549
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 TAATCCTATTTATTCCCTCTGGAATGTTGCGTGCTGTCGGGCTAGAGAGGCGCTTGGCAGC 241

Qy  2550 TCCCTGACCCCCCGCCGCTGCCCCGCCCTCCGGGGTAATGTGGCCATAGTGGCCCACAGAGG 2609
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 TCCCTGACCCCCCGCGCTGCCCCGCCCTCCGGGGTAATGTGGCCATAGTGGCCCACAGAGG 181

Qy  2610 TTTTGAGCCAATCAGCTCTGAGACTGGGTTAGAATGTAACAGCTTTAACTTGGGATTTAA 2669
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 TTTTGAGCCAATCAGCTCTGAGACTGGGTTAGAATGTAACAGCTTTAACTTGGGATTTAA 121

Qy  2670 GAAGCTTTTAAAAGGTAATAATATCCTCTGGAAGAGAAAAATGACATAACACACGTGTTACTA 2729
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 GAAGCTTTTAAAAGGTAATAATACTCTGGAAGAGAAAAATGACCTAACCACAGCGTGTTACTA 61

Qy  2730 TGAAAGCTGTTATTTTAATAAAGAAACCCTGGCGCCCATGAACTCATA 2774
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db    60 TGAAAGCTGTTATTTTAATAAAGAAACCCTGGCGCCCATGAACTCAAA 16
```

RESULT 13

BM562937

LOCUS   BM562937   1376 bp   mRNA   linear   EST   20-FEB-2002
DEFINITION   AGENCOURT_6566935 NIH_MGC_88 Homo sapiens cDNA clone IMAGE:5736787
             5', mRNA sequence.
ACCESSION   BM562937
VERSION   BM562937.1 GI:18809436
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 1376)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
             Email: cgapbs-r@mail.nih.gov
             Tissue Procurement: ATCC
             cDNA Library Preparation: Life Technologies, Inc.
             cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)

Right column

             DNA Sequencing by: Agencourt Bioscience Corporation
             Clone distribution: MGC clone distribution information can be
             found through the I.M.A.G.E. Consortium/LLNL at:
             http://image.llnl.gov
             Plate: LiAM12745 row: n column: 20
             High quality sequence stop: 425.

FEATURES   Location/Qualifiers
     source   1..1376
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:5736787"
                     /clone_lib="NIH_MGC_88"
                     /lab_host="DH10B (phage-resistant)"
                     /tissue_type="duodenal adenocarcinoma, cell line"
                     /note="Organ: small intestine; Vector: pCMV-SPORT6;
                     Site_1: NotI; Site_2: SalI; Cloned unidirectionally.
                     oligo-dT primed. Average insert size 1.767 kb. Library
                     enriched for full-length clones and constructed by Life
                     Technologies. Note: this is a NIH_MGC Library."

ORIGIN

Query Match   14.3%;   Score 445.2; DB 3;   Length 1376;
Best Local Similarity   96.9%; Pred. No. 2.7e-67;
Matches 475; Conservative 0; Mismatches 13; Indels 2; Gaps 2;

```
Qy   453 CCCTTGGCAGCGCGCCTAAGGCGCGAGCGCGGCGGCTCTGCAGCCTCGTTGCCCCGGAGTTGGC 512
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     1 CCCTTGGCAGCGCGCCTAAGGCGCGAGCGCGGCGGCTCTGCAGCCTCGTTGCCCCGGAGTTGGC 60

Qy   513 ACCCACCGGAGGATGGGGGGACCCGCACCCCTCGAGCTTCGCAGGGAGGCCACCGGTGGAGGCCAGGG 572
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61 ACCCACGGAGGATGGGGGGACCCGCACCCCTCAGCTTCGCAGGGAGGCCACCGGTGGAGGCCAGGG 120

Qy   573 CCGGTGCAGAGACACGAGCGTGACTCGGAGTGGCCCTGGGGGGAGGAGGATGGACAGGAGGGAGCGG 632
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 CCGGTGCAGAGACACGAGCGTGACTCGGAGTGGCCCTGGGGGGAGGAGGATGGACAGGAGGGAGCGG 180

Qy   633 GGGACCGGCTAACGGGGCTCCCCTGCGGCGCCCCCGTCCGCGAGAGGCGCACGTCAGGGGTCC 692
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 GGGACCGGCTAACGGGGCTCCCCTGCGGCGCCCCCGTCCGCGAGAGGCGCACGTCAGGGGTCC 240

Qy   693 CCGGCGCGGCTCCGTGGCACGTTGGCCGTTAGCGCGCGGGAGTGCACGGACCAGGGACCGGT 752
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 CCGGCGCGGCTCCGTGGACGTTGGCCGTTAGCGCGCGGGAGTGCACGGACCACATGAAGAGCGT 300

Qy   753 TCGGTGCCGCGCGCGCGCCCAAGGCGCGGATGGGGGTTAGCCACATCCTGCCGCCGGTGAGGGG 812
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 TCGGTGCCGCGCGCGCGGCCCAAGGCGCGGATGGGGGTTAGCCACATCCTGCCGCCGGTGAGGGG 360

Qy   813 AGGCTAACGGGGCCGCGCGCGCGGCGGCGGGCCCGGAGCCACCCGCGGATGGCAGGAGGGAG 872
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 AGGCTAACGGGGCCGCGCGCGCGGCGGCGGGCCCGGAGCCACCCGCGGATGGCAGGAGGGAG 420

Qy   873 TGCAA-GGGCGCTTGCTCGACGGGCTCAACAAGCACGACTGCGCGTGCTACCACCACCTGG-TGC 930
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||| ||||
Db   421 TGTAACCGCGCGCTGCTCGACGGGCTTCAACCACACGACTGCGTGCTACCCCCACTGGCGCGC 480

Qy   931 TGACCGTCGG 940
         ||||||||||
Db   481 TGACCGTCGG 490
```

RESULT 14

AI375213/c

LOCUS   AI375213   455 bp   mRNA   linear   EST   18-MAR-1999
DEFINITION   tc10f06.x1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:2063459
             3', mRNA sequence.
ACCESSION   AI375213
VERSION   AI375213.1 GI:4175203
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens

```
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
               Hominidae; Homo.
REFERENCE   1  (bases 1 to 455)
AUTHORS        NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE          National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
               Tumor Gene Index
JOURNAL        Unpublished (1997)
COMMENT        Contact: Robert Strausberg, Ph.D.
               Email: cgapbs-r@mail.nih.gov
               This clone is available royalty-free through LLNL ; contact the
               IMAGE Consortium (info@image.llnl.gov) for further information.
               Seq primer: -40UP from Gibco
               Insert Length: 587    Std Error: 0.00
               High quality sequence stop: 454.
FEATURES            Location/Qualifiers
     source         1..455
                    /organism="Homo sapiens"
                    /mol_type="mRNA"
                    /db_xref="taxon:9606"
                    /clone="IMAGE:2063459"
                    /tissue_type="Pooled human melanocyte, fetal heart, and
                    pregnant uterus"
                    /clone_lib="Soares NhHMPu_S1"
                    /lab_host="DH10B"
                    /note="Organ: mixed (see below); Vector: pT7T3D-Pac
                    (Pharmacia) with a modified polylinker; Site_1: Not I;
                    Site_2: Eco RI; Equal amounts of plasmid DNA from three
                    normalized libraries (melanocyte 2NbHM, pregnant uterus
                    NbHPU, and fetal heart NbHH19W) were mixed, and ss circles
                    were made in vitro. Following HAP purification, this DNA
                    was used as tracer in a subtractive hybridization
                    reaction. The driver was PCR-amplified cDNAs from pools of
                    5,000 clones made from the same 3 libraries. The pools
                    consisted of I.M.A.G.E. clones 260232-265223,
                    340488-345479, and 484488-489479."
ORIGIN

Query Match            13.8%;  Score 431.4;  DB 1;  Length 455;
Best Local Similarity  98.5%;  Pred. No. 8.2e-65;
Matches  446;  Conservative  0;  Mismatches  6;  Indels  1;  Gaps  1;

Qy   2323  CCAGCCACCCGGAGATGGGGG-TAAGAGGAAGAGCAGAGGCGTTGGGGTAGGGCCACCTGG  2381
           ||||||||||||||||||||| ||||||||||||||||||||||||||||||||||||||
Db    455  CCAGCCACCCGGAGATGGGGGGTTAAAAGAAAAACCAAAAGCCTTGGGGTAGGGCCACCTGG  396

Qy   2382  TGTTTAAACAGGCACTTTCTCCCTTCTCTCGGGGCCTTATTTTATTTTGTTCAGAACCAGAG  2441
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    395  TGTTTAAACAGGCACTTTCTCCCTTCTCTCGGGGCCTTATTTTATTTTGTTCAGAACCAGAG  336

Qy   2442  TGTTTGAACTCCTTTGCAGGAGGGGGGAATCCTTCTCTTTAGAGCACTAATCCTATTTA  2501
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    335  TGTTTGAACTCCTTTGCAGGAGGCTGGGAATCTCCTTTAGAGCACTTAATCCCTATTTA  276

Qy   2502  TCCCCTGGAATGTGCGTGCTGGCCAGTAGGAGGAGGGGCCTTGGGCAGCTCCCTGACCCCCC  2561
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    275  TCCCCTGGAATGTGCGTGCTGGCCAGTAGGAGGAGGGGCCTTGGGCAGCTCCCTGACCCCC  216

Qy   2562  GCGCGTGCCCCGCGCCCTCCGGGGTAAATGTGGCATTACTGGCATTACTGGCCAAT  2621
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    215  GCGCGTGCCCCGCGCCCTCCGGGGTAAATGTGGCATTACTGGCATTACTGGCCAAT  156

Qy   2622  CAGCTCTCGAGACTGGGTTAGAAGTAACAGCTTAACTGGGATTAAGAAGCTTTTAAA  2681
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    155  CAGCTCTCGAGACTGGGTTAGAAGTAACAGCTTTAACTTGGGATTAAGAAGCTTTTAAA  96

Qy   2682  AGGTAATAAATCCTCTCTGAAAAGAAAAAATGACGTAACCACAGCGTGTACTATGAAAAGCTGTTTA  2741
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     95  AGGTAATAAATCCTCTGAAAAGAAAAAATGACGTAACCACAGCGTGTACTATGAAAAGCTGTTTA  36

Qy   2742  TTTTTAATAAAGAAACGCTGGGCCCATGAACTCATA  2774
           ||||||||||||||||||||||||||||||||||||
Db     35  TTTTTAATAAAGAAACGCTGGGCCCATGAACTCATA  3
```

```
RESULT 15
BX919953/c
LOCUS       BX919953               792 bp    mRNA    linear   EST 07-MAY-2004
DEFINITION  BX919953 Sus Scrofa library (scan) Sus scrofa cDNA clone
            scan0008d.b.15 5prim, mRNA sequence.
ACCESSION   BX919953
VERSION     BX919953.1  GI:41136772
KEYWORDS    EST.
SOURCE      Sus scrofa (pig)
ORGANISM    Sus scrofa
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Laurasiatheria; Cetartiodactyla; Suina; Suidae;
            Sus.
REFERENCE   1  (bases 1 to 792)
AUTHORS        Bonnet,A., Tosser-Klopp,G., Benne,F., Cabau,C., Villeger,S.,
               Soares,M., Bonaldo,F. and Hatey,F.
TITLE          A Pig Normalised Multi-Tissue cDNA Library
JOURNAL        Unpublished (2003)
COMMENT        Contact: Tosser-Klopp G
               Genetique Animale
               Institut National de la Recherche Agronomique
               Chemin de Borde-Rouge - Auzeville BP27, 31326 Castanet-Tolosan
               cedex, FRANCE
               Tel: 33 (0) 5.61.28.51.14
               Fax: 33 (0) 5.61.28.53.08
               Email: tosser@toulouse.inra.fr
               Sequence cleaned of vector, adaptator and repetitions. Contact us
               at sigenasupport@jouy.inra.fr to obtain the chromatogram of this
               sequence.
               Plate: 0008  row: b  column: 15.
FEATURES            Location/Qualifiers
     source         1..792
                    /organism="Sus scrofa"
                    /mol_type="mRNA"
                    /db_xref="taxon:9823"
                    /clone="scan0008d.b.15"
                    /clone_lib="Sus Scrofa library (scan)"
                    /tissue_type="mixed"
                    /dev_stage="from embryos to adults"
                    /note="tissues: adipose tissue, brain, kidney, liver,
                    muscle, ovary, testis, heart, hypothalamus, pancreas,
                    skin, spleen, thymus, placenta, uterus, pituitary gland, seminal
                    vesicle, small intestine, adrenals, bulbo uretral
                    gland, cerebral trunk, epididymis, female gonad,
                    gall-bladder, hippocampus, large intestine, male gonad,
                    melanocytes, stomach, udder"
ORIGIN

Query Match            11.4%;  Score 357.2;  DB 5;  Length 792;
Best Local Similarity  73.1%;  Pred. No. 6e-52;
Matches  569;  Conservative  0;  Mismatches 165;  Indels 44;  Gaps 7;

Qy   1274  GGGCGGACTTCGACGTCGCGGACCTGCGGGAGGAGCTGGGAGCTGGGCGA------CGT  1333
           |||||||||||||||||||||||||||||||||||||||||||||||         |||
Db    792  GGCGGGACTCNGACGTGGGAAGACNTGCACCGAGCTGGACGCGGAAGATCCTTCAGGTGGCGGA  733

Qy   1334  GATGATCGACAACATGGAGATGAAGGTCAACCTGCCCGCTGACCGTGCAAGCCCGGCA  1393
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    732  AATGATCCAGGACATGGAGATGAAAAGTCAAGTGCCCCGCTGGACCGTGCGAGGCCCCGGCA  673

Qy   1394  GCGCGGCGGGCGGGCGGGCGAGTCCTTCGTCCACGGTCACGGGTCACGGCCCCTCCTCGGGT-----CGT  1447
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||       |||
Db    672  GGTGGGCGGCGGCGGAGCTCCTCTCTAGCGCTGCGGGCGGTGTCCTCGTGGGGCGCGT  613

Qy   1448  GTCCTTGCAGGAGCGCGGGGGGGGGGTTGCGACCCCAGGGAAGGGCCTGGCCCGGCCATCCTTTT  1507
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    612  GTCCGTAGAACAAGCACCGGGCGCCCTTCCGACCTGAGCAAGGCCCTGGCTGCCACCATCTT  553

Qy   1508  CGGCGCGCGGTGCTGCTGGCGTGTGCGGCCTTGGCCGTGGCGTGTGCGTGGCGAAGGCTGAGCTGACA  1567
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    552  CAGCGCGCCGTGCTGCTGCGGGCGGCTGGCCTTGGCCGTGGCGAAGGCTGAGCTGACC  493
```

```
Qy    1568 GACACCCGACGGCCGCCTGCTGCTGCGCTCCCTCCCCTGA--------------------- 1608
           ||||||||||||||||||||||||||||||||||||||||
Db     492 TGCACCCGACGGCCCCCCGAAGCTACCGCTCCCTCCCTGGAGGCACCCCTCCAAGAACAA 433

Qy    1609 ------------GAAAAGACTCGGGAATGGGTGTGGGGTCTGGCCTTGCAAGGGGGAGTGGTCCT 1660
                        |||  |||||||||||
Db     432 CTGCGACTGCTAGGGACTAGGGGGTGGGAGTGGGCATGTGTTTCAGGAGAGCTGTTCT 373

Qy    1661 AAAACCCCGTGTGTGCATGGGTACACCGCGCGTTTTCCAGTGCACATCTGCCTGGGCAGGGAC 1720
           |||                |||||||||||      |||||||||||||
Db     372 CGTGCC----TATACGTGTAGGTTATAGGCACGTTTCAAGCACACATTTGCTAGGACAGAAC 316

Qy    1721 ACGGGTTTTCCTCTTGCTGGGCCCGGGGAGGAAGTTAACTTTGCGCCGGCCGGTCAGGGGCATTAC 1780
           ||||||||||||||||||||||||||||||||      |||||  |||||||||||||
Db     315 ATGG-CTTCCTTCCTTGCTGCTGGGCAGGGAAGAGTTAATTTTGCCGGGGCCAGCCAGGGCATTAT 257

Qy    1781 CGCTAACGTCTGCAGGGAGCTTTATTCCCTATTAAATAGAAAAACCGT-CACAGTGACCCTAG 1839
           |||||||||||||||||  ||||||||||||||||||||||||||
Db     256 CGCTAAATGTATGCAGGAGCTTTATCCTCTATTAATAGAAAAACCGTCCACAGTGACCCGAG 197

Qy    1840 ATCCCTCCGGAGTTAATGAGTTAAACACATGTCCTGTTGGGGGGGTCTTTTACAGGGAGTCCGA 1899
           |||||||  ||||||||      |||||||||||||||||
Db     196 ATTCCTCCCAAGTTAATAGGTTACCGCCTGTGCTGCTGGGGCGTGTTTTACACTGAATCTGG 137

Qy    1900 GTTCGGTGCCCACCCCTGCCACGGGTCGCCCCCCCTT-TCTGCGTGGGGGGACAGTTT-----GAA 1953
           ||||||||||||||||||||||||||||||||||      |||
Db     136 GCTTGGTCCTCTCGCCCGTCAGTGATCCCATTCTCTGAGTGGGGGGCAGTTTGGGGGGGAA 77

Qy    1954 AAGGTGGGTGGGGTGGGAGTGAAGTTTGGAGAGGGGACGCCTGTTTGGTTCTATGTGGTTG 2011
           ||||||||||||||||||||||||||||||||||||||
Db      76 AAAAAGGGTGAGGTGAAAATGAAGTGTTGAGAAGAGGTGGCTATTTTGGGTGTGGTGGGGTG 19
```

Search completed: May 11, 2006, 05:27:41
Job time : 11794 secs

OM nucleic - nucleic search, using sw model

```
                    GenCore version 5.1.8
          Copyright (c) 1993 - 2006  Bioacceleration Ltd.
```

Run on: May 11, 2006, 01:38:14 ; Search time 530 Seconds
                 (without alignments)
                 10470.844 Million cell updates/sec

Title: US-10-760-320A-102
Perfect score: 3122
Sequence: 1 actagaggtggggtagcgc...........acagagcaagactctgtctc 3122
Scoring table: IDENTITY_NUC
                 Gapop 10.0 , Gapext 1.0
Searched: 1303057 seqs, 88878828 residues

Total number of hits satisfying chosen parameters: 2606114

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   Issued_Patents_NA:*
                 1: /cgn2_6/ptodata/1/ina/1_COMB.seq:*
                 2: /cgn2_6/ptodata/1/ina/5_COMB.seq:*
                 3: /cgn2_6/ptodata/1/ina/6A_COMB.seq:*
                 4: /cgn2_6/ptodata/1/ina/6B_COMB.seq:*
                 5: /cgn2_6/ptodata/1/ina/H_COMB.seq:*
                 6: /cgn2_6/ptodata/1/ina/PCTUS_COMB.seq:*
                 7: /cgn2_6/ptodata/1/ina/PP_COMB.seq:*
                 8: /cgn2_6/ptodata/1/ina/RE_COMB.seq:*
                 9: /cgn2_6/ptodata/1/ina/backfiles1.seq:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
c 1	181.4	5.8	601	3	US-09-949-016-196942	Sequence 196942, A
c 2	181.4	5.8	109250	3	US-09-949-016-12530	Sequence 12530, A
c 3	181.4	5.8	109251	3	US-09-949-016-17321	Sequence 17321, A
c 4	177.2	5.7	26760	3	US-09-949-016-15894	Sequence 15894, A
c 5	176.4	5.7	601	3	US-09-949-016-40113	Sequence 40113, A
c 6	176.4	5.7	601	3	US-09-949-016-138968	Sequence 138968, A
c 7	176.4	5.7	30371	3	US-09-949-016-15395	Sequence 15395, A
c 8	176.4	5.7	41589	3	US-09-949-016-12867	Sequence 12867, A
c 9	176.4	5.7	41593	3	US-09-949-016-15666	Sequence 15666, A
c 10	176	5.6	601	3	US-09-949-016-40112	Sequence 40112, A
c 11	176	5.6	601	3	US-09-949-016-138967	Sequence 138967, A
c 12	175.6	5.6	93778	3	US-09-949-016-15096	Sequence 15096, A
c 13	174.8	5.6	23766	3	US-09-949-016-13569	Sequence 13569, A
c 14	174.8	5.6	74545	3	US-09-949-002-606	Sequence 606, App
c 15	174.8	5.6	125192	3	US-09-949-002-14120	Sequence 14120, A
c 16	174.8	5.6	131860	3	US-09-949-016-16630	Sequence 16630, A
c 17	174.2	5.6	98828	3	US-09-949-002-730	Sequence 730, App
c 18	174	5.6	5371	3	US-09-949-016-16996	Sequence 16996, A
c 19	174	5.6	152481	3	US-09-949-016-12521	Sequence 12521, A
c 20	174	5.6	152798	3	US-09-949-016-12775	Sequence 12775, A
c 21	174	5.6	152822	3	US-09-949-016-17518	Sequence 17518, A
c 22	174	5.6	152822	3	US-09-949-016-17519	Sequence 17519, A
c 23	173.8	5.5	18591	3	US-09-949-016-14719	Sequence 14719, A
c 24	173.2	5.5	601	3	US-09-949-016-81759	Sequence 81759, A
c 25	173.2	5.5	48018	3	US-09-949-016-17573	Sequence 17573, A
c 26	173.2	5.5	67386	3	US-09-949-016-16519	Sequence 16519, A
c 27	173.2	5.5	146095	3	US-09-949-016-12872	Sequence 12872, A
c 28	173.2	5.5	146104	3	US-09-949-016-13239	Sequence 13239, A
c 29	173	5.5	59828	3	US-09-949-016-16238	Sequence 16238, A
c 30	172.8	5.5	36816	3	US-09-949-016-16218	Sequence 16218, A
c 31	172.4	5.5	35688	3	US-09-949-016-16873	Sequence 16873, A
c 32	172.4	5.5	49848	3	US-09-949-016-15675	Sequence 15675, A
c 33	172.4	5.5	74096	3	US-09-949-016-11785	Sequence 11785, A
c 34	172.4	5.5	74097	3	US-09-949-016-16239	Sequence 16239, A
c 35	172.2	5.5	18448	3	US-09-949-016-15345	Sequence 15345, A
c 36	172.2	5.5	60376	3	US-09-949-016-12423	Sequence 12423, A
c 37	172	5.5	282	2	US-08-133-629-8	Sequence 8, Appli
c 38	171.8	5.5	601	3	US-09-949-016-266655	Sequence 266655,
c 39	171.8	5.5	35337	3	US-09-949-016-17249	Sequence 17249, A
c 40	171.6	5.5	601	3	US-09-949-016-42392	Sequence 42392, A
c 41	171.6	5.5	38368	3	US-09-949-016-12958	Sequence 12958, A
c 42	171.6	5.5	58782	3	US-09-949-016-16851	Sequence 16851, A
c 43	171.6	5.5	107941	3	US-09-949-016-14206	Sequence 14206, A
c 44	171.6	5.5	109378	3	US-09-949-016-12391	Sequence 12391, A
c 45	171.4	5.5	20347	3	US-09-949-016-16752	Sequence 16752, A
```

ALIGNMENTS

RESULT 1
US-09-949-016-196942/c
Sequence 196942; Application US/09949016

; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 196942
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-196942

  Query Match   5.8%; Score 181.4; DB 3; Length 601;
  Best Local Similarity   88.5%; Pred. No. 2.7e-29;
  Matches 208; Conservative   0; Mismatches   26; Indels   1; Gaps   1;

Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGCCTGGCCAACATAGGAAA 2947
           |||||||||||||||||||||||||||||||||||||||||||||||||||| ||||||
Db   536 TGAGACAGGTGGATCACTCACTTGAGGTCGGGAGTTCGAGACCAGCCTGGCCAACATGGTGAAA 477

Qy   2948 CCCGATCTCTACTAAAAATATAAAAATTGGCCGGGCATGGTGGCGCGCCTGTGGGTGTCGTCC 3007
           |||||||||||||||||||||||||||| |||||||||||||||||||||||||||
Db   476 CCCCATCTCTACTAAAAATATACAAAAATTAGCTGGGTGTGGTGGCACATGCCTGTAAATCC 417

Qy   3008 CAGCTACTCGGGAGGCTGAGGCAGGAGAATCGCTTGAACGTCAGGAGGTTGGAGGTTGCAAT 3067
           |||||||||||||||||||||||||||||||||| ||||||||||||||||||||||
Db   416 CAGCTACTCAGGAGGCTGAGGCAGGAGAATCACTTGAATCCAGGAGGCGGGAGGTTGCAGT 357

Qy   3068 GAG-CAAGATTGTGCCACTGCACATCCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCT 3121
           ||| |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   356 GAGCCAAGATCATCCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTCTGTCT 302

RESULT 2

```
US-09-949-016-12530
;  Sequence 12530, Application US/0949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 12530
;  LENGTH: 109250
;  TYPE: DNA
;  ORGANISM: Human
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)..(109250)
;  OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12530

Query Match          5.8%;  Score 181.4;  DB 3;  Length 109250;
Best Local Similarity  88.5%;  Pred. No. 1.5e-28;
Matches  208;  Conservative  0;  Mismatches  26;  Indels  1;  Gaps  1;

Qy      2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCCGAAA 2947
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     78099 TGAGACAGGTGGGATCACTTGAGGTTCCGGAGTTCGAGACCAGCCTGGCCAACATGGTGAAA 78158

Qy      2948 CCCGATCTCTACTAAAAAAATATAAAAAATTGGCCGGGCATGGTGGCGGGCGCCTGTGGTCC 3007
             |||||||||||||  |||||||  |||||||||||||||||||||||||||||||||||||
Db     78159 CCCCATCTCTACTAAAAAATTACAAAAAATTAGTCGGGTGTGGTGGCACATGCCTGTAATCC 78218

Qy      3008 CAGCTACTCGGGAGGTTGAGGCAGGAGGATCGCTTGAATGCAGGAGGTGGAGGTTGCAAT 3067
             |||||||||||||||||||||||||||||||  |||||||||||||||||||||||||
Db     78219 CAGCTACTCAGGAGGCTGAGGCAGGAGAATCACTTGAATCCAGGAGGCGGGGGGTTGCAGT 78278

Qy      3068 GAG--CAAGATTCGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCT 3121
             |||  |||||||||||||||||||||||||||||||||||||||||||||||||
Db     78279 GAGCCAAGATCATGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCT 78333
```

```
RESULT 3
US-09-949-016-17321
;  Sequence 17321, Application US/0949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 17321
;  LENGTH: 109251
;  TYPE: DNA
;  ORGANISM: Human
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)..(109251)
;  OTHER INFORMATION: n = A,T,C or G
US-09-949-016-17321

Query Match          5.8%;  Score 181.4;  DB 3;  Length 109251;
Best Local Similarity  88.5%;  Pred. No. 1.5e-28;
Matches  208;  Conservative  0;  Mismatches  26;  Indels  1;  Gaps  1;

Qy      2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCCGAAA 2947
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     78099 TGAGACAGGTGGGATCACTTGAGGTTCCGGAGTTCGAGACCAGCCTGGCCAACATGGTGAAA 78158

Qy      2948 CCCGATCTCTACTAAAAAAATATAAAAAATTGGCCGGGCATGGTGGCGGGCGCCTGTGGTCC 3007
             |||||||||||||  |||||||  |||||||||||||||||||||||||||||||||||||
Db     78159 CCCCATCTCTACTAAAAAATTACAAAAAATTAGTCGGGTGTGGTGGCACATGCCTGTAATCC 78218

Qy      3008 CAGCTACTCGGGAGGTTGAGGCAGGAGGATCGCTTGAATGCAGGAGGTGGAGGTTGCAAT 3067
             |||||||||||||||||||||||||||||||  |||||||||||||||||||||||||
Db     78219 CAGCTACTCAGGAGGCTGAGGCAGGAGAATCACTTGAATCCAGGAGGCGGGGGGTTGCAGT 78278

Qy      3068 GAG--CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCT 3121
             |||  ||||||||||||||||||||||||||||||||||||||||||||||||||
Db     78279 GAGCCAAGATCATGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCT 78333
```

```
RESULT 4
US-09-949-016-15894
;  Sequence 15894, Application US/0949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 15894
;  LENGTH: 26760
;  TYPE: DNA
;  ORGANISM: Human
;  FEATURE:
US-09-949-016-15894

Query Match          5.7%;  Score 177.2;  DB 3;  Length 26760;
Best Local Similarity  87.6%;  Pred. No. 7.4e-28;
Matches  205;  Conservative  0;  Mismatches  28;  Indels  1;  Gaps  1;

Qy      2889 GAGGCAGGTGGGATCACTTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCCGAAAC 2948
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21533 GAGGCAGGTGGGATCACTCGAGGTTCAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAAC 21592

Qy      2949 CCGATCTCTACTAAAAAAATATAAAAATTGGCCGGGCATGGTGGCGGGCGCCTGTGGTCC 3008
             |||||||||||||  |||||||  ||||||||||||||||||||||||||||||||||||
Db     21593 CCCATCTCTACTAAAAAAATACAAAAAATTAGCCGGGCGTGGTGGCACATGCCTATAATCC 21652

Qy      3009 AGCTACTCGGGAGGTTGAGGCAGGAGAGAGTCGCTTGAATGCAGAGGTTGCAGGTTGCAATG 3068
             ||||||||||||||||||||||||  ||||||||||||||||||||||||||||
Db     21653 AGCTACTTGGGAGGCTGAGGCACGAGAATCACTTGAACTTGGGAGGTGGAGGTTGCAGTG 21712

Qy      3069 AG--CAAGATTGTGGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCT 3121
             ||  |||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21713 AGCCGAGAATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCCGAGACTCTGTCT 21766
```

```
RESULT 5
```

US-09-949-016-40113/c
; Sequence 40113, Application US/0994901G
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 40113
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
.US-09-949-016-40113

Query Match   5.7%;   Score 176.4; DB 3; Length 601;
Best Local Similarity   83.5%;   Pred. No. 3.1e-28;
Matches 212; Conservative 0; Mismatches 41; Indels 1; Gaps 1;

Qy 2870 CCCCACTTTTTTTCTTTTTTTGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGC 2929
        ||| | |||||| ||| | ||||| |||||||||| |||||||||||||||| |||||||
Db 259 CCCAACACTTTGGGAATCCGAGCGGGGTGGATCACTTGAGGCCAGGAGTTCAAGACCAGC 200

Qy 2930 CTGGCCAACATAGGCGAAAACCCGATCTCTACTAAAAAATATAAAAAATTGGCCGGGCATGGT 2989
        |||||||||||||||||| || ||||||||||||||||| |||||||| ||||||||||||
Db 199 CTGGCCAACATAGGCGAAATTCCACCTCTACTAAAAAATACAAAAAATTAGCCGGGCATGGT 140

Qy 2990 GGCGCCATGCCCTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGTCGCTTGAATGCA 3049
        || | ||| || ||| ||||||||||||||||||| |||||||||||| |||||| ||
Db 139 GGGCCACACCTGTAATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAACCGCTTGAACCCA 80

Qy 3050 GGAGGTGGAGGTTGCAATGAG-CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAG 3108
        ||||| | |||||||| |||| ||||| | ||||||||||||||||||||||||||| ||
Db   79 GGAGGCAGAGGTTGCAGTGAGCCAAGATCACGCCACTGCACTCCAGCCTGGGCAACACAG 20

Qy 3109 CAAGACTCTGTCTC 3122
        |||||||| |||||
Db   19 CAAGACTCCGTCTC 6

RESULT 6
US-09-949-016-138968/c
; Sequence 138968, Application US/0994901G
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 138968
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-138968

Query Match   5.7%;   Score 176.4; DB 3; Length 601;
Best Local Similarity   83.5%;   Pred. No. 3.1e-28;
Matches 212; Conservative 0; Mismatches 41; Indels 1; Gaps 1;

Qy 2870 CCCCACTTTTTTTCTTTTTTTGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGC 2929
        ||| | |||||| ||| | ||||| |||||||||| |||||||||||||||| |||||||
Db 259 CCCAACACTTTGGGAATCCGAGCGGGGTGGATCACTTGAGGCCAGGAGTTCAAGACCAGC 200

Qy 2930 CTGGCCAACATAGGCGAAAACCCGATCTCTACTAAAAAATATAAAAAATTGGCCGGGCATGGT 2989
        |||||||||||||||||| || ||||||||||||||||| |||||||| ||||||||||||
Db 199 CTGGCCAACATAGGCGAAATTCCACCTCTACTAAAAAATACAAAAAATTAGCCGGGCATGGT 140

Qy 2990 GGCGCCATGCCCTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGTCGCTTGAATGCA 3049
        || | ||| || ||| ||||||||||||||||||| |||||||||||| |||||| ||
Db 139 GGGCCACACCTGTAATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAACCGCTTGAACCCA 80

Qy 3050 GGAGGTGGAGGTTGCAATGAG-CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAG 3108
        ||||| | |||||||| |||| ||||| | ||||||||||||||||||||||||||| ||
Db   79 GGAGGCAGAGGTTGCAGTGAGCCAAGATCACGCCACTGCACTCCAGCCTGGGCAACACAG 20

Qy 3109 CAAGACTCTGTCTC 3122
        |||||||| |||||
Db   19 CAAGACTCCGTCTC 6

RESULT 7
US-09-949-016-15395
; Sequence 15395, Application US/0994901G
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15395
; LENGTH: 30371
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-15395

Query Match   5.7%;   Score 176.4; DB 3; Length 30371;
Best Local Similarity   83.5%;   Pred. No. 1.1e-27;
Matches 212; Conservative 0; Mismatches 41; Indels 1; Gaps 1;

Qy 2870 CCCCACTTTTTTTCTTTTTTTGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGC 2929
        ||| | |||||| ||| | ||||| |||||||||| |||||||||||||||| |||||||
Db 26920 CCCAACACTTTGGGAATCCGAGCGGGGTGGATCACTTGAGGCCAGGAGTTCAAGACCAGC 26979

Qy 2930 CTGGCCAACATAGGCGAAAACCCGATCTCTACTAAAAAATATAAAAAATTGGCCGGGCATGGT 2989
        |||||||||||||||||| || ||||||||||||||||| |||||||| ||||||||||||
Db 26980 CTGGCCAACATAGGCGAAATTCCACCTCTACTAAAAAATACAAAAAATTAGCCGGGCATGGT 27039

Qy 2990 GGCGCCATGCCCTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGTCGCTTGAATGCA 3049
        || | ||| || ||| ||||||||||||||||||| |||||||||||| |||||| ||
Db 27040 GGCACGGGCCCTGTAATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAACCACTGAACCCG 27099

Qy 3050 GGAGGTGGAGGTTGCAATGAGC-AAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAG 3108
        ||||| | |||||||| ||||| ||||| | ||||||||||||||||||||||||||| ||
Db 27100 GGAGGTGGAGGTTGCAGTGAGCTGAGATTGTGCCACTTGCACTCCAGCCTGGGCAACACAG 27159

Qy 3109 CAAGACTCTGTCTC 3122
        |||||||| |||||
Db   CAAGACTCCGTCTC

Db   27160 CAAAACTCTGTCTCC 27173

RESULT 8
US-09-949-016-12867/c
Sequence 12867, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 12867
LENGTH: 41589
TYPE: DNA
ORGANISM: Human
FEATURE:
NAME/KEY: misc_feature
LOCATION: (1)...(41589)
OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12867

Query Match   5.7%; Score 176.4; DB 3; Length 41589;
Best Local Similarity 83.5%; Pred. No. 1.3e-27;
Matches 212; Conservative 0; Mismatches 41; Indels 1; Gaps 1;

```
Qy   2870 CCCCACTTTTTTCTTTTTTGAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGC 2929
          ||| ||  |||  || || |||||| ||| |||||| ||||| || ||||||| |||||||
Db   8267 CCCAACACTTTGGGAAATCCGAGGCGGGGTGGATCACTTGAGGGTTCAGACCAGC 8208

Qy   2930 CTGGCCAACATAGGGAAACCCGATCTCTACTAAAAATATAAAAATTGGCCGGGCCATGGT 2989
          ||||||||||||| |||| || |||||||||||||| || ||||||| |||| |||||||
Db   8207 CTGGCCAACATACGGAAATTCCACCTCTACTAAAAATACAAAAAATTAGCCAGGCCATGGT 8148

Qy   2990 GGCGCCATGCCTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCA 3049
          ||||||| | |||| | |||||||||||||||| |||||||||||| |   |||||| |||
Db   8147 GGCGCCACCTGTAATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAAGAACCGCTTGAAACCCA 8088

Qy   3050 GGAGGTGGAGGTTGCAATGAG-CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAG 3108
          ||||| | |||||||| ||||  ||||  | ||||||||||||||||||||||||||||||
Db   8087 GGAGGCAGAGGTTGCAGTGAGCCAAGATCACGCCACTGCACTCCAGCCTGGGCAACACAG 8028

Qy   3109 CAAGACTCTGTCTC 3122
          ||||||||  ||||
Db   8027 CAAGACTCCGTCTC 8014
```

RESULT 9
US-09-949-016-15666/c
Sequence 15666, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 15666
LENGTH: 41593
TYPE: DNA
ORGANISM: Human
FEATURE:
NAME/KEY: misc_feature
LOCATION: (1)...(41593)
OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15666

Query Match   5.7%; Score 176.4; DB 3; Length 41593;
Best Local Similarity 83.5%; Pred. No. 1.3e-27;
Matches 212; Conservative 0; Mismatches 41; Indels 1; Gaps 1;

```
Qy   2870 CCCCACTTTTTTCTTTTTTGAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGC 2929
          ||| ||  |||  || || |||||| ||| |||||| ||||| || ||||||| |||||||
Db   8267 CCCAACACTTTGGGAAATCCGAGGCGGGGTGGATCACTTGAGGGTTCAGACCAGC 8208

Qy   2930 CTGGCCAACATAGGGAAACCCGATCTCTACTAAAAATATAAAAATTGGCCGGGCCATGGT 2989
          ||||||||||||| |||| || |||||||||||||| || ||||||| |||| |||||||
Db   8207 CTGGCCAACATACGGAAATTCCACCTCTACTAAAAATACAAAAAATTAGCCAGGCCATGGT 8148

Qy   2990 GGCGCCATGCCTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCA 3049
          ||||||| | |||| | |||||||||||||||| |||||||||||| |   |||||| |||
Db   8147 GGCGCCACCTGTAATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAAGAACCGCTTGAAACCCA 8088

Qy   3050 GGAGGTGGAGGTTGCAATGAG-CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAG 3108
          ||||| | |||||||| ||||  ||||  | ||||||||||||||||||||||||||||||
Db   8087 GGAGGCAGAGGTTGCAGTGAGCCAAGATCACGCCACTGCACTCCAGCCTGGGCAACACAG 8028

Qy   3109 CAAGACTCTGTCTC 3122
          ||||||||  ||||
Db   8027 CAAGACTCCGTCTC 8014
```

RESULT 10
US-09-949-016-40112/c
Sequence 40112, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 40112
LENGTH: 601
TYPE: DNA
ORGANISM: Human
US-09-949-016-40112

Query Match   5.6%; Score 176; DB 3; Length 601;
Best Local Similarity 83.1%; Pred. No. 3.8e-28;
Matches 211; Conservative 0; Mismatches 41; Indels 1; Gaps 1;

```
Qy   2870 CCCCACTTTTTTCTTTTTTGAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGC 2929
          ||| ||  |||  || || |||||| ||| |||||| ||||| || ||||||| |||||||
Db    512 CCCAACACTTTGGGAAATCCGAGGCGGGGTGGATCACTTGAGGGTTCAGACCAGC 453

Qy   2930 CTGGCCAACATAGGGAAACCCGATCTCTACTAAAAATATAAAAATTGGCCGGGCCATGGT 2989
          ||||||||||||| |||| || |||||||||||||| || ||||||| |||| |||||||
Db    453 CTGGCCAACATACGGAAATTCCACCTCTACTAAAAATACAAAAAATTAGCCAGGCCATGGT 2989
```

Db   452 CTGGCCAACATAGCGAAATTCCACCTCTTCTACTAAAAATACAAAAAAATTAGCCAGGCATGGT 393

Qy   2990 GGCGGCATGCCTGTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCA 3049
          |||||| |||
Db   392 GGCGGCACCTGTAATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAACCGCTTGAACCCA 333

Qy   3050 GGAGGTGGAGGTTGCAATGAG-CAAGATTGTGCCACTGCACTCCAGCTCCAACACAGAG 3108
          |||||| || |||| ||| |||
Db   332 GGAGGCAGAGGTTGCAGTGAGCCAAGATCACRCCACTGCACTCCAGCCTGGGCAACACAG 273

Qy   3109 CAAGACTCTGTCTCC 3122
          |||||||||||||||
Db   272 CAAGACTCTCGTCTC 259

RESULT 11
US-09-949-016-138967/c
; Sequence 138967, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 138967
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-138967

Query Match   83.1%; Score 176; DB 3; Length 601;
Best Local Similarity   83.1%; Pred. No. 3.8e-28;
Matches 211; Conservative   1; Mismatches 41; Indels   1; Gaps   1;

Qy   2870 CCCCACTTTTTCTTTTTTGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGC 2929
          |||||| ||||
Db   512 CCCAACACTTTGGGAATCCGAGGCGGGGGGATCACTTGAGGCCAGGAGTTCAAGACCAGC 453

Qy   2930 CTGGCCAACATAGCGAAACCCGATCTCTACTAAAAAATATAAAAAATTGGCCGGGCCATGGT 2989
          |||||| ||| |||| ||| ||||||| || |||||
Db   452 CTGGCCAACATAGCGAAATTCCACCTCTTCTACTAAAAATACAAAAAAATTAGCCAGGCATGGT 393

Qy   2990 GGGGCCATGCCTGTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCA 3049
          ||||| |||
Db   392 GGCGCCACCTGTAATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAACCGCTTGAACCCA 333

Qy   3050 GGAGGTGGAGGTTGCAATGAG-CAAGATTGTGCCACTGCACTCCAGCTCCAACACAGAG 3108
          |||||| || ||| |||| || ||| |||
Db   332 GGAGGCAGAGGTTGCAGTGAGCCAAGATCACRCCACTGCACTCCAGCCTGGGCAACACAG 273

Qy   3109 CAAGACTCTGTCTCC 3122
          |||||||||||||||
Db   272 CAAGACTCTCGTCTC 259

RESULT 12
US-09-949-016-15096
; Sequence 15096, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 15096
;   LENGTH: 93778
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)...(93778)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15096

Query Match   87.2%; Score 175.6; DB 3; Length 93778;
Best Local Similarity   87.2%; Pred. No. 2.4e-27;
Matches 204; Conservative   0; Mismatches 29; Indels   1; Gaps   1;

Qy   2890 AGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACC 2949
          ||||||||||| |||
Db 74283 AGGCAGGTGGGATCACTTGAGGTCAGGAGTTCGAGACCAGCCTGGCCAACATGGTGAAATACC 74342

Qy   2950 CGATCTCTACTAAAAAAATATAAAAAATTGGCCGGGCGTGGTGGCGCATGCCTGTGTGTCCCA 3009
          |||||||||| |||||||||||||| ||||| || ||| ||| ||||||
Db 74343 CCATCTCTACTAGAAAATACAAAAAATTAGCCGGGCATAGTGGTGCGCGCCTGTAGTCCCA 74402

Qy   3010 GCTACTCCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCAGGAGGTTGAGGTTGCAATGA 3069
          |||||||||||||||||||||||| || |||||||| ||||| || ||| ||||
Db 74403 GCTACTCGGGAGGCTGAGGCAGGAGAATCACTTGAACACAGGAGGCGGAGGTTGCAGTGA 74462

Qy   3070 GC-AAGATTGTGCCACTGCACTCCAGCTCCAACACAGAGCAAGACTCTGTCTC 3122
          ||| ||||||||||||||||||||| ||||||| |||||||||||||||
Db 74463 GCTGAGATCGCGCCACTGCACTCCAGCCTGGGTGACAGAGCAAGACTCTGTCTC 74516

RESULT 13
US-09-949-016-13569/c
; Sequence 13569, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 13569
;   LENGTH: 23766
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-13569

Query Match   83.1%; Score 174.8; DB 3; Length 23766;
Best Local Similarity   83.1%; Pred. No. 2.3e-27;
Matches 211; Conservative   0; Mismatches 42; Indels   1; Gaps   1;

Qy   2870 CCCCACTTTTTCTTTTTTGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGC 2929
          |||| || |||| || ||||| ||

Db 4585 CCCAGCATTTGGGGGGCCGAGGTGGGGGGGATCACCTGAGGTCAGGAGTTTGAAACCAGC

Qy 2930 CTGGCCAACACATAGCGAAAACCCGATCTCTACTAAAAAATATAAAAAAATTGGCCCGGCCATGGT 2989
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 4525 CTGGTCAATGTGGCAAAACACCATCTCTACTAAAAAATACAAAAAATTATCCGGGTATGGT 4466

Qy 2990 GGCGCATGCCTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCA 3049
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 4465 GGCATGTGCCCTGTAGTCCCAGCTACTCGGGAGGCAGGAGAATCACTTGAACCTG 4406

Qy 3050 GGAGGTGGAGGTTGCAATGAG-CAAGATTGTGCCACTCCAGCCTGGGCAACAGAG 3108
          ||||||||||||||||||||| |||||||||||||||||||||||||||||||||
Db 4405 GGAGGCTGGAGGTTGCAGTGAGTCAAGATTGTGCCATTGCACTCCAGCCTGGGCAACAGAG 4346

Qy 3109 CAAGACTCTGTCTC 3122
          ||||||||||||||
Db 4345 CAAGACTCTGTCTC 4332

RESULT 14
US-09-949-002-606/c
; Sequence 606, Application US/09949002
; Patent No. 690016
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
;   TITLE OF INVENTION: AND USES THEREOF
;   FILE REFERENCE: CL000790
;   CURRENT APPLICATION NUMBER: US/09/949,002
;   CURRENT FILING DATE: 2000-01-28
;   PRIOR APPLICATION NUMBER: 60/231,401
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 10823
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 606
;   LENGTH: 74545
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-002-606

Query Match   5.6%;   Score 174.8; DB 3;   Length 74545;
Best Local Similarity 83.1%;   Pred. No. 3.3e-27;
Matches 211; Conservative   0; Mismatches 42; Indels   1; Gaps   1;

Qy 2870 CCCCACTTTTTTCTTTTTTTGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGGACCAGC 2929
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 11479 CCCAACAGTTTAAAAGGCTGAAGTGGGAGGATCACCTGAGGTCAGGAGTTCAAGACCAGC 11420

Qy 2930 CTGGCCAACATAGCGAAAACCCGATCTCTACTAAAAAATATAAAAAATTGGCCCGGCCATGGT 2989
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 11419 CTGGCCAACATAGAGAAAACCCATCTCTACTAAAAAACACAAAAAATTAGCCAGGAGTGGT 11360

Qy 2990 GGCGCATGCCTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCA 3049
          || |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 11359 GACAGGCGGCCTGTAATCCCAGCTACTCGGGAGGCTGAGGCAGGAAATCGCTTGAACCCG 11300

Qy 3050 GGAGGTGGAGGTTGCAATGAGC-AAGATTGTGCCACTCCAGCCTGGGCAACAGAG 3108
          ||||| ||||||||||| |||||||||||||||||||||||||||||||
Db 11299 GGAGGCGGAGGTTGCAGTGAGCCGCCACTGCACTCCAGCCTGGGCGACAGAG 11240

Qy 3109 CAAGACTCTGTCTC 3122
          ||||||||||||||
Db 11239 CAAGACTCCGTCTC 11226

RESULT 15
US-09-949-016-14120/c
; Sequence 14120, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED

* ' '

;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 14120
;   LENGTH: 125192
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)...(125192)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-14120

Query Match   5.6%;   Score 174.8; DB 3;   Length 125192;
Best Local Similarity 83.1%;   Pred. No. 4e-27;
Matches 211; Conservative   0; Mismatches 42; Indels   1; Gaps   1;

Qy 2870 CCCCACTTTTTTCTTTTTTTGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGGACCAGC 2929
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 67067 CCCAGCACTTTTTGGAGGCCGAGGCGGGCGGATCACCTGAGGTCAGGAGTTCAAGACCAGG 67008

Qy 2930 CTGGCCAACATAGCGAAAACCCGATCTCTACTAAAAAATATAAAAAATTGGCCCGGCCATGGT 2989
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 67007 CTGGCCAACATGGTGAGACCCTGTCTCTATTAAAAATACAAAAAATTAGCCGGGCGTGGT 66948

Qy 2990 GGCGCATGCCTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCA 3049
          ||||| ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 66947 GGTGCATGCCTATAAATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAATCACTTGAACCA 66888

Qy 3050 GGAGGTGGAGGTTGCAATGAGC-AAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAG 3108
          ||||| ||||||||||| ||||||||||||||||||||||||||||||||||||
Db 66887 GGAGGCGGAGGTTGCAGTGAGCTGAGATCGTGCCACTGCACTCCAGCCTGGGCAACAGAG 66828

Qy 3109 CAAGACTCTGTCTC 3122
          |||||||||||||
Db 66827 TAAGACTCTGTCTC 66814

Search completed: May 11, 2006, 06:02:58
Job time : 532 secs

OM nucleic - nucleic search, using sw model

GenCore version 5.1.8
Copyright (c) 1993 - 2006 Biocceleration Ltd.

Run on: May 11, 2006, 02:04:15 ; Search time 2407 Seconds
                 (without alignments)
                 10725.799 Million cell updates/sec

Title: US-10-760-320A-102
Perfect score: 3122
Sequence: 1 actagagggtggggttagcgc.........acagagcaagactctgtctc 3122
Scoring table: IDENTITY_NUC
                 Gapop 10.0 , Gapext 1.0
Searched: 9793542 seqs, 413689005 residues
Total number of hits satisfying chosen parameters: 19587084

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Database :   Published Applications NA Main:*
                 1: /cgn2_6/ptodata/1/pubpna/US07_PUBCOMB.seq:*
                 2: /cgn2_6/ptodata/1/pubpna/US08_PUBCOMB.seq:*
                 3: /cgn2_6/ptodata/1/pubpna/US09A_PUBCOMB.seq:*
                 4: /cgn2_6/ptodata/1/pubpna/US09B_PUBCOMB.seq:*
                 5: /cgn2_6/ptodata/1/pubpna/US10A_PUBCOMB.seq:*
                 6: /cgn2_6/ptodata/1/pubpna/US10B_PUBCOMB.seq:*
                 6: /cgn2_6/ptodata/1/pubpna/US10C_PUBCOMB.seq:*
                 7: /cgn2_6/ptodata/1/pubpna/US10D_PUBCOMB.seq:*
                 8: /cgn2_6/ptodata/1/pubpna/US10E_PUBCOMB.seq:*
                 9: /cgn2_6/ptodata/1/pubpna/US10B_PUBCOMB.seq:*
                 10: /cgn2_6/ptodata/1/pubpna/US11_PUBCOMB.seq:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	846.8	27.1	850	9	US-10-450-763-29532	Sequence 29532, A
2	726.6	23.3	1061	8	US-10-363-345A-27371	Sequence 27371, A
3	726.6	23.3	1061	8	US-10-363-345A-27372	Sequence 27372, A
4	726.6	23.3	1061	9	US-10-363-483A-27371	Sequence 27371, A
5	726.6	23.3	1061	9	US-10-363-483A-27372	Sequence 27372, A
6	706.4	22.6	708	9	US-10-029-386-20699	Sequence 20699, A
7	594.4	19.0	1061	8	US-10-363-345A-27369	Sequence 27369, A
8	594.4	19.0	1061	8	US-10-363-345A-27370	Sequence 27370, A
9	594.4	19.0	1061	9	US-10-363-483A-27369	Sequence 27369, A
10	594.4	19.0	1061	9	US-10-363-483A-27370	Sequence 27370, A
11	559.6	17.9	560	4	US-09-925-065A-740956	Sequence 740956, A
12	556.6	17.8	557	9	US-09-925-065A-769508	Sequence 769508, A
13	555.6	17.8	556	4	US-09-925-065A-736351	Sequence 736351, A
14	554.6	17.8	555	4	US-09-925-065A-737120	Sequence 737120, A
15	524	16.8	524	9	US-10-029-386-6988	Sequence 6988, Ap
16	318.0	10.2	1349	9	US-10-450-763-8312	Sequence 8312, Ap
17	256.2	8.2	432	9	US-10-455-763-29529	Sequence 29529, A
18	180.2	5.8	2306	5	US-10-027-632-116266	Sequence 116266,
19	180.2	5.8	3347	5	US-10-027-632-116266	Sequence 116266,
20	180.2	5.8	3347	5	US-10-027-632-116266	Sequence 116266,
21	178.6	5.7	414	4	US-10-027-632-132933	Sequence 132933,
22	178.6	5.7	414	8	US-10-741-600-17646	Sequence 17646, A
23	177.6	5.7	637	5	US-10-027-632-221302	Sequence 221302,
24	177.6	5.7	637	5	US-10-027-632-221303	Sequence 221303,
25	177.6	5.7	637	5	US-10-027-632-221304	Sequence 221304,
26	177.6	5.7	637	5	US-10-027-632-221302	Sequence 221302,
27	177.6	5.7	637	5	US-10-027-632-221303	Sequence 221303,
28	177.6	5.7	637	6	US-10-027-632-221304	Sequence 221304,
29	177.6	5.7	845	6	US-10-027-632-169470	Sequence 169470,
30	177.6	5.7	845	6	US-10-027-632-169470	Sequence 169470,
31	177.2	5.7	24295	7	US-10-317-277A-4	Sequence 4, Appli
32	176.8	5.7	721	6	US-10-027-632-11218	Sequence 11218, A
33	176.8	5.7	721	6	US-10-027-632-11218	Sequence 11218, A
34	176.8	5.7	721	6	US-10-027-632-11218	Sequence 11218, A
35	176.6	5.7	165536	7	US-10-981-277-35	Sequence 35, Appl
36	176.4	5.7	38753	7	US-10-741-601-5767	Sequence 5767, Ap
37	176.4	5.7	158001	7	US-10-211-179-11	GENERAL INFORMATI
38	176	5.6	433	5	US-10-027-632-256213	Sequence 256213,
39	176	5.6	433	5	US-10-027-632-256214	Sequence 256214,
40	176	5.6	433	6	US-10-027-632-256213	Sequence 256213,
41	176	5.6	433	6	US-10-027-632-256214	Sequence 256214,
42	175.6	5.6	19300	7	US-10-317-271A-4	Sequence 4, Appli
43	175.6	5.6	755	5	US-10-027-632-27592	Sequence 27592, A
44	175.6	5.6	755	5	US-10-027-632-27593	Sequence 27593, A
45	175.6	5.6	755	6	US-10-027-632-27593	Sequence 27593, A

ALIGNMENTS

RESULT 1
US-10-450-763-29532

; Sequence 29532, Application US/1045076 3
; Publication No. US20050196754A1
; GENERAL INFORMATION:
; APPLICANT: Hyseq, Inc
; TITLE OF INVENTION: NOVEL NUCLEIC ACIDS AND POLYPEPTIDES
; FILE REFERENCE: 790CIP3/US
; CURRENT APPLICATION NUMBER: US/10/450,763
; CURRENT FILING DATE: 2003-06-11
; PRIOR APPLICATION NUMBER: PCT/US01/08631
; PRIOR FILING DATE: 2001-03-30
; PRIOR APPLICATION NUMBER: 09/540,217
; PRIOR FILING DATE: 2000-03-31
; PRIOR APPLICATION NUMBER: 09/649,167
; PRIOR FILING DATE: 2000-08-23
; NUMBER OF SEQ ID NOS: 60736
; SOFTWARE: Custom
; SEQ ID NO 29532
; LENGTH: 850
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: SIMILAR
; LOCATION: (241)..(699)
; OTHER INFORMATION: 30% homologous to Leishmania major L8453.1,accession number
; OTHER INFORMATION: AC008054,Smith-Waterman Score=81.
US-10-450-763-29532

Query Match   27.1%;   Score 846.8; DB 9; Length 850;
Best Local Similarity 99.8%;
Matches   848; Conservative   0; Mismatches   2; Indels   0; Gaps   0;

Qy   716 CGGTAGCGCCGAGCGGAGTCACGGACGACCATGAAGAGACGGGTTCGTGCCGGCCCCAAGGCCG 775
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 CGGTAGCGCCGAGCGGAGTCACGGACCATGAAGAGACGGGTTCGTGCCGGCCCCAAGGCCG 60

Qy   776 GGATGGGGGTTAGCCACATCCTGCCGCGCGTGAGCGGGGAGGGAGGCTAACGGACGGGCCG 835
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 GGATGGGGGTTAGCCACATCCTGCCGCGCGTGAGCGGGGAGGGAGGCTAACGGACGGGCCG 120

Qy   836 GGCCGAGCCCGAGCCCACCGCGGACTGGCGGAGGGAGAGTGCAAGGCGCTGCTGACGGGCT 895
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 GGCCCAGCCCGAGCCCACCGCGATGGCGGAGGGAGAGTGCAAGGCGCTGCTGACGGGCT 180

Qy   896 CAACAAGACGACTCGGTCGTTCACCACCTGGTGTCTGACCGTCGTGGTGGCTCGCGGGACTC 955

```
Query Match
Best Local Similarity    23.3%;    Score 726.6;  DB 8;    Length 1061;
                         80.3%;    Pred. No. 2.1e-174;

RESULT 2

US-10-363-345A-27371
Sequence 27371, Application US/10363345A
Publication No. US20040234960A1
GENERAL INFORMATION:
  APPLICANT: Alexander Olek
  APPLICANT: Christian Piepenbrock
  APPLICANT: Kurt Berlin
  TITLE OF INVENTION: Method for determining the degree of methylation of defined
  TITLE OF INVENTION: cytosines in genomic DNA in the sequence context of 5'-CpG-3
  FILE REFERENCE: E01/1227
  CURRENT APPLICATION NUMBER: US/10/363,345A
  CURRENT FILING DATE: 2003-03-03
  NUMBER OF SEQ ID NOS: 40712
  SEQ ID NO 2737l
  LENGTH: 1061
  TYPE: DNA
  ORGANISM: Artificial Sequence
  FEATURE:
  OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
  OTHER INFORMATION: CpG-island No: 27371
US-10-363-345A-27371
```

Matches 852; Conservative 0; Mismatches 209; Indels 0; Gaps 0;

RESULT 3

```
US-10-363-345A-27372/c
Sequence 27372, Application US/10363345A
Publication No. US20040234960A1
GENERAL INFORMATION:
  APPLICANT: Alexander Olek
  APPLICANT: Christian Piepenbrock
  APPLICANT: Kurt Berlin
  TITLE OF INVENTION: Method for determining the degree of methylation of defined
  TITLE OF INVENTION: cytosines in genomic DNA in the sequence context of 5'-CpG-3
  FILE REFERENCE: E01/1227
  CURRENT APPLICATION NUMBER: US/10/363,345A
  CURRENT FILING DATE: 2003-03-03
  NUMBER OF SEQ ID NOS: 40712
SEQ ID NO 27372
  LENGTH: 1061
  TYPE: DNA
  ORGANISM: Artificial Sequence
  FEATURE:
  OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
  OTHER INFORMATION: CpG-island No: 27372
US-10-363-345A-27372

Query Match             23.3%;  Score 726.6;  DB 8;  Length 1061;
Best Local Similarity   80.3%;  Pred. No. 2.1e-174;
Matches   852;  Conservative   0;  Mismatches 209;  Indels   0;  Gaps   0;

Qy     495  GCTTGCCCGGAGTTGGCACCCACGGAGGATGGGGGACCCGCCACCCTCAGCTTCGCAGGGAG  554
Db    1061  GTTTGTTTCGGGAGTTGGTATTTACGGAGGAATCGTATTTTTAGTTCGTGGGGGGAG  1002

Qy     555  CCACCGTTGGAGGGCCCAGGCGGCGGGCGGGGTGTAGAGGATACGGACGTGTGAGTTCGGGGA  614
Db    1001  TTATCGTGGAGGTTAGGGCGGTTAGGGCCGGTGTAGAGGATACGGACGTGTGAGTTCGGGGA  942

Qy     615  GGATGGACGAGGAGCGGGGGACCGCTAACGGGGCTCCCTGGGCCGCCCCGTCCGCAGA  674
Db     941  GGATGGACGAGGAGCGGGGGATCGTTAACGGGGTTTTTTTTCGGCGTTCGTCGTAGA  882

Qy     675  GGCGCACGTCGGAGGGTCCGGGCCGCGTCGGCGGCGTTGGCGTCGTAGCGCCGACCGAGTC  734
Db     881  GGGCGTACGTCGGAGGGTTTCGGGGCGGGGGTTTCGTGGACGTTGGGCGTCGAGCGAGTT  822

Qy     735  ACCGGACCATGAACGAGCGGGCGTTCGTCGCGCGCGCCCCAAGCGGCGGGGATGGGGGGTTAGCCACAT  794
Db     821  ACGGATTATGAAGAGCGTTCGTGTCGCGCGGGGTTTAAGGTCGGGGATGGGGGGTTACTTATAT  762

Qy     795  CCTGCCGCCCTGAGGGGGGGAGGCTAACGGGCCCAGCCCGAGCCCACC  854
Db     761  TTTGTCGCGGTTGAGGGGGGGGAGGGTTAACGGGTCGCGCGCCGGCGCGGGGTTTAGTTATATTATC  702

Qy     855  GCCGATGGCCGACGGAGGAGTGCAAGGGGCCTGCTGGACGCTGCGTGGTCGCGTGCC  914
Db     701  GCCGATGGCCGACGGAGTGTAAGGGCGTTAATGAAGGTTGATTGCCGTGT  642

Qy     915  TACCACACCTGCTGCTGCGCGCCGTCGCGGCGACTCGCGGCACCTGCGCGGCAGGAG  974
Db     641  GTTTGTTTCGGGAGTTGGTATTTACGGAGGATGGGGGACCGCACCCTCGCAGGGAG  582

Qy     975  CTGCAAAAGACGCCCAGAGAGCTCGGCGTGTTCCACCTGCCCCGGCCTGACT  1034
Db     581  TTGTAAAAGACGCCGTTAGAAGGCGGTTGGCGTGTTTATTTGGTTTCGGTGATT  522

Qy    1035  GCCTGTGCTGCGCGCGACCGGGGGCCCGAGTTCGAGCGCGGCGGTTCGGCGTCTCG  1094
Db     521  GTTCGTGTTCGCGGATCGGGGGTTTGGTCGTCGAGTTCGGGGCGGTTTCGGCGTAGA  462

Qy    1095  GTCGGCCTTCTCCGGGCGCTCGCTGGAGGACATGGGGACGCGGGAGGCGCTCGCTGGGAGCTG  1154
Db     461  GTGGTTTTTTCGGGGTTGTTGGAATTGGGGACGGGATATGCCACGCGCCGGTCGGAGTTG  402
```

RESULT 4

```
Qy    1155  GGGCCCGGCGTTCCCGCTGCGACGCCGCCCGCGGGCGGACACGGCTGCTGCCCACACAGTGTGCCTGGC  1214
Db     401  GGCGTCGCGCGTTTTCGTTGTACGGCGTCGCGCGGGCGTTGGTCGGTCGCGCGTTAGAGGTGTGGCGGC  342

Qy    1215  GCCTCCTCGGCGTGGGCGGCGGGGCGGCCGCTGGCGAGCGACCCGGCGACCTCGCGAGGCGGAG  1274
Db     341  GTTTTTTTCGTGCGGTGGCGGGCGGCGCGGGTTGGTCGTTTTCGTAGTTCGTGGGGGGGAG  282

Qy    1275  GGCGGACTTCGACGTGCGCGGAGGCTGCGGGGAGCCGGGGGCGCGGGGCGCCGGAGG  1334
Db     281  GGCGGATTTCGGACGTGCGGGGAGTTGCGGGGGAGTTGGGGGGCGCGGGGGCGGAG  222

Qy    1335  ATTGATCGACAACACATTGGAGATGAAGCTTCAACGTGCCCGCGTTGGACAAGAGCCGCAG  1394
Db     221  ATGGATCGGATTAATATCGGAGATGAAGGTTTAACGTGTTCGCGTTGGATAAGAGTCGTAG  162

Qy    1395  GCGGCGGGGCGCCGAGCTTCGTCGACCCCAGGAACGGGTTAGCGTCAGCGGTGGGGCTCAGA  1454
Db     161  GCGGCGGGGTCGTGAGTTTTGTTTACGGGTTAGCGTCAGCGGTGGGGTTGCTGA  102

Qy    1455  CAGGAGCGCGCGGGGGGTTCGCGACCCCAGGAAGGCCCCTGCGCGGGCCCTCCTCCTCCTCGGGG  1514
Db     101  GCGGCGGGGCGCGGGGTGCGATTTAGGAAGGTTTTGGTTCGTTTATTTTTTCGGCGTC  42

Qy    1515  GTGCTCGCTGCGCGGCTGTGCCCTAGCCGTGTCCGTGGGCGAA  1555
Db      41  GTGTTGTTGCGCGGTTGTGGGTTTTTAGTCGTGTGCGTGGCGAA  1
```

```
US-10-363-483A-27371
Sequence 27371, Application US/10363483A
Publication No. US20050064401A1
GENERAL INFORMATION:
  APPLICANT: Alexander Olek
  APPLICANT: Christian Piepenbrock
  APPLICANT: Kurt Berlin
  TITLE OF INVENTION: Diagnosis of illnesses or predisposition to certain
  TITLE OF INVENTION: illnesses
  FILE REFERENCE: 82011
  CURRENT APPLICATION NUMBER: US/10/363,483A
  CURRENT FILING DATE: 2003-03-03
  NUMBER OF SEQ ID NOS: 40712
SEQ ID NO 27371
  LENGTH: 1061
  TYPE: DNA
  ORGANISM: Artificial Sequence
  FEATURE:
  OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
  OTHER INFORMATION: CpG-island No: 27371
US-10-363-483A-27371

Query Match             23.3%;  Score 726.6;  DB 9;  Length 1061;
Best Local Similarity   80.3%;  Pred. No. 2.1e-174;
Matches   852;  Conservative   0;  Mismatches 209;  Indels   0;  Gaps   0;

Qy     495  GCTTGCCCGGAGTTGGCACCCACGGAGGATGGGGGACCCGCCACCCTCAGCTTCGCAGGGAG  554
Db       1  GTTTGTTTCGGGAGTTGGTATTTACGGAGGAATCGTATTTTTAGTTCGTGGGGGGAG  60

Qy     555  CCACCGTTGGAGGGCCCAGGCGGGCGGGGTGTAGAGGATACGGACGTGTGAGTTCGGGGA  614
Db      61  TTATCGTGGAGGTTAGGGCGGTTAGGGCCGGTGTAGAGATACGGACGTGTGAGTTCGGGGA  120

Qy     615  GGATGGACGAGGAGCGGGGGACCGCTAACGGGGCTCCCTGGGCGACGCGCCGGCCCGTCCGCAGA  674
Db     121  GGATGGACGAGGAGCGGGGGATCGTTAACGGGGTTTTTTTTCGGCGTCCGTCCGTAGA  180

Qy     675  GGCGCACGTCGGAGGGTCCCGGGCCGCGTCGGCGGCGTTGGGGCGTAGCGCGGAGTT  734
Db     181  GGGCGTACGTCGGAGGGTTTCGGGGCGGGGGTTTCGTTGGGGCGTAGCGCGGAGTT  240

Qy     735  ACCGGACCATGAACGAGCGGGCGTTCGTCGCGCGCGCCCAAGGCCCGGGGATGGGGGGTTAGCCACAT  794
```

```
RESULT 5
US-10-363-483A-27372/c
Sequence 27372, Application US/1036483A
Publication No. US20050064401A1
GENERAL INFORMATION:
  APPLICANT: Alexander Olek
  APPLICANT: Christian Piepenbrock
  APPLICANT: Kurt Berlin
  TITLE OF INVENTION: Diagnosis of illnesses or predisposition to certain
  TITLE OF INVENTION: illnesses
  FILE REFERENCE: 82011
  CURRENT APPLICATION NUMBER: US/10/363,483A
  CURRENT FILING DATE: 2003-03-03
  NUMBER OF SEQ ID NOS: 4712
  SEQ ID NO 27372
  LENGTH: 1061
  TYPE: DNA
  ORGANISM: Artificial Sequence
  FEATURE:
  OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
  OTHER INFORMATION: CpG-island No: 27372
US-10-363-483A-27372

Query Match       23.3%;   Score 726.6; DB 9;   Length 1061;
Best Local Similarity   80.3%;   Pred. No. 2.1e-174;
Matches 852;  Conservative 0;  Mismatches 209;  Indels 0;  Gaps 0;
```

This page consists of a pairwise DNA sequence alignment (Qy = query, Db = database subject) presented in two column blocks. The aligned sequence rows with their residue numbering are reproduced below.

```
Db   241 ACGGATTATGAAGACGGTTCGTGTCGCGGGTTTAAGTGTCGGGATGGGGGGGTTAGTTATAT  300

Qy   795 CCTTGCCCCGGCTGAGGGGGAGGGCTAACCGGGGCCC...                        854
Db   301 TTTGTCCGCGTTGAGGGGAGGGTTAACCGGCCGGC...                         360
Db   361 GCGATGGGGAGGGAGGGAGTGTAAGGACGTTGTTGGAC...                      420
Qy   855 GCGATGGGGCAGGGGAGGGAGTGCAAGGCGCTCAACAAGACGAC...               914
Db   421 TATTATTATTTGGTTGTTGAATCGGTCGGT...                             480
Qy   915 TACCACCACCTGTGTCGACGTCGGTGTGGCT...                            974
Qy   975 CTGCAAAAGACGGCGCCAGAAGGCGGCAGAGAGC...                        1034
Db   481 TTGTAAAAGACGGCTTAGAAGGCCTAGGAGTTGGCG...                       540
Db   541 GTTGTTGTTGGCGGCGATCGGGTTTGGTTCGTC...                          600
Qy  1035 GCTGTGTGCTTCGCGACCGGGGGCCTTGGCCGCGGA...                      1094
Db   601 GTTGGGTTTTTTTCCGGGTTTGGGTTGGTTGGAATT...                       660
Qy  1095 GTGGCCTTCTCCGGCGCTGCCTGGACCTGCTGG...                         1154
Db   661 GGCCGTTCGGCGCGTTTCGTTTGTTTGTACGCGT...                         720
Qy  1155 GGGCGGCGGGTTCCCGCTCACGGGGTTGGGCGCC...                        1214
Db   721 GTTTTTTTTTCGGGTTGGCGGGTTGAGGTTATTCGTA...                      780
Qy  1215 GCCTTCCTCCGGGGGTTGGGGGGCGGCGGGGC...                          1274
Db   781 GGGCGAATTTCGACGTTCGCGGGAATTTCGGGGAG...                        840
Qy  1275 GGGCCACTTCGACGTCGCGCGGACCTCGCGGGGAGC...                      1334
Db   841 ATGATTCGATAAATATGGAGATGAAGGTTAACGT...                         900
Qy  1335 ATGATTCGACAACATGGAGATGAAGGTCAAACTG...                        1394
Qy  1395 GCGGCGGCGGCGGCCGAGCTCCTGTCCAGCGG...                          1454
Db   901 GCGGCGGCGGGTCGAGTTTTTGTTTAGCGTTAGC...                         960
Db   961 TAGGAGCGGCGGGGGGGGGGGGGTTCGCGATTTT...                        1020
Qy  1455 CAGGAGACGGCGGGGGGGGGGGGGTTGCGACCCCA...                       1514
Qy  1515 GTGCTGCTGGGCGGCTGTGTGGCCCTTGTGTGTCGCC...                     1555
Db  1021 GTGTTGTTGTCGGCGGTTGTGGTTTTTTAGTCGTGTCGTGGCGGCGAA            1061
```

```
Qy   495 GCTTGCCCCGGGAGTTGGCACCCACGGAGGGA...                           554
Db  1061 GTTTGTTCGGGAGTTGGTTATTTACGGAGCGG...                         1002
Db  1001 TTTATCGTGGAGGGCGTTAGGGCGGTGTTGTAG...                          942
Qy   555 CCACCGTGGAGGGCCAGGGGCCGGTGCAGAGAC...                          614
Qy   615 GGGATGGACGAGGGAGAGCGCGGGGGACCCGCTAA...                        674
Db   941 GGATCGGACCGAGGGAGGGAGATCGTTA...                               882
Qy   675 GGGCGCACGTTCGGAGGGGTCCCGGAGGCTCCG...                          734
Db   881 GGCCTACGTTCGGAGGGGTTTCGGGCGGG...                              822
Db   821 ACGGATTATGAAAGAGACGTTCGTGTCGCGC...                            762
Qy   735 ACGGACCATGAAGAGACGTTCGTGCGCGGGG...                            794
Qy   795 CCCTGCCCCGCTTGAGGGGCTTAACGGGGGC...                           854
Db   761 TTTGTGTGGCGGTTGACGGGGAGGTTAACGG...                           702
Db   701 GCGATGGGCGGAGGGGAGAGTTAAGGCGTT...                             642
Qy   855 GCGATGGGCGGAGGGAGTGCAAGGCGCTCA...                            914
Qy   915 TACCACCACCTGGTGTGTGCGACGTCGGTG...                            974
Db   641 TATTATTATTTGGTTTTGAATCGGTCGGTC...                            582
Db   581 TTGTAAAAGACGGCGTTAGAAGGCGTAGG...                             522
Qy   975 CTGCAAAAGACGGCCCCAGAAGCGCGGAG...                             1034
Qy  1035 GCTCGTGCGTGCGGCGGACGCGGGGCGCC...                            1094
Db   521 GTTCGTGTTCGGCGGATCGGGGGTTTGGT...                             462
Db   461 GTGGCCTTCTCCGGGGGCGTTCGCCTGGA...                             402
Qy  1095 GTGGCCTTCTCCGGGGGGCTGCCTGGACC...                            1154
Qy  1155 GGCGCGCGTTCCCGCTGCACGCGCCCGCG...                            1214
Db   401 GCGTGCGCGGTTTCGGGTTGTTGGTTACG...                             342
Db   341 GTTTTTTTCGGCGTGTGGCGCGCGCGGC...                              282
Qy  1215 GCCTTCCTCCGGCGGTGGCGGCGCGGCG...                             1274
Qy  1275 TACCACCACCTGGTGTCGACGTCGGTGGC...                            1334
Db   281 GGCGGATTTCGGACGTCGCGGGAGTTTG...                              222
Db   221 ATGATCGATAATAATGGAGATGAAGGTTA...                             162
Qy  1335 ATGATCGACAACATGGAGATGAAGGTCAA...                            1394
Qy  1395 GCGGCGGCGGCGGCCGAGCTCCTGTCCAG...                            1454
Db   161 GCGGCGGCGGGTCGAGTTTTTGTTTAGCG...                             102
```

RESULT 6
US-10-029-386-20699/c
; Sequence 20699, Application US/10029386
; Publication No. US20030194704A1
; GENERAL INFORMATION:
; APPLICANT: Penn, Sharron G.
; APPLICANT: Rank, David R.
; APPLICANT: Hanzel, David K.
; TITLE OF INVENTION: HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES USEFUL FOR G
; FILE REFERENCE: AEOMICA-X-2
; CURRENT APPLICATION NUMBER: US/10/029,386
; CURRENT FILING DATE: 2001-12-20
; NUMBER OF SEQ ID NOS: 34288
; SOFTWARE: Annomax Sequence Listing Engine vers. 1.1
; SEQ ID NO 20699
; LENGTH: 708
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; OTHER INFORMATION: MAP TO AC010615.5
; OTHER INFORMATION: EXPRESSED IN HELA, SIGNAL = 0.56
; OTHER INFORMATION: EXPRESSED IN ADULT LIVER, SIGNAL = 1.1
; OTHER INFORMATION: EXPRESSED IN HEART, SIGNAL = 1.3
; OTHER INFORMATION: EXPRESSED IN BRAIN, SIGNAL = 1.1
; OTHER INFORMATION: EXPRESSED IN FETAL LIVER, SIGNAL = 1.5
; OTHER INFORMATION: EXPRESSED IN LUNG, SIGNAL = 1.3
; OTHER INFORMATION: EST HUMAN HIT: AW302149.1, EVALUE 0.00e+00
; OTHER INFORMATION: SWISSPROT HIT: P31735, EVALUE 5.50e+00

Query Match   99.9%; Score 706.4; DB 6; Length 708;
Best Local Similarity   22.6%;
Matches 707; Conservative   0; Mismatches   1; Indels   0; Gaps   0;

Qy   1455 CAGGAGCGCGGGGGGGGGGGGGTTGCGACCCCAGGAGGAAGGCCCTGGCCGCCATCCTTTTCGGCGCC 1514
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   101 TAGGAGCGCGGGGGGGGGGGGGTTGCGATTTTAGGAAGGTTTTTCGTTCGTTGTTTTTCGGCGTC 42

Qy   1515 GTGCTGCTTGGCGGGCTGGTGGGCCCTAGCCGTGTGCGTGCGGCGGA 1555
           |||||||||||||||||||||||||||||||||||||||||||||||
Db   41 GTGTTGTTTGGCGGGGTTGGTGGGTTTTAGTCGTTGTGTGCTTGGGCGAA 1

Qy   41 GTGTTGTTTGGCGGGGTTGGTGGGTTTTAGTCGTTGTGTGCTTGGGCGAA 1

RESULT 7
US-10-363-345A-27369/c
; Sequence 27369, Application US/10363345A
; Publication No. US20040234960A1
; GENERAL INFORMATION:
; APPLICANT: Alexander Olek
; APPLICANT: Christian Piepenbrock
; APPLICANT: Kurt Berlin
; TITLE OF INVENTION: Method for determining the degree of methylation of defined
; TITLE OF INVENTION: cytosines in genomic DNA in the sequence context of 5'-CpG-3
; FILE REFERENCE: E01/1227
; CURRENT APPLICATION NUMBER: US/10/363,345A
; CURRENT FILING DATE: 2003-03-03
; NUMBER OF SEQ ID NOS: 40712
; SEQ ID NO 27369
; LENGTH: 1061
; TYPE: DNA
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
; OTHER INFORMATION: CpG-island No: 27369

Query Match   72.5%; Score 594.4; DB 8; Length 1061;
Best Local Similarity   19.0%;
Matches 769; Conservative   0; Mismatches 291; Indels   0; Gaps   0;

RESULT 8
US-10-363-345A-27370
Sequence 27370, Application US/10363345A
Publication No. US20040234960A1
GENERAL INFORMATION:
; APPLICANT: Alexander Olek
; APPLICANT: Christian Piepenbrock
; APPLICANT: Kurt Berlin
; TITLE OF INVENTION: Method for determining the degree of methylation of defined
; TITLE OF INVENTION: Cytosines in genomic DNA in the sequence context of 5'-CpG-3
; FILE REFERENCE: E01/1227
; CURRENT APPLICATION NUMBER: US/10/363,345A
; CURRENT FILING DATE: 2003-03-03
; NUMBER OF SEQ ID NOS: 40712
; SEQ ID NO 27370
; LENGTH: 1061
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
; OTHER INFORMATION: CpG-Island No: 27370
US-10-363-345A-27370

Query Match   19.0%;   Score 594.4;   DB 8;   Length 1061;
Best Local Similarity   72.5%;

Pred. No. 9.8e-141;

Matches 769;   Conservative   0;   Mismatches 291;   Indels   0;   Gaps   0;

RESULT 9

US-10-363-483A-27369/c
Sequence 27369, Application US/10363483A
Publication No. US20050064401A1
GENERAL INFORMATION:
APPLICANT: Alexander Olek
APPLICANT: Christian Piepenbrock
APPLICANT: Kurt Berlin
TITLE OF INVENTION: Diagnosis of illnesses or predisposition to certain
TITLE OF INVENTION: illnesses
FILE REFERENCE: 82011
CURRENT APPLICATION NUMBER: US/10/363,483A
CURRENT FILING DATE: 2003-03-03
NUMBER OF SEQ ID NOS: 40712
SEQ ID NO 27369
LENGTH: 1061
TYPE: DNA
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
OTHER INFORMATION: CpG-island No: 27369
US-10-363-483A-27369

Query Match 19.0%; Score 594.4; DB 9; Length 1061;
Best Local Similarity 72.5%; Pred. No. 9.8e-141;
Matches 769; Conservative 0; Mismatches 291; Indels 0; Gaps 0;

```
Qy   496 CTTGCCCCCGAGTTGGCACCCACCGAGGATGGGGACACCCTCAGCTTCGCAGGGAGC 555
         |||| ||||||  ||||||||||||||||||||| |||  ||| |||||||||||||
Db  1060 CTTACCCCGGAAATTAACACCCACCGAGAGAAAATAAAAACCGGACACCCTCGGGAG 1001

Qy   556 CACCGTGGAGGCCCAGGGGGCGGGGGGGGTGCAGAGACACACGTGTGACTGGGAGTG 615
         ||||||||  ||||||| |||||||||| |||||||| || |||||| |||||||
Db  1000 CACCGTAAAAACCAAAACGATACACAAAAACGACGAGTAATAAACTACGCCTAAAAA 941

Qy   616 GATGGACGAGGGAGGGGGGGGGGACCCGCTAACGGGGGGGTCCCGCGTCCCCAGAG 675
         |||| ||||  |||||||||||||||||||||||||||||||  |||||||||||
Db   940 AATAAACGAAAAAACGAAAAAAACCGCTACGAAAACTCCCTCTACGCGTCCGCAAAA 881

Qy   676 GCCGACGTCGAGGGGTCCCCGGCGGCGCTCCGTGGACGTTGGCGGTAGCGCCGGGAG 735
         ||||||||||||| | ||||||||||||||||||||||||  || ||||||  ||||
Db   880 ACGGCACGTCGAAAATCCCGAACGAAGTTAAACGATAACGCCGAACGAATCA 821

Qy   736 CGGACCCATGAAGAGGCGTTCGTGTGCGCGGGGCCCAAGGGCGCGGGGGGTTAGCCACAТC 795
         |||||||||||||||||||||||||||||||||||||||||||| ||  |||||||||||
Db   820 CGAACCATAAAAAAACGTTCGTACCGCGCCAAAAAACGAAAATTAACCACACAТC 761

Qy   796 CTGCCGCGCGCTAAAAACTAACGAACGCGCCGCCCGGCCGAACGAACCCACCG 855
         |||||||||  ||||||||||||||||||||||  |||||||||||||||||||
Db   760 CTACCGCGCCTAAAAAACTAACGAAACGCGGGGAGGCTAACGGGGGGGTCCCGGAGCCACCG 701

Qy   856 CGATGGCGGAGGGGGAGGAGTTCCAAGCGCGCTCGTGGACGCGACTGCGGTGCT 915
         |||| ||| ||||| |||||||||||||||  ||| |||||||||||||||||
Db   700 CGATAACGAAAAAAAATACAAAAACGCTACTACAAAAACGACTACGTACT 641

Qy   916 ACCACCACCTGGTGTCGTGCGTCGGCGGTCGCGAGAACCTGCGCGAGGAGC 975
         ||||||||||| ||| | |||||| ||||||||||||||| |||||||||||
Db   640 ACCACCACCTAATACTACGTCGACAAAACCTACCAAAAAACTACGACAAAAAC 581

Qy   976 TGCAAAAGACGCGGCGACCGAGGGGCTGGGGGTGTCCACCTGGCGCGAGGAG 1035
         || ||||| ||||| ||||||||| ||| |||||| |||||||||||||||||
Db   580 TACAAAAAACGCCCAAAAAACGCAGAAAAAACTACGCTAАTACCCCACCTAAAAA 521

Qy  1036 CTCTGCTCGCGACCGGGGGGCCTGGCCCGCGACGAGTTCAGCGGCGCTCTGGG 1095
         |||  ||| || |||| |||||||||||||||||||||||||||||||||||
Db   520 CTATACTACGGACGCGAAACCTAACGGCCCCGGAATTCGAACGACTCTAAA 461

Qy  1096 TGGCCTTCTTCGGGCGTCGGAACGGGACGACGTCGCTCGCGGAGCTGG 1155
         ||| ||| ||| |||| ||  |||||||| ||||||||||||||||||
Db   460 TAACCTTCTCGAACTACCTTAAACCTACTAAAACGAACGCGGCGCTAAAAACTAA 401
```

RESULT 10

US-10-363-483A-27370
Sequence 27370, Application US/10363483A
Publication No. US20050064401A1
GENERAL INFORMATION:
APPLICANT: Alexander Olek
APPLICANT: Christian Piepenbrock
APPLICANT: Kurt Berlin
TITLE OF INVENTION: Diagnosis of illnesses or predisposition to certain
TITLE OF INVENTION: illnesses
FILE REFERENCE: 82011
CURRENT APPLICATION NUMBER: US/10/363,483A
CURRENT FILING DATE: 2003-03-03
NUMBER OF SEQ ID NOS: 40712
SEQ ID NO 27370
LENGTH: 1061
TYPE: DNA
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
OTHER INFORMATION: CpG-island No: 27370
US-10-363-483A-27370

Query Match 19.0%; Score 594.4; DB 9; Length 1061;
Best Local Similarity 72.5%; Pred. No. 9.8e-141;
Matches 769; Conservative 0; Mismatches 291; Indels 0; Gaps 0;

```
Qy  1156 GCGCGCGCGTTCCCCCTGCACGCGCCGCGGCCGCCGACCGCTGGTGCCGCGCACAGGTGTGCGCTGGCG 1215
         |||||||||||||||||||||  |||||||||||||||||| |||||||||  ||||||||| |||||
Db   400 ACGCCGGCCGGTTCCCCGCTACAGCGGCCGCCGGACGCGCCGCTAATACGGCACAAAATAATAACTAACG 341

Qy  1216 CCTCCTCCCGGCGTGGCGGCGGCGGGCGCGCCGCTGAGCACCCGGCACCCGGGCTCGGGCGCGGGGAGG 1275
         |||||||||||| ||||||||||||||||||||||||||||||| ||||| || |||| ||||||||
Db   340 CCTCCTCCGAACGTAACGACGGCGGCGGCGGCGTAAAACACCCGGCACCCGGGCTCGGAAACGAAAA 281

Qy  1276 GCGACTTCGACGTCGCGGACGCTGCGCGGAGGCGGAGGGTCCTTCAGGTGGGCGGGAGA 1335
         |||||||||||||||||||||||||||||||||||||||||||||||| ||||||||
Db   280 ACGACTTCGACGTCGCGGAACCTACGAAAACTAAAACGCGGAAATCCTTCAAATAAACGAAA 221

Qy  1336 TGACGACACATGGAGATGAAGGTCAACGTGCCCCGGCTGGACGGTGCAAGCCCCGACAGG 1395
         ||||||| || ||| || |||||||| ||||||||||  ||||| |||||||||||||
Db   220 TAATCGACAACATAAAAATAAAAAATCAACGTACCCCGCTAAAACCGTACAAACCCGACAAA 161

Qy  1396 CGGGCGGGGGCGGGCCGGCGCTCCGTGTCCACGGTGTCAGCGGCGGCGCCCGCGTTGGCGGGAA 1455
         |||||||| ||||||||||||||||||||| |||||||||||||||||  ||||||| ||||
Db   160 CGACGAACCGCCGGAACTCCTTATCCACGATCAACGTCGAAAACGAGGCGAAACCTTCTTCGATCGTTAC 101

Qy  1456 AGGACGCGGGGGGGGTTGCGACCCCAGGAGAAGGCCCTGGCGGGCGGGGCCAТCCTTTTCGGCGCCG 1515
         ||||||||||||||||||  ||||  |||||||||||||||||||||||||||||||||||| ||||
Db   100 AAAAACGCGGAAAAAAAATTACGACCCCAAAAAAACGCCTAACGGCCCATCCTTTTCGACGCGG 41

Qy  1516 TGCTGCTTGCGGCTGTGGGCCTAGCCGTGTTGCGTGGCGAA 1555
         ||||||||||||||| ||||||||||||||||||||||||| |
Db    40 TACTACTAACGACTATAACCCTACCGTATACGTATAACGAA 1
```

RESULT 11
US-09-925-065A-740956
Sequence 740956, Application US/09925065A
Publication No. US20050228172A9
GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30

```
Qy    242 CGAACCATAAAAAACGTTCGTACCGCGGCCAAAAACCGAAATAAAAAATTAACCACATC 301
          ||||||                                               ||||||
Db    796 CTGCCGCGCTGAGGGGGAGGGGCTAACGGCGGCCCCGGCCCCCACCG 855

Db    302 CTACCGCGCTAAAAAACTAACGACGACCGAACCCAACCGAGAAACCCACCG 361

Qy    856 CGATGGCCGAGGAGGAGTGCAAGGCGCTCACAAGAGCACTGCGTGCT 915

Db    362 CGATAACGAAAAAAATACAAAAACGCTACTACAAAAACGACTACGTACT 421

Qy    916 ACCACCACCTGGTTGCTGACGTCCGGTGGCTCGGCGGACTCGCACGAGAACCTGCGCGCGAGGAGC 975

Db    422 ACCACCACCTAATACTAACCGTCGATAACTCGACGACCTGCAAAACCTACGACAAAAAC 481

Qy    976 TGCAAAAGACGGCCCCAGAGAGCGCCAGAGAGCTGCGCGGGTGTCCACCTGCGCCCCGGCCCGACTG 1035

Db    482 TACAAAAAAACGGCGCCAAAAAAACTAACGAATATCCACCTACGCCCGACTAACTA 541

Qy    1036 CTGTGCTGCGGGACACCGGGGGGCCTTGGCCTGCGACGAGTTCGAGCGGGGCTCTGGG 1095

Db    542 CTATACTACGCGACCGAAAACCTAACCCGGACGAAACGCGGGAATTCGAAACGACTCTAAA 601

Qy    1096 TGGCCTTCTCCGGGGCTGCTCGGACCTGCTCGGAAGCGGGACATGCGACGCGCTCGGCTGGAGCTGG 1155

Db    602 TAACCTTCTGGAACTACCTTAAAATCTACTACTAGACGGACATACTACGACCGCCTAAAACTAA 661

Qy    1156 GCGCCGGCGTTCCCGGTCCGCGGCCGCGGGGGCCAGCACAGGTGTGCGCTCGGCG 1215

Db    662 ACGCCGGCGTTCCCCGCTACACGGCCGCGCTAATACCGCACAAAATATAACTAACG 721

Qy    1216 CCTTCCTTCCTCCGGGTGGGGGGGCCTTGCGCGGGGCTTCGGAGGCGGGAGG 1275

Db    722 CCTCCCTCTCGACGTTAAACGACGCGCGCCTTACGACTCGGAAACGGAAAA 781

Qy    1276 GCGGACTTCGACGTCGCGGGGGACCTGCGGGAGAGCTGGAGGTCCTTCAGGTGTGGGGCGAGA 1335

Db    782 ACGACTTCGACGTTCGGAACCTACGAGAAAACTAAAAAACGGGAAATCCTTCAAAATAAACGAAA 841

Qy    1336 TGATCGCAACCATGGAGATGAAGGTCAACGTGCGCCCGTGCCCGTGCCTGTGGGAAAGCCCGGCAGG 1395

Db    842 TAATCGACAACATAAAAATACAAAAAACTAACGTACCCCGCTTAAAACCCGACAA 901

Qy    1396 CGGCGGGGGGCGGGCGGAGCTCCTGTGTCCACGGGTCTCAGCCGGTCGGTCGTGTCCTTGC 1455

Db    902 CGACGAAGGCCGAACTCCTATCCACGATCAACGCCCCCTCCTCGAATCGGTANCCTTAC 961

Qy    1456 AGGAGGCGCGGGGGGGGTTGCGACCCCAGGAAGGCCCTGCCGCCCATCTCTTTTTCTGGGCGCCG 1515

Db    962 AAAAAACGGGAAAAAAAATTACGACCCCAAAAAAACCCTTAACCGCCCATCCTTTTTGACGCCG 1021

Qy    1516 TGCTGCTTGGCGGCGTGTGCCCCTAGCCGTTGTGTGCCTGGGCGAA 1555

Db    1022 TACTACTAACGACTATAACCCTAACCGTATACGTAACGAA 1061
```

; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 740956
; LENGTH: 560
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-740956

Query Match 17.9%; Score 559.6; DB 4; Length 560;
Best Local Similarity 99.8%; Pred. No. 5.9e-132;
Matches 559; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```
Qy    199 CATCACAGGCAAAAACTTCCGCGCGGGAGGCTGGGCCCGGCTTTTTACCTGGGGCCTCAGTTTCCC 258

Db    560 CATCACAGGCAAAAACTTCCGCGCGGGAGGCTGGGCCCGGCTTTTTACCTGGGGCCTCAGTTTCCC 501

Qy    259 CATCCGTAAAAATAGAACGGGGTTGGATCTCTCCCGACGGCTAACATTCCAGAACTCGGATGGG 318

Db    500 CATCCGTAAAAATAGAACGGGGTTGGATCTCCCGACGGCTAACATTCCAGAACTCGGATGGG 441

Qy    319 GCGAAAGGGGAGGGAGGGGAGGATGGGGGCCACCCACACACTGACCTCCCCGGCGGTGGGACCCGGCCTA 378

Db    440 GCGAAAGGGGAGGGAGGGGAGGATGGGGGCCACCCACACGGTGACCTCCCCGGCGGTGGGACCCGGCCTA 381

Qy    379 CCACTGATTCCAGGGGGGTGGGCCAGCTTCCCGGCCGGGGGGACGAGGGGGGGGTTCCTAGGAA 438

Db    380 CCACTGATTCCAGGGGGGTGGGCCAGCTTCCCGGCCGGGAYGACGGGGGGGGGTTCCTAGGAA 321

Qy    439 ACCCTACCCCGGGCGCGCCCCTTGGGCAGCGCTAAGGGCGGGAGGGGGGCGGGGGGGCTGCTT 498

Db    320 ACCCTACCCCGGCGCGCCCCTTGGGCAGCGCCTAAGGGGCGGGGGCTTGCAGCCTGCTT 261

Qy    499 GCCCCGGAGTTGGCACCCCACGGAGGATGGGGACCGCGCCACCCTCAGCTTCGGCACGGTGGGCCAC 558

Db    260 GCCCCGGAGTTGGCACCCCACGGAGGATGGGGACCGCGCCACCCTCAGCTTCGGCACGGTGGGCCAC 201

Qy    559 CGTGGGAGGGCCCCAGGGGCCGGCGGGTGCAGAGCACACGAGACGAGTGACTCGGAGAGTGCGGGGGGAT 618

Db    200 CGTGGGAGGGCCCCAGGGGCCGGCGGGTGCAGAGCACACGAGACGAGTGACTCGGAGAGTGCGGGGGGAT 141

Qy    619 GGACGGAGGGGAGCGGGGGACCGCTANCGGGGGCTCCCCCGGTCCGCCCCAGAGGCG 678

Db    140 GGACGGAGGGGAGCGGGGGACCGGTTAACGGGGGCTCCCCCGGTCCGCCCCAGAGGCG 81

Qy    679 CACGTCGAGGGGTCCCGGCGGGGCTTGGGCGTTGGGCGGTACGGCCGGTACGGCGGAGTCACGG 738

Db    80 CACGTCGAGGGGTCCCGGCGGGGCTTCCGTGGCGGTAGGGCCGAGCGGAGTCACGG 21

Qy    739 ACCATGAAGAGCGTTCGTGC 758

Db    20 ACCATGAAGAGCGTTCGTGC 1
```

RESULT 12
US-09-925-065A-769508/c
Sequence 769508, Application US/09925065A
Publication No. US20050228172A9
GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30

RESULT 13
US-09-925-065A-736351/c
Sequence 736351, Application US/09925065A
Publication No. US20050228172A9
GENERAL INFORMATION:
 ; APPLICANT: Wang, David G.
 ; TITLE OF INVENTION: Identification and Mapping of Single
 ; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
 ; FILE REFERENCE: 108827.135
 ; CURRENT APPLICATION NUMBER: US/09/925,065A
 ; CURRENT FILING DATE: 2001-08-08
 ; PRIOR APPLICATION NUMBER: US 60/243,096
 ; PRIOR FILING DATE: 2000-10-24
 ; PRIOR APPLICATION NUMBER: US 60/252,147
 ; PRIOR FILING DATE: 2000-11-20

 ; PRIOR FILING DATE: 2000-11-30
 ; PRIOR APPLICATION NUMBER: US 60/261,766
 ; PRIOR FILING DATE: 2001-01-16
 ; PRIOR APPLICATION NUMBER: US 60/289,846
 ; PRIOR FILING DATE: 2001-05-09
 ; NUMBER OF SEQ ID NOS: 957086
 ; SOFTWARE: FastSEQ for Windows Version 4.0
 ;
 ; SEQ ID NO 769508
 ; LENGTH: 557.
 ; TYPE: DNA
 ; ORGANISM: Homo sapiens
US-09-925-065A-769508

Query Match   17.8%;   Score 556.6;   DB 4;   Length 557;
Best Local Similarity   99.8%;   Pred. No. 3.4e-131;
Matches 556;   Conservative   1;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy    202 CACAGGCAAAAACTCCGCGCGGAGCCTGGCCCGCCCGCTTTTTACCTGGGCCTCAGTTTCCCCAT 261
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    557 CACAGGCAAAAACTCCGCGCGGAGCCTGGCCCGCCCGCTTTTTACCTGGGCCTCAGTTTCCCCAT 498

Qy    262 CCGTAAAATAGAACGGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGGCGA 321
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    497 CCGTAAAATAGAACGGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGGCG 438

Qy    322 AAGGGAGGGAGGGGGATGGGGCCACCCACACGTGACCTTCCCCCCGCCCCGCCTACCA 381
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    437 AAGGGAGGGAGGGGGATGGGGCCACCCACACGTGACCTTCCCCCCGCCCCGCCTACCA 378

Qy    382 CTGATTCCAGGGGTGGCACTCCCGGCACCCGGGACGAGCGGCGGGGGGTCCTAGGAAACC 441
          ||||||||||||||||||||||||||:|||||||||||||||||||||||||||||||
Db    377 CTGATTCCAGGGGTGGCACTCCCGGCAYCCGGGACGAGCGGCGGGGGGTCCTAGGAAACC 318

Qy    442 CTACCCGCGCCCTTGCGCAGCCGCCTAAGGCGCGCGCCTCTGCAGCCTGCTTGCC 501
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    317 CTACCCGCGCCCTTGCGCAGCCGCCTAAGGCGCGCGCCTCTGCAGCCTGCTTGCC 258

Qy    502 CCGGAGTTGGCACCCACGGAGGATGGGGAGACCGGCCACCCTCAGCTTCGCAGGGGAGGCCACCGT 561
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    257 CCGGAGTTGGCACCCACGGAGGATGGGGAGACCGGCCACCCTCAGCTTCGCAGGGGAGGCCACCGT 198

Qy    562 GGAGGCCAGGGCGGTGCAGAGACACGACGTGTGACTCGGAGTGCGCCCTGGGGGAGGAGGATGGA 621
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    197 GGAGGCCAGGGCGGTGCAGAGACACGACGTGTGACTCGGAGTGCGCCCTGGGGGAGGAGGATGGA 138

Qy    622 CGAGGGACGCGGGGGGACCCGCTAACGGGGCGTCCCCTCTGCGCGCGCCCCCGTCCGCAGAGGGCGCAC 681
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    137 CGAGGGACGCGGGGGGACCCGCTAACGGGGCGTCCCCTCTGCGCGCGCCCCCGTCCGCAGAGGGCGCAC 78

Qy    682 GTCGAGGGGTCCCGGGGGCTCCGTGGACGTTGGCGGGTAGGCGCCGAGTCACGGACC 741
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    77  GTCGAGGGGTCCCGGGGGCTCCGTGGACGTTGGCGGGTAGGCGCCGAGTCACGGACC 18

Qy    742 ATGAAGAGCGTTCGTGC 758
          |||||||||||||||||
Db    17  ATGAAGAGCGTTCGTGC 1
```

RESULT 14
US-09-925-065A-737120/c
Sequence 737120, Application US/09925065A
Publication No. US20050228172A9
GENERAL INFORMATION:
 ; APPLICANT: Wang, David G.
 ; TITLE OF INVENTION: Identification and Mapping of Single
 ; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
 ; FILE REFERENCE: 108827.135
 ; CURRENT APPLICATION NUMBER: US/09/925,065A
 ; CURRENT FILING DATE: 2001-08-08
 ; PRIOR APPLICATION NUMBER: US 60/243,096
 ; PRIOR FILING DATE: 2000-10-24
 ; PRIOR APPLICATION NUMBER: US 60/252,147
 ; PRIOR FILING DATE: 2000-11-20

 ; PRIOR APPLICATION NUMBER: US 60/250,092
 ; PRIOR FILING DATE: 2000-11-30
 ; PRIOR APPLICATION NUMBER: US 60/261,766
 ; PRIOR FILING DATE: 2001-01-16
 ; PRIOR APPLICATION NUMBER: US 60/289,846
 ; PRIOR FILING DATE: 2001-05-09
 ; NUMBER OF SEQ ID NOS: 957086
 ; SOFTWARE: FastSEQ for Windows Version 4.0
 ;
 ; SEQ ID NO 736351
 ; LENGTH: 556
 ; TYPE: DNA
 ; ORGANISM: Homo sapiens
US-09-925-065A-736351

Query Match   17.8%;   Score 555.6;   DB 4;   Length 556;
Best Local Similarity   99.8%;   Pred. No. 6.1e-131;
Matches 555;   Conservative   1;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy    203 ACAGGCAAAAACTCCGCGCGGAGCCTGGCCCGCCCGCTTTTTACCTGGGCCTCAGTTTCCCCATC 262
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    556 ACAGGCAAAAACTCCGCGCGGAGCCTGGCCCGCCCGCTTTTTACCTGGGCCTCAGTTTCCCCATC 497

Qy    263 CGTAAAATAGAACGGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGGCGA 322
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    496 CGTAAAATAGAACGGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGGCGA 437

Qy    323 AGGGGAGGGAGGGGGATGGGGCCACCCACACGTGACCTTCCCCCCGCCCCGCCTACCAC 382
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    436 AGGGGAGGGAGGGGGATGGGGCCACCCACACGTGACCTTCCCCCCGCCCCGCCTACCAC 377

Qy    383 TGATTCCAGGGGTGGCAGTCCCGGCGCCCGGGGACGAGCGGCGGGGGGTCCTAGGAAACC 442
          ||||||||||||||||:|||||||||||||||||||||||||||||||||||||||||||
Db    376 TGATTCCAGGGGTGGCAGTCCCGGCGYCCGGGGACGAGCGGCGGGGGGTCCTAGGAAACC 317

Qy    443 TACCCGCGCCCTTGGCGCAGCGCCTAAGGCGCGCGCCTCTGCAGCCTGCTTGCCC 502
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    316 TACCCGCGCCCTTGGCGCAGCGCCTAAGGCGCGCGCCTCTGCAGCCTGCTTGCCC 257

Qy    503 CGGGAGTTGGCACCCACGGAGGATGGGGAGACCGGCCACCCTCAGCTTCGCAGGGGAGGCCACCGTG 562
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    256 CGGGAGTTGGCACCCACGGAGGATGGGGAGACCGGCCACCCTCAGCTTCGCAGGGGAGGCCACCGTG 197

Qy    563 GAGGCCAGGGCGGTGCAGAGACACGACGTGTGACTCGGAGTGCGCCCTGGGGGAGGAGGATGGAC 622
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    196 GAGGCCAGGGCGGTGCAGAGACACGACGTGTGACTCGGAGTGCGCCCTGGGGGAGGAGGATGGAC 137

Qy    623 GAGGGAGCGCGGGGGGACCCGCTAACGGGGCGTCCCCTCTGCGCGCGCCCCCGTCCGCAGAGGGCGCACG 682
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    136 GAGGGAGCGCGGGGGGACCCGCTAACGGGGCGTCCCCTCTGCGCGCGCCCCCGTCCGCAGAGGGCGCACG 77

Qy    683 TCGAGGGGTCCCGGGGGCTCCGTGGACGTTGGCGGGTAGGCGCCGAGTCACGGACCA 742
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    76  TCGAGGGGTCCCGGGGGCTCCGTGGACGTTGGCGGGTAGGCGCCGAGTCACGGACCA 17

Qy    743 TGAAGAGCGTTCGTGC 758
          ||||||||||||||||
Db    16  TGAAGAGCGTTCGTGC 1
```

```
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 737120
;    LENGTH: 555
;    TYPE: DNA
;    ORGANISM: Homo sapiens
US-09-925-065A-737120

Query Match              17.8%;  Score 554.6; DB 4;  Length 555;
Best Local Similarity    99.8%;  Pred. No. 1.1e-130;
Matches  554; Conservative  1; Mismatches  0;  Indels  0;  Gaps  0;

Qy    204 CAGGCAAAAACTCCGCGGGAGCCTGGGCCCGGCCTTTTTTACCTGGGGGCCTCAGTTTCCCATCC 263
          ||||||||||||||||||||||||||||||||||||| ||||||||||||||||||||||||||
Db      1 CAGGCAAAAACTCCGCGGGAGCCTGGGCCCGGCCTTTTTTACCTGGGGGCCTCAGTTTCCCATCC 60

Qy    264 GTAAAATAGAACGGGTTGGATCTCCCGAGGCGCTAACACTTCCAGAACTCGGATGGGGGCGAA 323
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 GTAAAATAGAACGGGTTGGATCTCCCGAGGCGCTAACACTTCCAGAACTCGGATGGGGGCGAA 120

Qy    324 GGGGAGGGAGGGAGGGATGGGCCCACCACCACCACTGACCTCCCCGGCGCCCCGGCCTACCACT 383
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 GGGGAGGGAGGGAGGGATGGGCCCACCACCACCACTGACCTCCCCGGCGCCCCGGCCTACCACT 180

Qy    384 GATCCAGGCAGGGGTGGGCAGCTTCCGGCCCGGGGCGGGGGCGGGTGGGGGTTCTAGGAAAACCT 443
          |||||||||||||||||||||||||||||| | ||||||||||||||||||||||||||||||
Db    181 GATCCAGGCAGGGGTGGGCAGCTTCCGGCCGAYGGGGGCGGGGGGTCCTAGGAAAACCT 240

Qy    444 ACCCGGCGCCCCCCTTGGCACGCGCCTAAGGCGGGAGGGGAGGGGCGGCCTCTTGCAGCCTGCTTGCCCC 503
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 ACCCGGCGCCCCCCTTGGCACGCGCCTAAGGCGGGAGGGGAGGGGCGGCCTCTTGCAGCCTGCTTGCCCC 300

Qy    504 GGAGTTGGCACCCACGGAGGATGGGGACCGCCACCCCTCAGCTTCCTGGCAGGGGAGCCCACCGTGG 563
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301 GGAGTTGGCACCCACGGAGGATGGGGACCGCCACCCCTCAGCTTCCTGGCAGGGGAGCCCACCGTGG 360

Qy    564 AGCCCAGGGCGGCGGTGCAGGAGACACGGACGTGTGACTCGGAGGTGCCCTGGGGGGGGGAGAGATGGACG 623
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361 AGCCCAGGGCGGCGGTGCAGGAGACACGGACGTGTGACTCGGAGGTGCCCTGGGGGGGGGAGAGATGGACG 420

Qy    624 AGGGAGCGGGGGGGGACCGGCTAACGGGGGCTCCCTCTTCGCGCGCCGCCCCCGTTCGCAGAGCGCGCACGT 683
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    421 AGGGAGCGGGGGGGGACCGGCTAACGGGGGCTCCCTCTTCGCGCGCCGCCCCCGTTCGCAGAGCGCGCACGT 480

Qy    684 CGAGGGTCCCCGGCCGCTCCCGTGGCAGTTGGCGGGTAGCCGCGAGCCGAGTCACGGACCAT 743
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    481 CGAGGGTCCCCGGCCGCTCCCGTGGCAGTTGGCGGGTAGCCGCCGAGCCGAGTCACGGACCAT 540

Qy    744 GAAGAGCGTTCGTGC 758
          |||||||||||||||
Db    541 GAAGAGCGTTCGTGC 555
```

```
; NUMBER OF SEQ ID NOS: 34288
; SOFTWARE: Annomax Sequence Listing Engine vers. 1.1
; SEQ ID NO 6988
;    LENGTH: 524
;    TYPE: DNA
;    ORGANISM: Homo sapiens
;    FEATURE:
;    OTHER INFORMATION: MAP TO AC010615.5
;    OTHER INFORMATION: EXPRESSED IN HELA, SIGNAL = 0.56
;    OTHER INFORMATION: EXPRESSED IN ADULT LIVER, SIGNAL = 1.2
;    OTHER INFORMATION: EXPRESSED IN BRAIN, SIGNAL = 1.3
;    OTHER INFORMATION: EXPRESSED IN HEART, SIGNAL = 1.1
;    OTHER INFORMATION: EXPRESSED IN FETAL LIVER, SIGNAL = 1.3
;    OTHER INFORMATION: EXPRESSED IN LUNG, SIGNAL = 1.5
;    OTHER INFORMATION: EST HUMAN HIT: AW302149.1, EVALUE 0.00e+00
;    OTHER INFORMATION: SWISSPROT HIT: Q06805, EVALUE 1.90e-01
;    OTHER INFORMATION: NT HIT: gi4507086, EVALUE 7.80e+00
US-10-029-386-6988

Query Match              16.8%;  Score 524; DB 6;  Length 524;
Best Local Similarity    100.0%;  Pred. No. 6.7e-123;
Matches  524; Conservative  0; Mismatches  0;  Indels  0;  Gaps  0;

Qy    484 CTCTGCAGCCTGCTTGCCCCGGGGAGTTGGCACCCACGGAGGATGGGGACCGCCACCCTCAGC 543
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    524 CTCTGCAGCCTGCTTGCCCCGGGGAGTTGGCACCCACGGAGGATGGGGACCGCCACCCTCAGC 465

Qy    544 TTCGCAGGGGAGCCCACCGTGGAGAGCCCAGGGCGGCGGTGCAGGAGACACGGACGTGTGACTCGGAGT 603
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    464 TTCGCAGGGGAGCCCACCGTGGAGAGCCCAGGGCGGCGGTGCAGGAGACACGGACGTGTGACTCGGAGT 405

Qy    604 GCGCCTGGGGAGGGAGGGATGGACGAGGGAGCGGGGGGGGGACCGGCTAACGGGGGCTCCCTCTTGCGCGCC 663
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    404 GCGCCTGGGGAGGGAGGGATGGACGAGGGAGCGGGGGGGGGACCGGCTAACGGGGGCTCCCTCTTGCGCGCC 345

Qy    664 CCGTCCGCAGAGCGCGCACGTCGAGGGTCCCCGGCGGGGGGTCCCCGGCCGCTCCGTTGGCGGGTAGCG 723
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    344 CCGTCCGCAGAGCGCGCACGTCGAGGGTCCCCGGCGGGGGGTCCCCGGCCGCTCCGTTGGCGGGTAGCG 285

Qy    724 CCCAGCGAGTCACGGACCATGAAGAGCGTTCGTGTCGGCGGGGGCCCAAGGCCGGGAGGATGGGG 783
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    284 CCGAGCGAGTCACGGACCATGAAGAGCGTTCGTGTCGGCGGGGGCCCAAGGCCGGGAGGATGGGG 225

Qy    784 GTTAGCCACATCCTGCGCGCGGGCTGAGGGGGGGCTAACGGGGGGGGCGGGCCCAGC 843
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    224 GTTAGCCACATCCTGCGCGCGGGCTGAGGGGGGGCTAACGGGGGGGGCGGGCCCAGC 165

Qy    844 CGGAGCCCACCGCGATGGGCGAGGGAGGGAGTGCAAGGCGCGTCGGACGGGGGCTCAACAAGA 903
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    164 CGGAGCCCACCGCGATGGGCGAGGGAGGGAGTGCAAGGCGCGTCGGACGGGGGCTCAACAAGA 105

Qy    904 CGACTGCCTTGCTACCCACCACCACCTCGGTTGTCGACCCTCGGGTTGGGCTGGGCGGGGGGACTCCCAGAACC 963
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    104 CGACTGCGTTGCTACCCACCACCACCTCGGTTGTCGACCCTCGGGTTGGGCTGGGCGGGGGGACTCCCAGAACC 45

Qy    964 TGCGGCAGGAGCTTGCAAAAGACCCGCGCCAGAAGCGCGCAGGAGCTG 1007
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db     44 TGCGGCAGGAGCTTGCAAAAGACCCGCGCCAGAAGCGCGCAGGAGCTG 1
```

;   TITLE OF INVENTION: EXPRESSION ANALYSIS TWO

Search completed: May 11, 2006, 03:56:35
Job time : 2410 secs

OM nucleic - nucleic search, using sw model

GenCore version 5.1.8
Copyright (c) 1993 - 2006 Bioacceleration Ltd.

Run on: May 11, 2006, 02:14:07 ; Search time 1415 Seconds
       (without alignments)
       8998.684 Million cell updates/sec

Title: US-10-760-320A-102
Perfect score: 3122
Sequence: 1 actagaggtggggttagcgc..........acagagcaagactctgtctc 3122

Scoring table: IDENTITY_NUC
       Gapop 10.0 , Gapext 1.0

Searched: 9312410 seqs, 2039259788 residues

Total number of hits satisfying chosen parameters: 18624820

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
       Maximum Match 100%
       Listing first 45 summaries

Database :   Published Applications NA New:*

1: /SIDS5/ptodata/1/pubpna/US08_NEW_PUB.seq1:*
2: /SIDS5/ptodata/1/pubpna/US06_NEW_PUB.seq:*
3: /SIDS5/ptodata/1/pubpna/US07_NEW_PUB.seq:*
4: /SIDS5/ptodata/1/pubpna/US07_NEW_PUB.seq:*
5: /SIDS5/ptodata/1/pubpna/US08_NEW_PUB.seq:*
6: /SIDS5/ptodata/1/pubpna/PCT_NEW_PUB.seq:*
7: /SIDS5/ptodata/1/pubpna/US09_NEW_PUB.seq:*
8: /SIDS5/ptodata/1/pubpna/US09_NEW_PUB.seq1:*
9: /SIDS5/ptodata/1/pubpna/US10_NEW_PUB.seq2:*
10: /SIDS5/ptodata/1/pubpna/US10_NEW_PUB.seq:*
11: /SIDS5/ptodata/1/pubpna/US10_NEW_PUB.seq3:*
12: /SIDS5/ptodata/1/pubpna/US10_NEW_PUB.seq3:*
13: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seq4:*
14: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seq2:*
15: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seq2:*
16: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seq3:*
17: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seq4:*
18: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seqs:*
19: /SIDS5/ptodata/1/pubpna/US60_NEW_PUB.seq:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Match Length	DB	ID	Description
1	559.6	17.9	560	7	US-09-925-065A-740956	Sequence 740956,
2	556.6	17.8	557	7	US-09-925-065A-769508	Sequence 769508,
3	555.6	17.8	556	7	US-09-925-065A-736351	Sequence 736351,
4	554.6	17.8	555	7	US-09-925-065A-737120	Sequence 737120,
5	180.2	5.8	2306	7	US-09-925-065A-706227	Sequence 706227,
6	178.6	5.7	414	7	US-09-925-065A-132933	Sequence 132933,
7	176.2	5.6	154548	17	US-11-121-086-33	Sequence 33, Appl
8	176	5.6	433	11	US-10-301-480-91009	Sequence 91009, A
9	176	5.6	433	11	US-10-301-480-91010	Sequence 91010, A
10	176	5.6	433	12	US-10-301-480-704418	Sequence 704418,
11	176	5.6	433	12	US-10-301-480-704419	Sequence 704419,
12	175.2	5.6	534	7	US-09-925-065A-64658	Sequence 64658, A
13	175.2	5.6	534	11	US-10-301-480-165896	Sequence 165896,
14	175.2	5.6	534	12	US-10-301-480-779305	Sequence 779305,

15	174.8	5.6	1541	7	US-09-925-065A-89171	Sequence 89171, Appli
16	174.8	5.6	1541	7	US-09-925-065A-89172	Sequence 89172, A
17	174.8	5.6	1541	11	US-10-301-480-190412	Sequence 190412,
18	174.8	5.6	1541	11	US-10-301-480-190413	Sequence 190413,
19	174.8	5.6	1541	12	US-10-301-480-803821	Sequence 803821,
20	174.8	5.6	1541	12	US-10-301-480-803822	Sequence 803822,
21	174.8	5.6	1217736	18	US-11-114-798-49	Sequence 49, Appl
22	174.8	5.6	318488	7	US-09-925-065A-84740	Sequence 84740, A
23	174.4	5.6	1600	11	US-10-301-480-185980	Sequence 185980,
24	174.4	5.6	1600	11	US-10-301-480-799389	Sequence 799389,
25	174.2	5.6	1600	12	US-11-091-018-1	Sequence 1, Appl
26	174	5.6	1691140	17	US-11-091-018-1	Sequence 1, Appli
27	174	5.6	516	7	US-09-925-065A-489267	Sequence 489267,
28	174	5.6	550	7	US-09-925-065A-546135	Sequence 546135,
29	174	5.6	550	11	US-10-301-480-524085	Sequence 524085,
30	174	5.6	550	11	US-10-301-480-1137494	Sequence 1137494,
31	174	5.6	150481	17	US-11-112-908-37	Sequence 37, Appl
32	174	5.6	155515	17	US-11-112-908-42	Sequence 42, Appl
33	174	5.6	159660	17	US-11-112-908-43	Sequence 43, Appl
34	174	5.6	171162	17	US-11-112-908-38	Sequence 38, Appl
35	174	5.6	177623	17	US-11-112-908-41	Sequence 41, Appl
36	173.6	5.6	386	12	US-10-301-480-229094	Sequence 229094,
37	173.6	5.6	386	11	US-10-301-480-842503	Sequence 842503,
38	173.6	5.6	717	7	US-09-925-065A-939937	Sequence 939937,
39	173.6	5.6	717	7	US-09-925-065A-955036	Sequence 955036,
40	173.6	5.6	908	12	US-10-301-480-609462	Sequence 609462,
41	173.6	5.6	908	12	US-10-301-480-1222871	Sequence 1222871,
42	173.6	5.6	1549	7	US-09-925-065A-726968	Sequence 726968,
43	173.4	5.6	101046	10	US-10-995-561-13330	Sequence 13330, A
44	173.2	5.6	679	11	US-10-301-480-531347	Sequence 531347,
45	173.2	5.5	679	12	US-10-301-480-1144756	Sequence 1144756,

ALIGNMENTS

RESULT 1
US-09-925-065A-740956/c
  Sequence 740956, Application US/0992506S5A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 740956
;   LENGTH: 560
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-740956

Query Match   17.9%;   Score 559.6; DB 7;   Length 560;
Best Local Similarity   99.8%;
Matches   559;   Conservative   1;   Mismatches   0;   Indels   0;   Gaps   0;
Pred. No. 0.017;

Qy   199 CATCACAGGCAAAAAACTCGGCGGGAGGCGCGGCCCGCGCCCCCTTTTTTACCTGGGGCTTCAGTTTCCC 258
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   560 CATCACAGGCAAAAAACTCGGCGGGAGGCGCGGCCCGCGCCCCCTTTTTTACCTGGGGCTTCAGTTTCCC 501

```
Qy    259 CATCCGTAAAATAGAACGGGTTGGATCTCCCCGAGCGGCTAACATTCCAGAACTCGGATGGG 318
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    500 CATCCGTAAAATAGAACGGGTTGGATCTCCCCGAGCGGCTAACATTCCAGAACTCGGATGGG 441

Qy    319 GCGAAGGGGGAGGAGGGGGCCACCCACACGTGACCTTCCCCGGTGGAGAGCCCCGCCTA 378
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    440 GCGAAGGGGGAGGAGGGGATGGGGCCACCCACACGTGACCTTCCCCGGTGGAGAGCCCCGCCTA 381

Qy    379 CCACTGATCCAGGGGGTGGCAGTCTTCCGGCCCGGGAGGGGGTGGGGTCCTAGGAA 438
          ||| ||| |||||||||||||||||||||||||||  ||||||||||||||||||||||
Db    380 CCACTGATCCAGGGGGTGGCAGTCTTCCGGCCCGGGAYGGAGGGGGTGGGGTCCTAGGAA 321

Qy    439 ACCCTACCCGGCGCGCGCCTTGGCAGCGGGGGGAGGGGGGCTCGCAGCCTTGCTT 498
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    320 ACCCTACCCGGCGCGCGCCTTGGCAGCGGGGGGAGGGGGGCTCGCAGCCTTGCTT 261

Qy    499 GCCCCGGAGTTGGCACCCACGGAGGGGGACCGCACCCTCAGCTTCGCAGGGAGGAGCCAC 558
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    260 GCCCCGGAGTTGGCACCCACGGAGGGGGACCGCACCCTCAGCTTCGCAGGGAGGAGCCAC 201

Qy    559 CGTGGAGGCCAGGGCGGGTGCAGAGACACCGACGTGACTCGGAGGTGCCGCCTGGGGAGGAT 618
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    200 CGTGGAGGCCAGGGCGGGTGCAGAGACACCGACGTGACTCGGAGGTGCCGCCTGGGGAGGAT 141

Qy    619 GGAGAGGACGGAGGGAGGGGGCTCCCTCTGCGGCGCCCCCGTCCCCGAGAGCG 678
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    140 GGAGAGGACGGAGGGAGGGGGCTCCCTCTGCGGCGCCCCCGTCCCCGAGAGCG 81

Qy    679 CACGTCGAGGGTCCCGGGGGGGACCGGCTCCGTGGACGTTGGCGGTAGCGCCGAGGTCACGG 738
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     80 CACGTCGAGGGTCCCGGGGGGGACCGGCTCCGTGGACGTTGGCGGTAGCGCCGAGGTCACGG 21

Qy    739 ACCATGAAGAGCGTTCGTGC 758
          ||||||||||||||||||||
Db     20 ACCATGAAGAGCGTTCGTGC 1
```

RESULT 2
US-09-925-065A-769508/c
Sequence 769508, Application US/09925065A
Publication No. US20040181048A1
GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SEQ ID NO 769508
;   LENGTH: 557
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-769508

```
Query Match             17.8%;   Score 556.6;   DB 7;   Length 557;
Best Local Similarity   99.8%;   Pred. No. 0.02;
Matches   556;   Conservative   1;   Mismatches   0;   Indels   0;   Gaps   0;

Qy    202 CACAGGCAAAAACTCCGCGCGGGAGCCTGGCCCGCGCTTTTTACCTGGGCCTCAGTTTCCCCAT 261
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    557 CACAGGCAAAAACTCCGCGCGGGAGCCTGGCCCGCGCTTTTTACCTGGGCCTCAGTTTCCCCAT 498
```

```
Qy    262 CCGTAAAATAGAACGGGTTGGATCTCCCCGAGCGGCTAACATTCCAGAACTCGGATGGGGCG 321
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    497 CCGTAAAATAGAACGGGTTGGATCTCCCCGAGCGGCTAACATTCCAGAACTCGGATGGGGCG 438

Qy    322 AAGGGGGAGGAGGGGGATGGGGCCACCCACACGTGACCTTCCCCGGTGGAGAGCCCCGCCTACCA 381
          ||||||||||||||||| ||||||||||||||||||||||||||||||||||||||||||||
Db    437 AAGGGGGAGGAGGGGGATGGGGCCACCCACACGTGACCTTCCCCGGTGGAGAGCCCCGCCTACCA 378

Qy    382 CTGATCCAGGGGGTGGCAGTCTTCCGGCCCGGGAGGGGGTGGGGGTCCTAGGAAACC 441
          ||||||||||||||||||||||||||||||:|||||||||||||||||||||||||
Db    377 CTGATCCAGGGGGTGGCAGTCTTCCGGCCCGGGAYGAGGGGGTGGGGGTCCTAGGAAACC 318

Qy    442 CTACCCGGCGCGCGCCTTGGCAGCGGGGGGAGGGGGGCTCGCAGCCTTGCTTGCC 501
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    317 CTACCCGGCGCGCGCCTTGGCAGCGGGGGGAGGGGGGCTCGCAGCCTTGCTTGCC 258

Qy    502 CCGGAGTTGGCACCCACGGAGGGGGACCGCACCCTCAGCTTCGCAGGGAGGAGCCACCGT 561
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    257 CCGGAGTTGGCACCCACGGAGGGGGACCGCACCCTCAGCTTCGCAGGGAGGAGCCACCGT 198

Qy    562 GGAGGCCAGGGCGGGTGCAGAGACACGACGTGACTCGGAGGTGCCGCCTGGGGAGGATGGA 621
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    197 GGAGGCCAGGGCGGGTGCAGAGACACGACGTGACTCGGAGGTGCCGCCTGGGGAGGATGGA 138

Qy    622 CGAGGGAGGGGGCTCCCTCTGCGGCGCCCCCGTCCCCGAGAGCGCAC 681
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    137 CGAGGGAGGGGGCTCCCTCTGCGGCGCCCCCGTCCCCGAGAGCGCAC 78

Qy    682 GTCGAGGGTCCCGGGGGGGACGGCTCCGTGGACGTTGGCGGTAGCGCCGAGGTCACGGACC 741
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     77 GTCGAGGGTCCCGGGGGGGACGGCTCCGTGGACGTTGGCGGTAGCGCCGAGGTCACGGACC 18

Qy    742 ATGAAGAGCGTTCGTGC 758
          |||||||||||||||||
Db     17 ATGAAGAGCGTTCGTGC 1
```

RESULT 3
US-09-925-065A-736351/c
Sequence 736351, Application US/09925065A
Publication No. US20040181048A1
GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SEQ ID NO 736351
;   LENGTH: 556
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-736351

```
Query Match             17.8%;   Score 555.6;   DB 7;   Length 556;
Best Local Similarity   99.8%;   Pred. No. 0.02;
Matches   555;   Conservative   1;   Mismatches   0;   Indels   0;   Gaps   0;

Qy    203 ACAGGCAAAAACTCCGCGCGGGAGCCTGGCCCGCGCTTTTTACCTGGGCCTCAGTTTCCCCATC 262
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    557 CACAGGCAAAAACTCCGCGCGGGAGCCTGGCCCGCGCTTTTTACCTGGGCCTCAGTTTCCCCATC 498
```

Left column

```
Db  556 ACAGGCAAAAACTCGCGCGGGAGCCTGGCCCGCGCTTTTTACCTGGGCGCCTCAGTTTCCCCATC 497
Qy  263 CGTAAAATAGAACGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGCGA 322
Db  496 CGTAAAATAGAACGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGCGA 437
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  323 AGGGGAGGGAGGGGATGGGGCCACCCACAACGTGACCTCCCGGGTGGAGCCCCGCCTACCAC 382
Db  436 AGGGGAGGGAGGGGATGGGGCCACCCACAACGTGACCTCCCGGGTGGAGCCCCGCCTACCAC 377
Qy  383 TGATCCAGGGGGGTTGGGCACTCCGGCCGGCGGGGGGTCCTAGGAAACC 442
Db  376 TGATCCAGGGGGGTTGGGCACTCCGGCCGGCGGGGGGYCCTAGGAAACC 317
Qy  443 TACCCGGCCGCCCTTGGCAGGCGGGAGGGGAGGGGGCCTGCAGCCTGCTTGCCC 502
Db  316 TACCCGGCCGCCCTTGGCAGGCGGGAGGGGAGGGGGCCTGCAGCCTGCTTGCCC 257
Qy  503 CGGAGTTGGCACCCCACGGAGGGACCGGCACCCTCAGCTTCGCCACGGAGCCACCGTG 562
Db  256 CGGAGTTGGCACCCCACGGAGGGACCGGCACCCTCAGCTTCGCCACGGAGCCACCGTG 197
Qy  563 GAGGCCCAGGGCGGTGCACGAGACGACGTGTGACTCGGAGTGGGGGGAGGATGGAC 622
Db  196 GAGGCCCAGGGCGGTGCACGAGACGACGTGTGACTCGGAGTGGGGGGAGGATGGAC 137
Qy  623 GAGGGAGCGGGGGACCGGCTAACGGGGGCTCCCTCTTCCCGAGAGGCGCACG 682
Db  136 GAGGGAGCGGGGGACCGGCTAACGGGGGCTCCCTCTTCCCGAGAGGCGCACG 77
Qy  683 TCGGAGGGTCCCGGGGCTCCTTGGACGGTTGCGGGTGCGGAGTCACGGACCA 742
Db   76 TCGGAGGGTCCCGGGGCTCCTTGGACGGTTGCGGGTGCGGAGTCACGGACCA 17
Qy  743 TGAAGAGGCGTTCGTGC 758
Db   16 TGAAGAGGCGTTCGTGC 1
```

RESULT 4
US-09-925-065A-737120
Sequence 737120, Application US/0992506A
Publication No. US20040181048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 737120
LENGTH: 555
TYPE: DNA
ORGANISM: Homo sapiens
US-09-925-065A-737120

Query Match   17.8%;   Score 554.6;   DB 7;   Length 555;
Best Local Similarity   99.8%;   Pred. No. 0.021;
Matches 554;   Conservative   1;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  204 CAGGCAAAAACTCGCGCGGGAGCCTGGCCCGCGCTTTTTACCTGGGCGCCTCAGTTTCCCCATCC 263
```

Right column

```
Db    1 CAGGCAAAAACTCGCGCGGGAGCCTGGCCCGCGCTTTTTACCTGGGCGCCTCAGTTTCCCCATCC 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  264 GTAAAATAGAACGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGCGAA 323
Db   61 GTAAAATAGAACGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGCGAA 120
Qy  324 GGGGAGGGAGGGGATGGGGCCACCCACAACGTGACCTCCCGGGTGGAGCCCCGCCTACCACT 383
Db  121 GGGGAGGGAGGGGATGGGGCCACCCACAACGTGACCTCCCGGGTGGAGCCCCGCCTACCACT 180
Qy  384 GATCCAGGGGGGTTGGGCACTCCGGCCGGCGGGGGGYCCTAGGAAACCCT 240
Db  181 GATCCAGGGGGGTTGGGCACTCCGGCCGGCGGGGGGYCCTAGGAAACCCT 240
Qy  444 ACCCGGCCGCCCTTGGCAGGCGGGAGGGGAGGGGGCCTGCAGCCTGCTTGCCCC 503
Db  241 ACCCGGCCGCCCTTGGCAGGCGGGAGGGGAGGGGGCCTGCAGCCTGCTTGCCCC 300
Qy  504 GGAGTTGGCACCCCACGGAGGGACCGGCACCCTCAGCTTCGCCACGGAGCCACCGTGG 563
Db  301 GGAGTTGGCACCCCACGGAGGGACCGGCACCCTCAGCTTCGCCACGGAGCCACCGTGG 360
Qy  564 AGGCCCAGGGCGGTGCACGAGACGACGTGTGACTCGGAGTGGGGGGAGGATGGACG 623
Db  361 AGGCCCAGGGCGGTGCACGAGACGACGTGTGACTCGGAGTGGGGGGAGGATGGACG 420
Qy  624 AGGGAGCGGGGGACCGGCTAACGGGGGCTCCCTCTTCCCGAGAGGCGCACGT 683
Db  421 AGGGAGCGGGGGACCGGCTAACGGGGGCTCCCTCTTCCCGAGAGGCGCACGT 480
Qy  684 CGAGGGTCCCGGGGCTCCTTGGACGGTTGCGGGTGCGGAGTCACGGACCAT 743
Db  481 CGAGGGTCCCGGGGCTCCTTGGACGGTTGCGGGTGCGGAGTCACGGACCAT 540
Qy  744 GAAGAGGCGTTCGTGC 758
Db  541 GAAGAGGCGTTCGTGC 555
```

RESULT 5
US-09-925-065A-706227/c
Sequence 706227, Application US/0992506A
Publication No. US20040181048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 706227
LENGTH: 2306
TYPE: DNA
ORGANISM: Homo sapiens
US-09-925-065A-706227

Query Match   5.8%;   Score 180.2;   DB 7;   Length 2306;
Best Local Similarity   84.6%;   Pred. No. 5.5e+03;
Matches 214;   Conservative   0;   Mismatches   38;   Indels   1;   Gaps   1;

RESULT 6
US-09-925-065A-132933
; Sequence 132933, Application US/0925065A
; Publication No. US20040181040A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 132933
; LENGTH: 414
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-132933

Query Match 5.7%; Score 178.6; DB 7; Length 414;
Best Local Similarity 84.2%; Pred. No. 2.2e+04;
Matches 213; Conservative 0; Mismatches 39; Indels 1; Gaps 1;

```
Qy 2870 CCCCACTTTTTTCTTTTTTGAGCAGGTGGATCACCTGAGGTCAGGAGTTCGAGACCAGC 2929
Db  139 CCCAGCACTTTGGGAGACTGAGGTGGGATCACTTACGGAGTTTGAGACCAGC 198

Qy 2930 CTGGCCAACATGGTGAAACCCGATCTCTACTAAAAATATAAAAATTAGCCAGGCATGGT 2989
Db  199 CGTGCATGCCTCTAATCCCAGCTTACTCAGGAGGCTGAGGCTGGAGAATCGATTCCA 258

Qy 2990 GGGGCCATGCCTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATCA 3049
Db  259 GGAGGTGGAGGTTGCAGTGAGCAAGAGATTGTGCCACTGCACTCCAGCGTGGGCAACACAGC 200

Qy 3050 GGAGGTTGCAGTGAGCCAATGAG-CAAGATTGTGCCACTGCACTCCACACTCCAGCGTGGGCAACACAGAG 3108
Db   79 GGAGGCAAGGCCTATAATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAATTGCTTGAACCCG 140

Qy 3109 CAAGACTCTGTCT 3121
Db  318 GGAGGCGGAGGTTGCAGTGAGCCAATATCGTACCACTGCACTCCAGCCTGGGCAACAGAG 378

Qy 3110 AAGACTCTGTCTC 3122
Db   79 AAGACTCTGTCTC 67
```

RESULT 7
US-11-121-086-33/c
; Sequence 33, Application US/11121086
; Publication No. US20050266459A1
; GENERAL INFORMATION:
; APPLICANT: POULSEN, TIM S.
; APPLICANT: NIELSEN, KIRSTEN V.
; TITLE OF INVENTION: NUCLEIC ACID PROBES AND NUCLEIC ACID ANALOG PROBES
; FILE REFERENCE: 09138.6000-00000
; CURRENT APPLICATION NUMBER: US/11/121,086
; CURRENT FILING DATE: 2005-05-04
; PRIOR APPLICATION NUMBER: 60/567,570
; PRIOR FILING DATE: 2004-05-04
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: Patentin version 3.3
; SEQ ID NO 33
; LENGTH: 154548
; TYPE: DNA
; ORGANISM: Homo sapiens
US-11-121-086-33

Query Match 5.6%; Score 176.2; DB 17; Length 154548;
Best Local Similarity 86.8%; Pred. No. 2.5e+02;
Matches 204; Conservative 1; Mismatches 29; Indels 1; Gaps 1;

```
Qy 2889 GAGGCAGGTGGATCACCTGAGGTCAGGAGTTCGAGACCAGCAGCCTGGCCAACATACGGAAAC 2948
Db 25277 GAGGCAGGCGGATCAACTGAGGTCAGGAGTTTCAGGACCAGCAGGGTTCAAGACCA 25218

Qy 2949 CCGGATCTCTACTAAAAAATATAAAAATTAGAAAAATTGGCCGCGGCATGGTGGGCGCGCGCTGTGGTCCC 3008
Db 25217 CCCGTCTCTACTAAAAAATATGAAAAATTAGCTAGGCGTGGTGGTGCACCGCGTGAGTCC 25158

Qy 3009 AGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCAGCAGGAGTGGAGGTTGCAATG 3068
Db 25157 AGCTACTTCGGGAGGCTGAGGCAGGAGAATCACTTGAACCCAGGAGGCGGAGGTTGCAGTG 25098

Qy 3069 AG-CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCTGTCTC 3122
Db 25097 AGCCAAGATTGCGCCATTGCACTCCAGCCTGGGCGACACAGAGTGAGACTCTGTCTC 25043
```

RESULT 8
US-10-301-480-91009/c
; Sequence 91009, Application US/10301480
; Publication No. US20060005756A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 91009
; LENGTH: 433
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-91009

Query Match 5.6%; Score 176; DB 11; Length 433;
Best Local Similarity 83.1%; Pred. No. 2.3e+04;
Matches 211; Conservative 1; Mismatches 41; Indels 1; Gaps 1;

```
Qy 2870 CCCCACTTTTTTCTTTTTTGAGGCAGGTGGATCACCTGAGGTGGGATTCACGTGAGGTCAGGAGTTCGAGACCAGC 2929
```

(Left column)

```
Db   307 CCCAGCACTTTGGGAGGCTGAGGCGGGAGGATCACCTGAGGTCAGGAGTTTGAGACCAGC 248
Qy  2930 CTGGCCAACATAGCGAAACCCGATCTCTACTAAAAAAATATAAAAATTGGCCGGGCATGGT 2989
Qy   247 CTGGCCAACATAGTGAAACCCCATCTCTTCTAAAAAATACAAAAAAATTAGCTGGGCATGGT 188
Qy  2990 GGCGGCATGCCTGTGGTCCCAGCTACTCGGGAGGCCAGGAGAGAGTCGGCTTGAATGCA 3049
Db   187 GGCSCACGCCTGTPAATCCCTGCTACTCAGGAGGCTGAGGCAGGAGAATCACTTGAACCCA 128
Qy  3050 GGAGGTGGAGGTTGCAAATG-AGCAAGAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAG 3108
Db   127 GGAGGTGGAGGTTGCAGTGAAGCGAGATCATGCCACTGCACCCTGGGCAACAGAG 68
Qy  3109 CAAGACTCTGTCTC 3122
Db    67 CAAGACTCCATCTC 54
```

RESULT 9
US-10-301-480-91010/c
; Sequence 91010, Application US20060057564A1
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 91010
; LENGTH: 433
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-91010

Query Match   5.6%;   Score 176;   DB 11;   Length 433;
Best Local Similarity   83.1%;   Pred. No. 2.3e+04;
Matches 211; Conservative   1; Mismatches   41; Indels   1; Gaps   1;

```
Qy  2870 CCCCACTTTTTTCTTTTTTTTGAGGCAGGTTGGATCACCTGAGGTCAGGAGTTCGAGACCAGC 2929
Db   307 CCCAGCACTTTGGGAGGCTGAGGCGGGAGGATCACCTGAGGTCAGGAGTTTGAGACCAGC 248
Qy  2930 CTGGCCAACATAGCGAAACCCGATCTCTACTAAAAAAATATAAAAATTGGCCGGGCATGGT 2989
Db   247 CTGGCCAACATAGTGAAACCCCATCTCTTCTAAAAAATACAAAAAAATTAGCTGGGCATGGT 188
Qy  2990 GGCGGCATGCCTGTGGTCCCAGCTACTCGGGAGGCCAGGAGAGAGTCGGCTTGAATGCA 3049
Db   187 GGCSCACGCCTGTPAATCCCTGCTACTCAGGAGGCTGAGGCAGGAGAATCACTTGAACCCA 128
Qy  3050 GGAGGTGGAGGTTGCAAATG-AGCAAGAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAG 3108
Db   127 GGAGGTGGAGGTTGCAGTGAAGCGAGATCATGCCACTGCACCCTGGGCAACAGAG 68
Qy  3109 CAAGACTCTGTCTC 3122
Db    67 CAAGACTCCATCTC 54
```

(Right column)

; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 704418
; LENGTH: 433
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-704418

Query Match   5.6%;   Score 176;   DB 12;   Length 433;
Best Local Similarity   83.1%;   Pred. No. 2.3e+04;
Matches 211; Conservative   1; Mismatches   41; Indels   1; Gaps   1;

```
Qy  2870 CCCCACTTTTTTCTTTTTTTTGAGGCAGGTTGGATCACCTGAGGTCAGGAGTTCGAGACCAGC 2929
Db   307 CCCAGCACTTTGGGAGGCTGAGGCGGGAGGATCACCTGAGGTCAGGAGTTTGAGACCAGC 248
Qy  2930 CTGGCCAACATAGCGAAACCCGATCTCTACTAAAAAAATATAAAAATTGGCCGGGCATGGT 2989
Db   247 CTGGCCAACATAGTGAAACCCCATCTCTTCTAAAAAATACAAAAAAATTAGCTGGGCATGGT 188
Qy  2990 GGCGGCATGCCTGTGGTCCCAGCTACTCGGGAGGCCAGGAGAGAGTCGGCTTGAATGCA 3049
Db   187 GGCSCACGCCTGTPAATCCCTGCTACTCAGGAGGCTGAGGCAGGAGAATCACTTGAACCCA 128
Qy  3050 GGAGGTGGAGGTTGCAAATG-AGCAAGAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAG 3108
Db   127 GGAGGTGGAGGTTGCAGTGAAGCGAGATCATGCCACTGCACCCTGGGCAACAGAG 68
Qy  3109 CAAGACTCTGTCTC 3122
Db    67 CAAGACTCCATCTC 54
```

RESULT 11
US-10-301-480-704419/c
; Sequence 704419, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 704419
; LENGTH: 433
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-704419

Query Match   5.6%;   Score 176;   DB 12;   Length 433;
Best Local Similarity   83.1%;   Pred. No. 2.3e+04;
Matches 211; Conservative   1; Mismatches   41; Indels   1; Gaps   1;

```
Qy  2870 CCCCACTTTTTTCTTTTTTTTGAGGCAGGTTGGATCACCTGAGGTCAGGAGTTCGAGACCAGC 2929
Db   307 CCCAGCACTTTGGGAGGCTGAGGCGGGAGGATCACCTGAGGTCAGGAGTTTGAGACCARC 248
```

RESULT 10
US-10-301-480-704418/c
; Sequence 704418, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.

Qy   2930 CTGGCCAACTAGCTAGAGAAACCCGATCTCTACTAAAAAATATAAAAATTGGCCGGGCCATGGT 2989
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   247   CTGGCCAACATAGCTAGAGAAACCCCATCTCTTCTAAAAAAATACAAAAAATTAGCTGGGGCATGGT 188

Qy   2990 GGCGGCACGCCTGTGGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGATCGCTTGAATGCA 3049
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   187   GGCGGCACGCCTGTAATCCCTGCTACTCAGGAGGCTGAGGCAGGAGAATCACTTGAACCCA 128

Qy   3050 GGAGGTGGAGGTTGCAATG-AGCAAAGATTGTTGCCACTGCACT|||||||||CAACAGAG 3108
            |||||||||||||||||| |:||||||||||||||||||| |||||||||||||||
Db   127   GGAGGTGGAGGTTGCAGTGAGCCGAGATCATGCCACTGCACTC|||||||GGCAACAGAG 68

Qy   3109 CAAGACTCTGTCTCC 3122
            |||||||||||||
Db   67   CAAGACTCCATCTC 54

RESULT 12
US-09-925-065A-64658
; Sequence 64658, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 64658
; LENGTH: 534
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-64658

Query Match   5.6%; Score 175.2; DB 7; Length 534;
Best Local Similarity   86.8%; Pred. No. 2e+04;
Matches 203; Conservative 1; Mismatches 29; Indels 1; Gaps 1;

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACC 2949
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   130   AGGCAGGTGGATCACCTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACC 189

Qy   2950 CGATCTCTACTAAAAAATATAAAAAATTGGCCGGGCGTGGTGGCGGGCGCCTGTAGTCCCA 3009
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   190   CTGTCTCTACTAACAAAATACAAAAAATTAGCCATGCGTGGTGGCGCCATGCCTGTAATCCCA 249

Qy   3010 GCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCAGGAGGTGGAGGTTGCAATGA 3069
            |||||||||||||||||||:||||||||||||||||||||||||||||||||||
Db   250   GCTACYAGGGAGGCTGAGGCAGGAGAACTGCTTGGGAGGTGGAGGTTGCAGTGA 309

Qy   3070 G-CAAGATTGTGCCACTGCACTCCAGCCTGGGCGACAGAGCGAAGACTCTGTCTC 3122
            | |||||||||||||||||||||||||||||||||||||||||||||||
Db   310   GCCAAGATCATGCCACTGCACTGCAATCCAGCTGGGCGACAGAGACTCTGTCTC 363

RESULT 13
US-10-301-480-165896
; Sequence 165896, Application US/10301480
; Publication No. US20060005764A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 165896
; LENGTH: 534
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-165896

Query Match   5.6%; Score 175.2; DB 11; Length 534;
Best Local Similarity   86.8%; Pred. No. 2e+04;
Matches 203; Conservative 1; Mismatches 29; Indels 1; Gaps 1;

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACC 2949
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   130   AGGCAGGTGGATCACCTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACC 189

Qy   2950 CGATCTCTACTAAAAAATATAAAAAATTGGCCGGGCGTGGTGGCGGGCGCCTGTAGTCCCA 3009
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   190   CTGTCTCTACTAACAAAATACAAAAAATTAGCCATGCGTGGTGGCGCCATGCCTGTAATCCCA 249

Qy   3010 GCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAATGCAGGAGGTGGAGGTTGCAATGA 3069
            |||||||||||||||||||:||||||||||||||||||||||||||||||||||
Db   250   GCTACYAGGGAGGCTGAGGCAGGAGAACTGCTTGGGAGGTGGAGGTTGCAGTGA 309

Qy   3070 G-CAAGATTGTGCCACTGCACTCCAGCCTGGGCGACAGAGCGAAGACTCTGTCTC 3122
            | |||||||||||||||||||||||||||||||||||||||||||||||
Db   310   GCCAAGATCATGCCACTGCACTGCAATCCAGCTGGGCGACAGAGACTCTGTCTC 363

RESULT 14
US-10-301-480-779305
; Sequence 779305, Application US/10301480
; Publication No. US20060005764A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 779305
; LENGTH: 534
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-779305

Query Match   5.6%; Score 175.2; DB 12; Length 534;
Best Local Similarity   86.8%; Pred. No. 2e+04;
Matches 203; Conservative 1; Mismatches 29; Indels 1; Gaps 1;

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACC 2949
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   130   AGGCAGGTGGATCACCTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACC 189

Qy   2950 CGATCTCTACTAAAAAATATAAAAAATTGGCCGGGCGTGGTGGCGGGCGCCTGTAGTCCCA 3009
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   190   CTGTCTCTACTAACAAAATACAAAAAATTAGCCATGCGTGGTGGCGCCATGCCTGTAATCCCA 249

```
Qy    3010  GCTACTCCGCGGAGGTTGAGGCAGAGAGTCGCTTGAAATGCAGGAGGTGGAGGTGGAGGTTGCAATGA  3069
                  |||||:|| ||||||||||||||||||||||||    ||||||||||||||| |||
Db     250  GCTACYAGGGAGGGCTGAGGGCAGGAGAACTGCTTGAACCTGGGAGGTGGGAGGTTGCAGTGA  309

Qy    3070  G-CAAGATTGTGCCACTGCACTGCATCCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC  3122
                 |||||||  |||
Db     310  GCCAAGATCATGCCACTGCAATCCAGGCTGGGCGACACAGAGCAAGAGACTCTGTCTC  363
```

RESULT 15
US-09-925-065A-89171
; Sequence 89171, Application US/0992506SA
·; Publication No. US20040181048A1
-; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 89171
; LENGTH: 1541
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-89171

Query Match   5.6%; Score 174.8; DB 7; Length 1541;
Best Local Similarity   83.1%; Pred. No. 9.1e+03;
Matches 211; Conservative   0; Mismatches   42; Indels   1; Gaps   1;

```
Qy    2870  CCCACTTTTTTTCTTTTTTTTGAGGCAGGTGGATCACCTGAGGCTCAGGAGTTCGAGACCAGC  2929
                  ||||||||||||     ||||||||||||||||||||||||||||||||||||||
Db     533  CCCAGCAGTTTGGGAGGGCTGAGGCAGGTGGATCACCTGAGGTCAGGAGTTCGAGACCAGT  592

Qy    2930  CTGGCCAACATAGCGAAACCCGATCTCTACTAAAAATATAAAAAATTGGCCGGGCATGGT  2989
                  ||||||||||| ||||||||||||||||||||      ||||||||||||||||||
Db     593  CTGGCCAGCACAGTGAAACCCCATCTCTACTAAAAACTACAAAAAAATTAGCTGGGTGTGGT  652

Qy    2990  GGCGCCATGCCTGTGTCGTCCCAGCTACTCGGGAGGTTGAGGCAGGAGAGTCGCTTGAAATGCA  3049
                  ||||||||||      |||||||||||||||  ||||||||||||||||| |||  |
Db     653  GGCGGGGTGCCTGTAAATCCCAGCTACTCGGGAGGCTGAGGCACCAGAATCGTTTGAAACCCA  712

Qy    3050  GGAGGTGGAGGGTTGCAATGAG-CAAGATTGTGCCACTGCACTGCATCCCAGCCTGGGCAACAGAG  3108
                  ||||||||||||||||||  |||||||| ||||||||||||||||||||||||||||||||
Db     713  GGAGGTGGAGGGTTGCACTGAGCCAAAAATTGTGCCACTGCACTGCATCCAGCCTGGGCAACATAG  772

Qy    3109  CAAGACTCTGTCTC  3122
                  |||| ||| ||||
Db     773  CAAGATTCTATCTC  786
```

Search completed: May 11, 2006, 05:51:18
Job time : 1416 secs

THIS PAGE BLANK (USPTO)

OM nucleic - nucleic search, using sw model

Copyright (c) 1993 - 2006 Biocceleration ltd.

GenCore version 5.1.8

Run on: May 11, 2006, 03:56:47 ; Search time 15378 Seconds
(without alignments)
11540.204 Million cell updates/sec

Title: US-10-760-320A-102
Perfect score: 3122
Sequence: 1 actagaggtggggttagcgc...........acagacgaagacctgtctc 3122

Scoring table: OLIGO_NUC
Gapop 60.0 , Gapext 60.0

Searched: 5883141 seqs, 2842172565 residues

Word size :   1

Database :   GenEmbl1:*
                1: gb_ba:*
                2: gb_in:*
                3: gb_env:*
                4: gb_om:*
                5: gb_ov:*
                6: gb_ph:*
                7: gb_pat:*
                8: gb_pri:*
                9: gb_ro:*
               10: gb_sts:*
               11: gb_sy:*
               12: gb_un:*
               13: gb_vi:*
               14: gb_htg:*
               15: gb_pl:*

Post-processing: Listing first 500 summaries
Maximum DB seq length: 200000000
Minimum DB seq length: 0

Total number of hits satisfying chosen parameters: 11765110

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

	Result No.	Score	% Query Match	Length	DB	ID	Description
	1	3122	100.0	3122	6	CQ841455	CQ841455 Sequence
c	2	3122	100.0	3122	8	AK124499	AK124499 Homo sapi
c	3	2840	91.0	191925	8	AC008736	AC008736 Homo sapi
c	4	2840	91.0	216441	14	AC027340	AC027340 Homo sapi
c	5	2445	78.3	186115	8	AC008474	AC008474 Homo sapi
	6	1952	62.5	2327	6	CQ850499	CQ850499 Sequence
	7	1952	62.5	2327	8	AK127646	AK127646 Homo sapi
	8	657	21.0	708	6	CQ748891	CQ748891 Sequence
	9	646	20.7	655	8	AP086661	AP086661 Homo sapi
	10	606	19.4	708	6	H0M2D8B506	H0M2D8B506 Homo sapi
c	11	392	12.6	216441	14	AC027340	AC027340 Homo sapi
c	12	144	4.6	449	10	G37408	G37408 SHGC-57769
c	13	60	1.9	60	8	CQ553695	CQ553695 Sequence
c	14	53	1.7	24495	8	CR762434	CR762434 Human DNA
c	15	53	1.7	4398	8	D84401	D84401 Homo sapien
	16	53	1.7	49878	8	CR547129	CR547129 Human DNA
	17	53	1.7	6249	14	AC061985	AC061985 Homo sapi
c	18	53	1.7	69808	8	AC026771	AC026771 Homo sapi
	19	53	1.7	70621	8	AL713971	AL713971 Human DNA
	20	53	1.7	90476	8	AC015910	AC015910 Homo sapi
	21	53	1.7	100000	8	AP000208	AP000208 Homo sapi
	22	53	1.7	109523	8	AL844527	AL844527 Human DNA
	23	53	1.7	109523	8	AL360268	AL360268 Human DNA
	24	53	1.7	113919	8	AP000247	AP000247 Homo sapi
	25	53	1.7	110130	8	AL109627	AL109627 Human DNA
	26	53	1.7	109523	8	AL645940	AL645940 Human DNA
	27	53	1.7	157686	8	BS000110	BS000110 Pan trogl
c	28	53	1.7	134184	8	AC022960	AC022960 Homo sapi
c	29	53	1.7	171051	8	AL031228	AL031228 Human DNA
c	30	53	1.7	179462	8	AC021102	AC021102 Homo sapi
	31	53	1.7	175737	8	AC007332	AC007332 Homo sapi
c	32	53	1.7	185000	8	AP001333	AP001333 Homo sapi
c	33	53	1.7	189181	8	AC092437	AC092437 Lemur cat
c	34	53	1.7	190992	8	AC120502	AC120502 Homo sapi
c	35	53	1.7	203583	8	CR847805	CR847805 Homo sapi
	36	53	1.7	204373	8	AC092434	AC092434 Homo sapi
c	37	53	1.7	208220	8	CR847784	CR847784 Homo sapi
	38	53	1.7	218872	8	CR753824	CR753824 Homo sapi
	39	53	1.7	229090	8	AP001710	AP001710 Homo sapi
	40	53	1.7	323185	8	CS039425	CS039425 Sequence
	41	53	1.7	340000	6	BD027540	BD027540 Sequence
	42	53	1.7	349980	6	AX887930	AX887930 Sequence
	43	53	1.7	381	10	AB135735	AB135735 Homo sapi
	44	53	1.7	381	10	BV640976	BV640976 Homo sapi
	45	53	1.7	428	10	S217P6013	S217P6013
	46	53	1.7	690	10	BV492390	BV492390
	47	53	1.7	775	10	BV533612	BV533612
	48	53	1.7	810	10	BV465101	BV465101 G591P6193
	49	53	1.7	915	10	AB014078	AB014078 Human DNA
	50	52	1.7	22738	8	BX248096	BX248096 Human DNA
	51	52	1.7	23481	8	BX087649	BX087649 Human DNA
	52	52	1.7	25057	8	AL356788	AL356788 Human DNA
	53	52	1.7	25242	8	CR936916	CR936916 Human DNA
	54	52	1.7	25972	8	CR382280	CR382280 Human DNA
	55	52	1.7	28276	8	CR391992	CR391992 Human DNA
	56	52	1.7	32906	8	AC093235	AC093235 Homo sapi
	57	52	1.7	38173	8	Z784421	Z784421 Human DNA, s
	58	52	1.7	39372	8	Z784421	Z784421 Human DNA, s
	59	52	1.7	39372	14	AL445257	AL445257 Homo sapi
	60	52	1.7	39596	8	AL359082	AL359082 Human DNA
	61	52	1.7	41372	8	ACL03989	ACL03989 Human DNA
	62	52	1.7	42572	8	AL390837	AL390837 Human DNA
	63	52	1.7	44449	8	AL999606	AL999606 Human DNA
c	64	52	1.7	44449	8	AC092080	AC092080 Human DNA
	65	52	1.7	44783	8	AF411057	AF411057 Homo sapi
	66	52	1.7	46201	8	HS735P11	HS735P11 Homo sapi
	67	52	1.7	46509	8	AC073488	AC073488 Human DNA
	68	52	1.7	47462	8	CR388372	CR388372 Human DNA
	69	52	1.7	51090	8	AC109598	AC109598 Homo sapi
	70	52	1.7	59744	14	AL391561	AL391561 Human DNA
	71	52	1.7	62761	8	AC055813	AC055813 Homo sapi
c	72	52	1.7	64056	14	AL391561	AL391561 Human DNA
	73	52	1.7	66887	8	BX927220	BX927220 Homo sapi
	74	52	1.7	68959	8	AR242855	AR242855 Sequence
	75	52	1.7	70393	8	AX384907	AX384907 Sequence
	76	52	1.7	70448	8	CR751233	CR751233 Homo sapi
	77	52	1.7	73597	14	AF397423	AF397423 Homo sapi
	78	52	1.7	75525	8	AL645729	AL645729 Human DNA
	79	52	1.7	80117	8	AL844213	AL844213 Human DNA
c	80	52	1.7	82724	8	AC093203	AC093203 Homo sapi
	81	52	1.7	92139	8	AC005377	AC005377 Homo sapi
	82	52	1.7	92139	8	AL359699	AL359699 Human DNA
	83	52	1.7	92442	14		
	84	52	1.7	93790	8		
	85	52	1.7	96217	8		
	86	52	1.7	97630	8		
	87	52	1.7	101769	8		
	88	52	1.7	102311	14		
c	89	52	1.7	105902	8		
c	90	52	1.7		8		
c	91	52	1.7		8		

c	#					acc	description
c	92	52	1.7	105956	8	AC074136	AC074136 Homo sapi
c	93	52	1.7	106539	8	AF225899	AF225899 Homo sapi
c	94	52	1.7	110000	8	BA000025_14	Continuation (15 o
c	95	52	1.7	110000	8	BA000041_09	Continuation (10 o
c	96	52	1.7	110000	8	BA000041_10	Continuation (11 o
c	97	52	1.7	110028	8	HS116411O	HS116411O Human DNA
c	98	52	1.7	110042	8	AL590788	AL590788 Human DNA
c	99	52	1.7	111051	14	AL590788	AL590788 Human DNA
c	100	52	1.7	116888	14	AF322449	AF322449 Homo sapi
c	101	52	1.7	117899	8	AC114481	AC114481 Homo sapi
c	102	52	1.7	120723	8	AC016590	AC016590 Homo sapi
c	103	52	1.7	128540	8	AC104051	AC104051 Homo sapi
c	104	52	1.7	130146	14	AC025473	AC025473 Homo sapi
c	105	52	1.7	130572	14	AL590489	AL590489 Human DNA
c	106	52	1.7	130984	14	AC024096	AC024096 Homo sapi
c	107	52	1.7	134465	14	AC022766	AC022766 Homo sapi
c	108	52	1.7	136385	8	AC100793	AC100793 Homo sapi
c	109	52	1.7	136805	14	AC069511	AC069511 Homo sapi
c	110	52	1.7	137845	8	AC060006	AC060006 Homo sapi
c	111	52	1.7	138573	8	AC010367	AC010367 Homo sapi
c	112	52	1.7	141633	8	AL954211	AL954211 Pan trogl
c	113	52	1.7	141969	8	AC073542	AC073542 Homo sapi
c	114	52	1.7	144542	14	AL357552	AL357552 Human DNA
c	115	52	1.7	144376	8	AC027146	AC027146 Homo sapi
c	116	52	1.7	146199	14	AC110281	AC110281 Homo sapi
c	117	52	1.7	146740	8	AC009247	AC009247 Homo sapi
c	118	52	1.7	148049	8	AL132989	AL132989 Human chr
c	119	52	1.7	148679	8	AJ300188	AJ300188 Human DNA
c	120	52	1.7	149776	8	AC002351	AC002351 Homo sapi
c	121	52	1.7	150159	14	AC012070	AC012070 Homo sapi
c	122	52	1.7	150437	6	AC018791	AC018791 Homo sapi
c	123	52	1.7	150846	8	AL662800	AL662800 Human DNA
c	124	52	1.7	151228	8	AL138724	AL138724 Human DNA
c	125	52	1.7	151970	14	CS086345	CS086345 Sequence
c	126	52	1.7	152040	14	AC139547	AC139547 Homo sapi
c	127	52	1.7	152492	8	AC079863	AC079863 Homo sapi
c	128	52	1.7	153135	14	AC064817	AC064817 Homo sapi
c	129	52	1.7	160929	8	AC008677	AC008677 Homo sapi
c	130	52	1.7	161970	14	AC027706	AC027706 Homo sapi
c	131	52	1.7	162948	8	AL662822	AL662822 Human DNA
c	132	52	1.7	163157	8	AC108670	AC108670 Homo sapi
c	133	52	1.7	163280	14	AC141308	AC141308 Homo sapi
c	134	52	1.7	163432	14	AC161476	AC161476 Pan trogl
c	135	52	1.7	163437	14	AC016476	AC016476 Homo sapi
c	136	52	1.7	163662	14	AC092606	AC092606 Homo sapi
c	137	52	1.7	164429	14	AC150837	AC150837 Papio anu
c	138	52	1.7	165311	14	AC097061	AC097061 Homo sapi
c	139	52	1.7	165972	14	AC135854	AC135854 Homo sapi
c	140	52	1.7	166484	14	AC026830	AC026830 Homo sapi
c	141	52	1.7	167780	8	AL844892	AL844892 Human DNA
c	142	52	1.7	167920	8	AC109635	AC109635 Homo sapi
c	143	52	1.7	168734	8	AC007371	AC007371 Homo sapi
c	144	52	1.7	168793	8	AC025787	AC025787 Homo sapi
c	145	52	1.7	169059	14	AC009790	AC009790 Homo sapi
c	146	52	1.7	169893	14	AC021165	AC021165 Homo sapi
c	147	52	1.7	170232	8	AC073068	AC073068 Homo sapi
c	148	52	1.7	171058	8	AL135903	AL135903 Human DNA
c	149	52	1.7	171849	8	AC010616	AC010616 Homo sapi
c	150	52	1.7	172307	8	AL590609	AL590609 Human DNA
c	151	52	1.7	172759	8	AC025589	AC025589 Homo sapi
c	152	52	1.7	172915	14	AC010160	AC010160 Homo sapi
c	153	52	1.7	174034	8	AC020908	AC020908 Homo sapi
c	154	52	1.7	174521	14	AC127468	AC127468 Papio anu
c	155	52	1.7	175343	14	AL139021	AL139021 Human chr
c	156	52	1.7	176871	14	CNS01DX3	CNS01DX3
c	157	52	1.7	177744	14	AC150824	AC150824 Callithr
c	158	52	1.7	177773	8	AC073954	AC073954 Homo sapi
c	159	52	1.7	178168	14	AC010761	AC010761 Homo sapi
c	160	52	1.7	181792	8	AC012350	AC012350 Homo sapi
c	161	52	1.7	182152	14	AC093126	AC093126 Homo sapi
c	162	52	1.7	182892	14	AC067929	AC067929 Homo sapi
c	163	52	1.7	183556	14	AC034244	AC034244 Homo sapi
c	164	52	1.7	184252	14	AC019059	AC019059 Homo sapi
						AC139565	AC139565 Homo sapi
c	165	52	1.7	186415	8	AC008675	AC008675 Homo sapi
c	166	52	1.7	186418	14	AC018757	AC018757 Homo sapi
c	167	52	1.7	186448	14	AC034129	AC034129 Homo sapi
c	168	52	1.7	188596	8	AC120045	AC120045 Homo sapi
c	169	52	1.7	188640	14	AC146153	AC146153 Pan trogl
c	170	52	1.7	191037	14	AC091561	AC091561 Homo sapi
c	171	52	1.7	191234	8	AC018681	AC018681 Homo sapi
c	172	52	1.7	191540	14	AC144780	AC144780 Pan trogl
c	173	52	1.7	191866	14	AC068676	AC068676 Homo sapi
c	174	52	1.7	191924	14	AC091440	AC091440 Homo sapi
c	175	52	1.7	192228	8	AL954212	AL954212 Human DNA
c	176	52	1.7	192505	8	AL353136	AL353136 Human DNA
c	177	52	1.7	193351	14	AC110601	AC110601 Homo sapi
c	178	52	1.7	193952	14	AC141263	AC141263 Homo sapi
c	179	52	1.7	194189	8	AC103705	AC103705 Homo sapi
c	180	52	1.7	195389	8	AP002026	AP002026 Homo sapi
c	181	52	1.7	196622	14	AC125238	AC125238 Homo sapi
c	182	52	1.7	196623	8	AC099058	AC099058 Homo sapi
c	183	52	1.7	198105	14	AC026160	AC026160 Homo sapi
c	184	52	1.7	200000	14	AC008108	AC008108 Homo sapi
c	185	52	1.7	200853	8	AL121839	AL121839 Human chr
c	186	52	1.7	201167	14	AL162591	AL162591 Human DNA
c	187	52	1.7	202259	14	AC090559	AC090559 Homo sapi
c	188	52	1.7	202971	14	AC151042	AC151042 Callithr
c	189	52	1.7	204917	8	AC008040	AC008040 Homo sapi
c	190	52	1.7	205283	14	AC073916	AC073916 Homo sapi
c	191	52	1.7	205736	14	AC023560	AC023560 Homo sapi
c	192	52	1.7	207661	8	AC015884	AC015884 Homo sapi
c	193	52	1.7	207661	14	AC027205	AC027205 Homo sapi
c	194	52	1.7	213947	14	AC135988	AC135988 Homo sapi
c	195	52	1.7	215780	14	AC145896	AC145896 Pan trogl
c	196	52	1.7	234053	14	AC002429	AC002429 Homo sapi
c	197	52	1.7	256000	14	AC145065	AC145065 Homo sapi
c	198	52	1.7	259930	14	CS039416	CS039416 Sequence
c	199	52	1.7	349980	6	BV634964	BV634964 S21P6621
c	200	52	1.6	715	10	BV634964	BV634964 S21P6621
c	201	51	1.6	14814	14	AL357035	AL357035 Human DNA
c	202	51	1.6	34869	14	CR318623	CR318623 Homo sapi
c	203	51	1.6	68003	14	BX323853	BX323853 Homo sapi
c	204	51	1.6	71173	8	BX649553	BX649553 Human DNA
c	205	51	1.6	86882	8	BX649553	BX649553 Human DNA
c	206	51	1.6	93663	8	AC022409	AC022409 Homo sapi
c	207	51	1.6	105392	8	AC073215	AC073215 Homo sapi
c	208	51	1.6	125403	8	AC008929	AC008929 Homo sapi
c	209	51	1.6	126682	8	AC008649	AC008649 Homo sapi
c	210	51	1.6	148193	8	AC027347	AC027347 Homo sapi
c	211	51	1.6	148782	8	AP006213	AP006213 Homo sapi
c	212	51	1.6	153998	14	AC013329	AC013329 Homo sapi
c	213	51	1.6	154625	14	CR936360	CR936360 Homo sapi
c	214	51	1.6	154754	14	AC064836	AC064836 Homo sapi
c	215	51	1.6	159392	14	AC148829	AC148829 Pan trogl
c	216	51	1.6	163246	14	AC068401	AC068401 Homo sapi
c	217	51	1.6	165433	14	AC146088	AC146088 Human DNA
c	218	51	1.6	169627	14	AL136984	AL136984 Human DNA
c	219	51	1.6	174034	8	AC020908	AC020908 Homo sapi
c	220	51	1.6	174428	8	AC005821	AC005821 Homo sapi
c	221	51	1.6	175501	8	AC008427	AC008427 Homo sapi
c	222	51	1.6	175994	14	AC079460	AC079460 Homo sapi
c	223	51	1.6	177777	14	AC068862	AC068862 Homo sapi
c	224	51	1.6	178665	14	AP003483	AP003483 Homo sapi
c	225	51	1.6	180133	8	AL138885	AL138885 Human DNA
c	226	51	1.6	184133	14	AC103559	AC103559 Homo sapi
c	227	51	1.6	184289	8	AL359878	AL359878 Human DNA
c	228	51	1.6	184569	8	AC010583	AC010583 Homo sapi
c	229	51	1.6	186239	8	AC123982	AC123982 Homo sapi
c	230	51	1.6	190708	8	AC005261	AC005261 Homo sapi
c	231	51	1.6	191311	14	AC091486	AC091486 Homo sapi
c	232	51	1.6	192826	8	AC113266	AC113266 Homo sapi
c	233	51	1.6	194296	8	AL354864	AL354864 Human DNA
c	234	51	1.6	195766	8	CNS01DVC	CNS01DVC Human chr
c	235	51	1.6	199827	8	AC026373	AC026373 Homo sapi
c	236	51	1.6	219122	8	AC080038	AC080038 Homo sapi
c	237	51	1.6	227137	8	AC098481	AC098481 Homo sapi

c	#			pos	hits	acc1	acc2 / description
c	238	50	1.6	255	6	BD048209	BD048209 Sequence
c	239	50	1.6	255	6	AX912676	AX912676 Sequence
c	240	50	1.6	686	10	BV664432	BV664432 S21SP6072
c	241	50	1.6	726	10	BV617582	BV617582 S21P6943
c	242	50	1.6	730	10	BV622197	BV622197 S216P6202
c	243	50	1.6	817	10	BV668130	BV668130 S21SP6025
c	244	50	1.6	911	10	BV632403	BV632403 S21SP6040
c	245	50	1.6	1001	6	CQ853998	CQ853998 Sequence
c	246	50	1.6	1258	8	BC030749	BC030749 Homo sapi
c	247	50	1.6	2188	8	AK025471	AK025471 Homo sapi
c	248	50	1.6	3597	8	HUMAPOLIAB	L07900 Human apoli
c	249	50	1.6	3625	8	AK130932	AK130932 Homo sapi
c	250	50	1.6	8705	6	AR567482	AR567482 Sequence
c	251	50	1.6	8705	6	AR569796	AR569796 Sequence
c	252	50	1.6	8705	6	AX277531	AX277531 Sequence
c	253	50	1.6	8705	6	AX418095	AX418095 Sequence
c	254	50	1.6	15169	8	AC134915	AC134915 Homo sapi
c	255	50	1.6	23536	8	AC002120	AC002120 Homo sapi
c	256	50	1.6	35865	8	AC011552	AC011552 Homo sapi
c	257	50	1.6	40338	14	AC147414	AC147414 Homo sapi
c	258	50	1.6	48723	8	AL645992	AL645992 Human DNA
c	259	50	1.6	51770	8	AL590490	AL590490 Human DNA
c	260	50	1.6	52368	8	AC024899	AC024899 Homo sapi
c	261	50	1.6	55672	14	AC103991	AC103991 Homo sapi
c	262	50	1.6	62164	8	AL670729	AL670729 Human DNA
c	263	50	1.6	63437	8	AL050311	AL050311 Human DNA
c	264	50	1.6	64475	8	AF283320S2	AF283321 Human DNA
c	265	50	1.6	65268	14	AC099847	AC099847 Homo sapi
c	266	50	1.6	65958	8	AC105413	AC105413 Homo sapi
c	267	50	1.6	65926	8	AL593851	AL593851 Human DNA
c	268	50	1.6	71577	8	AC135587	AC135587 Homo sapi
c	269	50	1.6	72402	8	AL389924	AL389924 Human DNA
c	270	50	1.6	73656	14	AC016512	AC016512 Homo sapi
c	271	50	1.6	77001	8	AL513013	AL513013 Human DNA
c	272	50	1.6	79666	8	AL136969	AL136969 Human DNA
c	273	50	1.6	80427	8	AC010492	AC010492 Homo sapi
c	274	50	1.6	81490	8	AL590987	AL590987 Human DNA
c	275	50	1.6	82901	8	AL391335	AL391335 Human DNA
c	276	50	1.6	84031	8	AC011395	AC011395 Homo sapi
c	277	50	1.6	86800	8	AP000223	AP000223 Homo sapi
c	278	50	1.6	88078	8	AL451083	AL451083 Human DNA
c	279	50	1.6	88698	14	AC009008	AC009008 Homo sapi
c	280	50	1.6	90399	14	AL162405	AL162405 Human DNA
c	281	50	1.6	92487	8	AC068280	AC068280 Homo sapi
c	282	50	1.6	92872	8	AC022425	AC022425 Homo sapi
c	283	50	1.6	93381	14	HDDJ766D4	AL118504 Homo sapi
c	284	50	1.6	95097	8	AC022202	AC022202 Homo sapi
c	285	50	1.6	96299	8	AL133519	AL133519 Human DNA
c	286	50	1.6	96489	8	AC011395	AC011395 Homo sapi
c	287	50	1.6	97687	8	AL591403	AL591403 Human DNA
c	288	50	1.6	98078	8	AL451083	AL451083 Human DNA
c	289	50	1.6	98842	8	AC008972	AC008972 Homo sapi
c	290	50	1.6	99505	8	AP002087	AP002087 Homo sapi
c	291	50	1.6	100000	8	AP000085	AP000085 Homo sapi
c	292	50	1.6	100000	8	AP000137	AP000137 Homo sapi
c	293	50	1.6	107278	8	AC114962	AC114962 Homo sapi
c	294	50	1.6	107714	14	AL356306	AL356306 Homo sapi
c	295	50	1.6	108162	14	AC020960	AC020960 Mus muscu
c	296	50	1.6	110000	14	AC008576_1	AC008576_1 Continuation (2 of
c	297	50	1.6	110000	14	AC079517_2	AC079517_2 Continuation (3 of
c	298	50	1.6	110753	14	AL590046_2	AL590046_2 Continuation (3 of
c	299	50	1.6	110783	8	AC010216	AC010216 Homo sapi
c	300	50	1.6	112707	8	AL359207	AL359207 Human DNA
c	301	50	1.6	112954	14	AF302687	AF302687 Human DNA
c	302	50	1.6	114148	8	AC112655	AC112655 Homo sapi
c	303	50	1.6	114191	8	AL451007	AL451007 Human DNA
c	304	50	1.6	114540	8	AC107426	AC107426 Homo sapi
c	305	50	1.6	114983	14	AC093209	AC093209 Homo sapi
c	306	50	1.6	117520	8	AP005624	AP005624 Homo sapi
c	307	50	1.6	120129	8	AL391560	AL391560 Human DNA
c	308	50	1.6	121282	8	AC027318	AC027318 Homo sapi
c	309	50	1.6	123369	8	AC025170	AC025170 Homo sapi
c	310	50	1.6	124102	8	AC021148	AC021148 Homo sapi

c	#			pos	hits	acc1	acc2 / description
c	311	50	1.6	125465	8	HSJ136J15	AL118496 Human DNA
c	312	50	1.6	128450	8	AC108861	AC108861 Homo sapi
c	313	50	1.6	129272	14	AL451125	AL451125 Human DNA
c	314	50	1.6	129800	14	AL163539	AL163539 Human DNA
c	315	50	1.6	130336	8	HS17K7	AL035078 Human DNA
c	316	50	1.6	130454	14	AL391537	AL391537 Homo sapi
c	317	50	1.6	130647	8	AL573285	AL573285 Homo sapi
c	318	50	1.6	137206	14	AC024123	AC024123 Homo sapi
c	319	50	1.6	138443	8	HS179E13	AL035603 Human DNA
c	320	50	1.6	139111	8	AC087457	AC087457 Homo sapi
c	321	50	1.6	139846	8	AL158048	AL158048 Homo sapi
c	322	50	1.6	140091	8	AL193327	AL193327 Human DNA
c	323	50	1.6	140195	8	AC110053	AC110053 Homo sapi
c	324	50	1.6	140545	8	AL136525	AL136525 Human DNA
c	325	50	1.6	141670	8	AC019244	AC019244 Homo sapi
c	326	50	1.6	141899	8	AC104170	AC104170 Homo sapi
c	327	50	1.6	142225	8	AC074457	AC074457 Homo sapi
c	328	50	1.6	145340	8	AC110053	AC110053 Homo sapi
c	329	50	1.6	145770	14	AC010719	AC010719 Homo sapi
c	330	50	1.6	146466	8	AC012278	AC012278 Homo sapi
c	331	50	1.6	149103	8	AL353637	AL353637 Human DNA
c	332	50	1.6	149559	8	AC013434	AC013434 Homo sapi
c	333	50	1.6	150228	8	AC003071	AC003071 Homo sapi
c	334	50	1.6	150708	8	AP003467	AP003467 Homo sapi
c	335	50	1.6	151479	14	AC012278	AC012278 Homo sapi
c	336	50	1.6	151660	14	AC027450	AC027450 Homo sapi
c	337	50	1.6	152210	8	AC013434	AC013434 Homo sapi
c	338	50	1.6	152846	14	AL139327	AL139327 Human DNA
c	339	50	1.6	154567	14	AC044801	AC044801 Homo sapi
c	340	50	1.6	154592	8	AC151375	AC151375 Callithri
c	341	50	1.6	155067	8	AL512215	AL512215 Human DNA
c	342	50	1.6	156094	8	AC090198	AC090198 Homo sapi
c	343	50	1.6	156092	14	AC010301	AC010301 Homo sapi
c	344	50	1.6	157207	8	BX005266	BX005266 Human DNA
c	345	50	1.6	157298	8	AC007850	AC007850 Homo sapi
c	346	50	1.6	157872	14	AC027726	AC027726 Homo sapi
c	347	50	1.6	157921	14	AC025695	AC025695 Homo sapi
c	348	50	1.6	158255	8	AC069481	AC069481 Homo sapi
c	349	50	1.6	158302	14	AC105089	AC105089 Homo sapi
c	350	50	1.6	158929	14	AC021980	AC021980 Homo sapi
c	351	50	1.6	159098	14	AC092442	AC092442 Homo sapi
c	352	50	1.6	160193	8	AC007011	AC007011 Homo sapi
c	353	50	1.6	161264	8	AC091056	AC091056 Homo sapi
c	354	50	1.6	161306	14	AC046195	AC046195 Homo sapi
c	355	50	1.6	161507	8	AC221690	AC221690 Homo sapi
c	356	50	1.6	161791	14	AC018868	AC018868 Homo sapi
c	357	50	1.6	162100	8	AC011347	AC011347 Homo sapi
c	358	50	1.6	163167	8	AL391259	AL391259 Human DNA
c	359	50	1.6	163520	8	AC008470	AC008470 Homo sapi
c	360	50	1.6	163584	14	HSDJ81D8	HSDJ81D8 Human DNA
c	361	50	1.6	163599	8	AC009959	AC009959 Homo sapi
c	362	50	1.6	163954	8	AC021384	AC021384 Homo sapi
c	363	50	1.6	164118	14	BS000105	BS000105 Pan trogl
c	364	50	1.6	164236	14	AC079975	AC079975 Homo sapi
c	365	50	1.6	164529	14	AC026657	AC026657 Homo sapi
c	366	50	1.6	164766	14	AC019104	AC019104 Homo sapi
c	367	50	1.6	164774	14	AC742231	AC742231 Homo sapi
c	368	50	1.6	164933	14	AC357037	AC357037 Human DNA
c	369	50	1.6	165773	8	AC104943	AC104943 Homo sapi
c	370	50	1.6	165942	8	BX284677	BX284677 Homo sapi
c	371	50	1.6	166687	8	AL356864	AL356864 Homo sapi
c	372	50	1.6	166876	14	AC147030	AC147030 Pan trogl
c	373	50	1.6	166955	8	AL121757	AL121757 Human DNA
c	374	50	1.6	167013	8	HSD828H9	HSD828H9 Homo sapi
c	375	50	1.6	167170	8	AC120782	AC120782 Homo sapi
c	376	50	1.6	167293	14	AC022629	AC022629 Homo sapi
c	377	50	1.6	167386	14	AL159993	AL159993 Human DNA
c	378	50	1.6	168111	14	HS525L6	HS525L6 Homo sapi
c	379	50	1.6	168114	8	AL354828	AL354828 Human DNA
c	380	50	1.6	168235	8	AC104229	AC104229 Homo sapi
c	381	50	1.6	168493	8	AC013463	AC013463 Homo sapi
c	382	50	1.6	168499	8	AC092037	AC092037 Homo sapi
c	383	50	1.6	168672	14	AC027102	AC027102 Homo sapi

	384	50	1.6	168753	8	AC006120	AC006120 Homo sapi
	385	50	1.6	168873	14	BX537112	BX537112 Homo sapi
c	386	50	1.6	168875	8	AC114794	AC114794 Homo sapi
c	387	50	1.6	168880	8	AC017104	AC017104 Homo sapi
c	388	50	1.6	169166	8	AC027687	AC027687 Homo sapi
c	389	50	1.6	169218	14	AC149013	AC149013 Papio anu
c	390	50	1.6	169835	8	AP005717	AP005717 Homo sapi
c	391	50	1.6	170249	8	AC068799	AC068799 Homo sapi
c	392	50	1.6	170929	8	AC356020	AC356020 Human chr
c	393	50	1.6	171951	8	AC046181	AC046181 Homo sapi
c	394	50	1.6	172036	8	AL160164	AL160164 Homo sapi
c	395	50	1.6	172288	14	AC146903	AC146903 Aotus nan
c	396	50	1.6	172514	14	AL359259	AL359259 Human DNA
c	397	50	1.6	172753	8	AC093899	AC093899 Homo sapi
c	398	50	1.6	172816	8	AL450304	AL450304 Human DNA
c	399	50	1.6	172837	8	AC025282	AC025282 Homo sapi
.	400	50	1.6	173333	14	AC022694	AC022694 Homo sapi
	401	50	1.6	173706	14	AC080087	AC080087 Homo sapi
	402	50	1.6	173952	14	AC080089	AC080089 Homo sapi
	403	50	1.6	174023	8	AC069513	AC069513 Homo sapi
	404	50	1.6	174097	8	AC023889	AC023889 Homo sapi
c	405	50	1.6	174612	14	AL356738	AL356738 Human DNA
c	406	50	1.6	174693	8	AL365502	AL365502 Human DNA
c	407	50	1.6	174995	8	AC161086	AC161086 Papio ham
c	408	50	1.6	175021	14	AC009099	AC009099 Homo sapi
c	409	50	1.6	175347	14	AC137626	AC137626 Homo sapi
c	410	50	1.6	175440	14	AC020769	AC020769 Homo sapi
c	411	50	1.6	175493	8	AC068402	AC068402 Homo sapi
c	412	50	1.6	175822	14	AL356356	AL356356 Human chr
c	413	50	1.6	176550	8	AC024163	AC024163 Homo sapi
c	414	50	1.6	176647	8	AC080149	AC080149 Homo sapi
c	415	50	1.6	176671	14	AC027548	AC027548 Homo sapi
c	416	50	1.6	176932	8	AC016772	AC016772 Homo sapi
c	417	50	1.6	177448	8	AC044781	AC044781 Homo sapi
c	418	50	1.6	177518	14	AC093577	AC093577 Homo sapi
c	419	50	1.6	177555	8	AC006450	AC006450 Homo sapi
c	420	50	1.6	177688	8	AL132640	AL132640 Human chr
c	421	50	1.6	177878	14	AC010893	AC010893 Homo sapi
c	422	50	1.6	178346	14	AC011885	AC011885 Homo sapi
c	423	50	1.6	179176	14	AC022857	AC022857 Homo sapi
c	424	50	1.6	179327	14	AC149133	AC149133 Pan trogl
c	425	50	1.6	181123	14	AC104064	AC104064 Homo sapi
c	426	50	1.6	181598	8	AC026172	AC026172 Homo sapi
c	427	50	1.6	181663	8	AC026194	AC026194 Homo sapi
c	428	50	1.6	181967	8	AC010894	AC010894 Homo sapi
c	429	50	1.6	182567	14	AC145207	AC145207 Homo sapi
c	430	50	1.6	182945	8	AC069004	AC069004 Homo sapi
c	431	50	1.6	182996	14	CNS01DTU	CNS01DTU Human chr
c	432	50	1.6	183353	8	AC087071	AC087071 Homo sapi
c	433	50	1.6	183539	14	AC092268	AC092268 Homo sapi
c	434	50	1.6	183818	14	AC149455	AC149455 Papio anu
c	435	50	1.6	183842	8	AC130450	AC130450 Homo sapi
c	436	50	1.6	184059	14	AC024196	AC024196 Homo sapi
c	437	50	1.6	184536	14	AC068682	AC068682 Homo sapi
.c	438	50	1.6	184706	8	AC120781	AC120781 Pan trogl
	439	50	1.6	184759	8	AC022695	AC022695 Homo sapi
	440	50	1.6	184906	8	CNS01DUQ	CNS01DUQ Homo sapi
	441	50	1.6	186615	8	BX088717	BX088717 Human chr
	442	50	1.6	187126	14	AP002395	AP002395 Homo sapi
	443	50	1.6	187239	14	AC021349	AC021349 Homo sapi
	444	50	1.6	187343	14	AC016688	AC016688 Homo sapi
	445	50	1.6	187636	8	HUAC002287	HUAC002287 Homo sapi
	446	50	1.6	188636	8	AC146080	AC146080 Pan trogl
	447	50	1.6	190306	8	CR759969	CR759969 Homo sapi
	448	50	1.6	191668	14	AC164657	AC164657 Pan trogl
	449	50	1.6	192478	8	AF313041	AF313041 Pan trogl
	450	50	1.6	193882	8	AF313041	AF313041 Homo sapi
	451	50	1.6	193889	14	AC151014	AC151014 Callithri
	452	50	1.6	194919	14	AC127899	AC127899 Homo sapi
	453	50	1.6	195280	8	AC073869	AC073869 Homo sapi
	454	50	1.6	195383	14	AC126472	AC126472 Homo sapi
	455	50	1.6	196096	14	AL161451	AL161451 Homo sapi
	456	50	1.6	196207	14	AC027048	AC027048 Homo sapi
c		50	1.6	196416	8	AC006483	AC006483 Homo sapi

	457	50	1.6	196990	14	AC156839	AC156839 Pan trogl
	458	50	1.6	197337	6	AR659697	AR659697 Sequence
	459	50	1.6	197819	8	AC152891	AC152891 Pan trogl
	460	50	1.6	198017	8	AC012314	AC012314 Homo sapi
c	461	50	1.6	198027	14	AC008515	AC008515 Homo sapi
	462	50	1.6	198253	8	AC009090	AC009090 Homo sapi
	463	50	1.6	198700	8	AC104317	AC104317 Homo sapi
	464	50	1.6	198720	8	AP002366	AP002366 Homo sapi
	465	50	1.6	198899	8	AC090192	AC090192 Homo sapi
	466	50	1.6	199218	8	AC108863	AC108863 Homo sapi
	467	50	1.6	199566	8	AL103676	AL103676 Homo sapi
	468	50	1.6	200000	14	AC004624	AC004624 Homo sapi
	469	50	1.6	201414	8	AC090644	AC090644 Homo sapi
	470	50	1.6	202891	14	AC004670	AC004670 Homo sapi
	471	50	1.6	203838	14	BX088651	BX088651 Human DNA
	472	50	1.6	204102	14	AC026840	AC026840 Homo sapi
	473	50	1.6	204439	8	AC013826	AC013826 Homo sapi
	474	50	1.6	204505	8	AP000807	AP000807 Homo sapi
	475	50	1.6	205307	14	AC089983	AC089983 Homo sapi
	476	50	1.6	206258	14	AC009968	AC009968 Homo sapi
	477	50	1.6	207815	14	AC112775	AC112775 Homo sapi
	478	50	1.6	208117	8	AC053497	AC053497 Homo sapi
c	479	50	1.6	209532	8	AC008488	AC008488 Homo sapi
c	480	50	1.6	209888	14	AL356136	AL356136 Homo sapi
c	481	50	1.6	210643	8	AC146462	AC146462 Saimiri b
c	482	50	1.6	210643	14	AC137723	AC137723 Homo sapi
	483	50	1.6	212622	8	AC007383	AC007383 Homo sapi
	484	50	1.6	214978	8	AC025259	AC025259 Homo sapi
	485	50	1.6	211213	14	AC161277	AC161277 Pan trogl
	486	50	1.6	211211	14	AC163770	AC163770 Pan trogl
c	487	50	1.6	211550	8	AC073912	AC073912 Homo sapi
c	488	50	1.6	211791	8	AL162430	AL162430 Human DNA
c	489	50	1.6	216129	14	AC023825	AC023825 Homo sapi
c	490	50	1.6	217521	8	AL158052	AL158052 Human DNA
c	491	50	1.6	221887	8	AC157530	AC157530 Pan trogl
c	492	50	1.6	226910	14	AC141314	AC141314 Homo sapi
c	493	50	1.6	233418	14	AC109128	AC109128 Homo sapi
c	494	50	1.6	233287	8	AR659646	AR659646 Sequence
c	495	50	1.6	234288	14	AR659800	AR659800 Sequence
	496	50	1.6	241178	14	AC120839	AC120839 Homo sapi
	497	50	1.6	243722	14	AC151855	AC151855 Papio ham
c	498	50	1.6	250529	8	HUAE000658	HUAE000658 Homo sapi
	499	50	1.6	295639	14	AL360019	AL360019 Homo sapi
	500	50	1.6				

ALIGNMENTS

RESULT 1

CQ841455

LOCUS   CQ841455   3122 bp   DNA   linear   PAT 02-AUG-2004
DEFINITION   Sequence 102 from Patent EP1440981.
ACCESSION   CQ841455
VERSION   CQ841455.1 GI:50893242
KEYWORDS   .
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1
AUTHORS   Isogai,T., Sugiyama,T., Otsuki,T., Wakamatsu,A., Sato,H., Ishii,S.,
             Yamamoto,J., Isono,Y., Nagai,K. and Irie,R.
TITLE   Full-length human cdna
JOURNAL   Patent: EP 1440981-A 102 28-JUL-2004;
             Research Association for Biotechnology (JP)
FEATURES   Location/Qualifiers
     source   1..3122
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
ORIGIN

```
Query Match    100.0%;   Score 3122;   DB 6;   Length 3122;
Best Local Similarity   100.0%;   Pred. No. 0;   Mismatches 0;
Matches 3122;   Conservative   0;   Indels   0;   Gaps   0;
```

Qy   1   ACTAGAGGTGGGGTTAGCGGCTTGGAAGCACCGACCAAGTGAGCGGCAAGCGGCAGGGAC   60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1   ACTAGAGGTGGGGTTAGCGGCTTGGAAGCACCGACCAAGTGAGCGGCAAGCGGCAGGGAC   60

[Nucleotide sequence alignment continues — Query (Qy) and Database (Db) rows in 60-base blocks through position 3122, with matching bars between every base pair.]

RESULT 2

```
LOCUS       AK124499                3122 bp    mRNA    linear   PRI 09-SEP-2003
DEFINITION  Homo sapiens cDNA FLJ42508 fis, clone BRACE2043665.
ACCESSION   AK124499
VERSION     AK124499.1  GI:34530295
KEYWORDS    oligo capping; fis (full insert sequence).
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 3122)
  AUTHORS   Kawakami,B., Sugiyama,A., Takemoto,M., Sugiyama,T., Irie,R.,
            Otsuki,T., Sato,H., Wakamatsu,A., Ishii,S., Yamamoto,J., Isono,Y.,
            Kawai-Hio,Y., Saito,K., Nishikawa,T., Kimura,K., Yamashita,H.,
            Matsuo,K., Nakamura,Y., Sekine,M., Kikuchi,H., Kanda,K.,
            Wagatsuma,M., Murakawa,K., Kanehori,K., Takahashi-Fujii,A.,
            Oshima,A., Suzuki,Y., Sugano,S., Nagahari,K., Masuho,Y., Nagai,K.
            and Isogai,T.
  TITLE     NEDO human cDNA sequencing project
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 3122)
  AUTHORS   Isogai,T. and Yamamoto,J.
  TITLE     Direct Submission
  JOURNAL   Submitted (15-JUL-2003) Takao Isogai, FLJ Project (HRI Team); 2-6-7
            Kazusa-Kamatari, Kisarazu, Chiba 292-0818, Japan
            (E-mail:genomic@ohri.co.jp, Tel:81-438-52-3975, Fax:81-438-52-3986)
COMMENT     NEDO human cDNA sequencing project supported by Ministry of
            Economy, Trade and Industry of Japan; cDNA full insert sequencing:
            Research Association for Biotechnology (RAB) / cDNA library
            construction: Helix Research Institute (HRI) (supported by Japan
            Key Technology Center etc.); 5'- & 3'-end one pass sequencing: RAB,
            HRI, and Biotechnology Center, National Institute of Technology and
            Evaluation; clone selection for full insert sequencing: HRI and
            RAB; annotation: HRI and RAB.
FEATURES             Location/Qualifiers
     source          1..3122
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="BRACE2043665"
                     /tissue_type="cerebellum"
                     /clone_lib="BRACE2"
                     /note="cloning vector: pM18SFL3"
     CDS             858..1565
                     /note="unnamed protein product"
                     /codon_start=1
                     /protein_id="BAC85865.1"
                     /db_xref="GI:34530296"
                     /translation="MAREECKALLDGLNKTTACYHHLVLTVGGSADSONLROELOKTR
                     QKAQELAVSTCARLTAVLRDRGLAADERAEFERLWVAFSGCLDLLEADMRISLELGAA
                     FPLHAPRRPLVRTGVAGASSGVVAARALSTRSLRLRAEGDPVADLRELERLVLQVGSM
                     IDNMEMKVNPRWTVQARQAAGAELLSTVSAGPSSVVSLQBRGGCDPRKALAAILFG
                     AVLLAAVALAVCVAKLS"
ORIGIN
```

Query Match   100.0%; Score 3122; DB 8; Length 3122;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 3122; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy      1 ACTAGAGGTGGGGTTAGCGGCTTGAAGCACCGACCACCACGGTGACGCAACGGGGAC 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 ACTAGAGGTGGGGTTAGCGCCTTGAAGCACCGACCACCACGGTGACGCAACGGGGAC 60

Qy     61 ACCTGACACCCGCGGCGGCGCCCAGCCCCTCGGGATTGGCCAGTCACTGCCTTTCGGGTCACG 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 ACCTGACACCCGCGGCGGCGCCCAGCCCCTCGGGATTGGCCAGTCACTGCCTTTCGGGTCACG 120

Qy    121 GAGGTGCCCAGTCCTGCGGGGGCACCCGACGGTCCTGTCGGCGACAGGGGTCCGGGAGTCAGT 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 GAGGTGCCCAGTCCTGCGGGGGCACCCGACGGTCCTGTCGGCGACAGGGGTCCGGGAGTCAGT 180

Qy    181 ATAGCTGGGGTTCTAGTCCCATCACAGGCAAAAACTCCCGGGAGCGGAGCCTGGCCGCCTTTTA 240
```

Left column:

```
Db   181  ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||  240
Qy   181  ATAGCTGGGTTCTAGTCCCATCACAGGCAGAAAAACTCCGGCGGGGAGGCCTGGCCCGGTTTTTA  240

Qy   241  CCTGGGGCCTTCAGTTT...  300
Db   241  CCTGGGGCCTTCAGTTT...  300

Db   301  TTCCAGAACTCGATGGGG...  360
Qy   301  TTCCAGAACTCGATGGGG...  360

Qy   361  CGGCGTGGGAGCCCCGCCC...  420
Db   361  CGGCGTGGGAGCCCCGCCC...  420

Db   421  GTGGGGCGGGGTCCTAGGG...  480
Qy   421  AGTGCGCGCTGGGGAGGGA...  480

Qy   481  CGGCCTCTGCAGCTTGCTT...  540
Db   481  CGGCCTCTGCAGCTTGCTT...  540

Db   541  AGCTTCGCAGGGAGCCACC...  600
Qy   541  AGCTTCGCAGGGAGCCACC...  600

Qy   601  AGTGCGCGCTGGGGAGGGA...  660
Db   601  AGTGCGCGCTGGGGAGGGA...  660

Db   661  GCCCCGTCCGCAGAGGCGG...  720
Qy   661  GCCCCGTCCGCAGAGGCGG...  720

Qy   721  GCGCGGAGCGAGTCACGGA...  780
Db   721  GCGCGGAGCGAGTCACGGA...  780

Db   781  GGGGTTAGCCACATCCTCG...  840
Qy   781  GGGGTTAGCCACATCCTCG...  840

Qy   841  AGGCGGAGCCCACCGCGAT...  900
Db   841  AGGCGGAGCCCACCGCGAT...  900

Db   901  AGACGACTCGTGCTACCAC...  960
Qy   901  AGAGACTCGTGCTACCAC...  960

Qy   961  ACCTGGCGCGGCAGGAGGC...  1020
Db   961  ACCTGGCGCGGCAGGAGGC...  1020

Db  1021  GCGCCCGGCTGACTGTGTG...  1080
Qy  1021  TCGAGCGCGCTCTGGGTGG...  1080

Qy  1081  GCTGCGCTGGAGCTGGGG...  1140
Db  1081  GCTGCGCTGGAGCTGGGG...  1140

Db  1141  GCTCGCGCTGAGAGCTGGG...  1200
Qy  1141  CAGGTGTGGCTGGCGGCC...  1200

Qy  1201  CAGGTGTGGCTGGCGGCC...  1260
Db  1201  CAGGTGTGGCTGGCGGCC...  1260

Db  1261  GGCTCGGAGGCGGAGGCGG...  1320
Qy  1261  GGCTCGGAGGCGGAGGCGG...  1320
```

Right column:

```
Db  1261  GGCTCGGAGGCGGAGGCGG...  1320
Qy  1321  TTCAGGTGGGGCGGAGGA...  1380
Db  1321  TTCAGGTGGGGCGGAGGA...  1380

Db  1381  TGCAAGGCCCGGCAGCGG...  1440
Qy  1441  CGGTCGGTCGTCCTTGCGG...  1500
Db  1441  CGGTCGGTCGTCCTTGCGG...  1500

Db  1501  TCCTTTTCGGCGCGCCGGT...  1560
Qy  1561  GCTGACAGACACCCGACGCG...  1620
Db  1561  GCTGACAGACACCCGACGCG...  1620

Db  1621  GATGGGGTGTGGGGGTCTGG...  1680
Qy  1681  GTACACGCGCGTTTCCAGTG...  1740
Db  1681  GTACACGCGCGTTTCCAGTG...  1740

Db  1741  CCGGGAGAGGAGTTAACTTT...  1800
Qy  1801  TTATTCCCTATTAATAGAAA...  1860
Db  1801  TTATTCCCTATTAATAGAAA...  1860

Db  1861  AACACATGTGCTGTGTGGGG...  1920
Qy  1921  GCGGTCGCCCCCCTTTCTGC...  1980
Db  1921  GCGGTCGCCCCCCTTTCTGC...  1980

Db  1981  GAGAGGGACCGCTGTTTGG...  2040
Qy  2041  TCAAATGTCAGCAGTTTAT...  2100
Db  2041  TCAAATGTCAGCAGTTTAT...  2100

Db  2101  TGAGAGCAGTTCATACAAA...  2160
Qy  2161  TTATCCATTCGTCCCCAAG...  2220
Db  2161  TTATCCATTCGTCCCCAAG...  2220

Db  2221  CTCAGGGCGCTGACCCTATT...  2280
Qy  2281  TTGGATCCAGTGCGGCGCAC...  2340
Db  2281  TTGGATCCAGTGCGGCGCAC...  2340

Db  2341  GGGTAAGAGGAGAAGAGCAG...  2400
Qy  2341  GGGTAAGAGGAGAAGAGCAG...  2400
```

RESULT 3

```
LOCUS       AC008736             191925 bp    DNA     linear   PRI 27-SEP-2000
DEFINITION  Homo sapiens chromosome 19 clone CTD-2538C1, complete sequence.
ACCESSION   AC008736
VERSION     AC008736.6  GI:10312244
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 191925)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 191925)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (03-AUG-1999) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3  (bases 1 to 191925)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Submitted (27-SEP-2000) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT     On Sep 27, 2000 this sequence version replaced gi:8575905.
            Draft Sequence Produced by DOE Joint Genome Institute
            www.jgi.doe.gov
            Finishing Completed at Stanford Human Genome Center
            www-shgc.stanford.edu
            Quality: Phrap Quality >=40 99.9% of Sequence;
            Estimated Total Number of Errors is 0.1.
            STS Content:
            SHGC-57769 G37408.
FEATURES             Location/Qualifiers
     source          1..191925
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="19"
                     /clone="CTD-2538C1"
ORIGIN
```

```
Query Match           91.0%;  Score 2840;  DB 8;  Length 191925;
Best Local Similarity 99.9%;  Pred. No.0;  Mismatches 1;  Indels 0;  Gaps 0;
Matches 2890;  Conservative 0;  Mismatches 1;  Indels 0;  Gaps 0;
```

```
Qy      1 ACTAGAGGTGGGGGTTAGCGCTTGGAAGCACCGACCAAGTGAGGGACCGCAGGGAC 60
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129460 ACTAGAGGTGGGGGTTAGCGCTTGGAAGCACCGACCAAGTGAGGGACCGCAGGGAC 129401

Qy     61 ACCTGACACCCCGGCGGGGGGCCCCAGCGCCCCTCGGATTGCCAGTGCACTGCTCGCTTTGGGGCACG 120
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129400 ACCTGACACCCCGGCGGGGGGCCCCAGCGCCCCTCGGATTGCCAGTGCACTGCTCGCTTTGGGGCACG 129341

Qy    121 GAGGTGCCCAGTCCTGCGCGGCACCCGACGTCCTGTCGGCGGCGGTTCCCGGCGGAGTCAGT 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129340 GAGGTGCCCAGTCCTGCGCGGCACCCGACGTCCTGTCGGCGGCGGTTCCCGGCGGAGTCAGT 129281

Qy    181 ATAGCTGGGGTTCTAGTCCCATCACAGGCAAAAACTCCGGCGGGGAGCCTGGCCGGCTTTTTA 240
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129280 ATAGCTGGGGTTCTAGTCCCATCACAGGCAAAAACTCCGGCGGGGAGCCTGGCCGGCTTTTTA 129221

Qy    241 CCTGGGCCTTCAGTTTCCCCATCCGTAAAATAGAACACGGGTTGGATCTCCCGAGCCCTAACA 300
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129220 CCTGGGCCTTCAGTTTCCCCATCCGTAAAATAGAACACGGGTTGGATCTCCCGAGCCCTAACA 129161

Qy    301 TTCCAGAACTCGGATGGGGCGGAAGGAGGAGGAGGATGGGCCACCACGTGACCTCCC 360
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129160 TTCCAGAACTCGGATGGGGCGGAAGGAGGAGGAGGATGGGCCACCACGTGACCTCCC 129101

Qy    361 CGCGTGGAGCCCGCGCCTACCCACTGATCCAGGGGGTGGCAGCTCCGGCCCGGCTGG 420
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129100 CGCGTGGAGCCCGCGCCTACCCACTGATCCAGGGGGTGGCAGCTCCGGCCCGGCTGG 129041

Qy    421 AGCTTCGCAGGAGCCACCGTGGAGGCCCAGGGGGCGCAGAGACGACGACGTGTGACTCGG 480
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 129040 AGCTTCGCAGGAGCCACCGTGGAGGCCCAGGGGGCGCAGAGACGACGACGTGTGACTCGG 128981

Qy    481 CGGCTCTGCAGCCTGCTTCGCCCCGGAGTTGGCACCCACGGAGGATGTGGGGACCCGCACCCTC 540
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 128980 CGGCTCTGCAGCCTGCTTCGCCCCGGAGTTGGCACCCACGGAGGATGTGGGGACCCGCACCCTC 128921

Qy    541 AGCTTCGCAGGAGCCACCGTGGAGGCCCAGGGGGCGCAGAGACGACGACGTGTGACTCGG 600
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 128920 AGCTTCGCAGGAGCCACCGTGGAGGCCCAGGGGGCGCAGAGACGACGACGTGTGACTCGG 128861

Qy    601 AGTCGCGCTTGGGGAGGATGACGAGGGACCCTACGGGGCTTCCCTTCTGCGC 660
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db 128860 AGTCGCGCTTGGGGAGGATGACGAGGGACCCTACGGGGCTTCCCTTCTGCGC 128801
```

```
Qy   2401 TCCTTCTCTGGGGCGCTTATTTTGTTCAGAATAGACCAGAGTGTTGAACCTCCTTTGCA 2460
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        TCCTTCTCTGGGGCGCTTATTTTGTTCAGAATAGACCAGAGTGTTGAACCTCCTTTGCA 2460

Qy   2461 GGAGGGCTGGGAATCCTCTTTAGAGCACTTAATCCTATTTATCCCCTGGAATGTGCGTGC 2520
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        GGAGGGCTGGGAATCCTCTTTAGAGCACTTAATCCTATTTATCCCCTGGAATGTGCGTGC 2520

Qy   2521 TGGCCAGTAGGAGGGGCTGGGCTTTGGGCAGGTCTTTGGCAGCACCCCCGCCCCTTCCGG 2580
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        TGGCCAGTAGGAGGGGCTGGGCTTTGGGCAGGTCTTTGGCAGCACCCCCGCCCCTTCCGG 2580

Qy   2581 GGTAAGTGTGGCATTACTGGCCCACAGAGAGGTTTTGAGCCAAATCAGCTCTGAGACTGGGGTTA 2640
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        GGTAAGTGTGGCATTACTGGCCCACAGAGAGGTTTTGAGCCAAATCAGCTCTGAGACTGGGGTTA 2640

Qy   2641 GAATGTAACAGCTTTAACTTGGGATTTAAGAAGCTTTTTAAAAGGTAATAATCCTCTGAAA 2700
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        GAATGTAACAGCTTTAACTTGGGATTTAAGAAGCTTTTTAAAAGGTAATAATCCTCTGAAA 2700

Qy   2701 GAAAAATGACGTAACCACAGCGGTGTACTATGAAAAGCTGTTATTTTAATAAGAAGGCTGG 2760
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        GAAAAATGACGTAACCACAGCGGTGTACTATGAAAAGCTGTTATTTTAATAAGAAGGCTGG 2760

Qy   2761 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATAACTAGTAATAATAATCCTCTGAAA 2820
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTATAACTAGTAATAATAATCCTCTGAAA 2820

Qy   2821 ACTAAATATATATATTTCATCTACTTCTGAAGTTGATAGTGTTCTTCCCCCCCCCCCACTTTTT 2880
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        ACTAAATATATATATTTCATCTACTTCTGAAGTTGATAGTGTTCTTCCCCCCCCCCCACTTTTT 2880

Qy   2881 TCTTTTTTTGAGGCAGGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGCCAACAT 2940
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        TCTTTTTTTGAGGCAGGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGCCAACAT 2940

Qy   2941 AGCGAAACCCGATCTCTACTAAAAATATAAAAATTAGCCGGGCGTGGTGGCGCATGCCT 3000
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        AGCGAAACCCGATCTCTACTAAAAATATAAAAATTAGCCGGGCGTGGTGGCGCATGCCT 3000

Qy   3001 GTGGTCCCAGCTACTCGGGAGGCTGAGGCAGGAGAGTCGCTTGAATGCAGGAGGTGGAGG 3060
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        GTGGTCCCAGCTACTCGGGAGGCTGAGGCAGGAGAGTCGCTTGAATGCAGGAGGTGGAGG 3060

Qy   3061 TTGCAATGAGCAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTGTC 3120
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        TTGCAATGAGCAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTGTC 3120

Qy   3121 TC 3122
          ||
Db        TC 3122
```

```
Qy      661 GCCCCGGTCCGCAGAGGGCGCCACGTCGCACGTCCGAGGGTCCCGTGGCGGGTA 720
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   128800 GCCCCGGTCCGCAGAGGGCGCCACGTCGCACGTCCGAGGGTCCCGTGGCGGGTA 128741

Qy      721 GCCCCGACGGAGTCACCGGACCCATGAAGAGACGGTTCGTGCGCGCCCAAGGCCCGGGGATG 780
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   128740 GCCCCGACGGAGTCACCGGACCCATGAAGAGACGGTTCGTGCGCGCCCAAGGCCCGGGGATG 128681

Qy      781 GGGGTTAGGCCACATCCTGCGCGCGCTGAGGGGAGGGAGGGAGGGGCGGGCGGGGGCCCC 840
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   128680 GGGGTTAGGCCACATCCTGCGCGCGCTGAGGGGAGGGAGGGAGGGGCGGGCGGGGGCCCC 128621

Qy      841 AGCCGGAGCCCACCGCCACGGCGAGGGAGGGAGGGAGGGCTAACCGGGGCGGCCC 900
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   128620 AGCCGGAGCCCACCGCCACGGCGAGGGAGGGAGGGAGGGCTAACCGGGGCGGCCC 128561

Qy      901 AGACGACTGGCGTGCTACCACGCGATGGCGGAGTGCCAAGCGGCTGCCTGGACGGGGCTCAACA 960
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   128560 AGACGACTGGCGTGCTACCACGCGATGGCGGAGTGCCAAGCGGCTGCCTGGACGGGGCTCAACA 128501

Qy      961 ACCTGGCGGCGAGGGACCTGCAAAAAGACGCGGCGCAAGGGCGCTGGGGCGGGTGTCCACCT 1020
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   128500 ACCTGGCGGCGAGGGACCTGCAAAAAGACGCGGCGCAAGGGCGCTGGGGCGGGTGTCCACCT 128441
```

```
Db    126640  ACTAAAATAATATATTTCATCTACTTCTTGAAGTTGATTAGTTCTTCCCCCCCCCACTTTTT 126581

Qy      2881  TCTTTTTTGAG 2891
              |||||||||||
Db    126580  TCTTTTTTGAG 126570
```

RESULT 4
AC027340/c

LOCUS   AC027340   216441 bp   DNA   linear   HTG 15-JUL-2000
DEFINITION Homo sapiens chromosome 19 clone CTD-2257C19, WORKING DRAFT
            SEQUENCE, 52 unordered pieces.
ACCESSION   AC027340
VERSION   AC027340.2 GI:9211228
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 216441)
AUTHORS   DOE Joint Genome Institute.
TITLE   Sequencing of Human Chromosome 19
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 216441)
AUTHORS   DOE Joint Genome Institute.
TITLE   Direct Submission
JOURNAL   Submitted (30-MAR-2000) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT   On Jul 15, 2000 this sequence version replaced gi:7341654.
            --------------Genome Center
            Center: Joint Genome Institute
            Center Code: JGI
            Web site: http://www.jgi.doe.gov

            Project Information
            Center Project Name: 72304, BC691328
            Center clone name: CITB-H1_2257C19

            Summary Statistics
            Consensus quality: 164680 bases at least Q40
            Consensus quality: 187929 bases at least Q30
            Consensus quality: 195340 bases at least Q20
            Estimated insert size: 159060; agarose-fp estimation
            Estimated insert size: 211341; sum-of-contigs estimation
            Quality coverage: 8.59 in Q20 bases; agarose-fp estimation
            Quality coverage: 6.46 in Q20 bases; sum-of-contigs estimation.
            NOTE: This is a 'working draft' sequence. It currently
            * consists of 52 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
```

```
*         1          1041:   contig of 1041 bp in length
*      1042          1141:   gap of unknown length
*      1142          2370:   contig of 1229 bp in length
*      2371          2470:   gap of unknown length
*      2471          3552:   contig of 1082 bp in length
*      3553          3652:   gap of unknown length
*      3653          4683:   contig of 1031 bp in length
*      4684          4783:   gap of unknown length
*      4784          6178:   contig of 1395 bp in length
*      6179          6278:   gap of unknown length
*      6279          7442:   contig of 1164 bp in length
*      7443          7542:   gap of unknown length
*      7543          8661:   contig of 1119 bp in length
*      8662          8761:   gap of unknown length
*      8762         10030:   contig of 1269 bp in length
*     10031         10130:   gap of unknown length
*     10131         11491:   contig of 1361 bp in length
*     11492         11591:   gap of unknown length
```

```
*     11592         12967:   contig of 1376 bp in length
*     12968         13067:   gap of unknown length
*     13068         14173:   contig of 1106 bp in length
*     14174         14273:   gap of unknown length
*     14274         15840:   contig of 1567 bp in length
*     15841         15940:   gap of unknown length
*     15941         17242:   contig of 1302 bp in length
*     17243         17342:   gap of unknown length
*     17343         18449:   contig of 1107 bp in length
*     18450         18549:   gap of unknown length
*     18550         19683:   contig of 1134 bp in length
*     19684         19783:   gap of unknown length
*     19784         21247:   contig of 1464 bp in length
*     21248         21347:   gap of unknown length
*     21348         22952:   contig of 1605 bp in length
*     22953         23052:   gap of unknown length
*     23053         24452:   contig of 1400 bp in length
*     24453         24552:   gap of unknown length
*     24553         25825:   contig of 1273 bp in length
*     25826         25925:   gap of unknown length
*     25926         27109:   contig of 1184 bp in length
*     27110         27209:   gap of unknown length
*     27210         28292:   contig of 1083 bp in length
*     28293         28392:   gap of unknown length
*     28393         29744:   contig of 1352 bp in length
*     29745         29844:   gap of unknown length
*     29845         31042:   contig of 1198 bp in length
*     31043         31142:   gap of unknown length
*     31143         32629:   contig of 1487 bp in length
*     32630         32729:   gap of unknown length
*     32730         33898:   contig of 1169 bp in length
*     33899         33998:   gap of unknown length
*     33999         35704:   contig of 1706 bp in length
*     35705         35804:   gap of unknown length
*     35805         37471:   contig of 1667 bp in length
*     37472         37571:   gap of unknown length
*     37572         39285:   contig of 1714 bp in length
*     39286         39385:   gap of unknown length
*     39386         40577:   contig of 1192 bp in length
*     40578         40677:   gap of unknown length
*     40678         41930:   contig of 1253 bp in length
*     41931         42030:   gap of unknown length
*     42031         43743:   contig of 1713 bp in length
*     43744         43843:   gap of unknown length
*     43844         46054:   contig of 2211 bp in length
*     46055         46154:   gap of unknown length
*     46155         49379:   contig of 3225 bp in length
*     49380         49479:   gap of unknown length
*     49480         53371:   contig of 3892 bp in length
*     53372         53471:   gap of unknown length
*     53472         55756:   contig of 2285 bp in length
*     55757         55856:   gap of unknown length
*     55857         58019:   contig of 2163 bp in length
*     58020         58119:   gap of unknown length
*     58120         60327:   contig of 2208 bp in length
*     60328         60427:   gap of unknown length
*     60428         64223:   contig of 3796 bp in length
*     64224         64323:   gap of unknown length
*     64324         67218:   contig of 2895 bp in length
*     67219         67318:   gap of unknown length
*     67319         71797:   contig of 4479 bp in length
*     71798         71897:   gap of unknown length
*     71898         76856:   contig of 4959 bp in length
*     76857         76956:   gap of unknown length
*     76957         82060:   contig of 5104 bp in length
*     82061         82160:   gap of unknown length
*     82161         87557:   contig of 5397 bp in length
*     87558         87657:   gap of unknown length
*     87658         94226:   contig of 6569 bp in length
*     94327         94326:   gap of unknown length
*     94327        101878:   contig of 7552 bp in length
*    101879        101978:   gap of unknown length
*    101979        110629:   contig of 8651 bp in length
```

```
 *   110630   110729: gap of unknown length
 *   110730   119083: contig of 8354 bp in length
 *   119084   119183: gap of unknown length
 *   119184   128919: contig of 9736 bp in length
 *   128920   129019: gap of unknown length
 *   129020   142791: contig of 13772 bp in length
 *   142792   142891: gap of unknown length
 *   142892   156079: contig of 13188 bp in length
 *   156080   156179: gap of unknown length
 *   156180   183092: contig of 26913 bp in length
 *   183093   183192: gap of unknown length
 *   183193   216441: contig of 33249 bp in length.

FEATURES          Location/Qualifiers
source            1..216441
                  /organism="Homo sapiens"
                  /mol_type="genomic DNA"
                  /db_xref="taxon:9606"
                  /chromosome="19"
                  /clone_lib="CalTech human BAC library D"
                  /clone="CTD-2257C19"
gap               1042..1141
                  /estimated_length=unknown
gap               2371..2470
                  /estimated_length=unknown
gap               3553..3652
                  /estimated_length=unknown
gap               4684..4783
                  /estimated_length=unknown
gap               6179..6278
                  /estimated_length=unknown
gap               7443..7542
                  /estimated_length=unknown
gap               8662..8761
                  /estimated_length=unknown
gap               10031..10130
                  /estimated_length=unknown
gap               11492..11591
                  /estimated_length=unknown
gap               12968..13067
                  /estimated_length=unknown
gap               14174..14273
                  /estimated_length=unknown
gap               15841..15940
                  /estimated_length=unknown
gap               17243..17342
                  /estimated_length=unknown
gap               18450..18549
                  /estimated_length=unknown
gap               19684..19783
                  /estimated_length=unknown
gap               21248..21347
                  /estimated_length=unknown
gap               22953..23052
                  /estimated_length=unknown
gap               24453..24552
                  /estimated_length=unknown
gap               25826..25925
                  /estimated_length=unknown
gap               27110..27209
                  /estimated_length=unknown
gap               28293..28392
                  /estimated_length=unknown
gap               29745..29844
                  /estimated_length=unknown

 .   Query Match 91.0%; Score 2840; DB 14; Length 216441;
     Best Local Similarity 99.9%; Pred. No. 0;
     Matches 2890; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
```

```
Qy      1 ACTAGAGGTGGGGTTAGCCGCTTGGAAGCACCGACCAACGTGAGGCGCAGGGAC     60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 117034 ACTAGAGGTGGGGTTAGCCGCTTGGAAGCACCGACCAACGTGAGGCGCAGGGAC 116975

Qy     61 ACCTGACCCCGGCGGCGCCCAGCCCTCGGATTGCCAGTCACTGCTCGCTTCGGGGCACG  120
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 116974                                                             116915

Qy    121 GAGGTGCCCAGT...                                              180
          ||||||||||||...
Db 116914 ...                                                        116855

Qy    181 ATAGCTGGGT...                                               240
          ||||||||||...
Db 116854 ...                                                        116795

Qy    241 CCTGGGCCTCAGT...                                            300
          |||||||||||||...
Db 116794 ...                                                        116735

Qy    301 TTCAGAACTCGGA...                                            360
          |||||||||||||...
Db 116734 ...                                                        116675

Qy    361 CGGCTGGAGCCC...                                             420
          ||||||||||||...
Db 116674 ...                                                        116615

Qy    421 GTGGGCGGGG...                                               480
          ||||||||||...
Db 116614 ...                                                        116555

Qy    481 CGGGCTCTGAGCC...                                            540
          |||||||||||||...
Db 116554 ...                                                        116495

Qy    541 AGCTTCGCAGGG...                                             600
          ||||||||||||...
Db 116494 ...                                                        116435

Qy    601 AGTGCGCCTGGGG...                                            660
          |||||||||||||...
Db 116434 ...                                                        116375

Qy    661 GCCCCGTCCGCAG...                                            720
          |||||||||||||...
Db 116374 ...                                                        116315

Qy    721 GCGCCGGAGGGAG...                                            780
          |||||||||||||...
Db 116314 ...                                                        116255

Qy    781 GGGGTTAGCCA...                                              840
          |||||||||||...
Db 116254 ...                                                        116195

Qy    841 AGCCCGGAGCCCA...                                            900
          |||||||||||||...
Db 116194 ...                                                        116135

Qy    901 AGACGGACTCGCG...                                            960
          |||||||||||||...
Db 116134 ...                                                        116075

Qy    961 ACCTGCGGCAGGAG...                                          1020
          ||||||||||||||...
Db 116074 ...                                                        116015

Qy   1021 GCGCCGGCGGCTG...                                           1080
          |||||||||||||...
Db 116014 ...                                                        115955

Qy   1081 TCGAGGCGGCTTC...                                           1140
          |||||||||||||...
Db 115954 ...                                                        115895

Qy   1141 GCTCGGCCTGGAGC...                                          1200
          ||||||||||||||...
Db 115894 ...                                                        115835
```

```
RESULT 5
AC008474
LOCUS       AC008474              186115 bp    DNA     linear   PRI 13-JUL-2002
DEFINITION  Homo sapiens chromosome 19 clone CTC-379B2, complete sequence.
ACCESSION   AC008474
VERSION     AC008474.9  GI:21743729
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 186115)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 186115)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (03-AUG-1999) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3  (bases 1 to 186115)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-JUL-2000) DOE Joint Genome Institute and Stanford Human
            Drive, Walnut Creek, CA 94598, USA
REFERENCE   4  (bases 1 to 186115)
```

The remaining portion of the page consists of a pairwise nucleotide sequence alignment between a query (Qy) sequence and the database subject (Db) sequence (AC008474), presented in successive rows labelled "Qy" and "Db" with residue position numbers at the left and right of each row and vertical bars indicating matched bases. The alignment spans approximately query positions 1201–2881 and subject positions 114144–115894.

```
AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE     Direct Submission
JOURNAL   Submitted (17-OCT-2001) DOE Joint Genome Institute, 2800 Mitchell
          Drive, Walnut Creek, CA 94598, USA
REFERENCE 5 (bases 1 to 186115)
AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE     Direct Submission
JOURNAL   Submitted (13-JUL-2002) DOE Joint Genome Institute, 2800 Mitchell
          Drive, Walnut Creek, CA 94598, USA
COMMENT   On Jul 13, 2002 this sequence version replaced gi:16197759.
          Draft Sequence Produced by DOE Joint Genome Institute
          www.jgi.doe.gov
          Finishing Completed at Stanford Human Genome Center
          www.shgc.stanford.edu
          Quality: Phrap Quality >=40 99.8% of Sequence;
          Estimated Total Number of Errors is 0.4.
FEATURES             Location/Qualifiers
     source          1..186115
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="19"
                     /clone="CTC-379B2"
ORIGIN

Query Match     78.3%;  Score 2445;  DB 8;  Length 186115;
Best Local Similarity  99.8%;
Matches 2865;  Conservative  0;  Mismatches  6;  Indels  1;  Gaps  1;
```

```
Qy       1 ACTAGAGGTGGGGTTAGCCGCTTGGAAGCACCGAACGTGACGCGCAACGCGCAGGAC 60
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180657 ACTAGAGGTGGGGTTAGCCGCTTGGAAGCACCGAACGTGACGCGCAACGCGCAGGAC 180716

Qy      61 ACCTGACCCCGGCGGCGCCCAGCCCCTCGGATTGCCCAGTCACTCGCTTTGGGGCACG 120
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180717 ACCTGACCCCGGCGGCGCCCAGCCCCTCGGATTGCCCAGTCACTCGCTTTGGGGCACG 180776

Qy     121 GAGGTGCCCAGTCCTGCGGGGCACCCGACGTCCTCGTCCGCACAGGGGTCCGGGAGTCAGT 180
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180777 GAGGTGCCCAGTCCTGCGGGGCACCCGACGTCCTCGTCCGCACAGGGGTCCGGGAGTCAGT 180836

Qy     181 ATAGCTCGGGTTCTAGTCCCATCACAGGCAAAAAACTCCGCGGGGAGCCGGCCGCGTTTTTA 240
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180837 ATAGCTCGGGTTCTAGTCCCATCACAGGCAAAAAACTCCGCGGGGAGCCGGCCGCGTTTTTA 180896

Qy     241 CCTGGGGCCTCAGTTTCCCATCCGTAAAATAGAACGGGGTTGGATCTCCCGGAGGCTAACA 300
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180897 CCTGGGGCCTCAGTTTCCCATCCGTAAAATAGAACGGGGTTGGATCTCCCGGAGGCTAACA 180956

Qy     301 TTCCAGAACTCGGATGGGGCGGAAGGGAGGGGATGGGGCCACCCACAGTGACCTCCC 360
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180957 TTCCAGAACTCGGATGGGGCGGAAGGGAGGGGATGGGGCCACCCACAGTGACCTCCC 181016

Qy     361 CGGCTGGGAGCCCCCCCCTACCACTGATCCAGGGGGTGGCAGCTCCGGCGCCGGACGACGGGG 420
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181017 CGGCTGGGAGCCCCCCCCTACCACTGATCCAGGGGGTGGCAGCTCCGGCGCCGGACGACGGGG 181076

Qy     421 GTGGGGCGGGGTTCTAGGAAAACCCTACCCGGCGCCCCGGCGGGGGAGCGCG 480
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181077 GTGGGGCGGGGTTCTAGGAAAACCCTACCCGGCGCCCCGGCGGGGGAGCGCG 181136

Qy     481 CGGCTCTGCAGCCTGCTGCCCGGAGTTGGCACCCACGGACCGCACCCTC 540
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db  181137 CGGCTCTGCAGCCTGCTGCCCGGAGTTGGCACCCACGGACCGCACCCTC 181196

Qy     541 AGCTTCGCAGGGAGGACCACCGGCTGCAGGGCCGGTGCAGAGACGACGAGTGTGACTCGG 600
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181197 AGCTTCGCAGGGAGGACCACCGGCTGCAGGGCCGGTGCAGAGACGACGAGTGTGACTCGG 181256

Qy     601 AGTGCGGCCTGGGGGAGGGGGAGGATGGACGGGGGACGGGGCTCCCTCTCCTGGGC 660
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181257 AGTGCGGCCTGGGGGAGGGGGAGGATGGACGGGGGACGGGGCTCCCTCTCCTGGGC 181316

Qy     661 GCCCCGTCCGCAGAGGCGGACGTGACGCGTCCCGGGCTCCGGTGCGGTA 720
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db  181317 GCCCCGTCCGCAGAGGCGGACGTGACGCGTCCCGGGCTCCGGTGCGGTA 181376

Qy     721 GCGCGGAGCGGAGTCACGGACGACCATGAAAGACCGTTCGTTGCGCGGGCGGGATG 780
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181377 GCGCGGAGCGGAGTCACGGACGACCATGAAAGACCGTTCGTTGCGCGGGCGGGATG 181436

Qy     781 GGGGTTAGCCACATCCTGCGCCGGCGTGAGGGGGGAGGCTAACGGGCGGCCCC 840
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181437 GGGGTTAGCCACATCCTGCGCCGGCGTGAGGGGGGAGGCTAACGGGCGGCCCC 181496

Qy     841 AGCCGGAGCCCACCGGCCGAGGGAGGGAGGAGTGGGGCTAACGGGCTCAACA 900
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181497 AGCCGGAGCCCACCGGCCGAGGGAGGGAGGAGTGGGGCTAACGGGCTCAACA 181556

Qy     901 AGACGGACTGGCTGTGCTACCACCACCTGTTCGGGGACCGGACCGTCTCGGTGGGCGTCGGT 960
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181557 AGACGGACTGGCTGTGCTACCACCACCTGTTCGGGGACCGGACCGTCTCGGTGGGCGTCGGT 181616

Qy     961 ACCTGCGGCAGGAGCTGCAAAAGAACGGCGCCAGAAGACGGAGGAGCTGGGGTGTCCAACT 1020
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181617 ACCTGCGGCAGGAGCTGCAAAAGAACGGCGCCAGAAGACGGAGGAGCTGGGGTGTCCAACT 181676

Qy    1021 GCGCCGGCTGACTGTCGTGTCTGCGGACCGGCGGGCGCCGACGACGCGCGAGT 1080
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181677 GCGCCGGCTGACTGTCGTGTCTGCGGACCGGCGGGCGCCGACGACGCGCGAGT 181736

Qy    1081 TCGAGCGCGGCTTCTGGGTGGCCTTCTCGGGGACCTGGCTGGAAGCGGGACAATGCGAC 1140
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181737 TCGAGCGCGGCTTCTGGGTGGCCTTCTCGGGGACCTGGCTGGAAGCGGGACAATGCGAC 181796

Qy    1141 GCTCGCTCGGAGCTGGGGCGCGCGGTTCCCGCGCGCGGGGGGACCGGCTGGTGCGTGTGGCA 1200
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181797 GCTCGCTCGGAGCTGGGGCGCGCGGTTCCCGCGCGCGGGGGGACCGGCTGGTGCGTGTGGCA 181856

Qy    1201 CAGGTGTGGCTGGGCCTCTCCGGCGTTGCCGGTGGGGCGGGGGGCGCCGACCTGC 1260
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181857 CAGGTGTGGCTGGGCCTCTCCGGCGTTGCCGGTGGGGCGGGGGGCGCCGACCTGC 181916

Qy    1261 GGCTCGAGCCGGAGGGGACGCTTCGACGTCGGCGGACTTGGGGGACCTGGGGGTCC 1320
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181917 GGCTCGAGCCGGAGGGGACGCTTCGACGTCGGCGGACTTGGGGGACCTGGGGGTCC 181976

Qy    1321 TTCAGGTGGGCGAGGATGATCGACAACATGGAGATGAAGGTCAAAGTGCCCCGGACCG 1380
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181977 TTCAGGTGGGCGAGGATGATCGACAACATGGAGATGAAGGTCAAAGTGCCCCGGACCG 182036

Qy    1381 TGCAAGCCCGGCAGGCGGGGGGCGCCGACGACTCTCGTCCACGGTCAGGTCAGGCCATG 1440
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  182037 TGCAAGCCCGGCAGGCGGGGGGCGCCGACGACTCTCGTCCACGGTCAGGTCAGGCCATG 182096

Qy    1441 CGGTCGTTGGTCTTCGCAGGGTTGCGAGCGGGAGGAGAGGGCCCTGCGCCGCCA 1500
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  182097 CGGTCGTTGGTCTTCGCAGGGTTGCGAGCGGGAGGAGAGGGCCCTGCGCCGCCA 182156

Qy    1501 TCCTTTTCGCGCCGTGCTGCTGCGTGTGGCGGAAGCTGA 1560
           |||||||||||||||||||||||||||||||||||||||
Db  182157 TCCTTTTCGCGCCGTGCTGCTGCGTGTGGCGGAAGCTGA 182216

Qy    1561 GCTGACAGACACCCGACGCGCCGCTCCTCCGTGACGAAAAGACTCGG 1620
           |||||||||||||||||||||||||||||||||||||||||||||||
Db  182217 GCTGACAGACACCCGACGCGCCGCTCCTCCGTGACGAAAAGACTCGG 182276

Qy    1621 GATGGGTGTGGGGTCTGGGCCTCTAAAACCCCTGAGAAAACCCTGGCATGG 1680
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db  182277 GATGGGTGTGGGGTCTGGGCCTCTAAAACCCCTGAGAAAACCCTGGCATGG 182336

Qy    1681 GTACACGCGCGTTTCCAGTGCACATCTGCCTGGGCCAGGACACCG-TTTCCTCTTGCTGGC 1740
           ||||||||||||||||||||||||||||||||||||||||||||| |||||||||||||||
Db  182337 GTACACGCGCGTTTCCAGTGCACATCTGCCTGGGCCAGGACACCGGTTTCCTCTTGCTGGC 182395

Qy    1741 CCGGGAGAAGTTAACTTTCGCGCCGCCGTCAGGGCGCCATTACCGCTCTAACGTCTGCAGGAGCT 1800
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  182395 CCGGGAGAAGTTAACTTTCGCGCCGCCGTCAGGGCGCCATTACCGCTCTAACGTCTGCAGGAGCT 1800
```

```
Db   183476 ACTAAAATATATATTTCATCTACTTCTGAAGTTGATAGTTCTTCCCCCCCC 183527
```

RESULT 6

```
LOCUS       CQ850499                2327 bp    DNA     linear   PAT 23-AUG-2004
DEFINITION  Sequence 968 from Patent EP1447413.
ACCESSION   CQ850499
VERSION     CQ850499.1  GI:51508711
KEYWORDS
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Isogai,T., Yamamoto,J., Nishikawa,T., Isono,Y., Sugiyama,T.,
            Otsuki,T., Wakamatsu,A., Ishii,S., Nagai,K. and Irie,R.
  TITLE     Full-length human cDNA
  JOURNAL   Patent: EP 1447413-A 968 18-AUG-2004;
            Research Association for Biotechnology (JP)
FEATURES             Location/Qualifiers
     source          1..2327
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
ORIGIN

Query Match       62.5%;  Score 1952;  DB 6;  Length 2327;
Best Local Similarity   99.7%;  Pred. No. 0;  Mismatches 0;
Matches 2322;  Conservative 0;  Mismatches 5;  Indels 1;  Gaps 1;
```

```
Qy    444 ACCCGGCCGCCCCCTTGGCAGCGCGCCTAAGCGGCGGAGCGGGCGCGGGCC 503
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 ACCCGGCCGCCCCCTTGGCAGCGCGCCTAAGCGGCGGAGCGGGCGCGGGCC 60

Qy    504 GGAGTTTGGCACCCACGGAGGATGGGGAGGACCGCACCCTCAGCTTCGCAG 563
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 GGAGTTTGGCACCCACGGAGGATGGGGAGGACCGCACCCTCAGCTTCGCAG 120

Qy    564 AGGCCCAGGCGCCGTTGCAGAGACACGACGTGTGACTTCGCGGAGGATGG 623
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 AGGCCCAGGCGCCGTTGCAGAGACACGACGTGTGACTTCGCGGAGGATGG 180

Qy    624 AGGGGAGCGCGGGGACCGCTAACGGGCGCTCCCCGTCGCGCCCGTTCGCAGT 683
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 AGGGGAGCGCGGGGACCGCTAACGGGCGCTCCCCGTCGCGCCCGTTCGCAGT 240

Qy    684 CGAGGGGTCCCGCGGGGGCTCCGCGTGGAGCGGTCGCTGGGTAACGCGGAC 743
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 CGAGGGGTCCCGCGGGGGCTCCGCGTGGAGCGGTCGCTGGGTAACGCCGAT 300

Qy    744 GAAGAGAGCGGTTCGGTGCCGGCGCCAAGGCCCGGGGATGGGGGTTTAGCC 803
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301 GAACAGAGCGTTCGGTGCCGGCGCCAAGGCCCGGGGATGGGGGTTAGCC 360

Qy    804 CTGAGGGGGAGGGGCTAACGGGCGCGGGGCGCGGGCCCAGCCGCGGCAGT 863
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361 CTGAGGGGGAGGGGCTAACGGGCGCGGGGCGCGGGCCCAGCCGCGGCAGT 420

Qy    864 AGGGAGGGGACTGCCAAGGCGCCTGCTGCGACCGGCGAGTCACGGACCAT 923
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db    421 AGGGAGGGGACTGCCAAGGCGCCTGCTGCGACCGGCGAGTCACGGACCAC 480

Qy    924 CTGGTGCTGACCGTCGGGCTGGCTCGGGCGACTCGGCAGAGCTGCAAAAG 983
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db    481 CTGGTGCTGACCGTCGGGCTGGCTCGGGCGACTCGGCAGAGCTGCAAAAG 540

Qy    984 ACGGCGCCAGAAGGGCCAGGAGCTGGCGGTGTCCACCTGGCCGGTGGCTG 1043
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db    541 ACGGCGCCAGAAGGGCCAGGAGCTGGCGGTGTCCACCTGGCCGGTGGCTG 600

Qy   1044 CGCCACCGGCGGGCCTTGGCCCGACGAGCGCGCCGGCGAGTTCGAGCGGTGGCCTTC 1103
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    541 CGCCACCGGCGGGCCTTGGCCCGACGAGCGCGCCGGCGAGTTCGAGCGGTGGCCTTC 600
```

```
Qy   1801 TTATTCCCTTATTTAATAATAGAAAATAAAACCGTCACAGTGACCCTTAGATCCCTCCGAGTTAATGAGTT 1860
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 182456 TTATTCCCTTATTTAATAATAGAAAATAAAACCGTCACAGTGACCCTTAGATCCCTCCGAGTTAATGAGTT 182515

Qy   1861 AACACATGTGCTGTTGGGGGTCTTTACAGGGAGTCCGAGTTCGGTGCCACCCCTGCCA 1920
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 182516 AACACATGTGCTGTTGGGGGTCTTTACAGGGAGTCCGAGTTCGGTGCCACCCCTGCCA 182575

Qy   1921 GCCTGCGCCCCTTCTGCTGGGACAGTTTGAAAAGTTGGGGTTGGGGTTGGGAGTTGAAGTTTG 1980
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 182576 GCCTGCGCCCCTTCTGCTGGGACAGTTTGAAAAGTTGGGGTTGGGGTTGGGAGTTGAAGTTTG 182635

Qy   1981 GAGAGGAGGACGCGCTGTTGGTTCTATGTGGTTGCTCGTTTCCCGGACAAAGAAAATTGCAA 2040
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 182636 GAGAGGAGGACGCGCTGTTGGTTCTATGTGGTTGCTCGTTTCCCGGACAAGAAAATTGCAA 182695

Qy   2041 TCAAAGTCAGCAGCTTTATTATTTACCTTAATCTTTCAGGGCCTAAATTTAGGAGAGTGTCC 2100
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 182696 TCAAAGTCAGCAGCTTTATTATTTACCTTAATCTTTCAGGGCCTAAATTTAGGAGAGTGTCC 182755

Qy   2101 TGAGACAGTTCATACAAAGGGGGCTTTCTCTTCAGCAGTTGAAGTGGAGTGAAGTTTG 2160
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 182756 CGAGACAGTTCATACAAAAGGGGCTTTCTCTTCAGCAGTTGAAGTGGAGTGAAGTTTG 182815

Qy   2161 TTATCCATTCGTCCCCAAGAGACGAGCAGCCTAGAAAGAGATTTGAGGGTCATGAGCCGCG 2220
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db 182816 TTATCCATTCGTCCCCAAGAGACGAGCAGCTAGAAAGAGATTTGAGGGTCATGACCTCCCACTCACTGCG 182875

Qy   2221 CTCAGGGGGCTGACCCTATTTAGGAAAACCAAAGAGGAGGGGTTGAAACCTACTTCTCACGGAC 2280
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db 182876 CTCAGGGGGCTGACCCTATTTAGGAAAACCAAAGAGGAGGGGTTGAAACCTACTTCTCACGGAC 182935

Qy   2281 TTGGATCCAGTGCCCACACTTGCCTGCGGAAAAGGGCTTCCCCCGGACGCCACCCCGGAGATGG 2340
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 182936 TTGGATCCAGTGCCCACACTTGCCTGCGGAAAAGGGCTTCTCCCCGGACGCCACCCCGGAGATGG 182995

Qy   2341 GGGTAAGAGGAGCAGCAGCAGGCTTGGGGTAGGGGCCCATCTCGGTGTTGTGTTTAAAACAGCACTTTC 2400
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 182996 GGGTAAGAGGAGCAGCAGCAGGCTTGGGGTAGGGGCCCATCTCGGTGTTGTGTTTAAAACAGCACTTTC 183055

Qy   2401 TCCTTCTCTGGGGCTTATTTTTGTTCAGAAACTAGACCAGAGTGTTGAAACCTCCTTTGCA 2460
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db 183056 TCCTTCTCTGGGGCTTATTTTTGTTCAGAAACTAGACCAGAGTGTTGAAACCTCCTTTGCA 183115

Qy   2461 GGAGGGCTGGGAATCCTCTTCTTAGAGCACTTAATCCTATTTATTATCCCCTGAAATGTGCGTGC 2520
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 183116 GGAGGGCTGGGAATCCTCTTCTTAGAGCACTTAATCCTATTTATTATCCCCTGAAATGTGCGTGC 183175

Qy   2521 TGGCCCAGTAGGAGGGGCTGGCTTTCGGCAGCTCGGGCGCTGCCGCGCCCCTTCCGG 2580
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 183176 TGGCCCAGTAGGAGGGGCTGGCTTTCGGCAGCTCGGGCGCTGCCGCGCCCCTTCCGG 183235

Qy   2581 GGTAAGTGACAGCTTTAACTTGGGATTAAGAAGGTTTTTGAGCCAAATCAGCTCTCGAGACTGGGGTTA 2640
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 183236 GGTAAGTGTGGCATTACTGGCCCCACAGAGGTTTTTGAGCCAAATCAGCTCTCGAGACTGGGGTTA 183295

Qy   2641 GAAGTGTAACAGCTTTAGGGAATTAAGAAGGTTTTTAAAAGGTAATAATAATACTCTGAAA 2700
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db 183296 GAAGTGTAACAGCTTTAACTTGGGAATTAAGAAGGTTTTTAAAAGGTAATAATAATACTCTGAAA 183355

Qy   2701 GAAAAATGACGTAACCACCAGCGTGTACTATGTGTTATTGTTATTTATTTAAAAAGAAACGCTGG 2760
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 183356 GAAAAATGACGTAACCACCAGCGTGTACTATGTGTTATTGTTATTTATTTAAAAAGAAACGCTGG 183415

Qy   2761 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTAATCTTTATGTAGAATACTTAGATT 2820
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 183416 GCCATGAACTCATACCTGCCAATGAGTCAAACATAGTAATCTTTATGTAGAATACTTAGATT 183475

Qy   2821 ACTAAAATATATATTTCATCTACTTCTGAAGTTGATAGTTCTTCCCCCCCC 2872
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db 183476 ACTAAAATATATATTTCATCTACTTCTGAAGTTGATAGTTCTTCCCCCCCC 183527
```

```
Qy    601 CCGCAGACCGGACCTGGCGCCCAGCGAGGCGGCGCCGAGTTCGGAGCGGGCTTGGGGGGCCTTC 660
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    601 CCGCAGACCGGACCTGGCGCCCAGCGAGGCGGCGCCGAGTTCGGAGCGGGCTTGGGGGGCCTTC 660

Qy   1104 GACGTTCGGCGGCGGCGGCGGCGGCGGCGGACATCGACCGCTCGCTGGGAGCGGGACTT 1163
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1104 GACGTTCGGCGGCGGCGGCGGCGGCGGCGGACATCGACCGCTCGCTGGGAGCGGGACTT 1163

Db    661 TCCGGGCTGCCTTGGACCTGCTTGGAAGCGGCCCG 720
          |||||||||||||||||||||||||||||||||||
Qy    661 TCCGGGCTGCCTTGGACCTGCTTGGAAGCGGCCCG 720

Qy   1164 TTCCCGCTTGCACCGGCGTTGGCTTGGGCGTTGGC 1223
          |||||||||||||||||||||||||||||||||||
Db   1164 TTCCCGCTTGCACCGGCGTTGGCTTGGGCGTTGGC 1223

Db    721 TTCCCGCTGCACCCGGCGCCGCGGCGCCTTCCTCC 780
          |||||||||||||||||||||||||||||||||||
Qy    721 TTCCCGCTGCACCCGGCGCCGCGGCGCCTTCCTCC 780

Qy   1224 GGGGTGGGCGGCGCGGCGTGAGCGAGGCGGGACTTC 1283
          ||||||||||||||||||||||||||||||||||||
Db   1224 GGGGTGGGCGGCGCGGCGTGAGCGAGGCGGGACTTC 1283

Db    781 GGGGTGGGCGGCTGAGGCACCCGCGGCGGGGACTTC 840
          ||||||||||||||||||||||||||||||||||||
Qy    781 GGGGTGGGCGGCTGAGGCACCCGCGGCGGGGACTTC 840

Qy   1284 GCCGGAGCTTCCTGTGCGGGAGCTGGGAGGTTCCTCAGTGGGCCGGAGATGATCGAC 1343
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1284 GCCGGAGCTTCCTGTGCGGGAGCTGGGAGGTTCCTCAGTGGGCCGGAGATGATCGAC 1343

Db    841 GACTTCGGCCGGACCTGCGGGGCGCGGCGGGGCTTGGGGGCGCC 900
          ||||||||||||||||||||||||||||||||||||||||||||
Qy    841 GACTTCGGCCGGACCTGCGGGGCGCGGCGGGGCTTGGGGGCGCC 900

Qy   1344 AACATGGAGGATGAAGGTCAACGTGCCCCGCCGGGCCCCGCCGAGGGGCGGGGC 1403
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1344 AACATGGAGGATGAAGGTCAACGTGCCCCGCCGGGCCCCGCCGAGGGGCGGGGC 1403

Db    901 AACATGGAGATGAAGGTCAAAGTGCCCCGCCGGGCCGGGGC 960
          |||||||||||||||||||||||||||||||||||||||||
Qy    901 AACATGGAGATGAAGGTCAAAGTGCCCCGCCGGGCCGGGGC 960

Qy   1404 GCCGGAGCTCCGTGTCCGGTCAGGCGGGCCCGGAGAGAGGCGC 1463
          |||||||||||||||||||||||||||||||||||||||||||
Db   1404 GCCGGAGCTCCGTGTCCGGTCAGGCGGGCCCGGAGAGAGGCGC 1463

Db    961 GCCGGAGCTTCCTGTCCACGGTCAGGCGGGCCCGGAGAGGCGC 1020
          |||||||||||||||||||||||||||||||||||||||||||
Qy    961 GCCGGAGCTTCCTGTCCACGGTCAGGCGGGCCCGGAGAGGCGC 1020

Qy   1464 GGGGGAGGGGTTGCGACCCCAGGGAAAGGCCCTGGGGCTGCGTGCTGCTG 1523
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1464 GGGGGAGGGGTTGCGACCCCAGGGAAAGGCCCTGGGGCTGCGTGCTGCTG 1523

Db   1021 GGGGGAGGGGTTGCGACCCCAGGGAAAGGCCCATCCTTGGTTCGGGGAATCCTCTTTAG 1080
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1021 GGGGGAGGGGTTGCGACCCCAGGGAAAGGCCCATCCTTGGTTCGGGGAATCCTCTTTAG 1080

Qy   1524 GCGGGCTGTGGGCCTAGCGGTGGCGGTGAGCTGACAGACACCCGGCGGCCGC 1583
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1524 GCGGGCTGTGGGCCTAGCGGTGGCGGTGAGCTGACAGACACCCGGCGGCCGC 1583

Db   1081 GCGGGCTGTGGGCCTAGCGGTGGCGGTGAGCTGACGGACACCCGACGGCCGC 1140
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1081 GCGGGCTGTGGGCCTAGCGGTGGCGGTGAGCTGACGGACACCCGACGGCCGC 1140

Qy   1584 CTGCTGCTTGCCCGCTCCCCTCCCGGATGGGGTGTGGGGTCTGGCCTGT 1643
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db   1584 CTGCTGCTTGCCCGCTCCCCTCCCGGATGGGGTGTGGGGTCTGGCCTGT 1643

Db   1141 CTGCTGCTTGCCCGCTCCCCTCCCCGTGAGAAAAGACTCGGAAGTGGGGGTCTGGCCTGT 1200
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1141 CTGCTGCTTGCCCGCTCCCCTCCCCGTGAGAAAAGACTCGGAAGTGGGGGTCTGGCCTGT 1200

Qy   1644 GCAAGGGGAGTGGTTCCTAAAAACCCCGTGTGTGTACAGGCGCG 1703
          ||||||||||||||||||||||||||||||||||||||||||||
Db   1644 GCAAGGGGAGTGGTTCCTAAAAACCCCGTGTGTGTACAGGCGCG 1703

Db   1201 GCAAGGGGAGTGGTGGTCCTAAAAACCCGTGTGCATGGGTACACGCGTTTCAGTGCAC 1260
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1201 GCAAGGGGAGTGGTGGTCCTAAAAACCCGTGTGCATGGGTACACGCGTTTCAGTGCAC 1260

Qy   1704 ATCTGCCTGGGCGCAGGACACGGTTTTCCTTGCTGCTGGGCCCGGGAGGAGTTAACTTTGCGCC 1763
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1704 ATCTGCCTGGGCGCAGGACACGG-TTTCCTTGCTGCTGGGCCCGGGAGGAGTTAACTTTGCGCC 1763

Db   1261 AACTGCTCAGGGGACCAGGACACGG-TTTCCTTGCTGCTGGGCCCGGGAGGAGTTAACTTTGCGCC 1319
          ||||||||||||||||||||||||| |||||||||||||||||||||||||||||||||||||||
Qy   1261 AACTGCTCAGGGGACCAGGACACGG-TTTCCTTGCTGCTGGGCCCGGGAGGAGTTAACTTTGCGCC 1319

Qy   1764 GGCCGTCAGGGCATTACCCGTAACGTCTCGCAGGAGCTTTATTCCCTATTAAATAGAAAACC 1823
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1764 GGCCGTCAGGGCATTACCCGTAACGTCTCGCAGGAGCTTTATTCCCTATTAAATAGAAAACC 1823

Db   1320 GGCCGGTCAGGGCCATTACCCGCTAACGTCTCTGCAGGAGCTTTATTCCCTATTAAATAGAAAAC 1379
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1320 GGCCGGTCAGGGCCATTACCCGCTAACGTCTCTGCAGGAGCTTTATTCCCTATTAAATAGAAAAC 1379

Qy   1824 GTCACAGTGACCCTAGATCCCTCGAGTTAAATGAGTTAAACACATGTCGTTGTTGGGGCCTC 1883
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1824 GTCACAGTGACCCTAGATCCCTCGAGTTAAATGAGTTAAACACATGTCGTTGTTGGGGCCTC 1883

Db   1380 GTCACAGTGACCCTAGATCCCTCGAGTTAAATGAGTTAAACACATGTCGTTGGGGCCGTC 1439
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1380 GTCACAGTGACCCTAGATCCCTCGAGTTAAATGAGTTAAACACATGTCGTTGGGGCCGTC 1439

Qy   1884 TTTACAGGGAGTCCGAGTTCGGTGCCCACCCCTGCACCCCCTTCTGCTGTGTGGGGGTCGGG 1943
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1884 TTTACAGGGAGTCCGAGTTCGGTGCCCACCCCTGCACCCCCTTCTGCTGTGTGGGGGTCGGG 1943

Db   1440 TTTACAGGGAGTCGGAGTTCGGTGCCCGCCCCTTCTGCTGTGTGGGGGGTCGGG 1499
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1440 TTTACAGGGAGTCGGAGTTCGGTGCCCGCCCCTTCTGCTGTGTGGGGGGTCGGG 1499

Qy   1944 ACAGTTTGAAAAGGTGGGGTGGGGTGGAGTTGGAGAGGGAACGCTGTTGTTGGTTCTA 2003
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1944 ACAGTTTGAAAAGGTGGGGTGGGGTGGAGTTGGAGAGGGAACGCTGTTGTTGGTTCTA 2003

Db   1500 ACAGTTTGAAAAGGTGGGGTGGGGTGGAGTTTGGAGAGGGAACGCTGTTGGGTTCTA 1559
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1500 ACAGTTTGAAAAGGTGGGGTGGGGTGGAGTTTGGAGAGGGAACGCTGTTGGGTTCTA 1559

Qy   2004 TGTGGTTGGTCTGTTTCCCGGACAAGAAAAATTGCAATCAAATGTCACGAGCTTTTATTA 2063
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2004 TGTGGTTGGTCTGTTTCCCGGACAAGAAAAATTGCAATCAAATGTCACGAGCTTTTATTA 2063

Db   1560 TGTGGTTGGTCTGTTTCCCGGACAAGAAAATTGCAATCAAATATCAGCAGCTTTTATTA 1619
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1560 TGTGGTTGGTCTGTTTCCCGGACAAGAAAATTGCAATCAAATATCAGCAGCTTTTATTA 1619

Qy   2064 CCTTAATCTTTCAGGGGCCTAAAATTAGGAGAAAAATTGGAGAGTTCATACAGAGGGC 2123
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2064 CCTTAATCTTTCAGGGGCCTAAAATTAGGAGAAAAATTGGAGAGTTCATACAGAGGGC 2123

Db   1620 CCTTAATCTTTCAGGGCCTAAAATTAGGAGAGGTGTCCCGGACAAGAAGAGTTCATACAGAGGGC 1679
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1620 CCTTAATCTTTCAGGGCCTAAAATTAGGAGAGGTGTCCCGGACAAGAAGAGTTCATACAGAGGGC 1679

Qy   2124 TTTCTCTAAGACGCGCCTACAGACCCTTCCTAGCAGAGTTTATTCATTCGTCTCCCAAGAGCA 2183
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2124 TTTCTCTAAGACGCGCCTACAGACCCTTCCTAGCAGAGTTTATTCATTCGTCTCCCAAGAGCA 2183

Db   1680 TTTCTCTAAGACGCGCTACAGACCCTTCCTAGCAGAGTTTATCCATTCGTCTCCCAAGAGCA 1739
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1680 TTTCTCTAAGACGCGCTACAGACCCTTCCTAGCAGAGTTTATCCATTCGTCTCCCAAGAGCA 1739

Qy   2184 GCTAGAAGAGAGATTTGAGGTCATGAGCCTCCCACTGCGCCGGCTCAGGGGGCTGACCCTATTTAGG 2243
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2184 GCTAGAAGAGAGATTTGAGGTCATGAGCCTCCCACTGCGCCGGCTCAGGGGGCTGACCCTATTTAGG 2243

Db   1740 GCTAGAAGAGATTTGAGGTCATGAGCCTCCCACTGCGCGCTCAGGGGGCTGACCCTATTTAGG 1799
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1740 GCTAGAAGAGATTTGAGGTCATGAGCCTCCCACTGCGCGCTCAGGGGGCTGACCCTATTTAGG 1799

Qy   2244 AAACCAAGAGGGTGGGGTGGCCAGTTACTCTACCCCTCACTCATCACCGGACTTGGATCCAGTGCCGCACACTTGC 2303
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2244 AAACCAAGAGGGTGGGGTGGCCAGTTACTCTACCCCTCACTCATCACCGGACTTGGATCCAGTGCCGCACACTTGC 2303

Db   1800 AAACCAAAAGAGGGGTGGGGTGGACCCTTGAAACCTACTCTCACGGACTTGGATCCAGTGCCGCACACTTGC 1859
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1800 AAACCAAAAGAGGGGTGGGGTGGACCCTTGAAACCTACTCTCACGGACTTGGATCCAGTGCCGCACACTTGC 1859

Qy   2304 CTGCCGGAAAAGGGGGCTCTCCCCAGCCACCACCCGGGACGGGGGGGTAAGGAAGAGAGCAGAGGCT 2363
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2304 CTGCCGGAAAAGGGGGCTCTCCCCAGCCACCACCCGGGACGGGGGGGTAAGGAAGAGAGCAGAGGCT 2363

Db   1860 CTGCGGGAAAAGGGGCTCTCCCCAGCCACCACCCGGGATGGGGGGGTAAGAGAAGAGCAGAGGCT 1919
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1860 CTGCGGGAAAAGGGGCTCTCCCCAGCCACCACCCGGGATGGGGGGGTAAGAGAAGAGCAGAGGCT 1919

Qy   2364 TGGGGTAGGGCCACCTGGTGTTAAACAGGCACTTTCTCCTTCTCTCTGGGGTTATTTTG 2423
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2364 TGGGGTAGGGCCACCTGGTGTTAAACAGGCACTTTCTCCTTCTCTCTGGGGTTATTTTG 2423

Db   1920 TGGGGTAGGGCCACCTGGTGTTGTTAAACAGGACACTTTCTCCTTCTCTCTGGGTTATTTTG 1979
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1920 TGGGGTAGGGCCACCTGGTGTTGTTAAACAGGACACTTTCTCCTTCTCTCTGGGTTATTTTG 1979

Qy   2424 TTCAGAACTAGACCAGAGAGTGTTTGAAACTTCCCTTTGCAGGAGAGGCGTGGGGAATCCTCTTTAG 2483
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2424 TTCAGAACTAGACCAGAGAGTGTTTGAAACTTCCCTTTGCAGGAGAGGCGTGGGGAATCCTCTTTAG 2483

Db   1980 TTCAGAACTAGACCAGAGAGTGTTTGAAACCTTTCCTTTGCAGGAGAGGCGTGGGGAATCCTCTTTAG 2039
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1980 TTCAGAACTAGACCAGAGAGTGTTTGAAACCTTTCCTTTGCAGGAGAGGCGTGGGGAATCCTCTTTAG 2039

Qy   2484 AGCACTTAATCCTATTTATTCCCCTGGAAATGTGCGTCGGCGTAGGAGGGCTGGCCTTTT 2543
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2484 AGCACTTAATCCTATTTATTCCCCTGGAAATGTGCGTCGGCGTAGGAGGGCTGGCCTTTT 2543

Db   2040 AGCACTTAATCCTATTTATTCCCCTGGAAAGTGCCTGCCGTCGGCGTAGGAGGGCTGCTTT 2099
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   2040 AGCACTTAATCCTATTTATTCCCCTGGAAAGTGCCTGCCGTCGGCGTAGGAGGGCTGCTTT 2099

Qy   2544 GGCAGCTCCCTGACCCCGCGGCGCGCCCCCCCCGGGGGGTTAAGTGCATTACTGGGCCCA 2603
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2544 GGCAGCTCCCTGACCCCGCGGCGCGCCCCCCCCGGGGGGTTAAGTGCATTACTGGGCCCA 2603

Db   2100 GGCAGCTCCCTGACCCCGCGGCGCCCCCGGGGGGTTAGAAGTGGCCATTACTCGGCCCA 2159
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   2100 GGCAGCTCCCTGACCCCGCGGCGCCCCCGGGGGGTTAGAAGTGGCCATTACTCGGCCCA 2159

Qy   2604 CAGAGGTTTTGAGCCAATCAGCCTCTGAGACTGGGTTAGAATGTAACAGCTTTAACTTTGGG 2663
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2604 CAGAGGTTTTGAGCCAATCAGCCTCTGAGACTGGGTTAGAATGTAACAGCTTTAACTTTGGG 2663

Db   2160 CAGAGGTTTTGAGCCAATCAGCCTCTGAGACTGGGTTAGAATGTAACAGCTTTAACTTGGG 2219
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   2160 CAGAGGTTTTGAGCCAATCAGCCTCTGAGACTGGGTTAGAATGTAACAGCTTTAACTTGGG 2219

Qy   2664 ATTTTAAGGAAGCTTTTAAAAGGGTAATAATCCTCTGAAAGAAAAATGACGTAACCACAGCGGT 2723
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2664 ATTTTAAGGAAGCTTTTAAAAGGGTAATAATCCTCTGAAAGAAAAATGACGTAACCACAGCGGT 2723

Db   2220 ATTTTAAGGAAGCTTTTAAAAGGGTAATAATCCTCTGAAAGAAAAATGACGTAACCACAGCGGT 2279
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   2220 ATTTTAAGGAAGCTTTTAAAAGGGTAATAATCCTCTGAAAGAAAAATGACGTAACCACAGCGGT 2279

Qy   2724 GTACTATGGAAAGCTGTTATTTTAATTAAAGAACGCGCTGGGGGCCCATGAAACTC 2771
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2724 GTACTATGGAAAGCTGTTATTTTAATTAAAGAACGCGCTGGGGGCCCATGAAACTC 2771

Db   2280 GTACTATGAAAAGCTGTTATTTTAATTAAAGAACGCGTGGGGGGCCCATGAAACTC 2327
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   2280 GTACTATGAAAAGCTGTTATTTTAATTAAAGAACGCGTGGGGGGCCCATGAAACTC 2327
```

RESULT 7

AK127646

LOCUS   AK127646   2327 bp   mRNA   linear   PRI 19-FEB-2004
DEFINITION Homo sapiens cDNA FLJ45744 fis, clone KIDNE2017153.
ACCESSION   AK127646
VERSION   AK127646.1 GI:34534649
KEYWORDS   oligo capping; fis (full insert sequence).
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Ohira,M., Takahashi-Fujii,A., Tanase,T., Imose,N., Takeuchi,K.,
            Arita,M., Musashino,K., Yuuki,H., Hara,H., Sugiyama,T., Irie,R.,
            Otsuki,T., Sato,H., Wakamatsu,A., Ishii,S., Yamamoto,J., Isono,Y.,
            Kawai-Hio,Y., Saito,K., Nishikawa,T., Kimura,K., Yamashita,H.,
            Matsuo,K., Nakamura,Y., Sekine,M., Kikuchi,H., Kanda,N.,
            Wagatsuma,M., Murakawa,K., Kanehori,K., Sugiyama,A., Kawakami,B.,
            Suzuki,Y., Sugano,S., Nagahari,K., Masuho,Y., Nagai,K. and
            Isogai,T.
  TITLE   NEDO human cDNA sequencing project
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 2327)
  AUTHORS   Isogai,T. and Yamamoto,J.
  TITLE   Direct Submission
  JOURNAL   Submitted (15-JUL-2003) Takao Isogai, FLJ Project (HRI Team); 2-6-7
            Kazusa-Kamatari, Kisarazu, Chiba 292-0818, Japan
            (E-mail:genomics@hri.co.jp, Tel:81-438-52-3975, Fax:81-438-52-3986)
COMMENT   NEDO human cDNA sequencing project supported by Ministry of

```
Economy, Trade and Industry of Japan; cDNA full insert sequencing:
Research Association for Biotechnology (RAB); cDNA library
construction: Helix Research Institute (HRI) (supported by Japan
Key Technology Center etc.); 5'- & 3'-end one pass sequencing: RAB,
HRI, and Biotechnology Center, National Institute of Technology and
Evaluation; clone selection for full insert sequencing: HRI and
RAB; annotation: Reverse Proteomics Research Institute, HRI and
RAB.

FEATURES             Location/Qualifiers
source               1..2327
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="KIDNE2017153"
                     /tissue_type="kidney"
                     /clone_lib="KIDNE2"
                     /note="cloning vector: pME18SFL3"
CDS                  415..1122
                     /note="unnamed protein product"
                     /codon_start=1
                     /protein_id="BAC87072.1"
                     /db_xref="GI:34534650"
                     /translation="MARBEKALLDGLNKTTACYHHLVLTVGGSADSQNILROELOKTR
                     QKAQELAVSTCARLTAVLRDRGLAADERAEFERLWYAFSGCLDLLEADMRRALELGANA
                     FPLHAPRPLVRTGVAGASGVAARALSTRSLRLRAAEGDFDVADLRELEREVLQVGEM
                     IDNMEMKVNVPRWTVQARQAAGAELLSTVSAGPSSVVSLQERGRGGGCDPRXALAALLFG
                     AVLLAAVALAVCVAKLS"

ORIGIN
Query Match     62.5%;  Score 1952;  DB 8;  Length 2327;
Best Local Similarity  99.7%;  Pred. No. 0;
Matches 2322;  Conservative  0;  Mismatches  5;  Indels  1;  Gaps  1;
```

```
Qy    444 ACCCGCGCGCCCCCTTGGCAGCCGCGCGCGCGCGGCGGCGGCGCTCTTCGCAGCCCTTGCTTGCCCC 503
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 ACCCGCGCGCCCCCTTGGCAGCCGCGCGCGCGCGGCGGCGGCGCTCTTCGCAGCCCTTGCTTGCCCC 60
```

Qy / Db sequence alignment rows continue with paired Qy (query) and Db (database) lines throughout the remainder of the page, numbered from positions 444/1 through 541/2124 on the left block and 1044 through 2124 on the right block.

```
RESULT 8
LOCUS           CQ748891           708 bp    DNA        linear    PAT 03-FEB-2004
DEFINITION      Sequence 34825 from Patent WO02068579.
ACCESSION       CQ748891
VERSION         CQ748891.1  GI:42376058
KEYWORDS        .
SOURCE          Homo sapiens (human)
  ORGANISM      Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                Hominidae; Homo.
REFERENCE       1
  AUTHORS       Venter,C.J., Adams,M.C., Li,P.W. and Myers,E.W.
  TITLE         Kits, such as nucleic acid arrays, comprising a majority of
                humanexons or transcripts, for detecting expression and other uses
                thereof
  JOURNAL       Patent: WO 02068579-A 34825 06-SEP-2002;
                PE Corporation (NY) (US)
FEATURES             Location/Qualifiers
     source          1..708
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
ORIGIN

Query Match            21.0%;  Score 657;  DB 6;  Length 708;
Best Local Similarity  99.9%;
Matches  707;  Conservative  0;  Mismatches  1;  Indels  0;  Gaps  0;
```

```
Qy    1680 TTTCTCTAAGACGCGCTACAGCCCTTCCTTAGCAGAGTTTATCCATTCGTTCCCCAAGAGCA 1739
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1739 ... 
```

```
RESULT 9
LOCUS           HUM2D85E06          655 bp    mRNA       linear    PRI 29-AUG-1998
DEFINITION      Homo sapiens full length insert cDNA clone ZD85E06.
ACCESSION       AF086461
VERSION         AF086461.1  GI:3483806
KEYWORDS        FLI_CDNA.
SOURCE          Homo sapiens (human)
  ORGANISM      Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                Hominidae; Homo.
REFERENCE       1  (bases 1 to 655)
  AUTHORS       Woessner,J., Tan,P., Marra,M., Kucaba,T., Yandell,M., Martin,J.,
                Marth,G., Bowles,L., Wylie,T., Bowers,Y., Steptoe,M., Theising,B.,
                Geisel,S., Allen,M., Underwood,K., Chappell,J., Person,B.,
                Gibbons,M., Harvey,N., Pape,D., Chamberlain,A., Morales,R.,
                Schurk,R., Ritter,E., Kohn,S., Swaller,T., Behymer,K., Hillier,L.,
                Wilson,R. and Waterston,R.
  TITLE         Full Clone Sequencing of the Longest Available Member from Each
                Unigene Cluster
  JOURNAL       Unpublished
REFERENCE       2  (bases 1 to 655)
```

AUTHORS   Waterston,R.
TITLE   Direct Submission
JOURNAL   Submitted (24-AUG-1998) Department of Genetics, Washington
             University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
COMMENT   SUBMITTED BY:
             Genome Sequencing Center
             Department of Genetics
             Washington University
             St. Louis MO 63108, USA
             http://genome.wustl.edu/gsc
             mailto:est@watson.wustl.edu

             NOTICE: This sequence represents the full insert of this cDNA. No
             attempt has been made to verify whether this corresponds to the
             full-length of the original mRNA from which it was derived. We
             have tried to obtain double-stranded, or double chemistry sequence
             across the entire clone, but potentially, there are areas in the
             sequence where this level of coverage was not achieved.
             Nevertheless, we are confident of the accuracy of this sequence as
             all regions of low quality, as defined by PHRAP (P. Green, in
             preparation), were visually inspected and edited accordingly. The
             consensus quality values for this sequence have been submitted
             separately.

             The location of this clone is unknown.
FEATURES   Location/Qualifiers
     source   1..655
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:347458"
                     /clone_lib="Soares_fetal_heart_NbHH19W"
ORIGIN

Query Match
Best Local Similarity   20.7%;
Matches 646; Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2129 CTRAGACGGCTRCAGCCCTTCCTTAGCACAGAGTTTATTCATTCGTCTCCCCAAGAGCAGCTAG 2188
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 CTRAGACGGCTRCAGCCCTTCCTTAGCACAGAGTTTATTCATTCGTCTCCCCAAGAGCAGCTAG   60

Qy   2189 AAGAGATTTGAGGTCATGACCTCCCACTGCCCGCTCAGCGGCTGACCCTATTTAGGAAACC 2248
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 AAGAGATTTGAGGTCATGACCTCCCACTGCCCGCTCAGCGGCTGACCCTATTTAGGAAACC 120

Qy   2249 AAAGAGGGGTGGGGTTGAACCTACTCTCACGGACTTGGATCCACTGCGCGCACACTTGCCTGCG 2308
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 AAAGAGGGGTGGGGTTGAACCTACTCTCACGGACTTGGATCCACTGCGCGCACACTTGCCTGCG 180

Qy   2309 GAAAAGGGGCTCTCCCCAGCCACCCCGGAGATGGGGGTAGAGAGGAAGAGACAGAGAGCCTTGGGG 2368
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 GAAAAGGGGCTCTCCCCAGCCACCCCGGAGATGGGGGTAGAGAGGAAGAGACAGAGAGCCTTGGGG 240

Qy   2369 TAGGGCCACCTGGTGTTTAAAACAGGGCACTTTCTCCCTTCTCTCTGGGGGCTTATTTTTGTTCAG 2428
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 TAGGGCCACCTGGTGTTTAAAACAGGGCACTTTCTCCCTTCTCTCTGGGGGCTTATTTTTGTTCAG 300

Qy   2429 AACTAGACACAGAGTGTTTGAACCTTCCTTTGCAGGAGGGGGGAATCCTTCTTCTTTAGAGCAC 2488
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 AACTAGACACAGAGTGTTTGAACCTTCCTTTGCAGGAGGGGGGAATCCTTCTTCTTTAGAGCAC 360

Qy   2489 TTAATCCTATTATCCCCTGGAATGCGCTGCTGCCAGTAGTAGGAGGGGGGCTGGCTTTGGCAG 2548
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 TTAATCCTATTATCCCCTGGAATGCGCTGCTGCCAGTAGTAGGAGGGGGGCTGGCTTTGGCAG 420

Qy   2549 CTCCCTGACCCCCGCGCTGCCCCCCCTCCCGGGGTAAGTGGCATTACTGGGCCCACAGAG 2608
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421 CTCCCTGACCCCCGCGCTGCCCCCCCTCCCGGGGTAAGTGGCATTACTGGGCCCACAGAG 480

Qy   2609 GTTTTGAGCCAATCAGCTCTGAGACTGGGGTTAGGAATGTAACACAGCTTTAACTTGGGATTTA 2668
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481 GTTTTGAGCCAATCAGCTCTGAGACTGGGGTTAGGAATGTAACACAGCTTTAACTTGGGATTTA 540

RESULT 10
LOCUS   CQ746021   708 bp   DNA   linear   PAT 03-FEB-2004
DEFINITION Sequence 31955 from Patent WO02068579.
ACCESSION   CQ746021
VERSION   CQ746021.1 GI:42365754
KEYWORDS   .
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (residues 1 to 708)
  AUTHORS   Venter,C.J., Adams,M.C., Li,P.W. and Myers,E.W.
  TITLE   humanexons or transcripts, for detecting expression and other uses
            thereof
  JOURNAL   Patent: WO 02068579-A 31955 06-SEP-2002;
            PE Corporation (NY) (US)
FEATURES   Location/Qualifiers
     source   1..708
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
ORIGIN

Query Match
Best Local Similarity   19.4%;
Matches 706; Conservative   0;   Mismatches   2;   Indels   0;   Gaps   0;

Qy   858 ATGGCGGAGGGAGGAGGTGCAAGGGCGCGCGCGGGCCTGGCTGGACGGGCCTCAACAAGACGGACTGGGTGCTAC 917
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 ATGGCGGAGGGAGGAGGTGCAAGGGCGCGCGCGGGCCTGGCTGGACGGGCCTCAACAAGACGGACTGGGTGCTAC 60

Qy   918 CACCACCTGGTGCTGACCGTCGGTGGCTCGGGCGGACGACCTGCCAGGACCTGCCAGGAGCTG 977
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 CACCACCTGGTGCTGACCGTCGGTGGCTCGGGCGGACGACCTGCCAGGACCTGCCAGGAGCTG 120

Qy   978 CAAAAAGACGCGCCAGAAGGCGCAGGAGTCGTGGCGTGGCGTGGCGTCCACCTGCGCGCTGACTGCT 1037
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 CAAAAAGACGCGCCAGAAGGCGCAGGAGTCGTGGCGTGGCGTGGCGTCCACCTGCGCGCTGACTGCT 180

Qy   1038 GTGCTGCCGGACCGGAGCGGCGGCGCTGGCGGCCGCCGACGAGCGGACGAGCTCTGGGTG 1097
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 GTGCTGCCGGACCGGAGCGGCGGCGCTGGCGGCCGCCGACGAGCGGACGAGCTCTGGGTG 1037

Qy   1098 GCCTTCTCGGCGTGCCTGGCTGCCTGGGACGCGACGCTGCTGGACGGGCTGCTGGTGGC 1157
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 GCCTTCTCGGCGTGCCTGGCTGCCTGGGACGCGACGCTGCTGGACGGGCTGCTGGTGGC 300

Qy   1158 GCCGCCGGTTCCCGCTGCACGGCGCGCGCGGACCCGCTGGTGGCGCGGTGGCGCGCC 1217
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 GCCGCCGGTTCCCGCTGCACGGCGCGCGCGGACCCGCTGGTGGCGCGGTGGCGCGCC 360

Qy   1218 TCCTTCCGCGGTGGCGGCGGCGCGCGGCGCGCGGCGCACCGCGGCCTCGAGGCGGGGGC 1277
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 TCCTTCCGCGGTGGCGGCGGCGCGCGGCGCGCGGCGCACCGCGGCCTCGAGGCGGGGGC 420

Qy   1278 GACTTCGAGGTCGGCGGAGACCTGCGCGGAGCGTGGAGGCGCGAGGTCCTTCAGGTGGTGGGCGGATG 1337
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421 GACTTCGAGGTCGGCGGAGACCTGCGCGGAGCGTGGAGGCGCGAGGTCCTTCAGGTGGTGGGCGGATG 480

Qy   1338 ATCGACAACATGGAGATGAAGGTCAACCTGCCCGCTGCCCCGTCCCGGACCCGCGAGGCG 1397
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481 ATCGACAACATGGAGATGAAGGTCAACCTGCCCGCTGCCCCGTCCCGGACCCGCGAGGCG 1397

Qy   2669 AGAGGCTTTAAAAAGGTAATAATCCTCTGAAAGAAAAATGACGTAACCACAGCGGTGTACT 2728
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541 AGAGGCTTTAAAAAGGTAATAATCCTCTGAAAGAAAAATGACGTAACCACAGCGGTGTACT 600

Qy   2729 ATGAAAAGCTGTGTTATTTTTAATAAAAGAAACCGCTGGGCCATGAACTCATA 2774
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   601 ATGAAAAGCTGTGTTATTTTTAATAAAAGAAACCGCTGGGCCATGAACTCATA 646

RESULT 11
AC027340

```
Db    481  ATCGACAACATGAGATGAGAAGGTCAACGTTGCCCCGCTGGACCGTGGTGTCCTTGCAG   540
                                                      ||||||||
Qy   1398  GCCGGCGCCCGAGCTCTCCGTCCACGGTCAGCGCCGGCCCTCCTTCGGTCGGTGTCCTTGCAG  1457

Db    541  GCCGGGCGCCGAGCTCTCCGTCCACGGTCACGGCCGCCGGCCCCTCCTTCGGTCG        600
           |||||||||||||||||||||||||||
Qy   1458  GAGCGCGCGGGGGGGGTTGGGGACCCCAGGAAGGCGCCCATCCTTTTTTTCGCGCGCCGGG   1517

Db    601  GAGCGCGCGGGGGGGGTTGGGACCCCCAGGAAGGCGCCCATCCTTTTTTCGCGCGCCGTG    660
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1518  CTGCCTGGGCGGCTGTTGGGCCCTAGCCGTGTGGCGTGGTCGGCGAAGCTGAGCTGA      1565

Db    661  CTGCCTGGGCGGCTGTTGGGCCCTAGCCGTGTGGCGTGGTCGGCGAAGCTGAGCTGA      708
```

```
LOCUS       AC027340              216441 bp    DNA     linear   HTG 15-JUL-2000
DEFINITION  Homo sapiens chromosome 19 clone CTD-2257C19, WORKING DRAFT
            SEQUENCE, 52 unordered pieces.
ACCESSION   AC027340
VERSION     AC027340.2  GI:9211228
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 216441)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Sequencing of Human Chromosome 19
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 216441)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (30-MAR-2000) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT     On Jul 15, 2000 this sequence version replaced gi:7341654.
            -----Genome Center
            Center: Joint Genome Institute
            Center Code: JGI
            Web site: http://www.jgi.doe.gov
            -----
            Project Information
            Project Name: 726304, BC691328
            Center Project Name: 726304, BC691328
            Center clone name: CITB-H1_2257C19
            -----
            Summary Statistics
            Consensus quality: 164680 bases at least Q40
            Consensus quality: 187929 bases at least Q30
            Consensus quality: 195340 bases at least Q20
            Estimated insert size: 159060; agarose-fp estimation
            Estimated insert size: 211341; sum-of-contigs estimation
            Quality coverage: 8.59 in Q20 bases; agarose-fp estimation
            Quality coverage: 6.46 in Q20 bases; sum-of-contigs estimation.
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 52 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *         1     1041: contig of 1041 bp in length
            *      1042     1141: gap of unknown length
            *      1142     2370: contig of 1229 bp in length
            *      2371     2470: gap of unknown length
            *      2471     3552: contig of 1082 bp in length
            *      3553     3652: gap of unknown length
            *      3653     4683: contig of 1031 bp in length
            *      4684     4783: gap of unknown length
            *      4784     6178: contig of 1395 bp in length
            *      6179     6278: gap of unknown length
            *      6279     7442: contig of 1164 bp in length
            *      7443     7542: gap of unknown length
            *      7543     8661: contig of 1119 bp in length
            *      8662     8761: gap of unknown length
            *      8762    10030: contig of 1269 bp in length
            *     10031    10130: gap of unknown length
            *     10131    11491: contig of 1361 bp in length
            *     11492    11591: gap of unknown length
            *     11592    12967: contig of 1376 bp in length
            *     12968    13067: gap of unknown length
            *     13068    14173: contig of 1106 bp in length
            *     14174    14273: gap of unknown length
            *     14274    15840: contig of 1567 bp in length
            *     15841    15940: gap of unknown length
            *     15941    17242: contig of 1302 bp in length
            *     17243    17342: gap of unknown length
            *     17343    18449: contig of 1107 bp in length
            *     18450    18549: gap of unknown length
            *     18550    19683: contig of 1134 bp in length
            *     19684    19783: gap of unknown length
            *     19784    21247: contig of 1464 bp in length
            *     21248    21347: gap of unknown length
            *     21348    22952: contig of 1605 bp in length
            *     22953    23052: gap of unknown length
            *     23053    24452: contig of 1400 bp in length
            *     24453    24552: gap of unknown length
            *     24553    25825: contig of 1273 bp in length
            *     25826    25925: gap of unknown length
            *     25926    27109: contig of 1184 bp in length
            *     27110    27209: gap of unknown length
            *     27210    28292: contig of 1083 bp in length
            *     28293    28392: gap of unknown length
            *     28393    29744: contig of 1352 bp in length
            *     29745    29844: gap of unknown length
            *     29845    31042: contig of 1198 bp in length
            *     31043    31142: gap of unknown length
            *     31143    32629: contig of 1487 bp in length
            *     32630    32729: gap of unknown length
            *     32730    33898: contig of 1169 bp in length
            *     33899    33998: gap of unknown length
            *     33999    35704: contig of 1706 bp in length
            *     35705    35804: gap of unknown length
            *     35805    37471: contig of 1667 bp in length
            *     37472    37571: gap of unknown length
            *     37572    39285: contig of 1714 bp in length
            *     39286    39385: gap of unknown length
            *     39386    40577: contig of 1192 bp in length
            *     40578    40677: gap of unknown length
            *     40678    41930: contig of 1253 bp in length
            *     41931    42030: gap of unknown length
            *     42031    43743: contig of 1713 bp in length
            *     43744    43843: gap of unknown length
            *     43844    46054: contig of 2211 bp in length
            *     46055    46154: gap of unknown length
            *     46155    49379: contig of 3225 bp in length
            *     49380    49479: gap of unknown length
            *     49480    53371: contig of 3892 bp in length
            *     53372    53471: gap of unknown length
            *     53472    55756: contig of 2285 bp in length
            *     55757    55856: gap of unknown length
            *     55857    58019: contig of 2163 bp in length
            *     58020    58119: gap of unknown length
            *     58120    60327: contig of 2208 bp in length
            *     60328    60427: gap of unknown length
            *     60428    64223: contig of 3796 bp in length
            *     64224    64323: gap of unknown length
            *     64324    67218: contig of 2895 bp in length
            *     67219    67318: gap of unknown length
            *     67319    71797: contig of 4479 bp in length
            *     71798    71897: gap of unknown length
            *     71898    76856: contig of 4959 bp in length
            *     76857    76956: gap of unknown length
```

```
FEATURES             Location/Qualifiers
source               1..216441
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="19"
                     /clone="CTD-2257C19"
                     /clone_lib="CalTech human BAC library D"
gap                  1042..1141        estimated_length=unknown
gap                  2371..2470        estimated_length=unknown
gap                  3553..3652        estimated_length=unknown
gap                  4684..4783        estimated_length=unknown
gap                  6179..6278        estimated_length=unknown
gap                  7443..7542        estimated_length=unknown
gap                  8662..8761        estimated_length=unknown
gap                  10031..10130      estimated_length=unknown
gap                  11492..11591      estimated_length=unknown
gap                  12968..13067      estimated_length=unknown
gap                  14174..14273      estimated_length=unknown
gap                  15841..15940      estimated_length=unknown
gap                  17243..17342      estimated_length=unknown
gap                  18450..18549      estimated_length=unknown
gap                  19684..19783      estimated_length=unknown
gap                  21248..21347      estimated_length=unknown
gap                  22953..23052      estimated_length=unknown
gap                  24453..24552      estimated_length=unknown
gap                  25826..25925      estimated_length=unknown
gap                  27110..27209      estimated_length=unknown
gap                  28293..28392      estimated_length=unknown
gap                  29745..29844      estimated_length=unknown
*    *
*    *    76957    82060: contig of 5104 bp in length
*    *    82061    82160: gap of unknown length
*    *    82161    87557: contig of 5397 bp in length
*    *    87558    87657: gap of unknown length
*    *    87658    94226: contig of 6569 bp in length
*    *    94227    94326: gap of unknown length
*    *    94327    101878: contig of 7552 bp in length
*    *    101879   101978: gap of unknown length
*    *    101979   110629: contig of 8651 bp in length
*    *    110630   110729: gap of unknown length
*    *    110730   119083: contig of 8354 bp in length
*    *    119084   119183: gap of unknown length
*    *    119184   128919: contig of 9736 bp in length
*    *    128920   129019: gap of unknown length
*    *    129020   142791: contig of 13772 bp in length
*    *    142792   142891: gap of unknown length
*    *    142892   156079: contig of 13188 bp in length
*    *    156080   156179: gap of unknown length
*    *    156180   183092: contig of 26913 bp in length
*    *    183093   183192: gap of unknown length
*    *    183193   216441: contig of 33249 bp in length.
```

```
RESULT 12
G37408/c
LOCUS       G37408               449 bp    DNA    linear    STS 31-MAR-1998
DEFINITION  SHGC-57769 Human Homo sapiens STS genomic, sequence tagged site.
ACCESSION   G37408
VERSION     G37408.1    GI:2997059
KEYWORDS    STS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 449)
  AUTHORS   Myers,R.M.
  TITLE     Human STSs (1997)
  JOURNAL   Unpublished (1997)
```

```
Query Match        12.6%;    Score 392;  DB 14;  Length 216441;
Best Local Similarity   99.6%;   Pred. No. 3.5e-202;
Matches  752;  Conservative   0;  Mismatches   0;  Indels    3;   Gaps   3;

Qy   2036  TGCAATCAAAATGTCAGCAGCCTTTTATTACCTTTAATCTTTCAGGGCGCCTAAATTTAGGAGAG  2095
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42288 TGCAATCAAAATGTCAGCAGCCTTTTATTACCTTTAATCTTTCAGGGCGCCTAAATTTAGGAGAG  42347

Qy   2096  TGTCCTGAGAGCAGTTCATACAAAGGGGCGTTTCTCTAAGACGCGCTACAGCCCTTCCTAGC  2155
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42348 TGTCCTGAGAGCAGTTCATACAAAGGGGCTTTTCTCTAAGACGCGCTACAGCCCTTCCTAGC  42407

Qy   2156  AGAGTTTATTCCATTCGTCCCCAAGAGAGCAGCTAGAAGAGGATTTGAGGTCATGACCTCCCAC  2215
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42408 AGAGTTTATTCCATTCGTCCCCAAGAGAGCAGCTAGAAGAGA-TTGAGGTCATGACCTCCCAC  42466

Qy   2216  TGCCGCTCAGGGGCTGACCCTATTTAGGAAAACCAAAGAGGGTGGGTTGAACCTACTCTCA  2275
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42467 TGCCGCTCAGGGGCTGACCCTATTTAGGAAAACCAAAGAGGGGTTGAACCTACTCTCA  42526

Qy   2276  CGGACTTGGATCCAGTGCGCCACACTTGCCTGCCGGGGAAAAAGGGCTTCTCCCCAGCCACCCCGGA  2335
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42527 CGGACTTGGATCCAGTGCGCCACACTTGCCTGCCGGGGAAAAAGGGCTTCTCCCCAGCCACCCCGGA  42586

Qy   2336  GATGGGGGGTAAGGAGGAAGGCAGGAGGCTTGGGGGTTAGGGCCACCCTGGGGTGTTTAAACAGCA  2395
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42587 GATGGGGGTAAGGAGGAGGAGCAGGAGGCTTGGGGGTTAGGGCCACCCTGGGGTGTTTAAACAGGCA  42646

Qy   2396  CTTTCTCCTTCTCTGGGGCTTATTTTGTTCAGAACTAGACCAGAGGTGTTTGAACCTTCCT  2455
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42647 CTTTCTCCTTCTCTGGGGCTTA-TTTGTTCAGAACTAGACCAGAGGTGTTTGAACCTTCCT  42705

Qy   2456  TTTGCAGGAGGGGCTGGGAATCCCTCTTTAGAGACACTTAATCCTATTTATTCCCTGGAAATGTG  2515
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42706 TTTGCAGGAGGGGCTGGGAATCCCTCTTTAGAGCACTTAATCCTATTTATTCCCTGGAAATGTG  42765

Qy   2516  CGTGCTGGCCGTAGGAGGTGGGCTCGGCGTTCCCTGACCCCCGGCTGCCCGCCCC  2575
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42766 CGTGCTGGCCGTAGGAGGTGGGCTGGC-TTGGCAGTCTCCCTGACCCCCGGCTGCCCGCCCC  42824

Qy   2576  TCCGGGGGTAAGTGGGCATTACTGGCCCACAGAGAGGTTTTGAGCCAATCAGCTCTGAGACTG  2635
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42825 TCCGGGGGTAAGTGGGCATTACTGGCCCACAGAGAGGTTTTGAGCCAATCAGCTCTGAGACTG  42884

Qy   2636  GGTTAGAAGTGTAACAGCTTTAACTTGGGATTTAAGAGAGCTTTTAAAAGGTAATAATCCTC  2695
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42885 GGTTAGAAGTGTAACAGCTTTAACTTGGGATTTAAGAGAGCTTTTAAAAGGTAATAATCCTC  42944

Qy   2696  TGAAAGAAAAATGACGTAACCACACGTGTTACTATAATGAAAGGTCGTTTTATTTTAAAAGAAC  2755
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   42945 TGAAAGAAAAATGACGTAACCACACGGTGTTACTATGAAAGCTGTTATTTTAATAAAGAAC  43004

Qy   2756  GCTGGGGCCATGAACTCATACCTGCCAATGAGTCAA  2790
           ||||||||||||||||||||||||||||||||||
Db   43005 GCTGGGGCCATGAACTCATACCTGCCAATGAGTCAA  43039
```

COMMENT   Contact: Richard M. Myers
            Stanford Human Genome Center (SHGC)
            Stanford University School of Medicine
            Department of Genetics, M-344, Stanford, CA 94305, USA
            Tel: 4157259687
            Fax: 4157259689
            Email: myers@shgc.stanford.edu
            Primer A: CATGGCGCCAGGGTTCTTTAT
            Primer B: ACTGGCCCACAGAGGTTTTG
            STS size: 173
            PCR Profile:

            Initial incubation: 95 degrees C for 10 minutes

            Denaturation: 94 degrees C for 30 seconds
            Annealing: 60 degrees C for 30 seconds
            Polymerization: 72 degrees C for 23 seconds
            PCR Cycles: 30
            Thermal Cycler: Perkin Elmer 9700

            Protocol:
            Template: 25 ng
            Primer: each 1 uM
            dNTPs: each 200 uM
            AmpliTaq Gold Polymerase: 0.07 units/ul
            Total Vol: 5 ul

            Buffer:
            MgCl2:   2.5 mM
            KCl: 50 mM
            Tris-HCl: 10 mM
            pH: 8.3

            Prepared with primer pairs derived from W81222 -- Unigene.

FEATURES   Location/Qualifiers
     source   1..449
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /map="19"
                     /clone_lib="Human"
     STS   10..182
     primer_bind   10..29
     primer_bind   complement(163..182)

ORIGIN

Qy   2751 AGAACGCTGGGGCCATGAACTCATA 2774
             ||||||||||||||||||||||||||
Db   85 TCCTCTGAAAGAAAAATGACGTAACCACAGCGTGTACTATGAAAAGCTGTTATTTTAATTA 26

Qy   2691 TCCTCTGAAAGAAAAATGACGTAACCACAGCGTGTACTATGAAAAGCTGTTATTTTAATTA 2750
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   145 GACTGGGTTAGAATGTAACAGCTTTAACTTGGGATTTAAGGAAGCTTTTAAAAGGTAATAA 86

Qy   2631 GACTGGGTTAGAATGTAACAGCTTTAACTTGGGATTTAAGGAAGCTTTTAAAAGGTAATAA 2690
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   25 AGAACGCTGGGGCCATGAACTCATA 2

RESULT 13
CQ553695
LOCUS   CQ553695   23330 bp   DNA   linear   PAT 30-JAN-2004
DEFINITION Sequence 23330 from Patent WO0210449.
ACCESSION   CQ553695
VERSION   CQ553695.1 GI:41520122
KEYWORDS   .
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Shoshan,A., Wasserman,A., Mintz,E., Mintz,L. and Faigler,S.
  TITLE   Oligonucleotide library for detecting rna transcripts and splice
            variants that populate a transcriptome
  JOURNAL   Patent: WO 0210449-A 23330 07-FEB-2002;
            Compugen Inc. (US)
FEATURES   Location/Qualifiers
     source   1..60
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
ORIGIN

Qy   2464 GGGGCTGGGGAATCCCTCTTTAGAGCACTTAAATCCTATTTATCCCCTGGAAATGTGCGTGCCTGG 2523
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 GGGGCTGGGGAATCCCTCTTTAGAGCACTTAAATCCTATTTATCCCCTGGAAATGTGCGTGCCTGG 60

        Query Match   1.9%; Score 60; DB 6; Length 60;
        Best Local Similarity   100.0%; Pred. No. 2e-20;
        Matches   60; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 14
CR762434
LOCUS   CR762434   24495 bp   DNA   linear   PRI 16-FEB-2005
DEFINITION Human DNA sequence from clone DADB-91M20 on chromosome 6, complete
            sequence.
ACCESSION   CR762434
VERSION   CR762434.7 GI:55891252
HTG.
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 24495)
  AUTHORS   Almeida,J.
  TITLE   Direct Submission
  JOURNAL   Submitted (16-FEB-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
            On Feb 16, 2005 this sequence version replaced gi:56369811.
COMMENT   -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk

            During sequence assembly data is compared from overlapping clones.
            Where differences are found these are annotated as variations
            together with a note of the overlapping clone name. Note that the
            variation annotation may not be found in the sequence submission
            corresponding to the overlapping clone, as we submit sequences with
            only a small overlap as described above.
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one plasmid subclone or more than one M13 subclone; and the
            assembly was confirmed by restriction digest, except on the rare
            occasion of the clone being a YAC.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 6, constructed by the Sanger Centre Chromosome 6 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr6
            DADB-91M20 is from a DNA-arts DBB human bac library VECTOR:

FEATURES
    source
        pBeloBAC11.
        Location/Qualifiers
        1..24495
        /organism="Homo sapiens"
        /mol_type="genomic DNA"
        /db_xref="taxon:9606"
        /chromosome="6"
        /clone="DADB-91M20"
        /clone_lib="DNA-arts-BAC.1-DBB.1"

ORIGIN

Query Match   1.7%; Score 53; DB 8; Length 24495;
Best Local Similarity 100.0%; Pred. No. 1.5e-16;
Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2888 TGAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   8493 TGAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGGCCAACAT 8545

RESULT 15
D84401/c
LOCUS   D84401   42398 bp   DNA   linear   PRI 20-NOV-1999
DEFINITION   Homo sapiens genomic DNA, 43 kb segment from chromosome6, complete
             sequence.
ACCESSION   D84401
VERSION   D84401.1 GI:2401263
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (sites)
AUTHORS   Kikuti,Y.Y., Taniya,G., Ando,A., Chen,L., Kimura,M., Ferreira,E.,
             Tsuji,K., Trowsdale,J. and Inoko,H.
TITLE   Physical mapping 220 kb centromeric of the human MHC and DNA
             sequence analysis of the 43-kb segment including the RING1, HKE6,
             and HKE4 genes
JOURNAL   Genomics 42 (3), 422-435 (1997)
PUBMED   920114
REFERENCE   2 (bases 1 to 42398)
AUTHORS   Kikuti,Y., Inoko,H., Ando,A., Kimura,M., Watanabe,K. and Shiina,T.
TITLE   Physical map of 200 kb at the centromeric side of the human MHC
             region and sequence of 43 kb
JOURNAL   Unpublished
REFERENCE   3 (bases 1 to 42398)
AUTHORS   Inoko,H.
TITLE   Direct Submission
JOURNAL   Submitted (12-APR-1996) Hidetoshi Inoko, Tokai University School of
             Medicine, Molecular Life Science; Bohseidai, Isehara, Kanagawa
             259-11, Japan (E-mail:hinoko@is.icc.u-tokai.ac.jp,
             Tel:0463-93-1121, Fax:0463-94-8884)
FEATURES
    source
        1..42398
        Location/Qualifiers
        /organism="Homo sapiens"
        /mol_type="genomic DNA"
        /db_xref="taxon:9606"
        /chromosome="6"
        /clone="519"
        /cell_line="CGMI"

ORIGIN

Query Match   1.7%; Score 53; DB 8; Length 42398;
Best Local Similarity 100.0%; Pred. No. 1.6e-16;
Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2888 TGAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   5305 TGAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGGCCAACAT 5253

RESULT 16

CR547129
LOCUS   CR547129   49878 bp   DNA   linear   PRI 18-JAN-2005
DEFINITION   Human DNA sequence from clone DAMA-258A19 on chromosome 6, complete
             sequence.
ACCESSION   CR547129
VERSION   CR547129.3 GI:57898954
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 49878)
AUTHORS   Wood,J.
TITLE   Direct Submission
JOURNAL   Submitted (18-JAN-2005) Wellcome Trust Sanger Institute, Hinxton,
             Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
             humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
COMMENT   On Jan 18, 2005 this sequence version replaced gi:50299847.
             --------------- Genome Center
             Center: Wellcome Trust Sanger Institute
             Center code: SC
             Web site: http://www.sanger.ac.uk
             Contact: humquery@sanger.ac.uk

             During sequence assembly data is compared from overlapping clones.
             Where differences are found these are annotated as variations
             together with a note of the overlapping clone name. Note that the
             variation annotation may not be found in the sequence submission
             corresponding to the overlapping clone, as we submit sequences with
             only a small overlap as described above.
             This sequence was finished as follows unless otherwise noted: all
             regions were either double-stranded or sequenced with an alternate
             chemistry or covered by high quality data (i.e., phred quality >=
             30); an attempt was made to resolve all sequencing problems, such
             as compressions and repeats; all regions were covered by at least
             one plasmid subclone or more than one M13 subclone; and the
             assembly was confirmed by restriction digest, except on the rare
             occasion of the clone being a YAC.
             The following abbreviations are used to associate primary accession
             numbers given in the feature table with their source databases:
             Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
             on the WORMPEP database can be found at
             http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
             was generated from part of bacterial clone contigs constructed by
             the MHC Haplotype Consortium and collaborators. Further information
             can be found at
             http://www.sanger.ac.uk/HGP/Chr6/MHC
             DAMA-258A19 is from the DNA-Arts human BAC library MANN.1 VECTOR:
             pBeloBAC11.
FEATURES
    source
        Location/Qualifiers
        1..49878
        /organism="Homo sapiens"
        /mol_type="genomic DNA"
        /db_xref="taxon:9606"
        /chromosome="6"
        /clone="DAMA-258A19"
        /clone_lib="DNA-Arts BAC library MANN.1"

ORIGIN

Query Match   1.7%; Score 53; DB 8; Length 49878;
Best Local Similarity 100.0%; Pred. No. 1.6e-16;
Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2888 TGAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   30123 TGAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGGCCAACAT 30175

RESULT 17
AC061985
LOCUS   AC061985   62449 bp   DNA   linear   HTG 21-APR-2000
DEFINITION   Homo sapiens chromosome 17 clone -2009I15 map 17, LOW-PASS SEQUENCE

```
SAMPLING.
ACCESSION   AC061985
VERSION     AC061985.1  GI:7630724
KEYWORDS    HTG; HTGS_PHASE0.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 62449)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 17, clone -2009115
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 62449)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,F.,
            Boguslavsky,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., LaRocque,K., Lamazares,R., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,M., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McKurk,A., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,T.M., Oliver,J., Peterson,M., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,P.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (21-APR-2000) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     All repeats were identified using RepeatMasker:
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            -------------------- Genome Center
              Center: Whitehead Institute/ MIT Center for Genome Research
              Center code: WIBR
              Web site: http://www-seq.wi.mit.edu
              Contact: sequence_submissions@genome.wi.mit.edu
            -------------------- Project Information
              Center project name: L9672
              Center clone name: 2009_I_15
            --------------------
            * NOTE: This record contains 72 individual
            * sequencing reads that have not been assembled into
            * contigs. Runs of N are used to separate the reads
            * and the order in which they appear is completely
            * arbitrary. Low-pass sequence sampling is useful for
            * identifying clones that may be gene-rich and allows
            * overlap relationships among clones to be deduced.
            * However, it should not be assumed that this clone
            * will be sequenced to completion. In the event that
            * the record is updated, the accession number will
            * be preserved.
            *
            *        1     753: contig of 753 bp in length
            *      754     853: gap of 100 bp
            *      854    1619: contig of 766 bp in length
            *     1620    1719: gap of 100 bp
            *     1720    2489: contig of 770 bp in length
            *     2490    2589: gap of 100 bp
            *     2590    3367: contig of 778 bp in length
            *     3368    3467: gap of 100 bp
            *     3468    4239: contig of 772 bp in length
            *     4240    4339: gap of 100 bp
            *     4340    5105: contig of 766 bp in length
            *     5106    5205: gap of 100 bp
```

```
*     5206    5967: contig of 762 bp in length
*     5968    6067: gap of 100 bp
*     6068    6846: contig of 779 bp in length
*     6947    6946: gap of 100 bp
*     6947    7717: contig of 771 bp in length
*     7718    7817: gap of 100 bp
*     7818    8586: contig of 769 bp in length
*     8587    8686: gap of 100 bp
*     8687    9488: contig of 802 bp in length
*     9489    9588: gap of 100 bp
*     9589   10353: contig of 765 bp in length
*    10354   10453: gap of 100 bp
*    10454   11229: contig of 776 bp in length
*    11230   11329: gap of 100 bp
*    11330   12086: contig of 757 bp in length
*    12087   12186: gap of 100 bp
*    12187   12958: contig of 772 bp in length
*    12959   13058: gap of 100 bp
*    13059   13841: contig of 783 bp in length
*    13842   13941: gap of 100 bp
*    13942   14700: contig of 759 bp in length
*    14701   14800: gap of 100 bp
*    14801   15557: contig of 757 bp in length
*    15558   15657: gap of 100 bp
*    15658   16431: contig of 774 bp in length
*    16432   16531: gap of 100 bp
*    16532   17306: contig of 775 bp in length
*    17307   17406: gap of 100 bp
*    17407   18178: contig of 772 bp in length
*    18179   18278: gap of 100 bp
*    18279   19032: contig of 754 bp in length
*    19033   19132: gap of 100 bp
*    19133   19883: contig of 751 bp in length
*    19884   19983: gap of 100 bp
*    19984   20761: contig of 778 bp in length
*    20762   20861: gap of 100 bp
*    20862   21636: contig of 775 bp in length
*    21637   21736: gap of 100 bp
*    21737   22520: contig of 784 bp in length
*    22521   22620: gap of 100 bp
*    22621   23398: contig of 778 bp in length
*    23399   23498: gap of 100 bp
*    23499   24277: contig of 779 bp in length
*    24278   24377: gap of 100 bp
*    24378   25163: contig of 786 bp in length
*    25164   25263: gap of 100 bp
*    25264   26026: contig of 763 bp in length
*    26027   26126: gap of 100 bp
*    26127   26892: contig of 766 bp in length
*    26893   26992: gap of 100 bp
*    26993   27753: contig of 761 bp in length
*    27754   27853: gap of 100 bp
*    27854   28621: contig of 768 bp in length
*    28622   28721: gap of 100 bp
*    28722   29499: contig of 778 bp in length
*    29500   29599: gap of 100 bp
*    29600   30370: contig of 771 bp in length
*    30371   30470: gap of 100 bp
*    30471   31247: contig of 777 bp in length
*    31248   31347: gap of 100 bp
*    31348   32118: contig of 771 bp in length
*    32119   32218: gap of 100 bp
*    32219   32946: contig of 728 bp in length
*    32947   33046: gap of 100 bp
*    33047   33824: contig of 778 bp in length
*    33825   33924: gap of 100 bp
*    33925   34678: contig of 754 bp in length
*    34679   34778: gap of 100 bp
*    34779   35551: contig of 773 bp in length
*    35552   35651: gap of 100 bp
*    35652   36422: contig of 771 bp in length
*    36423   36522: gap of 100 bp
*    36523   37295: contig of 773 bp in length
```

```
*   37296   37395: gap of 100 bp in length
*   38161   38260: gap of 765 bp in length
*   39026   39125: gap of 100 bp in length
*   39126   39879: contig of 754 bp in length
*   39880   39979: gap of 100 bp in length
*   39980   40746: contig of 767 bp in length
*   40747   40846: gap of 100 bp in length
*   40847   41620: contig of 774 bp in length
*   41621   41720: gap of 100 bp in length
*   41721   42483: contig of 763 bp in length
*   42484   42583: gap of 100 bp in length
*   42584   43359: contig of 776 bp in length
*   43360   43459: gap of 100 bp in length
*   43460   44236: contig of 777 bp in length
*   44237   44336: gap of 100 bp in length
*   44337   45111: contig of 775 bp in length
*   45112   45211: gap of 100 bp in length
*   45212   45981: contig of 770 bp in length
*   45982   46081: gap of 100 bp in length
*   46082   46844: contig of 763 bp in length
*   46845   46944: gap of 100 bp in length
*   46945   47709: contig of 765 bp in length
*   47710   47809: gap of 100 bp in length
*   47810   48550: contig of 741 bp in length
*   48551   48650: gap of 100 bp in length
*   48651   49420: contig of 770 bp in length
*   49421   49520: gap of 100 bp in length
*   49521   50284: contig of 764 bp in length
*   50285   50384: gap of 100 bp in length
*   50385   51169: contig of 785 bp in length
*   51170   51269: gap of 100 bp in length
*   51270   52054: contig of 785 bp in length
*   52055   52154: gap of 100 bp in length
*   52155   52930: contig of 776 bp in length
*   52931   53030: gap of 100 bp in length
*   53031   53803: contig of 773 bp in length
*   53804   53903: gap of 100 bp in length
*   53904   54670: contig of 767 bp in length
*   54671   54770: gap of 100 bp in length
*   54771   55546: contig of 776 bp in length
*   55547   55646: gap of 100 bp in length
*   55647   56408: contig of 762 bp in length
*   56409   56508: gap of 100 bp in length
*   56509   57273: contig of 765 bp in length
*   57274   57373: gap of 100 bp in length
*   57374   58141: contig of 768 bp in length
*   58142   58241: gap of 100 bp in length
*   58242   58983: contig of 742 bp in length
*   58984   59083: gap of 100 bp in length
*   59084   59851: contig of 768 bp in length
```

Query Match   1.7%;   Score 53;   DB 14;   Length 62449;
Best Local Similarity 100.0%;   Pred. No. 1.6e-16;
Matches 53;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

```
Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1892 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 1944
```

RESULT 18
LOCUS   AC026771/c
DEFINITION   Homo sapiens chromosome 16 clone CTB-134F13, complete sequence.
ACCESSION   AC026771
VERSION   AC026771.6 GI:28933549
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.

LOCUS   AC026771   69808 bp   DNA   linear   PRI 13-MAR-2003

REFERENCE   1 (bases 1 to 69808)
  AUTHORS   DOE Joint Genome Institute, Stanford Human Genome Center and Los
             Alamos National Laboratory.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 69808)
  AUTHORS   DOE Joint Genome Institute.
  TITLE   Direct Submission
  JOURNAL   Submitted (24-MAR-2000) Production Sequencing Facility, DOE Joint
             Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3 (bases 1 to 69808)
  AUTHORS   DOE Joint Genome Institute.
  TITLE   Direct Submission
  JOURNAL   Submitted (04-FEB-2002) Production Sequencing Facility, DOE Joint
             Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   4 (bases 1 to 69808)
  AUTHORS   DOE Joint Genome Institute.
  TITLE   Direct Submission
  JOURNAL   Submitted (31-DEC-2002) Production Sequencing Facility, DOE Joint
             Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   5 (bases 1 to 69808)
  AUTHORS   DOE Joint Genome Institute, Stanford Human Genome Center and Los
             Alamos National Laboratory.
  TITLE   Direct Submission
  JOURNAL   Submitted (13-MAR-2003) DOE Joint Genome Institute, 2800 Mitchell
             Drive, Walnut Creek, CA 94598, USA
COMMENT   On Mar 13, 2003 this sequence version replaced gi:27435786.
             Draft Sequence Produced by DOE Joint Genome Institute
             www.jgi.doe.gov
             Finishing Completed at Stanford Human Genome Center and Los
             National Laboratory
             www-shgc.stanford.edu
             Quality: Phrap Quality >40 100% of Sequence;
             Estimated Total Number of Errors is 0.
FEATURES   Location/Qualifiers
     source   1..69808
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="16"
                     /clone="CTB-134F13"
ORIGIN

Query Match   1.7%;   Score 53;   DB 8;   Length 69808;
Best Local Similarity 100.0%;   Pred. No. 1.6e-16;
Matches 53;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

```
Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  32798 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 32746
```

RESULT 19
LOCUS   AL713971   70621 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION   Human DNA sequence from clone XXbac-269C15 on chromosome 6 contains
             the FABGL gene for hydroxysteroid (17-beta) dehydrogenase 8, the
             RING1 gene for ring finger protein 1, a zinger finger protein
             pseudogene, a HIV TAT specific factor 1 (HTATSF1) pseudogene, a
             novel transcript, the SACML2 gene for SAC2 suppressor of actin
             mutations 2-like (yeast), the 5' end of the RPS18 gene for
             ribosomal protein S18 and four CpG islands, complete sequence.
ACCESSION   AL713971
VERSION   AL713971.7 GI:20428955
KEYWORDS   HTG; ARB-1; AREI; CpG island; D6S2245E; DKFZp5471194; FABG; FABGL;
             H2-KE6; HIV TAT specific factor 1; HKE3; HKE6; HSD17B8; HTATSF1;
             hydroxysteroid dehydrogenase 8; KE-3; KE3; KE6; ribosomal protein
             S18; ring finger protein 1; RING1; RING2; RNF1; RP5-1033B10; RPS18;
             SAC2; SAC2 suppressor of actin mutations 2-like; SACML2; TAT-SF1;
             zinc finger protein.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens

```
REFERENCE   1  (bases 1 to 70621)
  AUTHORS   Almeida,J.
  TITLE     Direct Submission
  JOURNAL   Submitted (17-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On May 3, 2002 this sequence version replaced gi:20338049.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs constructed by
            the MHC Haplotype Consortium and collaborators. Further information
            can be found at
            http://www.sanger.ac.uk/HGP/Chr6/MHC
            Xxbac-269C15 is from a CHORI-502 human bac - Cox cell line library
            VECTOR: pTARBAC2.1
            -------------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
            --------------------
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..70621
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="XXbac-269C15"
                     /clone_lib="CHORI-502"
     misc_feature    2000
                     /note="Clone_right end: XXbac-22I16"
     gene            join(AL662824.9:186261..186339,AL662824.9:186521..186738,
                     AL662824.9:186840..186956,AL662824.9:187066..187158,
                     AL662824.9:187259..187344,AL662824.9:187447..187531,
                     AL662824.9:187749..187791,2026..2100,2289..2502)
                     /gene="HSD17B8"
     mRNA            join(AL662824.9:186261..186339,AL662824.9:186521..186738,
                     AL662824.9:186840..186956,AL662824.9:187066..187158,
                     AL662824.9:187259..187344,AL662824.9:187447..187531,
                     AL662824.9:187749..187791,2026..2100,2289..2502)
                     /gene="HSD17B8"
                     /locus_tag="XXbac-BCX269C15.6-001"
                     /product="hydroxysteroid (17-beta) dehydrogenase 8"
                     /note="match: ESTs: AL555459.1 BF523076.1 BI159884.1
                     BM460286.1"
     gene            match: cDNAs: AF272012.1 BC008185.1 D82061.1"
                     join(AL662824.9:186409..186739,AL662824.9:186840..186956,
                     AL662824.9:187066..187158,AL662824.9:187259..187344,
                     AL662824.9:187447..187531,AL662824.9:187749..187791,
                     2026..2100,2289..2401)
                     /gene="HSD17B8"
     mRNA            join(AL662824.9:186409..186739,AL662824.9:186840..186956,
                     AL662824.9:187066..187158,AL662824.9:187259..187344,
                     AL662824.9:187447..187531,AL662824.9:187749..187791,
                     2026..2100,2289..2401)
                     /gene="HSD17B8"
                     /locus_tag="XXbac-BCX269C15.6-002"
                     /product="hydroxysteroid (17-beta) dehydrogenase 8"
```

```
     CDS             /note="match: ESTs: AI186776.1 AI359146.1 AI992249.1
                     AW134912.1 BQ218704.1"
                     join(AL662824.9:186288..186339,AL662824.9:186521..186738,
                     AL662824.9:186840..186956,AL662824.9:187066..187158,
                     AL662824.9:187259..187344,AL662824.9:187447..187531,
                     AL662824.9:187749..187791,2026..2100,2289..2305)
                     /gene="HSD17B8"
                     /locus_tag="XXbac-BCX269C15.6-002"
                     /standard_name="OTTHUMP00000029564"
                     /note="match: proteins: AAH08185 P50171 Q8WMN4 Q92506
                     Q96KK9"
                     /codon_start=1
                     /product="hydroxysteroid (17-beta) dehydrogenase 8"
                     /protein_id="CAI17657.1"
                     /db_xref="GI:55961772"
                     /db_xref="InterPro:IPR002198"
                     /db_xref="InterPro:IPR002347"
                     /translation="MASQLQNRLRSALALVTGAGSGIGRAVSVRLAGEGATVAACDLD
                     RAAAQETVRLLGGPGSKEGPPRGNHAAFQADVSEARAARCLLEQOVAQCFSPPSVVS
                     CAGITQDEFLLHMSEDDWDKVIAVNLKGTFLVTQAAAQALVSNGCRGSIINISSIVGK
                     VGNVGQTNYAASKAGVIGLTQTAARELGRHGIRCNSLPGFIATPMTQKVPQKVVDKI
                     TEMIPMGHLGDPEDVADVVAFLASEDSGYIITGTSVEVTGGLFM"
     gene            join(4151..4295,4416..4551,5277,5437,5566..5781,
                     6809..7198,7380..7653,7949..8373)
                     /gene="RING1"
     mRNA            join(4151..4295,4416..4551,5277,5437,5566..5781,
                     6809..7198,7380..7653,7949..8373)
                     /gene="RING1"
                     /locus_tag="XXbac-BCX269C15.3-002"
                     /product="ring finger protein 1"
                     /note="match: ESTs: AI208750.1 AL535164.1 BI259576.1
                     match: cDNAs: BC002922.1 BC009070.1"
     CDS             join(4474..4551,5277,5437,5566..5781,6809..7198,
                     7380..7653,7949..8050)
                     /gene="RING1"
                     /locus_tag="XXbac-BCX269C15.3-002"
                     /standard_name="OTTHUMP00000029850"
                     /note="match: proteins: AAH02922 Q8WMN5 Q92128 Q96KL0
                     Q9VB08"
                     /codon_start=1
                     /product="ring finger protein 1"
                     /protein_id="CAI17650.1"
                     /db_xref="GI:55961767"
                     /db_xref="GOA:Q86V19"
                     /db_xref="InterPro:IPR001841"
                     /db_xref="UniProt/TrEMBL:Q86V19"
                     /translation="MTTPANAQNASKTWELSLYEHRTPQEAIMDGTEIAVSPRSLHS
                     ELMCPICLDMLKNTMTTKECLHRFCSDCIVTALRSGNKEKCPTCRKKLVSKRSLRPDPN
                     FDALISKIYPSREEYEAHQDRVLIRLSRLHNQQALSSSIEBGIRMQAMHRAQVRRPI
                     PGSDQTTTMSGGEGEPGEGBGDGEDVSSDSADPSAPGPAPKPRPGGGGAGGSSVGTGGG
                     GTVGGVGGGAGSEDSGDRGGTLGGGTLGPPESPGPAPSPPEPGGEIELVFRPHPLLVEKG
                     EYCQTRVYKTTGNATVDHLSKYLALRIALERRQQEEAGEBPGGPGGASDTGGPDGCGG
                     EGGGAGGGDGEEPALPSLEGVSEKQYIIYIAPGGGAPTTLLNGSLTLELVNEKFWKVS
                     RPLELCYAPTKDPK"
     gene            join(5211,5437,5566..5781,6809..7198,7380..7653,
                     7949..8373)
                     /gene="RING1"
     mRNA            join(5211,5437,5566..5781,6809..7198,7380..7653,
                     7949..8373)
                     /gene="RING1"
                     /locus_tag="XXbac-BCX269C15.3-001"
                     /product="ring finger protein 1"
                     /note="match: cDNAs: Z14000.1"
     CDS             join(5226,5437,5566..5781,6809..7198,7380..7653,
                     7949..8050)
                     /gene="RING1"
                     /locus_tag="XXbac-BCX269C15.3-001"
                     /standard_name="OTTHUMP00000029849"
                     /note="match: proteins: O35730 Q92128"
                     /codon_start=1
                     /product="ring finger protein 1"
```

```
                              /protein_id="CAI17651.1"
                              /db_xref="GI:55961768"
                              /db_xref="InterPro:IPR001841"
                              /translation="MDGTEIAVSPRSIHSELMCPICLDMLKNTMTTKECLHRFCSDCI
                              VTALRSGNKECPTCRKLVSKRSLRPDNPDFLISKIYPSREEYEAHQDRVLIRLSRL
                              HNQQALSSSIEEGLRMQAMHRAQVRRPIPGSDQTTTMSGGEGEBGEGEGBGEGDEVSSD
                              SAPSSAPGPAPKPRGGGAGGSSVGTGCGCTGGVGVGGAGGAGSEGDRGGTLGGGPP
                              SPPGAPSSPPEGEEILVFRPHPLIVEKGRYCQTRYKTGNATVDHLSKYLALRIAL
                    gene     11366 .. 11973
                              /locus_tag="XXbac-BCX269C15.2-001"
                              /pseudo
                    CDS      11973 .. 11973
                              /locus_tag="XXbac-BCX269C15.2-001"
                              /note="match: proteins: P28698 Q96H95 Q96I71 Q9NRY0"
                              /pseudo
                              /codon_start=1
                              /product="zinc finger protein 314 pseudogene"
                    gene     join(33490 .. 34019,34322 .. 34431,35078 .. 35432)
                              /locus_tag="XXbac-BCX269C15.1-003"
                              /pseudo
                    CDS      join(33490 .. 34019,34322 .. 34431,35078 .. 35432)
                              /locus_tag="XXbac-BCX269C15.1-003"
                              /note="match: proteins: 043719 Q99730 Q9CT41 Q9DAU3"
                              /pseudo
                              /codon_start=1
                              /product="HIV TAT specific factor 1 pseudogene"
                    gene     join(45181 .. 45302,45437 .. 45536,46263 .. 46358,47160 .. 47353,
                              5345 .. 50531)
                              /locus_tag="XXbac-BCX269C15.5-001"
                    gene     join(45181 .. 45302,45437 .. 45536,46263 .. 46358,47225 .. 47353,
                              5345 .. 50531)
                              /locus_tag="XXbac-BCX269C15.5-001"
                    CDS      join(45181 .. 45302,45437 .. 45536,46263 .. 46358,47225 .. 47353,
                              5345 .. 50531)
                              /locus_tag="XXbac-BCX269C15.5-002"
                    mRNA     join(45181 .. 45302,45437 .. 45536,46263 .. 46358,47160 .. 47353,
                              5345 .. 50531)
```

```
RESULT 20
LOCUS       AC015910              90476 bp    DNA     linear   PRI 01-APR-2002
DEFINITION  Homo sapiens chromosome 17, clone RP11-690G19, complete sequence.
ACCESSION   AC015910
VERSION     AC015910.10  GI:19852158
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 90476)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 17, clone RP11-690G19
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 90476)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,M.,
            Baldwin,J., Barna,N., Beckerly,R., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Castle,A., Colangelo,M., Collins,S., Collymore,A.,
            Cooke,P., DeArellano,K., Dewar,K., Domino,M., Donelan,L., Doyle,M.,
            Ferriera,P., FitzHugh,W., Forrest,C., Funke,R., Gage,D.,
            Galagan,J., Gardyna,S., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J., Johnson,C., Jones,B., Kann,L., Karatas,A., Klein,J.,
            Lehoczky,J., Lieu,C., Locke,D., Macdonald,P., Marquis,N.,
            McEwan,P., McGurk,A., McKernan,K., McLaughlin,J., Meldrim,J.,
            Morrow,J., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
```

```
Qy         2888  TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT  2940
                 |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        34070  TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT  34122
```

```
Query Match             1.7%;  Score 53;  DB 8;  Length 70621;
Best Local Similarity   100.0%;
Matches   53;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;
```

```
                    Pred. No. 1.6e-16;
```

```
REFERENCE   3  (bases 1 to 90476)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L.,
            Boukhgalter,B., Brown,A., Camarata,J., Campopiano,A., Chang,J.,
            Chazaro,B., Choepel,Y., Colangelo,M., Collins,S., Collymore,A.,
            Cooke,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., LaRocque,R., Lamazares,R.,
            Landers,T., Lehoczky,J., Levine,R., Lindblad-Toh,K., Liu,G.,
            MacLean,C., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
            McCarthy,M., McEwan,P., McKernan,K., Meldrim,J., Meneus,J.,
            Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R.,
            Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D.,
            Oliver,J., Peterson,K., Phunkhang,P., Pierre,N., Pollara,V.,
            Raymond,C., Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P.,
            Roman,J., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travers,M., Travis,N., Trigilio,J., Tsfaye,S.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (22-MAR-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   4  (bases 1 to 90476)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L.,
            Boukhgalter,B., Brown,A., Camarata,J., Campopiano,A., Chang,J.,
            Chazaro,B., Choepel,Y., Colangelo,M., Collins,S., Collymore,A.,
            Cooke,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., LaRocque,R., Lamazares,R.,
            Landers,T., Lehoczky,J., Levine,R., Lindblad-Toh,K., Liu,G.,
            MacLean,C., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
            McCarthy,M., McEwan,P., McKernan,K., Meldrim,J., Meneus,J.,
            Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R.,
            Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D.,
            Oliver,J., Peterson,K., Phunkhang,P., Pierre,N., Pollara,V.,
            Raymond,C., Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P.,
            Roman,J., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travers,M., Travis,N., Trigilio,J., Tsfaye,S.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-APR-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Apr 1, 2002 this sequence version replaced gi:19683792.
            All repeats were identified using RepeatMasker!
            Smit,A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            --------------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            --------------------- Project Information
            Center project name: L832
            Center clone name: 690_G_19
            ---------------------
```

```
                Only the first 90.5 kilobases of this clone are being submitted.
                The remainder of the clone is overlapped by either accession number
                AC005288 [WICGR project L301] or accession
                number AC004408 [WICGR project L309].

FEATURES             Location/Qualifiers
     source          1..90476
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /map="17"
                     /clone="RP11-690G19"
                     /clone_lib="RPCI-11 Human Male BAC"
     repeat_region   111..405
                     /rpt_family="AluJb"
     repeat_region   complement(572..750)
                     /rpt_family="AluSg/x"
     repeat_region   complement(752..920)
                     /rpt_family="AluSx"
     repeat_region   complement(921..1140)
                     /rpt_family="AluSg/x"
     repeat_region   complement(1141..1267)
                     /rpt_family="AluSx"
     repeat_region   complement(1278..1559)
                     /rpt_family="AluJb"
     repeat_region   complement(1660..1947)
                     /rpt_family="AluJo"
     repeat_region   complement(2011..2302)
                     /rpt_family="AluSx"
     repeat_region   2330..2625
                     /rpt_family="AluSx"
     repeat_region   2378..2386
                     /rpt_family="AluSx"
     unsure          2749..3024
                     /note="extensive edit here"
     repeat_region   3049..3126
                     /rpt_family="(CATATA)n"
     repeat_region   complement(3393..3699)
                     /rpt_family="AluSp"
     repeat_region   complement(4229..4354)
                     /rpt_family="FLAM_A"
     repeat_region   4471..4521
                     /rpt_family="Alu"
     repeat_region   complement(4522..4785)
                     /rpt_family="AluSg"
     repeat_region   4793..4919
                     /rpt_family="AluSg"
     repeat_region   complement(4931..5209)
                     /rpt_family="(TTCC)n"
     repeat_region   5465..5772
                     /rpt_family="AluSx"
     repeat_region   complement(6691..6796)
                     /rpt_family="AluSx"
     repeat_region   complement(6833..6928)
                     /rpt_family="FLAM_C"
     repeat_region   complement(6963..6999)
                     /rpt_family="AluSg"
     repeat_region   7000..7287
                     /rpt_family="AluJo"
     repeat_region   7859..8138
                     /rpt_family="MIR"
     repeat_region   complement(7288..7338)
                     /rpt_family="AluJo"
     repeat_region   complement(7339..7628)
                     /rpt_family="MIR"
     repeat_region   complement(7629..7752)
                     /rpt_family="AluSg"
     repeat_region   complement(8415..8748)
                     /rpt_family="MIR"
     repeat_region   complement(8772..9067)
                     /rpt_family="AluSx"
     repeat_region   complement(9082..9207)
                     /rpt_family="AluSc"
                     /rpt_family="FLAM_C"
```

```
     repeat_region   complement(19550..9858)
                     /rpt_family="AluSx"
     repeat_region   complement(10613..10908)
                     /rpt_family="AluJo"
     repeat_region   11377..11681
                     /rpt_family="AluSx"
     repeat_region   11112..11147
                     /rpt_family="AT_rich"
     repeat_region   11261..11376
                     /rpt_family="AluJo"
     repeat_region   11682..11996
                     /rpt_family="AluSp"
     repeat_region   11997..12164
                     /rpt_family="AluY"
     repeat_region   complement(12789..13093)
                     /rpt_family="AluJo"
     repeat_region   complement(13819..13888)
                     /rpt_family="AluSq"
     repeat_region   complement(13889..14203)
                     /rpt_family="AluJo/FRAM"
     repeat_region   complement(14204..14303)
                     /rpt_family="AluSx"
     repeat_region   14528..14656
                     /rpt_family="AluJo/FRAM"
     repeat_region   14657..14957
                     /rpt_family="AluSx"
     repeat_region   15137..15372
                     /rpt_family="AluSx"
     repeat_region   15389..15657
                     /rpt_family="AluJo"
```

```
RESULT 21
AP000208
LOCUS       AP000208              100000 bp    DNA     linear   PRI 08-JAN-2000
DEFINITION  Homo sapiens genomic DNA, chromosome 21q22.1, D21S226-AML region,
            clone f43D11-119B8, segment 6/12, complete sequence.
ACCESSION   AP000208
VERSION     AP000208.1  GI:4827146
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 100000)
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Taylor,T.D., Hong-Seog,P.,
            Fujiyama,A., Yada,T., Totoki,Y. and Sakaki,Y.
  TITLE     Homo sapiens 1,109,292bp genomic DNA of 21q22.1 (REGION:
            D21S226-AML CLONE RANGE: f43D11-119B8)
  JOURNAL   Published Only in DataBase (1999)
REFERENCE   2  (bases 1 to 100000)
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Taylor,T.D., Hong-Seog,P.,
            Fujiyama,A., Yada,T., Totoki,Y. and Sakaki,Y.
  TITLE     Direct Submission
  JOURNAL   Submitted (10-MAY-1999) Masahira Hattori, The Institute of Physical
            and Chemical Research (RIKEN), Genomic Sciences Center (GSC);
            Kitasato Univ., 1-15-1 Kitasato, Sagamihara, Kanagawa 228-8555,
            Japan (E-mail:hattori@gsc.riken.go.jp,
            URL:http://hgp.gsc.riken.go.jp/, Tel:81-42-778-9923,
            Fax:81-42-778-9924)
COMMENT     E. coli transposon insertion:The present data does not contain E.
            coli transposon sequences which integrated in the
            original/previous sequences.  We determined the boundary between
            the insertion and genomic sequences experimentally, removed the
            insertion sequences, reconstituted the present data. The sequencing
```

```
Qy       2888  TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT  2940
               |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      14575  TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT  14627
```

```
Query Match             1.7%;  Score 53;  DB 8;  Length 90476;
Best Local Similarity   100.0%;  Pred. No. 1.6e-16;
Matches   53;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

project is supported by Japan Science Technology Corporation (JST)
and The Institute of Physical and Chemical Research (RIKEN).

FEATURES   Location/Qualifiers
     source   1..100000
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="21"
                     /map="21q22.1"

ORIGIN

Query Match   1.7%; Score 53; DB 8; Length 100000;
Best Local Similarity   100.0%; Pred. No. 1.6e-16;
Matches   53; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2888 TGAGGCAGGGTGGATCACCTGAGGCCAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940

Db   33384 TGAGGCAGGGTGGATCACCTGAGGCCAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 33436

RESULT 22
LOCUS   AL844527   109523 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION Human DNA sequence from clone DAQB-314F24 on chromosome 6 Contains
            the 5' end of the COL11A2 gene for collagen type XI alpha 2, the
            RXRB gene for retinoid X receptor, beta, the SLC39A7 gene for
            solute carrier family 39 (zinc transporter), member 7, the HSD17B8
            gene for hydroxysteroid (17-beta) dehydrogenase 8, the RING1 gene
            for ring finger protein 1, the ZNF314P pseudogene for zinc finger
            protein 314, the HTATSFIP pseudogene for HIV TAT specific factor 1,
            the HCG25 gene for HLA complex group 25, the VPS52 gene for
            vacuolar protein sorting 52 (yeast), the RPS18 gene for ribosomal
            protein S18, the B3GALT4 gene for UDP-Gal:betaGlcNAc beta
            1,3-galactosyltransferase, polypeptide 4, the 3'end of the C6orf11
            gene for chromosome 6 open reading frame 11, and 7 CpG islands,
            complete sequence.
ACCESSION   AL844527
VERSION   AL844527.6 GI:24474476
KEYWORDS   HTG; B3GALT4; C6ORF11; COL11A2; CpG island; HCG25; HSD17B8;
            HTATSFIP; RING1; RPS18; RXRB; SLC39A7; VPS52; ZNF314P.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 109523)
  AUTHORS   Leongamornlert,D.
  TITLE   Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT   On Nov. 1, 2002 this sequence version replaced gi:22204803.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs constructed by
            the MHC Haplotype Consortium and collaborators. Further information
            can be found at
            http://www.sanger.ac.uk/HGP/Chr6/MHC
            --------------   Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk

            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,

---

FEATURES   Location/Qualifiers
     source   1..109523
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DAQB-314F24"
                     /clone_lib="DNA-arts-BAC1-QBL.1"
     mRNA   join(complement(20615..20909),complement(17776..17925),
                     complement(17434..17644),complement(16818..16980),
                     complement(15083..15274),complement(13448..13510),
     misc_feature   1
                     /note="Clone_left_end: DAQB-314F24"
     gene   join(complement(20001..20909),
                     complement(AL845446.7:82994..93842))
                     /gene="COL11A2"
     mRNA   complement(9568..9627),complement(9421..9462),
                     complement(9125..9187),complement(8715..8789),
                     complement(8176..8262),complement(7888..7944),
                     complement(7688..7741),complement(7530..7583),
                     complement(7377..7430),complement(7189..7249),
                     complement(6892..6945),complement(6765..6809),
                     complement(6589..6642),complement(6119..6163),
                     complement(5869..5922),complement(5638..5682),
                     complement(5449..5502),complement(5178..5222),
                     complement(4890..4943),complement(4716..4760),
                     complement(4473..4526),complement(4031..4138),
                     complement(2984..3037),complement(2622..2675),
                     complement(2468..2512),complement(2330..2383),
                     complement(2158..2202),complement(2001..2012),
                     complement(AL845446.7:93801..93842),
                     complement(AL845446.7:93647..93359),
                     complement(AL845446.7:92829..92936),
                     complement(AL845446.7:92588..92677),
                     complement(AL845446.7:92249..92402),
                     complement(AL845446.7:92012..92119),
                     complement(AL845446.7:91766..91873),
                     complement(AL845446.7:91570..91623),
                     complement(AL845446.7:91413..91466),
                     complement(AL845446.7:91110..91217),
                     complement(AL845446.7:90857..90910),
                     complement(AL845446.7:90626..90679),
                     complement(AL845446.7:90347..90400),
                     complement(AL845446.7:90131..90184),
                     complement(AL845446.7:89603..89710),
                     complement(AL845446.7:89255..89308),
                     complement(AL845446.7:89005..89058),
                     complement(AL845446.7:88818..88871),
                     complement(AL845446.7:88098..88151),
                     complement(AL845446.7:87725..87832),
                     complement(AL845446.7:87563..87616),
                     complement(AL845446.7:87369..87422),
                     complement(AL845446.7:87019..87126),
                     complement(AL845446.7:86812..86865),
                     complement(AL845446.7:86470..86505),
                     complement(AL845446.7:86230..86283),
                     complement(AL845446.7:85848..86151),
                     complement(AL845446.7:85151..85263),
                     complement(AL845446.7:84566..84772),
                     complement(AL845446.7:82994..84117))
                     /genes="COL11A2"

     CDS   /locus_tag="DAQB-79P13.8-001"
                     /product="collagen type XI alpha 2"
                     /note="match: ESTs: AU118676.1 BU164080.1 BX282345.1
                     match: cDNAs: J04974.1 L19987.1 U167789.1"
                     join(complement(20615..20696),complement(17776..17925),
                     complement(17434..17644),complement(16818..16980),
                     complement(15083..15274),complement(13448..13510),

except on the rare occasion of the clone being a YAC.
DAQB-314F24 is from a DNA-arts QBL human bac library VECTOR:
pBeloBAC11.

```
ARGLSGKSGPRGERGPTGPRGQRGPRGATGKSGAKGTSGSGDGPHGPPGERGLPGPGQGP
NGPPGKPPGGPPGKDGLPGHPGQRGEVGPGQGKTGPGPGPPGVGPQGAAGETGPMGER
GHPGPPGPGEQGLPGTAGKEGTKGDPGPPGPAPGKDGPAGLRGPPGEBRGLPGTAGGPG
```

```
Query Match      1.7%;  Score 53;  DB 8;  Length 109523;
Best Local Similarity 100.0%;  Pred. No. 1.6e-16;
Matches    53;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  66876 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 66928
```

RESULT 23
AL360268/c
LOCUS   AL360268   110130 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION   Human DNA sequence from clone RP11-379C10 on chromosome 9 Contains
             the gene for a novel protein, the 5' end of the PCSCL gene for
             likely ortholog of rat peroxisomal Ca-dependent solute carrier-like
             protein (KIAA1896), two novel genes and a CpG island, complete
             sequence.
ACCESSION   AL360268
VERSION   AL360268.14 GI:19351891
KEYWORDS   HTG; CpG island; KIAA1896; PCSCL.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 110130)
  AUTHORS   Lloyd,D.
  TITLE   Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
             Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
             Clone requests: clonerequest@sanger.ac.uk
COMMENT   On Mar 11, 2002 this sequence version replaced gi:18650682.
             The following abbreviations are used to associate primary accession
             numbers given in the feature table with their source databases:
             Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
             on the WORMPEP database can be found at
             http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
             was generated from part of bacterial clone contigs of human
             chromosome 9, constructed by the Sanger Centre Chromosome 9 Mapping
             Group. Further information can be found at
             http://www.sanger.ac.uk/HGP/Chr9
             RP11-379C10 is from the library RPCI-11.2 constructed by the group
             of Pieter de Jong. For further details see
             http://www.chori.org/bacpac/home.htm
             VECTOR: pBACe3.6

             Center: Wellcome Trust Sanger Institute
             Center code: SC
             Web site: http://www.sanger.ac.uk
             Contact: vega@sanger.ac.uk

             This sequence was finished as follows unless otherwise noted: all
             regions were either double-stranded or sequenced with an alternate
             chemistry or covered by high quality data (i.e., phred quality >=
             30); an attempt was made to resolve all sequencing problems, such
             as compressions and repeats; all regions were covered by at least
             one subclone; and the assembly was confirmed by restriction digest,
             except on the rare occasion of the clone being a YAC.
FEATURES   Location/Qualifiers
     source   1..110130
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="RZPD:RPCIB753C10379"
                     /db_xref="taxon:9606"
                     /chromosome="9"
                     /clone="RP11-379C10"
                     /clone_lib="RPCI-11.2"
     misc_feature   1
                     /note="Clone_left_end: RP11-379C10"
```

Left column (rotated sequence features):

```
/locus_tag="DAQB-79P13.8-001"
/standard_name="OTTHUMP00000014556"
/note="match: proteins: Q28083 Q8IZC6 Q8UUM5 Q9JLI2"
/codon_start=1
/product="collagen type XI alpha 2"
/protein_id="CAI41834.1"
/db_xref="GT:5720937"
/db_xref="GOA:Q5JP94"
/db_xref="InterPro:IPR000885"
/db_xref="InterPro:IPR001791"
/db_xref="InterPro:IPR003129"
/db_xref="InterPro:IPR008160"
/db_xref="InterPro:IPR008161"
/db_xref="UniProt/TrEMBL:Q5JP94"
/gene="COL11A2"
/translation="MERCSRCHRLILLLPLVLGLSRAPGWAGAPVDVLRALRFPSLP
DGVRRAKGICPADVAYRVARPAQLSAPTRQLPPGGPPKDFSLLTVVRTRPGLQAPLLT
LYSAQGVRQLGLBLGRVRFLYEDGTGRPQPPSGPVPRGLSLADGKWHRVAVAVKSGS
VTLIVDCKKRVTRPLPRSARPVLDTIGVIIFGARILDEBVEFEGDVQELAIVPGVQAAY
ESCEQXELECEGQORRRPONQOPHRAQRSPOQPSRLHRPONQEPGSOQDPTPGEEEI
LESSLLPPLEEAAHGPRGLKGEKGEPAVLEPGMLVEGPPGPEGPPAGLIGPPGQIOGNPG
PVGDPGRGPGRPGSADGAPGPGTSLMLPFRGSGGGDKGPPGVVAAQEAQAQAILL
QARLALRGPPGPMGVTGRPGCPLGQPSSPGLKGESCGDLGPQGPRGPOGLTGPPGKAGR
RGRAGADGARGMPGDPGVKGDRGFDGLPGLFGEKGHRGDTGAQGLPGPPGEDGERGDD
GEIGPRGLPGBSGPRGTLLGPPGFGPPGVGRWGDGPGKGISGPQGBPGOGPDGPOGG
TPGTGGLPGCGAIGPHGEKGPOGGKPGLPGMGSDGPPGPHPGKEGPPGTKGNQGPSGP
QGPLGYPGPRGVKGGVDGIRGLKGHGEKGEBDGFPPGFRGKGDIGVKGDREVGVPGSRGED
GPEGPKGKRTGPTGDPGPGLMGEKGKLGVPGLPGYPGPRGQRGPKGSLGPPGFPGASGEKG
```

Middle column (complement features):

```
complement(9568..9627),complement(9421..9462),
complement(9125..9187),complement(8715..8789),
complement(8176..8262),complement(7888..7944),
complement(7688..7741),complement(7530..7583),
complement(7377..7430),complement(7136..7189),
complement(6892..6945),complement(6765..6809),
complement(6589..6642),complement(6119..6163),
complement(5869..5922),complement(5638..5682),
complement(5449..5502),complement(5178..5222),
complement(4890..4943),complement(4716..4760),
complement(4473..4526),complement(4031..4138),
complement(2984..3037),complement(2622..2675),
complement(2468..2512),complement(2330..2383),
complement(2158..2202),complement(2001..2012),
complement(AL845446.7:93801..93842),
complement(AL845446.7:93647..93700),
complement(AL845446.7:93359..93412),
complement(AL845446.7:92829..92936),
complement(AL845446.7:92588..92677),
complement(AL845446.7:92349..92402),
complement(AL845446.7:92012..92119),
complement(AL845446.7:91756..91873),
complement(AL845446.7:91570..91623),
complement(AL845446.7:91413..91466),
complement(AL845446.7:91110..91217),
complement(AL845446.7:90857..90910),
complement(AL845446.7:90626..90679),
complement(AL845446.7:90347..90400),
complement(AL845446.7:90131..90184),
complement(AL845446.7:89683..89790),
complement(AL845446.7:89255..89308),
complement(AL845446.7:89005..89058),
complement(AL845446.7:88818..88871),
complement(AL845446.7:88098..88151),
complement(AL845446.7:87725..87832),
complement(AL845446.7:87563..87616),
complement(AL845446.7:87369..87422),
complement(AL845446.7:87019..87126),
complement(AL845446.7:86812..86865),
complement(AL845446.7:86470..86505),
complement(AL845446.7:86230..86283),
complement(AL845446.7:85848..86115),
complement(AL845446.7:85151..85263),
complement(AL845446.7:84566..84772),
complement(AL845446.7:83977..84117))
```

```
misc_feature   303
               /note="Clone_right_end: RP11-203J24"
gene           complement(join(48570..48742,66591..66797))
               /locus_tag="RP11-379C10.1-001"
mRNA           complement(join(48570..48742,66591..66797))
               /locus_tag="RP11-379C10.1-001"
               /gene="RP11-379C10.2"
mRNA           complement(join(70668..73335,76026..76756))
               /locus_tag="RP11-379C10.2-001"
               /gene="RP11-379C10.2"
               /note="match: ESTs: AA961281.1"
misc_feature   64768
               /note="Tandem repeat. Forced join. Gap size estimated to
               be approximately 200bp by restriction digest data."
gene           complement(join(70668..73335,76026..76756))
               /locus_tag="RP11-379C10.2"
mRNA           complement(join(70668..73335,76026..76756))
               /locus_tag="RP11-379C10.2-001"
               /gene="RP11-379C10.2"
               /note="match: ESTs: AA043145.1 AA359485.1
               AA381105.1 AA631602.1 AA632403.1 AA340072.1 AA359485.1
               AI417373.1 AI831258.1 AI864878.1 AI081135.1 AI147614.1
               AW769468.1 AW838390.1 AW082728.1 AW449992.1
               BB044419.1 AW956388.1 AW965894.1 AW963898.1
               BF724763.1 BE293321.1 BE385388.1 BE741976.1 BF131845.1
               BF724764.1 BF996375.1 BG009209.1 BF131845.1
               BM016964.1 BM464251.1 BM510565.1 BM511394.1 BG340504.1
               BM678197.1 BM725183.1 BM740427.1 BM740504.1 BM543547.1
               BM750316.1 BM757831.1 BM759701.1 BM853143.1 BM740522.1
               BM914393.1 BM931058.1 BQ231034.1 BQ441346.1 BM905218.1
               BU162007.1 CA310459.1 CA312400.1 W69444.1 BU059062.1
               match: cDNAs: AB060227.1 AL833392.1"
gene           complement(join(70668..71261,72809..73177))
               /gene="RP11-379C10.2"
mRNA           complement(join(70668..71261,72809..73177))
               /gene="RP11-379C10.2"
               /note="match: ESTs: AA281868.1 BG008293.1 BG912959.1
               BM684531.1 BQ370637."
polyA_site     complement(70668)
               /gene="RP11-379C10.2"
polyA_site     complement(70672)
               /gene="RP11-379C10.2"
polyA_site     complement(70674)
               /gene="RP11-379C10.2"
polyA_signal   complement(70691..70696)
               /locus_tag="RP11-379C10.2-004"
polyA_site     complement(join(71425..73335,75582..75719))
               /locus_tag="RP11-379C10.2-002"
mRNA           complement(join(71425..73335,75582..75719))
               /locus_tag="RP11-379C10.2-002"
               /gene="RP11-379C10.2"
gene           complement(join(71425..73335,75582..75719))
               /locus_tag="RP11-379C10.2-004"
               /gene="RP11-379C10.2"
polyA_signal   complement(72723)
               /locus_tag="RP11-379C10.2-004"
polyA_site     complement(72723)
               /gene="RP11-379C10.2"
polyA_site     complement(72731)
               /locus_tag="RP11-379C10.2-004"
CDS            complement(join(72743..72748))
               /locus_tag="RP11-379C10.2-004"
polyA_signal   complement(72743..72748)
               /locus_tag="RP11-379C10.2"
CDS            complement(join(72863..73335,76026..76536))
               /locus_tag="RP11-379C10.2"
               /standard_name="OTTHUMP00000022227"
               /note="match: proteins: Q8WU12 Q9BB21"
               /codon_start=1
               /protein_id="CAH73132.1"
               /db_xref="GI:55664183"

gene           complement(join(73077..73335,77558..77641))
               /locus_tag="RP11-379C10.2-005"
mRNA           complement(join(73077..73335,77558..77641))
               /locus_tag="RP11-379C10.2-005"
               /gene="RP11-379C10.2"
               /note="match: ESTs: AA393124.1"
gene           complement(join(73520..74191,75582..76601))
               /locus_tag="RP11-379C10.2-003"
mRNA           complement(join(73520..74191,75582..76601))
               /locus_tag="RP11-379C10.2-003"
               /gene="RP11-379C10.2"
               /note="match: ESTs: BG774313.1
               match: cDNAs: BC021580.1"
gene           join(77636..78015,AL590708.18:2401..2527,
               AL590708.18:2614..2701,AL590708.18:3675..3786,
               AL590708.18:4986..5144,AL590708.18:7034..7186,
               AL590708.18:7455..>7494)
               /gene="RP11-395P17.4"
mRNA           join(77636..78015,AL590708.18:2401..2527,
               AL590708.18:2614..2701,AL590708.18:3675..3786,
               AL590708.18:4986..5144,AL590708.18:7034..7186,
               AL590708.18:7455..>7494)
               /gene="RP11-395P17.4"
               /note="match: ESTs: AL523261.1 AL557731.1 AL559911.1
               BF335109.1 BF376153.1 BF376154.1 BF799713.1"
gene           join(77728..78015,AL590708.18:2401..2527,
               AL590708.18:2614..2701,AL590708.18:3675..3786,
               AL590708.18:2614..2701,AL590708.18:4986..5144,
               AL590708.18:7034..7186,AL590708.18:7455..7562,
               AL590708.18:7658..7825,AL590708.18:8334..8484,
               AL590708.18:8565..10550)
               /gene="RP11-395P17.4"
mRNA           join(77728..78015,AL590708.18:2401..2527,
               AL590708.18:2614..2701,AL590708.18:3675..3420,
               AL590708.18:2614..2701,AL590708.18:3675..3786,
               AL590708.18:4986..5144,AL590708.18:7034..7186,
               AL590708.18:7455..7562,AL590708.18:7658..7825,
               AL590708.18:8334..8484,AL590708.18:8565..10550)
               /gene="RP11-395P17.4"
               /locus_tag="RP11-395P17.4-003"
CDS            join(77755..78015,AL590708.18:2401..2527,
               AL590708.18:2614..2701,AL590708.18:3675..3786,
               AL590708.18:4986..5144,AL590708.18:7034..7186,
               AL590708.18:7455..>7494)
               /gene="RP11-395P17.4"
               /locus_tag="RP11-395P17.4-004"
               /standard_name="OTTHUMP00000022252"
               /codon_start=1
               /protein_id="CAH73133.1"
               /db_xref="GI:55664184"
               /db_xref="GOA:Q5VWU4"
               /db_xref="InterPro:IPR001993"
               /db_xref="InterPro:IPR002048"
               /db_xref="InterPro:IPR002049"
               /db_xref="InterPro:IPR002167"
               /db_xref="InterPro:IPR002167"
               /db_xref="UniProt/TrEMBL:Q5VWU4"
               /db_xref="UniProt/TrEMBL:Q69YI7"
               /translation="MAVPAKKKMNFSEREVEIIVEELELKGHLLVNHFNAGVPLAAK
               SAAWHGILRRVNAVATCRRELPEVKKSWSDLKTEVRRKVAQVRAAVEGGEAPGPTEED
               GAGGPGTGGSGGGGPGAVAPVLLITPGMQQRICRICNLLGRATIISLPSTTEIHPVALGPSAT
               AAAATVTLTQIPTETTVTHTLEEGVVEYCTAERAPPLPPETPVDMMAQHADTSVKPQAL
               KSRIALNSAKILQEQRVTNLHTVKEIAQHLEQONDLLQMIRRSQEVQACAQERQAQAME
               GTQAALSVLIQVLRPMIKDFRRYLCSNTANPAPASDPGQVAQNGQPDSIIQ"
```

Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   29751 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCAACAT 29699

RESULT 24
ACCESSION   AP000247
LOCUS   AP000247   113919 bp   DNA   linear   PRI 15-MAR-2003
DEFINITION Homo sapiens genomic DNA, chromosome 21q, clone:RP5-871G18,
            complete sequence.
VERSION   AP000247.2 GI:14861122
ACCESSION   AP000247
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Taylor,T.D., Hong-Seog,P.,
            Fujiyama,A., Yada,T., Totoki,Y., Watanabe,H. and Sakaki,Y.
  TITLE   Homo sapiens genomic DNA
  JOURNAL   Published Only in Database (1999)
REFERENCE   2 (bases 1 to 113919)
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Taylor,T.D., Hong-Seog,P.,
            Fujiyama,A., Yada,T., Totoki,Y., Watanabe,H. and Sakaki,Y.
  TITLE   Direct Submission
  JOURNAL   Submitted (13-MAY-1999) Masahira Hattori, The Institute of Physical
            and Chemical Research (RIKEN), Genomic Sciences Center (GSC);
            1-7-22 Suehiro-chou, Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
            (E-mail:hattori@gsc.riken.go.jp, URL:http://hgp.gsc.riken.go.jp/,
            Tel:81-45-503-9111, Fax:81-45-503-9170)
COMMENT   On Jul 17, 2001 this sequence version replaced gi:4835616.
FEATURES   Location/Qualifiers
     source   1..113919
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="21"
                     /map="21q"
                     /clone="RP5-871G18"

ORIGIN

Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   13942 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 13994

RESULT 25
LOCUS   HSJ733M16   120825 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION Human DNA sequence from clone RP4-733M16 on chromosome
            1p36.11-36.23 Contains four novel genes, a novel gene (FLJ33962), a
            novel gene (MGC10731), the 3' end of a novel gene (KIAA1332), a
            metallothionein family pseudogene and three CpG islands, complete
            sequence.
ACCESSION   AL109627
VERSION   AL109627.18 GI:6742145
KEYWORDS   HTG; FLJ33962; KIAA1332; MGC10731.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 120825)
  AUTHORS   Hall,R.
  TITLE   Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,

---

(right column)

            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT   On Jan 24, 2000 this sequence version replaced gi:6723665.
            The following abbreviation are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 1, constructed by the Sanger Centre Chromosome 1 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr1
            RP4-733M16 is from the library RPCI-4 constructed by the group of
            Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pCYPAC2

            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk

            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES   Location/Qualifiers
     source   1..120825
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /map="p36.11-36.23"
                     /clone="RP4-733M16"
                     /clone_lib="RPCI-4"
     misc_feature   1
                     /note="Clone_left_end: RP4-733M16"
     gene   join(complement(AL358794.19:480..678),10770..10886,
                     21772..24375)
                     /gene="FBX042"
     mRNA   join(complement(AL358794.19:480..678),10770..10886,
                     21772..24375)
                     /gene="FBX042"
                     /locus_tag="RP4-733M16.6-002"
                     /product="F-box protein 42"
                     /note="match: cDNAs: Em:AL833207.1"
     misc_feature   33887
                     /note="Possible local misassembly of alu containing reads."
     misc_feature   33888
                     /note="Possible local misassembly of alu containing reads."
     misc_feature   33892
                     /note="Possible local misassembly of alu containing reads."
     misc_feature   33903
                     /note="Possible local misassembly of alu containing reads."
     misc_feature   33910
                     /note="Overall assembly confirmed by restriction digest."
     misc_feature   33921
                     /note="Overall assembly confirmed by restriction digest."
     misc_feature   33921
                     /note="Possible local misassembly of alu containing reads."
     misc_feature   33933
                     /note="Overall assembly confirmed by restriction digest."
     misc_feature   33938
                     /note="Overall assembly confirmed by restriction digest."
     misc_feature   33938
                     /note="Possible local misassembly of alu containing reads."

Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCAACAT 2940
Db   13942 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 13994

(Best Match)
  Best Local Similarity   100.0%;
  Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

  Query Match   1.7%; Score 53; DB 8; Length 113919;
  Best Local Similarity 100.0%; Pred. No. 1.6e-16;
  Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
misc_feature   /note="Possible local misassembly of alu containing reads.
               Overall assembly confirmed by restriction digest."
33942
misc_feature   /note="Possible local misassembly of alu containing reads.
44370..44374   Overall assembly confirmed by restriction digest."
               /note="Single clone region. Within alu region. pUC read
               pairs confirm assembly."
gene           join(63096..63133,63508..63593,64285..64401,64904..>65607)
               /gene="FBXO42"
               /locus_tag="RP4-733M16.6-004"
mRNA           join(63096..63133,63508..63593,64285..64401,64904..>65607)
               /gene="FBXO42"
               /locus_tag="RP4-733M16.6-004"
gene           join(63262..63593,64285..64401,64904..>65607)
               /gene="FBXO42"
               /locus_tag="RP4-733M16.6-003"
               /note="match: ESTs: Em:Z41965.1"
mRNA           join(63262..63593,64285..64401,64904..>65607)
               /gene="FBXO42"
               /locus_tag="RP4-733M16.6-003"
               /product="F-box protein 42"
CDS            join(63519..63593,64285..64401,64904..>65607)
               /gene="FBXO42"
               /locus_tag="RP4-733M16.6-003"
               /note="match: proteins: Sw:O19000 Sw:P02795 Sw:P02799
               Sw:Q9XST5 Tr:Q8WVB5"
               /codon_start=1
               /standard_name="OTTHUMP00000002237"
               /product="F-box protein 42"
               /protein_id="CAI22561.1"
               /db_xref="GI:56203757"
               /db_xref="GOA:Q6P3S6"
               /db_xref="UniProt/Swiss-Prot:Q6P3S6"
               /translation="MSSPPQIVIDDATILILGGCGGPNALFKDAWLLHMSGPWAWQP
               LKVENEEHGAPELWCHPACRVGQCVVVFSQAPSGRAPLSPSLNSRSPISATPPALVP
               ETREYRSQSPVRSMDEAPCINGRWGTLRPRAQRQTPSGSREGSLSPARGDGSPILNGG
               SLSPGTAAVGGSSLDSPVQAISPSTPSAPEGYDLKIGLSLSLLAPRRGSLPDQDLRLGSI
               DLNWDLKPASSNPMDGMDNRTVGGSMRHPPEQTNGVHTPHVASALAGAVSPGALRR
               SLEAIKAMSKGPSASAALSPPL"
mRNA           join(complement(AL358794.19:37566..37765),10770..10886,
21772..21906,59930..60083,60868..60978,62958..63054,
63537..63593,64285..64401,64904..66019)
               /gene="FBXO42"
               /locus_tag="RP4-733M16.6-001"
               /product="F-box protein 42"
               /note="match: cDNAs: Em:AB037753.1 Em:AK055598.1"
gene           join(complement(AL358794.19:37566..37765),10770..10886,
21772..21906,59930..60083,60868..60978,62958..63054,
63537..63593,64285..64401,64904..66019)
               /gene="FBXO42"
               /locus_tag="RP4-733M16.6-001"
               /standard_name="OTTHUMP00000002236"
CDS            join(complement(AL358794.19:480..746),10770..10886,
21772..21906,59930..60083,60868..60978,62958..63054,
63537..63593,64285..64401,64904..66019)
               /locus_tag="RP4-733M16.6-001"
               /codon_start=1
               /product="F-box protein 42"
               /protein_id="CAI22560.1"
               /db_xref="GI:56203756"
               /db_xref="GOA:Q6P3S6"
               /db_xref="InterPro:IPR001810"
               /db_xref="InterPro:IPR006652"
               /db_xref="InterPro:IPR011043"
               /db_xref="InterPro:IPR011498"
               /db_xref="UniProt/Swiss-Prot:Q6P3S6"
               /translation="MASSSDSEDDSFMAVDQEETVLEGTMDQDEEPHPVLEAEETRHN
               RSMSELPEEVLEYILSPYLSPYQEHKTAALVCKDWQRYLRIKGVAHQCYHGFMKAVQEGNI
```

```
                                                                    QWESRTYPYPGTPIPTIQRFSHSACYIDANQSMYVFGGCTQSSCNAAFNDLWRLDLNSKE
                                                                    WIRPLASGSYSPSKAGATLVVYKDLLVLFGGWTRPSFYPLHQPERFFDEIHTYSPSKN
                                                                    WNCIVTTHGPPMAGHSSCVIDDKMIVFGGSLGSRQMSNDVWVLDLEQWAWSKPNIS
                                                                    GPSPHPRGGQSQIVIDDATILILGGCGGPNALFKDAWLLHMSGPWAWQPLKVENEEH
                                                                    GAPELWCHPACRVGQCVVVFSQAPSGRAPLSPSLNSRSPISATPPALVPETREYRSQ
                                                                    SPVRSMDEAPCVNGRWGTLRPRAQRQTPSGSREGSLSPARGDGSPILNGGSLSPGTAA
                                                                    VGGSSLDSPVQAISPSTPSAPEGYDLKIGLSLAPRRGSLPDQKDLRLGSIDLNWDLKP
                                                                    ASSSNPMDGMDNRTVGGSMRHPPEQTNGVHTPHVASALAGAVSPGALRRSLEAIKAM
                                                                    SKGPSASAALSPPLGSSSPGSPGSQSLSSGETVPIPRPGPAQGDGHSLPPIARRLGHH
                                                                    PPQSLNVGKPLYQSMNCKPMQMYVLDIKDTKEKGRVKMKVFNSSSSVVGPPETSLHTVV
                                                                    QGRGELIIFGGLMDKKQONVKXYPKTNALFVRAKR"
gene           75291..75476
               /gene="RP4-733M16.7-001"
               /pseudo
CDS            75291..75476
               /locus_tag="RP4-733M16.7-001"
               /note="match: proteins: Sw:O19000 Sw:P02795 Sw:P02799
               Sw:P04355 Sw:P04732 Sw:P14425 Sw:P79379 Sw:P80297
               Sw:Q9XST5 Tr:Q8WVB5"
               /codon_start=1
               /pseudo
               /product="metallothionein family pseudogene"
gene           join(79689..79846,87643..88014)
               /gene="RP4-733M16.4"
               /locus_tag="RP4-733M16.4-002"
mRNA           join(79689..79846,87643..88014)
               /gene="RP4-733M16.4"
               /locus_tag="RP4-733M16.4-002"
               /product="novel protein"
               /note="match: ESTs: Em:BF001156.1 Em:CB048455.1
               Em:CB048456.1"
gene           join(79738..80058,82925..83077,83672..83796,84043..84179,
84392..84999)
               /gene="RP4-733M16.4"
               /locus_tag="RP4-733M16.4-001"
mRNA           join(79738..80058,82925..83077,83672..83796,84043..84179,
```

```
RESULT 26
AC095044/c
LOCUS         AC095044                 134184 bp    DNA    linear   PRI 15-OCT-2003
DEFINITION    Homo sapiens BAC clone RP11-132B16 from 7, complete sequence.
ACCESSION     AC095044 AC023954
VERSION       AC095044.3  GI:18462270
KEYWORDS      HTG.
SOURCE        Homo sapiens (human)
  ORGANISM    Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
REFERENCE     1  (bases 1 to 134184)
  AUTHORS     Sulston,J.E. and Wilson,R.
  TITLE       Toward a complete human genome sequence
  JOURNAL     Genome Res. 8 (11), 1097-1108 (1998)
   PUBMED     9847074
REFERENCE     2  (bases 1 to 134184)
  AUTHORS     Cotton,M. and VanBrunt,A.
  TITLE       The sequence of Homo sapiens BAC clone RP11-132B16
  JOURNAL     Unpublished (2001)
REFERENCE     3  (bases 1 to 134184)
  AUTHORS     Waterston,R.H.
  TITLE       Direct Submission
  JOURNAL     Submitted (15-SEP-2001) Genome Sequencing Center, Washington
              University School of Medicine, 4444 Forest Park Parkway, St. Louis,
              MO 63108, USA
```

```
Qy       2888  TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
               |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      52626  TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 52678

Query Match             1.7%;  Score 53;  DB 8;  Length 120825;
Best Local Similarity   100.0%;  Pred. No. 1.6e-16;
Matches   53;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
REFERENCE   4  (bases 1 to 134184)
  AUTHORS   Waterston,R.H.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-FEB-2002) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
REFERENCE   5  (bases 1 to 134184)
  AUTHORS   Wilson,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (15-OCT-2003) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
COMMENT     On Feb 1, 2002 this sequence version replaced gi:16418233.
            --------------- Genome Center
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu
            Contact: sapiens@watson.wustl.edu
            --------------- Summary Statistics
            Center project name: H_NH0132B16
            Drafting Center: WIBR
            ---------------
            NOTICE: This sequence may not represent the entire insert of this
            clone. It may be shorter because we only sequence overlapping
            clone sections once, or longer because we provide a small overlap
            between neighboring data submissions.

            This sequence was finished as follows unless otherwise noted:
            all regions were double stranded, sequenced with an alternate
            chemistry, or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by sequence
            from more than one subclone; and the assembly was confirmed by
            restriction digest.

            MAPPING INFORMATION:
            The sequence of this clone was established as part of a mapping and
            sequencing collaboration between the NHGRI Chromosome 7 Mapping
            Project (Eric D. Green, Director), John D. McPherson in the
            Department of Genetics (Washington University), and the Washington
            University Genome Sequencing Center. For additional information
            about the map position of this sequence, see
            http://www.nhgri.nih.gov/DIR/GTB/CHR7/, send
            mailto:egreen@nhgri.nih.gov, or see http://genome.wustl.edu

            SOURCE INFORMATION:
            The RPCI-11 human BAC library was made from the blood of one male
            donor, as described by Osoegawa,K., Woon,P.Y., Zhao,B., Frengen,E.,
            Tateno,M., Catanese,J.J. and de Jong,P.J. (1998) An improved
            approach for construction of bacterial artificial chromosome
            libraries. Genomics 51:1-8. The clone may be obtained either from
            Research Genetics, Inc. (http://www.resgen.com) or Pieter de Jong
            and coworkers at http://www.chori.org
            VECTOR: pBACe3.6.
FEATURES             Location/Qualifiers
     source          1..134184
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="7"
                     /map="7"
                     /clone="RP11-132B16"
                     /clone_lib="RPCI-11"
     repeat_region   381..697
                     /rpt_family="Alu"
     repeat_region   712..1032
                     /rpt_family="Alu"
     repeat_region   1033..1060
                     /rpt_family="AT_rich"
     repeat_region   1276..1592
                     /rpt_family="Alu"
     repeat_region   1594..1772
                     /rpt_family="MaLR"
     repeat_region   1772..
                     /rpt_family="(TTCC)n"
     repeat_region   1775..1852
                     /rpt_family="CT-rich"
     repeat_region   1853..1985
                     /rpt_family="L2"
     repeat_region   2062..2086
                     /rpt_family="Alu"
     repeat_region   2087..2109
                     /rpt_family="Alu"
     repeat_region   2110..2260
                     /rpt_family="(TTAA)n"
     repeat_region   2261..2565
                     /rpt_family="Alu"
     repeat_region   2566..2704
                     /rpt_family="Alu"
     repeat_region   2858..2887
                     /rpt_family="ERV1"
     repeat_region   3064..3375
                     /rpt_family="(TTCA)n"
     repeat_region   3381..3471
                     /rpt_family="(TGAA)n"
     repeat_region   3600..3991
                     /rpt_family="ERV1"
     repeat_region   4326..4504
                     /rpt_family="Alu"
     repeat_region   4517..4597
                     /rpt_family="L2"
     repeat_region   4613..4996
                     /rpt_family="(TGAA)n"
     repeat_region   5710..5779
                     /rpt_family="L1l"
     repeat_region   6510..6573
                     /rpt_family="MIR"
     repeat_region   6634..6937
                     /rpt_family="MaLR"
     repeat_region   7031..7083
                     /rpt_family="(GGAA)n"
     repeat_region   7095..7621
                     /rpt_family="Alu"
     repeat_region   7436..7642
                     /rpt_family="A-rich"
     repeat_region   7653..8019
                     /rpt_family="ERV1"
     repeat_region   8223..8536
                     /rpt_family="ERV1"
     repeat_region   8599..8876
                     /rpt_family="MaLR"
     repeat_region   8877..8903
                     /rpt_family="Alu"
     repeat_region   9039..9092
                     /rpt_family="Alu"
     repeat_region   9093..9259
                     /rpt_family="(TTAA)n"
     repeat_region   9260..9556
                     /rpt_family="(TTCC)n"
     repeat_region   10048..10363
                     /rpt_family="(TTTC)n"
     repeat_region   10364..10394
                     /rpt_family="Alu"
     repeat_region   10566..10725
                     /rpt_family="Alu"
     repeat_region   10729..10908
                     /rpt_family="(GA)n"
     repeat_region   10909..11207
                     /rpt_family="ERV1"
     repeat_region   11209..11470
                     /rpt_family="Alu"
     repeat_region   11638..12115
                     /rpt_family="Alu"
     repeat_region   12182..12491
                     /rpt_family="ERV1"
     repeat_region   12519..12696
                     /rpt_family="MER1_type"
     repeat_region   13006..13037
                     /rpt_family="Alu"
                     /rpt_family="MIR"
```

```
repeat_region    13038..13317    /rpt_family="AT_rich"
repeat_region    13680..13793    /rpt_family="Alu"
repeat_region    13814..14096    /rpt_family="MIR"
repeat_region    14189..15007    /rpt_family="Alu"
repeat_region    15050..15128    /rpt_family="L1"
repeat_region    15163..15527    /rpt_family="ERVL"
repeat_region    16006..16166    /rpt_family="ERVL"
repeat_region    16167..16471    /rpt_family="AcHobo"
repeat_region    16564..16613    /rpt_family="Alu"
repeat_region    17764..17911    /rpt_family="Alu"
repeat_region    17926..18141    /rpt_family="Alu"
repeat_region    18161..18681    /rpt_family="L1"
repeat_region    18902..18984    /rpt_family="MaLR"
repeat_region    19076..19203    /rpt_family="GA-rich"
repeat_region    .....           /rpt_family="L1"
```

```
Query Match             1.7%;    Score 53;  DB 8;  Length 134184;
Best Local Similarity 100.0%;    Pred. No. 1.6e-16;
Matches 53;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy   2888  TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT  2940
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  37245  TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT  37193
```

```
RESULT 27
BS000110
BS000110
LOCUS       BS000110      157686 bp    DNA     linear   PRI 12-JUN-2004
DEFINITION  Pan troglodytes chromosome 22 clone:PTB-090P24, map 22, complete
            sequences.
ACCESSION   BS000110
VERSION     BS000110.1  GI:37537377
KEYWORDS    HTG.
SOURCE      Pan troglodytes (chimpanzee)
  ORGANISM  Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1
  AUTHORS   The International Chimpanzee Chromosome 22 Consortium.
  TITLE     DNA sequence and comparative analysis of chimpanzee chromosome 22
  JOURNAL   Nature 429, 382-388 (2004)
REFERENCE   2  (bases 1 to 157686)
  AUTHORS   Hattori,M., Toyoda,A., Watanabe,H., Taylor,T.D., Kuroki,Y.,
            Fujiyama,A. and Sakaki,Y.
  TITLE     Direct Submission
  JOURNAL   Submitted (12-MAY-2003) Masahira Hattori, The Institute of Physical
            and Chemical Research (RIKEN), Genomic Sciences Center (GSC);
            1-7-22 Suehiro-chou,Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
            (E-mail:hattori@gsc.riken.go.jp, URL:http://hgp.gsc.riken.go.jp/,
            Tel:81-45-503-9111, Fax:81-45-503-9170)
COMMENT     The Chimpanzee Chromosome 22 Sequencing Consortium consists of:
            *Chinese National Human Genome Center at Shanghai, Shanghai, China;
            *GBF, Dept. of Genome Analysis, Braunschweig, Germany; *Institute
            of Molecular Biotechnology, Jena, Germany; *KRIBB Genome Research
            Center, Daejeon, Korea;
            *Max-Planck-Institute for Molecular Genetics, Berlin, Germany;
            *National Institute of Genetics, Mishima, Japan;
            *National Yang Ming University Genome Research Center, Taipei,
```

```
            Taiwan;
            *RIKEN Genomic Sciences Center, Yokohama, Japan.
            ------------------------ Genome Center
            Center: RIKEN Genomic Sciences Center
            Center code: RIKEN
            Web site: http://hgp.gsc.riken.go.jp/
            Contact: hattori@gsc.riken.go.jp
            ------------------------ Project Information
            Center project name:The Chimpanzee Chromosome 22 Sequencing Project
            Center clone name: PTB-090P24
            ------------------------ Summary Statistics
            Sequencing vector: pUC18,pUC13,PTZ19R; 100% of reads Chemistry:
            Dye-terminator Big Dye and ET; 100% of reads Assembly program:
            Phrap; version 0.990329

            This sequence was finished as follows unless otherwise noted: all
            regions were double stranded, sequenced with an alternate
            chemistry, or covered by high quality data (i.e., phred quality >=
            30);
            an attempt was made to resolve all sequencing problems, such as
            compressions and repeats; all regions were covered by at least one
            plasmid
            subclone or more than one M13 subclone;
            and the assembly was confirmed by restriction digest.

            Source information:
            The RPCI-43 chimpanzee BAC library was prepared from DNA isolated
            from the blood of a single male chimpanzee using published
            protocols (Osoegawa,K. et al. Genomics 52:1-8). The DNA from the
            chimpanzee ('Clint') was obtained from the Yerkes Primate Center in
            Atlanta. The library was prepared by Baoli Zhu, Chung Li Shu,
            Kazutoyo Osoegawa, Evan Eichler & Pieter J de Jong. The library
            characteristics are described at
            http://www.chori.org/bacpac/mchimp43.htm.
            The clone may be obtained from Pieter J. de Jong and coworkers
            (http://www.chori.org/bacpac).
            VECTOR: pBACe3.6
            The CHORI-251 chimpanzee BAC library was prepared from DNA isolated
            from the blood of a single male chimpanzee using published
            protocols (Osoegawa,K. et al. Genomics 52:1-8). The DNA from the
            chimpanzee ('Clint') was obtained from the Yerkes Primate Center in
            Atlanta. The library was prepared by Baoli Zhu, Chung Li Shu,
            Kazutoyo Osoegawa, Evan Eichler & Pieter J de Jong. The library
            characteristics are described at
            http://www.chori.org/bacpac/chimpanzee251.htm.
            The clone may be obtained from Pieter J. de Jong and coworkers
            (http://www.chori.org/bacpac).
            VECTOR: pTARBAC2.1
            The PTB1 chimpanzee BAC library was prepared from DNA isolated from
            cultured cells established from the blood of a single male
            chimpanzee.
            Clones may be obtained from Asao Fujiyama and co-workers
            (http://www.gsc.riken.go.jp).
            VECTOR: pKS145
            The PTF22 chimpanzee Fosmid library was prepared from DNA isolated
            from cultured cells established from the blood of a single male
            chimpanzee.
            Clones may be obtained from Asao Fujiyama and co-workers
            (http://www.gsc.riken.go.jp).
            VECTOR: pKS143
            Neighboring clones: RP43-150L08(left) and PTB-093K04(right).

            Sequence Quality Assessment:
            This entry has been annotated with sequence
            estimates computed by the Phrap assembly program.
            All manually edited bases have been reduced to quality zero.
            Quality levels above 40 are expected to have less than 1 error in
            10,000 bp.
FEATURES             Location/Qualifiers
     source          1..157686
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
```

```
RESULT 28
Qy        2888 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
               |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      123811 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 123863

ORIGIN
          Query Match            1.7%; Score 53; DB 8; Length 157686;
          Best Local Similarity  100.0%; Pred. No. 1.6e-16;
          Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

          /db_xref="taxon:9598"
          /chromosome="22"
          /clone="PTB-090P24"
          /clone_lib="PTB1 chimpanzee BAC"
```

```
LOCUS       AL645940              158033 bp    DNA     linear   PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone XXbac-157A10 on chromosome 6 contains
            the 3' end of the gene for a novel protein similar to major
            histocompatibility complex, class II, DP beta 2 pseudogene, a major
            histocompatibility complex, class II, DP beta 1 pseudogene, two
            putative novel transcripts, the COL11A2 gene for collagen, type XI,
            alpha 2, the RXRB gene for retinoid X receptor, beta, the HKE4 gene
            for HLA-class II region expressed gene KE4, the FABGL gene for ring
            hydroxysteroid (17-beta) dehydrogenase 8, the RING1 gene for ring
            finger protein 1, a zinger finger protein pseudogene, the RING2 gene
            specific factor 1 (HTATSF1) pseudogene, a novel transcript, the
            SACM2L gene for SAC2 suppressor of actin mutations 2-like (yeast), the
            the 5' end of the RPS18 gene for ribosomal protein S18 and six CpG
            islands, complete sequence.
ACCESSION   AL645940
VERSION     AL645940.4  GI:18564736
KEYWORDS    HTG; ARE-1; ARB1; class II region expressed gene KE4; COL11A2;
            collagen, type XI, alpha 2; CpG island; D6S115E; D6S2244E;
            D6S2245E; DFNA13; FABG; FABGL; H-2R1BP; H-2K84; H2-KE6; HIV TAT
            specific factor 1; HKE3; HKE4; HKE5; HKE6; HLA-DPB2; HSD17B8;
            HTATSF1; hydroxysteroid dehydrogenase 8; KB-3; KE3; KE4; KE6; major
            histocompatibility complex, class II; major histocompatibility
            complex, class II; DP bet; NR2B2; PARP; RCoR-1; retinoid X
            receptor, beta; ribosomal protein S18; ring finger protein 1;
            RING1; RING2; RING5; RNF1; RPS-1033810; RPS18; RXRB; SAC2; SAC2
            suppressor of actin mutations 2-like; SACM2L; STL3; TAT-SF1; zinc
            finger protein.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 158033)
  AUTHORS   Leongamornlert,D.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Feb 6, 2002 this sequence version replaced gi:18070925.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Emi; EMBL; Swi; SWISSPROT; Tri; TREMBL; Wp:; WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep XXbac-157A10 is
            from a CHORI-501 human bac - PGF cell line library VECTOR:
            pTARBAC2.1
            This sequence was generated from part of bacterial clone contigs
            constructed by the MHC Haplotype Consortium and collaborators.
            Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr6/MHC
            ------------------ Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
            ------------------
```

```
FEATURES             Location/Qualifiers
     source          1..158033
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="XXbac-157A10"
                     /clone_lib="CHORI-501"
     misc_feature    2000
                     /note="Clone_right_end: XXbac-138A21"
     gene            join(AL645931.7:120452..120551,AL645931.7:124893..124899,
                     2001..2257,12865..13125,13671..13793,14102..14143)
                     /locus_tag="XXbac-BPG157A10.5-001"
                     /pseudo
     CDS             join(AL645931.7:120452..120551,AL645931.7:124893..124899,
                     2001..2257,12865..13125,13671..13793,14102..14143)
                     /locus_tag="XXbac-BPG157A10.5-001"
                     /note="match: proteins: O19702 P01916 P13763 Q30166 Q31163
                     Q31633 Q95HC1 Q95IH2"
                     /pseudo
                     /codon_start=1
                     /product="major histocompatibility complex, class II, DP
                     beta 2 (pseudogene)"
     gene            join(AL645931.7:120387..120551,AL645931.7:124893..124899,
                     2001..2257,3428..4186)
                     /locus_tag="XXbac-BPG157A10.4-001"
     mRNA            join(AL645931.7:120387..120551,AL645931.7:124893..124899,
                     2001..2257,3428..4186)
                     /locus_tag="XXbac-BPG157A10.4-001"
                     /note="match: ESTs: Em:AI971689.1 BG534679.1"
     CDS             join(2920..29983,32252..32789)
                     /locus_tag="XXbac-BPG157A10.4-001"
                     /note="match: cDNAs: BC017967.1"
                     /complement(16239..16389)
                     /pseudo
                     /locus_tag="XXbac-BPG157A10.3-001"
                     /note="match: proteins: P20036 Q8SP47 Q9TPX3 Q9XS10"
                     /pseudo
                     /codon_start=1
     gene            complement(16239..16389)
                     /locus_tag="XXbac-BPG157A10.3-001"
                     /pseudo
     mRNA            complement(16239..16389)
                     /locus_tag="XXbac-BPG157A10.3-001"
                     /note="match: ESTs: BG033647.1"
     gene            complement(47731..77536)
                     /gene="COL11A2"
                     /locus_tag="XXbac-BPG157A10.2-001"
     mRNA            complement(join(47731..48129,48779..48855,49304..49510,
                     49889..50001,50586,50853,50968,51021,51208,51243,
                     51550..51603,51757,51864,52107,52160,52303,52354,
                     52463..52570,52836,52889,53556,53609,53743,53796,
                     53992..54045,54420,54527,54680,54921,55084,55137,
                     55363..55416,55594,55647,55847,55954,56151,56204,
                     56308..56361,56504,56611,56750,56857,57087,57140,
                     57326..57415,57567,57715,57997,58097,58150,58385,58438,
                     58539..58592,58738,58782,58910,58963,59048,59092,
                     59202..59225,59564,59617,60611,60718,61053,61106,
                     61296..61340,61470,61523,61758,61802,62029,62082,
                     62218..62262,62449,62502,62699,62752,63222,63296,
                     63345..63389,63472,63525,63716,63769,63957,64010,
                     64110..64163,64268,64463,64468,64524,64756,64842,
                     65295..65369,65705,65767,66001,66042,66148,66207,
                     70029..70091,71664,71855,73399,73561,74015,74225,
                     74357..74506,77196..77536))
```

Query Match   1.7%;   Score 53;   DB 8;   Length 158033;

```
gene
          complement(join(78625..79866,79982..80087,80400..80491,
          80607..80739,80944..81073,81471..81643,82799..82978,
          83345..83501,84206..84453,85279..85699))
          /gene="COL11A2"
          /locus_tag="XXbac-BPG157A10.2-001"
gene
          /gene="COL11A2"
          /locus_tag="XXbac-BPG157A10.2-001"
          /standard_name="OTTHUMP00000029040"
          /note="match: proteins: AAC17465 P13942 Q64739"
          /codon_start=1
          /product="collagen type XI alpha 2"
          /protein_id="CAI18063.1"
          /db_xref="GI:55961281"
          /db_xref="GOA:Q5SUI8"
          /db_xref="InterPro:IPR000885"
          /db_xref="InterPro:IPR001791"
          /db_xref="InterPro:IPR003129"
          /db_xref="InterPro:IPR008160"
          /db_xref="InterPro:IPR008161"
          /db_xref="UniProt/TrEMBL:Q5SUI8"
```

(translation and match data omitted)

```
            Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeAvellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Iley,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Larocque,K., Lamazares,R.,
            Landers,T., Lehoczky,J., Levine,R., Liu,G., MacLean,C.,
            Macdonald,P., Major,J., Marquis,N., Matthews,C., McCarthy,M.,
            McEwan,P., McKernan,K., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,M., Phunkhang,P., Pierre,N., Pollara,V., Raymond,C.,
            Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J.,
            Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S.,
            Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travis,N., Trigilio,J., Vassilev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (20-FEB-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
  COMMENT   On Feb 20, 2002 this sequence version replaced gi:18693515.
            All repeats were identified using RepeatMasker:
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            --------------------------------------------------------------
            Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            --------------------------------------------------------------
            -- Project Information
            Center project name: L6420
            Center clone name: 210_K_20
            --------------------------------------------------------------
FEATURES             Location/Qualifiers
     source          1..171051
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="18"
                     /map="18"
                     /clone="RP11-210K20"
                     /clone_lib="RPCI-11 Human Male BAC"
     repeat_region   1..176
                     /rpt_family="MIR"
     repeat_region   223..251
                     /rpt_family="(TG)n"
     repeat_region   537..643
                     /rpt_family="MER5A"
     repeat_region   1820..2239
                     /rpt_family="L1MA7"
     repeat_region   2240..2530
                     /rpt_family="AluJb"
     repeat_region   2531..4997
                     /rpt_family="L1MA7"
     repeat_region   4998..5294
                     /rpt_family="AluYa5"
     repeat_region   5295..5770
                     /rpt_family="AluSg"
     repeat_region   complement(5840..5966)
                     /rpt_family="FLAM_C"
     repeat_region   7146..7178
                     /rpt_family="AT_rich"
     repeat_region   7335..7362
                     /rpt_family="(TTTA)n"
     repeat_region   complement(7365..7646)
                     /rpt_family="AluJo"
     repeat_region   complement(7678..7966)
                     /rpt_family="AluSx"
     repeat_region   8635..9181

            repeat_region   /rpt_family="LTR10A"
                            complement(9652..9786)
                            /rpt_family="MER5B"
            repeat_region   complement(9842..10444)
                            /rpt_family="LTR9B"
            repeat_region   complement(10448..10690)
                            /rpt_family="HUERS-P3"
            repeat_region   10727..11026
                            /rpt_family="AluSx"
            repeat_region   complement(11319..11430)
                            /rpt_family="LTR9B-int"
            repeat_region   complement(11427..12609)
                            /rpt_family="LTR9B-int"
            repeat_region   12610..12919
                            /rpt_family="AluSp"
            repeat_region   complement(12920..13216)
                            /rpt_family="LTR9B-int"
            repeat_region   13217..13527
                            /rpt_family="AluSq"
            repeat_region   complement(13528..13969)
                            /rpt_family="LTR9B-int"
            repeat_region   complement(13972..14575)
                            /rpt_family="LTR9B"
            repeat_region   14583..15192
                            /rpt_family="MER4B"
            repeat_region   complement(15330..15674)
                            /rpt_family="MER21B"
            repeat_region   complement(15675..15989)
                            /rpt_family="AluJo"
            repeat_region   complement(15990..16412)
                            /rpt_family="MER21B"
            repeat_region   complement(16412..16531)
                            /rpt_family="MER21B"
            repeat_region   complement(17688..19067)
                            /rpt_family="L1P"
            repeat_region   19061..19138
                            /rpt_family="L1PA13"
            repeat_region   19139..19201
                            /rpt_family="L1PA13"
            repeat_region   19202..19483
                            /rpt_family="L1PA13"
            repeat_region   19484..19982
                            /rpt_family="AluSq"
            repeat_region   complement(21669..22281)
                            /rpt_family="L1MA8"
            repeat_region   complement(22282..22696)
                            /rpt_family="Tigger2a"
            repeat_region   22697..22886
                            /rpt_family="L1MA8"
            repeat_region   22888..22908
                            /rpt_family="AT_rich"
            repeat_region   complement(23103..23255)
                            /rpt_family="MER10"
            repeat_region   23290..23427
                            /rpt_family="(TA)n"
            repeat_region   complement(23697..24076)
                            /rpt_family="MSTC"
            repeat_region   complement(25025..25187)
                            /rpt_family="MIR"
            repeat_region   complement(25208..25502)
                            /rpt_family="AluSg"
            repeat_region   25814..25847
                            /rpt_family="(TTTA)n"
            repeat_region   complement(26782..27105)
                            /rpt_family="L1PA13"
```

```
Query Match             1.7%;  Score 53;  DB 8;  Length 171051;
Best Local Similarity   100.0%;  Pred. No. 1.6e-16;
Matches    53;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy        2888 TGAGGCAGGTGGATCACCTTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
               |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       90385 TGAGGCAGGTGGATCACCTTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 90437
```

```
RESULT 30
LOCUS       HS1033B10/c
LOCUS       HS1033B10          175737 bp    DNA     linear   PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone RP5-1033B10 on chromosome
            6p21.2-21.31 Contains the 3' end of the C6ORF11 gene for chromosome
            6 open reading frame 11 (BING4), the B3GALT4 gene for
            UDP-Gal:betaGlcNAc beta 1,3-galactosyltransferase polypeptide 4
            (Gal74,Gal-T2,beta3GalT4,beta3Gal-T4), the RPS18 gene for 40S
            ribosomal protein S18 (KE3,HKE3,KE-3), the SACM2L gene for SAC2
            suppressor of actin mutations 2-like
            (yeast)(ARE1,SAC2,ARE-1,RP5-1033B10), a pseudogene similar to part
            of HTATSF1 (HIV TAT specific factor 1), the RING1 gene for ring
            finger protein 1 (RNF1), the HSD17B8 gene for hydroxysteroid
            (17-beta) dehydrogenase 8
            (KE6,FABG,HKE6,FABGL,RING2,H2-KE6,D6S2245E), three novel zinc
            finger genes and seven CpG islands, complete sequence.
            class II region protein KE4 (KE4,RING5,H2-KE4,D6S115E,D6S2244E),
            the RXRB gene for retinoid X receptor beta (NR2B2,RCOR-1,H-2RIIBP),
            the COL11A2 gene for collagen type XI alpha 2
            (HKE5,PARP,STL3,DFNA13), an HLA class II histocompatibility antigen
            D or S beta pseudogene,the gene for a novel protein similar to
            major histocompatibility complex class II DP beta 1 precursor,
            three novel genes and seven CpG islands, complete sequence.
ACCESSION   AL031228
VERSION     AL031228.1  GI:3646023
KEYWORDS    HTG; 2RIIBP; ARE-1; ARE1; B3GALT4; beta3GALT4; beta3Gal-T4; BING4;
            C6ORF11; COL11A2; collagen; CpG island; D6S115E; D6S2244E;
            D6S2245E; DFNA13; FABG; FABGL; Gal74; Gal_T2; H2-KE4; H2-KE6; HKE3;
            HKE4; HKE5; HKE6; HLA_DPB1; HSD17B8; HTATSF1; KE-3; KE3; KE4; KE6;
            NR2B2; PARP; RCOR-1; retinoid X receptor beta; ribosomal protein;
            ring finger; RING1; RING2; RING5; RNF1; RPS18; RXRB; SAC2; SACM2L;
            STL3.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 175737)
AUTHORS     Tubby,B.
TITLE       Direct Submission
JOURNAL     Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Sep 24, 1998 this sequence version replaced gi:3550015.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 6, constructed by the Sanger Centre Chromosome 6 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr6
            RP5-1033B10 is from the library RPCI-5 constructed by the group of
            Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
VECTOR: pCYPAC2
            ------------------------
            Center: Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
            ------------------------
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..175737
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="R2PD:RPCIP704B101033"
                     /db_xref="taxon:9606"
                     /map="p21.2-21.31"
                     /clone="RP5-1033B10"
                     /clone_lib="RPCI-5"
                     /chromosome="6"
     gene            join(297184.1:31787. .31978,Z97184.1:320067. .32276,
                     Z97184.1:32286. .32466,297184.1:32610. .32722,
                     Z97184.1:32845. .32932,297184.1:33054. .33115,
                     Z97184.1:33362. .33466,297184.1:33575. .33725,
                     Z97184.1:33854. .33989,297184.1:34186. .34285,5240. .5553,
                     5705. .5799,6368. .6463,6617. .6730,6853. .7119)
                     /gene="C6orf11"
                     /locus_tag="RP5-1033B10.11-001"
     mRNA            join(297184.1:31787. .31978,Z97184.1:320067. .32276,
                     Z97184.1:32286. .32466,297184.1:32610. .32722,
                     Z97184.1:32845. .32932,297184.1:33054. .33115,
                     Z97184.1:33362. .33466,297184.1:33575. .33725,
                     Z97184.1:33854. .33989,297184.1:34186. .34285,5240. .5553,
                     5705. .5799,6368. .6463,6617. .6730,6853. .7119)
                     /gene="C6orf11"
                     /locus_tag="RP5-1033B10.11-001"
                     /product="chromosome 6 open reading frame 11"
                     /note="match: ESTs: Em:AA118452.1 AA156666.1 AA185515.1
                     AI225748.1 AI538411.1 AI565175.1 AI670118.1 AI745012.1
                     AI745013.1 AI828707.1 AI867295.1 AI968094.1 AI990969.1
                     AL525165.1 AL262444.1 AL277886.1 AL545883.1 AL552103.1
                     AL554794.1 AL556378.1 AL556379.1 AL557009.1 AL558638.1
                     AL561268.1 AL571437.1 AL575523.1 AL577919.1 AL577940.1
                     AL579741.1 AL580412.1 AL581355.1 AL582543.1 AL582963.1
                     AL583014.1 AL602879.1 AL708305.1 AV605813.1 AV611266.1
                     AV611267.1 AW192492.1 AW250879.1 AW307819.1 AW416899.1
                     AW445475.1 AW515224.1 BE234338.1 BE243016.1 BE254736.1
                     BE388763.1 BE407443.1 BE535575.1 BE617010.1 BE619296.1
                     BE622746.1 BE676236.1 BE797604.1 BE888869.1 BE890194.1
                     BE890448.1 BE892221.1 BF667332.2 BF035791.1 BF182424.1
                     BF236106.1 BF312238.1 BF312319.1 BF333570.1 BF345554.1
                     BF584138.1 BF781258.1 BF885575.1 BF971752.1 BF974816.1
                     BG008501.1 BG010013.1 BG034349.1 BG115980.1 BG119460.1
                     BG250855.1 BG283791.1 BG476159.1 BG491447.1 BG491645.1
                     BG491994.1 BG684964.1 BG690303.1 BG702426.1 BG752850.1
                     BG756009.1 BG765705.1 BG766137.1 BG752929.1 BG751976.1
                     BI338173.1 BI345792.1 BI415032.1 BI524736.1 BI562558.1
                     BI604022.1 BI759414.1 BI771500.1 BI828412.1 BI909253.1
                     BI910702.1 BM002299.1 BM007199.1 BM006001.1 BM010702.1
                     BM410347.1 BM471921.1 BM475369.1 BM510626.1 BM560608.1
                     BM920979.1 BM923020.1 BM923858.1 BM970926.1 BO005630.1
                     BO014292.1 BO060007.1 BQ011145.1 BQ062625.1 BO068243.1
                     BO073118.1 BO436175.1 H09206.1 H52171.1 H52575.1 T970040.1
                     match: cDNAs: BC000388.1 BC013527.1 BC026431.1"
                     /gene="C6orf11"
                     /locus_tag="RP5-1033B10.11-001"
                     /standard_name="OTTHUMP00000017904"
     CDS             join(297184.1:31910. .31978,Z97184.1:32067. .32276,
                     Z97184.1:32286. .32466,297184.1:32610. .32722,
                     Z97184.1:32845. .32932,297184.1:33054. .33115,
                     Z97184.1:33362. .33466,297184.1:33575. .33725,
                     Z97184.1:33854. .33989,297184.1:34186. .34285,5240. .5553,
                     5705. .5799,6368. .6463,6617. .6730,6853. .6951)
                     /gene="C6orf11"
                     /locus_tag="RP5-1033B10.11-001"
                     /codon_start=1
                     /product="chromosome 6 open reading frame 11"
                     /protein_id="CAA20229.1"
                     /db_xref="GI:3820978"
                     /translation="METAPKPGKDVPPKKDKLQTKRKKPRRYWEEETVPTTAGASPGP
                     PRNKKRRELRPQRPKNAYILKSRISKKPQVPKKPREWKNPESQRGLSGAQDFPGPA
                     PVPEVVQKFCRIDKSRKLPHSKATHSRLEVAEAEESETSIKAARSBLLLAEEPGFL
                     EGEDGEDTAKICQADIVEAVDIASAAKHFDLNIRQFGPYRLNYSRTGRHLAFGGRRGH
                     VAALDWVTKKLMCEINVMEAVRDIRFLHSEALLAVAAQANRWLHIYDNGGIELHCIRRCD
                     RVTRLEFLPFHLLATASETGFLTYLDVSVGRKIVAALNARAGRLDVMSQPYNAVIHL
                     GHSNGTVSLWSPAMKERPLAKILCHRGGVRAVAVDSTGTYMATSGLDHQLKIFDLRGTY
                     QPLSTRTLPHGAGHLAFSQRGLLVAGMGDVVNIWAGGGKASPSLEQYLTHRLSGPV"
```

ACCESSION   AC021102
DEFINITION   Homo sapiens chromosome 17 clone RP11-129G15, WORKING DRAFT
             SEQUENCE, 25 unordered pieces.
LOCUS   AC021102   179462 bp   DNA   linear   HTG 07-JUL-2000
RESULT 31
Db   47829 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 47777
                   |||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940

Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Best Local Similarity 100.0%; Pred. No. 1.6e-16;
Query Match 1.7%; Score 53; DB 8; Length 175737;

polyA_site   /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-006"
                 7122
polyA_site   /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-006"
                 7119
polyA_site   /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-006"
                 7111
polyA_signal   /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-006"
                 7094..7099
mRNA   join(5374..5553,5705..5799,6368..6463,6617..7122)
                 /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-006"
                 /note="match: ESTs: AA599154.1 AA627958.1 AI204504.1
                 AI524223.1 AW193506.1 AW294189.1 BE504644.1 BE617532.1
                 H07040.1 R39981.1 R40596.1"
                 /product="chromosome 6 open reading frame 11"
gene   join(5374..5553,5705..5799,6368..6463,6617..7122)
                 /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-006"
mRNA   join(5316..5412,5705..5799,6368..6463,6617..6730,
                 6853..7119)
                 /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-007"
                 /note="match: ESTs: BF476741.1"
                 /product="chromosome 6 open reading frame 11"
gene   join(5316..5412,5705..5799,6368..6463,6617..6730,
                 6853..7119)
                 /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-007"
mRNA   join(Z97184.1:31873..31978,Z97184.1:32067..32188,
                 Z97184.1:33575..33725,Z97184.1:33854..33989,
                 Z97184.1:34186..34285,5240..5519)
                 /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-004"
                 /note="match: ESTs: BG470714.1"
                 /product="chromosome 6 open reading frame 11"
gene   join(Z97184.1:31873..31978,Z97184.1:32067..32188,
                 Z97184.1:33575..33725,Z97184.1:33854..33989,
                 Z97184.1:34186..34285,5240..5519)
                 /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-004"
mRNA   join(Z97184.1:31873..31978,Z97184.1:33067..32188,
                 Z97184.1:33575..33725,Z97184.1:33854..33989,
                 Z97184.1:34186..34285,5240..5519)
                 /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-002"
                 /note="match: ESTs: BE164701.1 BE667540.1 BG697282.1
                 BG912913.1"
                 /product="chromosome 6 open reading frame 11"
gene   join(Z97184.1:31873..31978,Z97184.1:32067..32188,
                 Z97184.1:33575..33725,Z97184.1:33854..33989,
                 Z97184.1:34186..34285,5240..5519)
                 /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-002"
mRNA   join(Z97184.1:33855..33989,Z97184.1:34186..34285,
                 5799,6368..6463,6617..6730,6853..6912)
                 /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-002"
gene   join(Z97184.1:33855..33989,Z97184.1:34186..34285,
                 5240..5799,6368..6463,6617..6730,6853..6912)
                 /gene="C6orf11"
                 /locus_tag="RP5-1033B10.11-002"

HGLQCPFPEDVLGVGHTGGTTSMLVPGAGEPNFDGLESNPYRSRKRQREWEVKALLEK
VPAELICLDPRALAEWDVISLEQGKKEQIERLGYDPQAKAFQPKPKQKGRSSTASLV
KRKRKVMDEEHRDKVRQSLQQQHHKEAKAKPTGARFSALDRFVR".

REFERENCE   2 (bases 1 to 179462)
  AUTHORS   Waterston,R.H.
  TITLE   Direct Submission
  JOURNAL   Submitted (14-JAN-2000) Genome Sequencing Center, Washington
             University School of Medicine, 4444 Forest Park Parkway, St. Louis,
             MO 63108, USA
REFERENCE   1 (bases 1 to 179462)
  AUTHORS   Waterston,R.H.
  TITLE   The sequence of Homo sapiens clone
  JOURNAL   Unpublished
SOURCE   Homo sapiens
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT.
VERSION   AC021102.3 GI:8567961

1	1892:	contig of 1892 bp in length	
1893	1992:	gap of unknown length	
1993	4343:	contig of 2351 bp in length	
4344	4443:	gap of unknown length	
4444	6559:	contig of 2116 bp in length	
6560	6659:	gap of unknown length	
6660	10517:	contig of 3858 bp in length	
10518	10617:	gap of unknown length	
10618	14073:	contig of 3456 bp in length	
14074	14173:	gap of unknown length	
14174	16899:	contig of 2726 bp in length	
16900	16999:	gap of unknown length	
17000	20655:	contig of 3656 bp in length	
20656	20755:	gap of unknown length	
20756	24533:	contig of 3778 bp in length	
24534	24633:	gap of unknown length	
24634	27750:	contig of 3117 bp in length	
27751	27850:	gap of unknown length	
27851	29522:	contig of 1672 bp in length	
29523	29622:	gap of unknown length	
29623	33750:	contig of 4128 bp in length	
33751	33850:	gap of unknown length	
33851	37904:	contig of 4054 bp in length	
37905	38004:	gap of unknown length	
38005	43241:	contig of 5237 bp in length	
43242	43341:	gap of unknown length	

```
FEATURES             Location/Qualifiers
     source          1..179462
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /clone="RP11-129G15"
     misc_feature    1..1892
                     /note="assembly_name:Contig11"
     gap             1893..1992
                     /estimated_length=unknown
     misc_feature    1993..4343
                     /note="assembly_name:Contig12"
     gap             4344..4443
                     /estimated_length=unknown
     misc_feature    4444..6559
                     /note="assembly_name:Contig13"
     gap             6560..6659
                     /estimated_length=unknown
     misc_feature    6660..10517
                     /note="assembly_name:Contig14"
     gap             10518..10617
                     /estimated_length=unknown
     misc_feature    10618..14073
                     /note="assembly_name:Contig15"
     gap             14074..14173
                     /estimated_length=unknown
     misc_feature    14174..16699
                     /note="assembly_name:Contig16"
     gap             16900..16999
                     /estimated_length=unknown
     misc_feature    17000..20655
                     /note="assembly_name:Contig17"
     gap             20656..20755
                     /estimated_length=unknown
     misc_feature    20756..24533
                     /note="assembly_name:Contig18"
     gap             24534..24633
                     /estimated_length=unknown
     misc_feature    24634..27750
                     /note="assembly_name:Contig19"
     gap             27751..27850
                     /estimated_length=unknown
     misc_feature    27851..29522
                     /note="assembly_name:Contig20"
                     /clone_end:SP6
                     /vector_side:left"
     gap             29523..29622
                     /estimated_length=unknown
     misc_feature    29623..33750

 *   43342   50634:  contig of 7293 bp in length
 *   50635   50734:  gap of unknown length
 *   50735   59411:  contig of 8677 bp in length
 *   59412   59511:  gap of unknown length
 *   59512   68503:  contig of 8992 bp in length
 *   68504   68603:  gap of unknown length
 *   68604   79177:  contig of 10574 bp in length
 *   79178   79277:  gap of unknown length
 *   79278   86283:  contig of 7006 bp in length
 *   86284   86383:  gap of unknown length
 *   86384   96915:  contig of 10532 bp in length
 *   96916   97015:  gap of unknown length
 *   97016  107357:  contig of 10342 bp in length
 *  107358  107457:  gap of unknown length
 *  107458  119546:  contig of 12089 bp in length
 *  119547  119646:  gap of unknown length
 *  119647  134223:  contig of 14577 bp in length
 *  134224  134323:  gap of unknown length
 *  134324  147018:  contig of 12695 bp in length
 *  147019  147118:  gap of unknown length
 *  147119  160737:  contig of 13619 bp in length
 *  160738  160837:  gap of unknown length
 *  160838  179462:  contig of 18625 bp in length.
```

```
     gap             /note="assembly_name:Contig21"
                     33751..33850
                     /estimated_length=unknown
     misc_feature    33851..37504
                     /note="assembly_name:Contig22"
                     vector_side:right"
                     clone_end:T7
     gap             37905..38004
                     /estimated_length=unknown
     misc_feature    38005..43241
                     /note="assembly_name:Contig23"
     gap             43242..43341
                     /estimated_length=unknown
     misc_feature    43342..50634
                     /note="assembly_name:Contig24"
     gap             50635..50734
                     /estimated_length=unknown
     misc_feature    50735..59411
                     /note="assembly_name:Contig25"
     gap             59412..59511
                     /estimated_length=unknown
     misc_feature    59512..68503
                     /note="assembly_name:Contig26"
     gap             68504..68603
                     /estimated_length=unknown
     misc_feature    68604..79177
                     /note="assembly_name:Contig27"
     gap             79178..79277
                     /estimated_length=unknown
     misc_feature    79278..86283
                     /note="assembly_name:Contig28"
     gap             86284..86383
                     /estimated_length=unknown
     misc_feature    86384..96915
                     /note="assembly_name:Contig29"
     gap             96916..97015
                     /estimated_length=unknown
     misc_feature    97016..107357
                     /note="assembly_name:Contig30"
     gap             107358..107457
                     /estimated_length=unknown
     misc_feature    107458..119546
                     /note="assembly_name:Contig31"
     gap             119547..119646
                     /estimated_length=unknown
     misc_feature    119647..134223
                     /note="assembly_name:Contig32"
     gap             134224..134323
                     /estimated_length=unknown
     misc_feature    134324..147018
```

```
RESULT 32
AC007332
LOCUS       AC007332           185000 bp    DNA     linear   HTG 14-DEC-1999
DEFINITION  Homo sapiens chromosome 4, *** SEQUENCING IN PROGRESS ***, 14
            unordered pieces.
ACCESSION   AC007332
VERSION     AC007332.11  GI:6573831
KEYWORDS    HTG; HTGS_PHASE1.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.

Query Match             1.7%;  Score 53;  DB 14;  Length 179462;
Best Local Similarity   100.0%;  Pred. No. 1.6e-16;
Matches   53;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy       2888 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      74903 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 74955
```

REFERENCE   1 (bases 1 to 185000)
AUTHORS   Stone,N.E., Schmutz,J.J., Cox,D.R. and Myers,R.M.
TITLE   Direct Submission
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 185000)
AUTHORS   Stone,N.E., Schmutz,J.J., Cox,D.R. and Myers,R.M.
TITLE   Direct Submission
JOURNAL   Submitted (20-APR-1999) Department of Genetics, Stanford Human
            Genome Center, 855 California Avenue, Palo Alto, CA 94304, USA
COMMENT   On Dec 14, 1999 this sequence version replaced gi:6137906.
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 14 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
FEATURES   Location/Qualifiers
     source   1..185000
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="4"
            1   1233: contig of 1233 bp in length
     gap   1234..1994
                     /estimated_length=unknown
            1995   3971: gap of 1977 bp in length
     gap   3972..4732
                     /estimated_length=unknown
            4733   6959: contig of 2227 bp in length
     gap   6960..7720
                     /estimated_length=unknown
            7721   9753: contig of 2033 bp in length
     gap   9754..10514
                     /estimated_length=unknown
            10515   12313: contig of 1799 bp in length
     gap   12314..13074
                     /estimated_length=unknown
            13075   15817: contig of 2743 bp in length
     gap   15818..16578
                     /estimated_length=unknown
            16579   21924: contig of 5346 bp in length
     gap   21925..22685
                     /estimated_length=unknown
            22686   27521: contig of 4836 bp in length
     gap   27522..28282
                     /estimated_length=unknown
            28283   33545: contig of 5263 bp in length
     gap   33546..34306
                     /estimated_length=unknown
            34307   51372: contig of 17066 bp in length
     gap   51373..52133
                     /estimated_length=unknown
            52134   73810: contig of 21677 bp in length
     gap   73811..74570
                     /estimated_length=unknown
            74571   101382: contig of 26812 bp in length
     gap   101383..102142
                     /estimated_length=unknown
            102143 143256: contig of 41114 bp in length
     gap   143257..144016
                     /estimated_length=unknown
            144017 185000: contig of 40984 bp in length
     gap   185000: contig of 40984 bp in length.

ORIGIN

Qy   Query Match   1.7%; Score 53; DB 14; Length 185000;
     Best Local Similarity 100.0%; Pred. No. 1.6e-16;
     Matches   53; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Db   2888   TGAGGCAGGTGGGATCACCTGAGGTCAGGAGTTCGAGACCAGCCTGGCCAACAT   2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
     168527 TGAGGCAGGTGGGATCACCTGAGGTCAGGAGTTCGAGACCAGCCTGGCCAACAT   168579

RESULT 33
LOCUS   AP001333   189181 bp   DNA   linear   HTG 13-JUL-2000
DEFINITION Homo sapiens chromosome 18 clone RP11-675J18 map 18q12, WORKING
            DRAFT SEQUENCE, 25 unordered pieces.
ACCESSION   AP001333
VERSION   AP001333.3 GI:9186910
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 189181)
AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Taylor,T.D., Hong-Seog,P.,
            Fujiyama,A., Yada,T., Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE   Homo sapiens 189,181 genomic DNA of 18q12
JOURNAL   Published Only in DataBase (2000)
REFERENCE   2 (bases 1 to 189181)
AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Taylor,T.D., Hong-Seog P.,
            Fujiyama,A., Yada,T., Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE   Direct Submission
JOURNAL   Submitted (02-MAR-2000) Masahira Hattori, The Institute of Physical
            and Chemical Research (RIKEN), Genomic Sciences Center (GSC);
            1-1-5-1 Kitasato, Sagamihara, Kanagawa 228-8555, Japan
            (E-mail:hattori@gsc.riken.go.jp, URL:http://hgp.gsc.riken.go.jp/,
            Tel:81-42-778-9923, Fax:81-42-778-9924)
COMMENT   On Jul 14, 2000 this sequence version replaced gi:8117256.
            Center: RIKEN Genomic Sciences Center(GSC)
            Center code: RIKEN
            Web site: http://hgp.gsc.riken.go.jp/
            Contact: hattori@gsc.riken.go.jp
            Center project name: HumDraft18
            Center clone name: RP11-675J18
            -------------------- Summary Statistics
            Sequencing vector: PCR products; 100% of reads
            Chemistry: Dye-terminator ET-amersham; 100% of reads Assembly
            program: Phrap; version 0.990329
            Consensus quality: 181064 bases at least Q40
            Consensus quality: 183725 bases at least Q30
            Consensus quality: 185304 bases at least Q20
            Insert size: 186781; sum-of-contigs
            Quality coverage: 9.17x in Q20 bases; sum-of-contigs
            NOTE: This is a 'working draft' sequence. It currently consists of
            25 contigs. The true order of the pieces is not known and their
            order in this sequence record is arbitrary. Gaps between the
            contigs are represented as runs of N, but the exact sizes of the gaps
            are unknown. This record will be updated with the finished sequence
            as soon as it is available and the accession number will be
            preserved.
            1   37335: contig of 37335 bp in length
            37336   37436: contig of 29951 bp in length
            37436   67386: contig of 29951 bp in length
            67487   90245: contig of 22759 bp in length
            90346   100199: contig of 9854 bp in length
            100300 108800: contig of 8501 bp in length

```
108901 117127 contig of 8227 bp in length
117228 124504 contig of 7277 bp in length
124605 132198 contig of 7594 bp in length
132299 138051 contig of 5753 bp in length
138152 144498 contig of 6347 bp in length
144599 150308 contig of 5710 bp in length
150409 154983 contig of 4575 bp in length
155084 158506 contig of 3423 bp in length
158607 162373 contig of 3767 bp in length
162474 164257 contig of 1784 bp in length
164358 167268 contig of 2911 bp in length
167369 171012 contig of 3644 bp in length
171113 174768 contig of 3656 bp in length
174869 177195 contig of 2327 bp in length
177296 179508 contig of 2213 bp in length
179609 181405 contig of 1797 bp in length
181506 184223 contig of 2718 bp in length
184324 185884 contig of 1561 bp in length
185985 187859 contig of 1875 bp in length
187960 189181 contig of 1222 bp in length.
```

```
* NOTE: This is a 'working draft' sequence. It currently
*    consists of 25 contigs. The true order of the pieces
*    is not known and their order in this sequence record is
*    arbitrary. Gaps between the contigs are represented as
*    runs of N, but the exact sizes of the gaps are unknown.
*    This record will be updated with the finished sequence
*    as soon as it is available and the accession number will
*    be preserved.
```

```
1      37335 contig of 37335 bp in length
37336  37435 gap of 100 bp
37436  67386 contig of 29951 bp in length
67487  90245 contig of 22759 bp in length
90246  90345 gap of 100 bp
90346  100199 contig of 9854 bp in length
100300 100200 gap of 100 bp
100300 108800 contig of 8501 bp in length
108801 108900 gap of 100 bp
108901 117127 contig of 8227 bp in length
117128 117227 gap of 100 bp
117228 124504 contig of 7277 bp in length
124505 124604 gap of 100 bp
124605 132198 contig of 7594 bp in length
132199 132298 gap of 100 bp
132299 138051 contig of 5753 bp in length
138052 138151 gap of 100 bp
138152 144498 contig of 6347 bp in length
144499 144598 gap of 100 bp
144599 150308 contig of 5710 bp in length
150309 150408 gap of 100 bp
150409 154983 contig of 4575 bp in length
154984 155083 gap of 100 bp
155084 158506 contig of 3423 bp in length
158507 158606 gap of 100 bp
158607 162373 contig of 3767 bp in length
162374 162473 gap of 100 bp
162474 164257 contig of 1784 bp in length
164258 164357 gap of 100 bp
164358 167268 contig of 2911 bp in length
167269 167368 gap of 100 bp
167369 171012 contig of 3644 bp in length
171013 171112 gap of 100 bp
171113 174768 contig of 3656 bp in length
174769 174868 gap of 100 bp
174869 177195 contig of 2327 bp in length
177196 177295 gap of 100 bp
177296 179508 contig of 2213 bp in length
179509 179608 gap of 100 bp
179609 181405 contig of 1797 bp in length
181406 181505 gap of 100 bp
181506 184223 contig of 2718 bp in length
184224 184323 gap of 100 bp
184324 185884 contig of 1561 bp in length
```

```
FEATURES             Location/Qualifiers
     source          1..189181
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="18"
                     /map="18q12"
                     /clone="RP11-675S18"
     misc_feature    1..37335
                     /note="assembly_fragment clone_end:T7 vector_side:left"
     misc_feature    37436..67386
                     /note="assembly_fragment"
     misc_feature    67487..90245
                     /note="assembly_fragment"
     misc_feature    90346..100199
                     /note="assembly_fragment"
     misc_feature    100300..108800
                     /note="assembly_fragment"
     misc_feature    108901..117127
                     /note="assembly_fragment"
     misc_feature    117228..124504
                     /note="assembly_fragment"
     misc_feature    124605..132198
                     /note="assembly_fragment"
     misc_feature    132299..138051
                     /note="assembly_fragment"
     misc_feature    138152..144498
                     /note="assembly_fragment"
     misc_feature    144599..150308
                     /note="assembly_fragment"
     misc_feature    150409..154983
                     /note="assembly_fragment"
     misc_feature    155084..158506
                     /note="assembly_fragment"
     misc_feature    158607..162373
                     /note="assembly_fragment"
     misc_feature    162474..164257
                     /note="assembly_fragment"
     misc_feature    164358..167268
                     /note="assembly_fragment"
     misc_feature    167369..171012
                     /note="assembly_fragment"
     misc_feature    171113..174768
                     /note="assembly_fragment"
     misc_feature    174869..177195
                     /note="assembly_fragment"
     misc_feature    177296..179508
                     /note="assembly_fragment"
     misc_feature    179609..181405
                     /note="assembly_fragment"
     misc_feature    181506..184223
                     /note="assembly_fragment"
     misc_feature    184324..185884
                     /note="assembly_fragment"
     misc_feature    185985..187859
                     /note="assembly_fragment"
     misc_feature    187960..189181
                     /note="assembly_fragment"
ORIGIN
```

```
Query Match             1.7%;    Score 53;  DB 14;  Length 189181;
Best Local Similarity   100.0%;  Pred. No. 1.6e-16;
Matches    53;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy        2888 TGAGGCAGGTGGATCAACCTGAGGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
               |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      137657 TGAGGCAGGTGGATCAACCTGAGGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 137709
```

RESULT 34

LOCUS   AC120502   190092 bp   DNA   linear   HTG 07-MAY-2002
DEFINITION Lemur catta clone LB2-287D5, WORKING DRAFT SEQUENCE, 13 unordered
            pieces.
ACCESSION   AC120502
VERSION   AC120502.1 GI:20466402
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE   Lemur catta (ring-tailed lemur)
  ORGANISM Lemur catta
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Strepsirrhini;
            Lemuridae; Lemur.
REFERENCE   1 (bases 1 to 190092)
  AUTHORS   Martin,J., Hosseini,R., Peng,Y., Peng,Z., Rubin,E.M. and
            Cheng,J.-F.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 190092)
  AUTHORS   Martin,J., Hosseini,R., Peng,Y., Peng,Z., Rubin,E.M. and
            Cheng,J.-F.
  TITLE   Direct Submission
  JOURNAL   Submitted (07-MAY-2002) Genome Sciences, Lawrence Berkeley National
            Laboratory, 1 Cyclotron Rd., Berkeley, CA 94720, USA
COMMENT   Web site: http://pga.lbl.gov
            Center Code: PGABERK
            Center Project Name: L017-287D5
            Bac Clone Name: LB2-287D5

            Additional information on comparative analysis and ordering are
            available at:
            http://pga.lbl.gov/cgi-bin/search_cvcgd?type=n&value=SFTPD
            Funding agent: Programs for Genomic Applications (NHLBI)
            Contact: Jody Schwartz' jrschwartz@lbl.gov
            if library name is LB1 to LB4, please see website
            for a description: http://www-gsd.lbl.gov/cheng/BAC.html
            Summary Statistics:
            Sequencing vector: Plasmid; pUC18
            Chemistry: Dye-terminator Big Dye
            Assembly program: Phrap version 0.990329.
            NOTE: This is a 'working draft' sequence. It currently
            * consists of 13 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *   1 2537: contig of 2537 bp in length
            *   2538 2637: gap of unknown length
            *   2638 6734: contig of 4097 bp in length
            *   6735 6834: gap of unknown length
            *   6835 14153: contig of 7319 bp in length
            *   14154 14253: gap of unknown length
            *   14254 21025: contig of 6772 bp in length
            *   21026 21125: gap of unknown length
            *   21126 33188: contig of 12063 bp in length
            *   33189 33288: gap of unknown length
            *   33289 43658: contig of 10370 bp in length
            *   43659 43758: gap of unknown length
            *   43759 59354: contig of 15596 bp in length
            *   59355 59694: gap of unknown length
            *   59695 59794: contig of unknown length
            *   59795 75288: contig of 15494 bp in length
            *   75289 75388: gap of unknown length
            *   75389 93753: contig of 18365 bp in length
            *   93754 93853: gap of unknown length
            *   93854 112133: contig of 18280 bp in length
            *   112134 112233: gap of unknown length
            *   112234 136450: contig of 24217 bp in length
            *   136451 136550: gap of unknown length
            *   136551 161260: contig of 24710 bp in length
            *   161261 161360: gap of unknown length

FEATURES   Location/Qualifiers
     source   1..190092
                     /organism="Lemur catta"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9447"
                     /clone="LB2-287D5"
     *   161361 190092: contig of 28732 bp in length.
                     gap   2538..2637
                             /estimated_length=unknown
                     gap   6735..6834
                             /estimated_length=unknown
                     gap   14154..14253
                             /estimated_length=unknown
                     gap   21026..21125
                             /estimated_length=unknown
                     gap   33189..33288
                             /estimated_length=unknown
                     gap   43659..43758
                             /estimated_length=unknown
                     gap   59355..59794
                             /estimated_length=unknown
                     gap   75289..75388
                             /estimated_length=unknown
                     gap   93754..93853
                             /estimated_length=unknown
                     gap   112134..112233
                             /estimated_length=unknown
                     gap   136451..136550
                             /estimated_length=unknown
                     gap   161261..161360
                             /estimated_length=unknown
ORIGIN

Qy   2970 AAAAATTGGCCGGGCCATGGTGGCCGCCATGCCTGTGGTCCAGCTACTCGGGAGG 3022
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   72804 AAAAATTGGCCGGGCCATGGTGGCCGCCATGCCTGTGGTCCAGCTACTCGGGAGG 72856

RESULT 35

LOCUS   AC092437   203583 bp   DNA   linear   PRI 09-MAR-2002
DEFINITION Homo sapiens BAC clone RP11-326I19 from 4, complete sequence.
ACCESSION   AC092437
VERSION   AC092437.4 GI:19310338
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 203583)
  AUTHORS   Sulston,J.E. and Waterston,R.
  TITLE   Toward a complete human genome sequence
  JOURNAL   Genome Res. 8 (11), 1097-1108 (1998)
   PUBMED   9847074
REFERENCE   2 (bases 1 to 203583)
  AUTHORS   Mulvaney,E. and Meyer,R.
  TITLE   The sequence of Homo sapiens BAC clone RP11-326I19
  JOURNAL   Unpublished (2001)
REFERENCE   3 (bases 1 to 203583)
  AUTHORS   Waterston,R.H.
  TITLE   Direct Submission
  JOURNAL   Submitted (04-JUL-2001) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
REFERENCE   4 (bases 1 to 203583)
  AUTHORS   Waterston,R.
  TITLE   Direct Submission
  JOURNAL   Submitted (09-MAR-2002) Department of Genetics, Washington

---

* 161361 190092: contig of 28732 bp in length.

Query Match   1.7%; Score 53; DB 14; Length 190092;
Best Local Similarity 100.0%; Pred. No. 1.6e-16;
Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

COMMENT   University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
            On Mar 9, 2002 this sequence version replaced gi:15799649.
            -------------- Genome Center
              Center: Washington University Genome Sequencing Center
              Center code: WUGSC
              Web site: http://genome.wustl.edu/gsc
              Contact: sapiens@watson.wustl.edu
            -------------- Summary Statistics
              Center project name: H_NH0326119
            --------------.

            NOTICE: This sequence may not represent the entire insert of this
            clone. It may be shorter because we only sequence overlapping
            clone sections once, or longer because we provide a small overlap
            between neighboring data submissions.

            This sequence was finished as follows unless otherwise noted:
            all regions were double stranded, sequenced with an alternate
            chemistry, or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by sequence
            from more than one subclone; and the assembly was confirmed by
            restriction digest.

            MAPPING INFORMATION:
            Mapping information for this clone was provided by Dr. John D.
            McPherson, Department of Genetics, Washington University, St. Louis
            MO. For additional information about the map position of this
            sequence, see http://genome.wustl.edu/gsc

            SOURCE INFORMATION:
            The RPCI-11 human BAC library was made from the blood of one male
            donor, as described by Osoegawa,K., Woon,P.Y., Zhao,B., Frengen,E.,
            Tateno,M., Catanese,J.J. and de Jong,P.J. (1998) An improved
            approach for construction of bacterial artificial chromosome
            libraries. Genomics 51:1-8. The clone may be obtained either from
            Research Genetics, Inc. (http://www.resgen.com) or Pieter de Jong
            and coworkers at http://www.chori.org
            VECTOR: pBACe3.6

            NEIGHBORING SEQUENCE INFORMATION:
            The clone sequenced to the left is RP11-274B16; the clone sequenced
            to the right is RP11-386I19. Actual start of this clone is at base
            position 1 of RP11-326I19; actual end is at base position 203583 of
            RP11-326I19.

            There are single plasmid subclone regions from 9433 to 9523, 179086
            to 179914 and 195823 to 195835. There is an unresolved
            homopolymeric run from 74097 to 74101. Polymorphisms have been
            identified between AC025084, AC108139, AC007332 and AC092437. Data
            from AC025084, AC108139 and AC007332 was used to finish this
            clone, AC092437.

FEATURES   Location/Qualifiers
     source   1..203583
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="4"
                     /map="4"
                     /clone="RP11-326I19"
                     /clone_lib="RPCI-11"
     repeat_region   382..508
                     /rpt_family="L2"
     repeat_region   522..639
     repeat_region   1049..1187
                     /rpt_family="MIR"
     repeat_region   1237..1347
                     /rpt_family="MIR"
     repeat_region   1350..1389
                     /rpt_family="L2"
     repeat_region   1485..1559
                     /rpt_family="MIR"

     repeat_region   1640..2055
                     /rpt_family="L1"
     repeat_region   2254..2391
                     /rpt_family="MaLR"
     repeat_region   2717..3003
                     /rpt_family="MIR"
     repeat_region   3047..3709
                     /rpt_family="L1"
     repeat_region   3732..3781
                     /rpt_family="MER2_type"
     repeat_region   3802..3929
                     /rpt_family="(CATATA)n"
     repeat_region   3935..3961
                     /rpt_family="L1"
     repeat_region   4389..4431
                     /rpt_family="AT_rich"
     repeat_region   5193..5266
                     /rpt_family="(CA)n"
     repeat_region   5556..5645
                     /rpt_family="L2"
     repeat_region   5999..6169
                     /rpt_family="MIR"
     repeat_region   6202..6316
                     /rpt_family="MER1_type"
     repeat_region   6555..6606
                     /rpt_family="MIR"
     repeat_region   6910..7272
                     /rpt_family="MaLR"
     repeat_region   7537..7905
                     /rpt_family="MaLR"
     repeat_region   7909..9510
                     /rpt_family="MaLR"
     repeat_region   9523..9900
                     /rpt_family="MaLR"
     repeat_region   9925..10132
                     /rpt_family="MaLR"
     repeat_region   10133..10268
                     /rpt_family="MaLR"
     repeat_region   10269..10411
                     /rpt_family="Alu"
     repeat_region   11024..11061
                     /rpt_family="MaLR"
     repeat_region   11123..11200
                     /rpt_family="L2"
     repeat_region   11236..11520
                     /rpt_family="MIR"
     repeat_region   13157..13347
                     /rpt_family="L2"
     repeat_region   13360..13772
                     /rpt_family="MIR"
     repeat_region   13754..13929
                     /rpt_family="(ATGGTG)n"
     repeat_region   13931..13977
                     /rpt_family="(TGG)n"
     repeat_region   13987..14222
                     /rpt_family="(ATG)n"
     repeat_region   14423..14527
                     /rpt_family="MIR"
     repeat_region   14594..14708
                     /rpt_family="L2"
     repeat_region   14855..15035
                     /rpt_family="L2"
     repeat_region   15426..15727
                     /rpt_family="MIR"
     repeat_region   16021..16126
                     /rpt_family="Alu"
     repeat_region   16429..16956
                     /rpt_family="MIR"
     repeat_region   17105..17215
                     /rpt_family="MaLR"
     repeat_region   17225..17460
                     /rpt_family="MIR"
     repeat_region   17461..17820
                     /rpt_family="L1"

```
repeat_region   17821..19578
                /rpt_family="MaLR"
repeat_region   19582..20133
                /rpt_family="L1"
repeat_region   20134..20429
                /rpt_family="L1"
repeat_region   20430..21136
                /rpt_family="Alu"
repeat_region   21282..21533
                /rpt_family="L1"
repeat_region   22088..22402
                /rpt_family="MIR"
repeat_region   22757..23239
                /rpt_family="Alu"
repeat_region   23406..23686
                /rpt_family="MaLR"
repeat_region   24004..24189
                /rpt_family="ERVL"
repeat_region   24320..24487
                /rpt_family="MaLR"
repeat_region   24514..24601
                /rpt_family="MIR"
repeat_region   25075..25182
                /rpt_family="L2"
repeat_region
                /rpt_family="MIR"
```

```
RESULT 36
CR847805
CR847805

Query Match     1.7%;  Score 53;  DB 8;  Length 203583;
Best Local Similarity  100.0%;  Pred. No. 1.6e-16;
Matches 53;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy    2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  130670 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 130722
```

```
LOCUS       CR847805              204373 bp    DNA     linear   HTG 05-NOV-2004
DEFINITION  Homo sapiens chromosome 6 clone DAMA-118E22, 24 unordered pieces.
ACCESSION   CR847805
VERSION     CR847805.4  GI:55468491
KEYWORDS    HTG; HTGS_PHASE1; HTGS_CANCELLED.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 204373)
  AUTHORS   Sims,S.
  TITLE     Direct Submission
  JOURNAL   Submitted (04-NOV-2004) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Nov 5, 2004 this sequence version replaced gi:55294819.
```

```
            -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            -------------- Project Information
            Center project name: bMA118E22
            -------------- Summary Statistics
            Assembly program: XGAP4; version 4.5
            Chemistry: Dye-terminator; 100% of reads
            Consensus quality: 195146 bases at least Q40
            Consensus quality: 198151 bases at least Q30
            Consensus quality: 199848 bases at least Q20
            Insert size: 202073; sum-of-contigs
            Insert size: 99271; 1.0% error; agarose-fp
            Quality coverage: 6.13x in Q20 bases; sum-of-contigs Quality
            coverage: 14.67x in Q20 bases; agarose-fp
            -------------
            * NOTE: This is a 'working draft' sequence. It currently
```

```
            * consists of 24 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *            1         : contig of 3167 bp in length
            * 3168       3267:       gap of 100 bp
            * 3268       5570:       contig of 2303 bp in length
            * 5571       5670:       gap of 100 bp
            * 5671       13473:      contig of 7803 bp in length
            * 13474      13573:      gap of 100 bp
            * 13574      17619:      contig of 4046 bp in length
            * 17620      17719:      gap of 100 bp
            * 17720      20589:      contig of 2870 bp in length
            * 20590      20689:      gap of 100 bp
            * 20690      35318:      contig of 14629 bp in length
            * 35319      35418:      gap of 100 bp
            * 35419      40521:      contig of 5103 bp in length
            * 40522      40621:      gap of 100 bp
            * 40622      53837:      contig of 13216 bp in length
            * 53838      53937:      gap of 100 bp
            * 53938      56328:      contig of 2391 bp in length
            * 56329      56428:      gap of 100 bp
            * 56429      60179:      contig of 3751 bp in length
            * 60180      60279:      gap of 100 bp
            * 60280      63603:      contig of 3324 bp in length
            * 63604      63703:      gap of 100 bp
            * 63704      69568:      contig of 5865 bp in length
            * 69569      69668:      gap of 100 bp
            * 69669      72492:      contig of 2824 bp in length
            * 72493      72592:      gap of 100 bp
            * 72593      74831:      contig of 2239 bp in length
            * 74832      74931:      gap of 100 bp
            * 74932      77561:      contig of 2630 bp in length
            * 77562      77661:      gap of 100 bp
            * 77662      81419:      contig of 3758 bp in length
            * 81420      81519:      gap of 100 bp
            * 81520      86654:      contig of 5135 bp in length
            * 86655      86754:      gap of 100 bp
            * 86755      89490:      contig of 2636 bp in length
            * 89491      89590:      gap of 100 bp
            * 89591      94282:      contig of 4792 bp in length
            * 94283      94382:      gap of 100 bp
            * 94383      102792:     contig of 8410 bp in length
            * 102793     102892:     gap of 100 bp
            * 102893     112442:     contig of 9550 bp in length
            * 112443     112542:     gap of 100 bp
            * 112543     132047:     contig of 19505 bp in length
            * 132048     132147:     gap of 100 bp
            * 132148     162842:     contig of 30695 bp in length
            * 162843     162942:     gap of 100 bp
            * 162943     204373:     contig of 41431 bp in length.

FEATURES             Location/Qualifiers
     source          1..204373
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone_lib="DNA-Arts BAC library MANN.1"
                     /clone="DAMA-118E22"
     misc_feature    1..3167
                     /note="assembly fragment:00230
                     fragment_chain:1"
     misc_feature    3268..5570
                     /note="assembly fragment:00124
                     fragment_chain:1"
     misc_feature    5671..13473
                     /note="assembly fragment:00481
                     fragment_chain:1"
     misc_feature    13574..17619
                     /note="assembly_fragment:00293
```

REFERENCE   1 (bases 1 to 208220)
  AUTHORS   Hominidae; Homo.
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
  ORGANISM   Homo sapiens
  SOURCE   Homo sapiens (human)
  KEYWORDS   HTG.
  VERSION   AC009107.11 GI:28951164
  ACCESSION AC009107
  DEFINITION Homo sapiens chromosome 16 clone RP11-459F6, complete sequence.
  LOCUS   AC009107   208220 bp   DNA   linear   PRI 14-MAR-2003
RESULT 37

Db   156538 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 156590
Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940

Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Best Local Similarity   100.0%; Pred. No. 1.6e-16;
Query Match   1.7%;   Score 53; DB 14; Length 204373;

ORIGIN

/note="assembly_fragment:01615.0"
162943..204373
/note="assembly_fragment:01254.0"
162842..162943
misc_feature
/note="assembly_fragment:01041.0"
132148..162842
misc_feature
/note="assembly_fragment:00308"
81520..86654
misc_feature
/note="assembly_fragment:00265"
77662..81419
misc_feature
/note="assembly_fragment:00241"
74932..77561
misc_feature
/note="assembly_fragment:00220"
72593..74831
misc_feature
/note="assembly_fragment:00406"
69669..72492
misc_feature
/note="assembly chain:4"
63704..69568
misc_feature
/note="assembly_fragment:00252"
63704..69568
misc_feature
/note="assembly chain:3"
60280..63603
misc_feature
/note="assembly_fragment:00341"
56429..60179
misc_feature
/note="assembly chain:3"
53938..56328
misc_feature
/note="assembly_fragment:00211"
53938..56328
misc_feature
/note="assembly chain:2"
40622..53837
misc_feature
/note="assembly_fragment:00692"
misc_feature
/note="assembly chain:2"
35419..40521
misc_feature
/note="assembly_fragment:00574"
misc_feature
/note="assembly chain:2"
20690..35318
misc_feature
/note="assembly_fragment:00278"
misc_feature
/note="assembly chain:1"
17720..20589
misc_feature
fragment

AUTHORS   DOE Joint Genome Institute, Stanford Human Genome Center and Los
  ORGANISM   Homo sapiens
  SOURCE   Homo sapiens (human)
  KEYWORDS   HTG; HTGS_PHASE1.
  VERSION   AC092434.1 GI:14595956
  ACCESSION AC092434
  PROGRESS   ***, 40 unordered pieces.
  DEFINITION Homo sapiens chromosome 4 clone RP11-210L21, *** SEQUENCING IN
  LOCUS   AC092434   218872 bp   DNA   linear   HTG 27-JUL-2001
RESULT 38

Db   14755 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 14807
Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940

Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Best Local Similarity   100.0%; Pred. No. 1.6e-16;
Query Match   1.7%;   Score 53; DB 8; Length 208220;

ORIGIN

             /clone="RP11-459F6"
             /chromosome="16"
             /db_xref="taxon:9606"
             /mol_type="genomic DNA"
             /organism="Homo sapiens"
     source   1..208220
     Location/Qualifiers
FEATURES   Location/Qualifiers

             Estimated Total Number of Errors is 0.
             Quality: Phrap Quality >=40 100% of Sequence;
             www-bhgc.stanford.edu
             National Laboratory.
             www.jgi.doe.gov
             Finishing Completed at Stanford Human Genome Center and Los Alamos
             Draft Sequence Produced by DOE Joint Genome Institute
             On Mar 14, 2003 this sequence version replaced gi:17298588.
  COMMENT   Drive, Walnut Creek, CA 94598, USA
             Submitted (14-MAR-2003) DOE Joint Genome Institute, 2800 Mitchell
  JOURNAL   Direct Submission
  TITLE   Direct Submission
  AUTHORS   Alamos National Laboratory.
             Genome Institute, Stanford Human Genome Center and Los
REFERENCE 4 (bases 1 to 208220)
             Creek, CA 94598, USA
             Submitted (04-DEC-2001) Production Sequencing Facility, DOE Joint
  JOURNAL   Direct Submission
  TITLE   Direct Submission
  AUTHORS   DOE Joint Genome Institute.
REFERENCE 3 (bases 1 to 208220)
             Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
             Submitted (03-AUG-1999) Production Sequencing Facility, DOE Joint
  JOURNAL   Direct Submission
  TITLE   Direct Submission
  AUTHORS   DOE Joint Genome Institute.
REFERENCE 2 (bases 1 to 208220)
             Unpublished
  JOURNAL   Direct Submission
  TITLE   Direct Submission
  AUTHORS   DOE Joint Genome Institute, Stanford Human Genome Center and Los
             Alamos National Laboratory.

COMMENT   --------------- Genome Center ---------------
             Center code: WUGSC
             Center: Washington University Genome Sequencing Center
             MO 63108, USA
             University School of Medicine, 4444 Forest Park Parkway, St. Louis,
             Submitted (04-JUL-2001) Genome Sequencing Center, Washington
  JOURNAL   Direct Submission
  TITLE   Direct Submission
  AUTHORS   Waterston,R.H.
REFERENCE 2 (bases 1 to 218872)
             Unpublished
  JOURNAL   The sequence of Homo sapiens clone
  TITLE   Waterston,R.H.
  AUTHORS   Hominidae; Homo.
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
REFERENCE 1 (bases 1 to 218872)

```
* web site:http://genome.wustl.edu/gsc/index.shtml
* -------------- Project Information --------------
* Center project name: H_NH0210121
* -------------- Summary Statistics --------------
* Sequencing vector: M13; 14%
* Sequencing vector: plasmid; 14%
* Chemistry: Dye-primer ET; 14% of reads
* Chemistry: Dye-terminator Big Dye; 86% of reads
* Assembly program: Phrap; version 0.990319
* Consensus quality: 188006 bases at least Q40
* Consensus quality: 196601 bases at least Q30
* Consensus quality: 202813 bases at least Q20
* Insert size: 181000; agarose-fp
* Insert size: 214972; sum-of-contigs
* Quality coverage: 7.25 in Q20 bases; agarose-fp
* Quality coverage: 5.64 in Q20 bases; sum-of-contigs
*
* NOTE: This is a 'working draft' sequence. It currently
* consists of 40 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
*
*      1    2669: contig of 2669 bp in length
*   2670    2769: gap of unknown length
*   2770    4554: contig of 1785 bp in length
*   4555    4654: gap of unknown length
*   4655    6908: contig of 2254 bp in length
*   6909    7008: gap of unknown length
*   7009   10387: contig of 3379 bp in length
*  10388   10487: gap of unknown length
*  10488   12825: contig of 2338 bp in length
*  12826   12925: gap of unknown length
*  12926   15663: contig of 2738 bp in length
*  15664   15763: gap of unknown length
*  15764   18992: contig of 3229 bp in length
*  18993   19092: gap of unknown length
*  19093   21884: contig of 2792 bp in length
*  21885   21984: gap of unknown length
*  21985   25307: contig of 3323 bp in length
*  25308   25407: gap of unknown length
*  25408   38126: contig of 12719 bp in length
*  38127   38226: gap of unknown length
*  38227   67816: contig of 29590 bp in length
*  67817   67916: gap of unknown length
*  67917  175443: contig of 107527 bp in length
* 175444  175543: gap of unknown length
* 175544  176878: contig of 1335 bp in length
* 176879  176978: gap of unknown length
* 176979  178260: contig of 1282 bp in length
* 178261  178360: gap of unknown length
* 178361  179616: contig of 1256 bp in length
* 179617  179716: gap of unknown length
* 179717  181151: contig of 1435 bp in length
* 181152  181251: gap of unknown length
* 181252  182971: contig of 1720 bp in length
* 182972  183071: gap of unknown length
* 183072  184476: contig of 1405 bp in length
* 184477  184576: gap of unknown length
* 184577  185838: contig of 1262 bp in length
* 185839  185938: gap of unknown length
* 185939  187304: contig of 1366 bp in length
* 187305  187404: gap of unknown length
* 187405  188505: contig of 1101 bp in length
* 188506  188605: gap of unknown length
* 188606  189895: contig of 1290 bp in length
* 189896  189995: gap of unknown length
* 189996  191186: contig of 1191 bp in length
* 191187  191286: gap of unknown length
* 191287  192476: contig of 1190 bp in length
* 192477  192576: gap of unknown length
* 192577  194011: contig of 1435 bp in length
* 194012  194111: gap of unknown length
* 194112  195415: contig of 1304 bp in length
* 195416  195515: gap of unknown length
* 195516  196928: contig of 1413 bp in length
* 196929  197028: gap of unknown length
* 197029  198215: contig of 1187 bp in length
* 198216  198315: gap of unknown length
* 198316  199494: contig of 1179 bp in length
* 199495  199594: gap of unknown length
* 199595  200810: contig of 1216 bp in length
* 200811  200910: gap of unknown length
* 200911  202155: contig of 1245 bp in length
* 202156  202255: gap of unknown length
* 202256  204047: contig of 1792 bp in length
* 204048  204147: gap of unknown length
* 204148  205275: contig of 1128 bp in length
* 205276  205375: gap of unknown length
* 205376  207824: contig of 2449 bp in length
* 207825  207924: gap of unknown length
* 207925  209566: contig of 1642 bp in length
* 209567  209666: gap of unknown length
* 209667  211262: contig of 1596 bp in length
* 211263  211362: gap of unknown length
* 211363  213638: contig of 2276 bp in length
* 213639  213738: gap of unknown length
* 213739  215671: contig of 1933 bp in length
* 215672  215771: gap of unknown length
* 215772  216917: contig of 1146 bp in length
* 216918  217017: gap of unknown length
* 217018  218872: contig of 1855 bp in length.

FEATURES             Location/Qualifiers
     source          1..218872
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="4"
                     /clone="RP11-210L21"
     misc_feature    1..2669
                     /note="assembly_name:Contig100"
     gap             2670..2769
                     /estimated_length=unknown
     misc_feature    2770..4554
                     /note="assembly_name:Contig101"
     gap             4555..4654
                     /estimated_length=unknown
     misc_feature    4655..6908
                     /note="assembly_name:Contig102"
     gap             6909..7008
                     /estimated_length=unknown
     misc_feature    7009..10387
                     /note="assembly_name:Contig103"
     gap             10388..10487
                     /estimated_length=unknown
     misc_feature    10488..12825
                     /note="assembly_name:Contig104"
     gap             12826..12925
                     /estimated_length=unknown
     misc_feature    12926..15663
                     /note="assembly_name:Contig105"
     gap             15664..15763
                     /estimated_length=unknown
     misc_feature    15764..18992
                     /note="assembly_name:Contig106"
     gap             18993..19092
                     /estimated_length=unknown
     misc_feature    19093..21884
                     /note="assembly_name:Contig107"
     gap             21885..21984
                     /estimated_length=unknown
     misc_feature    21985..25307
                     /note="assembly_name:Contig108"
     gap             25308..25407
```

```
misc_feature    /estimated_length=unknown
                25408..38126
                /note="assembly_name:Contig109"
gap             38127..38226
                /estimated_length=unknown
misc_feature    38227..67816
                /note="assembly_name:Contig110
                clone_end:17
                vector_side:left"
gap             67817..67916
                /estimated_length=unknown
misc_feature    67917..175443
                /note="assembly_name:Contig111
                clone_end:SP6
                vector_side:right"
gap             175444..175543
                /estimated_length=unknown
misc_feature    175544..176878
                /note="assembly_name:Contig42"
gap             176879..176978
                /estimated_length=unknown
misc_feature    176979..178260
                /note="assembly_name:Contig46"
gap             178261..178360
                /estimated_length=unknown
misc_feature    178361..179616
                /note="assembly_name:Contig51"
gap             179617..179716
                /estimated_length=unknown


Qy           2888  TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT  2940
                   |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         195757  TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT  195809

Query Match                 1.7%;  Score 53;  DB 14;  Length 218872;
Best Local Similarity     100.0%;
Matches   53;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;


RESULT 39
LOCUS        CR847784                 229090 bp    DNA       linear   HTG 05-NOV-2004
DEFINITION   Homo sapiens chromosome 6 clone DAMA-182N14, 10 unordered pieces.
ACCESSION    CR847784
VERSION      CR847784.4  GI:55468488
KEYWORDS     HTG; HTGS_PHASE1; HTGS_CANCELLED.
SOURCE       Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE    1  (bases 1 to 229090)
  AUTHORS    Sims,S.
  TITLE      Direct Submission
  JOURNAL    Submitted (04-NOV-2004) Wellcome Trust Sanger Institute, Hinxton,
             Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
             humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
COMMENT      On Nov 5, 2004 this sequence version replaced gi:54035014.
             -------------------- Genome Center
             Center: Wellcome Trust Sanger Institute
             Center code: SC
             Web site: http://www.sanger.ac.uk
             Contact: humquery@sanger.ac.uk
             -------------------- Project Information
             Center project name: bMA182N14
             -------------------- Summary Statistics
             Assembly Program: XGAP4; version 4.5
             Chemistry: Dye-terminator; 100% of reads
             Consensus quality: 225613 bases at least Q40
             Consensus quality: 226328 bases at least Q30
             Consensus quality: 226997 bases at least Q20
             Insert size: 228190; sum-of-contigs
             Insert size: 111318; 0.8% error; agarose-fp
```

```
Quality coverage: 8.67x in Q20 bases; sum-of-contigs Quality
coverage: 19.14x in Q20 bases; agarose-fp
--------------------
* NOTE: This is a 'working draft' sequence. It currently
* consists of 10 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
FEATURES             Location/Qualifiers
     source          1..229090
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DAMA-182N14"
                     /clone_lib="DNA-Arts BAC library MANN.1"
     misc_feature    1..24138
                     /note="assembly_fragment:00874
                     fragment_chain:1"
     misc_feature    24139..24238:  contig  of 24138 bp in length
     *               24238:  gap  of  100 bp  in length
     misc_feature    24239..47128
                     /note="assembly_fragment:00462
                     fragment_chain:1"
     *               47128:  contig  of 22890 bp in length
     *               47128:  gap  of  100 bp  in length
     misc_feature    47129..66763
                     /note="assembly_fragment:00286
                     fragment_chain:1"
     *               66763:  contig  of 19535 bp in length
     *               66763:  gap  of  100 bp  in length
     misc_feature    66764..72248
                     /note="assembly_fragment:00093"
     *               72248:  contig  of  5385 bp in length
     *               72248:  gap  of  100 bp  in length
     misc_feature    72249..77388
                     /note="assembly_fragment:00121"
     *               77388:  contig  of  5040 bp in length
     *               77388:  gap  of  100 bp  in length
     misc_feature    77389..88555
                     /note="assembly_fragment:00192.0"
     *               88555:  contig  of 11067 bp in length
     *               88555:  gap  of  100 bp  in length
     misc_feature    88556..98102
                     /note="assembly_fragment:00657.0"
     *               98102:  contig  of  9447 bp in length
     *               98102:  gap  of  100 bp  in length
     misc_feature    98103..129421
                     /note="assembly_fragment:00123.0"
     *               129421:  contig  of 31219 bp in length
     *               129421:  gap  of  100 bp  in length
     misc_feature    129422..187227
                     /note="assembly_fragment:01753.0"
     *               187227:  contig  of 57706 bp in length
     *               187227:  gap  of  100 bp  in length
     misc_feature    187228..229090
                     /note="assembly_fragment:02711.0"
     *               229090:  contig  of 41763 bp in length
ORIGIN


Qy           2888  TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT  2940
                   |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         123117  TGAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT  123169

Query Match                 1.7%;  Score 53;  DB 14;  Length 229090;
Best Local Similarity     100.0%;
Matches   53;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;


RESULT 40
```

```
LOCUS       CR753824              323185 bp    DNA     linear   HTG 05-NOV-2004
DEFINITION  Homo sapiens chromosome 6 clone DADB-56024, *** SEQUENCING IN
            PROGRESS ***, 4 unordered pieces.
ACCESSION   CR753824
VERSION     CR753824.2  GI:55468370
KEYWORDS    HTG; HTGS_PHASE1; HTGS_ACTIVEFIN; HTGS_FULLTOP.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 323185)
  AUTHORS   Leongamornlert,D.
  TITLE     Direct Submission
  JOURNAL   Submitted (04-NOV-2004) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Nov 5, 2004 this sequence version replaced gi:51571640.
            -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            -------------- Project Information
            Center project name: bDB56024
            -------------- Summary Statistics
            Assembly program: XGAP4; version 4.5
            Chemistry: Dye-terminator; 100% of reads
            Consensus quality: 8930 bases at least Q40
            Consensus quality: 8974 bases at least Q30
            Consensus quality: 8990 bases at least Q20
            Insert size: 322885; sum-of-contigs
            Insert size: 96449; 1.4% error; agarose-fp
            Quality coverage: 1.82x in Q20 bases; sum-of-contigs Quality
            coverage: 6.22x in Q20 bases; agarose-fp
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 4 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *     1           15449: contig of 15449 bp in length
            *     15450       15449: gap of 100 bp
            *     15550       60747: contig of 45198 bp in length
            *     60748       60747: gap of 100 bp
            *     60848      165052: contig of 104205 bp in length
            *     165053     165152: gap of 100 bp
            *     165153     323185: contig of 158033 bp in length.
FEATURES             Location/Qualifiers
     source          1..323185
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DADB-56024"
                     /clone_lib="DNA-arts-BAC.1-DBB.1"
     misc_feature    1..15449
                     /note="assembly_fragment:00142
     misc_feature    15550..60747
                     /note="assembly_fragment:00419
                     /fragment_chain:1"
     misc_feature    60848..165052
                     /note="assembly_fragment:00920"
     misc_feature    165153..323185
                     /note="assembly_fragment:00949"
ORIGIN
Query Match       1.7%;   Score 53;   DB 14;   Length 323185;
```

```
Best Local Similarity   100.0%;  Pred. No. 1.6e-16;
Matches  53;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  288592 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 288644

RESULT 41
LOCUS       AP001710              340000 bp    DNA     linear   PRI 21-MAY-2003
DEFINITION  Homo sapiens genomic DNA, chromosome 21q, section 54/105.
ACCESSION   AP001710 AL163255 BA000005
VERSION     AP001710.1  GI:7768781
KEYWORDS    .
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Hattori,M., Fujiyama,A., Taylor,T.D., Watanabe,H., Yada,T.,
            Park,H.S., Toyoda,A., Ishii,K., Totoki,Y., Choi,D.K., Soeda,E.,
            Ohki,M., Takagi,T., Sakaki,Y., Taudien,S., Blechschmidt,K.,
            Polley,A., Menzel,U., Delabar,J., Kumpf,K., Lehmann,R.,
            Patterson,D., Reichwald,K., Rump,A., Schillhabel,M., Schudy,A.,
            Zimmermann,W., Rosenthal,A., Kudoh,J., Shibuya,K., Kawasaki,K.,
            Asakawa,S., Shintani,A., Sasaki,T., Nagamine,K., Mitsuyama,S.,
            Antonarakis,S.E., Minoshima,S., Shimizu,N., Nordsiek,G.,
            Hornischer,K., Brandt,P., Scharfe,M., Schoen,O., Desario,A.,
            Reichelt,J., Kauer,G., Bloecker,H., Ramser,J., Beck,A., Klages,S.,
            Hennig,S., Riesselmann,L., Dagand,E., Wehrmeyer,S., Borzym,K.,
            Gardiner,K., Nizetic,D., Francis,F., Lehrach,H., Reinhardt,R. and
            Yaspo,M.L.
  TITLE     The DNA sequence of human chromosome 21
  JOURNAL   Nature 405 (6784), 311-319 (2000)
   PUBMED   10830953
REFERENCE   2  (bases 1 to 340000)
  AUTHORS   Hattori,M., Fujiyama,A., Taylor,T.D., Watanabe,H., Yada,T.,
            Park,H.S., Toyoda,A., Ishii,K., Totoki,Y., Choi,D.K., Soeda,E.,
            Ohki,M., Takagi,T., Sakaki,Y., Taudien,S., Blechschmidt,K.,
            Polley,A., Menzel,U., Delabar,J., Kumpf,K., Lehmann,R.,
            Patterson,D., Reichwald,K., Rump,A., Schillhabel,M., Schudy,A.,
            Zimmermann,W., Rosenthal,A., Kudoh,J., Shibuya,K., Kawasaki,K.,
            Asakawa,S., Shintani,A., Sasaki,T., Nagamine,K., Mitsuyama,S.,
            Antonarakis,S.E., Minoshima,S., Shimizu,N., Nordsiek,G.,
            Hornischer,K., Brandt,P., Scharfe,M., Schoen,O., Desario,A.,
            Reichelt,J., Kauer,G., Bloecker,H., Ramser,J., Beck,A., Klages,S.,
            Hennig,S., Riesselmann,L., Dagand,E., Wehrmeyer,S., Borzym,K.,
            Gardiner,K., Nizetic,D., Francis,F., Lehrach,H., Reinhardt,R. and
            Yaspo,M.L.
  TITLE     Direct Submission
  JOURNAL   Submitted (10-APR-2000) The Chromosome 21 Mapping and Sequencing
            Consortium: * RIKEN Genomic Sciences Center, Human Genome Research
            Group * Institute of Molecular Biotechnology, Genome Analysis *
            Keio University School of Medicine, Dept. of Molecular Biology *
            GBF, Dept. of Genome Analysis * Max-Planck Institute for Molecular
            Genetics (addresses see below)
COMMENT     On May 30, 2000 this sequence version replaced gi:7717322.
            The chromosome 21 mapping and sequencing consortium consisting of
            * RIKEN Genomic Sciences Center, Human Genome Research
            Group * Institute of Molecular Biotechnology, Genome Analysis *
            Saganihara 228-8555, Japan,
            * e.mail: hattori@gsc.riken.go.jp
            * URL: http://hgp.gsc.riken.go.jp/
            and
            * Institute of Molecular Biotechnology, Genome Analysis, *
            Beutenbergstrasse 11, D-07745 Jena, Germany,
            * e.mail: jgsc-submit@genome.imb-jena.de
            * URL: http://genome.imb-jena.de/
            and
            * Keio University School of Medicine, Molecular Biology, * Tokyo
            160-8582, Japan,
            * e.mail: nshimizu@dmb-med.keio.ac.jp
```

```
 * URL: http://www.dmb.med.keio.ac.jp/
and
 * GBF, Dept. of Genome Analysis,
 * Mascheroder Weg 1, D-38124 Braunschweig, Germany, * e.mail:
info.genome@gbf.de
 * URL: http://genome.gbf.de/
and
 * Max-Planck Institute for Molecular Genetics,
 * Ihnestrasse 73, D-14195 Berlin, Germany,
 * e.mail: info-chr21@molgen.mpg.de
 * URL: http://chr21.rz-berlin.mpg.de/
AL163255: Submitted (10-Apr-2000).

FEATURES             Location/Qualifiers
 source          1. .340000
                 /organism="Homo sapiens"
                 /mol_type="genomic DNA"
                 /db_xref="taxon:9606"
                 /chromosome="21"
 source          <1. .52327
                 /organism="Homo sapiens"
                 /mol_type="genomic DNA"
                 /db_xref="taxon:9606"
                 /chromosome="21"
                 /map="21q22.1"
                 /clone="R14B21, 5' partial"
                 /clone_lib="RPCI-11 BAC library"
                 /note="Accession No. AP000245"
 source          51884. .146095
                 /organism="Homo sapiens"
                 /mol_type="genomic DNA"
                 /db_xref="taxon:9606"
                 /chromosome="21"
                 /map="21q22.1"
                 /clone="R137B7"
                 /clone_lib="RPCI-11 BAC library"
                 /note="Accession No. AP000246"
 source          145455. .259373
                 /organism="Homo sapiens"
                 /mol_type="genomic DNA"
                 /db_xref="taxon:9606"
                 /chromosome="21"
                 /map="21q22.1"
                 /clone="PAC871G18"
                 /clone_lib="RP5 PAC library"
                 /note="Accession No. AP000247"
 source          256917. .340000
                 /organism="Homo sapiens"
                 /mol_type="genomic DNA"
                 /db_xref="taxon:9606"
                 /chromosome="21"
                 /map="21q22.1"
                 /clone="R89H18, 3' partial"
                 /clone_lib="RPCI-11 BAC library"
                 /note="Accession No. AP000248"
 repeat_region   complement(783. .1089)
                 /rpt_family="AluSc"
 repeat_region   5078. .5654
                 /note="MER74A"
                 /rpt_family="LTR/MER73-group"
                 /rpt_type=DISPERSED
 repeat_region   655. .7314
                 /note="LTR2"
                 /rpt_family="LTR/Retroviral"

 repeat_region   4287. .4321
                 /note="(T)n"
                 /rpt_family="Simple_repeat"
                 /rpt_type=TANDEM
 repeat_region   7666. .7725
                 /note="(TA)n"
                 /rpt_family="Simple_repeat"
                 /rpt_type=TANDEM
 repeat_region   7761. .7825
                 /note="L1ME3"
                 /rpt_family="LINE/L1"
                 /rpt_type=DISPERSED
 repeat_region   8223. .8411
                 /note="L1M4"
                 /rpt_family="LINE/L1"
                 /rpt_type=DISPERSED
 repeat_region   8625. .9032
                 /note="PiAM_C"
                 /rpt_family="SINE/Alu"
                 /rpt_type=DISPERSED
 repeat_region   9504. .10065
                 /note="L1ME3"
                 /rpt_family="LINE/L1"
                 /rpt_type=DISPERSED
 repeat_region   10199. .10664
                 /note="L1ME3"
                 /rpt_family="LINE/L1"
                 /rpt_type=DISPERSED
 repeat_region   complement(10066. .10198)
                 /note="AluY"
                 /rpt_family="SINE/Alu"
                 /rpt_type=DISPERSED
 repeat_region   10690. .10950
                 /note="L1M3"
                 /rpt_family="LINE/L1"
                 /rpt_type=DISPERSED
 repeat_region   11012. .11310
                 /note="AluY"
                 /rpt_family="SINE/Alu"
                 /rpt_type=DISPERSED
 repeat_region   11596. .11903
                 /note="AluY"
                 /rpt_family="SINE/Alu"
                 /rpt_type=DISPERSED
 repeat_region   complement(13161. .13475)
                 /note="AluY"
                 /rpt_family="SINE/Alu"
                 /rpt_type=DISPERSED
 repeat_region   complement(13777. .14219)
                 /note="MLT1E2"
                 /rpt_family="LTR/MaLR"
                 /rpt_type=DISPERSED
 repeat_region   14220. .14505
                 /note="AluY"
                 /rpt_family="SINE/Alu"
                 /rpt_type=DISPERSED
 repeat_region   complement(14506. .14554)
                 /note="MLT1E2"
                 /rpt_family="LTR/MaLR"
                 /rpt_type=DISPERSED
 repeat_region   14670. .14795
                 /note="MIR"
                 /rpt_family="SINE/MIR"
                 /rpt_type=DISPERSED
 repeat_region   14838. .14909
                 /note="L2"
                 /rpt_family="LINE/L2"
```

```
Query Match      1.7%;   Score 53; DB 8; Length 340000;
Best Local Similarity  100.0%;   Pred. No. 1.6e-16;
Matches 53; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy    2888 TGAGGCAGGTGGATCACCTGAGGTCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  159396 TGAGGCAGGTGGATCACCTGAGGTCAGGAGTTCGAGACCAGCCTGGCCAACAT 159448
```

```
RESULT 42
CS039425
LOCUS       CS039425       349980 bp    DNA     linear   PAT 22-MAR-2005
DEFINITION  Sequence 235 from Patent WO2005019477.
ACCESSION   CS039425
VERSION     CS039425.1  GI:61847452
KEYWORDS    .
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Lewin,J., Berlin,K., Hildmann,T., Olek,A., Beck,S. and Novik,K.
  TITLE     Methods and compositions for differentiating tissues or cell types
            using epigenetic markers
  JOURNAL   Patent: WO 2005019477-A 235 03-MAR-2005;
            Epigenomics AG (DE)
FEATURES             Location/Qualifiers
     source          1..349980
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
                     /note="unknown base"
                     seq 205 to long, 4,267,840
                     replaced by
                     new seq 205, from 0.000.001 to 0.349.980
                     new seq 222, from 0.300.001 to 0.649.980
                     new seq 223, from 0.600.001 to 0.949.980
                     new seq 224, from 0.900.001 to 1.249.980
                     new seq 225, from 1.200.001 to 1.549.980
                     new seq 226, from 1.500.001 to 1.849.980
                     new seq 227, from 1.800.001 to 2.149.980
                     new seq 228, from 2.100.001 to 2.449.980
                     new seq 229, from 2.400.001 to 2.749.980
                     new seq 230, from 2.700.001 to 3.049.980
                     new seq 231, from 3.000.001 to 3.349.980
                     new seq 232, from 3.300.001 to 3.649.980
                     new seq 233, from 3.600.001 to 3.949.980
                     new seq 234, from 3.900.001 to 4.249.980
                     new seq 235, from 4.200.001 to 4.549.980
                     new seq 236, from 4.500.001 to 4.647.455"
ORIGIN

Query Match     1.7%;  Score 53;  DB 6;  Length 349980;
Best Local Similarity   100.0%;
Matches   53;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy     2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240219 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 240271


RESULT 43
BD027540/c
LOCUS       BD027540          381 bp    DNA     linear   PAT 27-AUG-2002
DEFINITION  Sequence tag and encoded human protein.
ACCESSION   BD027540
VERSION     BD027540.1  GI:22569282
KEYWORDS    JP 2001269182-A/3786.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 381)
  AUTHORS   Edwards,J.B.D.M., Duclair,E. and Jordan,J.Y.
  TITLE     Sequence tag and encoded human protein
  JOURNAL   Patent: JP 2001269182-A 3786 02-OCT-2001;
            GENSET
COMMENT     OS   Homo sapiens (human)
            PN   JP 2001269182-A/3786
```

```
            PD   02-OCT-2001
            PF   24-FEB-2000 JP 2000118773
            PF   26-FEB-1999 US 60/122487
            PR   26-FEB-1999 US 60/122487
            PI   JORDAN
            PI   JEAN BAPTIST DUMAS MILNE EDWARDS, EIMERIC DUCLAIR, JEAN YVES
            PC   C12N15/09, C07K14/435, C07K16/18, C12N1/15, C12N1/19, C12N1/21, PC
            PC   C12N5/10,
            PC   C12P21/02, C12P21/08, C12Q1/68//G06F17/30, C12N15/00, C12N5/00, PC
            G06F15/40
            CC   score 7.7
            CC   seq LCLIGSSDSPASA/SQ
FH   Key             Location/Qualifiers
FT   sig_peptide     12..158.
FT   CDS             12..347.
ORIGIN

Query Match     1.7%;  Score 52;  DB 6;  Length 381;
Best Local Similarity   100.0%;   Pred. No. 5e-16;
Matches   52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy     3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTTCTGTCTC 3122
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      107 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTTCTGTCTC 56


RESULT 44
AX887930/c
LOCUS       AX887930         3793 bp    DNA     linear   PAT 18-DEC-2003
DEFINITION  Sequence 3793 from Patent EP1033401.
ACCESSION   AX887930
VERSION     AX887930.1  GI:40046583
KEYWORDS    .
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Dumas Milne Edwards,J.B., Duclert,A. and Giordano,J.Y.
  TITLE     Expressed sequence tags and encoded human proteins
  JOURNAL   Patent: EP 1033401-A 3793 06-SEP-2000;
            Genset (FR)
FEATURES             Location/Qualifiers
     source          1..381
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
     CDS             12..350
                     /note="unnamed protein product"
                     /codon_start=1
                     /protein_id="CAB93855.1"
                     /db_xref="GI:40046584"
                     /translation="MHVWVWVWVWVVWLRQSIALLRLECGGTILAHCSLCLLGSSD
                     SPASASQVARTTGMCHHTQLIFVFLIETGFLHIGQAALELITSGDPPASASQSAGITG
                     VKTTPGRLSN"
     sig_peptide     12..158
                     /note="score 7.7 seq LCLIGSSDSPASA/SQ"
ORIGIN

Query Match     1.7%;  Score 52;  DB 6;  Length 381;
Best Local Similarity   100.0%;   Pred. No. 5e-16;
Matches   52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy     3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTTCTGTCTC 3122
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      107 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTTCTGTCTC 56
```

RESULT 45

LOCUS   AB135735
DEFINITION AB135735/c
            Homo sapiens DNA, STS on chromosome 1, D1S03061, sequence tagged
            site.
ACCESSION   AB135735   428 bp   DNA   linear   STS 02-APR-2005
VERSION   AB135735.1 GI:62156316
KEYWORDS   STS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 428)
  AUTHORS   Tamiya,G., Shinya,M., Ikuta,T., Makino,S., Matsumoto,T., Mano,S.,
            Furugaki,K., Ando,S., Nozaki,Y., Yukawa,W., Nakashige,R.,
            Yamaguchi,D., Ishibashi,H., Yonekura,M., Nakami,Y., Takayama,S.,
            Endo,T., Saruwatari,T., Yagura,M., Yoshikawa,Y., Fujimoto,K.,
            Oka,A., Chiku,S., Linsen,S.E., Giphart,M.J., Bahram,S.,
            Kulski,Y.J., Fukazawa,T., Hashimoto,H., Hoshina,M., Suzuki,Y.,
            Hotta,T., Mochida,J., Minezaki,T., Komai,K., Shiozawa,S.,
            Taniguchi,A., Yamanaka,H., Kamatani,N., Imanishi,T., Gojobori,T.
            and Inoko,H.
  TITLE   A Whole Genome Association Study of Rheumatoid Arthritis using
            27,039 Microsatellite Makers
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 428)
  AUTHORS   Tamiya,G., Makino,S., Fujimoto,K., Oka,A., Hayashi,H., Denda,A.,
            Linsen,S.E., Ikuta,T., Shinya,M., Endo,T., Tomizawa,M., Tokubo,E.,
            Sato,R., Takaki,A., Nagatsuka,Y., Watanabe,H., Adachi,S.,
            Makino,Y., Nakano,S., Yamamoto,A., Yoshida,K., Okamoto,K.,
            Yamaguchi,D., Ishibashi,H., Yonekura,M., Takayama,S., Nakami,Y.,
            Saruwatari,T., Brand,A., van Hilten,J.A., van de Watering,L.M.,
            Giphart,M.J., Bahram,S., Kulski,Y.J. and Inoko,H.
  TITLE   Direct Submission
  JOURNAL   Submitted (12-DEC-2003) Hidetoshi Inoko, Tokai University School of
            Medicine, Department of Genetic Information; Boheeidai, Isehara,
            Kanagawa, 259-1193, Japan (E-mail:hinoko@is.icc.u-tokai.ac.jp,
            Tel:81-463-93-1121, Fax:81-463-94-8884)
COMMENT   Polymorphisms were confirmed by comparing with the pooled DNA
            typing data of 88 Dutch population or 100 Australian. When there
            was no significant difference between the Japanese and these
            Caucasians, individual typing was performed to confirm
            polymorphisms.
FEATURES   Location/Qualifiers
     source   1..428
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /map="1p36.23"
                     /chromosome="1"
     primer_bind   1..24
                     /note="5' primer; AACTGTAGAATCTAAACGGTGAGT"
                     /PCR_conditions="denaturation 96degC 5 min, 57degC 1 min,
                     72degC 1 min; 40 cycles 96degC 45 sec, 57degC 45 sec,
                     72degC 1 min"
     repeat_region   80..111
                     /note="sequence tagged site D1S03061"
                     /rpt_type=tandem
                     /rpt_unit="gtt"
     primer_bind   complement(405..428)
                     /note="3' primer: AAACATGATGCTCACTTTAAGAAC"
ORIGIN

Query Match   1.7%; Score 52; DB 10; Length 428;
Best Local Similarity   100.0%;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGAGCTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   167 CAAGATTGTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGAGCTCTGTCTC 116

RESULT 46

LOCUS   BV640976
DEFINITION BV640976/c
            S217B60133RD8.T0 Noemie Pan troglodytes troglodytes STS genomic,
            sequence tagged site.
ACCESSION   BV640976   690 bp   DNA   linear   STS 16-APR-2005
VERSION   BV640976.1 GI:62668946
KEYWORDS   STS.
SOURCE   Pan troglodytes troglodytes
  ORGANISM Pan troglodytes troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1 (bases 1 to 690)
  AUTHORS   Mikkelsen,T.S., Hillier,W.L., Eichler,E.E., Zody,M.C. and
            Jaffe,D.B.
  TITLE   Initial Sequence of the Chimpanzee Genome and Comparison with the
            Human Genome
  JOURNAL   Unpublished (2005)
COMMENT   Contact: Michael C. Zody
            Broad Institute of MIT and Harvard
            320 Charles Street, Cambridge, MA 02141, USA
            Tel: 6172580933
            Fax: 6172580903
            Email: mczody@broad.mit.edu
            Primer A: No sequence submitted
            Primer B: No sequence submitted
            STS size: 690
            Protocol:
            23,021,928 chimpanzee whole genome shotgun reads were aligned to
            the Human genome NCBI
            Build 34 (hg16,July 2003). Chimp WGS reads were from 9 donors,
            including Clint (Pan
            troglodytes verus), 3 other Pan troglodytes verus chimps
            (Donald,Karllen,Yvonne), 3 Pan
            troglodytes troglodytes chimps (Noemie,Masuku,Clara) and 2 chimps
            of unknown origin
            (Gon,Unknown Chimp). Common names: Pan troglodytes verus is the
            western chimp and Pan
            troglodytes troglodytes is the central chimp. To be included in
            chimpanzee SNP discovery, a
            read must be at least 500bp in length, at least 50% of its base
            calls must have Phred
            score >= 20, at least 30% of its base calls must satisfy
            SNQS(30,25)(single strand NQS, the
            base in question has Phred score >= 30, the surrounding 10 bases in
            the read have Phred
            score >= 25), and the read must have at least 200 bp SNQS(30,25)
            bases. Reads not uniquely
            placed in the genome and read pairs whose two ends were not
            consistently placed were
            discarded. After above filtering, NQS(30,25) standard was applied
            to all pairs of
            overlapping reads to call NQS bases and SNPs. Alignments (between
            two reads) with less
            than 100 NQS bases or with SNP rate > 0.01 were discarded. To
            exclude alignment between two
            copies of a single read, comparisons between two reads that share
            95% of their genome
            alignments (>=95% bases of read A and >=95% bases of read B were
            placed at the same locus
            of human genome) were discarded.
FEATURES   Location/Qualifiers
     source   1..690
                     /organism="Pan troglodytes troglodytes"
                     /mol_type="genomic DNA"
                     /sub_species="troglodytes"
                     /db_xref="taxon:37011"
                     /clone_lib="Noemie"
                     <1..>690
     STS

RESULT 47

```
Qy    3071 CAAGATTGTGCCACTGCACTCCACCCTGGGCACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     212 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 161
```

ORIGIN

```
Query Match         1.7%;  Score 52;  DB 10;  Length 690;
Best Local Similarity   100.0%;  Pred. No. 5.1e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

BV533342	
LOCUS	BV533342
DEFINITION	G591P62629RE69.T0 Clint Pan troglodytes verus STS genomic, sequence tagged site.
ACCESSION	BV533342
VERSION	BV533342.1 GI:62411126
KEYWORDS	STS.
SOURCE	Pan troglodytes verus
ORGANISM	Pan troglodytes verus
	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini; Hominidae; Pan.
REFERENCE	1 (bases 1 to 762)
AUTHORS	Mikkelsen,T.S., Hillier,W.L., Eichler,E.E., Zody,M.C. and Jaffe,D.B.
TITLE	Initial Sequence of the Chimpanzee Genome and Comparison with the Human Genome
JOURNAL	Unpublished (2005)
COMMENT	Contact: Michael C. Zody
	Broad Institute of MIT and Harvard
	320 Charles Street, Cambridge, MA 02141, USA
	Tel: 6172580933
	Fax: 6172580903
	Email: mczody@broad.mit.edu
	Primer A: No sequence submitted
	Primer B: No sequence submitted
	STS size: 762
	Protocol:
	23,021,928 chimpanzee whole genome shotgun reads were aligned to the Human genome NCBI
	Build 34 (hg16,July 2003). Chimp WGS reads were from 9 donors, including Clint (Pan
	troglodytes verus), 3 other Pan troglodytes verus chimps (Donald,Karlien,Yvonne), 3 Pan
	troglodytes troglodytes chimps (Noemie,Masuku,Clara) and 2 chimps of unknown origin
	(Gon,Unknown Chimp). Common names: Pan troglodytes verus is the western chimp and Pan
	troglodytes troglodytes is the central chimp. To be included in chimpanzee SNP discovery, a
	read must be at least 500bp in length, at least 50% of its base calls must have Phred
	score >= 20, at least 30% of its base calls must satisfy SNQS(30,25)(single strand NQS, the
	base in question has Phred score >= 30, the surrounding 10 bases in the read have Phred
	score >= 25), and the read must have at least 200 bp SNQS(30,25) bases. Reads not uniquely
	placed in the genome and read pairs whose two ends were not consistently placed were
	discarded. After above filtering, NQS(30,25) standard was applied to all pairs of
	overlapping reads to call NQS bases and SNPs. Alignments (between two reads) with less
	than 100 NQS bases or with SNP rate > 0.01 were discarded. To exclude alignment between two
	copies of a single read, comparisons between two reads that share 95% of their genome
	alignments (>=95% bases of read A and >=95% bases of read B were placed at the same locus
```

RESULT 48

```
Qy    3071 CAAGATTGTGCCACTGCACTCCACCCTGGGCACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       8 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 59
```

ORIGIN

FEATURES Location/Qualifiers
```
source       1..762
             /organism="Pan troglodytes verus"
             /mol_type="genomic DNA"
             /sub_species="verus"
             /db_xref="taxon:37012"
             /clone_lib="Clint"
STS          <1..>762
```

```
Query Match         1.7%;  Score 52;  DB 10;  Length 762;
Best Local Similarity   100.0%;  Pred. No. 5.1e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

BV536183	
LOCUS	BV536183
DEFINITION	G591P631495FD4.T0 Clint Pan troglodytes verus STS genomic, sequence tagged site.
ACCESSION	BV536183
VERSION	BV536183.1 GI:62413977
KEYWORDS	STS.
SOURCE	Pan troglodytes verus
ORGANISM	Pan troglodytes verus
	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini; Hominidae; Pan.
REFERENCE	1 (bases 1 to 770)
AUTHORS	Mikkelsen,T.S., Hillier,W.L., Eichler,E.E., Zody,M.C. and Jaffe,D.B.
TITLE	Initial Sequence of the Chimpanzee Genome and Comparison with the Human Genome
JOURNAL	Unpublished (2005)
COMMENT	Contact: Michael C. Zody
	Broad Institute of MIT and Harvard
	320 Charles Street, Cambridge, MA 02141, USA
	Tel: 6172580933
	Fax: 6172580903
	Email: mczody@broad.mit.edu
	Primer A: No sequence submitted
	Primer B: No sequence submitted
	STS size: 770
	Protocol:
	23,021,928 chimpanzee whole genome shotgun reads were aligned to the Human genome NCBI
	Build 34 (hg16,July 2003). Chimp WGS reads were from 9 donors, including Clint (Pan
	troglodytes verus), 3 other Pan troglodytes verus chimps (Donald,Karlien,Yvonne), 3 Pan
	troglodytes troglodytes chimps (Noemie,Masuku,Clara) and 2 chimps of unknown origin
	(Gon,Unknown Chimp). Common names: Pan troglodytes verus is the western chimp and Pan
	troglodytes troglodytes is the central chimp. To be included in chimpanzee SNP discovery, a
	read must be at least 500bp in length, at least 50% of its base calls must have Phred
	score >= 20, at least 30% of its base calls must satisfy SNQS(30,25)(single strand NQS, the
	base in question has Phred score >= 30, the surrounding 10 bases in the read have Phred
	score >= 25), and the read must have at least 200 bp SNQS(30,25) bases. Reads not uniquely
	placed in the genome and read pairs whose two ends were not consistently placed were
	discarded. After above filtering, NQS(30,25) standard was applied
```

RESULT 49

LOCUS   BV588891   773 bp   DNA   linear   STS 12-APR-2005
DEFINITION G591P63B732FA4.T0 Clint Pan troglodytes verus STS genomic, sequence
            tagged site.
ACCESSION   BV588891
VERSION   BV588891.1 GI:62504620
KEYWORDS   STS.
SOURCE   Pan troglodytes verus
  ORGANISM Pan troglodytes verus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1 (bases 1 to 773)
  AUTHORS   Mikkelsen,T.S., Hillier,W.L., Eichler,E.E., Zody,M.C. and
            Jaffe,D.B.
  TITLE   Initial Sequence of the Chimpanzee Genome and Comparison with the
            Human Genome
  JOURNAL   Unpublished (2005)
COMMENT   Contact: Michael C. Zody
            Broad Institute of MIT and Harvard
            320 Charles Street, Cambridge, MA 02141, USA
            Tel: 6172580933
            Fax: 6172580903
            Email: mczody@broad.mit.edu
            Primer A: No sequence submitted
            Primer B: No sequence submitted
            STS size: 773
            Protocol:
            23,021,928 chimpanzee whole genome shotgun reads were aligned to
            the Human genome NCBI
            Build 34 (hg16,July 2003). Chimp WGS reads were from 9 donors,
            including Clint (Pan
            troglodytes verus), 3 other Pan troglodytes verus chimps
            (Donald,Karlien,Yvonne),3 Pan
            troglodytes troglodytes chimps (Noemie,Masuku,Clara) and 2 chimps
            of unknown origin
            (Gon,Unknown Chimp). Common names: Pan troglodytes verus is the
            western chimp and Pan
            troglodytes troglodytes is the central chimp. To be included in
            chimpanzee SNP discovery, a
            read must be at least 500bp in length, at least 50% of its base
            calls must have Phred

FEATURES   Location/Qualifiers
     source   1..770
                     /organism="Pan troglodytes verus"
                     /mol_type="genomic DNA"
                     /sub_species="verus"
                     /db_xref="taxon:37012"
                     /clone_lib="Clint"
     STS   <1..>770
ORIGIN

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCCAACAGAGCAAGAGCTCTGTCTC 3122
                     |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   21 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCCAACAGAGCAAGAGCTCTGTCTC 72

Query Match   1.7%; Score 52; DB 10; Length 770;
Best Local Similarity   100.0%; Pred. No. 5.1e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

to all pairs of
overlapping reads to call NQS bases and SNPs. Alignments (between
two reads) with less
than 100 NQS bases or with SNP rate > 0.01 were discarded. To
exclude alignment between two
copies of a single read, comparisons between two reads that share
95% of their genome
alignments (>=95% bases of read A and >=95% bases of read B were
placed at the same locus
of human genome) were discarded.

RESULT 50

LOCUS   BV492390   775 bp   DNA   linear   STS 07-APR-2005
DEFINITION S221P6065J3FF7.T0 Yvonne Pan troglodytes troglodytes STS genomic,
            sequence tagged site.
ACCESSION   BV492390
VERSION   BV492390.1 GI:62336060
KEYWORDS   STS.
SOURCE   Pan troglodytes troglodytes
  ORGANISM Pan troglodytes troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1 (bases 1 to 775)
  AUTHORS   Mikkelsen,T.S., Hillier,W.L., Eichler,E.E., Zody,M.C. and
            Jaffe,D.B.
  TITLE   Initial Sequence of the Chimpanzee Genome and Comparison with the
            Human Genome
  JOURNAL   Unpublished (2005)
COMMENT   Contact: Michael C. Zody
            Broad Institute of MIT and Harvard
            320 Charles Street, Cambridge, MA 02141, USA
            Tel: 6172580933
            Fax: 6172580903
            Email: mczody@broad.mit.edu
            Primer A: No sequence submitted
            Primer B: No sequence submitted
            STS size: 775
            Protocol:
            23,021,928 chimpanzee whole genome shotgun reads were aligned to
            the Human genome NCBI
            Build 34 (hg16,July 2003). Chimp WGS reads were from 9 donors,
            including Clint (Pan
            troglodytes verus), 3 other Pan troglodytes verus chimps

FEATURES   Location/Qualifiers
     source   1..773
                     /organism="Pan troglodytes verus"
                     /mol_type="genomic DNA"
                     /sub_species="verus"
                     /db_xref="taxon:37012"
                     /clone_lib="Clint"
     STS   <1..>773
ORIGIN

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCTCTGTCTC 3122
                     |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   33 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCTCTGTCTC 84

Query Match   1.7%; Score 52; DB 10; Length 773;
Best Local Similarity   100.0%; Pred. No. 5.1e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

score >= 20, at least 30% of its base calls must satisfy
SNQS(30,25)(single strand NQS, the
base in question has Phred score >= 30, the surrounding 10 bases in
the read have Phred
score >= 25), and the read must have at least 200 bp SNQS(30,25)
bases. Reads not uniquely
placed in the genome and read pairs whose two ends were not
consistently placed were
discarded. After above filtering, NQS(30,25) standard was applied
to all pairs of
overlapping reads to call NQS bases and SNPs. Alignments (between
two reads) with less
than 100 NQS bases or with SNP rate > 0.01 were discarded. To
exclude alignment between two
copies of a single read, comparisons between two reads that share
95% of their genome
alignments (>=95% bases of read A and >=95% bases of read B were
placed at the same locus
of human genome) were discarded.

RESULT 51

```
BV523612/c
LOCUS       BV523612              810 bp    DNA     linear   STS 08-APR-2005
DEFINITION  G591P600782FH3.T0 Clint Pan troglodytes verus STS genomic, sequence
            tagged site.
ACCESSION   BV523612
VERSION     BV523612.1  GI:62401382
KEYWORDS    STS.
SOURCE      Pan troglodytes verus
  ORGANISM  Pan troglodytes verus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 810)
  AUTHORS   Mikkelsen,T.S., Hillier,W.L., Eichler,E.E., Zody,M.C. and
            Jaffe,D.B.
  TITLE     Initial Sequence of the Chimpanzee Genome and Comparison with the
            Human Genome
  JOURNAL   Unpublished (2005)
COMMENT     Contact: Michael C. Zody
            Broad Institute of MIT and Harvard
            320 Charles Street, Cambridge, MA 02141, USA
            Tel: 6172580933
            Fax: 6172580903
            Email: mczody@broad.mit.edu
```

```
FEATURES             Location/Qualifiers
     source          1..775
                     /organism="Pan troglodytes troglodytes"
                     /mol_type="genomic DNA"
                     /sub_species="troglodytes"
                     /db_xref="taxon:37011"
                     /clone_lib="yvonne"
     STS             <1..>775
ORIGIN
```

```
Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTTGGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    408 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTTGGGCCAACAT 459
```

```
Query Match     1.7%;  Score 52;  DB 10;  Length 775;
Best Local Similarity   100.0%;  Pred. No. 5.1e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

of unknown origin (Gon,Unknown Chimp). Common names: Pan troglodytes verus is the western chimp and Pan troglodytes troglodytes is the central chimp. To be included in chimpanzee SNP discovery, a troglodytes read must be at least 500bp in length, at least 50% of its base calls must have Phred score >= 20, at least 30% of its base calls must satisfy SNQS(30,25)(single strand NQS, the base in question has Phred score >= 30, the surrounding 10 bases in the read have Phred score >= 25), and the read must have at least 200 bp SNQS(30,25) bases. Reads not uniquely placed in the genome and read pairs whose two ends were not consistently placed were discarded. After above filtering, NQS(30,25) standard was applied to all pairs of overlapping reads to call NQS bases and SNPs. Alignments (between two reads) with less than 100 NQS bases or with SNP rate > 0.01 were discarded. To exclude alignment between two copies of a single read, comparisons between two reads that share 95% of their genome placed at the same locus alignments (>=95% bases of read A and >=95% bases of read B were placed at the same locus of human genome) were discarded.

RESULT 52

```
BV465101
LOCUS       BV465101              915 bp    DNA     linear   STS 06-APR-2005
DEFINITION  G591P61938RC7.T0 Clint Pan troglodytes verus STS genomic, sequence
            tagged site.
ACCESSION   BV465101
VERSION     BV465101.1  GI:62224529
KEYWORDS    STS.
SOURCE      Pan troglodytes verus
  ORGANISM  Pan troglodytes verus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 915)
  AUTHORS   Mikkelsen,T.S., Hillier,W.L., Eichler,E.E., Zody,M.C. and
            Jaffe,D.B.
  TITLE     Initial Sequence of the Chimpanzee Genome and Comparison with the
```

```
FEATURES             Location/Qualifiers
     source          1..810
                     /organism="Pan troglodytes verus"
                     /mol_type="genomic DNA"
                     /sub_species="verus"
                     /db_xref="taxon:37012"
                     /clone_lib="Clint"
     STS             <1..>810
ORIGIN
```

```
Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    392 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAAGACTCTGTCTC 341
```

```
Query Match     1.7%;  Score 52;  DB 10;  Length 810;
Best Local Similarity   100.0%;  Pred. No. 5.1e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

Primer A: No sequence submitted
Primer B: No sequence submitted
STS size: 810

Protocol: 23,021,928 chimpanzee whole genome shotgun reads were aligned to the Human genome NCBI Build 34 (hg16,July 2003). Chimp WGS reads were from 9 donors, including Clint (Pan troglodytes verus), 3 other Pan troglodytes verus chimps (Donald,Karlien,Yvonne), 3 Pan troglodytes troglodytes chimps (Noemie,Masuku,Clara) and 2 chimps of unknown origin (Gon,Unknown Chimp). Common names: Pan troglodytes verus is the western chimp and Pan troglodytes troglodytes is the central chimp. To be included in chimpanzee SNP discovery, a troglodytes read must be at least 500bp in length, at least 50% of its base calls must have Phred score >= 20, at least 30% of its base calls must satisfy SNQS(30,25)(single strand NQS, the base in question has Phred score >= 30, the surrounding 10 bases in the read have Phred score >= 25), and the read must have at least 200 bp SNQS(30,25) bases. Reads not uniquely placed in the genome and read pairs whose two ends were not consistently placed were discarded. After above filtering, NQS(30,25) standard was applied to all pairs of overlapping reads to call NQS bases and SNPs. Alignments (between two reads) with less than 100 NQS bases or with SNP rate > 0.01 were discarded. To exclude alignment between two copies of a single read, comparisons between two reads that share 95% of their genome placed at the same locus alignments (>=95% bases of read A and >=95% bases of read B were placed at the same locus of human genome) were discarded.

JOURNAL   Human Genome
COMMENT   Unpublished (2005)
             Contact: Michael C. Zody
             Broad Institute of MIT and Harvard
             320 Charles Street, Cambridge, MA 02141, USA
             Tel: 617258 0933
             Fax: 617258 0903
             Email: mczody@broad.mit.edu
             Primer A: No sequence submitted
             Primer B: No sequence submitted
             STS size: 915
             Protocol:
             23,021,928 chimpanzee whole genome shotgun reads were aligned to
             the Human genome NCBI
             Build 34 (hg16,July 2003). Chimp WGS reads were from 9 donors,
             including Clint (Pan troglodytes verus), 3 other Pan troglodytes verus chimps
             (Donald,Karllen,Yvonne), 3 Pan
             troglodytes troglodytes chimps (Noemie,Masuku,Clara) and 2 chimps
             of unknown origin
             (Gon,Unknown Chimp). Common names: Pan troglodytes verus is the
             western chimp and Pan
             troglodytes troglodytes is the central chimp. To be included in
             chimpanzee SNP discovery, a
             read must be at least 500bp in length, at least 50% of its base
             calls must have Phred
             score >= 20, at least 30% of its base calls must satisfy
             SNQS(30,25)(single strand NQS, the
             base in question has Phred score >= 30, the surrounding 10 bases in
             the read have Phred
             score >= 25), and the read must have at least 200 bp SNQS(30,25)
             bases. Reads not uniquely
             placed in the genome and read pairs whose two ends were not
             consistently placed were
             discarded. After above filtering, NQS(30,25) standard was applied
             to all pairs of
             overlapping reads to call NQS bases and SNPs. Alignments (between
             two reads) with less
             than 100 NQS bases or with SNP rate > 0.01 were discarded. To
             exclude alignment between two
             copies of a single read, comparisons between two reads that share
             95% of their genome
             alignments (>=95% bases of read A and >=95% bases of read B were
             placed at the same locus
             of human genome) were discarded.

FEATURES   Location/Qualifiers
     source   1..915
                     /organism="Pan troglodytes verus"
                     /mol_type="genomic DNA"
                     /sub_species="verus"
                     /db_xref="taxon:37012"
                     /clone_lib="Clint"
                     <1..>915
STS
     Qy   2889 GAGGCAGGTGGATCACCTGAGGCAGGAGGTTCGAGACCAGCCTGGGCAACAT 2940
                      ||||||||||||||||||||||||||||||||||||||||||||||||||||
     Db   651 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 702

ORIGIN
     Query Match   1.7%; Score 52; DB 10; Length 915;
     Best Local Similarity 100.0%; Pred. No. 5.1e-16;
     Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 53
LOCUS   AB014078   22738 bp   DNA   linear   PRI 20-NOV-1999
DEFINITION Homo sapiens genomic DNA, chromosome 6p21.3, HLA class I region,
            Cosmid clone:TY1C6, complete sequence.
ACCESSION   AB014078
VERSION   AB014078.1 GI:5672590
KEYWORDS   HTG.

SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (sites)
  AUTHORS   Shiina,T., Tamiya,G., Oka,A., Takishima,N., Yamagata,T.,
            Kikkawa,E., Iwata,K., Tomizawa,M., Okuaki,N., Kuwano,Y.,
            Watanabe,K., Fukuzumi,Y., Itakura,S., Sugawara,C., Ono,A.,
            Yamazaki,M., Tashiro,H., Ando,A., Ikemura,T., Soeda,E., Kimura,M.,
            Bahram,S. and Inoko,H.
  TITLE   Molecular dynamics of MHC genesis unraveled by sequence analysis of
            the 1,796,938-bp HLA class I region
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (23), 13282-13287 (1999)
   PUBMED   10557312
REFERENCE   2 (bases 1 to 22738)
  AUTHORS   Shiina,T., Tamiya,G., Oka,A. and Takishima,N.
  TITLE   Direct Submission
  JOURNAL   Submitted (18-MAY-1998) Nobusada Takishima, Tokai University School
            of Medicine, Molecular Life Science; Boheidai, Isehara, Kanagawa
            259-11, Japan (E-mail:takisan@is.icc.u-tokai.ac.jp,
            Tel:81-463-93-1121, Fax:81-463-94-8884)
FEATURES   Location/Qualifiers
     source   1..22738
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /map="6p21.3"
                     /clone="745D12 and 960H11"
                     /haplotype="HLA-DR4"
                     /sex="male"
                     /cell_line="Boleth"
                     /cell_type="Immunoresponse cell"
                     /tissue_type="blood"
                     /clone_lib="CEPH YAC"
                     /dev_stage="adult"
                     /note="Cosmid Clone TY1C6"

ORIGIN
     Query Match   1.7%; Score 52; DB 8; Length 22738;
     Best Local Similarity 100.0%; Pred. No. 5.5e-16;
     Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

     Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
                      ||||||||||||||||||||||||||||||||||||||||||||||||||||||
     Db   19661 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 19610

RESULT 54
LOCUS   BX248096   23481 bp   DNA   linear   PRI 28-MAY-2004
DEFINITION Human DNA sequence from clone DASS-205E5 on chromosome 6, complete
            sequence.
ACCESSION   BX248096
VERSION   BX248096.10 GI:47824849
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 23481)
  AUTHORS   Wood,J.
  TITLE   Direct Submission
  JOURNAL   Submitted (28-MAY-2004) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
COMMENT   On May 28, 2004 this sequence version replaced gi:4776042.
            -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk

Contact: humquery@sanger.ac.uk

During sequence assembly data is compared from overlapping clones.
Where differences are found these are annotated as variations.
together with a note of the overlapping clone name. Note that the
variation annotation may not be found in the sequence submission
corresponding to the overlapping clone, as we submit sequences with
only a small overlap as described above.
This sequence was finished as follows unless otherwise noted: all
regions were either double-stranded or sequenced with an alternate
chemistry or covered by high quality data (i.e.; phred quality >=
30); an attempt was made to resolve all sequencing problems, such
as compressions and repeats; all regions were covered by at least
one plasmid subclone or more than one M13 subclone; and the
assembly was confirmed by restriction digest, except on the rare
occasion of the clone being a YAC.
The following abbreviations are used to associate primary accession
numbers given in the feature table with their source databases:
Em; EMBL; Sw; SWISSPROT; Tr:; TREMBL; Wp:; WORMPEP; Information
on the WORMPEP database can be found at
http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
was generated from part of bacterial clone contigs constructed by
the MHC Haplotype Consortium and collaborators. Further information
can be found at
http://www.sanger.ac.uk/HGP/Chr6/MHC
DASS-205E5 is from a DNA-arts SSTO human bac library VECTOR:
pBe1oBAC11.

FEATURES   Location/Qualifiers
source   1..23481
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DASS-205E5"
                     /clone_lib="DNA-arts-BAC.1-SSTO.1"

ORIGIN

Query Match   1.7%;
Best Local Similarity 100.0%;   Score 52; DB 8; Length 23481;
Matches 52; Conservative 0; Pred. No. 5.5e-16; Mismatches 0; Indels 0; Gaps 0;

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 7576 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 7627

RESULT 55
ACC087649/c
LOCUS   AC087649   20057 bp   DNA   linear   PRI 07-MAY-2002
DEFINITION   Homo sapiens chromosome 17, clone RP11-46I22, complete sequence.
ACCESSION   AC087649
VERSION   AC087649.6 GI:20486426
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 25057)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE   Homo sapiens chromosome 17, clone RP11-46I22
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 25057)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,S.,
             Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B., Brown,A.,
             Camarata,J., Campopiano,A., Choepel,Y., Colangelo,M., Collins,S.,
             Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
             Dodge,S., Faro,S., Ferreira,P., FitzHugh,W., Gage,D., Galagan,J.,
             Gardyna,S., Ginde,S., Goyette,M., Graham,L., Grand-Pierre,N.,
             Hagos,B., Heaford,A., Horton,L., Hulme,W., Iliev,I., Johnson,R.,
             Jones,C., Karatas,A., LaRocque,K., Lamazares,R., Landers,T.,
             Lehoczky,J., Levine,R., Liu,G., MacLean,C., Macdonald,P.,
             Marquis,N., Matthews,C., McCarthy,M., McEwan,P., McKernan,K.,

McPheeters,R., Meldrim,J., Meneus,L., Mihova,V.,
Murphy,T., Naylor,J., Nguyen,C., Norbu,C., Norman,C.H.,
O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J., Peterson,K.,
Phunkkang,P., Pierre,N., Pollara,V., Raymond,C., Retta,R.,
Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J., Rosetti,M.,
Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S., Severy,P.,
Sougnez,C., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
Travis,M., Travis,N., Trigilio,J., Vassilliev,H., Viel,R., Vo,A.,
Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G., Zainoun,J.,
Zembek,L., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (15-JAN-2001) Whitehead Institute/MIT Center for Genome
             Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3 (bases 1 to 25057)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
             Anderson,S., Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L.,
             Boukhgalter,B., Brown,A., Camarata,J., Campopiano,A., Chang,J.,
             Chazaro,B., Choepel,Y., Colangelo,M., Collins,S., Collymore,A.,
             Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
             Faro,S., Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
             Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
             Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
             Kamat,A., Karatas,A., Kells,C., LaRocque,K., Lamazares,R.,
             Landers,T., Lehoczky,J., Levine,R., Lindblad-Toh,K., Liu,G.,
             MacLean,C., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
             McCarthy,M., McEwan,P., McKernan,K., Meldrim,J., Meneus,L.,
             Mihova,V., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R.,
             Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D.,
             Oliver,J., Peterson,K., Phunkhang,P., Pierre,N., Pollara,V.,
             Raymond,C., Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P.,
             Roman,J., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R.,
             Seaman,S., Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
             Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
             Topham,K., Travers,M., Travis,M., Wu,X., Wyman,D., Ye,W.J.,
             Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
             Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (06-MAY-2002) Whitehead Institute/MIT Center for Genome
             Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   4 (bases 1 to 25057)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
             Anderson,S., Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L.,
             Boukhgalter,B., Brown,A., Camarata,J., Campopiano,A., Chang,J.,
             Chazaro,B., Choepel,Y., Colangelo,M., Collins,S., Collymore,A.,
             Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
             Faro,S., Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
             Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
             Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
             Kamat,A., Karatas,A., Kells,C., LaRocque,K., Lamazares,R.,
             Landers,T., Lehoczky,J., Levine,R., Lindblad-Toh,K., Liu,G.,
             MacLean,C., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
             McCarthy,M., McEwan,P., McKernan,K., Meldrim,J., Meneus,L.,
             Mihova,V., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R.,
             Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D.,
             Oliver,J., Peterson,K., Phunkhang,P., Pierre,N., Pollara,V.,
             Raymond,C., Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P.,
             Roman,J., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R.,
             Seaman,S., Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
             Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
             Topham,K., Travers,M., Travis,M., Wu,X., Wyman,D., Ye,W.J.,
             Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
             Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (07-MAY-2002) Whitehead Institute/MIT Center for Genome
             Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT   On May 7, 2002 this sequence version replaced gi:20455562.
             All repeats were identified using RepeatMasker:
             Smit, A.F.A. & Green, P. (1996-1997)
             http://ftp.genome.washington.edu/RM/RepeatMasker.html
             ------------------------ Genome Center
                 Center: Whitehead Institute/ MIT Center for Genome Research
                 Center code: WIBR

```
Web site: http://www-seq.wi.mit.edu
Contact: sequence_submissions@genome.wi.mit.edu
-------- Project Information
     Center project name: L12000
     Center clone name: 46_I_22

Only the middle 25.1 kilobases of this clone are being submitted.
The remainder overlaps either accession number AC068234 [WICGR
project L10228]
or accession number AC000558 [WICGR project L239].

FEATURES             Location/Qualifiers
     source          1..25057
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /map="17"
                     /clone="RP11-46I22"
                     /clone_lib="RPCI-11 Human Male BAC"
     unsure          1..11
                     /note="<30 qual single clone coverage"
     repeat_region   2..70
                     /rpt_family="MIR"
     unsure          13..22
                     /note="<30 qual SNGL region"
     unsure          51..56
                     /note="<30 qual SNGL region"
     repeat_region   185..495
                     /rpt_family="L3"
     repeat_region   complement(1521..1648)
                     /rpt_family="MIR"
     repeat_region   1689..1853
                     /rpt_family="MIR"
     repeat_region   complement(548..665)
                     /rpt_family="AluSp"
     repeat_region   864..1097
                     /rpt_family="L3"
     repeat_region   1098..1404
                     /rpt_family="L3"
     repeat_region   2191..2522
                     /rpt_family="L1MC4a"
     repeat_region   2628..2689
                     /rpt_family="MIR3"
     repeat_region   2980..3236
                     /rpt_family="MIR3"
     repeat_region   3272..3305
                     /rpt_family="MIR"
     repeat_region   complement(3582..3873)
                     /rpt_family="MER2"
     repeat_region   complement(3582..3873)
                     /rpt_family="TCC)n"
     repeat_region   4236..4646
                     /rpt_family="LTR54"
     repeat_region   4754..4840
                     /rpt_family="L2"
     repeat_region   complement(4932..5234)
                     /rpt_family="AluSq"
     repeat_region   5286..5316
                     /rpt_family="(CATCC)n"
     repeat_region   complement(5774..5911)
                     /rpt_family="AluJo"
     repeat_region   7663..7712
                     /rpt_family="(CTGGGG)n"
     repeat_region   8499..8584
                     /rpt_family="MIR3"
     repeat_region   8588..8626
                     /rpt_family="(TG)n"
     repeat_region   complement(8627..8718)
                     /rpt_family="MIR"
     repeat_region   complement(8719..9044)
                     /rpt_family="AluJo"
     repeat_region   complement(9045..9185)
     repeat_region   9546..9644
                     /rpt_family="MIR3"
     repeat_region   complement(9718..9876)
                     /rpt_family="MIR3"
     repeat_region   10345..10450
                     /rpt_family="MIR"
     repeat_region   10976..11028
                     /rpt_family="MIR"
     repeat_region   complement(12430..12599)
                     /rpt_family="MIR"
     repeat_region   12600..12731
                     /rpt_family="AluJb"
     repeat_region   13535..13922
                     /rpt_family="MIR"
     repeat_region   13951..14236
                     /rpt_family="L1M4"
     repeat_region   14239..14491
                     /rpt_family="AluSx"
     repeat_region   14892..15194
                     /rpt_family="Charlie5"
     repeat_region   15195..15269
                     /rpt_family="AluSx"
     repeat_region   15422..15731
                     /rpt_family="Charlie5"
     repeat_region   complement(15984..16287)
                     /rpt_family="AluSp"
                     /rpt_family="AluSx"
```

```
Qy       3071 CAAGATTGTGCCCACTGCCTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      17988 CAAGATTGTGCCCACTGCCTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 17937
```

```
Query Match    1.7%;  Score 52;  DB 8;  Length 25057;
Best Local Similarity  100.0%;  Pred. No. 5.5e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;
```

```
RESULT 56
AL356788
LOCUS       AL356788                  25242 bp    DNA    linear   PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone RP11-308L13 on chromosome 1, complete
            sequence.
ACCESSION   AL356788 AC068484
VERSION     AL356788.6  GI:15626410
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 25242)
  AUTHORS   Heath,P.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequests@sanger.ac.uk
COMMENT     On Sep 16, 2001 this sequence version replaced gi:13398766.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBl; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 1, constructed by the Sanger Centre Chromosome 1 Mapping
            Group.  Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr1
            RP11-308L13 is from the library RPCI-11.2 constructed by the group
            of Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pBACe3.6
            -------------- Genome Center
```

RESULT 57

```
LOCUS       CR936916               25972 bp    DNA     linear   PRI 03-MAR-2005
DEFINITION  Human DNA sequence from clone DAMC-259M15 on chromosome 6, complete
            sequence.
ACCESSION   CR936916
VERSION     CR936916.2  GI:60495381
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 25972)
  AUTHORS   Almeida,J.
  TITLE     Direct Submission
  JOURNAL   Submitted (03-MAR-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
            On Mar 3, 2005 this sequence version replaced gi:60457977.
COMMENT     -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            --------------
            During sequence assembly data is compared from overlapping clones.
            Where differences are found these are annotated as variations
            together with a note of the overlapping clone name. Note that the
            variation annotation may not be found in the sequence submission
            corresponding to the overlapping clone, as we submit sequences with
            only a small overlap as described above.
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
```

ORIGIN
```
Query Match      1.7%;  Score 52;  DB 8;  Length 25972;
Best Local Similarity   100.0%;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy        3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTGTCTC 3122
               |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        3472 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTGTCTC 3523
```

FEATURES   Location/Qualifiers
```
     source          1..25242
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP11-308L13"
                     /clone_lib="RPCI-11.2"
     misc_feature    2000
                     /note="Clone_right_end: RP11-103C3"
     misc_feature    23243
                     /note="Clone_left_end: RP11-191N8"
```

RESULT 58

```
LOCUS       CR382280               28276 bp    DNA     linear   PRI 08-JUN-2004
DEFINITION  Human DNA sequence from clone DAMA-277I14 on chromosome 6, complete
            sequence.
ACCESSION   CR382280
VERSION     CR382280.5  GI:48473864
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 28276)
  AUTHORS   Palmer,S.
  TITLE     Direct Submission
  JOURNAL   Submitted (08-JUN-2004) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
            On Jun 8, 2004 this sequence version replaced gi:47604309.
COMMENT     -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            --------------
            During sequence assembly data is compared from overlapping clones.
            Where differences are found these are annotated as variations
            together with a note of the overlapping clone name. Note that the
            variation annotation may not be found in the sequence submission
            corresponding to the overlapping clone, as we submit sequences with
            only a small overlap as described above.
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
```

ORIGIN
```
Query Match      1.7%;  Score 52;  DB 8;  Length 25972;
Best Local Similarity   100.0%;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy        3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTGTCTC 3122
               |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       24111 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTGTCTC 24162
```

FEATURES   Location/Qualifiers
```
     source          1..25972
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DAMC-259M15"
                     /clone_lib="DNA-Arts.org BAC library MCF.1"
                     DAMC-259M15 is from the DNA-Arts.org BAC library MCF.1 VECTOR:
                     pBeloBAC11.
```

(first column COMMENT continued text, left side:)

```
Center: Wellcome Trust Sanger Institute
Center code: SC
Web site: http://www.sanger.ac.uk
Contact: vega@sanger.ac.uk
--------------
Draft Sequence Produced by Genome Sequencing Center, Washington
University School of Medicine, 4444 Forest Park Parkway, St. Louis,
MO 63108, USA
http://genome.wustl.edu/gsc/index.shtml
This sequence was finished as follows unless otherwise noted: all
regions were either double-stranded or sequenced with an alternate
chemistry or covered by high quality data (i.e., phred quality >=
30); an attempt was made to resolve all sequencing problems, such
as compressions and repeats; all regions were confirmed by at least
one subclone; and the assembly was confirmed by restriction digest,
except on the rare occasion of the clone being a YAC.
```

(right column top COMMENT continued text:)

```
chemistry or covered by high quality data (i.e., phred quality >=
30); an attempt was made to resolve all sequencing problems, such
as compressions and repeats; all regions were covered by at least
one plasmid subclone or more than one M13 subclone, and the
assembly was confirmed by restriction digest, except on the rare
occasion of the clone being a YAC.
The following abbreviations are used to associate primary accession
numbers given in the feature table with their source databases:
Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
on the WORMPEP database can be found at
http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
was generated from part of bacterial clone contigs constructed by
the MHC Haplotype Consortium and collaborators. Further information
can be found at
http://www.sanger.ac.uk/HGP/Chr6/MHC
```

RESULT 59

Query Match   1.7%;   Score 52;   DB 8;   Length 28276;
Best Local Similarity   100.0%;   Pred. No. 5.5e-16;
Matches 52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071   CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   26981   CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGACTCTGTCTC 27032

LOCUS   CR391992   32906 bp   DNA   linear   PRI 19-MAY-2005
DEFINITION Human DNA sequence from clone RP1-308E4 on chromosome 1 Contains a
            novel gene (FLJ13171) and a DnaJ (Hsp40) homolog subfamily C member
            8 (DNAJC8) pseudogene, complete sequence.
ACCESSION   CR391992
VERSION   CR391992.5 GI:47232524
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 32906)
  AUTHORS   Barlow,K.
  TITLE   Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT   On May 14, 2004 this sequence version replaced gi:47058867.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 1, constructed by the Sanger Centre Chromosome 1 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr1
            RP1-308E4 is from the library RPCI-1 constructed by the group of
            Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pcYPAC2
            -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk

FEATURES   Location/Qualifiers
     source   1..32906
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone_lib="RPCI-1"
                     /clone="RP1-308E4"

This sequence was finished as follows unless otherwise noted: all
regions were either double-stranded or sequenced with an alternate
chemistry or covered by high quality data (i.e., phred quality >=
30); an attempt was made to resolve all sequencing problems, such
as compressions and repeats; all regions were covered by at least
one subclone; and the assembly was confirmed by restriction digest,
except on the rare occasion of the clone being a YAC.

FEATURES   Location/Qualifiers
     source   1..32906
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone_lib="RPCI-1"
                     /clone="RP1-308E4"
     misc_feature   1
                     /note="Clone_left_end: RP1-308E4"
     gene   3893..4306
                     /pseudo
                     /locus_tag="RP1-308E4.1-001"
     mRNA   3893..4306
                     /pseudo
                     /locus_tag="RP1-308E4.1-001"
     CDS   3893..4306
                     /locus_tag="RP1-308E4.1-001"
                     /note="match: proteins: Sw:O75937 Tr:AAH57191
                     Tr:Q7Q149 Tr:Q8C2M6 Tr:Q8N4Z5 Tr:Q9VCH9"
                     /pseudo
                     /codon_start=1
                     /product="DnaJ (Hsp40) homolog, subfamily C member 8
                     (DNAJC8) pseudogene"
     gene   join(8205..8232,9458..9631,10585..10665,16058..16222,
                     16755..17141,23928..24525,26481..26665,30825..30978,
                     AL840643.1:8638..8693,AL840643.1:9242..9362,
                     AL840643.1:10419..10480,AL840643.1:11118..11255,
                     AL840643.1:12483..12559,AL840643.1:13698..13790,
                     AL840643.1:16002..16624)
                     /locus_tag="RP11-442N24.A.1"
                     /gene="RP11-442N24.A.1"
     mRNA   join(8205..8232,9458..9631,10585..10665,16058..16222,
                     16755..17141,23928..24525,26481..26665,30825..30978,
                     AL840643.1:8638..8693,AL840643.1:9242..9362,
                     AL840643.1:10419..10480,AL840643.1:11118..11255,
                     AL840643.1:12483..12559,AL840643.1:13698..13790,
                     AL840643.1:16002..16624)
                     /locus_tag="RP11-442N24.A.1"
                     /gene="RP11-442N24.A.1"
                     /product="novel protein"
                     /note="match: ESTs: Em:BG722393.1 Em:CN346119.1"
     gene   join(9458..9631,10585..10665,16058..16222,16755..17141,
                     23928..24525,26481..26665,30825..30978,
                     AL840643.1:8638..8693,AL840643.1:9242..9362,
                     AL840643.1:10419..10480,AL840643.1:11118..11255,
                     AL840643.1:12483..12559,AL840643.1:16002..16222,16755..17614)
                     /locus_tag="RP11-442N24.A.1-002"
                     /gene="RP11-442N24.A.1-002"
     mRNA   join(9458..9631,10585..10665,16058..16222,16755..17141,
                     23928..24525,26481..26665,30825..30978,
                     AL840643.1:8638..8693,AL840643.1:10419..10480,
                     AL840643.1:11118..11255,AL840643.1:12483..12559,
                     AL840643.1:16002..19837)
                     /locus_tag="RP11-442N24.A.1-002"
                     /gene="RP11-442N24.A.1-002"
                     /product="novel protein"
                     /note="match: ESTs: Em:BC068508.1"
     gene   join(9458..9631,10585..10665,16058..16222,16755..17141,
                     23928..24525,26481..26665,30825..30978,
                     Em:BF794049.1 Em:BG170714.1
                     /note="match: ESTs: Em:AU132111.1 Em:AU134282.1
                     match: cDNAs: Em:AF130081.1 Em:AK023233.1 Em:AK025436.1
                     Em:BC021247.2 Em:BC029266.1"
                     join(9458..9631,10585..10665,16058..16222,16755..17614)
                     /locus_tag="RP11-442N24.A.1-003"
                     /gene="RP11-442N24.A.1-003"
     mRNA   join(9458..9631,10585..10665,16058..16222,16755..17614)
                     /gene="RP11-442N24.A.1-003"
                     /locus_tag="RP11-442N24.A.1-003"
                     /product="novel protein"

ORIGIN
        1 28276
           /organism="Homo sapiens"
           /mol_type="genomic DNA"
           /db_xref="taxon:9606"
           /chromosome="6"
           /clone="DAMA-277114"
           /clone_lib="DNA-Arts BAC library MANN.1"

FEATURES   Location/Qualifiers
     source   1..28276
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DAMA-277114"
                     /clone_lib="DNA-Arts BAC library MANN.1 VECTOR:
                     pBeloBAC11.
            http://www.sanger.ac.uk/HGP/Chr6/MHC
            DAMA-277114 is from the DNA-Arts human BAC library MANN.1 VECTOR:
            can be found at
            http://www.sanger.ac.uk/HGP/Chr6/MHC
            the MHC Haplotype Consortium and collaborators. Further information
            was generated from part of bacterial clone contigs constructed by
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            on the WORMPEP database can be found at
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            The following abbreviations are used to associate primary accession
            occasion of the clone being a YAC.
            assembly was confirmed by restriction digest, except on the rare
            one plasmid subclone or more than one M13 subclone; and the

```
CDS             join(9490..9631,10585..10665,16058..16222,16755..17141,
                23928..24525,26481..26665,30825..30978,
                AL840643.1:8638..8693,AL840643.1:10419..10480,
                AL840643.1:11118..11255,AL840643.1:12483..12559,
                AL840643.1:16002..16017)
                /gene="RP11-442N24__A.1"
                /locus_tag="RP11-442N24__A.1-001"
                /standard_name="OTTHUMP00000003648"
                /note="match: proteins: Sw:O75167 Tr:Q8IZ21 Tr:Q8N384
                Tr:Q91VK6 Tr:Q9H395 Tr:Q8N384 Tr:Q9H8X0 Tr:Q9H8W6"
                /codon_start=1
                /product="novel protein"
                /protein_id="CAI20111.1"
                /db_xref="GI:56208555"
                /db_xref="InterPro:IPR004018"
                /db_xref="UniProt/TrEMBL:Q8N384"
                /translation="MVLDSVEAGDTTPTTKRSKSFSGFGKIFKPWKWRKKKSSDKFKE
                TSEVLERKISMRKPREELVKRGVLLEDPEQGEDPGKSPKSDAMLKNGHTTPIGNARSS
                PVQVEEEPVRLASLRKAIPEEDLKKRLGSTSGSQPNSEABSVPENVKPPLLPPKRPLS
                SSHEASEGQAKDATSSGGTARFIISTTSITTAPATTAATTNATSLAKTVNLSVTPSPAPRTL
                PAAPASTNTTPATTPSLTHMVPAKQPPIPPKPAHRNRNNPVIAELSQAINSGTLLSKSP
                PLPPKRGIPSTSVPTIESAAAITTKTPSDERKKSTCSMGSELLPMISPRSPSPPLPTH
                IPPEPRTPPPPAKTFQVPEIEFPPSLDLHQEIPQQEDQKKSVPRRILDQNFGEPHI
                PSRLPLPLHIRIQQALTSPLPMTPILEGSRHAHSLLFENDSDFSDSSTLGRTRSLP
                RDEBEDESYQSALANKVKDTLAMKLNHRPSEPELNLNSWPCKSKEEWNEIRHQIG
                NTLIRLSQRPTPEELEQRNILQPKNEADRQAEKRIKRLTRKLSQRPTVAELLARK
                ILRFNEYVEVTDAQDYDRADKPWTKLTPADKAAIRKELNEFKSSEMEVHEESKHPTR
                YHRP"
                /note=30907
```

```
misc_feature
                /gene="RP11-442N24__A.1"
                /locus_tag="RP11-442N24__A.1-001"
                /note="Clone_left_end: RP11-442N24"
```

```
ORIGIN
```

```
Query Match        1.7%;   Score 52;   DB 8;   Length 32906;
Best Local Similarity   100.0%;   Pred. No. 5.5e-16;
Matches 52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   10951 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 10900
```

```
FEATURES           Location/Qualifiers
     source        1..38173
                   /organism="Homo sapiens"
                   /mol_type="genomic DNA"
                   /db_xref="taxon:9606"
                   /chromosome="19"
                   /clone="LLNLR-267A4"
```

```
LOCUS       AC093235/c                    38173 bp    DNA      linear   PRI 29-SEP-2001
DEFINITION  Homo sapiens chromosome 19 clone LLNLR-267A4, complete sequence.
ACCESSION   AC093235
VERSION     AC093235.2  GI:15808549
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 38173)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 38173)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (16-AUG-2001) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3  (bases 1 to 38173)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Submitted (29-SEP-2001) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT     On Sep 29, 2001 this sequence version replaced gi:15193369.
            Draft Sequence Produced by DOE Joint Genome Institute
```

```
www.jgi.doe.gov
Finishing Completed at Stanford Human Genome Center
www.shgc.stanford.edu
Quality: Phrap Quality >=40 99.9% of Sequence;
Estimated Total Number of Errors is 0.
```

```
Query Match        1.7%;   Score 52;   DB 8;   Length 38173;
Best Local Similarity   100.0%;   Pred. No. 5.5e-16;
Matches 52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   19282 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 19231
```

```
RESULT 61
LOCUS       HSN121E8                      39372 bp    DNA      linear   PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone LL22NC03-121E8 on chromosome 22,
            complete sequence.
ACCESSION   Z78421
VERSION     Z78421.1  GI:1495467
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 39372)
  AUTHORS   Kettleborough,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep
            This sequence was generated from part of bacterial clone contigs of
            human chromosome 22, constructed by the Sanger Centre Chromosome 22
            Mapping Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr22
            --------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
            --------------- 
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30).; an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
            VECTOR: lawrist16
            is from the human chromosome 22-specific cosmid library LL22NC03,
            constructed at the Biomedical Sciences Division, Lawrence Livermore
            National Laboratory, Livermore, CA 94550 under the auspices of the
            National Laboratory Gene Library Project sponsored by the US
            Department of Energy. The source of the flow sorted chromosomes
            was a human/hamster hybrid containing chromosomes Y, 22 and 9.
```

```
FEATURES           
     source        1..39372
                   /organism="Homo sapiens"
```

RESULT 62
HSN121E8/c
LOCUS   HSN121E8   39372 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION Human DNA sequence from clone LL22NC03-121E8 on chromosome 22,
            complete sequence.
ACCESSION   Z78421
VERSION   Z78421.1 GI:1495467
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 39372)
  AUTHORS   Kettleborough,R.
  TITLE   Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT   The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep LL22NC03-121E8
            is from the human chromosome 22-specific cosmid library LL22NC03,
            constructed at the Biomedical Sciences Division, Lawrence Livermore
            National Laboratory, Livermore, CA 94550 under the auspices of the
            National Laboratory Gene Library Project sponsored by the US
            Department of Energy. The source of the flow sorted chromosomes
            was a human/hamster hybrid containing chromosomes Y, 22 and 9.
            VECTOR: lawrist16
            This sequence was generated from part of bacterial clone contigs of
            human chromosome 22, constructed by the Sanger Centre Chromosome 22
            Mapping Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr22
            ------------- Genome Center
            Center: Wellcome Trust Sanger Institute

            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk

            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES   Location/Qualifiers
     source   1..39372
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /clone_lib="LL22NC03"
                     /db_xref="taxon:9606"
                     /chromosome="22"
                     /clone="LL22NC03-121E8"
     gene   complement(join(5697..5931,6975..7281))
                     /locus_tag="LL22NC03-121E8.2-002"
     mRNA   complement(join(5697..5931,6975..7281))
                     /locus_tag="LL22NC03-121E8.2-002"
     gene   join(7219..8044,8241..8279,8810..8929,9409..9514)
                     /locus_tag="LL22NC03-121E8.1-001"
     mRNA   join(7219..8044,8241..8279,8810..8929,9409..9514)
                     /locus_tag="LL22NC03-121E8.1-001"
     CDS   join(7598..8044,8241..8279,8810..8866)
                     /locus_tag="LL22NC03-121E8.1-001"
                     /standard_name="OTTHUMP00000028824"
                     /codon_start=1
                     /protein_id="CAI18780.1"
                     /db_xref="GI:56208181"
                     /db_xref="UniProt/TrEMBL:Q5R3S2"
                     /translation="MPPPCTRHGAASAAYSPGNHPHAKHRRGKGSLPLDCVQHGRDT
                     DKHIPWQRHGPGWLELQQLCVVTELPNEGDGWPRFTVCPEHVHGAWEDQGLTMPGSGF
                     PHSEASLLVGSMAKHGRGWGSSVSDFSQAARPLGAQOENRNSILEQKMEPSTSREPT
                     AQRWTLRDRWLTRMLKYVLS"
ORIGIN

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   15817 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 15868

Query Match   1.7%; Score 52; DB 8; Length 39372;
Best Local Similarity 100.0%; Pred. No. 5.5e-16;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 63
AL445257/c
LOCUS   AL445257   39596 bp   DNA   linear   HTG 13-JUN-2001
DEFINITION Homo sapiens chromosome 1 clone RP5-1175N1, 14 unordered pieces.
ACCESSION   AL445257
VERSION   AL445257.1 GI:10716509
KEYWORDS   HTG; HTGS_PHASE1; HTGS_CANCELLED.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Burton,J.
  TITLE   Direct Submission
  JOURNAL   Submitted (12-JUN-2001) Sanger Centre, Hinxton, Cambridgeshire,
            CB10 1SA, UK. E-mail enquiries: humquery@sanger.ac.uk Clone
            requests: clonerequest@sanger.ac.uk
COMMENT   ------------- Genome Center
            Center: Sanger Centre
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            ------------- Project Information

            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk

            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES   Location/Qualifiers
     source   1..39372
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /clone_lib="LL22NC03"
                     /db_xref="taxon:9606"
                     /chromosome="22"
                     /clone="LL22NC03-121E8"
     gene   complement(join(5697..5931,6975..7281))
                     /locus_tag="LL22NC03-121E8.2-002"
     mRNA   complement(join(5697..5931,6975..7281))
                     /locus_tag="LL22NC03-121E8.2-002"
     gene   join(7219..8044,8241..8279,8810..8929,9409..9514)
                     /locus_tag="LL22NC03-121E8.1-001"
     mRNA   join(7219..8044,8241..8279,8810..8929,9409..9514)
                     /locus_tag="LL22NC03-121E8.1-001"
     CDS   join(7598..8044,8241..8279,8810..8866)
                     /locus_tag="LL22NC03-121E8.1-001"
                     /standard_name="OTTHUMP00000028824"
                     /codon_start=1
                     /protein_id="CAI18780.1"
                     /db_xref="GI:56208181"
                     /db_xref="UniProt/TrEMBL:Q5R3S2"
                     /translation="MPPPCTRHGAASAAYSPGNHPHAKHRRGKGSLPLDCVQHGRDT
                     DKHIPWQRHGPGWLELQQLCVVTELPNEGDGWPRFTVCPEHVHGAWEDQGLTMPGSGF
                     PHSEASLLVGSMAKHGRGWGSSVSDFSQAARPLGAQOENRNSILEQKMEPSTSREPT
                     AQRWTLRDRWLTRMLKYVLS"
ORIGIN

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   17381 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 17330

Query Match   1.7%; Score 52; DB 8; Length 39372;
Best Local Similarity 100.0%; Pred. No. 5.5e-16;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Center project name: dJ1175N1
------
              Summary Statistics
Assembly program: XGAP4; version 4.5
Sequencing vector: plasmid; L08752; 100% of reads
Chemistry: Dye-terminator Big Dye; 100% of reads
Consensus quality: 28716 bases at least Q40
Consensus quality: 32676 bases at least Q30
Consensus quality: 35450 bases at least Q20
Insert size: 38296; sum-of-contigs
Insert size: 138118; 12.9% error; agarose-fp
Quality coverage: 1.51x in Q20 bases; sum-of-contigs Quality
coverage: 0.97x in Q20 bases; agarose-fp

* NOTE: This is a 'working draft' sequence. It currently
* consists of 14 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
*
*       1     2942: contig of 2942 bp in length
*    2943     3042: gap of 100 bp
*    3043     5573: contig of 2531 bp in length
*    5574     5673: gap of 100 bp
*    5674     9075: contig of 3402 bp in length
*    9076     9175: gap of 100 bp
*    9176    11187: contig of 2012 bp in length
*   11188    11287: gap of 100 bp
*   11288    14656: contig of 3369 bp in length
*   14657    14756: gap of 100 bp
*   14757    17428: contig of 2672 bp in length
*   17429    17528: gap of 100 bp
*   17529    19964: contig of 2436 bp in length
*   19965    20064: gap of 100 bp
*   20065    24184: contig of 4120 bp in length
*   24185    24284: gap of 100 bp
*   24285    26468: contig of 2184 bp in length
*   26469    26568: gap of 100 bp
*   26569    29667: contig of 3099 bp in length
*   29668    29767: gap of 100 bp
*   29768    31926: contig of 2159 bp in length
*   31927    32026: gap of 100 bp
*   32027    34705: contig of 2679 bp in length
*   34706    34805: gap of 100 bp
*   34806    37009: contig of 2204 bp in length
*   37010    37109: gap of 100 bp
*   37110    39596: contig of 2487 bp in length.

FEATURES             Location/Qualifiers
     source          1..39596
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone_lib="RPCI-5"
                     /clone="RP5-1175N1"
     misc_feature    1..2942
                     /note="assembly_fragment:00018
                     fragment_chain:1"
     misc_feature    3043..5573
                     /note="assembly_fragment:00371
                     fragment_chain:1"
     misc_feature    5674..9075
                     /note="assembly_fragment:00430
                     fragment_chain:2"
     misc_feature    9176..11187
                     /note="assembly_fragment:00095
                     fragment_chain:2"
     misc_feature    11288..14656
                     /note="assembly_fragment:00113"
     misc_feature    14757..17428
                     /note="assembly_fragment:00120"
     misc_feature    17529..19964

     misc_feature    20065..24184
                     /note="assembly_fragment:00198"
     misc_feature    24285..26468
                     /note="assembly_fragment:00245"
     misc_feature    26569..29667
                     /note="assembly_fragment:00304"
     misc_feature    29768..31926
                     /note="assembly_fragment:00328"
     misc_feature    32027..34705
                     /note="assembly_fragment:00481"
     misc_feature    34806..37009
                     /note="assembly_fragment:00489"
     misc_feature    37110..39596
                     /note="assembly_fragment:00517"
                     /note="assembly_fragment:00532"
ORIGIN


Query Match
Best Local Similarity  100.0%;        Score 52;  DB 14;  Length 39596;
Matches  52; Conservative  0; Mismatches  0; Indels  0; Gaps  0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  12668 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTGTCTC 12617


RESULT 64
AL359082
AL359082  Human DNA sequence from clone RP4-576K7 on chromosome 1 Contains
          part of the FRAP1 (FK506 binding protein 12-rapamycin associated
          protein 1) gene, ESTs, an STS and GSSs, complete sequence.
LOCUS       AL359082               41372 bp    DNA     linear   PRI 16-APR-2005
DEFINITION  Human DNA sequence from clone RP4-576K7 on chromosome 1 Contains
            part of the FRAP1 (FK506 binding protein 12-rapamycin associated
            protein 1) gene, ESTs, an STS and GSSs, complete sequence.
ACCESSION   AL359082
VERSION     AL359082.16  GI:14329962
KEYWORDS    HTG; binding protein; FRAP1.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 41372)
  AUTHORS   Hall,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (11-JUN-2001) Sanger Centre, Hinxton, Cambridgeshire,
            CB10 1SA, UK. E-mail enquiries: humquery@sanger.ac.uk Clone
            requests: clonerequest@sanger.ac.uk
COMMENT     On Jun 8, 2001 this sequence version replaced gi:13445394.
            During sequence assembly data is compared from overlapping clones.
            Where differences are found these are annotated as variations
            together with a note of the overlapping clone name. Note that the
            variation annotation may not be found in the sequence submission
            corresponding to the overlapping clone, as we submit sequences with
            only a small overlap as described above.
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one plasmid subclone or more than one M13 subclone; and the
            assembly was confirmed by restriction digest. The following
            abbreviations are used to associate primary accession numbers given
            in the feature table with their source databases: Em:, EMBL; Sw:,
            SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information on the WORMPEP
            database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 1, constructed by the Sanger Centre Chromosome 1 Mapping
            Group.  Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr1
            RP4-576K7 is from the library RPCI-4 constructed by the group of
            Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pCYPAC2
```

IMPORTANT: This sequence is not the entire insert of clone
RP4-576K7 It may be shorter because we sequence overlapping
sections only once, except for a 100 base overlap. The
The true left end of clone RP4-576K7 is at 1 in this sequence. The
true left end of clone RP4-635E18 is at 41273 in this sequence.

```
FEATURES             Location/Qualifiers
source               1..41372
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="RP4-576K7"
                     /clone_lib="RPCI-4"
                     /chromosome="1"
gene                 join(<401..540,7465..7565,10902..11017,12648..12725,
                     12938..13045,18036..18161,18259..18390,23230..23345,
                     24502..24619,26922..27170,27861..27961,28748..28844,
                     29147..29245,29573..29695,29893..30075,30555..30689,
                     30903..31077,33066..33201,35573..35720,36331..36453,
                     40608..>40690)
                     /gene="FRAP1"
CDS                  join(<401..540,7465..7565,10902..11017,12648..12725,
                     12938..13045,18036..18161,18259..18390,23230..23345,
                     24502..24619,26922..27170,27861..27961,28748..28844,
                     29147..29245,29573..29695,29893..30075,30555..30689,
                     30903..31077,33066..33201,35573..35720,36331..36453,
                     40608..>40690)
                     /gene="FRAP1"
                     /note="match: cDNAs: Em:U11681 Em:U88966 Em:AF152838
                     Em:L34075 Em:L37085 Em:AF046004 Em:AK024393 Em:L35478
                     match: ESTs: Em:BF689449 Em:BG420811 Em:BG174145
                     Em:BE560006 Em:BE560852 Em:AI120924 Em:BF782990
                     Em:BG342777 Em:BE935597 Em:BE871879 Em:AI738514
                     Em:BF039490 Em:AV594302 Em:AU135855 Em:BB911828
                     Em:BF018061 Em:R19912 Em:BB163620 Em:BF921354
                     Em:R11865 Em:BG421771 Em:W26223 Em:BF921191 Em:R60442
                     Em:R55558 Em:AA497757 Em:AI614270 Em:BB514616 Em:BF720437
                     Em:T75267 Em:BG250647 Em:BF818208 Em:T27961 Em:BF782326 Em:BE367792
                     Em:BG088519 Em:F08162 Em:BB892046 Em:T05942
                     Em:AW500990 Em:BG835098 Em:AL079589 Em:BF856122
                     Em:BF920810 Em:AV594303 Em:AL079589
                     Em:BF920810 Em:BF760012 Em:BP508672
                     proteins: Tr:Q9JLN9 Sw:P42346 Tr:Q9Y413 Sw:P42345
                     Sw:P32600 Tr:Q97YK2 Tr:O14356 Tr:Q9VK45 Tr:O94189
                     Sw:Q9LPM4 Tr:O94188 Sw:P35169 Tr:O01438 Tr:Q9YI30"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="dJ576K7.1 (FK506 binding protein 12-rapamycin
                     associated protein 1)"
                     /protein_id="CAC42395.1"
                     /db_xref="GI:14530309"
                     /db_xref="GOA:Q96QW8"
                     /db_xref="InterPro:IPR000403"
                     /db_xref="InterPro:IPR003151"
                     /db_xref="InterPro:IPR003152"
                     /db_xref="InterPro:IPR060025"
                     /db_xref="UniProt/TrEMBL:Q96QW8"
                     /translation="EIQATWYEKLHEWEDALVAYDKKMDTNKDDPELMLGRMRCLEAL
                     GEWGQLHQOCCEBKWTLVNDETQAKMARMAAAAWGLGQWDSMEEYTCMIPRDTHDGAF
                     YRAVLALHQDLFSLAQQCIDKARDLLDAELTAMAGESYSRAYGANVSCHMLSELEEVI
                     QYKLVPERRIIRQIWWERLQGCQRIVEDWQKILMVRSLVVSPHEDMRTWLKYASLCG
                     KSGRLALAHKTLVLLLGVDPSRQLDHPLPTVHPQVTYAYMKNWRSARKIDAFQHMQH
                     FVQTMQQQAQHAIATEDQQKRQELHKLMARCFLKLGEWQLNLQGINESTIPKVLQYYS
                     AATEHDRSWYKAWHAWAVMNFEAVLHYKHQNQARDEKKKLRHASGANINATTAAYTTA
                     ATATTAPSTEGSNSESEAESTENSPTPSPLQKKVTEDLSKTLLMTVPAVQGFFRSIS
                     LSRGNNLQDTLRVLLTLWFDYGHWPDVNEALVEGVKAIQIQIDTWLQVIPQLIARIDTPRP
                     LVGRLIHQILTDIGRYHPQALIYPLTVASKSTTTARHNANKILRNMCEHSNTLVQQA
                     MMVSEELIRVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMRGPQTLKE
                     TSFNQAYGRDLMEAQEWCRKYMKSGNVHDLTQAWDLYYHVFRRISKQLPQLTSLELQY
                     VSPKLMCRDLELAVPGTYDPNQPIIRIQSTAPSLQVITSKQRPRKLTLMGSNGHEFV
                     FLLKGHEDLRQDERVMQLFGLVNTLLANDPTSLRKNLSIQRYAVIPLSTNSGLIGWVP
                     HCDTLHALIRDYREKKKILLNIEHRIMLRMAPDYDHLTLMQKVEVFEHAVNNTAGDDL
                     AKLMLKSPSSEVWFDRRTNYTRSLAVMSMVGYILGLGD"
repeat_region        942..1116
                     /note="L2 repeat: matches 2514..2688 of consensus"
repeat_region        1403..1711
                     /note="AluSx repeat: matches 1..310 of consensus"
repeat_region        1798..1919
                     /note="L2 repeat: matches 2588..2709 of consensus"
repeat_region        2065..2274
                     /note="MER39b repeat: matches 193..386 of consensus"
repeat_region        2637..2828
                     /note="AluJo repeat: matches 1..190 of consensus"
repeat_region        2829..2989
                     /note="FAM repeat: matches 1..174 of consensus"
repeat_region        2990..3046
                     /note="AluJo repeat: matches 85..310 of consensus"
repeat_region        3302..3399
                     /note="Alu/FLAM repeat: matches 2..99 of consensus"
repeat_region        3493..3528
                     /note="4 copies 9 mer tgttgttgt 94% conserved"
repeat_region        3550..3592
                     /note="MER3 repeat: matches 169..209 of consensus"
repeat_region        3593..3904
                     /note="AluSx repeat: matches 1..312 of consensus"
repeat_region        3905..4063
                     /note="MER3 repeat: matches 1..169 of consensus"
repeat_region        5278..5341
                     /note="U6 repeat: matches 1..65 of consensus"
repeat_region        6021..6203
                     /note="MER5A repeat: matches 1..189 of consensus"
misc_feature         complement(6653..7159)
                     /note="match: GSS: Em:AQ686069"
misc_feature         complement(7139..7569)
                     /note="match: GSS: Em:AQ801311"
misc_feature         complement(7462..7569)
                     /note="match: GSS: Em:AZ380853"
repeat_region        7877..8300
                     /note="AluJb repeat: matches 2..122 of consensus"
repeat_region        8328..8426
                     /note="MER21B repeat: matches 39..481 of consensus"
repeat_region        8613..8759
                     /note="MER21B repeat: matches 568..669 of consensus"
misc_feature         complement(8750..9015)
                     /note="match: GSS: Em:AQ531228"
misc_feature         complement(8749..9044)
                     /note="match: GSS: Em:AQ553575"
misc_feature         8757..8963
                     /note="match: GSS: Em:AG019010"
                     /gene="FRAP1"
repeat_region        8784..9073
                     /note="MER5B repeat: matches 235..463 of consensus"
misc_feature         complement(8785..8897)
                     /note="match: GSS: Em:AQ515715"
repeat_region        9358..9583
                     /note="MLT1J repeat: matches 1..292 of consensus"
repeat_region        9626..9706
                     /note="L1MC5 repeat: matches 7836..7916 of consensus"
repeat_region        11890..12024
                     /note="AluSg/x repeat: matches 1..138 of consensus"
repeat_region        12025..12313
                     /note="AluSx repeat: matches 1..297 of consensus"
repeat_region        13341..13507
                     /note="MER5B repeat: matches 1..178 of consensus"
misc_feature         complement(13761..14140)
                     /note="match: GSS: Em:AQ099815"
misc_feature         complement(13852..14185)
                     /note="match: GSS: Em:AZ030613"
misc_feature         14226..14687
                     /note="match: GSS: Em:AQ760056"
misc_feature         14226..14655
                     /gene="FRAP1"
```

```
RESULT 65
Qy          3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGACAAGAGCAAGACTCTGTCTC 3122
                 |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         35426 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGACAAGAGCAAGACTCTGTCTC 35477

Query Match          1.7%;  Score 52; DB 8;  Length 41372;
Best Local Similarity  100.0%;  Pred. No. 5.5e-16;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

AC004602           42572 bp    DNA     linear     PRI 22-APR-1998
LOCUS       AC004602
DEFINITION  Homo sapiens chromosome 19, cosmid F23487, complete sequence.
ACCESSION   AC004602
VERSION     AC004602.1  GI:3075375
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 42572)
  AUTHORS   Lamerdin,J.E., McCready,P.M., Skowronski,E., Adamson,A.W.,
            Burkhart-Schultz,K., Gordon,L., Kyle,A., Ramirez,M., Stilwagen,S.,
            Phan,H., Velasco,N., Garnes,J., Danganan,L., Poundstone,P.,
            Christensen,M., Georgescu,A., Avila,J., Liu,S., Attix,C.,
            Andreise,T., Trankheim,M., Amico-Keller,G., Coefield,J., Duarte,S.,
            Lucas,S., Bruce,R., Thomas,P., Quan,G., Kronmiller,B., Arellano,A.,
            Montgomery,M., Ow,D., Nolan,M., Trong,S., Kobayashi,A., Olsen,A.O.
            and Carrano,A.V.
  TITLE     Unpublished
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 42572)
  AUTHORS   Lamerdin,J.E.
  TITLE     Direct Submission
  JOURNAL   Submitted (22-APR-1998) Joint Genome Institute, Lawrence Livermore
            National Laboratory, 7000 East Ave., Livermore, CA 94551, USA
COMMENT     Map and sequence oriented from p telomere to centromere. Cosmid
            F23487 should overlap cosmid R30335 to the right. There is
            currently an approx. 8 kb sequence gap to the left between F23487
            and P1-29569. Additional chr 19 map and sequence information is
            available at http://www-bio.llnl.gov/genome/genome.html.
FEATURES             Location/Qualifiers
     source          1..42572
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="19"
                     /map="19p13.3 between D19S883 and MLLT1"
                     /clone="F23487"
                     /cell_line="UV5HL9-5B"
                     /clone_lib="LL19NC02 P chromosome 19-specific cosmid
                     library"
                     /note="Cosmid library constructed at LLNL from flow-sorted
                     chromosomes from hybrid UV5HL9-5B, which carries
                     chromosome 19 as its only human chromosome."
     repeat_region   1..63
                     /rpt_family="Alu"
     repeat_region   68..330
                     /rpt_family="AluJb"
     repeat_region   333..605
                     /rpt_family="AluJb"
     repeat_region   741..771
                     /rpt_family="AluJb"
     repeat_region   769..886
                     /rpt_family="MIR"
     repeat_region   1087..1388
                     /rpt_family="LINE2"
     repeat_region   1389..1663
                     /rpt_family="AluSx"
     repeat_region   1668..1832
                     /rpt_family="MLT1A2"
     repeat_region   1833..2129
                     /rpt_family="THE1C"
     repeat_region   2139..2343
                     /rpt_family="AluSx"
     repeat_region   2344..2404
                     /rpt_family="MLT1A2"
     repeat_region   2405..2665
                     /rpt_family="AluSx"
     repeat_region   2677..2977
                     /rpt_family="AluSg"
     repeat_region   2978..3002
                     /rpt_family="AT_rich"
     repeat_region   3029..3131
                     /rpt_family="MIR"
     misc_feature    3166..3478
                     /note="predicted exon, program: grail2exons_human_1.3,
                     frame: 2, quality: good, score: 72.000"
     misc_feature    3820..4131
                     /note="predicted exon, program: grail2exons_human_1.3,
                     frame: 1, quality: excellent, score: 91.000"
     repeat_region   4727..4762
                     /rpt_family="AluSx"
     repeat_region   4763..5031
                     /rpt_family="MIR"
     repeat_region   5032..5055
                     /rpt_family="AluSx"
     repeat_region   5154..5254
                     /rpt_family="(CAA)n"
     repeat_region   5256..5545
                     /rpt_family="AluSg"
     repeat_region   5546..5719
                     /rpt_family="AluSx"
     repeat_region   6013..6320
                     /rpt_family="AluJo"
     repeat_region   6339..6503
                     /rpt_family="AluSx"
     repeat_region   6504..6804
                     /rpt_family="AluSg"
     repeat_region   6806..6942
                     /rpt_family="AluSg"
     repeat_region   6945..7248
                     /rpt_family="FLAM_C"
     repeat_region   7254..8053
                     /rpt_family="AluJo"
     repeat_region   8378..8378
                     /rpt_family="AluSg"
     misc_feature    7955..8378
                     /note="DDS similarity to H80195 yu56f07.r1 Homo sapiens
                     cDNA clone 230149 5' similar to contains Alu repetitive
                     element.;contains HGR repetitive element ;. Score: 788
                     Identity: 419/428 (97%)."
     repeat_region   8082..8198
                     /rpt_family="AluSg"
     repeat_region   8272..8312
                     /rpt_family="MIR"
     gene            8632..10218
                     /gene="CAPS"
     repeat_region   8632..8651
                     /gene="CAPS"
     misc_feature    8632..8651
                     /note="DDS similarity to R59818 yh11c08.r1 Homo sapiens
                     CALCIUM-BINDING PROTEIN R2D5; (1. .35); 100% Identity."
     gene            8649..8831
                     /gene="CAPS"
                     /standard_name="exon"
                     /note="DDS similarity to overlapping ESTs:
```

misc_feature   (8649..8831) AA128281 z129e12.r1 Soares pregnant uterus
               NbHPU Homo sapiens cDNA clone 503374 5' similar to
               TR:E245872 E245872 CALCYPHOSINE; (1..183); 99%
               identity:~(8693..8831) AA355592 EST68631 Fetal lung II
               Homo sapiens cDNA 5' end similar to calcyphosine;
               (1..139); 99% identity:~(8727..8831) R59818 yh1c08.r1
               Homo sapiens cDNA clone 42992 5' similar to SP:A49020
               A49020 CALCIUM-BINDING PROTEIN R2D5; (36..140); 99%
               identity."
               8727..8831
               /gene="CAPS"
               /note="predicted exon, program: grail2exons_human_1.3,
               frame: 0, quality: excellent, score: 100.000"

CDS   join(8749..8831,8905..9082,9282,9488,9563..9664)
               /gene="CAPS"
               /note="CALCYPHOSINE (CALCIUM BINDING PROTEIN); R2D5)
               /codon_start=1
               /product="CAYP_HUMAN"
               /protein_id="AAC14484.1"
               /db_xref="GI:3075376"
               /translation="MDAVDATMEKLRAQCLSRGASGIQGLRARFFRQLDRDGSRLDAD
               EFROGLAKGLVLDQAEAEGVCRKWDRNGSGTLDLEEFLRALRPPMSQAREAVIAAAF
               AKLDRSGDGVVTVDDLRGVYSGRAIPKVRGGEWTEDEVLRRFLDNFDSSEKDGQVTLA
               EFQDYYSGVSASMNTDEEFVAMMTSAWQL"
               8905..9082
               /gene="CAPS"
               /standard_name="exon"
               /note="DDS similarity to overlapping ESTs:
               (8905..9082) AA128281 z129e12.r1 Soares pregnant uterus
               NbHPU Homo sapiens cDNA clone 503374 5' similar to
               TR:E245872 E245872 CALCYPHOSINE; (184..359); 98%
               identity:~(8905..9082) R59818 yh1c08.r1 Homo sapiens cDNA
               clone 42992 5' similar to SP:A49020 A49020 CALCIUM-BINDING
               PROTEIN R2D5; (141..321); 93% identity:~(8905..9013)
               AA355592 EST68631 Fetal lung II Homo sapiens cDNA 5' end
               similar to calcyphosine; (140..251); 95%
               identity.~predicted exon, program: grail2exons_human_1.3,
               frame: 1, quality: good, score: 71.000"
               9282..9488
               /gene="CAPS"
               /standard_name="exon"
               /note="predicted exon, program: grail2exons_human_1.3,
               frame: 2, quality: excellent, score: 100.000"
               9488..9563
               /gene="CAPS"
               /standard_name="exon"
               /note="DDS similarity to R88929 yp97h05.r1 Homo sapiens
               cDNA clone 195417 5' similar to SP:CAYP CANFA P10463
               CALCYPHOSIN ; (19..359); 99% identity."
               9563..9660
               /gene="CAPS"
               /note="predicted exon, program: grail2exons_human_1.3,
               frame: 1, quality: excellent, score: 100.000"

misc_feature   complement(9722..10218)
               /note="DDS similarity to overlapping ESTs:
               (10142..9722) AA470903 ne20h12.s1 NCI_CGAP_Co3 Homo
               sapiens cDNA clone IMAGE:881831. Score: 807 Identity:
               414/422 (98%).

misc_feature   (10147..9727) AA642553 nq73a11.s1 NCI_CGAP_Pr22 Homo
               sapiens cDNA clone IMAGE:1157948. Score: 817 Identity:
               416/420 (99%).~(10218..9777) AA125808 z129e12.s1 Soares
               pregnant uterus NbHPU Homo sapiens cDNA clone 503374 3'.
               Score: 851 Identity: 435/441 (98%).~(10219..9803) AA483290
               ne39b09.s1 NCI_CGAP_Co3 Homo sapiens cDNA clone
               IMAGE:899705 similar to TR:G191151 G191151 PRO-ALPHA-1
               TYPE V COLLAGEN. Score: 804 Identity: 412/415
               (99%).~Other EST matches:
               AA909760"

misc_feature   10481..11538
               /note="DDS similarity to overlapping ESTs:

Qy   3071 CAAGAATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   31346 CAAGAATTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 31397

Query Match   1.7%; Score 52; DB 8; Length 42572;
Best Local Similarity 100.0%; Pred. No. 5.5e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 66
LOCUS   AC016627   44449 bp   DNA   linear   PRI 29-SEP-2000
DEFINITION   Homo sapiens chromosome 19 clone LLNLR-251F1, complete sequence.
ACCESSION   AC016627
VERSION   AC016627.6 GI:10337634
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
               Hominidae; Homo.
REFERENCE   1 (bases 1 to 44449)
AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE   Direct Submission
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 44449)
AUTHORS   DOE Joint Genome Institute.
TITLE   Direct Submission
JOURNAL   Submitted (04-DEC-1999) Production Sequencing Facility, DOE Joint
               Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3 (bases 1 to 44449)
AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE   Direct Submission
JOURNAL   Submitted (29-SEP-2000) DOE Joint Genome Institute, 2800 Mitchell
               Drive, Walnut Creek, CA 94598, USA
COMMENT   On Sep 29, 2000 this sequence replaced gi:7711581.
               Draft Sequence Produced by DOE Joint Genome Institute
               http://www.jgi.doe.gov
               Finishing Completed at Stanford Human Genome Center
               www.shgc.stanford.edu
               Quality: Phrap Quality >=40 99.6% of Sequence;
               Estimated Total Number of Errors is 0.3.
FEATURES   Location/Qualifiers
     source   1..44449
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="19"
                     /clone="LLNLR-251F1"
ORIGIN

Qy   3071 CAAGAATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   9282 CAAGAATTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 9333

Query Match   1.7%; Score 52; DB 8; Length 44449;
Best Local Similarity 100.0%; Pred. No. 5.5e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 67
LOCUS   CR936927   44783 bp   DNA   linear   PRI 03-MAR-2005
DEFINITION   Human DNA sequence from clone DAMC-32J6 on chromosome 6, complete
               sequence.
ACCESSION   CR936927
VERSION   CR936927.1 GI:60495271
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens

REFERENCE
AUTHORS   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 44783)
AUTHORS   Almeida,J.
TITLE   Direct Submission
JOURNAL   Submitted (03-MAR-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
COMMENT   ------------ Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk

            During sequence assembly data is compared from overlapping clones.
            Where differences are found these are annotated as variations
            together with a note of the overlapping clone name. Note that the
            variation annotation may not be found in the sequence submission
            corresponding to the overlapping clone, as we submit sequences with
            only a small overlap as described above.
            This sequence was finished as follows unless otherwise noted; all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one plasmid subclone or more than one M13 subclone; and the
            assembly was confirmed by restriction digest, except on the rare
            occasion of the clone being a YAC.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs constructed by
            the MHC Haplotype Consortium and collaborators. Further information
            can be found at
            http://www.sanger.ac.uk/HGP/Chr6/MHC
            DAMC-3326 is from the DNA-Arts.org BAC library MCF.1 VECTOR:
            pBeloBAC11.
FEATURES   Location/Qualifiers
     source   1..44783
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DAMC-3326"
                     /clone_lib="DNA-Arts.org BAC library MCF.1"
ORIGIN

RESULT 68
AC006139/c

Qy   3071 CAAGAGTTGTGCCACTCGCACTCCAGCCTGGGGCAACGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   139 CAAGAGTTGTGCCACTCGCACTCCAGCCTGGGCAACGAGCAAGACTCTGTCTC 190

Query Match   1.7%; Score 52; DB 8; Length 44783;
Best Local Similarity   100.0%; Pred. No. 5.5e-16;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

TITLE   Large scale sequence analysis of the human MHC class I region
JOURNAL   Unpublished (1998)
REMARK   Geraghty,D.E.
            Fred Hutchinson Cancer Research Center
            The Clinical Research Division
            1100 Fairview Ave. N., P.O. Box 19024
            Seattle, WA 98109-1024
REFERENCE   2 (bases 1 to 46201)
AUTHORS   Geraghty,D.B. and Olson,M.V.
TITLE   Direct Submission
JOURNAL   Submitted (05-DEC-1998) Human Genome Center, University of
            Washington, Box 352145, Seattle, WA 98195, USA
REMARK   University of Washington Human Genome Center
            Box 352145, Seattle, WA 98195
            Contact: Daniel E. Geraghty (geraghty@fhcrc.org)
COMMENT   Overlapping Sequences:
            5'; UWGC:y55c025 (Genbank Accession: AC004209)
            3'; UWGC:y55c138 (Genbank Accession: AC004206)

            Sequence Quality Assessment:
            This entry has been annotated with sequence quality
            estimates computed by the Phrap assembly program.
            All manually edited bases have been reduced to quality zero.
            Quality levels above 40 are expected to have less than
            1 error in 10,000 bp.
            Base-by-base quality values are not generally visible from the
            GenBank flat file format but are available as part
            of this entry's ASN.1 file.

            Sequence Validation:
            This entry has been validated by Multiple Complete Digest
            Mapping. Comparison of the experimentally derived map digest
            fragments with sequence-predicted fragments is given below.
            Small fragments below a variable cutoff (approximately 400-600bp)
            are not mapped and hence do not appear in the table. There are no
            significant remaining discrepancies between the experimental and
            predicted values. Uniquely ordered fragment groups are separated
            by dashed lines.

            Double stranded (DS) coverage: 84.7%
            DS or two chemistry coverage: 98.6%
            Single stranded regions: 4

BglII		HindIII		NsiI	
Map	Seq	Map	Seq	Map	Seq
-------	-------	-------	-------	--------	--------
3065.60	3075.00	7741.77	7605.00	18011.21	17666.00
760.21	760.00	1925.00	1905.00	1487.24	1502.00
3367.22	3318.00	551.96	542.00	17901.11	17315.00
2061.62	2038.00	550.36	572.00		
8479.38	8246.00	549.54	526.00		
12862.98	12605.00	17067.47	16692.00		
948.71	946.00	1109.30	1099.00		
5284.45	5123.00	908.39	885.00		
		8007.86	7729.00		
		6403.96	6095.00		

FEATURES   Location/Qualifiers
     source   1..46201
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /map="6p21"
                     /clone="CGM1:D123C12"

LOCUS   AC006139   46201 bp   DNA   linear   PRI 05-DEC-1998
DEFINITION Homo sapiens clone UWGC:y55c068 from 6p21, complete sequence.
ACCESSION   AC006139
VERSION   AC006139.1 GI:3970957
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 46201)
AUTHORS   Janer,M., Guillaudeux,T., Vu,Q., Kutyavin,T., Harter,H. and

```
                    /sub_clone="UWGC:y5sc068"
                    /cell_line="CGM1"
                    /clone_lib="Wash U YAC library"
                    143..751
repeat_region       1012..1311
                    /rpt_family="Alu"
repeat_region       1720..2002
                    /rpt_family="Alu"
repeat_region       complement(2189..2306)
                    /rpt_family="Alu"
repeat_region       2390..2642
                    /rpt_family="LTR8"
repeat_region       2823..3142
                    /rpt_family="Alu"
repeat_region       complement(3342..3488)
                    /rpt_family="Alu"
repeat_region       complement(3794..4088)
                    /rpt_family="LTR8"
repeat_region       complement(4597..4976)
                    /rpt_family="Alu"
repeat_region       complement(5537..5816)
                    /rpt_family="Alu"
repeat_region       complement(6041..6333)
                    /rpt_family="Alu"
repeat_region       complement(6479..6641)
                    /rpt_family="L1"
repeat_region       complement(11144..11222)
                    /rpt_family="Alu"
repeat_region       complement(11442..11610)
                    /rpt_family="MER25"
repeat_region       13441..13727
                    /rpt_family="MER25"
repeat_region       14018..14195
                    /rpt_family="Alu"
repeat_region       complement(14307..15266)
                    /rpt_family="Alu"
repeat_region       15725..16027
                    /rpt_family="LTR12"
repeat_region       16086..16350
                    /rpt_family="Alu"
repeat_region       16386..16701
                    /rpt_family="Alu"
repeat_region       17427..17724
                    /rpt_family="Alu"
repeat_region       complement(18377..19150)
                    /rpt_family="Alu"
repeat_region       complement(18685..18976)
                    /rpt_family="MER4"
repeat_region       complement(19202..19442)
                    /rpt_family="LTR12"
repeat_region       19789..19923
                    /rpt_family="Alu"
repeat_region       complement(20024..20180)
                    /rpt_family="Alu"
repeat_region       complement(20422..20679)
                    /rpt_family="Alu"
repeat_region       complement(20804..21089)
                    /rpt_family="Alu"
repeat_region       complement(21281..21568)
                    /rpt_family="Alu"
repeat_region       complement(21913..22032)
                    /rpt_family="Alu"
repeat_region       complement(22541..22790)
                    /rpt_family="MER42"
repeat_region       complement(22816..22968)
                    /rpt_family="Alu"
repeat_region       23481..23767
                    /rpt_family="Alu"
repeat_region       complement(25929..26198)
                    /rpt_family="Alu"
repeat_region       26298..27083
                    /rpt_family="Alu"

repeat_region       complement(27761..28381)
                    /rpt_family="Alu"
repeat_region       28631..28906
                    /rpt_family="Alu"
repeat_region       complement(29405..29699)
                    /rpt_family="Alu"
repeat_region       29951..30236
                    /rpt_family="Alu"
repeat_region       31046..31644
                    /rpt_family="Alu"
repeat_region       33178..33466
                    /rpt_family="Alu"
repeat_region       33713..34001
                    /rpt_family="Alu"
repeat_region       complement(34116..34209)
                    /rpt_family="Alu"
repeat_region       complement(34226..34369)
                    /rpt_family="Alu"
repeat_region       34841..35164
                    /rpt_family="LTR5"
repeat_region       35170..35277
                    /rpt_family="LTR5"
repeat_region       complement(36065..36319)
                    /rpt_family="Alu"
repeat_region       37201..37670
                    /rpt_family="MER1"
repeat_region       complement(37323..37418)
                    /rpt_family="MER1"
repeat_region       38132..38421
                    /rpt_family="Alu"
repeat_region       complement(39377..39729)
                    /rpt_family="MSTAR"
repeat_region       complement(40127..40416)
                    /rpt_family="Alu"
repeat_region       41331..41643
                    /rpt_family="Alu"
repeat_region       44180..44436
                    /rpt_family="Alu"
repeat_region       complement(44598..44804)
                    /rpt_family="Alu"
repeat_region       44890..45211
                    /rpt_family="Alu"

Query Match      1.7%;  Score 52;  DB 8;  Length 46201;
Best Local Similarity  100.0%;  Pred. No. 5.5e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db  20873 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTGTCTC 20822

RESULT 69
AC108747/c
LOCUS       AC108747        46509 bp    DNA    linear   PRI 21-JUN-2002
DEFINITION  Homo sapiens 3 BAC RP11-268E23 (Roswell Park Cancer Institute Human
            BAC Library) complete sequence.
ACCESSION   AC108747
VERSION     AC108747.5  GI:21535890
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 46509)
  AUTHORS   Muzny,D.M., Adams,C., Adio-Oduola,B., Ali-osman,F.R., Allen,C.,
            Alsbrooks,S.L., Amaratunge,H.C., Arce,J.R., Ayele,M., Banks,T.,
            Barbaria,J., Benton,J., Bimage,K., Blankenburg,K., Bonnin,D.,
            Bouck,J., Bowie,S., Brieva,M., Brown,E., Brown,M., Bryant,N.P.,
            Buhay,C., Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C.,
            Carron,T.F., Carter,M., Cavazos,S.R., Chacko,J., Chavez,D.,
            Chen,G., Chen,R., Chen,Z., Chowdhry,I., Christopoulos,C.,
```

REFERENCE   2 (bases 1 to 46509)
  AUTHORS   Cleveland,C.D., Cox,C., Coyle,M.D., Dathorne,S.R., David,R.,
            Davila,M.L., Davis,C., Davy-Carroll,L., Dederich,D.A.,
            Delaney,K.R., Delgado,O., Denn,A.L., Ding,Y., Dinh,H.H.,
            Douthwaite,K.J., Draper,H., Dugan-Rocha,S., Durbin,K.J.,
            Barnhart,C., Edgar,D., Edwards,C.C., Elhaj,C., Escotto,M.,
            Falls,T., Ferraguto,D., Flagg,N., Ford,J., Foster,P., Frantz,P.,
            Gabisi,A., Gao,J., Garcia,J., Garner,T., Garza,N., Gill,R.,
            Gorrell,J.H., Guevara,W., Gunaratne,P., Hale,S., Hamilton,K.,
            Harris,C., Harris,K., Hart,M., Havlak,P., Hawes,A., He,X.,
            Hernandez,J., Hernandez,O., Hodgson,A., Hogues,M., Holloway,C.,
            Hollins,B., Homsi,F., Howard,S., Huber,J., Hulyk,S., Hume,J.,
            Jackson,L.R., Jacobson,B., Jia,Y., Johnson,R., Jolivet,S.,
            Joudah,S., Karlsson,E., Kelly,S., Khan,U., King,L., Korvah,J.,
            Kovar,C., Kratovic,J., Kureshi,A., Landry,N., Leal,B., Lewis,L.C.,
            Lewis,L., Li,J., Li,Z., Lichtarge,O., Lieu,C., Liu,J., Liu,W.,
            Loulseged,H., Lozado,R.J., Lu,X., Lucier,A., Lucier,R., Luna,R.,
            Ma,J., Maheshwari,M., Mapua,P., Martin,R., Martindale,A.,
            Martinez,E., Massey,E., Mawhiney,E., Mcleod,M.P., Meador,M.,
            Mei,G., Metzker,M., Miner,Z., Mitchell,T., Mohabbat,K.,
            Moore,S., Morgan,M., Moorish,T., Morris,S., Moser,M., Neal,D.,
            Nelson,D., Newsom,J., Newton,N., Nguyen,A., Nguyen,N., Nguyen,N.,
            Nickerson,E., Nwokenkwo,S., Oguh,M., Oknuonu,G., Oragunye,N.,
            Oviedo,R., Pace,A., Payton,B., Peery,J., Perez,L., Peters,L.,
            Pickens,R., Primus,E., Pu,L.L., Puiles,M., Ren,Y., Rives,M.,
            Rojas,A., Rojubokan,I., Rolfe,M., Ruiz,S., Savery,G., Scherer,S.,
            Scott,G., Shen,H., Shooshtari,N., Sisson,I., Sodergren,E.,
            Sonaike,T., Sparks,A., Stanley,H., Stone,H., Sutton,A., Svatek,A.,
            Tabor,P., Tamerisa,A., Tamerisa,K., Tang,H., Taney,J., Taylor,C.,
            Taylor,T., Telford,B., Thomas,N., Thomas,S., Usmani,K., Vasquez,L.,
            Vera,V., Villalon,D., Vinson,R., Wang,Q., Wang,S., Ward-Moore,S.,
            Warren,R., Washington,C., Watlington,S., Williams,G.,
            Williamson,A., Wleczyk,R., Wooden,S., Worley,K., Wu,C., Wu,Y.,
            Wu,Y.P., Zhou,J., Zorrilla,S., Naylor,S.L., Weinstock,G., and
            Gibbs,R.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   3 (bases 1 to 46509)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (03-JUN-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   4 (bases 1 to 46509)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (21-JUN-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
            On Jun 21, 2002 this sequence version replaced gi:21306532.
  COMMENT   INFORMATION: http://www.hgsc.bcm.tmc.edu/ or email
            gc-help@bcm.tmc.edu

            CLONE LENGTH: This sequence does not necessarily represent the
            entire insert of this clone. Overlapping regions of clones are only
            sequenced and submitted once, so the sequence for the remainder of
            the insert may be found in the record for the adjacent clones.
            Overlapping clones are noted at the beginning and end of the
            Features listing.

            ANNOTATION OF FEATURES:
            STSs are identified using ePCR (Genome Res. 7:541-550) searches
            of a local database that includes entries from dbSTS, GDB, and
            local mapping efforts.
            Repeats are identified using RepeatMasker (A. Smit and P. Green,
            unpublished.) for Human and Mouse sequences.
            Genes and Region of sequence similarity are identified by BLAST
            (Nuc. Acids Res. 25:3389-3402) similarity (expect < 1e-34) to the

FEATURES   Location/Qualifiers
     source   1..46509
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="3"
                     /clone="RP11-268B23"
     misc_feature   1..2005
                     /note="overlaps bases 182198..184202 of clone AC008849"
                     /function="clone overlap"
     repeat_region   complement(4..320)
                     /rpt_family="L1M4"
     repeat_region   complement(1240..1444)
                     /rpt_family="AluSq"
     repeat_region   complement(1457..1660)
                     /rpt_family="L1M4"
     repeat_region   complement(1661..1967)
                     /rpt_family="AluY"
     repeat_region   complement(1968..2614)
                     /rpt_family="L1M4"
     repeat_region   complement(2988..3470)
                     /rpt_family="L1M4"
     repeat_region   complement(3471..3578)
                     /rpt_family="AluY"
     repeat_region   complement(3589..4303)
                     /rpt_family="L1M4"
     repeat_region   complement(4330..4501)
                     /rpt_family="L1MC4"
     repeat_region   complement(4564..5853)
                     /rpt_family="L1M2"
     repeat_region   complement(5816..7283)
                     /rpt_family="L1MEc"
     repeat_region   complement(7906..8217)
                     /rpt_family="AluSp"
     repeat_region   complement(321..613)
                     /rpt_family="AluSx"
     repeat_region   complement(614..1226)
                     /rpt_family="L1M4"
     STS   9117..9352
                     /rpt_family="7SK"
     repeat_region   9534..9793
                     /rpt_family="L2"
     STS   9763..10087
                     /standard_name="177147"
     repeat_region   complement(11575..11871)
                     /rpt_family="MER33"
     repeat_region   11887..12036
                     /rpt_family="MER3A"
     repeat_region   complement(12070..12165)
                     /rpt_family="MER6A"
     repeat_region   12208..12235
                     /rpt_family="MER6A"
     repeat_region   complement(16886..17058)
                     /rpt_family="AT_rich"
                     /rpt_family="(TA)n"

     EST and cDNA sequences. Genes demonstrate at least two exons
     flanked by consensus splice sites that maintained sequence
     continuity across the splice junctions. Sequences that are not
     identical matches are annotated as similar.

     SEQUENCING READ COVERAGE:Sequencing is completed to a minimum
     standard of double strand coverage with a minimum of 2 clones and 2
     reads with no ambiguities or 2 chemistries with a minimum of 2
     clones and 3 reads with no ambiguities. If the sequence quality for
     a region does not meet this standard, it will be indicated in the
     annotation as Low Coverage.

     QUALITY OF INDIVIDUAL BASES:This sequence meets stringent quality
     standards - estimated error rate less than 1 per 10,000 bases.
     Reports of lowest quality individual bases and measures of base
     quality are listed below. Description of the metrics can be found
     at URL:
     http://www.hgsc.bcm.tmc.edu:8088/quality.info/genbank.annotation.ht
     ml.

```
RESULT 70
CR759912

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db  45643 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 45592

.

Query Match             1.7%;  Score 52;  DB 8;  Length 46509;
  Best Local Similarity   100.0%;  Pred. No. 5.5e-16;
  Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

LOCUS       CR759912              47462 bp    DNA     linear   PRI 16-OCT-2004
DEFINITION  Human DNA sequence from clone DAAP-394023 on chromosome 6, complete
            sequence.
ACCESSION   CR759912
VERSION     CR759912.6  GI:54262068
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 47462)
  AUTHORS   Gray,E.
  TITLE     Direct Submission
  JOURNAL   Submitted (16-OCT-2004) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
            On Oct 16, 2004 this sequence version replaced gi:54021829.
            -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            --------------
COMMENT     During sequence assembly data is compared from overlapping clones.
            Where differences are found these are annotated as variations
            together with a note of the overlapping clone name. Note that the
            variation annotation may not be found in the sequence submission
            corresponding to the overlapping clone, as we submit sequences with
            only a small overlap as described above.
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one plasmid subclone or more than one M13 subclone; and the
            assembly was confirmed by restriction digest, except on the rare
            occasion of the clone being a YAC.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs constructed by
            the MHC Haplotype Consortium and collaborators. Further information
            can be found at
            http://www.sanger.ac.uk/HGP/Chr6/MHC
            DAAP-394023 is from a APD human bac - B Lymphoblastoid Cell Line
            library VECTOR: pBeloBAC11.
FEATURES             Location/Qualifiers
     source          1..47462
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DAAP-394023"
                     /clone_lib="APD"
     repeat_region   18116..18138
                     /rpt_family="AT_rich"
     repeat_region   18713..18768
                     /rpt_family="(TATATG)n"
     repeat_region   18770..18835
                     /rpt_family="GA-rich"
     repeat_region   19136..19424
                     /rpt_family="AluSc"
     repeat_region   complement(20235..20362)
                     /rpt_family="MIR"
     repeat_region   21144..21183
                     /rpt_family="(CA)n"
     repeat_region   21974..22010
                     /rpt_family="(CA)n"
     repeat_region   22512..22559
                     /rpt_family="(CA)n"
     repeat_region   complement(22584..22635)
                     /rpt_family="(TG)n"
     repeat_region   24584..24688
                     /rpt_family="MIR"
     repeat_region   24689..24727
                     /rpt_family="MER31B"
     repeat_region   24728..25024
                     /rpt_family="MER102"
     repeat_region   25025..25240
                     /rpt_family="AluSx"
     STS             25577..25763
                     /standard_name="60878"
     STS             26576..26677
                     /standard_name="62312"
     repeat_region   26649..26742
                     /rpt_family="MIR"
     repeat_region   27097..27117
                     /rpt_family="AT_rich"
     repeat_region   complement(27489..27606)
                     /rpt_family="AT_rich"
     repeat_region   27758..27935
                     /rpt_family="MER5A"
ORIGIN
```

```
RESULT 71
AL390837

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   5661 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 5712

Query Match             1.7%;  Score 52;  DB 8;  Length 47462;
  Best Local Similarity   100.0%;  Pred. No. 5.5e-16;
  Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

LOCUS       AL390837              51090 bp    DNA     linear   HTG 10-JUL-2001
DEFINITION  Homo sapiens chromosome 1 clone RP5-1168A16 map p36.2, 5 unordered
            pieces.
ACCESSION   AL390837
VERSION     AL390837.7  GI:13785281
KEYWORDS    HTG; HTGS_PHASE1; HTGS_CANCELLED.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Plumb,B.
  TITLE     Direct Submission
  JOURNAL   Submitted (09-JUL-2001) Sanger Centre, Hinxton, Cambridgeshire,
            CB10 1SA, UK. E-mail enquiries: humquery@sanger.ac.uk Clone
            requests: clonerequest@sanger.ac.uk
            On Apr 24, 2001 this sequence version replaced gi:13750888.
            -------------- Genome Center
            Center: Sanger Centre
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            -------------- Project Information
            Center project name: dJ1168A16
            -------------- Summary Statistics
            Assembly program: XGAP4; version 4.5
            Sequencing vector: plasmid; L08752; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
```

LOCUS   AC103989   59744 bp   DNA   linear   HTG 01-DEC-2001
DEFINITION Homo sapiens chromosome 18 clone RP11-407C18 map 18, LOW-PASS
            SEQUENCE SAMPLING.
ACCESSION   AC103989
VERSION   AC103989.1 GI:17223277
KEYWORDS   HTG; HTGS_PHASE0.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 59744)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE   Homo sapiens chromosome 18, clone RP11-407C18
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 59744)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Heaford,A., Horton,L., Hulme,W., Illev,I., Johnson,R.,
            Jones,C., Kamat,A., Karatas,A., Kells,C., LaRocque,K.,
            Lamazares,R., Landers,T., Lehoczky,J., Levine,R., Liu,G.,
            MacLean,C., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
            McCarthy,M., McEwan,P., McKernan,K., McPheeters,R., Meldrim,J.,
            Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C.,
            Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D.,
            Oliver,J., Peterson,K., Phunkhang,P., Pierre,N., Pollara,V.,
            Raymond,C., Retta,R., Riback,M., Riley,R., Rise,C., Rogov,P.,
            Roman,J., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Tophan,K., Travers,M., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (01-DEC-2001) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT   All repeats were identified using RepeatMasker:
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            ------------------- Genome Center
               Center: Whitehead Institute/ MIT Center for Genome Research
               Center code: WIBR
               Web site: http://www-seq.wi.mit.edu
               Contact: sequence_submissions@genome.wi.mit.edu
            ------------------- Project Information
               Center project name: L21885
               Center clone name: 407_C_18
            ----
            * NOTE: This record contains 75 individual
            * sequencing reads that have not been assembled into
            * contigs. Runs of N are used to separate the reads
            * and the order in which they appear is completely
            * arbitrary. Low-pass sequence sampling is useful for
            * identifying clones that may be gene-rich and allows
            * overlap relationships among clones to be deduced.
            * However, it should not be assumed that this clone
            * will be sequenced to completion. In the event that
            * the record is updated, the accession number will
            * be preserved.
            *
            *   1:   677   contig of   677 bp in length
            *   678:   777: gap of   100 bp
            *   778: 1448: contig of   671 bp in length
            *   1449: 1548: gap of   100 bp
            *   1549: 2244: contig of   696 bp in length
            *   2245: 2344: gap of   100 bp
            *   2345: 3032: contig of   688 bp in length
            *   3033: 3132: gap of   100 bp
            *   3133: 3820: contig of   688 bp in length
            *   3821: 3920: gap of   100 bp
            *   3921: 4605: contig of   685 bp in length
            *   4606: 4705: gap of   100 bp
            *   4706: 5411: contig of   706 bp in length
            *   5412: 5511: gap of   100 bp
            *   5512: 6210: contig of   699 bp in length
            *   6211: 6310: gap of   100 bp
            *   6311: 7016: contig of   706 bp in length
            *   7017: 7116: gap of   100 bp
            *   7117: 7837: contig of   721 bp in length

FEATURES   Location/Qualifiers
     source   1..51090
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /map="p36.2"
                     /clone="RP5-1168A16"
                     /clone_lib="RPCI-5"
     misc_feature   1..34808
                     /note="assembly_fragment:00349"
     misc_feature   34909..37152
                     /note="assembly_fragment:00417"
     misc_feature   37253..39725
                     /note="assembly_fragment:01180"
     misc_feature   39826..42246
                     /note="assembly_fragment:00548"
                     /clone_end:7
                     vector_side:right"
     45347..51090
                     /note="assembly_fragment:00789
                     fragment_chain:1
                     clone_end:SP6
                     vector_side:right"

ORIGIN

            *   1   34808: contig of 34808 bp in length
            *   34808   34908: gap of 100 bp
            *   34809   37152: contig of 2244 bp in length
            *   34909   37152: gap of 100 bp
            *   37153   37252: gap of 100 bp
            *   37153   39725: contig of 2473 bp in length
            *   37233   39725: gap of 100 bp
            *   39726   39825: gap of 100 bp
            *   39826   45246: contig of 5421 bp in length
            *   45247   45346: gap of 100 bp
            *   45347   51090: contig of 5744 bp in length
            *   51090: contig of 5744 bp in length.

Consensus quality: 47312 bases at least Q40
Consensus quality: 47821 bases at least Q30
Consensus quality: 48428 bases at least Q20
Insert size: 50690; sum-of-contigs
Insert size: 85481; 31.1% error; agarose-fp
Quality coverage: 6.45x in Q20 bases; sum-of-contigs Quality
coverage: 4.6ix in Q20 bases; agarose-fp
----
* NOTE: This is a 'working draft' sequence. It currently
* consists of 5 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.

RESULT 72
Query Match
Best Local Similarity   1.7%;   Score 52;   DB 14;   Length 51090;
Matches 52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGAATGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   32300 CAAGAATGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 32351

```
*   7838   7937: gap of 100 bp in length
*   7938   8620: contig of 683 bp in length
*   8621   8720: gap of 100 bp in length
*   8721   9421: contig of 701 bp in length
*   9421   9521: gap of 100 bp in length
*   9522  10227: contig of 706 bp in length
*  10228  10327: gap of 100 bp in length
*  10328  11026: contig of 699 bp in length
*  11027  11126: gap of 100 bp in length
*  11127  11821: contig of 695 bp in length
*  11822  11921: gap of 100 bp in length
*  11922  12614: contig of 693 bp in length
*  12615  12714: gap of 100 bp in length
*  12715  13404: contig of 690 bp in length
*  13405  13504: gap of 100 bp in length
*  13505  14209: contig of 705 bp in length
*  14210  14309: gap of 100 bp in length
*  14310  14988: contig of 679 bp in length
*  14989  15088: gap of 100 bp in length
*  15089  15793: contig of 705 bp in length
*  15794  15893: gap of 100 bp in length
*  15894  16524: contig of 631 bp in length
*  16525  16624: gap of 100 bp in length
*  16625  17326: contig of 702 bp in length
*  17327  17426: gap of 100 bp in length
*  17427  18118: contig of 692 bp in length
*  18119  18218: gap of 100 bp in length
*  18219  18917: contig of 699 bp in length
*  18918  19017: gap of 100 bp in length
*  19018  19711: contig of 694 bp in length
*  19712  19811: gap of 100 bp in length
*  19812  20510: contig of 699 bp in length
*  20511  20610: gap of 100 bp in length
*  20611  21289: contig of 679 bp in length
*  21290  21389: gap of 100 bp in length
*  21390  22091: contig of 702 bp in length
*  22092  22191: gap of 100 bp in length
*  22192  22899: contig of 708 bp in length
*  22900  22999: gap of 100 bp in length
*  23000  23695: contig of 696 bp in length
*  23696  23795: gap of 100 bp in length
*  23796  24494: contig of 699 bp in length
*  24495  24594: gap of 100 bp in length
*  24595  25287: contig of 693 bp in length
*  25288  25387: gap of 100 bp in length
*  25388  26065: contig of 678 bp in length
*  26066  26165: gap of 100 bp in length
*  26166  26868: contig of 703 bp in length
*  26869  26968: gap of 100 bp in length
*  26969  27734: contig of 766 bp in length
*  27735  27834: gap of 100 bp in length
*  27835  28629: contig of 795 bp in length
*  28630  28729: gap of 100 bp in length
*  28730  29432: contig of 703 bp in length
*  29433  29532: gap of 100 bp in length
*  29533  30211: contig of 679 bp in length
*  30212  30311: gap of 100 bp in length
*  30312  31011: contig of 700 bp in length
*  31012  31111: gap of 100 bp in length
*  31112  31800: contig of 689 bp in length
*  31801  31900: gap of 100 bp in length
*  31901  32595: contig of 695 bp in length
*  32596  32695: gap of 100 bp in length
*  32696  33386: contig of 691 bp in length
*  33387  33486: gap of 100 bp in length
*  33487  34177: contig of 691 bp in length
*  34178  34277: gap of 100 bp in length
*  34278  34944: contig of 667 bp in length
*  34945  35044: gap of 100 bp in length
*  35045  35745: contig of 701 bp in length
*  35746  35845: gap of 100 bp in length
*  35846  36549: contig of 704 bp in length
*  36550  36649: gap of 100 bp in length

*  36650  37364: contig of 715 bp in length
*  37365  37464: gap of 100 bp in length
*  37465  38174: contig of 710 bp in length
*  38175  38274: gap of 100 bp in length
*  38275  38976: contig of 702 bp in length
*  38977  39076: gap of 100 bp in length
*  39077  39778: contig of 702 bp in length
*  39779  39878: gap of 100 bp in length
*  39879  40564: contig of 686 bp in length
*  40565  40664: gap of 100 bp in length
*  40665  41354: contig of 690 bp in length
*  41355  41454: gap of 100 bp in length
*  41455  42144: contig of 690 bp in length
*  42145  42244: gap of 100 bp in length
*  42245  42951: contig of 707 bp in length
*  42952  43051: gap of 100 bp in length
*  43052  43759: contig of 708 bp in length
*  43760  43859: gap of 100 bp in length
*  43860  44560: contig of 701 bp in length
*  44561  44660: gap of 100 bp in length
*  44661  45366: contig of 706 bp in length
*  45367  45466: gap of 100 bp in length
*  45467  46142: contig of 676 bp in length
*  46143  46242: gap of 100 bp in length
*  46243  46952: contig of 710 bp in length
*  46953  47052: gap of 100 bp in length
*  47053  47750: contig of 698 bp in length
*  47751  47850: gap of 100 bp in length
*  47851  48546: contig of 696 bp in length
*  48547  48646: gap of 100 bp in length
*  48647  49342: contig of 696 bp in length
*  49343  49442: gap of 100 bp in length
*  49443  50120: contig of 678 bp in length
*  50121  50220: gap of 100 bp in length
*  50221  50926: contig of 706 bp in length
*  50927  51026: gap of 100 bp in length
*  51027  51714: contig of 688 bp in length
*  51715  51814: gap of 100 bp in length
*  51815  52518: contig of 704 bp in length
*  52519  52618: gap of 100 bp in length
*  52619  53329: contig of 711 bp in length
*  53330  53429: gap of 100 bp in length
*  53430  54114: contig of 685 bp in length
*  54115  54214: gap of 100 bp in length
```

```
Query Match           1.7%;   Score 52;  DB 14;  Length 59744;
Best Local Similarity 100.0%;
Matches   52; Conservative  0; Mismatches  0; Indels  0; Gaps  0;  Pred. No. 5.6e-16;

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   38530 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 38581
```

RESULT 73
AL499606/c

LOCUS   AL499606   62761 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION Human DNA sequence from clone RP11-13J16 on chromosome 6 Contains
            the gene for winged helix/forkhead transcription factor (HFH1) and
            two CpG islands, complete sequence.
ACCESSION   AL499606
VERSION   AL499606.18 GI:17973944
KEYWORDS   HTG; CpG island; HFH1; winged helix/forkhead transcription factor.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 62761)
  AUTHORS   Corby,N.
  TITLE   Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk

COMMENT   Clone requests: clonerequest@sanger.ac.uk
            On Dec 20, 2001 this sequence version replaced gi:17902904.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 6, constructed by the Sanger Centre Chromosome 6 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr6
            RP11-13J16 is from the library RPCI-11.1 constructed by the group
            of Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pBACe3.6
            ------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk

            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were confirmed by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.

FEATURES   Location/Qualifiers
     source   1..62761
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="RP11-13J16"
                     /clone_lib="RPCI-11.1"
     misc_feature   1
                     /note="Clone_left_end: RP11-13J16"
     misc_feature   4171
                     /note="Clone_right_end: RP1-116B8"
     gene   16713..18427
                     /gene="FOXQ1"
     mRNA   16713..18427
                     /gene="FOXQ1"
                     /locus_tag="RP11-13J16.1-001"
                     /product="forkhead box Q1"
                     /note="match: cDNAs: L13201.1"
     CDS   16945..18156
                     /gene="FOXQ1"
                     /locus_tag="RP11-13J16.1-001"
                     /standard_name="OTTHUMP00000017774"
                     /note="match: proteins: O54743 O60548 O70220 P56260 Q00939
                     Q12947 Q13461 Q60987 Q61345 Q94H60 Q98937 Q9C009 Q9JJ18
                     Q9JLN7 Q9NS06 Q9PRJ8 Q9QY14"
                     /codon_start=1
                     /product="forkhead box Q1"
                     /protein_id="CAH70503.1"
                     /db_xref="GI:55665392"
                     /db_xref="GOA:Q5VV73"
                     /db_xref="InterPro:IPR001766"
                     /db_xref="UniProt/TrEMBL:Q5VV73"
                     /translation="MKLEVPVPRAAHGDKQSDLEGAGGSDDAPSPLSAAGDDSLGSDG
                     DCAANSPAAGGAGPDTQGDHGDEQSOASAGGEAEEAIPAAAAAAVVAEGAEAGAAGPGAGG
                     AGSGEGARSKPYTRRPKPVSYIAIAIWAIRDSAGGRLTLAEINEYLMGKPFFRGSY
                     TGWRNSVRHNLSLNDCFVKVLRDPSRPWGKDNYWMLNPNSEYTFADGVFRRRRKRLSH
                     RAPVAPAPGLRPBEAPGLPAPPAPAAPAAPSPRMRPARQEERASAPAGKFSSSFAIDSI
                     LRKPFRSRRLRDTAPGTTLQWGAAPCPPLPAPPALLPAPCRALLFPLCAVGAGPARL
                     GARBAEVPPTAPPLLLAPLPAAAPAKPLRGPAAGGAHLYCPLRLPAALQAASVRRPGP
                     HLPYPVETLLA"
     misc_feature   17171..17234
                     /gene="FOXQ1"
                     /locus_tag="RP11-13J16.1-001"

ORIGIN

                     /note="Single clone region. Sequence from reads from a
                     short insert library derived from a single pUC clone.
                     Restriction digest data confirm the assembly."
     misc_feature   17634..17641
                     /gene="FOXQ1"
                     /locus_tag="RP11-13J16.1-001"
                     /note="Single clone region. Sequence from reads from a
                     short insert library derived from a single pUC clone.
                     Restriction digest data confirm the assembly."
     misc_feature   21165..21540
                     /note="Single clone region. Sequence from reads from a
                     short insert library derived from a single pUC clone.
                     Restriction digest data confirm the assembly."
     misc_feature   21466
                     /note="Tandem repeat. Forced join. Gap size estimated to
                     be approximately 430bp by restriction digest data."
     misc_feature   23824..24045
                     /note="Single clone region. Sequence from reads from a
                     short insert library derived from a single pUC clone.
                     Restriction digest data confirm the assembly."
     misc_feature   60092
                     /note="Tandem repeat. Forced join. Gap size estimated to
                     be approximately 120bp by restriction digest data."
     misc_feature   60762
                     /note="Clone_left_end: RP4-668J24"

Qy   3071 CAAGATTGTGCCACTGCACTTCCAGCCTGGGCAACGAGAGGCAAGAGACTTCTGTCTC 3122
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   37151 CAAGATTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGAGCAAGAGACTTCTGTCTC 37100

RESULT 74
LOCUS   AC092080
ACCESSION   AC092080
DEFINITION Homo sapiens chromosome 19 clone CTD-2094A2, complete sequence.
LOCUS   AC092080   64056 bp   DNA   linear   PRI 18-DEC-2001
VERSION   AC092080.2 GI:17921218
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 64056)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 64056)
  AUTHORS   DOE Joint Genome Institute.
  TITLE   Direct Submission
  JOURNAL   Submitted (20-JUN-2001) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3 (bases 1 to 64056)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE   Direct Submission
  JOURNAL   Submitted (18-DEC-2001) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT   On Dec 18, 2001 this sequence version replaced gi:14495365.
            Draft Sequence Produced by DOE Joint Genome Institute
            http://www.jgi.doe.gov
            Finishing Completed at Stanford Human Genome Center
            www-shgc.stanford.edu
            Quality: Phrap Quality >=40 100% of Sequence;
            Estimated Total Number of Errors is 0.
            NOTE: This insert is not the entire sequence of the clone (entire
            sequence is 127.1kb). It is clipped at the overlap with AC010614.
            The number of bases overlapped is 23573.

FEATURES   Location/Qualifiers

```
RESULT 75
AF411057/c
Query Match                  1.7%;  Score 52; DB 8; Length 64056;
Best Local Similarity   100.0%;  Pred. No. 5.6e-16;
Matches  52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      3071 CAAGAATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCGAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     38283 CAAGAATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAACAAGACTCTGTCTC 38334
```

ORIGIN
    source   1..64056
                    /organism="Homo sapiens"
                    /mol_type="genomic DNA"
                    /db_xref="taxon:9606"
                    /chromosome="19"
                    /clone="CTD-2094A2"

LOCUS   AF411057   66887 bp   DNA   linear   PRI 13-DEC-2001
DEFINITION Homo sapiens clone BAC_22606 CD28 antigen (CD28) gene, exons 1, 2
            and 3, and partial cds.
ACCESSION   AF411057
VERSION   AF411057.1 GI:17646225
KEYWORDS   .
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 66887)
  AUTHORS   Ling,V., Wu,P.W., Finnerty,H.F., Agostino,M.J., Graham,J.R.,
            Chen,S., Jussiff,J.M., Fisk,G.J., Miller,C.P. and Collins,M.
  TITLE   Assembly and Annotation of Human Chromosome 2q33 Sequence
            Containing the CD28, CTLA4, and ICOS Gene Cluster: Analysis by
            Computational, Comparative, and Microarray Approaches
  JOURNAL   Genomics 78 (3), 155-168 (2001)
   PUBMED   11735222
REFERENCE   2 (bases 1 to 66887)
  AUTHORS   Ling,V., Wu,P.W., Finnerty,H.F., Agostino,M.J., Graham,J.R.,
            Chen,S., Jussiff,J., Fisk,G.J., Miller,C.P. and Collins,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (15-AUG-2001) Department of Immunology, Genetics
            Institute/Wyeth Research, 200 Cambridge Park Drive, Cambridge, MA
            02140, USA
FEATURES   Location/Qualifiers
    source   1..66887
                    /organism="Homo sapiens"
                    /mol_type="genomic DNA"
                    /db_xref="taxon:9606"
                    /chromosome="2"
                    /map="2q33"
                    /clone="BAC_22606"
    misc_feature   7838..8329
                    /note="similar to NADH:ubiquinone oxidoreductase"
    gene   42348..>66887
                    /gene="CD28"
    mRNA   join(42348..42621,62505..62861,65540..>65664)
                    /gene="CD28"
                    /product="CD28 antigen"
    exon   42348..42621
                    /gene="CD28"
                    /number=1
    5'UTR   42348..42569
                    /gene="CD28"
    CDS   join(42570..42621,62505..62861,65540..>65664)
                    /gene="CD28"
                    /codon_start=1
                    /product="CD28 antigen"
                    /protein_id="AAL40931.1"
                    /db_xref="GI:17646226"
                    /translation="MLRLLLALNLFPSIQVTGNKILVKQSPMLVAYDNAVNLSCKYSY
                    NLFSREFRASLHKGLDSAVEVCVVYGNYSQQLQVYSKTGFNCDGKLGNESVTFYLQNL
```

CDS
```
        exon   62505..62861
                             /gene="CD28"
                             /number=2
        exon   65540..>65664
                             /gene="CD28"
                             /number=3
```
YVNQDIYFCKIEVMYPPPYLDNEKSNGTIIHVKGKHLCPSLPFPGPSKPFWVLVVVG
GVLACYSLLVTVAFIIFW

```
RESULT 76
HSJ735P11/c
Query Match                  1.7%;  Score 52; DB 8; Length 66887;
Best Local Similarity   100.0%;  Pred. No. 5.6e-16;
Matches  52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      3071 CAAGAATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCGAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     13733 CAAGAATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAACAAGACTCTGTCTC 13682
```

ORIGIN
LOCUS   HSJ735P11   68959 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION Human DNA sequence from clone RP4-735P11 on chromosome Xp11.3-11.4
            Contains STS8 and GSS8, complete sequence.
ACCESSION   AL049735
VERSION   AL049735.4 GI:5596978
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 68959)
  AUTHORS   Bird,C.
  TITLE   Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT   On Jul 27, 1999 this sequence version replaced gi:5101820.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome X, constructed by the Sanger Centre Chromosome X Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/ChrX
            RP4-735P11 is from the library RPCI-4 constructed by the group of
            Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pCYPAC2
            -------------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk

            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES   Location/Qualifiers
    source   1..68959
                    /organism="Homo sapiens"
                    /mol_type="genomic DNA"
                    /db_xref="taxon:9606"
                    /map="p11.3-11.4"
                    /db_xref="RZPD:RPCIP704P11735"
                    /clone="RP4-735P11"
```

ORIGIN   /clone_lib="RPCI-4"

RESULT 77

Query Match
Best Local Similarity   1.7%;
Matches 52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;
Score 52; DB 8; Length 68959;
Pred. No. 5.6e-16;

Qy   2889 GAGGCAGGTGGATCACCTGAGGTCGAGACCAGCCTGGCCAACAT 2940
                ||||||||||||||||||||||||||||||||||||||||||||
Db   18500 GAGGCAGGTGGATCACCTGAGGTCGAGACCAGCCTGGCCAACAT 18449

Db   18500 GAGGCAGGTGGATCACCTGAGGTCGAGACCAGCCTGGCCAACAT 18449

LOCUS   AC073488/c
DEFINITION Homo sapiens X BAC RP11-126022 (Roswell Park Cancer Institute Human
            BAC Library) complete sequence.
ACCESSION   AC073488
VERSION   AC073488.23 GI:27436742
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.

LOCUS   AC073488   70393 bp   DNA   linear   PRI 31-DEC-2002

REFERENCE   1 (bases 1 to 70393)
AUTHORS   Muzny,D.M., Adams,C., Adio-Oduola,B., Ali-osman,F.R., Allen,C.,
            Albrooks,S.L., Amaratunge,H.C., Are,J.R., Banks,T., Barbaria,J.,
            Benton,J., Bimage,K., Blankenburg,K., Bonnin,D., Bouck,J.,
            Bowie,S., Brieva,M., Brown,B., Brown,M., Bryant,N.P., Buhay,C.,
            Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C., Carron,T.F.,
            Carter,M., Cavazos,S.R., Chacko,J., Chavez,D., Chen,G., Chen,R.,
            Chen,Z., Chowdhry,I., Christopoulos,C., Cleveland,C.D., Cox,C.,
            Coyle,E.M., Dathorne,S.R., David,R., Davila,M.L., Davis,C.,
            Davy-Carroll,L., Dederich,D.A., Delaney,K.R., Delgado,O.,
            Denn,A.L., Ding,Y., Dinh,H.H., Douthwaite,K.J., Draper,H.,
            Dugan-Rocha,S., Durbin,K.J., Barnhart,C., Edgar,D., Edwards,C.C.,
            Elhaj,C., Escotto,M., Falls,T., Ferraguto,D., Flagg,N., Ford,J.,
            Foster,P., Frantz,P., Gabisi,A., Gao,J., Garcia,A., Garner,T.,
            Garza,N., Gill,R., Gorrell,J.H., Guevara,M., Gunaratne,P., Hale,S.,
            Hamilton,K., Harris,C., Harris,K., Hart,M., Havlak,P., Hawes,A.,
            Hernandez,J., Hernandez,O., Hodgson,A., Hogues,M., Holloway,C.,
            Hollins,B., Homsi,F., Howard,S., Huber,J., Hulyk,S., Hume,J.,
            Jackson,L.E., Jacobson,B., Jia,Y., Johnson,R., Jolivet,S.,
            Joudah,S., Karlsson,E., Kelly,S., Khan,U., King,L., Korvah,J.,
            Kovar,C., Kratovic,J., Kureshi,A., Landry,V., Leal,B., Lewis,L.C.,
            Lewis,L., Li,J., Li,Z., Lichtarge,O., Lieu,C., Liu,J., Liu,W.,
            Louiseged,H., Lozado,R.J., Lu,X., Lucier,A., Lucier,R., Luna,R.,
            Ma,J., Maheshwari,M., Mapua,P., Martin,R., Martindale,A.,
            Martinez,E., Massey,E., Mawhiney,E., McLeod,M.P., Meador,M.,
            Mei,G., Metzker,M., Miner,G., Miner,Z., Mitchell,T., Mohabbat,K.,
            Morgan,M., Morris,S., Moser,M., Neal,N., Nelson,K., Newton,N.,
            Nguyen,A., Nguyen,N., Nguyen,N., Nickerson,E., Nwokenkwo,S.,
            Oguh,M., Okwuonu,G., Oragunye,N., Oviedo,R., Pace,A., Payton,B.,
            Peery,J., Perez,L., Peters,L., Pickens,R., Primus,E., Pu,L.,
            Quiles,M., Ren,Y., Rives,M., Rojas,A., Rojubokan,I., Rolfe,M.,
            Ruiz,S., Savery,G., Scherer,S., Scott,G., Shen,H., Shooshtari,N.,
            Sisson,I., Sodergren,E., Sonaike,T., Sparks,A., Stanley,H.,
            Stone,H., Sutton,A., Svatek,A., Tabor,P., Tamerisa,K.,
            Tang,H., Tansey,J., Taylor,C., Taylor,T., Telford,B., Thomas,N.,
            Thomas,S., Usmani,K., Vasquez,L., Vera,V., Villalon,D., Vinson,R.,
            Wang,Q., Wang,S., Ward-Moore,S., Warren,R., Washington,C.,
            Watlington,S., Williams,G., Williamson,A., Wleczyk,R., Wooden,S.,
            Worley,K., Wu,C., Wu,Y., Wu,Y.F., Zhou,J., Zorrilla,S., Nelson,D.,
            Weinstock,G. and Gibbs,R.
TITLE   Direct Submission
JOURNAL   Unpublished

REFERENCE   2 (bases 1 to 70393)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (19-JUN-2000) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA

REFERENCE   3 (bases 1 to 70393)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (29-JUN-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA

REFERENCE   4 (bases 1 to 70393)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (31-DEC-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA

COMMENT   On Dec 31, 2002 this sequence version replaced gi:21629140.
            INFORMATION: http://www.hgsc.bcm.tmc.edu/ or email
            gc-help@bcm.tmc.edu

            CLONE LENGTH: This sequence does not necessarily represent the
            entire insert of this clone. Overlapping regions of clones are only
            sequenced and submitted once, so the sequence for the remainder of
            the insert may be found in the record for the adjacent clones.
            Overlapping clones are noted at the beginning and end of the
            Features listing.

            ANNOTATION OF FEATURES:
            STSs are identified using ePCR (Genome Res. 7:541-550) searches
            of a local database that includes entries from dbSTS, GDB, and
            local mapping efforts.
            Repeats are identified using RepeatMasker (A. Smit and P. Green,
            unpublished.) for Human and Mouse sequences.
            Genes and Region of sequence similarity are identified by BLAST
            (Nuc. Acids Res. 25:3389-3402) similarity (expect < 1e-34) to the
            EST and cDNA sequences. Genes demonstrate at least two exons
            flanked by consensus splice sites that maintained sequence
            continuity across the splice junctions. Sequences that are not
            identical matches are annotated as similar.

            SEQUENCING READ COVERAGE:Sequencing is completed to a minimum
            standard of double strand coverage with a minimum of 2 clones and 2
            reads with no ambiguities or 2 chemistries with a minimum of 2
            clones and 3 reads with no ambiguities. If the sequence quality for
            a region does not meet this standard, it will be indicated in the
            annotation as Low Coverage.

            QUALITY OF INDIVIDUAL BASES:This sequence meets stringent quality
            standards - estimated error rate less than 1 per 10,000 bases.
            Reports of lowest quality individual bases and measures of base
            quality are listed below. Description of the metrics can be found
            at URL:
            http://www.hgsc.bcm.tmc.edu:8088/quality.info/genbank.annotation.ht
            ml.

FEATURES   Location/Qualifiers
     source   1..70393
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="X"
                     /clone="RP11-126022"
     misc_feature   132..259
                     /rpt_family="7SLRNA"
     repeat_region   260..556
                     /rpt_family="AluSq"
     repeat_region   463..10771
                     /note="sized by restriction digest and formal approved"
                     /function="unresolved tandem repeat"
     repeat_region   558..597
                     /rpt_family="(TAGA)n"
     repeat_region   598..765
                     /rpt_family="7SLRNA"
     repeat_region   766..789
                     /rpt_family="AT_rich"
     repeat_region   2233..2309
                     /rpt_family="5S"
     repeat_region   2480..2584

Query Match   1.7%;   Score 52;   DB 8;   Length 70393;
Best Local Similarity 100.0%;   Pred. No. 5.6e-16;
Matches 52;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

```
repeat_region   4455..4504           /rpt_family="5S"
repeat_region   9224..9273           /rpt_family="5S"
repeat_region   11202..11248         /rpt_family="5S"
repeat_region   12246..12295         /rpt_family="5S"
repeat_region   13041..13077         /rpt_family="(TAAAA)n"
repeat_region   13850..13876         /rpt_family="AT_rich"
repeat_region   14808..14893         /rpt_family="AT_rich"
repeat_region   15573..15596         /rpt_family="GA-rich"
repeat_region   complement(15634..15894)   /rpt_family="AT_rich"
repeat_region   complement(15895..16191)   /rpt_family="HAL1"
repeat_region   complement(16192..16332)   /rpt_family="AluJb"
repeat_region   complement(16511..16685)   /rpt_family="HAL1"
repeat_region   complement(16911..17203)   /rpt_family="HAL1"
repeat_region   complement(17215..17526)   /rpt_family="AluY"
repeat_region   complement(17535..17678)   /rpt_family="AluY"
repeat_region   18289..18430         /rpt_family="Charlie5"
repeat_region   18591..18662         /rpt_family="FLAM_C"
repeat_region   complement(18777..18925)   /rpt_family="CT-rich"
repeat_region   20368..20668         /rpt_family="MIR"
repeat_region   21055..21187         /rpt_family="AluY"
repeat_region   21192..21508         /rpt_family="FLAM_C"
repeat_region   complement(21517..21531)   /rpt_family="AluJo"
repeat_region   21532..21553         /rpt_family="AluJo"
repeat_region   complement(21554..21704)   /rpt_family="(TTTA)n"
repeat_region   21705..21727         /rpt_family="AluJo"
repeat_region   complement(21728..21847)   /rpt_family="(TTTA)n"
repeat_region   complement(21866..22592)   /rpt_family="AluJo"
repeat_region   23263..23400         /rpt_family="LIMB5"
repeat_region   23405..23688         /rpt_family="AluJo"
repeat_region   23740..24344         /rpt_family="AluJb"
repeat_region   24346..24589         /rpt_family="L1MB1"
repeat_region   complement(24590..25032)   /rpt_family="MLT1D"
repeat_region   25033..25236         /rpt_family="MSTB"
repeat_region   25258..25377         /rpt_family="MLT1D"
```

```
Qy  2889  GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCAACAT  2940
          ||||||||||| ||||||||||||||||||||||||||||||||||||||||
Db  52328 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCAACAT 52277
```

```
RESULT 78
CR388372
LOCUS       CR388372    70448 bp    DNA    linear    PRI 19-JUL-2004
DEFINITION  Human DNA sequence from clone DADB-87H23 on chromosome 6, complete
            sequence.
ACCESSION   CR388372
VERSION     CR388372.6  GI:50399819
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 70448)
  AUTHORS   Wood,J.
  TITLE     Direct Submission
  JOURNAL   Submitted (17-JUL-2004) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Jul 19, 2004 this sequence version replaced gi:49614041.
            -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            --------------
            During sequence assembly data is compared from overlapping clones.
            Where differences are found these are annotated as variations
            together with a note of the overlapping clone name. Note that the
            variation annotation may not be found in the overlapping clone,
            corresponding to the overlapping clone, as we submit sequences with
            only a small overlap as described above.
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one plasmid subclone or more than one M13 subclone; and the
            assembly was confirmed by restriction digest, except on the rare
            occasion of the clone being a YAC.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 6, constructed by the Sanger Centre Chromosome 6 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr6
            DADB-87H23 is from a DNA-arts DBB human bac library VECTOR:
            pBeloBAC11.
FEATURES             Location/Qualifiers
     source          1..70448
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DADB-87H23"
                     /clone_lib="DNA-arts-BAC.1-DBB.1"
ORIGIN
```

Query Match   1.7%;   Score 52;   DB 8;   Length 70448;
Best Local Similarity 100.0%;   Pred. No. 5.6e-16;
Matches 52;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

```
Qy  3071  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC  3122
          ||||||||||||||||||||||||||||||||||||||| ||||||||||||
Db  7753  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC  7804
```

RESULT 79

```
LOCUS       AC109598            73597 bp    DNA     linear   HTG 06-FEB-2002
DEFINITION  Homo sapiens chromosome 16 clone CTD-2589A16, WORKING DRAFT
            SEQUENCE, 27 unordered pieces.
ACCESSION   AC109598
VERSION     AC109598.1  GI:18542986
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_ACTIVEFIN.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 73597)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Sequencing of Human Chromosome 16
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 73597)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (06-FEB-2002) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT     -------------Genome Center
            Center: Joint Genome Institute
            Center Code: JGI
            Web site: http://www.jgi.doe.gov
            -------------
            Project Information
            Center Project Name: 824173
            Center clone name: CITB-E1_2589A16
            -------------
            Summary Statistics
            Consensus quality: 49396 bases at least Q40
            Consensus quality: 55879 bases at least Q30
            Consensus quality: 59662 bases at least Q20
            Estimated insert size: 0; null estimation
            Estimated insert size: 70997; sum-of-contigs estimation
            Quality coverage: 2.14783E7 in Q20 bases; null estimation
            Quality coverage: 20.98 in Q20 bases; sum-of-contigs estimation.
            NOTE: This is a 'working draft' sequence. It currently
            consists of 27 contigs. The true order of the pieces
            is not known and their order in this sequence record is
            arbitrary. Gaps between the contigs are represented as
            runs of N, but the exact sizes of the gaps are unknown.
            This record will be updated with the finished sequence
            as soon as it is available and the accession number will
            be preserved.
            1           1010:  contig of 1010 bp in length
            1011        1110:  gap of unknown length
            1111        2146:  contig of 1036 bp in length
            2147        2246:  gap of unknown length
            2247        3280:  contig of 1034 bp in length
            3281        3380:  gap of unknown length
            3381        4759:  contig of 1379 bp in length
            4760        4859:  gap of unknown length
            4860        6014:  contig of 1155 bp in length
            6015        6114:  gap of unknown length
            6115        7375:  contig of 1261 bp in length
            7376        7475:  gap of unknown length
            7476        8931:  contig of 1456 bp in length
            8932        9031:  gap of unknown length
            9032       10428:  contig of 1397 bp in length
            10429      10528:  gap of unknown length
            10529      11943:  contig of 1415 bp in length
            11944      12043:  gap of unknown length
            12044      13282:  contig of 1239 bp in length
            13283      13382:  gap of unknown length
            13383      14589:  contig of 1207 bp in length
            14590      14689:  gap of unknown length
            14690      15744:  contig of 1055 bp in length
            15745      15844:  gap of unknown length
            15845      17600:  contig of 1756 bp in length
            17601      17700:  gap of unknown length
            17701      19026:  contig of 1326 bp in length
            19027      19126:  gap of unknown length
            19127      20180:  contig of 1054 bp in length
            20181      20280:  gap of unknown length
            20281      21726:  contig of 1446 bp in length
            21727      21826:  gap of unknown length
            21827      23387:  contig of 1561 bp in length
            23388      23487:  gap of unknown length
            23488      25327:  contig of 1840 bp in length
            25328      25427:  gap of unknown length
            25428      26682:  contig of 1255 bp in length
            26683      26782:  gap of unknown length
            26783      29073:  contig of 2291 bp in length
            29074      29173:  gap of unknown length
            29174      30458:  contig of 1285 bp in length
            30459      30558:  gap of unknown length
            30559      32899:  contig of 2341 bp in length
            32900      32999:  gap of unknown length
            33000      34752:  contig of 1753 bp in length
            34753      34852:  gap of unknown length
            34853      36765:  contig of 1913 bp in length
            36766      36865:  gap of unknown length
            36866      38523:  contig of 1658 bp in length
            38524      38623:  gap of unknown length
            38624      40041:  contig of 1418 bp in length
            40042      40141:  gap of unknown length
            40142      73597:  contig of 33456 bp in length.
FEATURES             Location/Qualifiers
     source          1..73597
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="16"
                     /clone="CTD-2589A16"
                     /clone_lib="CalTech human BAC library D"
     gap             1011..1110
                     /estimated_length=unknown
     gap             2147..2246
                     /estimated_length=unknown
     gap             3281..3380
                     /estimated_length=unknown
     gap             4760..4859
                     /estimated_length=unknown
     gap             6015..6114
                     /estimated_length=unknown
     gap             7376..7475
                     /estimated_length=unknown
     gap             8932..9031
                     /estimated_length=unknown
     gap             10429..10528
                     /estimated_length=unknown
     gap             11944..12043
                     /estimated_length=unknown
     gap             13283..13382
                     /estimated_length=unknown
     gap             14590..14689
                     /estimated_length=unknown
     gap             15745..15844
                     /estimated_length=unknown
     gap             17601..17700
                     /estimated_length=unknown
     gap             19027..19126
                     /estimated_length=unknown
     gap             20181..20280
                     /estimated_length=unknown
     gap             21727..21826
                     /estimated_length=unknown
     gap             23388..23487
                     /estimated_length=unknown
     gap             25328..25427
                     /estimated_length=unknown
```

```
           gap             26683..26782
                           /estimated_length=unknown
      .    gap             29074..29173
                           /estimated_length=unknown
           gap             30459..30558
                           /estimated_length=unknown
           gap             32900..32999
                           /estimated_length=unknown
           gap             34753..34852
                           /estimated_length=unknown
           gap             36766..36865
                           /estimated_length=unknown
           gap             38524..38623
                           /estimated_length=unknown
           gap             40042..40141
                           /estimated_length=unknown
ORIGIN
```

```
Qy      3071  CAAGATTCTGCCACTGCACTCCAGCCTCGGGCAACAGAGCCAAGAGACTCTCTCTC  3122
Db     71157  CAAGATTCTGCCACTGCACTCCAGCCTCGGGCAACAGAGCCAAGAGACTCTCTCTC  71208
```

```
RESULT 80
LOCUS       AL391561/c
Best Local Similarity   1.7%;  Score 52;  DB 14;  Length 73597;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
LOCUS       AL391561   75525 bp    DNA    linear   PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone RP11-99P18 on chromosome 1 Contains
            part of the FRAP1 gene for FK506 binding protein 12-rapamycin
            associated protein 1, a novel gene and the 5' end of the gene for
            angiopoietin-like factor (CDT6), complete sequence.
ACCESSION   AL391561
VERSION     AL391561.20  GI:15808186
KEYWORDS    HTG; CDT6; FK506; FRAP1.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 75525)
  AUTHORS   Hall,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Sep 28, 2001 this sequence version replaced gi:15262141.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 1 constructed by the Sanger Centre Chromosome 1 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr1
            RP11-99P18 is from the library RPCI-11.1 constructed by the group
            of Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pBACe3.6
            -------------------
            Center: Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
            -------------------
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e. phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
```

```
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..75525
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP11-99P18"
                     /clone_lib="RPCI-11.1"
     misc_feature    2000
                     /note="Clone_right_end: RP4-635E18"
     gene            complement(AL049653.7:68046..68246),
                     join(complement(AL049653.7:71302..74499, ..74561),
                     complement(AL049653.7:70539..70647),
                     complement(AL049653.7:65893..66027),
                     complement(AL049653.7:59873..60148),
                     complement(AL049653.7:44490..44582),
                     complement(AL049653.7:43354..43488),
                     complement(AL049653.7:42979..43108),
                     complement(AL049653.7:40722..40972),
                     complement(AL049653.7:28203..28288),
                     complement(AL049653.7:25453..25620),
                     complement(AL049653.7:24850..24528),
                     complement(AL049653.7:24366..24528),
                     complement(AL049653.7:22868..22960),
                     complement(AL049653.7:21366..21512),
                     complement(AL049653.7:16615..16757),
                     complement(AL049653.7:11595..11757),
                     complement(AL049653.7:11312..11457),
                     complement(AL049653.7:53096..53096),
                     complement(AL049653.7:44490..44582),
                     complement(AL049653.7:35705..35805),
                     complement(AL049653.7:30624..30227),
                     complement(AL049653.7:25112..25237),
                     complement(AL049653.7:19930..20045),
                     complement(AL049653.7:16108..16356),
                     complement(AL049653.7:14434..14530),
                     complement(AL049653.7:13583..13705),
                     complement(AL049653.7:12589..12723),
                     complement(AL049653.7:10077..10212),
                     complement(AL049653.7:6825..6947),
                     complement(AL109811.40:111744..111235),
                     complement(AL109811.40:111666..110801),
                     complement(AL109811.40:109200..109265),
                     complement(AL109811.40:105997..106077),
                     complement(AL109811.40:105638..105718),
                     complement(AL109811.40:104529..104634),
                     complement(AL109811.40:102883..103848))
                     /gene="FRAP1"
     mRNA            join(complement(AL049653.7:71302..74499, ..74561),
                     /locus_tag="RP4-635E18.1-001"
                     complement(AL049653.7:71302..71477),
                     complement(AL049653.7:70539..70647),
                     complement(AL049653.7:68987..69219),
                     complement(AL049653.7:68046..68246),
                     complement(AL049653.7:65893..66027),
                     complement(AL049653.7:59679..59787),
                     complement(AL049653.7:59873..60148),
                     complement(AL049653.7:55168..55354),
                     complement(AL049653.7:53607..53735),
                     complement(AL049653.7:52357..52601),
                     complement(AL049653.7:50456..50671),
                     complement(AL049653.7:49897..50102),
                     complement(AL049653.7:46197..46319),
                     complement(AL049653.7:45452..45541),
                     /gene="FRAP1"
```

CDS

```
complement(AL049653.7:49897..50102),
complement(AL049653.7:46197..46319),
complement(AL049653.7:45452..45541),
complement(AL049653.7:44490..44582),
complement(AL049653.7:43353..43488),
complement(AL049653.7:42979..43108),
complement(AL049653.7:40722..40972),
complement(AL049653.7:28202..28288),
complement(AL049653.7:25453..25620),
complement(AL049653.7:24850..24962),
complement(AL049653.7:24366..24528),
```

```
Query Match            1.7%;   Score 52;  DB 8;  Length 75525;
Best Local Similarity  100.0%;  Pred. No. 5.6e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

complement(AL049653.7:49897..50102),
complement(AL049653.7:46197..46319),
complement(AL049653.7:45452..45541),
complement(AL049653.7:44490..44582),
complement(AL049653.7:43353..43488),
complement(AL049653.7:42979..43108),
complement(AL049653.7:40722..40972),
complement(AL049653.7:28202..28288),
complement(AL049653.7:25453..25620),
complement(AL049653.7:24850..24962),
complement(AL049653.7:24366..24528),
```

RESULT 81
LOCUS   AC055813   80117 bp   DNA   linear   PRI 22-FEB-2002
DEFINITION   Homo sapiens chromosome 17, clone RP11-209M4, complete sequence.
ACCESSION   AC055813
VERSION   AC055813.9 GI:18860756
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 80117)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE   Homo sapiens chromosome 17, clone RP11-209M4
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 80117)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,F.,
            Boguslavkly,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karataş,A.,
            Klein,J., LaRocque,K., Lamazares,R., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McGuirk,A., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Olivar,T.M., Oliver,J., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (18-APR-2000) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3 (bases 1 to 80117)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Boguslavkly,L., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Heaford,A., Horton,L., Hulme,W., Iliev,I., Johnson,R.,
            Jones,C., Kamat,A., Karataş,A., Kells,C., LaRocque,K.,
            Lamazares,R., Landers,T., Lehoczky,J., Levine,R., Liu,G.,
            MacLean,C., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
```

```
/locus_tag="RP4-635I18.1-001"
/product="FK506 binding protein 12-rapamycin associated
protein 1"
/gene="FRAP1"
```

ESTs: Em:Aa262510.1 Em:AA282830.1
      Em:AA737024.1 Em:AA767875.1 Em:AA776896.1
      Em:AA047770.1 Em:AL079658.1 Em:AL120924.1
      Em:AU098639.1 Em:AU158855.1 Em:AW500990.1
      Em:AW976130.1 Em:BE163620.1 Em:BE539676.1
      Em:BE871879.1 Em:BB884193.1 Em:BB898570.1
      Em:BF761404.1 Em:BF761418.1 Em:BF871677.1
      Em:BG250647.1 Em:BG420811.1 Em:BG421771.1
      Em:BI090093.1 Em:BI090350.1 Em:BI258757.1
      Em:BM194445.1 Em:BM150508.1
      Em:BM193414.1 Em:BM461878.1
      Em:BM721256.1 Em:BM724953.1
      Em:BQ010420.1 Em:BQ024837.1
      Em:BQ212803.1 Em:BQ215642.1
      Em:BQ440903.1 Em:BU165455.1
      Em:BU630556.1 Em:BU741782.1
      Em:BX437773.1 Em:BX476615.1
      Em:BX508363.1 Em:CA065661.1
      Em:CB130997.1 Em:CB424435.1
      Em:CD540746.1 Em:CD557696.1
      Em:CD700609.1 Em:CD567588.1
/note="match: cDNAs: Em:AF152838.1 Em:L34075.1 Em:U88966.1"

join(complement(AL049653.7:71302..71463),
```

```
complement(AL049653.7:70539..70647),
complement(AL049653.7:68987..69219),
complement(AL049653.7:68046..68246),
complement(AL049653.7:65893..66027),
complement(AL049653.7:59873..60148),
complement(AL049653.7:59679..59787),
complement(AL049653.7:55168..55354),
complement(AL049653.7:53607..53735),
complement(AL049653.7:52357..52601),
complement(AL049653.7:50456..50671),
complement(AL049653.7:49897..50102),
```

```
complement(5302.....53096),complement(42731..42870),
complement(35705...35805),complement(32225..32370),
complement(30547...30624),complement(30227..30334),
complement(25112...25237),complement(24883..25014),
complement(19930...20045),complement(18659..18776),
complement(16108...16356),complement(15317..15417),
complement(14434...14530),complement(14033..14117),
complement(13583...13705),complement(13203..13385),
complement(12589...12723),complement(12201..12375),
complement(10077...10212),complement(7558..7705),
complement(6825....6947),complement(2583..2665),
complement(AL109811.40:111744..111816),
complement(AL109811.40:111161..111235),
complement(AL109811.40:110666..110801),
complement(AL109811.40:109200..109265),
complement(AL109811.40:105997..106077),
complement(AL109811.40:105638..105718),
complement(AL109811.40:104529..104634),
complement(AL109811.40:102883..103848))
```

```
            McCarthy,M., McEwan,P., McKernan,K., McPheeters,R., Meldrim,J.,
            Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C.,
            Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D.,
            Oliver,J., Peterson,K., Phunkhang,P., Pierre,N., Pollara,V.,
            Roman,C., Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P.,
            Raymond,C., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Sougnez,C., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S.,
            Theodore,J., Topham,K., Travers,M., Travis,N., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-AUG-2001) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   4  (bases 1 to 80117)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., LaRocque,K., Lamazares,R.,
            Landers,T., Lehoczky,J., Levine,R., Liu,G., MacLean,C.,
            Macdonald,P., Major,J., Marquis,N., Matthews,C., McCarthy,M.,
            McEwan,P., McKernan,K., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Pollara,V., Raymond,C.,
            Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,C.,
            Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S.,
            Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travers,M., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (22-FEB-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Feb 22, 2002 this sequence version replaced gi:15055348.
            All repeats were identified using RepeatMasker:
            Smit,A.F.A. & Green,P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            --------------- Genome Center
                    Center: Whitehead Institute/ MIT Center for Genome Research
                    Center code: WIBR
                    Web site: http://www-seq.wi.mit.edu
                    Contact: sequence_submission@genome.wi.mit.edu
            --------------- Project Information
                    Project name:
                    Center project name: L7949
                    Center clone name: 209_M_4
            ---------------
            Only the last 80.1 kilobases of this clone are being submitted.
            The remainder overlaps accession number AC004149 [WICGR project
            L302].
FEATURES             Location/Qualifiers
     source          1..80117
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /map="17"
                     /clone="RP11-209M4"
                     /clone_lib="RPCI-11 Human Male BAC"
     repeat_region   complement(146..434)
                     /rpt_family="AluSg"
     repeat_region   complement(438..655)
                     /rpt_family="MIR"
     repeat_region   complement(974..1129)
                     /rpt_family="MIR"
     repeat_region   complement(1270..1438)
                     /rpt_family="MER20"
     repeat_region   1439..1465
                     /rpt_family="AluJo"
     repeat_region   complement(1466..1584)
                     /rpt_family="(TTTTA)n"
     repeat_region   1785..1933
                     /rpt_family="AluJo"
     repeat_region   complement(2339..2487)
                     /rpt_family="MER5B"
     repeat_region   complement(2492..2787)
                     /rpt_family="MIR"
     repeat_region   complement(2796..2902)
                     /rpt_family="AluSg"
     repeat_region   complement(2903..3165)
                     /rpt_family="MIR"
     repeat_region   complement(3166..3193)
                     /rpt_family="AluSq"
     repeat_region   3572..3644
                     /rpt_family="MIR"
     repeat_region   4524..4583
                     /rpt_family="MIR"
     repeat_region   complement(4755..4962)
                     /rpt_family="MIR3"
     repeat_region   6397..6738
                     /rpt_family="MIR"
     repeat_region   complement(6766..6875)
                     /rpt_family="L2"
     repeat_region   7202..7270
                     /rpt_family="MLT1H"
     repeat_region   7739..7825
                     /rpt_family="L2"
     repeat_region   complement(7826..8122)
                     /rpt_family="AluSc"
     repeat_region   8123..8268
                     /rpt_family="L1MC4"
     repeat_region   8269..8568
                     /rpt_family="L1MC4"
     repeat_region   8569..8631
                     /rpt_family="AluJo"
     repeat_region   complement(9151..9305)
                     /rpt_family="L1MC4"
     repeat_region   9365..9390
                     /rpt_family="MIR"
     repeat_region   complement(9405..9708)
                     /rpt_family="AT_rich"
     repeat_region   complement(9709..9969)
                     /rpt_family="Alu"
     repeat_region   10197..10458
                     /rpt_family="AluJo"
     repeat_region   10758..10895
                     /rpt_family="MLT1K"
     repeat_region   12676..12773
                     /rpt_family="MIR"
     repeat_region   complement(12784..12997)
                     /rpt_family="MIR"
     repeat_region   13627..13787
                     /rpt_family="L2"
     repeat_region   complement(13821..13953)
                     /rpt_family="MIR"
     repeat_region   14746..14899
                     /rpt_family="MIR"
     repeat_region   complement(14947..15144)
                     /rpt_family="MIR"
     repeat_region   15520..15668
                     /rpt_family="AluJo"
     repeat_region   15669..15960
                     /rpt_family="AluSx"
     repeat_region   15961..16128
                     /rpt_family="AluJo"
     repeat_region   16208..16400
                     /rpt_family="MIR"
```

```
repeat_region    16454..16586
                 /rpt_family="L2"
repeat_region    16707..16783
```

```
Query Match      1.7%;   Score 52;  DB 8;  Length 80117;
Best Local Similarity  100.0%;  Pred. No. 5.6e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy    2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   54323 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 54374
```

```
RESULT 82
LOCUS       BX927220              82724 bp    DNA     linear   PRI 09-APR-2004
DEFINITION  Human DNA sequence from clone DAMA-199F12 on chromosome 6, complete
            sequence.
ACCESSION   BX927220
VERSION     BX927220.8  GI:46357732
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 82724)
  AUTHORS   Wood,J.
  TITLE     Direct Submission
  JOURNAL   Submitted (09-APR-2004) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Apr 9, 2004 this sequence version replaced gi:46016496.
            -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            --------------
            During sequence assembly data is compared from overlapping clones.
            Where differences are found these are annotated as variations
            together with a note of the overlapping clone name. Note that the
            variation annotation may not be found in the sequence submission
            corresponding to the overlapping clone, as we submit sequences with
            only a small overlap as described above.
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one plasmid subclone or more than one M13 subclone; and the
            assembly was confirmed by restriction digest, except on the rare
            occasion of the clone being a YAC.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs constructed by
            the MHC Haplotype Consortium and collaborators. Further information
            can be found at
            http://www.sanger.ac.uk/HGP/Chr6/MHC
            DAMA-199F12 is from the DNA-Arts human BAC library MANN.1 VECTOR:
            pBeloBAC11.
FEATURES             Location/Qualifiers
     source          1..82724
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DAMA-199F12"
                     /clone_lib="DNA-Arts BAC library MANN.1"
ORIGIN
```

```
Query Match      1.7%;   Score 52;  DB 8;  Length 82724;
Best Local Similarity  100.0%;  Pred. No. 5.6e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGACTCTGTCTC 3122
                ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     705 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGACTCTGTCTC 756
```

```
RESULT 83
LOCUS       AR242855              92139 bp    DNA     linear   PAT 20-DEC-2002
DEFINITION  Sequence 1 from patent US 6475739.
ACCESSION   AR242855
VERSION     AR242855.1  GI:27289517
KEYWORDS    Unknown.
SOURCE      Unknown.
  ORGANISM  Unclassified.
REFERENCE   1  (bases 1 to 92139)
  AUTHORS   Brunkow,M.E., Proll,S., Paeper,B. and Staehling-Hampton,K.
  TITLE     Methods for identifying genomic deletions
  JOURNAL   Patent: US 6475739-A 1 05-NOV-2002;
            Celltech R&D, Inc.; Bothell, WA
FEATURES             Location/Qualifiers
     source          1..92139
                     /organism="unknown"
                     /mol_type="genomic DNA"
ORIGIN
```

```
Query Match      1.7%;   Score 52;  DB 6;  Length 92139;
Best Local Similarity  100.0%;  Pred. No. 5.6e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy    2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   85294 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 85345
```

```
RESULT 84
LOCUS       AX384907              92139 bp    DNA     linear   PAT 19-MAR-2002
DEFINITION  Sequence 1 from Patent WO0210455.
ACCESSION   AX384907
VERSION     AX384907.1  GI:19578035
KEYWORDS    .
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Brunkow,M.E., Proll,S. and Paeper,B.
  TITLE     Methods for identifying genomic deletions
  JOURNAL   Patent: WO 0210455-A 1 07-FEB-2002;
            Celltech R & D, Inc. (US) ; Straehling-Hampton, Karen (US)
FEATURES             Location/Qualifiers
     source          1..92139
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
ORIGIN
```

```
Query Match      1.7%;   Score 52;  DB 6;  Length 92139;
Best Local Similarity  100.0%;  Pred. No. 5.6e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy    2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   85294 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 85345
```

RESULT 85
LOCUS   CR751233/c
DEFINITION Homo sapiens chromosome 6 clone DASS-94P17, WORKING DRAFT SEQUENCE,
            2 unordered pieces.
ACCESSION   CR751233
VERSION   CR751233.1 GI:51491315
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 92442)
  AUTHORS   Sims,S.
  TITLE   Direct Submission
  JOURNAL   Submitted (19-AUG-2004) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
COMMENT   -------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            -------------- Project Information
            Center project name: bSS94P17
            -------------- Summary Statistics
            Assembly program: XGAP4; version 4.5
            Chemistry: Dye-terminator; 100% of reads
            Consensus quality: 91963 bases at least Q40
            Consensus quality: 92179 bases at least Q30
            Consensus quality: 92265 bases at least Q20
            Insert size: 9342; sum-of-contigs
            Insert size: 9297; 0.8% error; agarose-fp
            Quality coverage: 6.50x in Q20 bases; sum-of-contigs Quality
            coverage: 6.14x in Q20 bases; agarose-fp
            * NOTE:This is a 'working draft' sequence. It currently
            * consists of 2 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *   1   30199: contig of 30199 bp in length
            * 30200   30299: gap of 100 bp
            * 30300   92442: contig of 62143 bp in length
FEATURES   Location/Qualifiers
     source   1..92442
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /chromosome="6"
                     /db_xref="taxon:9606"
                     /clone="DASS-94P17"
                     /clone_lib="DNA-arts-BAC.1-SSTO.1"
     misc_feature   1..30199
                     /note="assembly_fragment:00002.0"
     misc_feature   30300..92442
                     /note="assembly_fragment:00375.0"
ORIGIN

Query Match   1.7%; Score 52; DB 14; Length 92442;
Best Local Similarity   100.0%; Pred. No. 5.6e-16;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGAGATTGTGCCACTGCACTCCAGCCTGGGCCACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   54359 CAAGAGATTGTGCCACTGCACTCCAGCCTGGGCCACAGAGCAAGAGACTCTGTCTC 54308

LOCUS   AF397423   93790 bp   DNA   linear   PRI 04-SEP-2002
DEFINITION Homo sapiens SOST gene, 3' UTR, MEOX1 gene, 5' UTR, and SOST/MEOX1
            intergenic region.
ACCESSION   AF397423
VERSION   AF397423.1 GI:19880618
KEYWORDS   .
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 93790)
  AUTHORS   Staehling-Hampton,K., Proll,S., Paeper,B., Zhao,L., Charmley,P.,
            Brown,A., Gardner,J.C., Galas,D., Schatzman,R.C., Beighton,P.,
            Papapoulos,S., Hamersma,H. and Brunkow,M.E.
  TITLE   A 52-kb deletion in the SOST-MEOX1 intergenic region on 17q12-q21
            is associated with van Buchem disease in the Dutch population
  JOURNAL   Am. J. Med. Genet. 110 (2), 144-152 (2002)
   PUBMED   12116252
REFERENCE   2 (bases 1 to 93790)
  AUTHORS   Staehling-Hampton,K., Proll,S., Paeper,B., Zhao,L., Charmley,P.,
            Brown,A., Gardner,J.C., Galas,D., Schatzman,R.C., Beighton,P.,
            Papapoulos,S., Hamersma,H. and Brunkow,M.E.
  TITLE   Direct Submission
  JOURNAL   Submitted (06-JUL-2001) Genomics, Celltech R&D Inc., 1631 220th St
            SE, Bothell, WA 98021, USA
FEATURES   Location/Qualifiers
     source   1..93790
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /map="17q21-q22"
     gene   <1..1612
                     /gene="SOST"
     mRNA   <1..1612
                     /gene="SOST"
     3'UTR   1..1612
                     /gene="SOST"
     STS   12298..12676
                     /standard_name="D17S951"
     variation   36239..87958
                     /note="Van Buchem causative deletion"
     STS   79495..79823
                     /standard_name="D17S1789"
     gene   93762..>93790
                     /gene="MEOX1"
     mRNA   93762..>93790
                     /gene="MEOX1"
     5'UTR   93762..93790
                     /gene="MEOX1"
ORIGIN

Query Match   1.7%; Score 52; DB 8; Length 93790;
Best Local Similarity   100.0%; Pred. No. 5.6e-16;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   8458 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 8407

RESULT 87
LOCUS   AL645729   96217 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION Human DNA sequence from clone RP11-318E23 on chromosome 1 Contains
            the GMEB1 gene for glucocorticoid modulatory element binding
            protein 1, the 5' end of the gene for high-glucose-regulated
            protein 8 (HGRG8) and a CpG island, complete sequence.
ACCESSION   AL645729
VERSION   AL645729.14 GI:21322389
KEYWORDS   HTG; GMEB1; HGRG8.
SOURCE   Homo sapiens (human)

```
ORGANISM  Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
          Hominidae; Homo.
REFERENCE  1  (bases 1 to 96217)
  AUTHORS  Hammond,S.
  TITLE    Direct Submission
  JOURNAL  Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
           Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
           Clone requests: clonerequest@sanger.ac.uk
COMMENT    On Jun 4, 2002 this sequence version replaced gi:20451424.
           The following abbreviations are used to associate primary accession
           numbers given in the feature table with their source databases:
           Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
           on the WORMPEP database can be found at
           http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
           was generated from part of bacterial clone contigs of human
           chromosome 1, constructed by the Sanger Centre Chromosome 1 Mapping
           Group. Further information can be found at
           http://www.sanger.ac.uk/HGP/Chr1
           RP11-318E23 is from the library RPCI-11.2 constructed by the group
           of Pieter de Jong. For further details see
           http://www.chori.org/bacpac/home.htm
           VECTOR: pBACe3.6
           ---------------- Genome Center
           Center: Wellcome Trust Sanger Institute
           Center code: SC
           Web site: http://www.sanger.ac.uk
           Contact: vega@sanger.ac.uk
           ----------------
           This sequence was finished as follows unless otherwise noted: all
           regions were either double-stranded or sequenced with an alternate
           chemistry or covered by high quality data (i.e., phred quality >=
           30); an attempt was made to resolve all sequencing problems, such
           as compressions and repeats; all regions were covered by at least
           one subclone; and the assembly was confirmed by restriction digest,
           except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..96217
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP11-318E23"
                     /clone_lib=RPCI-11.2"
     misc_feature    1
                     /note="Clone_left_end: RP11-318E23"
     gene            join(14331..14438,29182..29339,35703..35785,37184..37308,
                     38541..38644,42526..42683,48037..48168,49791..49928,
                     56119..56241,59672..64952)
                     /gene="GMEB1"
     mRNA            join(14331..14438,29182..29339,35703..35785,37184..37308,
                     38541..38644,42526..42683,48037..48168,49791..49928,
                     56119..56241,59672..64952)
                     /gene="GMEB1"
                     /locus_tag="RP11-318E23.1-001"
                     /product="glucocorticoid modulatory element binding
                     protein 1"
                     /note="match: ESTs: Em:AI221554.1 Em:AI693203.1
                     Em:CA418589.1"
     gene            join(14340..14438,35703..35785,37184..37308,38541..38644,
                     42526..42683,48037..48168,49791..49928,56119..56241,
                     59672..59833)
                     /gene="GMEB1"
                     /locus_tag="RP11-318E23.1-004"
                     /product="glucocorticoid modulatory element binding
                     protein 1"
     mRNA            join(14340..14438,35703..35785,37184..37308,38541..38644,
                     42526..42683,48037..48168,49791..49928,56119..56241,
                     59672..59833)
                     /gene="GMEB1"
                     /locus_tag="RP11-318E23.1-004"
                     /product="glucocorticoid modulatory element binding
```

```
                     protein 1"
                     /note="match: ESTs: Em:BX322399.1"
     gene            join(14377..14438,29185..29339,35703..35785,37184..37308,
                     38541..38644,42526..42683,48037..48168,49791..49928,
                     56119..56241,59672..60485)
                     /gene="GMEB1"
     mRNA            join(14377..14438,29185..29339,35703..35785,37184..37308,
                     38541..38644,42526..42683,48037..48168,49791..49928,
                     56119..56241,59672..60485)
                     /gene="GMEB1"
                     /locus_tag="RP11-318E23.1-002"
                     /product="glucocorticoid modulatory element binding
                     protein 1"
                     /note="match: cDNAs: Em:BC001473.2"
     gene            join(14379..14438,29182..29339,35673..35785,37184..37308,
                     38541..38644,42526..42683,48037..48168,49791..49928,
                     56119..56241,59672..60472)
                     /gene="GMEB1"
     mRNA            join(14379..14438,29182..29339,35673..35785,37184..37308,
                     38541..38644,42526..42683,48037..48168,49791..49928,
                     56119..56241,59672..60472)
                     /gene="GMEB1"
                     /locus_tag="RP11-318E23.1-003"
                     /product="glucocorticoid modulatory element binding
                     protein 1"
                     /note="match: cDNAs: Em:BC001473.1"
     CDS             join(14383..14438,29182..29339,35673..35785,37184..37308,
                     38541..38644,42526..42683,48037..48168,49791..49928,
                     56119..56241,59672..59833)
                     /gene="GMEB1"
                     /locus_tag="RP11-318E23.1-004"
                     /standard_name="OTTHUMP00000035905"
                     /codon_start=1
                     /product="glucocorticoid modulatory element binding
                     protein 1"
                     /protein_id="CAH72426.1"
                     /db_xref="GI:55666388"
                     /db_xref="GOA:Q5VSZ8"
                     /db_xref="InterPro:IPR000770"
                     /db_xref="UniProt/TrEMBL:Q5VSZ8"
                     /translation="MLRRLPALAARRPPARRRIYEBAGSENNTAVVAVETHTHKIEB
                     GIDGTIEANEDMEIAYPITCGESKAILLWKKFVCPGTNVKCVKFNDQLISPKFVHL
                     AGKSTLKDWKRAIRLGGGTMLRKNMMDSGIDFYQHDKVCSNTCRSTKFDLLISSARPV
                     PGQQTSVVQTPTSADGSSITQIAISESEMEEAGLEWNSALTAAVTMATEEGVKKDSEEI
                     SEDTLMFWKGIADVGLMEEVVCNIQKEIEELRGVQQRLIQAPFGVTDAAVLNNVAHT
                     FGLMDTVKKVLDNRRNQVEQGSEBQFLYTLTDLERQLEEQKKQGSQDHRLKSQTVQNVVL
                     MPVSTPPKPPKQRPRLQRPASITVLSPS"
     misc_feature    14627..14639
                     /gene="GMEB1"
     gene            join(29163..29339,35673..35785,37184..37308,38541..38644,
                     42526..42683,48037..48168,49791..49928,56119..56241,
                     59672..60664)
                     /gene="GMEB1"
     mRNA            join(29163..29339,35673..35785,37184..37308,38541..38644,
                     42526..42683,48037..48168,49791..49928,56119..56241,
                     59672..60664)
                     /gene="GMEB1"
                     /locus_tag="RP11-318E23.1-005"
                     /product="glucocorticoid modulatory element binding
                     protein 1"
                     /note="Sequence from uni-directional dGTP big dye
                     terminator reads only."
                     /note="match: ESTs: Em:AF099013.1"
     gene            join(29212..29339,35673..35785,37184..37308,38541..38644,
                     42526..42683,48037..48168,49791..49928,56119..56241,
                     59672..60372)
```

```
REFERENCE   1  (bases 1 to 97630)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
  SOURCE    Homo sapiens (human)
  KEYWORDS  HTG.
  VERSION   AL844213.2  GI:21953190
  ACCESSION AL844213
            CpG islands, complete sequence.
            HLA-B gene for major histocompatibility complex, class I, E, and 6
            RANP1 pseudogene for RAN, member RAS oncogene family pseudogene 1,
            pseudogene for succinate-CoA ligase, ADP-forming, beta subunit, the
  DEFINITION Human DNA sequence from clone DAQB-352F19 on chromosome 6 contains
            the TMPOP1 pseudogene for thymopoietin-like 1, the SUCLA2P
  LOCUS     AL844213      97630 bp    DNA    linear   PRI 18-MAY-2005

RESULT 88
AL844213

     Query Match    1.7%;   Score 52;   DB 8;   Length 96217;
     Best Local Similarity   100.0%;
     Matches   52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy      3071   CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC  3122
               |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     74409   CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC  74460
```

```
            /gene="GMEB1"
     polyA_site
            /gene="GMEB1"
            6511
            6511 IBIDPAPPDPEAEDTEGKAVILETELRTEEKVVAEMEEHQVHVEIVVLED"
            QTIIBIDPAPPDPEAEDTEGKAVILETELRTEEKVVAEMEEHQVHVNV
            DIVTIHPSSSLALLSSFAMQDSGTLGNMTTMVSPVELVAMESGLTSAIQAVESTSEDG
            TVISPIITPVGQSFSMGNIPVATLSCGSSPVTVHTLPSGPQLFRYATVVSSAKSSSP
            QLEBOKKQGQDHRLKSQTVQNVVLMPVSTPKPPKPRLQRPASTTVLSPSPPVVQPQF
            VQQRLIQAPFQVTDAAVLNNVAHTFGLMDTVKKVLDNRRNQVEQGEEQFLTTLTDLER
            WNSALTAAVTMATEEGVVKDSBEISEDTLMPWKGIADVGLMEEVVCNIQKEIEELLRG
            DKVCSNTCRSTKPDLLISSARAPVPGQCOTSVVQTPTSADGSITQIAISESEMEAGLE
            CPGINVKCVKNDQLISPKHFVHLAGKSTLKDWKRAIRLGGIMLRKNMDSGQIDFYQH
            YEAGSENNTAVAVAVETHTHKTEBGIDTGTIEANEDMEIAYPITCGESKAILLWKKFV
            /translation="MANAEVSVPGDVVVVPTEGNGENPEDTKTQVILLQLQPVQQGI
            /db_xref="GI:55666390"
            /protein_id="CAH72428.1"
            /product="glucocorticoid modulatory element binding
            protein 1"
            /codon_start=1
            /note="match: proteins: Sw:Q9JI60 Sw:Q9Y692 Tr:Q80Y88"
            /standard_name="OTTHUMP00000003779"
            /locus_tag="RP11-318Z23.1-001"
            /gene="GMEB1"
     CDS    join(29212,29339,35703..35785,37184..37308,38541..38644,
            42526..42683,48037..48168,49791..49928,56119..56241,
            59672..60372)
            EIVVLED"
            QAVESTSEDGQTIIBIDPAPPDPEAEDTEGKAVILETELRTEEKVVAEMEEHQVHVNV
            VVSSAKSSSPDTVTIHPSSSLALLSSTFAMQDSGTLGNMTTMWVSPVELVAMESGLTSAI
            PSPPVVQPQFTVISPIITIPVCQSFSMGNIPVATLSCGSSPVTVHTLPSGPQLFRYAI
            FLYTLFDLERQLEBOKKQGQDHRLKSQTVQNVVLMPVSTPKPPKPRLQRPASTTVLS
            QKEIEELLRGVVQQRLIQAPFQVTDAAVLNNVAHTFGLMDTVKKVLDNRRNQVEQGEEQ
            BESMEEAGLEWNSALTAAVTMATEEGVVKDSBEISEDTLMPWKGIADVGLMEEVVCNI
            DSGQIDPYQHDKVCSNTCRSTKFDLLISSARAPVPGQCQTSVVQTPTSADGSITQIAIS
            KAILLWKKFVCPGINVKCVKNDQLISPKHFVHLAGKSTLKDWKRAIRLGGIMLRKMM
            FIDGHEYNRIYEAGSENNTAVAVAVETHTHKTEBGIDTGTIEANEDMEIAYPITCGES
            /translation="MANAEVSVPGDVVVVPTEGNGENPEDTKTQVILLQLQPVQQGL
            protein 1"
            /db_xref="InterPro:IPR010919"
            /db_xref="InterPro:IPR000770"
            /db_xref="GI:55666389"
            /protein_id="CAH72427.1"
            /codon_start=1
            /standard_name="OTTHUMP00000003781"
            /product="glucocorticoid modulatory element binding
            /locus_tag="RP11-318Z23.1-003"
     CDS    /gene="GMEB1"
```

```
AUTHORS   Tracey,A.
  TITLE    Direct Submission
  JOURNAL  Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
           Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
           Clone requests: clonerequest@sanger.ac.uk
COMMENT    On Jul 24, 2002 this sequence version replaced gi:21912387.
           The following abbreviations are used to associate primary accession
           numbers given in the feature table with their source databases:
           Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
           on the WORMPEP database can be found at
           http://www.sanger.ac.uk/Projects/C_elegans/wormpep The source
           was generated from part of bacterial clone contigs constructed by
           the MHC Haplotype Consortium and collaborators. Further information
           can be found at
           http://www.sanger.ac.uk/HGP/Chr6/MHC
           --------------   Genome Center
           Center: Wellcome Trust Sanger Institute
           Center code: SC
           Web site: http://www.sanger.ac.uk
           Contact: vega@sanger.ac.uk
           --------------

           This sequence was finished as follows unless otherwise noted: all
           regions were either double-stranded or sequenced with an alternate
           chemistry or covered by high quality data (i.e., phred quality >=
           30); an attempt was made to resolve all sequencing problems, such
           as compressions and repeats; all regions were covered by at least
           one subclone; and the assembly was confirmed by restriction digest,
           except on the rare occasion of the clone being a YAC.
           DAQB-352F19 is from a DNA-arts QBL human bac library VECTOR:
           pBeloBAC11.

FEATURES             Location/Qualifiers
     source          1..97630
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="DAQB-352F19"
                     /clone_lib="DNA-arts-BAC.1-QBL.1"
     misc_feature    1
                     /note="Clone left end: DAQB-352F19"
     gene            join(27698..28117,28351..29083)
                     /locus_tag="DAQB-352F19.1-001"
                     /pseudo
     CDS             join(27698..28117,28351..29083)
                     /locus_tag="DAQB-352F19.1-001"
                     /codon_start=1
                     /pseudo
                     /note="match: proteins: AAC25390 P42167 Q61030 Q61031"
     gene            30105..31413
                     /locus_tag="DAQB-352F19.2-001"
                     /pseudo
     CDS             30105..31413
                     /locus_tag="DAQB-352F19.2-001"
                     /codon_start=1
                     /pseudo
                     /note="match: proteins: 082662 097580 Q9VHJ8 Q9YI37"
     gene            47103..47753
                     /locus_tag="DAQB-352F19.3-001"
                     /pseudo
                     /product="succinate-CoA ligase, ADP-forming, beta subunit
                     pseudogene"
     CDS             47103..47753
                     /locus_tag="DAQB-352F19.3-001"
                     /codon_start=1
                     /product="thymopoietin-like 1"
                     /pseudo
                     /note="match: proteins: AAM15923 P51148 Q9FE79 Q9VNG6"
     gene            49811..50669
                     /locus_tag="DAQB-39G10"
                     /pseudo
                     /product="RAN, member RAS oncogene family pseudogene 1"
     misc_feature    55108
                     /note="Clone right_end: DAQB-352F19.4-001"
     gene            50669..55108
                     /gene="HLA-E"
                     /locus_tag="DAQB-352F19.4-001"
```

mRNA   join(50669..50755,50886..51155,51400..51675,52297..52572,
                52697..52813,53564..53596,53701..53743,53909..55108)
                /gene="HLA-E"
                /locus_tag="DAQB-352F19.4-001"
                /product="major histocompatibility complex, class I, E"
                /note="match: ESTs: AL545738.1 BM917068.1 BM917589.1
                BQ052237.1 BQ689518.1
                match: cDNAs: AK098434.1 BC002578.1 BC004297.1 M20022.1"

CDS   join(50692..50755,50886..51155,51400..51675,52297..52572,
                52697..52813,53564..53596,53701..53741)
                /gene="HLA-E"
                /locus_tag="DAQB-352F19.4-001"
                /standard_name="OTTHUMP00000014549"
                /note="match: proteins: O46840 Q31521 Q9BR83 Q9MXG3
                Q9MXQ5"
                /codon_start=1
                /product="major histocompatibility complex, class I, E"
                /protein_id="CAI18596.1"
                /db_xref="GI:56206333"
                /db_xref="InterPro:IPR001039"
                /db_xref="InterPro:IPR003006"
                /db_xref="InterPro:IPR003597"
                /db_xref="InterPro:IPR007110"
                /db_xref="InterPro:IPR007111"
                /translation="MVDGTLLLLSERALALTQTWAGSHSLKYFHTSVSRPGRGEPRFI
                SVGYVDDTQVFVRFDNDAASPRMVPRAPWMEQEGSEYWDRETRSARDTAQIFRVNLRTL
                RGYYNQSEAGSHTLQWMHGCELGPDRRFLRGYEQFAYDGKDYLTLNEDLRSWTAVDTA
                AQISEQKSNDASEAEHQRAYLEDTCVEWLHKYLEKGKETLLHLEPPKTHVTHHPISDH
                EATLRCWALGFYPAEITLTWQQDGEDHTQDTELVETRPAGDGTFQKWAAVVVPSGEEQ
                RYTCHVQHEGLPEPVTLRWKPASQPTIPIVGIIAGLVLLGSVVSGAVVAAVIWRKKSS
                GGKGGSYSKAEWSDSAGSESHSL"

polyA_signal   55331..55336
polyA_site   55354
misc_feature   97630
                /note="Clone_right_end: DAQB-352F19"

ORIGIN

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   73737 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGACTCTGTCTC 73788

Query Match   1.7%; Score 52; DB 8; Length 97630;
Best Local Similarity   100.0%; Pred. No. 5.6e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

ORIGIN

DEFINITION   Homo sapiens chromosome 5 clone CTC-262A8, WORKING DRAFT SEQUENCE,
                2 ordered pieces.
LOCUS   AC093203   101769 bp   DNA   linear   HTG 07-MAR-2002
ACCESSION   AC093203
VERSION   AC093203.4 GI:19224825
KEYWORDS   HTG; HTGS_PHASE2; HTGS_DRAFT; HTGS_ACTIVEFIN.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                Hominidae; Homo.
REFERENCE   1 (bases 1 to 101769)
  AUTHORS   DOE Joint Genome Institute.
  TITLE   Sequencing of Human Chromosome 5
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 101769)
  AUTHORS   DOE Joint Genome Institute.
  TITLE   Direct Submission
  JOURNAL   Submitted (16-AUG-2001) Production Sequencing Facility, DOE Joint
                Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3 (bases 1 to 101769)
  AUTHORS   DOE Joint Genome Institute.
  TITLE   Direct Submission
  JOURNAL   Submitted (07-MAR-2002) Production Sequencing Facility, DOE Joint
                Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT   On Mar 7, 2002 this sequence version replaced gi:15426059.

ACCESSION   AC093203

RESULT 89
AC093203/c

Summary Statistics
Consensus quality: 101567 bases at least Q40
Consensus quality: 101611 bases at least Q30
Consensus quality: 101641 bases at least Q20
Estimated insert size: 104000; agarose-fp estimation
Estimated insert size: 101669; sum-of-contigs estimation
Quality coverage: 34.54 in Q20 bases; agarose-fp estimation
Quality coverage: 35.33 in Q20 bases; sum-of-contigs estimation.
* NOTE: This is a 'working draft' sequence. It currently
* consists of 2 contigs. Gaps between the contigs
* are represented as runs of N. The order of the pieces
* is believed to be correct as given, however the sizes
* of the gaps between them are based on estimates that have
* provided by the submitter.
* This sequence will be replaced
* by the finished sequence as soon as it is available and
* the accession number will be preserved.
*   1   12059: contig of 12059 bp in length
*   12059   12159: gap of unknown length
*   12060   101769: contig of 89610 bp in length
FEATURES   Location/Qualifiers
     source   1..101769
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="5"
                     /clone="CTC-262A8"
                     /clone_lib="CalTech human BAC library C"
*   12060   12159
*   12060..12159
                     /estimated_length=unknown

gap   12060..12159

ORIGIN

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   35123 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGACTCTGTCTC 35072

Query Match   1.7%; Score 52; DB 14; Length 101769;
Best Local Similarity   100.0%; Pred. No. 5.6e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

LOCUS   AC005377   102311 bp   DNA   linear   PRI 03-OCT-2003
DEFINITION   Homo sapiens PAC clone RP5-1136G2 from 7, complete sequence.
ACCESSION   AC005377
VERSION   AC005377.2 GI:4699956
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                Hominidae; Homo.
REFERENCE   1 (bases 1 to 102311)
  AUTHORS   Sulston,J.E. and Wilson,R.
  TITLE   Toward a complete human genome sequence
  JOURNAL   Genome Res. 8 (11), 1097-1108 (1998)
  PUBMED   9847074
REFERENCE   2 (bases 1 to 102311)
  AUTHORS   Bauer,C., Ozanich,A. and Tucci,S.
  TITLE   The sequence of Homo sapiens PAC clone RP5-1136G2
  JOURNAL   Unpublished (2001)
REFERENCE   3 (bases 1 to 102311)
  AUTHORS   Waterston,R.H.

ACCESSION   AC005377

RESULT 90
AC005377/c

TITLE   Direct Submission
JOURNAL   Submitted (02-AUG-1998) Genome Sequencing Center, Washington
          University School of Medicine, 4444 Forest Park Parkway, St. Louis,
          MO 63108, USA
REFERENCE 4 (bases 1 to 102311)
AUTHORS   Waterston,R.
TITLE   Direct Submission
JOURNAL   Submitted (28-APR-1999) Department of Genetics, Washington
          University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE 5 (bases 1 to 102311)
AUTHORS   Waterston,R.
TITLE   Direct Submission
JOURNAL   Submitted (21-DEC-1999) Department of Genetics, Washington
          University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE 6 (bases 1 to 102311)
AUTHORS   Waterston,R.
TITLE   Direct Submission
JOURNAL   Submitted (26-APR-2003) Department of Genetics, Washington
          University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE 7 (bases 1 to 102311)
AUTHORS   Wilson,R.
TITLE   Direct Submission
JOURNAL   Submitted (03-OCT-2003) Department of Genetics, Washington
          University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
COMMENT   On Apr 28, 1999 this sequence version replaced gi:3907488.

          Center: Genome Center
          Center: Washington University Genome Sequencing Center
          Center code: WUGSC
          Web site: http://genome.wustl.edu
          Contact: sapiens@watson.wustl.edu

          Summary Statistics
          Center project name: H_DJ1136G02

          NOTICE: This sequence may not represent the entire insert of this
          clone. It may be shorter because we only sequence overlapping
          clone sections once, or longer because we provide a small overlap
          between neighboring data submissions.

          This sequence was finished as follows unless otherwise noted:
          all regions were double stranded, sequenced with an alternate
          chemistry, or covered by high quality data (i.e., phred quality >=
          30); an attempt was made to resolve all sequencing problems, such
          as compressions and repeats; all regions were covered by sequence
          from more than one subclone; and the assembly was confirmed by
          restriction digest.

          MAPPING INFORMATION:
          The sequence of this clone was established as part of a mapping and
          sequencing collaboration between the NHGRI Chromosome 7 Mapping
          Project (Eric D. Green, Director), John D. McPherson in the
          Department of Genetics (Washington University), and the Washington
          University Genome Sequencing Center. For additional information
          about the map position of this sequence, see
          http://www.nhgri.nih.gov/DIR/GTB/CHR7, send
          mailto:egreen@nhgri.nih.gov, or see http://genome.wustl.edu

          SOURCE INFORMATION:
          This clone was derived from human PAC library RPCI-5, prepared by
          Pieter de Jong and coworkers at http://www.chori.org using the
          method described by Ioannou et al., Nature Genetics 6:84-9 (1994).
          The library is from one male donor.
          The clone may be obtained either from Genome Systems, Inc.
          (http://www.genomesystems.com) or Research Genetics, Inc.
          (http://www.resgen.com); or from Pieter de Jong.
          VECTOR: pCYPAC2

          NEIGHBORING SEQUENCE INFORMATION:
          The clone sequenced to the right is RP4-659J6, 200 bp overlap.
          Actual start of this clone is at base position 1 of RP5-1136G22
          actual end is at 69895 of DJ0659J06.

FEATURES   Location/Qualifiers
     source   1..102311
                         /organism="Homo sapiens"
                         /mol_type="genomic DNA"
                         /db_xref="taxon:9606"
                         /chromosome="7"
                         /map="7"
                         /clone="RP5-1136G22"
                         /clone_lib="RPCI-5"
     repeat_region   1..81
                         /rpt_family="Alu"
     repeat_region   82..200
                         /rpt_family="L1"
     repeat_region   201..518
                         /rpt_family="Alu"
     repeat_region   519..936
                         /rpt_family="L1"
     repeat_region   1437..1545
                         /rpt_family="MaLR"
     repeat_region   1546..1590
                         /rpt_family="MIR"
     repeat_region   1591..1886
                         /rpt_family="Alu"
     repeat_region   1897..2186
                         /rpt_family="Alu"
     repeat_region   2187..2259
                         /rpt_family="MIR"
     repeat_region   2281..2339
                         /rpt_family="MIR"
     repeat_region   2359..2407
                         /rpt_family="CR1"
     repeat_region   2425..2484
                         /rpt_family="ERVL"
     repeat_region   2840..2938
                         /rpt_family="(CA)n"
     repeat_region   3563..3678
                         /rpt_family="L1"
     repeat_region   3679..3887
                         /rpt_family="L2"
     repeat_region   3888..4200
                         /rpt_family="Alu"
     repeat_region   4201..4328
                         /rpt_family="Alu"
     repeat_region   4334..4514
                         /rpt_family="Alu"
     repeat_region   4633..4806
                         /rpt_family="L2"
     repeat_region   4808..5251
                         /rpt_family="L2"
     repeat_region   5343..5499
                         /rpt_family="MaLR"
     repeat_region   6032..6161
                         /rpt_family="L2"
     repeat_region   6740..6863
                         /rpt_family="MIR"
     repeat_region   7570..7829
                         /rpt_family="MIR"
     repeat_region   8297..8422
                         /rpt_family="L1"
     repeat_region   8474..8512
                         /rpt_family="L2"
     repeat_region   8513..8816
                         /rpt_family="Alu"
     repeat_region   8817..8894
                         /rpt_family="L1"
     repeat_region   8905..9046
                         /rpt_family="L1"
     repeat_region   9443..9533
                         /rpt_family="L1"
     repeat_region   9545..9594
                         /rpt_family="MaLR"
     repeat_region   9595..9649
                         /rpt_family="MaLR"
     repeat_region   9650..9945
                         /rpt_family="Alu"

```
repeat_region    9946..10330
                 /rpt_family="MaLR"
repeat_region    10331..10638
                 /rpt_family="MaLR"
repeat_region    10639..10949
                 /rpt_family="MaLR"
repeat_region    10950..11092
                 /rpt_family="Alu"
repeat_region    11100..11224
                 /rpt_family="MaLR"
repeat_region    11381..11577
                 /rpt_family="L1"
repeat_region    11578..11870
                 /rpt_family="L1"
repeat_region    11871..11950
                 /rpt_family="L1"
repeat_region    12482..12783
                 /rpt_family="Alu"
repeat_region    13738..13897
                 /rpt_family="Alu"
repeat_region    13975..14102
                 /rpt_family="MER1_type"
repeat_region    14199..14263
                 /rpt_family="MIR"
repeat_region    14313..14623
                 /rpt_family="L2"
repeat_region    14698..14798
                 /rpt_family="L1"
repeat_region    14877..15185
                 /rpt_family="Alu"
repeat_region    15190..15283
                 /rpt_family="L1"
repeat_region    15858..16008
```

```
RESULT 91
AL359699/c

Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     75623 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 75572
```

```
Best Local Similarity   100.0%;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Query Match 1.7%; Score 52; DB 8; Length 102311;
Matches 52; Conservative 0; Mismatches 0; Pred. No. 5.6e-16; Indels 0; Gaps 0;
```

```
LOCUS       AL359699    105902 bp    DNA    linear    PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone RP11-130F5 on chromosome 1 Contains a
            SLAM family member 6 (SLAMF6) pseudogene, the gene for kinase
            interacting with leukemia-associated gene (KIS) and two CpG
            islands, complete sequence.
ACCESSION   AL359699
VERSION     AL359699.12  GI:18476598
KEYWORDS    HTG; KIS; SLAMF6.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 105902)
  AUTHORS   Chapman,J.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Feb 1, 2002 this sequence version replaced gi:18250758.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/projects/C.elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 1, constructed by the Sanger Centre Chromosome 1 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr1
            RP11-130F5 is from the library RPCI-11.1 constructed by the group
            of Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pBACe3.6
            -------------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
            --------------------
            Draft Sequence Produced by Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
            http://genome.wustl.edu/gsc/index.shtml
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..105902
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP11-130F5"
                     /clone_lib="RPCI-11.1"
     misc_feature    2000
                     /note="Clone_right_end: RP11-565P22"
     gene            17885..18222
                     /locus_tag="RP11-130F5.1-001"
                     /pseudo
     CDS             17885..18222
                     /locus_tag="RP11-130F5.1-001"
                     /pseudo
                     /note="match: proteins: Tr:AAQ88526 Tr:Q96DU3 Tr:Q96DV0
                     Tr:Q9ET40"
     gene            join(70179..70604,72291..72583,73249..73440,76090..76184,
                     84836..84912,85061..85159,90438..90526,94740..101946)
                     /gene="UHMK1"
     mRNA            join(70179..70604,72291..72583,73249..73440,76090..76184,
                     84836..84912,85061..85159,90438..90526,94740..101946)
                     /gene="UHMK1"
                     /locus_tag="RP11-130F5.2-001"
                     /product="U2AF homology motif (UHM) kinase 1"
                     /note="match: cDNAs: Em:AJ536197.1 Em:AK013347.1
                     Em:BC026046.1 Em:BC058732.1 Em:U70372.2 Em:X98374.1
                     Em:Y10725.2"
     CDS             join(70337..70604,72291..72583,73249..73440,76090..76184,
                     84836..84912,85061..85159,90438..90526,94740..94886)
                     /gene="UHMK1"
                     /locus_tag="RP11-130F5.2-001"
                     /standard_name="OTTHUMP00000295529"
                     /note="match: proteins: Sw:AAH58732 Sw:P97343 Tr:AAO13515
                     Tr:CAD60192 Tr:Q63285 Tr:Q8TAS1"
                     /codon_start=1
                     /product="U2AF homology motif (UHM) kinase 1"
                     /protein_id="CAH70392.1"
                     /db_xref="GI:55663991"
                     /db_xref="Genew:19683"
                     /db_xref="GOA:Q8TAS1"
                     /db_xref="InterPro:IPR000504"
                     /db_xref="InterPro:IPR000719"
                     /db_xref="InterPro:IPR001245"
                     /db_xref="InterPro:IPR002290"
                     /db_xref="InterPro:IPR008271"
                     /db_xref="InterPro:IPR011009"
```

```
                    /db_xref="UniProt/Swiss-Prot:Q8TAS1"
                    /translation="MAGSGCAWGAEPPRFLEAFGRLWVQGSRLGSGSSASVYRVCCG
                    NPGSPPGALKQFLPPGTTGAAASAAEYGFRKERAALEQLQEHRNIVTLYGVPTIIHPSP
                    NVPSRCLLILELLDVSVSELLLYSSHQGCSMWMIQHCARDVLEALAFLHHGYVHADLK
                    PRNILWSAENCFKLIDFGLSFKEGNQDVKIIQTDGYRAPEAELQNCLAQGLQSDTE
                    CTSAVDLWSLGIILLEMFSGMKLKHTVSQEMKANSSAIIDHIFASKAVVNAAIPAYH
                    LRDLIKSMLHDDPSRRITPAEMALCSPFFSPAPHIEDLLWMLPTVLRLLNVLDDDYL
                    MFDGKFVVATFYPLSAYKRGYLYQTLL"
       gene        join(70421..70604,72291..73440,76090..76184,84836..84912,
                   85061..85159,90438..90526,94740..96390)
                   /gene="UHMK1"
       misc_feature 9619
                   /gene="UHMK1"
                   /locus_tag="RP11-130F5.2-002"
                   /locus_tag="RP11-130F5.2-001"
                   /note="Clone_left_end: RP11-359K18"
       mRNA        join(70421..70604,72291..73440,76090..76184,84836..84912,
                   85061..85159,90438..90526,94740..96390)
                   /gene="UHMK1"
                   /locus_tag="RP11-130F5.2-002"
                   /product="U2AF homology motif (UHM) kinase 1"
                   /note="match: cDNAs: Em:AL834136.1"
       misc_feature 101941..101946
                   /gene="UHMK1"
                   /locus_tag="RP11-130F5.2-002"
       polyA_signal 101941..101946
                   /gene="UHMK1"
                   /locus_tag="RP11-130F5.2-002"
       polyA_site  101946
                   /gene="UHMK1"
                   /locus_tag="RP11-130F5.2-002"
       misc_feature 105902
                   /gene="UHMK1"
                   /locus_tag="RP11-130F5.2-001"
                   /note="Clone_right_end: RP11-130F5"
ORIGIN
```

RESULT 92

```
Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     15718 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 15667
```

Query Match   1.7%;   Score 52;   DB 8;   Length 105902;
Best Local Similarity 100.0%;
Matches 52;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

```
LOCUS       AC074136               105956 bp    DNA     linear   PRI 03-APR-2003
DEFINITION  Homo sapiens chromosome 16 clone CTD-2318B16, complete sequence.
ACCESSION   AC074136
VERSION     AC074136.4  GI:29501849
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 105956)
  AUTHORS   Alamos National Laboratory.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 105956)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (15-JUL-2000) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3  (bases 1 to 105956)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (22-AUG-2002) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   4  (bases 1 to 105956)
  AUTHORS   DOE Joint Genome Institute, Stanford Human Genome Center and Los
            Alamos National Laboratory.
  TITLE     Direct Submission
```

```
JOURNAL     Submitted (03-APR-2003) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT     On Apr 3, 2003 this sequence version replaced gi:22417329.
            Draft Sequence Produced by DOE Joint Genome Institute
            http://www.jgi.doe.gov
            Finishing Completed at Stanford Human Genome Center and Los Alamos
            National Laboratory
            www.shgc.stanford.edu
            Quality: Phrap Quality >=40 99.9% of Sequence;
            Estimated Total Number of Errors is 0.1.
FEATURES             Location/Qualifiers
     source          1..105956
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="16"
                     /clone="CTD-2318B16"
ORIGIN
```

RESULT 93

```
Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     36426 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 36477
```

Query Match   1.7%;   Score 52;   DB 8;   Length 105956;
Best Local Similarity 100.0%;
Matches 52;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

```
LOCUS       AF225899               105539 bp    DNA     linear   PRI 23-FEB-2000
AF225899/c
DEFINITION  Homo sapiens PAC clone 219d7, complete sequence.
ACCESSION   AF225899
VERSION     AF225899.1  GI:7021528
KEYWORDS    .
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 105539)
  AUTHORS   Fitzpatrick,E.S., Hammond,H.A., DeAngelis,D.M., Soderman,A.R.,
            Wright,J.L., Liu,X., Larson,D., McGowan,J., Ziegler,S.,
            Pritchard,L., Hess,J.F., Todd,J., Caskey,C.T. and Metzker,M.L.
  TITLE     Direct Submission
  JOURNAL   Submitted (18-JAN-2000) Department of Human Genetics, Merck & Co.,
            Inc., SumneyTown Pike, West Point, PA 19486, USA
FEATURES             Location/Qualifiers
     source          1..105539
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="PAC 219d7"
                     complement(34..104)
     repeat_region   complement(384..662)
                     /rpt_family="MER5"
     repeat_region   1021..1304
                     /rpt_family="Alu"
     repeat_region   1800..2135
                     /rpt_family="Alu"
     repeat_region   2139..2439
                     /rpt_family="Alu"
     repeat_region   3214..3294
                     /rpt_family="MLT2B2"
     repeat_region   3588..3657
                     /rpt_family="MLT2B2"
     repeat_region   3982..4274
                     /rpt_family="Alu"
     repeat_region   5406..5550
                     /rpt_family="MER3"
     repeat_region   5444..5509
                     /rpt_family="MER33"
```

```
repeat_region  complement(5558..5834)
               /rpt_family="Alu"
repeat_region  5852..5898
               /rpt_family="MER3"
repeat_region  complement(6534..6827)
               /rpt_family="MER3"
repeat_region  complement(8239..8568)
               /rpt_family="LTR12"
repeat_region  11864..12159
               /rpt_family="Alu"
repeat_region  complement(12838..13137)
               /rpt_family="Alu"
repeat_region  complement(14450..14691)
               /rpt_family="Alu"
repeat_region  complement(15004..15291)
               /rpt_family="Alu"
repeat_region  complement(16143..16422)
               /rpt_family="Alu"
repeat_region  complement(16813..17096)
               /rpt_family="Alu"
repeat_region  complement(17528..17706)
               /rpt_family="MIR"
repeat_region  21610..21890
               /rpt_family="MIR"
repeat_region  23049..23329
               /rpt_family="Alu"
repeat_region  24379..24585
               /rpt_family="L1"
repeat_region  complement(27993..28279)
               /rpt_family="Alu"
repeat_region  28842..28933
               /rpt_family="Alu"
STS            30439..30783
               /note="L18270 Human chromosome 2 STS UT426"
repeat_region  complement(31317..31610)
               /rpt_family="Alu"
repeat_region  32555..32857
               /rpt_family="Alu"
repeat_region  33985..34281
               /rpt_family="L1"
repeat_region  35580..35863
               /rpt_family="Alu"
repeat_region  complement(37874..38708)
               /rpt_family="Alu"
repeat_region  38616..38712
               /rpt_family="L1"
repeat_region  complement(41075..41331)
               /rpt_family="Alu"
repeat_region  complement(42064..42184)
               /rpt_family="Alu"
repeat_region  42309..42413
               /rpt_family="Alu"
repeat_region  complement(42689..42777)
               /rpt_family="MIR"
repeat_region  43887..44156
               /rpt_family="MIR"
repeat_region  46963..47240
               /rpt_family="Alu"
repeat_region  complement(47837..48028)
               /rpt_family="Alu"
repeat_region  complement(51874..52142)
               /rpt_family="MIR"
repeat_region  52754..52801
               /rpt_family="Alu"
repeat_region  58298..58529
               /rpt_family="MER2"
repeat_region  58600..58721
               /rpt_family="Alu"
repeat_region  complement(59586..59701)
               /rpt_family="L1"
repeat_region  60048..60335
               /rpt_family="Alu"
repeat_region  60964..61242
               /rpt_family="Alu"

repeat_region  complement(62514..63136)
               /rpt_family="Alu"
repeat_region  complement(68228..68344)
               /rpt_family="MER20"
STS            69944..70696
               /note="G06727 human STS WI-7843"
repeat_region  70776..71041
               /rpt_family="Alu"
repeat_region  75420..75585
               /rpt_family="Alu"
repeat_region  complement(77681..77951)
               /rpt_family="Alu"
repeat_region  complement(78093..78393)
               /rpt_family="Alu"
repeat_region  79977..80042
               /rpt_family="Alu"
repeat_region  complement(81069..81363)
               /rpt_family="THE1"
repeat_region  81561..81913
               /rpt_family="MLT1"
STS            /note="G09915 human STS CHLC.GGAA 19E07.P17317 clone
               GGAA19E07"
repeat_region  complement(82076..82380)
               /rpt_family="Alu"
repeat_region  82595..82857
               /rpt_family="Alu"
repeat_region  complement(84782..85059)
               /rpt_family="Alu"
repeat_region  complement(86131..86655)
               /rpt_family="Alu"
repeat_region  complement(86698..86772)
               /rpt_family="Alu"
repeat_region  87328..87517
               /rpt_family="L1"
repeat_region  complement(88025..88300)
               /rpt_family="Alu"
repeat_region  complement(88382..88537)
               /rpt_family="Alu"
repeat_region  complement(89103..89131)
               /rpt_family="Alu"
repeat_region  complement(89607..89870)
               /rpt_family="L1"
repeat_region  complement(92183..92468)
               /rpt_family="Alu"
repeat_region  complement(92638..92723)
               /rpt_family="Alu"
repeat_region  complement(93254..93542)
               /rpt_family="L1"
repeat_region  93950..94195
               /rpt_family="Alu"
repeat_region  94819..94882
               /rpt_family="MER43"
repeat_region  97105..97472
               /rpt_family="THE1"
STS            99270..99669
               /note="G08815 human STS CHLC.GGAA19E07.P17317 CLONE
               GGAA19E07"
repeat_region  complement(101199..101438)
               /rpt_family="Alu"
repeat_region  101753..102038
               /rpt_family="Alu"
repeat_region  complement(102216..102638)
               /rpt_family="LORI"
repeat_region  complement(103792..104101)
               /rpt_family="L1"
repeat_region  complement(104170..104465)
               /rpt_family="Alu"
repeat_region  104528..104642
               /rpt_family="Alu"
repeat_region  105260..105545
               /rpt_family="L1"
repeat_region  105891..106161
               /rpt_family="Alu"
```

ORIGIN

Query Match   1.7%; Score 52; DB 8; Length 106539;
Best Local Similarity   100.0%; Pred. No. 5.6e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGCTCTGTCTC 3122
Db   12907 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGCTCTGTCTC 12856
```

RESULT 94
BA000025_14/c
WPCOMMENT
Sequence split into 23 fragments   LOCUS BA000025 Accession BA000025

Fragment Name	Begin	End
BA000025_00	1	110000
BA000025_01	100001	210000
BA000025_02	200001	310000
BA000025_03	300001	410000
BA000025_04	400001	510000
BA000025_05	500001	610000
BA000025_06	600001	710000
BA000025_07	700001	810000
BA000025_08	800001	910000
BA000025_09	900001	1010000
BA000025_10	1000001	1110000
BA000025_11	1100001	1210000
BA000025_12	1200001	1310000
BA000025_13	1300001	1410000
BA000025_14	1400001	1510000
BA000025_15	1500001	1610000
BA000025_16	1600001	1710000
BA000025_17	1700001	1810000
BA000025_18	1800001	1910000
BA000025_19	1900001	2010000
BA000025_20	2000001	2110000
BA000025_21	2100001	2210000
BA000025_22	2200001	2229817

Continuation (15 of 23) of BA000025 from base 1400001 (BA000025 Homo sapiens genomic DNA

Continuation (10 of 18) of BA000041 from base 900001 (BA000041 Pan troglodytes DNA, majo

Query Match   1.7%; Score 52; DB 8; Length 110000;
Best Local Similarity   100.0%; Pred. No. 5.6e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGCTCTGTCTC 3122
Db  104961 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGCTCTGTCTC 104910
```

RESULT 96
BA000041_10/c
WPCOMMENT
Sequence split into 18 fragments   LOCUS BA000041 Accession BA000041

Fragment Name	Begin	End
BA000041_00	1	110000
BA000041_01	100001	210000
BA000041_02	200001	310000
BA000041_03	300001	410000
BA000041_04	400001	510000
BA000041_05	500001	610000
BA000041_06	600001	710000
BA000041_07	700001	810000
BA000041_08	800001	910000
BA000041_09	900001	1010000
BA000041_10	1000001	1110000
BA000041_11	1100001	1210000
BA000041_12	1200001	1310000
BA000041_13	1300001	1410000
BA000041_14	1400001	1510000
BA000041_15	1500001	1610000
BA000041_16	1600001	1710000
BA000041_17	1700001	1750601

Continuation (11 of 18) of BA000041 from base 1000001 (BA000041 Pan troglodytes DNA, maj

Query Match   1.7%; Score 52; DB 8; Length 110000;
Best Local Similarity   100.0%; Pred. No. 5.6e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGCTCTGTCTC 3122
Db   29596 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGCTCTGTCTC 29545
```

RESULT 95
BA000041_09/c
WPCOMMENT
Sequence split into 18 fragments   LOCUS BA000041 Accession BA000041

Fragment Name	Begin	End
BA000041_00	1	110000
BA000041_01	100001	210000
BA000041_02	200001	310000
BA000041_03	300001	410000
BA000041_04	400001	510000
BA000041_05	500001	610000
BA000041_06	600001	710000
BA000041_07	700001	810000
BA000041_08	800001	910000
BA000041_09	900001	1010000
BA000041_10	1000001	1110000
BA000041_11	1100001	1210000
BA000041_12	1200001	1310000
BA000041_13	1300001	1410000
BA000041_14	1400001	1510000
BA000041_15	1500001	1610000
BA000041_16	1600001	1710000
BA000041_17	1700001	1750601

RESULT 97
HS1164I10/c
WPCOMMENT

```
LOCUS       HS1164I10    110028 bp    DNA    linear    PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone RP5-1164I10 on chromosome
            20q13.13-13.2 Contains part of the BIG2 gene for brefeldin
            A-inhibited guanine nucleotide-exchange protein 2, ESTs, STSs, GSSs
            and two CpG islands, complete sequence.
ACCESSION   AL049537
VERSION     AL049537.48  GI:9663111
KEYWORDS    HTG; BIG2; brefeldin A; CpG island; guanine exchanger.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 110028)
  AUTHORS   Collier,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Aug 2, 2000 this sequence version replaced gi:9588409.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
```

Query Match   1.7%; Score 52; DB 8; Length 110000;
Best Local Similarity   100.0%; Pred. No. 5.6e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGCTCTGTCTC 3122
Db    4961 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGCTCTGTCTC 4910
```

```
                       chromosome 20, constructed by the Sanger Centre Chromosome 20
                       Mapping Group.  Further information can be found at
                       http://www.sanger.ac.uk/HGP/Chr20
                       RP5-1164I10 is from the library RPCI-5 constructed by the group of
                       Pieter de Jong. For further details see
                       http://www.chori.org/bacpac/home.htm
                       VECTOR: pCYPAC2

                       ------- Genome Center
                       Center: Welcome Trust Sanger Institute
                       Center code: SC
                       Web site: http://www.sanger.ac.uk
                       Contact: vega@sanger.ac.uk
                       -------

                       This sequence was finished as follows unless otherwise noted: all
                       regions were either double-stranded or sequenced with an alternate
                       chemistry or covered by high quality data (i.e., phred quality >=
                       30); an attempt was made to resolve all sequencing problems, such
                       as compressions and repeats; all regions were confirmed by at least
                       one subclone; and the assembly was confirmed by restriction digest,
                       except on the rare occasion of the clone being a YAC.

FEATURES             Location/Qualifiers
     source          1..110028
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="RZPD:RPCIP704I101164"
                     /db_xref="taxon:9606"
                     /chromosome="20"
                     /map="q13.13-13.2"
                     /clone="RP5-1164I10"
                     /clone_lib="RPCI-5"
     misc_feature    100
                     /note="Clone_right_end: RP5-906C1"
     misc_feature    1871..1893
     misc_feature    /note="Tandem repeat. Single clone region. Assembly
                     confirmed by restriction enzyme digest data."
                     31598..31685
     misc_feature    /note="Single clone region. ALU region. Assembly confirmed
                     by restriction enzyme digest data."
     gene            join(32390..32510,51699..51729,52364..52487,61823..61969,
                     63205..63384,64056..64290,74330..74398,76372..76523,
                     79647..79777,81620..81854,82826..82925,83645..83784,
                     85266..85374,86516..86699,95229..95340,95908..96113,
                     98804..98888,98991..99162,99785..99936,100056..100184,
                     101540..101698,104951..105098,AL121903.13:5642..5793,
                     108693..108733,108836..109005,AL121903.13:12496..12656,
                     AL121903.13:14136..14266,AL121903.13:14403..14532,
                     AL121903.13:16852..16987,AL121903.13:17821..17959,
                     AL121903.13:18068..18122,AL121903.13:19455..19570,
                     AL121903.13:23623..23753,AL121903.13:25885..26053,
                     AL121903.13:29102..29240,AL121903.13:32621..32738,
                     AL121903.13:33595..37265)
                     /gene="ARFGEF2"
                     /locus_tag="RP1-155G6.3-001"
     mRNA            join(32390..32510,51699..51729,52364..52487,61823..61969,
                     63205..63384,64056..64290,74330..74398,76372..76523,
                     79647..79777,81620..81854,82826..82925,83645..83784,
                     85266..85374,86516..86699,95229..95340,95908..96113,
                     98804..98888,98991..99162,99785..99936,100056..100184,
                     101540..101698,104951..105098,AL121903.13:5642..5793,
                     108693..108733,108836..109005,AL121903.13:12496..12656,
                     AL121903.13:14136..14266,AL121903.13:14403..14532,
                     AL121903.13:16852..16987,AL121903.13:17821..17959,
                     AL121903.13:18068..18122,AL121903.13:19455..19570,
                     AL121903.13:23623..23753,AL121903.13:25885..26053,
                     AL121903.13:29102..29240,AL121903.13:32621..32738,
                     AL121903.13:33595..37265)
                     /gene="ARFGEF2"
                     /locus_tag="RP1-155G6.3-001"
```

```
     CDS             join(32390..32510,51699..51729,52364..52487,61823..61969,
                     63205..63384,64056..64290,74330..74398,76372..76523,
                     79647..79777,81620..81854,82826..82925,83645..83784,
                     85266..85374,85516..86699,95229..95340,95908..96113,
                     98804..98888,98991..99162,99785..99936,100056..100184,
                     101540..101698,104951..105098,AL121903.13:5642..5793,
                     108693..108733,108836..109005,AL121903.13:12496..12656,
                     AL121903.13:10804..10976,AL121903.13:14403..14532,
                     AL121903.13:16852..16987,AL121903.13:17821..17959,
                     AL121903.13:18068..18122,AL121903.13:19455..19570,
                     AL121903.13:23623..23753,AL121903.13:25885..26053,
                     AL121903.13:29102..29240,AL121903.13:32621..32738,
                     AL121903.13:33595..33771)
                     /gene="ARFGEF2"
                     /locus_tag="RP1-155G6.3-001"
                     /standard_name="OTTHUMP00000031231"
                     /note="match: proteins: 046382 Q9NKE8 Q9Y6D5 Q9Y6D6"
                     /codon_start=1
                     /protein_id="CAI19320.1"
                     /db_xref="GI:56203301"
                     /translation="MQRSQTKSMFVSRALEKILADKKEVKRPQHSQLRRACQVALDEIK
                     AEIEKQRLGTAPPKANFIEADKYFLPEELACQSKSPRVVSTSLDCLQKLIAYGHITG
                     NAPDSGAPGKRLIDRIVETICSCFQGPQTDEGVQLQIIKALLTAVTSPHIEIHEGTIL
                     QTVRTCYNIYLASKNILNQTTRAKATLTQMLNVIFTRMENQVLQEARELEKPIQSKPQS
                     PVIQAAAVSPFKVRLKHSQAQSKPTTEKLTDLTNGEHARSDSGKVSTENGDAPRERGS
                     SLSGTDDGAQEVVKDLIEDVVTSAIKRANAEKHGLTEPERVLGELECQSCAIPGVDEN
                     SQTNGIPADDRQSLSSADNLESDAQGINQVFRTHEMPINAIKQYLCVALSKNGVSSVPD
                     PFDPKSHELRSRKVVSLIQLLLSVLQNAGPVFRTHEMPINAIKQYLCVALSKNGVSSVPD
                     VFELSLAIFLTLLSNFRMHLKMQIEVPFKEIFLNILETSTSSPEHRMWVIQTLTRICA
                     DAQCVVDIYVNYDCDLNAANIFERLVNDLSKIAQGRSGHELGMTPLQELSLRKKGLRC
                     LVSILKCMVEWSKDIYVNPNHQTSLGQERLTDQEIGDGKGLDMARRCSVTSMESTVSS
                     GTQTTVQDDPEQFEVIKQQKEIIEHGIELFNKKPKRGIQFLQEQGMLGTSVEDIAQFL
                     HQEERLDSTQVGDFLGDSARPRNKEVMYAYVDQLDFCEKEFVSALRTFLEGFRLPGEAQ
                     KIDRLMEKFAARYIECNQGQTLFASADTAYVLAYSIIMLTTDLHSPQVKNKMTKEQYI
                     KMNRGINDSKDLPEEYLSSIYEEIEGKKIAMKETKELTIATKSTKQNVASEKQRRLLY
                     KQMRGINDSKDLPEEYLSSIYEEIEGKKIAMKETKELTIATKSTKQNVASEKQRRLLY
                     NLEMEQMAKTAKALMEAVSHAKAPFSATHLDHVRPMFKLVWTPLLAAYSIGLCNCDD
                     TEVASLCLEGIRCAIRIACIFGMQLERDAYVQALARFSLLTASSITEMKQRNIDTIK
                     TLITVAHTDGNYLGNSWHEILKCISQLELAQLIGTGVKTRYLSGSGREREGSLKGHTL
                     AGEEFWGLGLGNLVSGGVDKQMASFQESVGESTSSQSSVVVAVDRIFPGSTRLDGNAIV
                     DFVWLCAVSMDELASPHVRLGROLSMKFLEKGELANFRPQKDFLRPFBHIMKKNRSPTIRDMAI
                     CNPEDVAIFAVDSLRQLSMKFLEKGELANFRPQKDFLRPFBHIMKKNRSPTIRDMAI
                     RCIAQWMNQQAANIRGCWKNIFAVFHQAAASDHDIGNIVELAFQTTCHIVTTIFQHHFPA
                     AIDSFQDAVKCLSEPACNAAPFDTSMEAIRLIRFCGKYVSERPRVLQEYTSDDMNVAP
                     GDRVWRGWFPILFELSCIINNCKLDVRTRGLITVMFEIMKSYCHTFEKHWWQDLFRIV
                     FRIPDNWKLPEOLSEKSEWMTTTCNHALYAICDVFQPYEALNEVLLSDVFAOLQWCV
                     KQDNEQLARSGTNCLENLVISNGEKFSPEVWDETCNCMLDIFKTTIPHVLLTWRPVGM
                     EEDSSERHLDVLDLDROSLSSIDKNPSERGQSOLSNPFDDSWKGRPYANQKLFASLLIK
                     CVVQLELIQTIDNIVFYPATEKKEDEAEHMVAAQQDTLDADIHIETEDGGYKYMSSQH
                     LFKLLDCLQESHSFSKAPNSNYEQRTVLWRAGFKGKSKPNLLKQETSSLACCLRILFR
                     MVVDENRRDSWEEIQQRLLTVCSEALAYFITVNSESHREAWTSLLLLLTKTLKINDE
                     KFKAHASMYYPYLCEIMQPDLIPELRAVLRKFFLRIGVVYKIWIPEEPSQVPAALSPV
                     W"
     misc_feature    49711
                     /gene="ARFGEF2"
                     /locus_tag="RP1-155G6.3-001"
                     /db_xref="GI:56203301"
     misc_feature    69981
                     /gene="ARFGEF2"
                     /locus_tag="RP1-155G6.3-001"
                     /note="Clone_left_end: RP1-155G6"
     misc_feature    71108..71162
                     /gene="ARFGEF2"
                     /locus_tag="RP1-155G6.3-001"
                     /note="Tandem repeat. Forced join. Gap size estimated to
                     be approximately 360bp by BamHI digest data and pUC bridge
                     sizing."
     misc_feature    71259..71314
                     /gene="ARFGEF2"
                     /locus_tag="RP1-155G6.3-001"
                     /note="Single clone region. ALU region. pUC subcloned to
                     give average 20x coverage. Assembly confirmed by
                     restriction enzyme digest data."
```

```
                     match: cDNAs: AF084521.1 BM982278.1 AK022623.1 AK074303.1"
                     /note="match: ESTs: AA394434.1 AA628490.1
                     AA748620.1 AA765985.1 AI425715.1 AI796261.1 AI813340.1
                     AU124958.1 BB864558.1 BF606564.1 BF739950.1 BF909315.1
     misc_feature    BI328134.1 BI467887.1 BI687113.1 BI830616.1 BI847308.1
                     BM664817.1 BM826674.1 BM989278.1
                     join(32390..32510,51699..51729,52364..52487,61823..61969,
                     63205..63384,64056..64290,74330..74398,76372..76523,
                     79647..79777,81620..81854,82826..82925,83645..83784,
                     85266..85374,85516..86699,95229..95340,95908..96113,
                     98804..98888,98991..99162,99785..99936,100056..100184,
                     101540..101698,104951..105098,AL121903.13:5642..5793,
                     108693..108733,108836..109005,AL121903.13:12496..12656,
                     AL121903.13:10804..10976,AL121903.13:14403..14532,
                     AL121903.13:16852..16987,AL121903.13:17821..17959,
                     AL121903.13:18068..18122,AL121903.13:19455..19570,
                     AL121903.13:23623..23753,AL121903.13:25885..26053,
                     AL121903.13:29102..29240,AL121903.13:32621..32738,
                     AL121903.13:33595..37265)
                     /gene="ARFGEF2"
                     /locus_tag="RP1-155G6.3-001"
```

.

```
          gene          /gene="ARFGEF2"
                         /locus_tag="RP1-155G6.3-001"
                         /note="Single clone region. ALU region. pUC subcloned to
                         give average 4x coverage. Assembly confirmed by
                         restriction enzyme digest data."
                         join(108600..108733,108836..108946)
          gene           /gene="ARFGEF2"
                         /locus_tag="RP1-155G6.3-002"
                         join(108600..108733,108836..108946)
          mRNA           /gene="ARFGEF2"
                         /locus_tag="RP1-155G6.3-002"
                         /note="match: ESTs: BF833823.1"
                         110028..110042
          misc_feature   /note="Clone_right_end: RP5-1164I10"
```

```
ORIGIN
RESULT 98
AL590788
LOCUS          AL590788          110042 bp          DNA          linear          PRI 18-MAY-2005
DEFINITION     Human DNA sequence from clone RP11-210P2 on chromosome 6, complete
               sequence.
ACCESSION      AL590788
VERSION        AL590788.8          GI:14455976
KEYWORDS       HTG.
SOURCE         Homo sapiens (human)
  ORGANISM     Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
               Hominidae; Homo.
REFERENCE      1  (bases 1 to 110042)
  AUTHORS      Clark,S.
  TITLE        Direct Submission
  JOURNAL      Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
               Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
               Clone requests: clonerequest@sanger.ac.uk
COMMENT        On Jun 14, 2001 this sequence version replaced gi:14148913.
               The following abbreviations are used to associate primary accession
               numbers given in the feature table with their source databases:
               Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
               on the WORMPEP database can be found at
               http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
               was generated from part of bacterial clone contigs of human
               chromosome 6, constructed by the Sanger Centre Chromosome 6 Mapping
               Group. Further information can be found at
               http://www.sanger.ac.uk/HGP/Chr6
               RP11-210P2 is from the library RPCI-11.1 constructed by the group
               of Pieter de Jong. For further details see
               http://www.chori.org/bacpac/home.htm
               VECTOR: pBACe3.6
```

```
Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCGAAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      6165 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCGAAGACTCTGTCTC 6114
```

```
ORIGIN
          Query Match          1.7%;     Score 52;    DB 8;    Length 110028;
          Best Local Similarity     100.0%;     Pred. No. 5.6e-16;
          Matches 52;     Conservative     0;     Mismatches     0;     Indels     0;     Gaps     0;
```

```
          misc_feature   /note="Clone_right_end: RP5-1164I10"
```

```
          misc_feature   /organism="Homo sapiens"
                         /mol_type="genomic DNA"
                         /db_xref="taxon:9606"
                         /chromosome="6"
                         /clone="RP11-210P2"
                         /clone_lib="RPCI-11.1"
          misc_feature   100
                         /note="Clone_right_end: RP3-514B11"
                         25329..25397
                         /note="Sequence from uni-directional dGTP BigDye
                         Terminator reads only."
          misc_feature   110042
                         /note="Clone_right_end: RP11-210P2"
```

```
Qy      2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
             |||||||||||||||||||||||||||||||||||||||||||||||||||
Db     63836 GAGGCAGGTGGATCACTTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 63887
```

```
ORIGIN
          Query Match          1.7%;     Score 52;    DB 8;    Length 110042;
          Best Local Similarity     100.0%;     Pred. No. 5.6e-16;
          Matches 52;     Conservative     0;     Mismatches     0;     Indels     0;     Gaps     0;
```

```
RESULT 99
AF322449/c
LOCUS          AF322449          111051 bp          DNA          linear          HTG 06-DEC-2000
DEFINITION     Homo sapiens chromosome 17 clone BAC347P24 map 17p13.3, ***
               SEQUENCING IN PROGRESS ***, 26 unordered pieces.
ACCESSION      AF322449
VERSION        AF322449.1          GI:11559854
KEYWORDS       HTG; HTGS PHASE1.
SOURCE         Homo sapiens (human)
  ORGANISM     Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
               Hominidae; Homo.
REFERENCE      1  (bases 1 to 111051)
  AUTHORS      Zhao,X.T., He,M., Wan,D.F., Ye,Y., Qin,W.X., Huang,Y., Zuo,L. and
               Gu,J.R.
  TITLE        Gene clone on human chromosome 17p13.3
  JOURNAL      Unpublished
REFERENCE      2  (bases 1 to 111051)
  AUTHORS      Zhao,X.T., He,M., Wan,D.F., Ye,Y., Qin,W.X., Huang,Y., Zuo,L. and
               Gu,J.R.
  TITLE        Direct Submission
  JOURNAL      Submitted (21-NOV-2000) National Laboratory For Oncogenes & Related
               Genes, Shanghai Cancer Institute, 25/Ln 2200 Xie-Tu Road, Shanghai
               200032, P. R. China
COMMENT        * NOTE: This is a 'working draft' sequence. It currently
               * consists of 26 contigs. The true order of the pieces
               * is not known and their order in this sequence record is
               * arbitrary. Gaps between the contigs are represented as
               * runs of N, but the exact sizes of the gaps are unknown.
               * This record will be updated with the finished sequence
               * as soon as it is available and the accession number will
               * be preserved.
               *     1      484: contig of 484 bp in length
               *   485     1176: gap of 692 bp in length
               *  1177     1450: contig of 274 bp in length
               *  1451     2440: gap of 990 bp in length
               *  2441     3647: contig of 1207 bp in length
               *  3648     4230: gap of 583 bp in length
               *  4231     5202: contig of 972 bp in length
               *  5203     6225: gap of 1023 bp in length
```

RESULT 100
AC114481/c

LOCUS   AC114481   116888 bp   DNA   linear   PRI 29-APR-2002
DEFINITION Homo sapiens chromosome 3 clone RP13-487A18, complete sequence.
ACCESSION   AC114481
VERSION   AC114481.2 GI:20336790
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 116888)
  AUTHORS   Kaul,R.K., Olson,M.V., Zhou,Y., James,R.A., Rouse,G., Wu,Z.,
            Saenphimmachak,C., Phelps,K.A., Buckley,D., Raymond,C. and
            Haugen,E.D.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 116888)
  AUTHORS   Kaul,R.K., Olson,M.V., Raymond,C. and Haugen,E.D.
  TITLE   Direct Submission
  JOURNAL   Submitted (09-MAR-2002) Genome Center, University of Washington,
            Box 352145, Seattle, WA 98195, USA
REFERENCE   3 (bases 1 to 116888)
  AUTHORS   Kaul,R.K., Olson,M.V., Zhou,Y., James,R.A., Rouse,G., Wu,Z.,
            Saenphimmachak,C., Phelps,K.A., Buckley,D., Raymond,C. and
            Haugen,E.D.
  TITLE   Direct Submission
  JOURNAL   Submitted (29-APR-2002) Genome Center, University of Washington,
            Box 352145, Seattle, WA 98195, USA
COMMENT   On Apr 29, 2002 this sequence version replaced gi:19310300.
            -------------------- Genome Center
            Center: University of Washington Genome Center
            Center Code: UWGC
            Web site: http://www.genome.washington.edu
            Contact: uwgchtg@u.washington.edu
            -------------------- Project Information
            Center project name: chr-3
            Center clone name: RP13-487A18
            -------------------- Summary Statistics
            Sequencing vector: plasmid; 100% of reads
            Chemistry: Dye-terminator ET; 57% of reads
            Chemistry: Dye-terminator Big Dye; 43% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 116857 bases at least Q40
            Consensus quality: 116886 bases at least Q30
            Consensus quality: 116888 bases at least Q20
            Insert size: 116888; sum-of-contigs
            Quality coverage: 11.8x in Q20 bases; sum-of-contigs
            ----
            Overlapping Sequences:
            5'; Mapping in progress
            3'; RP11-151D23 (UWGC:bc0270) AC067763

            Sequence Quality Assessment:
            This entry has been annotated with sequence quality
            estimates computed by the Phrap assembly program.
            All manually edited bases have been reduced to quality zero.
            Quality levels above 40 are expected to have less than
            1 error in 10,000 bp.
            Base-by-base quality values are not generally visible from the
            GenBank flat file format but are available as part
            of this entry's ASN.1 file.

            This sequence was finished as follows unless otherwise noted:
            all regions were either double-stranded or sequenced with an
            alternate chemistry or covered by high quality data (i.e., Phred
            quality >= 30); an attempt was made to resolve all sequencing
            problems, such as compressions and repeats; all regions were
            covered by at least one plasmid subclone or more than one M13
            subclone; and the assembly was confirmed by restriction digest.
            Sequence Validation:
            This sequence has been validated by Multiple Complete Digest
            fingerprinting. Comparison of the experimentally derived digest
            fragments with sequence-predicted fragments is given below.
            The electronically-digested sequence consists of both insert and
            vector, in order to accurately represent the entire circular BAC.
            Small fragments below a variable cutoff (approximately 400-800 bp)
            are not resolved in the fingerprint and hence do not appear
            in the table. There are no significant remaining discrepancies
            between the experimental and predicted values. Uniquely ordered
            fragments are separated by dashed lines.

| EcoRI | | BglII | | HindIII | |
SeqDerMap	FngrPrnt	SeqDerMap	FngrPrnt	SeqDerMap	FngrPrnt
16567	16041	8281	8736	7097	7100
885	865	2067	2037	449	<800

FEATURES   Location/Qualifiers
     source   1..111051
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /map="17p13.3"
                     /clone="BAC347P24"

ORIGIN

     97904   111051: contig of 13148 bp in length
     84458   97903: contig of 13446 bp in length
     76312   84457: gap of 8146 bp in length
     65979   76311: contig of 10333 bp in length
     56401   65978: gap of 9578 bp in length
     49779   56400: contig of 6622 bp in length
     42249   49778: gap of 7530 bp in length
     35710   42248: contig of 6539 bp in length
     30766   35709: gap of 4944 bp in length
     26951   30765: contig of 3815 bp in length
     22811   26950: gap of 4140 bp in length
     19280   22810: contig of 3531 bp in length
     16000   19279: gap of 3280 bp in length
     13243   15999: contig of 2757 bp in length
     10776   13242: gap of 2467 bp in length
      8925   10775: contig of 1851 bp in length
      7536   8924: gap of 1389 bp in length
      6226   7535: contig of 1310 bp in length

Query Match   1.7%;
Best Local Similarity 100.0%;   Pred. No. 5.6e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Score 52; DB 14; Length 111051;

```
Qy       2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
              |||||||||||||||||||||||||||||||||||||||||||||||||||
Db     108154 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 108103
```

RESULT 101

```
Qy    2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   26574 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 26523
```

Query Match 1.7%; Score 52; DB 8; Length 116888;
Best Local Similarity 100.0%; Pred. No. 5.6e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

ORIGIN

```
misc_feature   1..5
               /note="Single subclone region"
               /clone="RP13-487A18"
               /clone_lib="null"

misc_feature   116885..116888
               /note="Single subclone region"
```

FEATURES Location/Qualifiers

```
source         1..116888
               /organism="Homo sapiens"
               /mol_type="genomic DNA"
               /chromosome="3"
               /db_xref="taxon:9606"
```

------	------	------	------	------
566	<800	5842	6097	510	<800
10138	10241	726	722	6511	6403
5932	6176	8963	9441	1997	1982
3547	3470	22693	22397	22133	22287
5667	5909	9245	9441	5286	5248
3422	3470	6720	7134	5832	5854
12502	12708	3489	3562	1444	1430
9097	9443	15829	16232	7147	7100
3849	3878	3900	4061	6905	7100
9736	10241	81	<800	2371	2343
3368	3470	12595	12874	4605	4618
128	<800	10029	10085	12762	13005
6610	6926	2887	2925	3492	3534
510	<800	334	<800	5177	5248
15047	16041	2471	2532	3147	3118
18116	18484	9535	10085	3049	3118

REFERENCE 1 (bases 1 to 117899)
AUTHORS DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE Direct Submission
JOURNAL Unpublished

REFERENCE 2 (bases 1 to 117899)
AUTHORS DOE Joint Genome Institute.
TITLE Direct Submission
JOURNAL Submitted (04-DEC-1999) Production Sequencing Facility, DOE Joint Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA

REFERENCE 3 (bases 1 to 117899)
AUTHORS DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE Direct Submission
JOURNAL Submitted (01-FEB-2003) DOE Joint Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA

REFERENCE 4 (bases 1 to 117899)
AUTHORS DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE Direct Submission
JOURNAL Submitted (22-MAR-2003) DOE Joint Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA

COMMENT On Feb 1, 2003 this sequence version replaced gi:13699590.
 Draft Sequence Produced by DOE Joint Genome Institute
 http://www.jgi.doe.gov
 Finishing Completed at Stanford Human Genome Center
 www-shgc.stanford.edu
 Quality: Phrap Quality >40 99.5% of Sequence;
 Estimated Total Number of Errors is 0.6.
 NOTE: Large tandem repeat 57800-92700. There are possibly more repeat copies than are represented in this assembly.
 NOTE: This insert is not the entire sequence of the clone (entire sequence is 200kb). It is clipped at the overlaps with AC008806 and AC012309. The number of bases overlapped with AC008806 is 7498 bps and with AC012309 is 13284 bps.

FEATURES Location/Qualifiers

```
source         1..117899
               /organism="Homo sapiens"
               /mol_type="genomic DNA"
               /chromosome="19"
               /db_xref="taxon:9606"
```

------	------	------
	13645	13005
	7458	7605
	4670	4618

```
misc_feature   57800..92700
               /note="NOTE: Large tandem repeat 57800-92700. There are
               possibly more repeat copies than are represented in this
               assembly."
```

RESULT 102

```
Qy    2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    8892 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 8943
```

Query Match 1.7%; Score 52; DB 8; Length 117899;
Best Local Similarity 100.0%; Pred. No. 5.6e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

ORIGIN

LOCUS AC104051 120723 bp DNA linear PRI 02-MAR-2002
DEFINITION Homo sapiens chromosome 8, clone CTD-2339F6, complete sequence.
ACCESSION AC104051
VERSION AC104051.3 GI:19071664
KEYWORDS HTG.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
 Hominidae; Homo.
REFERENCE 1 (bases 1 to 120723)
AUTHORS Birren,B., Linton,L., Nusbaum,C. and Lander,E.
TITLE Direct Submission
JOURNAL Unpublished
REFERENCE 2 (bases 1 to 120723)
AUTHORS Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,

---

LOCUS AC016590 117899 bp DNA linear PRI 22-MAR-2003
DEFINITION Homo sapiens chromosome 19 clone CTD-3220F14, complete sequence.
ACCESSION AC016590
VERSION AC016590.7 GI:28191395
KEYWORDS HTG.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
 Hominidae; Homo.

```
  AUTHORS   Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Bouikgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Heaford,A., Horton,L., Hulme,W., Iliev,I., Johnson,R.,
            Jones,C., Kamat,A., Karatas,A., Kells,C., LaRocque,K.,
            Lamazares,R., Landers,T., Lehoczky,J., Levine,R., Liu,G.,
            Maclean,C., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
            McCarthy,M., McEwan,P., McKernan,K., McPheeters,R., Meldrim,J.,
            Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C.,
            Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D.,
            Oliver,J., Peterson,K., Phunkhang,P., Pierre,V.,
            Raymond,C., Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P.,
            Roman,J., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-DEC-2001) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 120723)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Bouikgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., LaRocque,K., Lamazares,R.,
            Landers,T., Lehoczky,J., Levine,R., Liu,G., Maclean,C.,
            Macdonald,P., Major,J., Marquis,N., Matthews,C., McCarthy,M.,
            McEwan,P., McKernan,K., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Pollara,V., Raymond,C.,
            Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J.,
            Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S.,
            Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (02-MAR-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Mar 2, 2002 this sequence version replaced gi:18450132.
            All repeats were identified using RepeatMasker:
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            ------------------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            ------------------------- Project Information
            Center project name: 2339_P_6
            Center clone name: 2339_P_6
FEATURES             Location/Qualifiers
     source          1..120723
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="8"
                     /map="8"
                     /clone="CTD-2339F6"
                     /clone_lib="CITD1 Human BAC"
     repeat_region   35..813
                     /rpt_family="LlM4c"
     repeat_region   857..1128
                     /rpt_family="LlM4c"
     repeat_region   1183..1373
                     /rpt_family="MLTiL"
     repeat_region   complement(1767..1925)
                     /rpt_family="LlME2"
     repeat_region   2029..2076
                     /rpt_family="L2"
     repeat_region   2097..2120
                     /rpt_family="AT_rich"
     repeat_region   complement(3952..4083)
                     /rpt_family="MER5A"
     repeat_region   complement(4837..4932)
                     /rpt_family="MIR"
     repeat_region   complement(6143..6287)
                     /rpt_family="MIR"
     repeat_region   6340..6709
                     /rpt_family="MSTB"
     repeat_region   complement(6710..7011)
                     /rpt_family="AluSx"
     repeat_region   7012..7052
                     /rpt_family="MSTB"
     repeat_region   complement(8754..8908)
                     /rpt_family="MLTiL"
     repeat_region   complement(9576..9818)
                     /rpt_family="LlPA8"
     repeat_region   9819..11131
                     /rpt_family="LlPA8"
     repeat_region   complement(11132..11413)
                     /rpt_family="AluSp"
     repeat_region   complement(11414..15347)
                     /rpt_family="LlPA8"
     repeat_region   15504..15552
                     /rpt_family="L2"
     repeat_region   complement(16682..17158)
                     /rpt_family="LTR33"
     repeat_region   17190..17237
                     /rpt_family="(TG)n"
     repeat_region   17266..17289
                     /rpt_family="AT_rich"
     repeat_region   complement(19324..19610)
                     /rpt_family="AluSx"
     repeat_region   20277..20311
                     /rpt_family="AT_rich"
     repeat_region   21092..21151
                     /rpt_family="(CA)n"
     repeat_region   22789..23255
                     /rpt_family="L2"
     repeat_region   complement(23674..25756)
                     /rpt_family="LlMB7"
     repeat_region   complement(25757..25934)
                     /rpt_family="LlPA3"
     repeat_region   complement(25935..26325)
                     /rpt_family="MLT1B"
     repeat_region   complement(26326..27976)
                     /rpt_family="LlMc4"
     repeat_region   complement(27977..28340)
                     /rpt_family="MLT1A1"
     repeat_region   complement(28341..28642)
                     /rpt_family="LlM4c"
     repeat_region   28647..28700
                     /rpt_family="L2"
     repeat_region   complement(30192..30366)
                     /rpt_family="AluY"
     repeat_region   complement(30367..33534)
                     /rpt_family="LlPA3"
     repeat_region   complement(33535..33656)
                     /rpt_family="AluY"
     repeat_region   33967..34276
                     /rpt_family="AluSx"
     repeat_region   37011..37040
                     /rpt_family="AT_rich"
```

```
repeat_region    complement(37257..37315)
                 /rpt_family="L2"
repeat_region    complement(37328..37491)
                 /rpt_family="MIR"
repeat_region    37609..37814
                 /rpt_family="MLT1H1"
repeat_region    38136..38168
                 /rpt_family="AT_rich"
repeat_region    39897..40222
                 /rpt_family="AluSx"
repeat_region    40380..40681
                 /rpt_family="AluSx"
repeat_region    40700..40820
                 /rpt_family="MER103"
repeat_region    40029..42156
                 /rpt_family="L2"
unsure           42029
                 /note="single clone coverage"
unsure           42157..42165
                 /note="<30 qual single clone coverage"
unsure           42166..42182
                 /note="single clone coverage"
unsure           42203..42208
                 /note="single clone coverage"
unsure           42234..42240
                 /note="<30 qual SNGL region"
unsure           44201..44353
                 /note="<30 qual SNGL region"
repeat_region    complement(45240..45375)
                 /rpt_family="MIR"
repeat_region    complement(46587..47079)
                 /rpt_family="MIR3"
repeat_region    complement(47685..47769)
                 /rpt_family="LTR40a"
repeat_region    47887..48226
                 /rpt_family="L1MC/D"
repeat_region    49740..49784
                 /rpt_family="AluJo"
repeat_region    complement(51246..51358)
                 /rpt_family="AT_rich"
repeat_region    /rpt_family="L2"

Query Match     1.7%;   Score 52;   DB 8;   Length 120723;
Best Local Similarity   100.0%;   Pred. No. 5.6e-16;
Matches 52;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy  2899 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATACCGAAACCC 2950
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  6953 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATACCGAAACCC 6902
```

```
RESULT 103
LOCUS       AC025473/c        128540 bp    DNA    linear    HTG 05-APR-2000
ACCESSION   AC025473
DEFINITION  Homo sapiens chromosome 5 clone RP11-183N2, WORKING DRAFT SEQUENCE,
            11 unordered pieces.
ACCESSION   AC025473
VERSION     AC025473.2  GI:7417674
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 128540)
AUTHORS     DOE Joint Genome Institute.
TITLE       Sequencing of Human Chromosome 5
JOURNAL     Unpublished
REFERENCE   2  (bases 1 to 128540)
AUTHORS     DOE Joint Genome Institute.
TITLE       Direct Submission
JOURNAL     Submitted (09-MAR-2000) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT     On Apr 5, 2000 this sequence version replaced gi:7211967.
            -----Genome Center
            Center: Joint Genome Institute
            Center Code: JGI
            Web site: http://www.jgi.doe.gov
            -----Summary Statistics
            Consensus quality: 118729 bases at least Q40
            Consensus quality: 125307 bases at least Q30
            Consensus quality: 126460 bases at least Q20
            Estimated insert size: 128540; sum-of-contigs estimation
            Estimated insert size: 202600; agarose-fp estimation
            Quality coverage: 3.58x in Q20 bases; agarose-fp estimation
            Quality coverage: 5.64x in Q20 bases; sum-of-contigs estimation
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 11 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *        1: contig of 2361 bp in length
            *     2362: gap of unknown length
            *     2362: contig of 2405 bp in length
            *     4767: gap of unknown length
            *     4767: contig of 2534 bp in length
            *     7301: gap of unknown length
            *     7301: contig of 3100 bp in length
            *    10401: gap of unknown length
            *    10401: contig of 3852 bp in length
            *    14253: gap of unknown length
            *    14253: contig of 6691 bp in length
            *    20944: gap of unknown length
            *    20944: contig of 5238 bp in length
            *    26182: gap of unknown length
            *    26182: contig of 5956 bp in length
            *    32138: gap of unknown length
            *    32138: contig of 1515 bp in length
            *    47317: gap of unknown length
            *    47317: contig of 23739 bp in length
            *    71056: gap of unknown length
            *    71056: contig of 57485 bp in length.
FEATURES             Location/Qualifiers
     source          1..128540
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="5"
                     /clone="RP11-183N2"
ORIGIN

Query Match     1.7%;   Score 52;   DB 14;   Length 128540;
Best Local Similarity   100.0%;   Pred. No. 5.6e-16;
Matches 52;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCGAAAGACTCTGTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 88327 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCGAAAGACTCTGTCTC 88276
```

```
RESULT 104
LOCUS       AL590489/c        130146 bp    DNA    linear    PRI 18-MAY-2005
ACCESSION   AL590489
DEFINITION  Human DNA sequence from clone RP11-41204 on chromosome 6q16.2-21
            Contains part of the C6orf210 gene for chromosome 6 open reading
            frame 210, complete sequence.
ACCESSION   AL590489
VERSION     AL590489.11  GI:14625660
KEYWORDS    HTG; C6orf210.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 130146)
```

```
AUTHORS      Tracey,A.
TITLE        Direct Submission
JOURNAL      Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
             Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
             Clone requests: clonerequest@sanger.ac.uk
COMMENT      On Jul 6, 2001 this sequence version replaced gi:14575385.
             The following abbreviations are used to associate primary accession
             numbers given in the feature table with their source databases:
             Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
             on the WORMPEP database can be found at
             http://www.sanger.ac.uk/projects/C_elegans/wormpep This sequence
             was generated from part of bacterial clone contigs of human
             chromosome 6, constructed by the Sanger Centre Chromosome 6 Mapping
             Group. Further information can be found at
             http://www.sanger.ac.uk/HGP/Chr6
             RP11-41204 is from the library RPCI-11.2 constructed by the group
             of Pieter de Jong. For further details see
             http://www.chori.org/bacpac/home.htm
             VECTOR: pBACe3.6
             -------------------
             ---- Genome Center
             Center: Wellcome Trust Sanger Institute
             Center code: SC
             Web site: http://www.sanger.ac.uk
             Contact: vega@sanger.ac.uk
             -------------------
             This sequence was finished as follows unless otherwise noted: all
             regions were either double-stranded or sequenced with an alternate
             chemistry or covered by high quality data (i.e., phred quality >=
             30); an attempt was made to resolve all sequencing problems, such
             as compressions and repeats; all regions were covered by at least
             one subclone; and the assembly was confirmed by restriction digest,
             except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..130146
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /map="q16.2-21"
                     /clone="RP11-41204"
                     /clone_lib=RPCI-11.2"
     misc_feature    1
                     /note="Clone_left_end: RP11-41204"
     gene            join(AL121957.15:80152..80726,complement(77547..77681),
                     complement(17378..17576),complement(7535..7861))
                     /gene="C6orf210"
                     /db_xref="RZPD:RPCIB753004412"
     mRNA            join(AL121957.15:80152..80726,complement(77547..77681),
                     complement(17378..17576),complement(7535..7861))
                     /gene="C6orf210"
                     /locus_tag="RP11-5919.3-002"
                     /product="chromosome 6 open reading frame 210"
                     /note="match: cDNAs: AF086233 BC029491"
     CDS             join(AL121957.15:80431..80726,complement(77547..77681),
                     /standard_name="OTTHUMP00000065565"
                     complement(17378..17576),complement(7769..7861))
                     /locus_tag="RP11-5919.3-002"
                     /gene="C6orf210"
                     /codon_start=1
                     /product="chromosome 6 open reading frame 210"
                     /protein_id="CAH73572.1"
                     /db_xref="GI:55665806"
                     /db_xref="GOA:Q5VU39"
```

```
                     /db_xref="UniProt/TrEMBL:Q5VU39"
                     /translation="MNFRQLILHLPRYLGASGSPRRLWWSPSLDTISSVGSWRGRSSK
                     SPAHWNQVSEABKIVGYPTSFMSLRCLLSDELSNIAMQVRKLVGTQHPLLTTARGLV
                     HDSWNSLQLRGIVLVLLISKAAGPSSVNTSCQNYDMVSGIYSCQRSLAEITELIHIALL
                     VHRGIVNINELQSSDGPLKDMQFGNKIAILSGDFLLANACNGLALLQNTKSFSFNGPI
                     AIYQMGDCESAWILSKHPRALS"
     gene            join(AL121957.15:80153..80726,complement(77547..77681),
                     complement(AL591516.9:711178..712249),
                     complement(AL591516.9:377139..377912),
                     complement(AL591516.9:360069..360200),
                     complement(AL591516.9:19452..19484),
                     complement(AL355586.27:161497..1637717))
                     /gene="RP11-5919.3-001"
                     /locus_tag="RP11-5919.3-001"
     mRNA            join(AL121957.15:80153..80726,complement(77547..77681),
                     complement(AL591516.9:711178..712249),
                     complement(AL591516.9:377139..377912),
                     complement(AL591516.9:360069..360200),
                     complement(AL591516.9:19452..19484),
                     complement(AL355586.27:161497..1637717))
                     /gene="RP11-5919.3-001"
                     /locus_tag="RP11-5919.3-001"
                     /product="chromosome 6 open reading frame 210"
                     /note="match: ESTs: AA007421 AA007488 AA633846 AI033207
                     AI097731 AI492248 AI521803 AI678112 AI765825 AI796241
                     AI827607 AW2430064 AW276704 AW408635 AW575740 AW619911
                     BB099861 BE101041 BE221188 BE283879 BE617435 BE818989
                     BF590925 BG292722 BG401578 BI158078 BI465307 BI551760
                     BJ002337 BJ060031 BJ064031 BM017975 BM488969 BM796326
                     BM822264 BM836490 BM974205 H49565 H49821
                     match: cDNAs: AF254956 AF254956.1 AJ420575.1 AK000293
                     AK017329"
     CDS             join(AL121957.15:80431..80726,complement(77547..77681),
                     /note="match: proteins: Q9D3K7 Q9NR58 Q9VP87"
                     complement(AL591516.9:711178..712249),
                     complement(AL591516.9:377139..377912),
                     complement(AL591516.9:360069..360200),
                     complement(AL591516.9:19452..19484),
                     complement(AL355586.27:163559..163717))
                     /gene="RP11-5919.3-001"
                     /locus_tag="RP11-5919.3-001"
                     /standard_name="OTTHUMP00000065664"
                     /codon_start=1
                     /product="chromosome 6 open reading frame 210"
                     /protein_id="CAH73573.1"
                     /db_xref="GI:55665807"
                     /db_xref="GOA:Q5VU38"
                     /db_xref="UniProt/TrEMBL:Q5VU38"
                     /translation="MNFRQLILHLPRYLGASGSPRRLWWSPSLDTISSVGSWRGRSSK
                     SPAHWNQVSEABKIVGYPTSFMSLRCLLSDELSNIAMQVRKLVGTQHPLLTTARGLV
                     HDSWNSLQLRGIVLVLLISKAAGPSSVNTSCQNYDMVSGIYSCQRSLAEITELIHIALL
                     VHRGIVNINELQSSDGPLKDMQFGNKIAILSGDFLLANACNGLALLQNTKVELLASA
                     LMDLVQGVYHRNSTSKESYITDDIGISTWKEQTFLSHGALLAKSCQAAMELAKHDAEV
                     QNMAFQYGKHRMASHKINSDVQFFIKEKTSDSMTFNLNSAPVVLHQEFLGRDLWIKQI
                     GEAQEKGRLDYAKLRERIKAGKGVTSAIDLCRYHGNKALEALESFPPSEARSALENIV
                     FAVTRFS"
     misc_feature    72128
                     /note="Clone_right_end: RP11-300D11"
     misc_feature    128147
                     /note="Clone_left_end: RP1-67A8"
ORIGIN
```

```
Query Match     1.7%;    Score 52;   DB 8;    Length 130146;
Best Local Similarity  100.0%;   Pred. No. 5.6e-16;
Matches   52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     69521 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC 69470
```

```
RESULT 105
LOCUS           AC024096              130572 bp    DNA     linear   HTG 08-JAN-2003
DEFINITION      Homo sapiens chromosome 3 clone RP11-214A22, WORKING DRAFT
                SEQUENCE, 20 unordered pieces.
ACCESSION       AC024096
VERSION         AC024096.16  GI:20335482
KEYWORDS        HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE          Homo sapiens (human)
  ORGANISM      Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                Hominidae; Homo.
REFERENCE       1  (bases 1 to 130572)
  AUTHORS       Muzny,D.M., Adams,C., Adio-Oduola,B., Ali-osman,F.R., Allen,C.,
                Alebrooks,S.L., Amaratunge,H.C., Are,J.R., Ayele,M., Banks,T.,
                Barbaria,J., Benton,J., Bimage,K., Blankenburg,K., Bonnin,D.,
                Bouck,J., Bowie,S., Brieva,M., Brown,B., Brown,M., Bryant,N.P.,
                Buhay,C., Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C.,
                Carron,T.F., Carter,M., Cavazos,S.R., Chacko,J., Chavez,D.,
                Chen,G., Chen,R., Chen,Z., Chowdhry,I., Christopoulos,C.,
                Cleveland,C.D., Cox,C.I., Coyle,M.D., Dathorne,S.R., David,R.,
                Davila,M.L., Davis,C., Davy-Carroll,L., Dederich,D.A.,
                Delaney,K.R., Delgado,O., Denn,A.L., Ding,Y., Dinh,H.H.,
                Douthwaite,K.J., Draper,H., Dugan-Rocha,S., Durbin,K.J.,
                Barnhart,C., Edgar,D., Edwards,C.C., Elhaj,C., Escotto,M.,
                Falls,T., Ferraguto,D., Flagg,N., Ford,J., Foster,P., Frantz,P.,
                Gabisi,A., Gao,J., Garcia,A., Garner,T., Garza,N., Gill,R.,
                Gorrell,J.H., Guevara,W., Gunaratne,P., Hale,S., Hamilton,K.,
                Harris,C., Harris,K., Hart,M., Havlak,P., Hawes,A., Hernandez,J.,
                Hernandez,O., Hodgson,A., Hogues,M., Holloway,C., Hollins,B.,
                Homsi,F., Howard,S., Huber,J., Hulyk,S., Hume,J., Jackson,L.B.,
                Jacobson,B., Jia,Y., Johnson,R., Jolivet,S., Joudah,S.,
                Karlsson,E., Kelly,S., Khan,U., King,L., Korvah,J., Kovar,C.,
                Kratovic,J., Kureshi,A., Landry,N., Leal,B., Lewis,L.C., Lewis,L.,
                Li,J., Li,Z., Lichtarge,O., Lieu,C., Liu,J., Liu,W., Loulseged,H.,
                Lozado,R.J., Lu,X., Lucier,A., Lucier,R., Luna,R., Ma,J.,
                Maheshwari,M., Mapua,P., Martin,R., Martindale,A., Martinez,E.,
                Massey,E., Mawhiney,E., McLeod,M.P., Meador,M., Mei,G., Metzker,M.,
                Miner,G., Miner,Z., Mitchell,T., Mohabbat,K., Morgan,M., Morris,S.,
                Moser,M., Neal,D., Newton,J., Newtson,N., Nguyen,A., Nguyen,N.,
                Nguyen,N., Nickerson,E., Nwokenkwo,S., Oguh,M., Oknuonu,G.,
                Oragunye,N., Oviedo,R., Pace,A., Payton,B., Peery,J., Perez,L.,
                Peters,L., Pickens,R., Primus,E., Pu,L.L., Quiles,M., Ren,Y.,
                Rives,M., Rojas,A., Rojubokan,I., Rolfe,M., Ruiz,S., Savery,G.,
                Scherer,S., Scott,G., Shen,H., Shooshtari,N., Sisson,I.,
                Sodergren,E., Sonaike,T., Sparks,A., Stanley,H., Stone,I.,
                Sutton,A., Svatek,A., Tabor,P., Tamerisa,A., Taneria,K., Tang,H.,
                Tansey,J., Taylor,C., Taylor,T., Telford,B., Thomas,N., Thomas,S.,
                Usmani,K., Vasquez,L., Vera,V., Villalon,D., Vinson,R., Wang,Q.,
                Wang,S., Ward-Moore,S., Warren,R., Washington,C., Watlington,S.,
                Williams,G., Williamson,A., Wleczyk,R., Wooden,H., Wooden,S.,
                Wu,C., Wu,Y., Wu,Y.F., Zhou,J., Zorrilla,S., Nelson,D.,
                Weinstock,G. and Gibbs,R.
  TITLE         Direct Submission
  JOURNAL       Unpublished
REFERENCE       2  (bases 1 to 130572)
  AUTHORS       Worley,K.C.
  TITLE         Direct Submission
  JOURNAL       Submitted (24-FEB-2000) Human Genome Sequencing Center, Department
                of Molecular and Human Genetics, Baylor College of Medicine, One
                Baylor Plaza, Houston, TX 77030, USA
REFERENCE       3  (bases 1 to 130572)
  AUTHORS       Worley,K.C.
  TITLE         Direct Submission
  JOURNAL       Submitted (08-JAN-2003) Human Genome Sequencing Center, Department
                of Molecular and Human Genetics, Baylor College of Medicine, One
                Baylor Plaza, Houston, TX 77030, USA
COMMENT         On Apr 28, 2002 this sequence version replaced gi:16117892.
                --------------- Genome Center
                Center: Baylor College of Medicine
                Center code: BCM
```

```
                Web site: http://www.hgsc.bcm.tmc.edu/
                Contact: hgsc-help@bcm.tmc.edu
                --------------- Project Information
                Center project name: RP11-214A22
                Center clone name: RP11-214A22
                --------------- Summary Statistics
                Sequencing vector: M13;
                Chemistry: Dye-primer BigDye: 5% of reads
                Chemistry: Dye-terminator Big Dye: 95% of reads
                Assembly program: Phrap; version 0.990329
                Consensus quality: 106061 bases at least Q40
                Consensus quality: 115099 bases at least Q30
                Consensus quality: 121518 bases at least Q20
                Estimated insert size: 143263; sum-of-contigs estimation
                Quality coverage: 4x in Q20 bases; sum-of-contigs estimation
                --------------- 
                * NOTE: Estimated insert size may differ from sequence length
                * (see http://www.hgsc.bcm.tmc.edu/docs/Genbank_draft_data.html).
                * NOTE: This is a 'working draft' sequence. It currently
                * consists of 20 contigs. The true order of the pieces
                * is not known and their order in this sequence record is
                * arbitrary. Gaps between the contigs are represented as
                * runs of N, but the exact sizes of the gaps are unknown.
                * This record will be updated with the finished sequence
                * as soon as it is available and the accession number will
                * be preserved.
                *
                *        1       2636: contig of 2636 bp in length
                *     2637       2736: gap of unknown length
                *     2737       5887: contig of 3151 bp in length
                *     5888       5987: gap of unknown length
                *     5988       8254: contig of 2267 bp in length
                *     8255       8354: gap of unknown length
                *     8355      10964: contig of 2610 bp in length
                *    10965      11064: gap of unknown length
                *    11065      13703: contig of 2639 bp in length
                *    13704      13803: gap of unknown length
                *    13804      16745: contig of 2942 bp in length
                *    16746      16845: gap of unknown length
                *    16846      20066: contig of 3221 bp in length
                *    20067      20166: gap of unknown length
                *    20167      25220: contig of 5054 bp in length
                *    25221      25320: gap of unknown length
                *    25321      29845: contig of 4525 bp in length
                *    29846      29945: gap of unknown length
                *    29946      35872: contig of 5927 bp in length
                *    35873      35972: gap of unknown length
                *    35973      39682: contig of 3710 bp in length
                *    39683      39782: gap of unknown length
                *    39783      44248: contig of 4466 bp in length
                *    44249      44348: gap of unknown length
                *    44349      50564: contig of 6216 bp in length
                *    50565      50664: gap of unknown length
                *    50665      59326: contig of 8663 bp in length
                *    59327      59426: gap of unknown length
                *    59428      66662: contig of 7235 bp in length
                *    66663      66762: gap of unknown length
                *    66763      74213: contig of 7451 bp in length
                *    74214      74313: gap of unknown length
                *    74314      86510: contig of 12197 bp in length
                *    86511      86610: gap of unknown length
                *    86611     102506: contig of 15896 bp in length
                *   102507     102606: gap of unknown length
                *   102607     115136: contig of 12530 bp in length
                *   115137     115236: gap of unknown length
                *   115237     130572: contig of 15336 bp in length.
FEATURES             Location/Qualifiers
     source          1..130572
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /clone="RP11-214A22"
                     /chromosome="3"
                     /db_xref="taxon:9606"
     gap             2637..2736
```

```
     gap             5888..5987
                     /estimated_length=unknown
     gap             8255..8354
                     /estimated_length=unknown
     gap             10965..11064
                     /estimated_length=unknown
     gap             13704..13803
                     /estimated_length=unknown
     gap             16746..16845
                     /estimated_length=unknown
     gap             20067..20166
                     /estimated_length=unknown
     gap             25221..25320
                     /estimated_length=unknown
     gap             29846..29945
                     /estimated_length=unknown
     gap             35873..35972
                     /estimated_length=unknown
     gap             39683..39782
                     /estimated_length=unknown
     gap             44249..44348
                     /estimated_length=unknown
     gap             50565..50664
                     /estimated_length=unknown
     gap             59328..59427
                     /estimated_length=unknown
     gap             66663..66762
                     /estimated_length=unknown
     gap             74214..74313
                     /estimated_length=unknown
     gap             86511..86610
                     /estimated_length=unknown
     gap             102507..102606
                     /estimated_length=unknown
     gap             115137..115236
                     /estimated_length=unknown
ORIGIN
```

```
Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||
Db    113714 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 113765
```

```
Query Match      1.7%;  Score 52;  DB 14;  Length 130572;
  Best Local Similarity   100.0%;  Pred. No. 5.6e-16;
  Matches 52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

RESULT 106

```
LOCUS       AC022766              130984 bp    DNA     linear   HTG 01-JUN-2000
DEFINITION  Homo sapiens clone RP11-318B23, WORKING DRAFT SEQUENCE, 31
            unordered pieces.
ACCESSION   AC022766
VERSION     AC022766.3  GI:8138013
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 130984)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,B.
  TITLE     Homo sapiens, clone RP11-318B23
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 130984)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,B., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Beckerly,R., Beda,P.,
            Boguslavsky,L., Boukhgalter,B., Brown,A., Burkett,G., Castle,A.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cooke,P.,
            DeArellano,K., Dewar,K., Domino,M., Doyle,M., Penestor,C.,
            Ferreira,P., FitzHugh,W., Forrest,C., Gage,D., Galagan,J.,
            Gardyna,S., Grant,C., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Johnson,R., Jones,C., Kann,L., Karatas,A., Klein,J.,
            Landers,T., Lehoczky,J., Levine,R., Lieu,C., Liu,G., Locke,K.,
            Macdonald,P., Marquis,N., McEwan,P., McGurk,A., McKernan,K.,
            McPheeters,R., Meldrim,J., Meneus,L., Morrow,J., Naylor,J.,
            Norman,C.H., O'Connor,T., O'Donnell,P., Olivar,T.M., Peterson,K.,
            Pierre,N., Pisani,C., Pollara,V., Raymond,C., Riley,R., Rothman,D.,
            Roy,A., Santos,R., Severy,P., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Subramanian,A., Talamas,J., Tenfaye,S., Theodore,J.,
            Tirrell,A., Vassiliev,H., Viel,R., Vo,A., Wu,X., Wyman,D., Ye,W.J.,
            Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (06-FEB-2000) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Jun 1, 2000 this sequence version replaced gi:7712161.
            All repeats were identified using RepeatMasker;
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            ----------------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            ----------------------- Project Information
            Center project name: L5852
            Center clone name: 318.E.23
            ----------------------- Summary Statistics
            Sequencing vector: M13; M77815; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.960731
            Consensus quality: 118950 bases at least Q40
            Consensus quality: 124428 bases at least Q30
            Consensus quality: 126573 bases at least Q20
            Insert size: 152000; agarose-fp
            Insert size: 127984; sum-of-contigs
            Quality coverage: 4.6 in Q20 bases; agarose-fp
            Quality coverage: 5.5 in Q20 bases; sum-of-contigs
            ----------------------------------------
            NOTE: This is a 'working draft' sequence. It currently
            consists of 31 contigs. The true order of the pieces
            is not known and their order in this sequence record is
            arbitrary. Gaps between the contigs are represented as
            runs of N, but the exact sizes of the gaps are unknown.
            This record will be updated with the finished sequence
            as soon as it is available and the accession number will
            be preserved.
            *
            *        1      1066: contig of 1066 bp in length
            *     1067      1166: gap of 100 bp
            *     1167      2747: contig of 1581 bp in length
            *     2748      2847: gap of 100 bp
            *     2848      4584: contig of 1737 bp in length
            *     4585      4684: gap of 100 bp
            *     4685      6489: contig of 1805 bp in length
            *     6490      6589: gap of 100 bp
            *     6590      8380: contig of 1791 bp in length
            *     8381      8480: gap of 100 bp
            *     8481     10218: contig of 1738 bp in length
            *    10219     10318: gap of 100 bp
            *    10319     12338: contig of 2020 bp in length
            *    12339     12438: gap of 100 bp
            *    12439     14278: contig of 1840 bp in length
            *    14279     14378: gap of 100 bp
            *    14379     16225: contig of 1847 bp in length
            *    16226     16325: gap of 100 bp
            *    16326     18627: contig of 2302 bp in length
            *    18628     18727: gap of 100 bp
            *    18728     21450: contig of 2723 bp in length
            *    21451     21550: gap of 100 bp
            *    21551     25430: contig of 3880 bp in length
            *    25431     25530: gap of 100 bp
            *    25531     28870: contig of 3340 bp in length
            *    28871     28970: gap of 100 bp
            *    28971     32940: contig of 3970 bp in length
            *    32941     33040: gap of 100 bp
            *    33040          : contig of 100 bp in length
```

```
FEATURES             Location/Qualifiers
     source          1..130984
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone_lib="RPCI-11 Human Male BAC"
                     /clone lib="RP11-318B23"

     misc_feature    1..1066
                     /note="assembly_fragment"
     gap             1067..1166
                     /estimated_length=100
     misc_feature    1167..2747
                     /note="assembly_fragment"
     gap             2748..2847
                     /estimated_length=100
     misc_feature    2848..4584
                     /note="assembly_fragment"
     gap             4585..4684
                     /estimated_length=100
     misc_feature    4685..6489
                     /note="assembly_fragment"
     gap             6490..6589
                     /estimated_length=100
     misc_feature    6590..8380
                     /note="assembly_fragment"
     gap             8381..8480
                     /estimated_length=100
     misc_feature    8481..10018
                     /note="assembly_fragment"
     gap             10019..10118
                     /estimated_length=100
     misc_feature    10319..12338
                     /note="assembly_fragment"
     gap             12339..12438
                     /estimated_length=100
     misc_feature    12439..14278
                     /note="assembly_fragment"
     gap             14279..14378
                     /estimated_length=100
     misc_feature    14379..16225
                     /note="assembly_fragment"
     gap             16226..16325
                     /estimated_length=100
     misc_feature    16326..18627
                     /note="assembly_fragment"
     gap             18628..18727
                     /estimated_length=100
     misc_feature    18728..21450
                     /note="assembly_fragment"
     gap             21451..21550
                     /estimated_length=100
     misc_feature    21551..25430
                     /note="assembly_fragment"
     gap             25431..25530
                     /estimated_length=100
     misc_feature    25531..28870
                     /note="assembly_fragment"
     gap             28871..28970
                     /estimated_length=100
     misc_feature    28971..32940
                     /note="assembly_fragment"
     gap             32941..33040
                     /estimated_length=100
     misc_feature    33041..35975:  contig of 2935 bp in length
     gap             35976..36075:  gap of 100 bp
     misc_feature    36076..39460:  contig of 3385 bp in length
     gap             39461..39560:  gap of 100 bp
     misc_feature    39561..43197:  contig of 3637 bp in length
     gap             43198..43297:  gap of 100 bp
     misc_feature    43298..46333:  contig of 3036 bp in length
     gap             46334..46433:  gap of 100 bp
     misc_feature    46434..51625:  contig of 5192 bp in length
     gap             51626..51725:  gap of 100 bp
     misc_feature    51726..55173:  contig of 3448 bp in length
     gap             55174..55273:  gap of 100 bp
     misc_feature    55274..59400:  contig of 4127 bp in length
     gap             59401..59500:  gap of 100 bp
     misc_feature    59501..64807:  contig of 5307 bp in length
     gap             64808..64907:  gap of 100 bp
     misc_feature    64908..68668:  contig of 3761 bp in length
     gap             68669..68768:  gap of 100 bp
     misc_feature    68769..72524:  contig of 3756 bp in length
     gap             72525..72624:  gap of 100 bp
     misc_feature    72625..77709:  contig of 5085 bp in length
     gap             77710..77809:  gap of 100 bp
     misc_feature    77810..83970:  contig of 6161 bp in length
     gap             83971..84070:  gap of 100 bp
     misc_feature    84071..89106:  contig of 5036 bp in length
     gap             89107..89206:  gap of 100 bp
     misc_feature    89207..96647:  contig of 7441 bp in length
     gap             96648..96747:  gap of 100 bp
     misc_feature    96748..105147: contig of 8400 bp in length
     gap             105148..105247: gap of 100 bp
     misc_feature    105248..118840: contig of 13593 bp in length
     gap             118841..118940: gap of 100 bp
     misc_feature    118941..130984: contig of 12044 bp in length.
```

```
RESULT 107
AC100793/c

LOCUS       AC100793              134465 bp    DNA     linear   PRI 15-JAN-2003
DEFINITION  Homo sapiens chromosome 17, clone CTD-3193K9, complete sequence.
ACCESSION   AC100793
VERSION     AC100793.8  GI:27753789
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 134465)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Heaford,A., Horton,L., Hulme,W., Iliev,I., Johnson,R.,
            Jones,C., Kamat,A., Karatas,A., Kells,C., LaRocque,K.,
            Lamazares,R., Landers,T., Lehoczky,J., Levine,R., Liu,G.,
            MacLean,C., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
            McCarthy,M., McEwan,P., McKernan,K., McPheeters,R., Meldrim,J.,
            Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C.,
            Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D.,
            Oliver,J., Peterson,K., Phunkhang,P., Pierre,N., Pollara,V.,
  TITLE     Homo sapiens chromosome 17, clone CTD-3193K9
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 134465)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
```

```
Query Match           1.7%;  Score 52;  DB 14;  Length 130984;
Best Local Similarity 100.0%;  Pred. No. 5.6e-16;
Matches    52;  Conservative   0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||
Db     18564 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 18615
```

```
            Raymond,C., Retta,R., Riley,R., Rise,C., Rogov,P.,
            Roman,J., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travers,M., Travis,N., Triglilo,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE       Direct Submission
JOURNAL     Submitted (22-NOV-2001) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 134465)
AUTHORS     Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., Maclean,C., Macdonald,P., Major,J.,
            Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
            Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
            Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE       Direct Submission
JOURNAL     Submitted (27-OCT-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   4  (bases 1 to 134465)
AUTHORS     Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., Maclean,C., Macdonald,P., Major,J.,
            Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
            Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
            Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE       Direct Submission
JOURNAL     Submitted (15-JAN-2003) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Jan 15, 2003 this sequence version replaced gi:24415443.
            All repeats were identified using RepeatMasker:
            Smit,A.F.A. & Green,P. (1996-1997)
            Center project name: L20710
            ------------ Project Information --------------
            Center project name: L20710
            Center clone name: 3193_K_9
            ------------ Genome Center --------------
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            ------------ Project Information --------------
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
FEATURES             Location/Qualifiers
     source          1..134465
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
```

repeat_region	1..88
	/map="17"
	/clone="CTD-3193K9"
	/clone_lib="CITD2 Human BAC"
repeat_region	1..88
	/rpt_family="Alu/o/FRAM"
repeat_region	94..389
	/rpt_family="AluSx"
repeat_region	complement(479..551)
	/rpt_family="Tigger5"
repeat_region	575..694
	/rpt_family="MER21B"
repeat_region	1296..1431
	/rpt_family="AluJb"
repeat_region	1432..1728
	/rpt_family="AluSx"
repeat_region	1731..2062
	/rpt_family="AluJb"
repeat_region	2400..2547
	/rpt_family="L2"
repeat_region	2613..2661
	/rpt_family="L2"
repeat_region	complement(2670..2789)
	/rpt_family="(TA)n"
repeat_region	complement(2795..3122)
	/rpt_family="FLAM_C"
repeat_region	6180..6232
	/rpt_family="AluY"
repeat_region	complement(6233..6530)
	/rpt_family="L2"
repeat_region	6531..6585
	/rpt_family="AluY"
repeat_region	complement(6586..6887)
	/rpt_family="AluSc"
repeat_region	6888..7159
	/rpt_family="L2"
repeat_region	7875..7912
	/rpt_family="GC_rich"
repeat_region	7957..8044
	/rpt_family="(CGGGG)n"
repeat_region	9590..9691
	/rpt_family="MER91A"
repeat_region	10084..10105
	/rpt_family="GC_rich"
repeat_region	10488..10589
	/rpt_family="MIR"
repeat_region	12437..12588
	/rpt_family="MIR3"
repeat_region	12868..12900
	/rpt_family="(CCCCCT)n"
repeat_region	13333..13370
	/rpt_family="GC_rich"
repeat_region	14420..14475
	/rpt_family="GA-rich"
repeat_region	14721..14744
	/rpt_family="GC_rich"
repeat_region	14801..14840
	/rpt_family="GC_rich"
repeat_region	complement(15362..15663)
	/rpt_family="AluJo"
repeat_region	15881..15924
	/rpt_family="GC_rich"
repeat_region	16110..16162
	/rpt_family="(CGGGG)n"
repeat_region	complement(16380..16658)
	/rpt_family="L3b"
repeat_region	complement(16694..16909)
	/rpt_family="L3"
repeat_region	17073..17108
	/rpt_family="GC_rich"
repeat_region	17379..17409
	/rpt_family="GC_rich"
repeat_region	18578..18710
	/rpt_family="MIR"

```
repeat_region   complement(18775..19088)
                /rpt_family="AluSx"
repeat_region   19780..19886
                /rpt_family="GA-rich"
repeat_region   19935..20031
                /rpt_family="MIR"
repeat_region   20334..20445
                /rpt_family="GA-rich"
repeat_region   20855..20960
                /rpt_family="(CTGGGG)n"
repeat_region   20906..21085
                /rpt_family="(TTGGGG)n"
repeat_region   21037..21216
                /rpt_family="(TTGGGG)n"
repeat_region   21166..21309
                /rpt_family="(CTGGGG)n"
repeat_region   21166..21309
                /rpt_family="(TTGGGG)n"
repeat_region   complement(22213..22416)
                /rpt_family="L2"
repeat_region   22417..22720
                /rpt_family="AluSg"
repeat_region   23332..23457
                /rpt_family="MIR"
repeat_region   complement(23477..23601)
                /rpt_family="MIR"
```

```
Query Match         1.7%;  Score 52; DB 8;  Length 134465;
Best Local Similarity   100.0%;  Pred. No. 5.6e-16;
Matches 52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy     3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    45103 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 45052
```

```
RESULT 108
AC069511
LOCUS       AC069511            135805 bp    DNA     linear   HTG 25-JUL-2000
DEFINITION  Homo sapiens chromosome 3 clone RP11-224I22, WORKING DRAFT
            SEQUENCE, 26 unordered pieces.
ACCESSION   AC069511
VERSION     AC069511.4  GI:9438659
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 135805)
  AUTHORS   Muzny,D.M., Adams,C., Bailey,M., Barbaria,J., Blankenburg,K.,
            Bodora,B., Bouck,J., Bowie,S., Brooks,A., Buhay,C., Bunac,C.,
            Burkett,C., Burrows,J., Carter,M., Chacko,J., Chen,Z., Cox,C.,
            David,R., Delgado,O., Deshazo,D., Ding,Y., Domah-Rashid,N.,
            Dugan-Rocha,S., Durbin,K.J., Fernandez,C., Ferraguto,D.,
            Forcum-Tansey,J., Frantz,P., Ganesh,R., Gorrell,J.H., Gorrell,L.L.,
            Guevara,W., Harris,K., Hernandez,J., Hodgson,A., Hogues,M.,
            Holloway,C., Hosak,H., Jackson,L.E., Jackson,L.R., Jia,Y., Jones,M.,
            Kelly,S., Kondejewski,N., Kong,Y., Kovar,C., Leal,B., Li,Z.,
            Lichtarge,O., Liu,J., Liu,W., Logan,O., Lozado,R.J., Lu,J.,
            Lucier,R., Martin,R., Martinez,C., McLeod,M.P., Mei,G., Morgan,M.,
            Morris,S., Nash,S., Nelson,A., Nguyen,R., Nguyen,N., Nguyen,S.,
            Oswal,G., Parish,B., Paxton,S., Payton,B., Perez,L., Pu,L.L.,
            Quiles,M., Reiter,D., Rives,M., Samuel,J., Say,J., Scherer,S.,
            Shah,E., Shen,H., Simon,M., Sparks,A., Stamps,A., Sucgang,R.,
            Tabor,P., Taylor,T., Vasquez,L., Vinson,R., Vo,Q., Wahhab,M.,
            Watlington,S., Weinstock,G., Weinstock,G., Yu,W., Zhou,X., Nelson,A.,
            Worley,K., Wren,J., Wrensford,G., Yu,W., Zhou,X., Williamson,A.,
            Gibbs,R.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 135805)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (02-JUN-2000) Human Genome Sequencing Center, Department
```

```
COMMENT     of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
            On Jul 25, 2000 this sequence version replaced gi:8468798.
            --------------- Genome Center
            Center: Baylor College of Medicine
            Center code: BCM
            Web site: http://www.hgsc.bcm.tmc.edu/
            Contact: hgsc-help@bcm.tmc.edu
            --------------- Project Information
            Center project name: RP11-224I22
            Center clone name: RP11-224I22
            --------------- Summary Statistics
            Assembly program: Phrap; version 0.990329
            Consensus quality: 113598 bases at least Q40
            Consensus quality: 123530 bases at least Q30
            Consensus quality: 129169 bases at least Q20
            Estimated insert size: 126394; sum-of-contigs estimation
            Estimated insert size: 126394; agarose-fp estimation
            Quality coverage: 0x in Q20 bases; sum-of-contig estimation
            Quality coverage: 3.1x in Q20 bases; sum-of-contig estimation
            * NOTE: Estimated insert size may differ from sequence length
            *   (see http://www.hgsc.bcm.tmc.edu/docs/Genbank_draft_data.html).
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 26 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *         1  22050: contig of 22050 bp in length
            *     22051  22150: gap of unknown length
            *     22151  34840: contig of 12690 bp in length
            *     34841  34940: gap of unknown length
            *     34941  46514: contig of 11574 bp in length
            *     46515  46614: gap of unknown length
            *     46615  61066: contig of 14452 bp in length
            *     61067  61166: gap of unknown length
            *     61167  68849: contig of 7683 bp in length
            *     68850  68949: gap of unknown length
            *     68950  76117: contig of 7168 bp in length
            *     76118  76217: gap of unknown length
            *     76218  83757: contig of 7540 bp in length
            *     83758  83857: gap of unknown length
            *     83858  89561: contig of 5704 bp in length
            *     89562  89661: gap of unknown length
            *     89662  96097: contig of 6436 bp in length
            *     96098  96197: gap of unknown length
            *     96198 102149: contig of 5952 bp in length
            *    102150 102249: gap of unknown length
            *    102250 106020: contig of 3771 bp in length
            *    106021 106120: gap of unknown length
            *    106121 110133: contig of 4013 bp in length
            *    110134 110233: gap of unknown length
            *    110234 113954: contig of 3721 bp in length
            *    113955 114054: gap of unknown length
            *    114055 116296: contig of 2242 bp in length
            *    116297 116396: gap of unknown length
            *    116397 118231: contig of 1835 bp in length
            *    118232 118331: gap of unknown length
            *    118332 119935: contig of 1604 bp in length
            *    119936 120035: gap of unknown length
            *    120036 121763: contig of 1728 bp in length
            *    121764 121863: gap of unknown length
            *    121864 123764: contig of 1901 bp in length
            *    123765 123864: gap of unknown length
            *    123865 126122: contig of 2258 bp in length
            *    126123 126222: gap of unknown length
            *    126223 127558: contig of 1336 bp in length
            *    127559 127658: gap of unknown length
            *    127659 128808: contig of 1150 bp in length
            *    128809 128908: gap of unknown length
            *    128909 130088: contig of 1180 bp in length
```

FEATURES   Location/Qualifiers
source   1..135805
                /organism="Homo sapiens"
                /mol_type="genomic DNA"
                /db_xref="taxon:9606"
                /chromosome="3"
                /clone="RP11-224I22"
        gap   22051..22150
                /estimated_length=unknown
        gap   3484l..34940
                /estimated_length=unknown
        gap   4651S..46614
                /estimated_length=unknown
        gap   61067..61166
                /estimated_length=unknown
        gap   68850..68949
                /estimated_length=unknown
        gap   76118..76217
                /estimated_length=unknown
        gap   83758..83857
                /estimated_length=unknown
        gap   89562..89661
                /estimated_length=unknown
        gap   96098..96197
                /estimated_length=unknown
        gap   102150..102249
                /estimated_length=unknown
        gap   106021..106120
                /estimated_length=unknown
        gap   110134..110233
                /estimated_length=unknown
        gap   113955..114054
                /estimated_length=unknown
        gap   116297..116396
                /estimated_length=unknown
        gap   118232..118331
                /estimated_length=unknown
        gap   119936..120035
                /estimated_length=unknown
        gap   121764..121863
                /estimated_length=unknown
        gap   123765..123864
                /estimated_length=unknown
        gap   126123..126222
                /estimated_length=unknown
        gap   127559..127658
                /estimated_length=unknown
        gap   128809..128908
                /estimated_length=unknown
        gap   130089..130188
                /estimated_length=unknown
        gap   131522..131621
                /estimated_length=unknown
        gap   13148..133247
                /estimated_length=unknown
        gap   134357..134456
                /estimated_length=unknown
ORIGIN

*   130089: gap of unknown length
*   130189: contig of 1333 bp in length
*   131521: gap of unknown length
*   131522: contig of 1526 bp in length
*   131621: gap of unknown length
*   133147: contig of 1109 bp in length
*   133248: gap of unknown length
*   133247: contig of 1349 bp in length
*   134356: gap of unknown length
*   134357: contig of 1349 bp in length
*   134456: gap of unknown length
*   134457: 135805; contig of 1349 bp in length
        135805: contig of 1349 bp in length.

Qy   2889 GAGGCAGGTGGATCACCTGAGGGTCGAGACCAGCCTGGCCAACAT 2940
             |||||||||||||||||||||||||||||||||||||||||||||
Db   85075 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 85126

Db   85075 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 85126

RESULT 109

LOCUS   AC006006   136385 bp   DNA   linear   PRI 27-JAN-2004
DEFINITION   Homo sapiens PAC clone RP4-813P11 from 7, complete sequence.
ACCESSION   AC006006
VERSION   AC006006.2 GI:4753279
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                Hominidae; Homo.
REFERENCE   1 (bases 1 to 136385)
  AUTHORS   Hiller,L.W., Fulton,R.S., Fulton,L.A., Graves,T.A., Pepin,K.H.,
                Wagner-McPherson,C., Layman,D., Maas,J., Jaeger,S., Walker,R.,
                Wylie,K., Sekhon,M., Becker,M.C., O'Laughlin,M.D., Schaller,M.E.,
                Fewell,G.A., Delehaunty,K.D., Miner,T.L., Nash,W.E., Cordes,M.,
                Du,H., Sun,H., Edwards,J., Bradshaw-Cordum,H., Ali,J., Andrews,S.,
                Isak,A., Vanbrunt,A., Nguyen,C., Du,F., Lamar,B., Courtney,L.,
                Kalicki,J., Ozersky,P., Bielicki,L., Scott,K., Holmes,A.,
                Harkins,R., Harris,A., Strong,C.M., Hou,S., Tomlinson,C.,
                Dauphin-Kohlberg,S., Kozlowicz-Reilly,A., Leonard,S., Rohlfing,T.,
                Rock,S.M., Tin-Wollam,A.M., Abbott,A., Minx,P., Maupin,R.,
                Strowmatt,C., Latreille,P., Miller,N., Johnson,D., Murray,J.,
                Woessner,J.P., Wendl,M.C., Yang,S.P., Schultz,B.R., Wallis,J.W.,
                Spieth,J., Bieri,T.A., Nelson,J.O., Berkowicz,N., Wohldmann,P.E.,
                Cook,L.L., Hickenbotham,M.T., Eldred,J., Williams,D., Bedell,J.A.,
                Mardis,E.R., Clifton,S.W., Chissoe,S.L., Marra,M.A., Raymond,C.,
                Haugen,E., Gillett,W., Zhou,Y., James,R., Phelps,K., Iadanoto,S.,
                Bubb,K., Simms,E., Levy,R., Clendenning,J., Kaul,R., Kent,W.J.,
                Furey,T.S., Baertsch,R.A., Brent,M.R., Keibler,E., Flicek,P.,
                Bork,P., Suyama,M., Bailey,J.A., Portnoy,M.E., Torrents,D.,
                Chinwalla,A.T., Gish,W.R., Eddy,S.R., McPherson,J.D., Olson,M.V.,
                Eichler,E.E., Green,E.D., Waterston,R.H. and Wilson,R.K.
  TITLE   The DNA sequence of human chromosome 7
  JOURNAL   Nature 424 (6945), 157-164 (2003)
   PUBMED   12853948
REFERENCE   2 (bases 1 to 136385)
  AUTHORS   Drone,K., Le T.P. and Wohldmann,P.
  TITLE   The sequence of Homo sapiens PAC clone RP4-813P11
  JOURNAL   Unpublished (2001)
REFERENCE   3 (bases 1 to 136385)
  AUTHORS   Waterston,R.H.
  TITLE   Direct Submission
  JOURNAL   Submitted (22-NOV-1998) Genome Sequencing Center, Washington
                University School of Medicine, 4444 Forest Park Parkway, St. Louis,
                MO 63108, USA
REFERENCE   4 (bases 1 to 136385)
  AUTHORS   Waterston,R.H.
  TITLE   Direct Submission
  JOURNAL   Submitted (05-MAY-1999) Genome Sequencing Center, Washington
                University School of Medicine, 4444 Forest Park Parkway, St. Louis,
                MO 63108, USA
REFERENCE   5 (bases 1 to 136385)
  AUTHORS   Waterston,R.
  TITLE   Direct Submission
  JOURNAL   Submitted (10-JUL-1999) Department of Genetics, Washington
                University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   6 (bases 1 to 136385)
  AUTHORS   Waterston,R.
  TITLE   Direct Submission
  JOURNAL   Submitted (21-DEC-1999) Department of Genetics, Washington
                University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   7 (bases 1 to 136385)
  AUTHORS   Wilson,R.
  TITLE   Direct Submission
  JOURNAL   Submitted (27-JAN-2004) Department of Genetics, Washington
                University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
COMMENT   On May 5, 1999 this sequence version replaced gi:3307515.
                ---------------- Genome Center

Center: Washington University Genome Sequencing Center
Center code: WUGSC
Web site: http://genome.wustl.edu
Contact: saplens@watson.wustl.edu

        Summary Statistics
    Center project name: H_DJ0813F11

NOTICE: This sequence may not represent the entire insert of this
clone. It may be shorter because we only sequence overlapping
clone sections once, or longer because we provide a small overlap
between neighboring data submissions.

This sequence was finished as follows unless otherwise noted:
all regions were double stranded, sequenced with an alternate
chemistry, or covered by high quality data (i.e., phred quality >=
30; an attempt was made to resolve all sequencing problems, such
as compressions and repeats; all regions were covered by sequence
from more than one subclone; and the assembly was confirmed by
restriction digest.

MAPPING INFORMATION:
The sequence of this clone was established as part of a mapping and
sequencing collaboration between the NHGRI Chromosome 7 Mapping
Project (Eric D. Green, Director), John D. McPherson in the
Department of Genetics (Washington University), and the Washington
University Genome Sequencing Center. For additional information
about the map position of this sequence, see
http://www.nhgri.nih.gov/DIR/GTB/CHR7, send
mailto:egreen@nhgri.nih.gov , or see http://genome.wustl.edu

SOURCE INFORMATION:
This clone was derived from human PAC library RPCI-4, prepared by
Pieter de Jong and coworkers at http://www.chori.org using the
method described by Ioannou et al., Nature Genetics 6:84-9 (1994).
The library is from one male donor.
The clone may be obtained either from Genome Systems, Inc.
(http://www.genomesystems.com) or Research Genetics, Inc.
(http://www.resgen.com); or from Pieter de Jong.
VECTOR: pCYPAC2

NEIGHBORING SEQUENCE INFORMATION:
The clone sequenced to the left is RP5-839B19, 200 bp overlap the
clone sequenced to the right is RP5-1007M8. Actual start of this
clone is at base position 197 of RP4-813F11 actual end is at 136385
of RP4-813F11.

FEATURES   Location/Qualifiers
source   1..136385
                    /organism="Homo sapiens"
                    /mol_type="genomic DNA"
                    /db_xref="taxon:9606"
                    /chromosome="7"
                    /map="7"
                    /clone="RP4-813F11"
                    /clone_lib="RPCI-4"
repeat_region   1..91
                    /rpt_family="Alu"
repeat_region   103..458
                    /rpt_family="MER2_type"
repeat_region   452..538
                    /rpt_family="MER2_type"
repeat_region   561..664
                    /rpt_family="Alu"
repeat_region   665..1267
                    /rpt_family="MER2_type"
repeat_region   1342..1376
                    /rpt_family="Mariner"
repeat_region   1494..1799
                    /rpt_family="Alu"
repeat_region   1833..2172
                    /rpt_family="Alu"
repeat_region   2948..3060
                    /rpt_family="MIR"

snRNA   3194..3300
                    /product="snRNA-U6-related"
repeat_region   3194..3300
                    /rpt_family="U6"
repeat_region   3301..3345
                    /rpt_family="AT_rich"
repeat_region   3552..3598
                    /rpt_family="MER1_type"
repeat_region   3611..3870
                    /rpt_family="Alu"
repeat_region   3871..4096
                    /rpt_family="(TG)n"
repeat_region   4097..4424
                    /rpt_family="MER1_type"
repeat_region   4425..4657
                    /rpt_family="Alu"
repeat_region   4660..4841
                    /rpt_family="MER1_type"
repeat_region   4921..5043
                    /rpt_family="L2"
repeat_region   5310..5872
                    /rpt_family="L2"
repeat_region   6007..6151
                    /rpt_family="L2"
repeat_region   6843..7002
                    /rpt_family="Alu"
repeat_region   7003..7294
                    /rpt_family="Alu"
repeat_region   7307..7672
                    /rpt_family="Alu"
repeat_region   7680..7971
                    /rpt_family="MER1_type"
repeat_region   7981..8122
                    /rpt_family="Alu"
repeat_region   8154..8213
                    /rpt_family="MER1_type"
repeat_region   8214..8274
                    /rpt_family="MER2_type"
repeat_region   8333..8454
                    /rpt_family="MER1_type"
repeat_region   8997..9108
                    /rpt_family="MER1_type"
repeat_region   9144..9340
                    /rpt_family="MIR"
repeat_region   9489..9600
                    /rpt_family="MIR"
repeat_region   9589..9732
                    /rpt_family="L2"
repeat_region   9735..9898
                    /rpt_family="CR1"
repeat_region   10317..10376
                    /rpt_family="MER1_type"
repeat_region   10406..10713
                    /rpt_family="L2"
repeat_region   10720..10879
                    /rpt_family="MER2_type"
repeat_region   11049..11096
                    /rpt_family="MER1_type"
repeat_region   11097..11193
                    /rpt_family="MER1_03"

RSULT 110
AC010367/c
LOCUS   AC010367   137845 bp   DNA   linear   HTG 20-APR-2001
DEFINITION   Homo sapiens chromosome 5 clone CTD-2044L23, WORKING DRAFT

Query Match   1.7%;   Score 52;   DB 8;   Length 136385;
Best Local Similarity 100.0%;   Pred. No. 5.6e-16;
Matches 52;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   114432 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 114381

```
ACCESSION   AC010367
VERSION     AC010367.4  GI:13699509
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_ACTIVEFIN.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 137845)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Sequencing of Human Chromosome 5
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 137845)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (15-SEP-1999) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT     On Apr 20, 2001 this sequence version replaced gi:7710742.
            -----Genome Center
              Center: Joint Genome Institute
              Center Code: JGI
              Web site: http://www.jgi.doe.gov
            -----
            Project Information
              Center Project Name: 644732
              Center clone name: CITB-H1_2044L23
            -----
            Summary Statistics
            Consensus quality: 122756 bases at least Q40
            Consensus quality: 127174 bases at least Q30
            Consensus quality: 129642 bases at least Q20
            Estimated insert size: 121000; pulse field gel estimation
            Estimated insert size: 136245; sum-of-contigs estimation
            Quality coverage: 6.63 in Q20 bases; pulse field gel estimation
            Quality coverage: 5.89 in Q20 bases; sum-of-contigs estimation
            NOTE: This is a 'working draft' sequence. It currently
            * consists of 17 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *         1    1041: contig of 1041 bp in length
            *      1042    1141: gap of unknown length
            *      1142    2183: contig of 1042 bp in length
            *      2184    2283: gap of unknown length
            *      2284    3529: contig of 1246 bp in length
            *      3530    3629: gap of unknown length
            *      3630    4897: contig of 1268 bp in length
            *      4898    4997: gap of unknown length
            *      4998    6540: contig of 1543 bp in length
            *      6541    6640: gap of unknown length
            *      6641    7735: contig of 1095 bp in length
            *      7736    7835: gap of unknown length
            *      7836    8852: contig of 1017 bp in length
            *      8853    8952: gap of unknown length
            *      8953   10065: contig of 1113 bp in length
            *     10066   10165: gap of unknown length
            *     10166   11335: contig of 1170 bp in length
            *     11336   11435: gap of unknown length
            *     11436   12444: contig of 1009 bp in length
            *     12445   12544: gap of unknown length
            *     12545   13852: contig of 1308 bp in length
            *     13853   13952: gap of unknown length
            *     13953   15056: contig of 1104 bp in length
            *     15057   15156: gap of unknown length
            *     15157   23003: contig of 7847 bp in length
            *     23004   23103: gap of unknown length
            *     23104   41386: contig of 18283 bp in length
            *     41387   41486: gap of unknown length
            *     41487   68942: contig of 27456 bp in length
```

```
FEATURES             Location/Qualifiers
     source          1..137845
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="CTD-2044L23"
                     /chromosome="5"
                     /clone_lib="CalTech human BAC library D"
     gap             1042..1141
                     /estimated_length=unknown
     gap             2184..2283
                     /estimated_length=unknown
     gap             3530..3629
                     /estimated_length=unknown
     gap             4898..4997
                     /estimated_length=unknown
     gap             6541..6640
                     /estimated_length=unknown
     gap             7736..7835
                     /estimated_length=unknown
     gap             8853..8952
                     /estimated_length=unknown
     gap             10066..10165
                     /estimated_length=unknown
     gap             11336..11435
                     /estimated_length=unknown
     gap             12445..12544
                     /estimated_length=unknown
     gap             13853..13952
                     /estimated_length=unknown
     gap             15057..15156
                     /estimated_length=unknown
     gap             23004..23103
                     /estimated_length=unknown
     gap             41387..41486
                     /estimated_length=unknown
     gap             68943..69042
                     /estimated_length=unknown
     gap             98302..98401
                     /estimated_length=unknown
ORIGIN
```

```
SEQUENCE, 17 unordered pieces.
*   68943   69042: gap of unknown length
*   69043   98301: contig of 29259 bp in length
*   98302   98401: gap of unknown length
*   98402  137845: contig of 39444 bp in length.
```

RESULT 111

```
LOCUS       AL954211            138573 bp    DNA     linear   PRI 16-OCT-2003
DEFINITION  Pan troglodytes chromosome 22 clone PTB-034G05 map 22q22.11,
            complete sequence.
ACCESSION   AL954211
VERSION     AL954211.1  GI:37605794
KEYWORDS    HTG.
SOURCE      Pan troglodytes (chimpanzee)
  ORGANISM  Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 138573)
  AUTHORS   The Chimpanzee Chromosome 22 Sequencing Consortium
  CONSRTM   The Chimpanzee Chromosome 22 Sequencing Consortium
  TITLE     DNA sequence of chimpanzee chromosome 22 and its evolutionary
            implications
```

```
Query Match                  1.7%;   Score 52;  DB 14;  Length 137845;
Best Local Similarity      100.0%;   Pred. No. 5.6e-16;
  Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      2899 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACACATAGCGAAACCC 2950
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     33124 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACACATAGCGAAACCC 33073
```

JOURNAL   Unpublished
REFERENCE 2 (bases 1 to 138573)
AUTHORS   Kube,M., Sudbrak,R., Borzym,K., Mueller,I., Klages,S., Burgtorf,C.,
           Heitmann,K., Gimmel,V., Beck,A., Ben Kahla,A., Lehrach,H.,
           Yaspo,M.L. and Reinhardt,R.
TITLE   Direct Submission
JOURNAL   Submitted (18-DEC-2002) Max-Planck-Institute for Molecular
           Genetics, Department of Vertebrate Genomics, Ihnestrasse 73,
           Berlin, 14195 Germany
COMMENT   The Chimpanzee Chromosome 22 Sequencing Consortium consists of:
           *Chinese National Human Genome Center at Shanghai,
           Shanghai, China;
           *GBF, Dept. of Genome Analysis, Braunschweig, Germany;
           *Institute of Molecular Biotechnology, Jena, Germany;
           *KRIBB Genome Research Center, Daejeon, Korea;
           *Max-Planck-Institute for Molecular Genetics, Berlin, Germany;
           *National Institute of Genetics, Mishima, Japan;
           *National Yang Ming University Genome Research Center, Taipei,
           Taiwan;
           *RIKEN Genomic Sciences Center, Yokohama, Japan.

           Center: Max-Planck-Institute for Molecular Genetics
           Center code: MPIMG

           Project Information
           Center clone name: PTB-034G05

           Summary Statistics
           Sequencing vector: pUC18; 100% of reads
           Chemistry: Dye-terminator Big Dye; 100% of reads
           Assembly program: Phrap; version 0.990329
           Consensus quality: 138557 bases at least Q40
           Consensus quality: 138569 bases at least Q30
           Consensus quality: 138573 bases at least Q20
           Quality coverage: 13.72

           This sequence was finished as follows unless otherwise noted: all
           regions were double stranded, sequenced with an alternate
           chemistry, or covered by high quality data (i.e., phred quality >=
           30); an attempt was made to resolve all sequencing problems, such
           as compressions and repeats; all regions were covered by at least
           one plasmid subclone or more than one M13 subclone; and the
           assembly was confirmed by restriction digest.----------------
           Neighboring sequence information:
           This clone is overlapped by
           RP43-012J05
           RP43-043L10

SOURCE INFORMATION:
           The PTB1 chimpanzee BAC library was prepared from DNA isolated from
           cultured cells established from the blood of a single male
           chimpanzee. Clones may be obtained from Asao Fujiyama and
           co-workers (http://www.gsc.riken.go.jp).
           VECTOR: pKS145.

FEATURES   Location/Qualifiers
     source   1..138573
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /chromosome="22"
                     /map="22q22.11"
                     /clone="PTB-034G05"
     source   <1..12748
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone="RP43-012J05"
                     /note="overlapping clone"
     source   96436..>138573
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone="RP43-043L10"
                     /note="overlapping clone"

ORIGIN

Qy   3071 CAAGATTGTGCCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   112046 CAAGATTGTGCCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 112097

RESULT 112
LOCUS   AC073542   141633 bp   DNA   linear   PRI 01-MAY-2001
DEFINITION Homo sapiens chromosome 5 clone RP11-221L16, complete sequence.
ACCESSION   AC073542
VERSION   AC073542.4 GI:13876495
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 141633)
AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE   Direct Submission
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 141633)
AUTHORS   DOE Joint Genome Institute.
TITLE   Direct Submission
JOURNAL   Submitted (22-JUN-2000) Production Sequencing Facility, DOE Joint
           Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3 (bases 1 to 141633)
AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE   Direct Submission
JOURNAL   Submitted (28-APR-2001) DOE Joint Genome Institute, 2800 Mitchell
           Drive, Walnut Creek, CA 94598, USA
REFERENCE   4 (bases 1 to 141633)
AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE   Direct Submission
JOURNAL   Submitted (01-MAY-2001) DOE Joint Genome Institute, 2800 Mitchell
           Drive, Walnut Creek, CA 94598, USA
COMMENT   On Apr 28, 2001 this sequence version replaced gi:13677059.
           Draft Sequence Produced by DOE Joint Genome Institute
           www.jgi.doe.gov
           Finishing Completed at Stanford Human Genome Center
           www-shgc.stanford.edu
           Quality: Phrap Quality >40 99.9% of Sequence;
           Estimated Total Number of Errors is 0.1.
FEATURES   Location/Qualifiers
     source   1..141633
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="5"
                     /clone="RP11-221L16"

ORIGIN

Qy   3071 CAAGATTGTGCCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   105940 CAAGATTGTGCCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 105991

RESULT 113
LOCUS   AL357552   143969 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION Human DNA sequence from clone RP4-63318 on chromosome 1p36.21-36.32
           Contains the 5' end of the RERE gene for arginine-glutamic acid
           dipeptide (RE) repeats (FLJ38775), two ribosomal protein L7 (RPL7)
           pseudogenes, a ribosomal protein L27 (RPL27) pseudogene, a novel

```
                gene and a CpG island, complete sequence.
ACCESSION   AL357552
VERSION     AL357552.25  GI:27652622
KEYWORDS    HTG; FLJ38775; RERE; RPL27; RPL7.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 143969)
  AUTHORS   Davidson,C.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK, E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Jan 11, 2003 this sequence version replaced gi:27498402.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 1, constructed by the Sanger Centre Chromosome 1 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr1
            RP4-63318 is from the library RPCI-4 constructed by the group of
            Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pCYPAC2
            -----------  Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
            -----------
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..143969
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /map="p36.21-36.32"
                     /clone="RP4-63318"
                     /clone_lib="RPCI-4"
     misc_feature    1
                     /note="Clone_left_end: RP4-63318"
     misc_feature    8344
                     /note="Clone_right_end: RP11-3J23"
     gene            join(complement(16843..17007),
                     complement(AL357713.11:73394..73642))
                     /gene="RERB"
     mRNA            join(complement(16843..17007),
                     complement(AL357713.11:73394..73642))
                     /gene="RERB"
                     /locus_tag="RP11-141M15.2-009"
                     /product="arginine-glutamic acid dipeptide (RE) repeats"
                     /note="match: ESTs: Em:AI524637.1 Em:AW444820.1
                     Em:BB675021.1 Em:BF512881.1"
     gene            64218..64875
                     /locus_tag="RP4-63318.1-001"
                     /pseudo
     CDS             64218..64875
                     /locus_tag="RP4-63318.1-001"
                     /pseudo
                     /note="match: proteins: Sw:P05426 Sw:P14148 Sw:P18124
```

```
                     Tr:AAH25909 Tr:BAC34366 Tr:BAC40262 Tr:O95036 Tr:Q15289
                     Tr:Q80UR0 Tr:Q90VW3 Tr:Q9DG69"
     gene            join(complement(67219..67626),
                     complement(AL357713.11:73174..73642),
                     complement(AL357713.11:41511..41581),
                     complement(AL357713.11:31762..31887),
                     complement(AL096855.48:152922..153027),
                     complement(AL096855.48:104131..104179),
                     complement(AL096855.48:136718..136822),
                     complement(AL096855.48:151979..152075),
                     complement(AL096855.48:92910..93034),
                     complement(AL096855.48:90568..90667),
                     complement(AL096855.48:60475..61528))
                     /gene="RERB"
                     /locus_tag="RP11-141M15.2-010"
                     /product="ribosomal protein L7 (RPL7) pseudogene"
                     /pseudo
                     /codon_start=1
     mRNA            join(complement(67219..67626),
                     complement(AL357713.11:73174..73642),
                     complement(AL357713.11:41511..41581),
                     complement(AL357713.11:31762..31887),
                     complement(AL096855.48:152922..153027),
                     complement(AL096855.48:104131..104179),
                     complement(AL096855.48:136718..136822),
                     complement(AL096855.48:151979..152075),
                     complement(AL096855.48:92910..93034),
                     complement(AL096855.48:90568..90667),
                     complement(AL096855.48:60475..61528))
                     /gene="RERB"
                     /locus_tag="RP11-141M15.2-010"
                     /product="ribosomal protein L7 (RPL7) pseudogene\n\"
     misc_feature    87829..87916
                     /note="Single clone region. Assembly confirmed by
                     restriction digest data."
     misc_feature    94628..96734
                     /note="Clone_left_end: RP11-185B14"
                     /note="Sequence from overlapping clone RP11-185B14
                     (AL354930). Assembly confirmed by restriction digest."
     gene            complement(99991..100723)
                     /locus_tag="RP4-63318.2-001"
                     /pseudo
     CDS             complement(99991..100723)
                     /locus_tag="RP4-63318.2-001"
                     /note="match: proteins: Sw:P05426 Sw:P14148 Sw:P18124
                     Tr:BAC40262 Tr:CAB02125 Tr:Q9SCF9"
                     /pseudo
                     /codon_start=1
                     /product="ribosomal protein L7 (RPL7) pseudogene\n\"
     gene            join(complement(130948..131253),
                     complement(106192..106376),
                     complement(AL357713.11:73174..73642),
                     complement(AL357713.11:41511..41581),
                     complement(AL357713.11:31762..31887),
                     complement(AL096855.48:152922..153027),
                     complement(AL096855.48:104131..104179),
                     complement(AL096855.48:136718..136822),
                     complement(AL096855.48:151979..152075),
                     complement(AL096855.48:90568..90667),
                     complement(AL096855.48:61430..61528),
                     complement(AL096855.48:61430..61430),
                     complement(AL357072.21:80582..80674),
                     complement(AL357072.21:81648..81810),
                     complement(AL357072.21:79992..80091),
                     complement(AL357072.21:78519..78680),
                     complement(AL357072.21:77599..77712),
                     complement(AL357072.21:75548..75600),
                     complement(AL357072.21:74032..74752),
                     complement(AL357072.21:71936..72082),
```

REFERENCE   1 (bases 1 to 144542)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
            Homininae; Homo.
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
  ORGANISM Homo sapiens
  SOURCE   Homo sapiens (human)
  KEYWORDS HTG; HTGS_PHASE1; HTGS_DRAFT.
  VERSION   AC027146.1 GI:7331426
  ACCESSION AC027146
  SEQUENCE   28 unordered pieces.
  DEFINITION Homo sapiens chromosome 17 clone RP11-123N2 map 17, WORKING DRAFT
  LOCUS   AC027146   144542 bp   DNA   linear   HTG 28-AUG-2002
  RESULT 114

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 50064 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGACTCTGTCTC 50013

Query Match   100.0%; Score 52; DB 8; Length 143969;
Best Local Similarity   100.0%; Pred. No. 5.6e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

        mRNA   join(119648..119726,120566..120839)
                        /locus_tag="RP4-6318.4-001"
        gene   join(119648..119726,120566..120839)
                        /locus_tag="RP4-6318.3-001"
                        /note="match: proteins: Sw:P08526 Tr:Q9DFL2"
                        Tr:Q8WTY3 Tr:Q90YU1 Tr:Q9DFL2"
        CDS   join(112263..112479,113097..113294)
                        /pseudo
                        /locus_tag="RP4-6318.3-001"
                        /note="match: CDNAs: Em:AB036737.1"
                        join(112263..112479,113097..113294)
        gene   join(112263..112479,113097..113294)
                        /locus_tag="RP4-6318.3-001"
                        /pseudo
                        /product="ribosomal protein L27 (RPL27) pseudogene"
        misc_feature   11558..115554
                        /note="Sequence from overlapping clone RP11-185B14
                        (AL354930). Assembly confirmed by restriction digest."
                        /codon_start=1
        gene   complement(AL356072.21:71255..70956))
                        /gene="RERB"
        mRNA   complement(AL356072.21:71255..70956))
                        complement(AL356072.21:68233..70956))
                        /locus_tag="RP11-141M15.2-001"
                        join(complement(130948..131253),

```
Quality coverage: 3.5 in Q20 bases; agarose-fp
Quality coverage: 4.2 in Q20 bases; sum-of-contigs

* ------------------------------------------
* NOTE: This is a 'working draft' sequence. It currently
* consists of 28 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
* ------------------------------------------

*    1     1042:  contig of 1042 bp in length
*    1043  1142:  gap of 100 bp
*    1143  2215:  contig of 1073 bp in length
*    2216  2315:  gap of 100 bp
*    2316  3520:  contig of 1205 bp in length
*    3521  3620:  gap of 100 bp
*    3621  6235:  contig of 2615 bp in length
*    6236  6335:  gap of 100 bp
*    6336  8261:  contig of 1926 bp in length
*    8262  8361:  gap of 100 bp
*    8362  10203: contig of 1842 bp in length
*    10204 10303: gap of 100 bp
*    10304 11741: contig of 1438 bp in length
*    11742 11841: gap of 100 bp
*    11842 13740: contig of 1899 bp in length
*    13741 13840: gap of 100 bp
*    13841 16452: contig of 2612 bp in length
*    16453 16552: gap of 100 bp
*    16553 19320: contig of 2768 bp in length
*    19321 19420: gap of 100 bp
*    19421 21340: contig of 1920 bp in length
*    21341 21440: gap of 100 bp
*    21441 23790: contig of 2350 bp in length
*    23791 23890: gap of 100 bp
*    23891 25590: contig of 1700 bp in length
*    25591 25690: gap of 100 bp
*    25691 28404: contig of 2714 bp in length
*    28405 28504: gap of 100 bp
*    28505 30466: contig of 1962 bp in length
*    30467 30566: gap of 100 bp
*    30567 34336: contig of 3770 bp in length
*    34337 34436: gap of 100 bp
*    34437 37626: contig of 3190 bp in length
*    37627 37726: gap of 100 bp
*    37727 41203: contig of 3477 bp in length
*    41204 41303: gap of 100 bp
*    41304 44513: contig of 3210 bp in length
*    44514 44613: gap of 100 bp
*    44614 48707: contig of 4094 bp in length
*    48708 48807: gap of 100 bp
*    48808 54126: contig of 5319 bp in length
*    54127 54226: gap of 100 bp
*    54227 62040: contig of 7814 bp in length
*    62041 62140: gap of 100 bp
*    62141 71155: contig of 9015 bp in length
*    71156 71255: gap of 100 bp
*    71256 80764: contig of 9509 bp in length
*    80765 80864: gap of 100 bp
*    80865 91109: contig of 10245 bp in length
*    91110 91209: gap of 100 bp
*    91210 101437: contig of 10228 bp in length
*    101438 101537: gap of 100 bp
*    101538 121402: contig of 19865 bp in length
*    121403 121502: gap of 100 bp
*    121503 144542: contig of 23040 bp in length

FEATURES             Location/Qualifiers
source               1..144542
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /map="17"
```

```
misc_feature         /clone="RP11-12N2"
                     /clone_lib="RPCI-11 Human Male BAC"

misc_feature         1..1042
                     /note="assembly_fragment"
gap                  1043..1142
                     /estimated_length=100
misc_feature         1143..2215
                     /note="assembly_fragment"
gap                  2216..2315
                     /estimated_length=100
misc_feature         2316..3520
                     /note="assembly_fragment"
gap                  3521..3620
                     /estimated_length=100
misc_feature         3621..6235
                     /note="assembly_fragment"
gap                  6236..6335
                     /estimated_length=100
misc_feature         6336..8261
                     /note="assembly_fragment"
gap                  8262..8361
                     /estimated_length=100
misc_feature         8362..10203
                     /note="assembly_fragment"
gap                  10204..10303
                     /estimated_length=100
misc_feature         10304..11741
                     /note="assembly_fragment"
gap                  11742..11841
                     /estimated_length=100
misc_feature         11842..13740
                     /note="assembly_fragment"
gap                  13741..13840
                     /estimated_length=100
misc_feature         13841..16452
                     /note="assembly_fragment"
gap                  16453..16552
                     /estimated_length=100
misc_feature         16553..19320
                     /note="assembly_fragment"
gap                  19321..19420
                     /estimated_length=100
```

```
Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 110687 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 110738

Query Match           1.7%;  Score 52; DB 14; Length 144542;
Best Local Similarity 100.0%;  Pred. No. 5.6e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

RESULT 115
AC110281
LOCUS       AC110281          146199 bp    DNA     linear   HTG 27-MAR-2003
DEFINITION  Homo sapiens chromosome 11 clone CTD-2132H1 map 11, 6 ordered
            pieces.
ACCESSION   AC110281
VERSION     AC110281.4  GI:23499587
KEYWORDS    HTG; HTGS_PHASE2; HTGS_FULLTOP; HTGS_CANCELLED.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 146199)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 11, clone CTD-2132H1
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 146199)
  AUTHORS   Birren,B., Nusbaum,C., Linton,L., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
```

RESULT 116
ACC009247
LOCUS   AC009247   146376 bp   DNA   linear   PRI 14-DEC-2001
DEFINITION Homo sapiens 3q27 BAC RP11-410F19 (Roswell Park Cancer Institute
            Human BAC Library) complete sequence.
ACCESSION   AC009247
VERSION   AC009247.13 GI:17737024
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 146376)
  AUTHORS   Muzny,D.M., Adams,C., Bailey,M., Barbaria,J., Blankenburg,K.,
            Bodota,B., Bouck,J., Bowie,S., Brooks,A., Buhay,C., Bunac,C.,
            Burkett,C., Burrows,J., Carter,M., Chacko,J., Chen,Z., Cox,C.,
            David,R., Delgado,O., Deshazo,D., Ding,Y., Domah-Rashid,N.,
            Dugan-Rocha,S., Durbin,K.J., Fernandez,C., Ferraguto,D.,
            Forcum-Tansey,J., Frantz,P., Ganesh,R., Garcia,D.K., Gorrell,J.H.,
            Gorrell,L.L., Guevara,W., Harris,K., He,X., Hernandez,J.,
            Hodgson,A., Hogues,M., Holloway,C., Hosak,H., Jackson,L.B.,
            Jackson,L., Jia,Y., Jones,M., Kelly,S., Kondejewski,N., Kong,Y.,
            Kovar,C., Leal,B., Li,Z., Lichtarge,O., Liu,J., Liu,W., Logan,Y.,
            Lozado,R.J., Lu,J., Lucier,R., Martin,R., Martinez,C., McLeod,M.P.,
            Mei,G., Moore,S., Moorish,T., Morgan,M., Morris,S., Nash,S.,
            Nelson,A., Nguyen,R., Nguyen,N., Nguyen,S., Oswal,G., Parish,B.,
            Paxton,S., Payton,B., Perez,L., Pu,L., Quiles,M., Reiter,D.,
            Rives,M., Samuel,S., Say,J., Scherer,S., Shah,B., Shen,H.,
            Simon,M., Sparks,M., Stamps,A., Suggang,R., Tabor,P., Taylor,T.,
            Vasquez,L., Vinson,R., Vo,Q., Wahbah,M., Watlington,S.,
            Weinstock,G., Weinstock,I.R., Williamson,A., Worley,K., Wren,J.,
            Wrenford,G., Yu,W., Zhou,X., Naylor,S.L., Nelson,D. and Gibbs,R.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 146376)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (08-AUG-1999) Human Genome Sequencing Center, Department

---

Qy   3071 CAAGATTGTTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   10626 CAAGATTGTTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 10677

ORIGIN

QUERY
Query Match   1.7%; Score 52; DB 14; Length 146199;
Best Local Similarity   100.0%; Pred. No. 5.7e-16;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122

FEATURES   Location/Qualifiers
     source   1..146199
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="CTD-2133H1"
                     /chromosome="11"
                     /map="11"
                     /clone_lib="CITD1 Human BAC"
     gap   30922..31021
                     /estimated_length=100
     gap   67624..67723
                     /estimated_length=100
     gap   88586..88685
                     /estimated_length=100
     gap   93650..93749
                     /estimated_length=100
     gap   98726..98825
                     /estimated_length=100

ORIGIN

* 93650 93749: gap of 100 bp
* 93750 98825: contig of 4976 bp in length
* 98726 98825: gap of 100 bp
* 98826 146199: contig of 47374 bp in length.

REFERENCE   3 (bases 1 to 146199)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavsky,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hagos,B.,
            Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C., Kamat,A.,
            Karatas,A., Kells,C., Landers,T., Levine,R., Lindblad-Toh,K.,
            Liu,G., MacLean,C., Macdonald,P., Major,J., Matthews,C.,
            McCarthy,M., Meldrim,J., Meneus,L., Mihova,T., Mlenga,V.,
            Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C., Norman,C.H.,
            O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J., Peterson,K.,
            Phunkhang,P., Pierre,N., Raymond,C., Retta,R., Rise,C., Rogov,P.,
            Roman,J., Roy,A., Schauer,S., Schupback,R., Seaman,S., Severy,P.,
            Smith,C., Spencer,B., Stange-Thomann,N., Stojanovic,N., Talamas,J.,
            Testaye,S., Theodore,J., Topham,K., Travis,M., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Young,G., Zainoun,J.,
            Zembek,L., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (10-FEB-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT   On Oct 4, 2002 this sequence version replaced gi:23343843.
            All repeats were identified using RepeatMasker:
            Smit,A.F.A. & Green,P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            ----
            Genome Center
                Center: Whitehead Institute/ MIT Center for Genome Research
                Center code: WIBR
                Web site: http://www-seq.wi.mit.edu
                Contact: sequence_submissions@genome.wi.mit.edu
            ----
                Project Information
                Center project name: L23986
                Center clone name: 2132_H_1
            ----
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 6 contigs. Gaps between the contigs
            * are represented as runs of N. The order of the pieces
            * is believed to be correct as given, however the sizes
            * of the gaps between them are based on estimates that have
            * provided by the submitter.
            * This sequence will be replaced
            * by the finished sequence as soon as it is available and
            * the accession number will be preserved.
            *   1 30921: contig of 30921 bp in length
            * 30922 31021: gap of 100 bp
            * 31022 67623: contig of 36602 bp in length
            * 67624 67723: gap of 100 bp
            * 67724 88585: contig of 20862 bp in length
            * 88586 88685: gap of 100 bp
            * 88686 93649: contig of 4964 bp in length

TITLE   Direct Submission
JOURNAL   Submitted (27-MAR-2003) Whitehead Institute/MIT Center for
            Genome Research, 320 Charles Street, Cambridge, MA 02141, USA

REFERENCE   (bases 1 to 146199)
  AUTHORS   Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., LaRocque,K., Lamazares,R.,
            Landers,T., Lehoczky,J., Levine,R., Liu,G., MacLean,C.,
            Macdonald,P., Major,J., Marquis,N., Matthews,C., McCarthy,M.,
            McEwan,P., McKernan,K., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Pollara,V., Raymond,C.,
            Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J.,
            Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S.,
            Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Testaye,S., Theodore,J.,
            Topham,K., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.

```
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   3  (bases 1 to 146376)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (08-DEC-1999) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   4  (bases 1 to 146376)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (30-MAR-2001) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   5  (bases 1 to 146376)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (14-DEC-2001) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
COMMENT     On Dec 14, 2001 this sequence version replaced gi:13489132.
            INFORMATION: http://www.hgsc.bcm.tmc.edu/ or email
            gc-help@bcm.tmc.edu

            CLONE LENGTH: This sequence does not necessarily represent the
            entire insert of this clone. Overlapping regions of clones are only
            sequenced and submitted once, so the sequence for the remainder of
            the insert may be found in the record for the adjacent clones.
            Overlapping clones are noted at the beginning and end of the
            Features listing.

            ANNOTATION OF FEATURES:
            STSs are identified using ePCR (Genome Res. 7:541-550) searches
            of a local database that includes entries from dbSTS, GDB, and
            local mapping efforts.
            Repeats are identified using RepeatMasker (A. Smit and P. Green,
            unpublished.) for Human and Mouse Sequences.
            Genes and Region of sequence similarity are identified by BLAST
            (Nuc. Acids Res. 25:3389-3402) similarity (expect < 1e-34) to the
            EST and cDNA sequences. Genes demonstrate at least two exons
            flanked by consensus splice sites that maintained sequence
            continuity across the splice junctions. Sequences that are not
            identical matches are annotated as similar.

            SEQUENCING READ COVERAGE:Sequencing is completed to a minimum
            standard of double strand coverage with a minimum of 2 clones and 2
            reads with no ambiguities or 2 chemistries with a minimum of 2
            clones and 3 reads with no ambiguities. If the sequence quality for
            a region does not meet this standard, it will be indicated in the
            annotation as Low Coverage.

            QUALITY OF INDIVIDUAL BASES:This sequence meets stringent quality
            standards - estimated error rate less than 1 per 10,000 bases.
            Reports of lowest quality individual bases and measures of base
            quality are listed below. Description of the metrics can be found
            at URI:
            http://gc.bcm.tmc.edu:8088/quality.info/genbank.annotation.html.

FEATURES             Location/Qualifiers
     source          1..146376
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="RP11-410F19"
     repeat_region   789..825
                     /rpt_family="AT_rich"
     misc_feature    1371..1711
                     /note="Region: Similar to Hs#S1074034 oz46g11.x1 Homo
                     sapiens cDNA, AI079997"
     repeat_region   1737..1781
                     /rpt_family="(CA)n"
     repeat_region   3500..3520
```

```
     misc_feature    join(4659..4721,6288..6513)
                     /note="Region: Similar to Hs#S1609703 DKFZp762L097_r1 Homo
                     sapiens cDNA, AL121466"
     repeat_region   5272..5325
                     /rpt_family="GC_rich"
     repeat_region   6178..6278
                     /rpt_family="GC_rich"
     repeat_region   6495..6637
                     /rpt_family="C-rich"
     repeat_region   6695..6718
                     /rpt_family="GC_rich"
     repeat_region   7005..7142
                     /rpt_family="G-rich"
     repeat_region   8361..8487
                     /rpt_family="MIR"
     repeat_region   9046..9067
                     /rpt_family="(TTG)n"
     repeat_region   complement(9153..9513)
                     /rpt_family="THE1B"
     repeat_region   complement(10270..10517)
                     /rpt_family="L1MB8"
     repeat_region   complement(10736..11062)
                     /rpt_family="Alu/o"
     repeat_region   11101..11155
                     /rpt_family="MER1B"
     repeat_region   11362..11452
                     /rpt_family="Alu/o"
     repeat_region   complement(11473..13671)
                     /rpt_family="L2"
     repeat_region   complement(12202..12827)
                     /rpt_family="L2"
     repeat_region   12980..13267
                     /rpt_family="HAL1"
     repeat_region   complement(14040..14312)
                     /rpt_family="L1MC4"
     repeat_region   complement(14495..14807)
                     /rpt_family="AluJb"
     repeat_region   complement(14897..15005)
                     /rpt_family="AluSp"
     repeat_region   complement(15090..15172)
                     /rpt_family="MER5A"
     repeat_region   complement(15182..15221)
                     /rpt_family="L1MD3"
     repeat_region   complement(15222..15533)
                     /rpt_family="L1MC4"
     repeat_region   complement(15534..15650)
                     /rpt_family="AluSg"
     repeat_region   15651..15954
                     /rpt_family="L1MC4"
     repeat_region   complement(16679..16966)
                     /rpt_family="AluSq/x"
     repeat_region   17043..17351
                     /rpt_family="L1MC4"
     misc_feature    17320..17410
                     /function="Low Coverage"
     repeat_region   17376..17407
                     /rpt_family="(TTTTG)n"
     repeat_region   complement(17408..17699)
                     /rpt_family="AluSx"
     repeat_region   complement(17700..17843)
                     /rpt_family="L1MC4"
     repeat_region   complement(17878..18184)
                     /rpt_family="AluSg"
     repeat_region   complement(18422..18733)
                     /rpt_family="AluY"
     repeat_region   complement(18919..20097)
```

```
repeat_region        /rpt_family="LINE"
                     20107..20275
repeat_region        /rpt_family="LiPA13"
                     20276..20580
repeat_region        /rpt_family="AluSx"
                     20581..20741
repeat_region        /rpt_family="LiPA13"
                     20758..20865
repeat_region        /rpt_family="HAL1"
                     20879..20913
repeat_region        /rpt_family="(TTTTA)n"
                     complement(20914..21210)
repeat_region        /rpt_family="AluSg"
                     complement(21253..21311)
repeat_region        /rpt_family="LTR33"
                     complement(21334..21422)
.                    /rpt_family="MER2"

Qy       3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||||||
Db      37189 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 37240

Query Match      1.7%; Score 52; DB 8; Length 146376;
Best Local Similarity  100.0%; Pred. No. 5.7e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 117
CNS01DTX/c
LOCUS        CNS01DTX          146740 bp    DNA    linear    PRI 28-JUN-2001
DEFINITION   Human chromosome 14 DNA sequence BAC C-2002H8 of library CalTech-D
             from chromosome 14 of Homo sapiens (Human), complete sequence.
ACCESSION    AL132989
VERSION      AL132989.5  GI:14586417
KEYWORDS     HTG; HTGS_ACTIVEFIN.
SOURCE       Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE    1  (bases 1 to 146740)
  AUTHORS    Heilig,R., Petit,J.L., Vico,V., Dasilva,C., Robert,C., Wincker,P.,
             Brottier,P., Cattolico,L., Barbe,V., Pelletier,E., Artiguenave,F.,
             Levy,M., Eckenberg,R., Bruls,T., deBerardinis,V., Cruaud,C.,
             Gyapay,G., Saurin,W. and Weissenbach,J.
  TITLE      Sequencing of the human chromosome 14
  JOURNAL    Unpublished
REFERENCE    2  (bases 1 to 146740)
  AUTHORS    Genoscope.
  TITLE      Direct Submission
  JOURNAL    Submitted (28-JUN-2001) Genoscope - Centre National de Sequencage :
             BP 191 91006 EVRY cedex - FRANCE (E-mail : seqref@genoscope.cns.fr
             - Web : www.genoscope.cns.fr)
COMMENT      On Jul 2, 2001 this sequence version replaced gi:12580632.
             - Genome Center
               Center: Genoscope / Centre National de Sequencage
               Center code: GS
               Web site: http://www.genoscope.cns.fr/
               Contact: SeqRef@genoscope.cns.fr
             --------------------------
             The following BAC sequence is oriented from the T7 to the SP6 end.
             Upstream BAC (overlapping the T7 end) : R-349A22
             Downstream BAC (overlapping the SP6 end) : R-517O13 (AC=AL139021)
             --------------------------
               - Summary Statistics
             Assembly program: Phrap; version 2.0
             Quality coverage: 8.73x in Q20 bases; sum-of-contigs
             --------------------------
             Overall quality chart :
             -------------------------
             Range      : bases
             0          :
             1 -   9    : 1
             10 -  19   : 1
```
```
             20 -  29   :       2
             30 -  39   :      41
             40 -  49   :    1267
             50 -  59   :    3807
             60 -  69   :    6119
             70 -  79   :   18019
             80 -  89   :   48401
             90 -  99   :   69083
             --------------------------
             Percentage of bases with a quality value >= 40 : 99 %.

FEATURES             Location/Qualifiers
     source          1..146740
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="14"
                     /clone="C-2002H8"
                     /clone_lib="CalTech-D"
     STS             30201..30314
                     /note="matching EMBL:G20444"
                     RHdb:RH17151
                     dbSTS:STS11150
     STS             30335..30431
                     /note="matching EMBL:N22004
                     RHdb:RH16912
                     dbSTS:STS49152
     STS             61096..61238
                     /note="matching EMBL:R85973
                     RHdb:RH69274
                     dbSTS:STS64724
     STS             61230..61323
                     /note="matching EMBL:Z38484
                     RHdb:RH91710
                     dbSTS:STS59275
     STS             63152..63253
                     /note="matching EMBL:N22004
                     RHdb:RH83920
                     dbSTS:STS552275
                     Identified using the e-PCR software (G. Schuler)"
     STS             67540..67664
                     /note="matching EMBL:T63600
                     RHdb:RH53753
                     dbSTS:STS1946
                     Identified using the e-PCR software (G. Schuler)"
     STS             67545..67664
                     /note="matching EMBL:G28318
                     RHdb:RH53926
                     dbSTS:STS8565
                     Identified using the e-PCR software (G. Schuler)"
     STS             74562..74829
                     /note="matching EMBL:H95046
                     RHdb:RH14490
                     dbSTS:STS8564
                     Identified using the e-PCR software (G. Schuler)"
     STS             96307..96430
                     /note="matching EMBL:G30132
                     RHdb:RH14889
                     dbSTS:STS47768
                     Identified using the e-PCR software (G. Schuler)"
     STS             134360..134499
                     /note="matching EMBL:G33047
                     RHdb:RH33109
                     dbSTS:STS22657
                     Identified using the e-PCR software (G. Schuler)"
                     RHdb:RH68861
                     Identified using the e-PCR software (G. Schuler)"
                     RHdb:RH37908
                     Identified using the e-PCR software (G. Schuler)"
                     RHdb:RH97264
                     Identified using the e-PCR software (G. Schuler)"
                     RHdb:RH67742
                     dbSTS:STS47669
                     Identified using the e-PCR software (G. Schuler)"

ORIGIN
```

```
Query Match         1.7%;    Score 52;  DB 8;  Length 146740;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches 52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy       3071  CAAGATTGTGCCACTGCACTCCAGCCCTGGGCCAACAGAGAGACTCTGTCTC 3122
               ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     136103  CAAGATTGTGCCACTGCACTCCAGCCCTGGGCCAACAGAGAGACTCTGTCTC 136052
```

```
RESULT 118
HSA300188/c
LOCUS       HSA300188            148049 bp    DNA     linear   PRI 15-APR-2005
DEFINITION  Homo sapiens MASP-2 gene (partial), PM-scl gene, FRAP2 gene and
            CD16 gene, clone RPCI.11-99P18.
ACCESSION   AJ300188
VERSION     AJ300188.1  GI:11136974
KEYWORDS    CD16 protein; FRAP2 gene; mannan binding lectin associated serine
            protease-2; MASP-2 protein; PM-scl autoantigen; PM-scl gene;
            rapamycin associated protein FRAP2.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Stover,C., Endo,Y., Takahashi,M., Lynch,N.J., Constantinescu,C.,
            Vorup-Jensen,T., Thiel,S., Friedl,H., Hankeln,T., Hall,R.,
            Gregory,S., Fujita,T. and Schwaeble,W.
  TITLE     The human gene for mannan-binding lectin-associated serine
            protease-2 (MASP-2), the effector component of the lectin route of
            complement activation, is part of a tightly linked gene cluster on
            chromosome 1p36.2-3
  JOURNAL   Genes Immun. 2 (3), 119-127 (2001)
   PUBMED   11426320
REFERENCE   2  (bases 1 to 148049)
  AUTHORS   Friedl,H.
  TITLE     Direct Submission
  JOURNAL   Submitted (07-NOV-2000) Friedl H., Genomics Services, GENterprise
            GmbH, Becherweg 32, D-55099 Mainz, GERMANY
FEATURES             Location/Qualifiers
     source          1..148049
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /map="1p36.2-3"
                     /clone="BAC clone 99P18"
                     /clone_lib="Human RPCI.11"
     gene            complement(<3563..>7906)
                     /gene="MASP-2"
     mRNA            complement(join(3916..4679,7203..7277,7772..>7906))
                     /gene="MASP-2"
     CDS             complement(join(3916..4679,7203..7277,7772..>7906))
                     /gene="MASP-2"
                     /codon_start=3
                     /function="cleavage of complement component C4"
                     /product="Masp-2 protein"
                     /protein_id="CAC15568.1"
                     /db_xref="GI:11136975"
                     /db_xref="GOA:Q96GQ4"
                     /db_xref="InterPro:IPR000436"
                     /db_xref="InterPro:IPR001254"
                     /db_xref="UniProt/TrEMBL:Q96GQ4"
                     /translation="VDCGPPDDLPSGRAEYITGPGVTTYKAVIQYSCEETFVTMKVND
                     GKVCEADGFWTSSKGEKSLPVCEPVCGLSARTGGHRIYGGQKAKPGDFPWQVLILGG
                     TPAAGALLYDNWVLTAAHAVYEQKHDASALDIRMGTLKRLSPHYTQAWSEAVFIHEGY
                     THDAGFDNDIALIKLNNKVVINSNITPICLPRKEAASFMRTDDIGTASGWGLTQRGFL
                     ARNLMYVDIPIVDHQKCTAAYEKPPYPRGSVTPANMLCAGLESGGKDSCRGDSGGALVF
                     LDSETRWFVGGIVSWGSMNCGEAGQYGVYTKVINYIPWIENIISDF"
     exon            complement(4680..7202)
                     /gene="MASP-2"
                     /number=2
```

```
exon            complement(7203..7277)
                /gene="MASP-2"
                /number=2
intron          complement(7278..7771)
                /gene="MASP-2"
                /number=1
exon            complement(7772..>7906)
                /gene="MASP-2"
                /number=1
gene            complement(15104..48352)
                /gene="PM-scl"
mRNA            complement(join(15104..15231,16491..16567,17128..17189,
                18042..18213,19383..19456,20570..20654,22715..22810,
                25329..25435,25852..25930,26088..26138,28198..28309,
                28986..29036,29249..29397,29567..29723,31173..31363,
                35933..36076,36285..36395,36608..36683,39037..39151,
                39497..39662,39976..40080,44241..44364,46503..46639,
                48204..48314))
                /gene="PM-scl"
exon            complement(15104..15231)
                /gene="PM-scl"
                /number=24
CDS             complement(join(15201..15231,16491..16567,17128..17189,
                18042..18213,19383..19456,20570..20654,22715..22810,
                25329..25435,25852..25930,26088..26138,28198..28309,
                28986..29036,29249..29397,29567..29723,31173..31363,
                35933..36076,36285..36395,36608..36683,39037..39151,
                39497..39662,39976..40080,44241..44364,46503..46639,
                48204..48314))
                /gene="PM-scl"
                /codon_start=1
                /product="PM-scl autoantigen"
                /protein_id="CAC15569.1"
                /db_xref="GI:11136976"
                /db_xref="GOA:Q01780"
                /db_xref="UniProt/Swiss-Prot:Q01780"
                /translation="MAPPSTRSPRVLSATSATKSDGEMVLPGFPDADSFVKFALGSVV
                AVTKASGGLPQFGDEYDPYRSPPGFQARCETQGDRLLQCMSRVWMQYHGCRSNIKDRSK
                VTELEDKFDLLVDANDVILERVGILLDBASGVNNNQQPVLPAGLQVPKTVVSSNRKA
                AEYGKKAKSETFRILHAKNIIRPQLKFREKIDNSNTPFLPKIFIKPNAQKPLPQALSK
                NEMHLLIQQAREMPLLKSEVAAGVKKSGPLPSAERLENVLRFGPHDCSHAPPDGYPIIP
                TSGSSVPVQKQASLFPDEKEDNLLGTTCLIATAVITLFNEPSAEDSKKGPLTVAQKKAQ
                NIMHSFENPFRMISNRWKLAQVOVQVDKSKEAVKKKAAAEQTAAREOAKEACAAAEQAI
                SVRQOVVLENAAKKRERATSDPRTTEQKQEKKRLKISKKPKDPEPPEKFTPYDYSQS
                DFKAPAGNSKSKVSSQFPDNKQTPSGKKCIAARKIKQSVGNKSMSFPPGKSDRGPRYN
                WPQR"
intron          complement(15232..16490)
                /gene="PM-scl"
                /number=23
exon            complement(16491..16567)
                /gene="PM-scl"
                /number=23
intron          complement(16568..17127)
                /gene="PM-scl"
                /number=22
exon            complement(17128..17189)
                /gene="PM-scl"
                /number=22
intron          complement(17190..18041)
                /gene="PM-scl"
                /number=21
exon            complement(18042..18213)
                /gene="PM-scl"
                /number=21
intron          complement(18214..19382)
                /gene="PM-scl"
                /number=20
```

```
Qy

exon            complement (19383..19456)
                /gene="PM-scl"
intron          /number=20
                complement (19457..20569)
                /gene="PM-scl"
exon            /number=19
                complement (20570..20654)
                /gene="PM-scl"
intron          /number=19
                complement (20655..22714)
                /gene="PM-scl"
exon            /number=18
                complement (22715..22810)
                /gene="PM-scl"
intron          /number=18
                complement (22811..25328)
                /gene="PM-scl"
exon            /number=17
                complement (25329..25435)
                /gene="PM-scl"
intron          /number=17
                complement (25436..25851)
                /gene="PM-scl"
exon            /number=16
                complement (25852..25930)
                /gene="PM-scl"
intron          /number=16
                complement (25931..26087)
                /gene="PM-scl"
exon            /number=15
                complement (26088..26138)
                /gene="PM-scl"
intron          /number=15
                complement (26139..28197)
                /gene="PM-scl"
exon            /number=14
                complement (28198..28309)
                /gene="PM-scl"
intron          /number=14
                complement (28310..28985)
                /gene="PM-scl"
exon            /number=13
                complement (28986..29036)
                /gene="PM-scl"
intron          /number=13
                complement (29037..29248)
                /gene="PM-scl"
exon            /number=12
                complement (29249..29397)
                /gene="PM-scl"
intron          /number=12
                complement (29398..29566)
                /gene="PM-scl"
exon            /number=11
                complement (29567..29723)
                /gene="PM-scl"
intron          /number=11
                complement (29724..31172)
                /gene="PM-scl"
exon            /number=10
                complement (31173..31363)
                /gene="PM-scl"
intron          /number=10
                complement (31364..35932)
                /gene="PM-scl"
                /number=9
```

Query Match   1.7%; Score 52; DB 8; Length 148049;
Best Local Similarity 100.0%; Pred. No. 5.7e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGAAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
```

```
Db    70758 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGAAGACTCTGTCTC 70707
```

```
TITLE       Direct Submission
JOURNAL     Submitted (01-MAY-1998) Molecular and Human Genetics, Baylor
            College of Medicine, One Baylor Plaza, Houston, TX 77030, USA
REFERENCE   5  (bases 1 to 149679)
AUTHORS     Worley,K.C.
TITLE       Direct Submission
JOURNAL     Submitted (05-MAY-1998) Molecular and Human Genetics, Baylor
            College of Medicine, One Baylor Plaza, Houston, TX 77030, USA
REFERENCE   6  (bases 1 to 149679)
AUTHORS     Worley,K.C.
TITLE       Direct Submission
JOURNAL     Submitted (09-JUN-1998) Molecular and Human Genetics, Baylor
            College of Medicine, One Baylor Plaza, Houston, TX 77030, USA
REFERENCE   7  (bases 1 to 149679)
AUTHORS     Worley,K.C.
TITLE       Direct Submission
JOURNAL     Submitted (28-JUL-1998) Molecular and Human Genetics, Baylor
            College of Medicine, One Baylor Plaza, Houston, TX 77030, USA
REFERENCE   8  (bases 1 to 149679)
AUTHORS     Worley,K.C.
TITLE       Direct Submission
JOURNAL     Submitted (21-FEB-2003) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
COMMENT     On Feb 21, 2003 this sequence version replaced gi:2811094.
            INFORMATION: http://www.hgsc.bcm.tmc.edu/ or email
            gc-help@bcm.tmc.edu

            CLONE LENGTH: This sequence does not necessarily represent the
            entire insert of this clone. Overlapping regions of clones are only
            sequenced and submitted once, so the sequence for the remainder of
            the insert may be found in the record for the adjacent clones.
            Overlapping clones are noted at the beginning and end of the
            Features listing.

            ANNOTATION OF FEATURES:
            STSs are identified using ePCR (Genome Res. 7:541-550) searches
            of a local database that includes entries from dbSTS, GDB, and
            local mapping efforts.
            Repeats are identified using RepeatMasker (A. Smit and P. Green,
            unpublished.) for Human and Mouse sequences.
            Genes and Region of sequence similarity are identified by BLAST
            (Nuc. Acids Res. 25:3389-3402) similarity (expect < 1e-34) to the
            EST and cDNA sequences. Genes demonstrate at least two exons
            flanked by consensus splice sites that maintained sequence
            continuity across the splice junctions. Sequences that are not
            identical matches are annotated as similar.

            SEQUENCING READ COVERAGE: Sequencing is completed to a minimum
            standard of double strand coverage with a minimum of 2 clones and 2
            reads with no ambiguities or 2 chemistries with a minimum of 2
            clones and 3 reads with no ambiguities. If the sequence quality for
            a region does not meet this standard, it will be indicated in the
            annotation as Low Coverage.

            QUALITY OF INDIVIDUAL BASES: This sequence meets stringent quality
            standards - estimated error rate less than 1 per 10,000 bases.
            Reports of lowest quality individual bases and measures of base
            quality are listed below. Description of the metrics can be found
            at URL:
            http://www.hgsc.bcm.tmc.edu:8088/quality.info/genbank.annotation.ht
            ml.
FEATURES             Location/Qualifiers
     source          1..149679
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="12"
                     /clone="RP1-46F2"
     misc_feature    1..220
                     /note="overlaps bases 102372..102591 of clone AC002978"
     repeat_region   36..62
                     /function="clone overlap"
```

```
     repeat_region   102372..102591 of clone AC002978"
```

```
     repeat_region   763..879
                     /rpt_family="(TCTG)n"
     repeat_region   1019..1056
                     /rpt_family="CT-rich"
     repeat_region   1124..1203
                     /rpt_family="(CAT)n"
     repeat_region   complement(1558..1748)
                     /rpt_family="MIR"
     repeat_region   2367..2533
                     /rpt_family="MIR"
     repeat_region   3148..3270
                     /rpt_family="(CA)n"
     repeat_region   3420..3478
                     /rpt_family="MIR"
     repeat_region   complement(3479..3560)
                     /rpt_family="MIR"
     repeat_region   3562..3653
                     /rpt_family="Alu/FLAM"
     repeat_region   complement(3772..3831)
                     /rpt_family="MIR"
     repeat_region   complement(3795..3881)
                     /rpt_family="L2"
     repeat_region   complement(3882..4167)
                     /rpt_family="MIR"
     repeat_region   complement(4168..4291)
                     /rpt_family="AluJo"
     repeat_region   4853..4933
                     /rpt_family="MIR"
     repeat_region   complement(6419..6716)
                     /rpt_family="MLT1H"
     repeat_region   4934..5236
                     /rpt_family="AluJo"
     repeat_region   6752..7164
                     /rpt_family="L1ME3"
     repeat_region   7165..7469
                     /rpt_family="AluSx"
     repeat_region   7470..7684
                     /rpt_family="AluJb"
     repeat_region   7739..8023
                     /rpt_family="L1ME3"
     repeat_region   8024..8054
                     /rpt_family="AluSq"
     repeat_region   8055..8078
                     /rpt_family="(CAAA)n"
     repeat_region   8081..8370
                     /rpt_family="AluSq"
     repeat_region   8371..8402
                     /rpt_family="AluSc"
     repeat_region   8663..8725
                     /rpt_family="(CAAA)n"
     repeat_region   8845..8995
                     /rpt_family="MIR"
     repeat_region   complement(9002..9274)
                     /rpt_family="CT-rich"
     repeat_region   complement(9002..9274)
                     /rpt_family="AluJo"
```

```
Query Match      1.7%;  Score 52;  DB 8;  Length 149679;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy          3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGAAGACTCCGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         45739 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGAAGACTCCGTCTC 45688

RESULT 120
ACO12070
LOCUS       ACO12070                 149776 bp    DNA     linear   PRI 21-APR-2005
DEFINITION  Homo sapiens BAC clone RP11-318K6 from 2, complete sequence.
```

```
ACCESSION   AC012070
VERSION     AC012070.8  GI:21747558
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 149776)
  AUTHORS   Isak,A. and Abbott,A.
  TITLE     The sequence of Homo sapiens BAC clone RP11-318K6
  JOURNAL   Unpublished (2001)
REFERENCE   2  (bases 1 to 149776)
  AUTHORS   Waterston,R.H.
  TITLE     Direct Submission
  JOURNAL   Submitted (19-OCT-1999) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
REFERENCE   3  (bases 1 to 149776)
  AUTHORS   Waterston,R.H.
  TITLE     Direct Submission
  JOURNAL   Submitted (28-FEB-2001) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
REFERENCE   4  (bases 1 to 149776)
  AUTHORS   Waterston,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (07-NOV-2001) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   5  (bases 1 to 149776)
  AUTHORS   Waterston,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (09-AUG-2001) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   6  (bases 1 to 149776)
  AUTHORS   Waterston,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (14-JUL-2002) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   7  (bases 1 to 149776)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (21-APR-2005) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
COMMENT     On Jul 14, 2002 this sequence version replaced gi:13162544.
            -------------- Genome Center
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu
            Contact: submissions@watson.wustl.edu
            --------------
            Summary Statistics
            Center project name: H_NH0318K06
            --------------

            NOTICE:
            --------------

            This sequence was finished as follows unless otherwise noted:
            all regions were double stranded, sequenced with an alternate
            chemistry, or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by sequence
            from more than one subclone; and the assembly was confirmed by
            restriction digest.

            MAPPING INFORMATION:
            Mapping information for this clone was provided by Dr. Wes Warren,
            Department of Genetics, Washington University, St. Louis MO. For
            additional information about the map position of this sequence, see
            http://genome.wustl.edu

            SOURCE INFORMATION:
            The RPCI-11 human BAC library was made from the blood of one male
```

```
            donor, as described by Osoegawa,K., Woon,P.Y., Zhao,B., Frengen,E.,
            Tateno,M., Catanese,J.J. and de Jong,P.J (1998) An improved
            approach for construction of bacterial artificial chromosome
            libraries. Genomics 51:1-8. The clone may be obtained either from
            Research Genetics, Inc. (http://www.resgen.com) or Pieter de Jong
            and coworkers at http://www.chori.org
            VECTOR: pBACe3.6

            NEIGHBORING SEQUENCE INFORMATION:
            The clone sequenced to the left is RP11-335M11, 200 bp overlap; the
            clone sequenced to the right is RP11-674L1. Actual start of this
            clone is at base position 150598 of RP11-335M11; actual end is at
            base position 149776 of RP11-318K6.

            There are polymorphic base pair differences in the overlap between
            the clone RP11-318K6 and RP11-674L1.
FEATURES             Location/Qualifiers
     source          1..149776
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="2"
                     /clone="RP11-318K6"
                     /clone_lib="RPCI-11"
     misc_feature    9331..9578
                     /note="CpG island (%GC=60.1, o/e=1.05, #CpGs=23)"
     misc_feature    28997..29214
                     /note="CpG island (%GC=61.0, o/e=0.86, #CpGs=19)"
     misc_feature    52878..53098
                     /note="CpG island (%GC=60.2, o/e=0.90, #CpGs=18)"
ORIGIN

Query Match          1.7%;   Score 52;  DB 8;  Length 149776;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches    52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy     2889  GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT  2940
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    81593  GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT  81644

RESULT 121
LOCUS       AC018791
DEFINITION  Homo sapiens clone RP11-31D10, WORKING DRAFT SEQUENCE, 26 unordered
            pieces.
ACCESSION   AC018791
VERSION     AC018791.3  GI:7382241
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 150159)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Unpublished
REFERENCE   2  (bases 1 to 150159)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,B., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,M., Beckerly,R., Beda,F.,
            Boguslavkiy,L., Boukhgalter,B., Brown,A., Burkett,G., Castle,A.,
            Chapel,Y., Colangelo,M., Collins,S., Collymore,A., Cooke,P.,
            DeArellano,K., Dewar,K., Domino,M., Doyle,M., Fenestor,J.,
            Ferreira,P., FitzHugh,W., Forest,C., Gage,D., Galagan,J.,
            Gardyna,S., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Johnson,R., Jones,C., Kann,L., Karatas,A., Klein,J.,
            Landers,T., Lehoczky,J., Levine,R., Lieu,C., Liu,G., Locke,K.,
            Macdonald,P., Marquis,N., McEwan,P., McGurk,A., McKernan,K.,
            Meldrim,J., Meneus,L., Morrow,J., Naylor,J., Norman,C.H.,
            O'Connor,T., O'Donnell,P., Olivar,T.M., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rothman,D., Roy,A.,
            Santos,R., Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
```

Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J., Tirrell,A.,
Vassiliev,H., Viel,R., Vo,A., Wu,X., Wyman,D., Ye,W.J., Zimmer,A.,
and Zody,M.

TITLE   Direct Submission
JOURNAL   Submitted (19-DEC-1999) Whitehead Institute/MIT Center for Genome
          Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT   On Apr 1, 2000 this sequence version replaced gi:6692294.
          All repeats were identified using RepeatMasker:
          Smit, A.F.A. & Green, P. (1996-1997)
          http://ftp.genome.washington.edu/RM/RepeatMasker.html

          ---------- Genome Center
          Center: Whitehead Institute/ MIT Center for Genome Research
          Center code: WIBR
          Web site: http://www-seq.wi.mit.edu
          Contact: sequence_submissions@genome.wi.mit.edu
          ---------- Project Information
          Center project name: L4923
          Center clone name: 31_D10

          ---------- Summary Statistics
          Sequencing vector: M13; M77815; 100% of reads
          Chemistry: Dye-terminator Big Dye; 100% of reads
          Assembly program: Phrap; version 0.960731
          Consensus quality: 137932 bases at least Q40
          Consensus quality: 143842 bases at least Q30
          Consensus quality: 146083 bases at least Q20
          Insert size: 169000; agarose-fp
          Insert size: 147659; sum-of-contigs
          Quality coverage: 4.2 in Q20 bases; agarose-fp
          Quality coverage: 4.8 in Q20 bases; sum-of-contigs

        * NOTE: This is a 'working draft' sequence. It currently
        * consists of 26 contigs. The true order of the pieces
        * is not known and their order in this sequence record is
        * arbitrary. Gaps between the contigs are represented as
        * runs of N, but the exact sizes of the gaps are unknown.
        * This record will be updated with the finished sequence
        * as soon as it is available and the accession number will
        * be preserved.

        *   1   1239: contig of 1239 bp in length
        *   1240   1339: gap of 100 bp
        *   1340   3184: contig of 1845 bp in length
        *   3185   3284: gap of 100 bp
        *   3285   5534: contig of 2250 bp in length
        *   5535   5634: gap of 100 bp
        *   5635   8315: contig of 2681 bp in length
        *   8316   8415: gap of 100 bp
        *   8416   10195: contig of 1780 bp in length
        *   10196   10295: gap of 100 bp
        *   10296   13456: contig of 3161 bp in length
        *   13457   13556: gap of 100 bp
        *   13557   15457: contig of 1901 bp in length
        *   15458   15557: gap of 100 bp
        *   15558   17848: contig of 2291 bp in length
        *   17849   17948: gap of 100 bp
        *   17949   19893: contig of 1945 bp in length
        *   19894   19993: gap of 100 bp
        *   19994   23457: contig of 3464 bp in length
        *   23458   23557: gap of 100 bp
        *   23558   26795: contig of 3238 bp in length
        *   26796   26895: gap of 100 bp
        *   26896   30999: contig of 4104 bp in length
        *   31000   31099: gap of 100 bp
        *   31100   35140: contig of 4041 bp in length
        *   35141   35240: gap of 100 bp
        *   35241   39261: contig of 4021 bp in length
        *   39262   39361: gap of 100 bp
        *   39362   42633: contig of 3272 bp in length
        *   42634   42733: gap of 100 bp
        *   42734   47924: contig of 5191 bp in length
        *   47925   48024: gap of 100 bp
        *   48025   52442: contig of 4418 bp in length
        *   52443   52542: gap of 100 bp
        *   52543   59093: contig of 6551 bp in length
        *   59094   59193: gap of 100 bp
        *   59194   67470: contig of 8277 bp in length
        *   67471   67570: gap of 100 bp
        *   67571   74426: contig of 6856 bp in length
        *   74427   74526: gap of 100 bp
        *   74527   87418: contig of 12892 bp in length
        *   87419   87518: gap of 100 bp
        *   87519   95952: contig of 8434 bp in length
        *   95953   96052: gap of 100 bp
        *   96053   106060: contig of 10008 bp in length
        *   106061   106160: gap of 100 bp
        *   106161   121730: contig of 15570 bp in length
        *   121731   121830: gap of 100 bp
        *   121831   135347: contig of 13517 bp in length
        *   135348   135447: gap of 100 bp
        *   135448   150159: contig of 14712 bp in length.

FEATURES   Location/Qualifiers
     source   1..150159
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="RP11-31D10"
                     /clone_lib="RPCI-11 Human Male BAC"
     misc_feature   1..1239
                     /note="assembly_fragment"
     gap   1240..1339
                     /estimated_length=100
     misc_feature   1340..3184
                     /note="assembly_fragment"
     gap   3185..3284
                     /estimated_length=100
     misc_feature   3285..5534
                     /note="assembly_fragment"
     gap   5535..5634
                     /estimated_length=100
     misc_feature   5635..8315
                     /note="assembly_fragment"
     gap   8316..8415
                     /estimated_length=100
     misc_feature   8416..10195
                     /note="assembly_fragment"
     gap   10196..10295
                     /estimated_length=100
     misc_feature   10296..13456
                     /note="assembly_fragment"
     gap   13457..13556
                     /estimated_length=100
     misc_feature   13557..15457
                     /note="assembly_fragment"
     gap   15458..15557
                     /estimated_length=100
     misc_feature   15558..17848
                     /note="assembly_fragment"
     gap   17849..17948
                     /estimated_length=100
     misc_feature   17949..19893
                     /note="assembly_fragment"
     gap   19894..19993
                     /estimated_length=100
                     vector_side:left
                     clone_end:SP6
     misc_feature   19994..23457
                     /note="assembly_fragment"
     gap   23458..23557
                     /estimated_length=100
     misc_feature   23558..26795
                     /note="assembly_fragment"
     gap   26796..26895
                     /estimated_length=100
     misc_feature   26896..30999
                     /note="assembly_fragment"
     gap   31000..31099
                     /estimated_length=100

```
misc_feature    31100..35140
                /note="assembly_fragment"
gap             35141..35240
                /estimated_length=100
misc_feature    35241..39261
                /note="assembly_fragment"
gap             39262..39361
                /estimated_length=100
misc_feature    39362..42633
                /note="assembly_fragment"
                vector_side:right"
                clone_end:T7
gap             42634..42733
                /estimated_length=100
misc_feature    42734..47924
                /note="assembly_fragment"
gap             47925..48024
                /estimated_length=100
misc_feature    48025..52442
                /note="assembly_fragment"
gap             52443..52542
                /estimated_length=100
misc_feature    52543..59093
                /note="assembly_fragment"
```

```
Query Match    1.7%;    Score 52;    DB 14;    Length 150159;
Best Local Similarity 100.0%;    Pred. No. 5.7e-16;
Matches 52;    Conservative 0;    Mismatches 0;    Indels 0;    Gaps 0;

Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    122542 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 122593
```

```
RESULT 122
CS086345
LOCUS       CS086345    150437 bp    DNA    linear    PAT 25-MAY-2005
DEFINITION  Sequence 50 from Patent WO2005042786.
ACCESSION   CS086345
VERSION     CS086345.1    GI:66711917
KEYWORDS    .
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 150437)
AUTHORS     Harris,C. and Davis,L.
TITLE       Compositions and methods for glioma classification
JOURNAL     Patent: WO 2005042786-A 50 12-MAY-2005;
            Exagen Diagnostics, Inc. (US)
FEATURES             Location/Qualifiers
source       1..150437
             /organism="Homo sapiens"
             /mol_type="unassigned DNA"
             /db_xref="taxon:9606"
```

```
Query Match    1.7%;    Score 52;    DB 6;    Length 150437;
Best Local Similarity 100.0%;    Pred. No. 5.7e-16;
Matches 52;    Conservative 0;    Mismatches 0;    Indels 0;    Gaps 0;

Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    125751 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 125802
```

```
RESULT 123
AL138724
LOCUS       AL138724    150846 bp    DNA    linear    PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone RP11-500C11 on chromosome 6 Contains
            the 5' end of the NUP153 gene for nucleoporin 153kD, the 3' end of
            a gene for a kinesin-like protein (RBKIN) and CpG islands, complete
            sequence.
ACCESSION   AL138724
VERSION     AL138724.12    GI:13234804
KEYWORDS    HTG; CpG island; kinesin; nucleoporin; NUP153; RBKIN.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 150846)
AUTHORS     Griffiths,C.
TITLE       Direct Submission
JOURNAL     Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Mar 5, 2001 this sequence version replaced gi:13161550.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 6, constructed by the Sanger Centre Chromosome 6 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr6
            RP11-500C11 is from the library RPCI-11.2 constructed by the group
            of Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pBACe3.6
            --------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk

            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e. phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
source       1..150846
             /organism="Homo sapiens"
             /mol_type="genomic DNA"
             /db_xref="taxon:9606"
             /chromosome="6"
             /clone="RP11-500C11"
             /clone_lib="RPCI-11.2"
misc_feature    1
             /note="clone_left_end: RP11-500C11"
gene         join(complement(8974..9084),
             join(complement(8974..9084),
             complement(AL157776.15:61036..612258),
             complement(AL138824.19:<83780..94906))
             /gene="NUP153"
             /locus_tag="RP11-14H3.6-001"
mRNA         join(complement(8974..9084),
             complement(AL157776.15:61036..612258),
             complement(AL157776.15:48162..48410),
             complement(AL157776.15:47869..48008),
             complement(AL157776.15:47545..47673),
             complement(AL157776.15:42070..42186),
             complement(AL157776.15:41933..41977),
             complement(AL157776.15:41615..41668),
             complement(AL157776.15:37879..38025),
             complement(AL157776.15:34658..34710),
             complement(AL157776.15:34293..34419),
             complement(AL157776.15:21803..21940),
             complement(AL157776.15:20447..20545),
             complement(AL157776.15:18707..18794),
             complement(AL157776.15:12579..12704),
             complement(AL157776.15:9793..10410),
```

```
complement(AL157776.15:5290..5484),
complement(AL157776.15:1295..2179)
complement(AL138824.19:94550..94906),
complement(AL138824.19:93303..93575),
complement(AL138824.19:85269..85437),
complement(AL138824.19:<83780..84923))
/gene="NUP153"
/locus_tag="RP11-14H3.6-001"
/product="match: ESTs: nucleoporin 153kDa"
/note="match: ESTs: AA020948 AA280626 AA281956 AA287143
AA647494 AA987890 AI373182 AI392741 AI568716 AI675749
AI809345 AI863498 AI918052 AL040791 AL043770 AL044844
AI597150 AU125074 AU128712 AU137373 AU137888 AU148810
AW172435 AW269393 AW269401 AW265970 AW502128 AW502226
AW604841 AW859945 AW859990 AW937856 AW997580 AW997597
BB529859 BE085871 BE333864 BE381487 BE530035 BE539837
BB885083 BE886640 BE909229 BE930529 BF120400 BF135241
BF212928 BF305010 BF702538 BF732659 BF782207 BF843418
BF844739 BF934823 BF934824 BF991876 BF991889 BF992423
BG067610 BG080749 BG106248 BG256869 BG259567 BG387515
BG505279 BG986900 BI040158 BI040160 BI040168 BI052625
BM090763 F13065 H89627 L44346 R17048 T09409 T75378
match: cDNAs: AF045567.1 AF434196.1 L06821.1 Z25535.1"
join(complement(8974..9084),
complement(AL157776.15:61036..61258),
complement(AL157776.15:48162..48410),
complement(AL157776.15:47869..48008),
complement(AL157776.15:47545..47673),
complement(AL157776.15:42070..42186),
complement(AL157776.15:41933..41977),
complement(AL157776.15:41615..41668),
complement(AL157776.15:37879..38025),
complement(AL157776.15:34658..34710),
complement(AL157776.15:34293..34419),
complement(AL157776.15:21803..21940),
complement(AL157776.15:20447..20545),
complement(AL157776.15:18707..18794),
complement(AL157776.15:12579..12704),
complement(AL157776.15:9793..10410),
complement(AL157776.15:5290..5484),
complement(AL157776.15:1295..2179)
complement(AL138824.19:94550..94906),
complement(AL138824.19:93303..93575),
complement(AL138824.19:85269..85437),
complement(AL138824.19:<84842..84923))
/gene="NUP153"
/locus_tag="RP11-14H3.6-001"
/standard_name="OTTHUMP00000016070"
/note="match: proteins: O73749 P49790 P49791"
/codon_start=1
/product="nucleoporin 153kDa"
/protein_id="CAI40945.1"
/db_xref="GI:57208789"
/db_xref="GOA:Q5TAZ2"
/db_xref="InterPro:IPR000194"
/db_xref="InterPro:IPR001876"
/db_xref="UniProt/TrEMBL:Q5TAZ2"
/translation="MASGAGAVGGGGGGGKIRTRRCHQGPIPKPYQQGRQQHQGILRVT
ESVKNIVPGWIQRYFNKNEDVCSCSTDTSEVPRWPENKEDHLVYADEESSNITDGRIT
PEPAVSNTEEPSTTSTASNYPDVLTRPSLHRSHLNFSMLHSPALHCQPSTSSAFPIGS
SGFSLVKEIKDSTSQHDDDNISTTSGPSRASRDKDNITSTTSGFGSNSILKTSQLGDSPPYPGKTTYGGAAAAVRQS
KIRNTPYQAPVQAPVARQMKAKQLSAQSYGVTSSTARRILQSLEKMSSPLADAKRIPSIVSS
PLNSPLDRSGIDITDFQAKRKVDSQYPFVQRLMTPKPVSIATNRSVYFKPSLTPSGE
FRKTNQRIDNKCGSTGYEKNMTPGQNRQREGFSYNFSLPAANGLSSGVGGGGGKMR
RERTRFVASKPLEEEMEVPVLPKISLPITSSLPTFNFSSPEITTSSPSPINSSQAL
TNKVQMTSPSTGSPMFKFSPEIVKSTEANVLFPGSIGFTPSVPAVAKTAELSGSSSTL
EPISSSAHHVTVTVNSTNCKKTPEECEGPRPABILKEGSVLDILKSPGFASPKIDS
VAAQPTATSPVVTRPAISSFSSSGIGFGESLKAGSSWQDTCLLQNKVTDNKCIACQ
AAKLSPRDTAKQTGIETPNKSGKTTLSASGTGFGFDGEKPVIGITWDCDTCLVQNKPEAI
KCVACERPKPGTCVKRALTLTVVSESAETMTPASSSSCGTVTTGTLGFRGEDKFKRPIGSWE
CSVCCVSNNAEDNKCVSCMSEKPGSSVPASSSSTVPVSLPSGSGSLGLEKFKKPEGSWD
CELCLVQNKADSTKCLACESAKPGTKSGFKGPDTSSSSSNSAAASSSFKFGVSSSSSGP
```

gene

```
                    AL662800
RESULT 124
AL662800
LOCUS          AL662800      151228 bp    DNA      linear    PRI 18-MAY-2005
DEFINITION     Human DNA sequence from clone Xxbac-249020 on chromosome 6 contains
               the GNL1 gene for guanine nucleotide binding protein-like 1, the
               gene for CAT56 protein, the ABCF1 gene for ATP-binding cassette,
               subfamily F, member 1, the PPP1R10 gene for protein phosphatase 1,
               regulatory subunit 10, the MRPS18B gene for mitochondrial
               ribosomal protein S18B, two novel proteins, a prothymosin alpha
               (PTMA) pseudogene and four CpG islands, complete sequence.
ACCESSION      AL662800
VERSION        AL662800.4    GI:18181758
KEYWORDS       HTG; ABC27; ABC50; ABCF1; ATP-binding cassette, subfamily F, member
```

```
Qy      3071  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC  3122
              |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      4478  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC  4529
```

Query Match   100.0%; Score 52; DB 8; Length 150846;
Best Local Similarity   1.7%;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Pred. No. 5.7e-16;

```
                     1; CAT56; CpG island; DKFZp564H0223; FB19; GNL1; guanine nucleotide
                     binding protein-like 1; HSPC183; HSR1; Human S18a; mitochondrial
                     ribosomal protein S18B; MRP-S18-2; MRPS18-2; MRPS18B; PNUTS;
                     PPP1R10; protein phosphatase 1, regulatory subunit 10; prothymosin
                     alpha; PTD017; PTMA; S18amt; TMSA.
SOURCE               Homo sapiens (human)
  ORGANISM           Homo sapiens
                     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                     Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                     Hominidae; Homo.
REFERENCE            1  (bases 1 to 151228)
  AUTHORS            Griffiths,C.
  TITLE             Direct Submission
  JOURNAL           Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
                     Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
                     Clone requests: clonerequest@sanger.ac.uk
COMMENT              On Jan 16, 2002 this sequence version replaced gi:18070933.
                     The following abbreviations are used to associate primary accession
                     numbers given in the feature table with their source databases:
                     Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
                     on the WORMPEP database can be found at
                     http://www.sanger.ac.uk/projects/C_elegans/wormpep XXbac-249D20 is
                     from a CHORI-501 human bac - PGF cell line library VECTOR:
                     pTARBAC2.1
                     This sequence was generated from part of bacterial clone contigs
                     constructed by the MHC Haplotype Consortium and collaborators.
                     Further information can be found at
                     http://www.sanger.ac.uk/HGP/Chr6/MHC
                     Center: Wellcome Trust Sanger Institute
                     Center code: SC
                     Web site: http://www.sanger.ac.uk
                     Contact: vega@sanger.ac.uk
                     This sequence was finished as follows unless otherwise noted: all
                     regions were either double-stranded or sequenced with an alternate
                     chemistry or covered by high quality data (i.e. phred quality >=
                     30); an attempt was made to resolve all sequencing problems, such
                     as compressions and repeats; all regions were covered by at least
                     one subclone; and the assembly was confirmed by restriction digest,
                     except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..151228
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="XXbac-249D20"
                     /clone_lib="CHORI-501"
     misc_feature    1
                     /note="Clone_left_end: XXbac-249D20"
     misc_feature    11118
                     /note="Clone_left_end: XXbac-27H4"
     misc_feature    11123
                     /note="Clone_right_end: XXbac-34K20"
     gene            complement(46052..56431)
                     /gene="GNL1"
     mRNA            complement(join(46052..46688,46871..47011,47287..47449,
                     47527..47705,52642..52836,53259..53354,53525..53732,
                     54750..54821,54939..55090,55230..55366,55730..55895,
                     56306..56431))
                     /gene="GNL1"
                     /locus_tag="XXbac-BPG249D20.1-001"
     CDS             complement(join(46247..46688,46871..47011,47287..47449,
                     47527..47705,52642..52836,53259..53354,53525..53732,
                     54750..54821,54939..55090,55230..55366,55730..55895,
                     56306..56378))
                     /gene="GNL1"
                     /locus_tag="XXbac-BPG249D20.1-001"
                     /product="guanine nucleotide binding protein-like 1"
                     /note="match: cDNAs: Em:AK026391.1 BC010298.1 BC013243.1
                     BC013959.1 L25665.1 X65026.1"
```

```
                     /standard_name="OTTHUMP00000029186"
                     /note="match: proteins: P36916 Q91ZZ0 Q96CT5"
                     /codon_start=1
                     /product="guanine nucleotide binding protein-like 1"
                     /protein_id="CAI18152.1"
                     /db_xref="GI:55961299"
                     /db_xref="GOA:Q96CT5"
                     /db_xref="InterPro:IPR002917"
                     /db_xref="InterPro:IPR005289"
                     /db_xref="UniProt/TrEMBL:Q96CT5"
                     /translation="MPRKKPFSVKQKKQLQDKRERKRGLQDGLRSSSNSRSGSRERR
                     EEQTDTSDGESVTHIRRLNQQPSQGLGPRGVDPNRVRLHFERDSREREVERRAARE
                     GAVSSEKLSYFHHNLETWRQLMRVLEMSDIVLLITDIRHPVVNFPPALYEVTGELGL
                     ALVLLNKVDLAPPALVVAWKHYFHQRYPQLHVVLFTSFRPDRTRQDPSSVLKKSRR
                     RGRGWTRALGPEQLLRACEAITVGKVDLSSWREKIARDVAGATWGNGSGEEEEEDGF
                     AVLVEQQTDSAMEPTGPTQERYKDGVTIGCVGFPNVGKSSLINGLVGRKVVSVSRTP
                     GHTRYFQTYFLTPSVKLCDCPGLIFPSLLPRQLQVLAGIYPIAQIQRPYTAVGYLASR
                     IPVQALLHRHPEAEPDASAEHPWCAWNICEAWAEKRGYKTAKAARNDVYRAANSLRL
                     AVDGRLSLCFHPGYSEQKGTWNRSHPETTELVVLQGRVGPVGPAGDEEEEEELSSCEB
                     EGEEDRDADEBGGEDGDEETPSAPGSSLAGRNPYALLGEDBC"
     gene            join(57061..57625,58325..58387,61503..61683,62009..62299,
                     62564..63898)
                     /gene="PRR3"
     mRNA            join(57061..57625,58325..58387,61503..61683,62009..62299,
                     62564..63898)
                     /locus_tag="XXbac-BPG249D20.5-003"
                     /gene="PRR3"
     CDS             join(57061..57625,58325..58387,61503..61683,62009..62299,
                     62564..63898)
                     /locus_tag="XXbac-BPG249D20.5-003"
                     /product="proline-rich polypeptide 3"
                     /gene="PRR3"
                     /note="match: ESTs: Em:U63336.1"
     mRNA            join(57061..57625,58325..58387,61503..61683,62009..62299,
                     62564..63898)
                     /locus_tag="XXbac-BPG249D20.5-002"
                     /product="proline-rich polypeptide 3"
                     /gene="PRR3"
                     /note="match: proteins: BT752625.1 BM545304.1 BM803167.1
                     match: cDNAs: U63336.1"
     gene            join(57061..57625,58325..58387,61503..61683,62009..62299,
                     62564..63898)
                     /gene="PRR3"
     mRNA            join(57061..57625,58325..58387,61503..61683,62009..62299,
                     62564..62670)
                     /locus_tag="XXbac-BPG249D20.5-001"
                     /product="proline-rich polypeptide 3"
                     /gene="PRR3"
                     /note="match: ESTs: BM921809.1"
     CDS             join(57061..57625,58325..58387,61503..61683,62009..62299)
                     /locus_tag="XXbac-BPG249D20.5-002"
                     /product="proline-rich polypeptide 3"
                     /gene="PRR3"
                     /note="match: proteins: P79522 Q91YI5 Q96QB9"
                     /codon_start=1
                     /product="proline-rich polypeptide 3"
                     /protein_id="CAI18155.1"
                     /db_xref="GI:55961302"
                     /db_xref="GOA:Q96QB9"
                     /db_xref="InterPro:IPR000571"
                     /db_xref="UniProt/TrEMBL:Q96QB9"
                     /standard_name="OTTHUMP00000029041"
     mRNA            join(57061..57625,58325..58387,61503..61683,62009..62299,
                     62564..63898)
                     /gene="PRR3"
                     /locus_tag="XXbac-BPG249D20.5-002"
                     /note="match: proteins: P79522 Q91YI5 Q96QB9"
     CDS             join(57520..57625,58325..58387,61503..61683)
                     /locus_tag="XXbac-BPG249D20.5-003"
                     /gene="PRR3"
                     /note="match: proteins: P79522 Q91YI5 Q96QB9"
                     /codon_start=1
                     /note="MPRKKQNHHQPTQQQPLPEREETGDBEDGSPIGPFSLLGPP
                     PMANGKPGDPKSALHRGPPGSRGPLIPPLLSLPPPWGRGPIRRGLGPRSSPYGRGWW
                     GVNAEPPFPGPGHGGPPRGSFHKEQRNPRLKSWSLIKNTCPPKDDPQVMEDKSDRPV
                     CRHPAKKGHCRYEDLCAPYHPGVNGPFPL"
                     /standard_name="OTTHUMP00000029043"
                     /gene="PRR3"
     gene            join(57520..57625,58325..58387,61503..61683)
                     /locus_tag="XXbac-BPG249D20.5-003"
                     /product="proline-rich polypeptide 3"
                     /protein_id="CAI18154.1"
                     /db_xref="GI:55961301"
```

```
CDS              /db_xref="UniProt/TrEMBL:Q5STN7"
                 /translation="MPRKKQNHHQPPTQQOPPLPEREETGDEEDGSPIGPSLLGPP
                 PMANGKPGDPKSAPNWIPPTCPSSVEWINKLLCMHAMGLHCNENE"
                 join(57520..57625,61503..61603)
                 /gene="PRR3"
                 /locus_tag="xxbac-BPG2249D20.5-002"
                 /standard_name="OTTHUMP00000029042"
                 /note="match: proteins: P79522 Q91Y15 Q96QB9"
                 /codon_start=1
                 /product="proline-rich polypeptide 3"
                 /protein_id="CAI18153.1"
                 /db_xref="GI:55961300"
                 /translation="MPRKKQNHHQPPTQQOPPLPEREETGDEEDGSPIAPNWIPPTC
                 PSSVEWINKLLCMHAMGLHCNENE"

gene             /gene="ABCF1"
                 /locus_tag="xxbac-BPG2249D20.4-002"
                 join(71568..71735,77584..77630,77993..78088,78251..78377,
                 78523..78560,78645..78752,80106..80180,80581..80694,
                 82569..82682,83241..83363,83783..83883,83980..84065,
                 84367..84406,84593..84741,85435..85518,85733..85857,
                 86054..86166,86309..86480,86649..86723,86816..86886,
                 89863..89895,89981..90149,90324..90388,90481..90553,
                 90710..>91487)

gene             /gene="ABCF1"
                 /locus_tag="xxbac-BPG2249D20.4-004"
                 join(71568..71735,77584..77630,77993..78088,78251..78377,
                 78523..78560,78645..78752,80106..80180,80581..80694,
                 82569..82682,83241..83363,83783..83883,83980..84065,
                 84367..84406,84593..84741,85435..85518,85733..85857,
                 86054..86166,86309..86480,86649..86723,86816..86886,
                 89863..89895,89981..90149,90324..90388,90481..90553,
                 90710..>91487)

gene             /gene="ABCF1"
                 /locus_tag="xxbac-BPG2249D20.4-001"
                 join(71568..71735,77584..77630,77993..78088,78248..78377,
                 78523..78560,78645..78752,80106..80180,80581..80694,

mRNA             join(71568..71735,77584..77630,77993..78088,78248..78377,
                 78523..78560,78645..78752,80106..80180,80581..80694,
```

```
Query Match      1.7%;                                Score 52;  DB 8;  Length 151228;
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches  52;  Conservative    0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy       3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGACAGAGCGAAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      12756 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGACAGAGCGAAGACTCTGTCTC 12807
```

```
RESULT 125
LOCUS       AC040905                151970 bp    DNA     linear   HTG 04-MAY-2000
AC040905/c
DEFINITION  Homo sapiens chromosome 1 clone RP11-177A12 map 1, WORKING DRAFT
            SEQUENCE, 23 unordered pieces.
ACCESSION   AC040905
VERSION     AC040905.2  GI:7705170
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 151970)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 1, clone RP11-177A12
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 151970)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,F.,
```

```
            Boguslavkiy,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., Dearellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Pereira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., LaRocque,K., Lamazares,R., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McGurk,K., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,T.M., Raymond,C., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.

COMMENT     On May 4, 2000 this sequence version replaced gi:7534048.
            All repeats were identified using RepeatMasker:
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            ---------------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            ---------------------- Project Information
            Center project name: L7581
            Center clone name: 177_A_12
            ---------------------- Summary Statistics
            Sequencing Vector: M13; M77815; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.960731
            Consensus quality: 139059 bases at least Q40
            Consensus quality: 145478 bases at least Q30
            Consensus quality: 148027 bases at least Q20
            Insert size: 163000; agarose-fp
            Insert size: 149970; sum-of-contigs
            Quality coverage: 3.7 in Q20 bases; agarose-fp
            Quality coverage: 4.1 in Q20 bases; sum-of-contigs
* NOTE: This is a 'working draft' sequence. It currently
* consists of 23 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
```

```
*        1     1023: contig of 1023 bp in length
*     1024     1123: gap of 100 bp
*     1124     2231: contig of 1108 bp in length
*     2232     2331: gap of 100 bp
*     2332     4468: contig of 2137 bp in length
*     4469     4568: gap of 100 bp
*     4569     5885: contig of 1317 bp in length
*     5886     5985: gap of 100 bp
*     5986     8879: contig of 2894 bp in length
*     8880     8979: gap of 100 bp
*     8980    10702: contig of 1723 bp in length
*    10703    10802: gap of 100 bp
*    10803    12995: contig of 2193 bp in length
*    12996    13095: gap of 100 bp
*    13096    15614: contig of 2519 bp in length
*    15615    15714: gap of 100 bp
*    15715    19162: contig of 3448 bp in length
*    19163    19262: gap of 100 bp
*    19263    23500: contig of 4238 bp in length
```

```
FEATURES             Location/Qualifiers
source          1..151970
                /organism="Homo sapiens"
                /mol_type="genomic DNA"
                /db_xref="taxon:9606"
                /clone_lib="RPCI-11 Human Male BAC"
                /clone="RP11-177A12"
                /map="1"
                /chromosome="1"
misc_feature    1..1023
                /note="assembly_fragment"
gap             1024..1123
                /estimated_length=100
misc_feature    1124..2231
                /note="assembly_fragment
                /clone_end:T7
                /vector_side:right"
gap             2232..2331
                /estimated_length=100
misc_feature    2332..4468
                /note="assembly_fragment"
gap             4469..4568
                /estimated_length=100
misc_feature    4569..5885
                /note="assembly_fragment"
gap             5886..5985
                /estimated_length=100
misc_feature    5986..8879
                /note="assembly_fragment"
gap             8880..8979
                /estimated_length=100
misc_feature    8980..10702
                /note="assembly_fragment"
gap             10703..10802
                /estimated_length=100
misc_feature    10803..12995
                /note="assembly_fragment"
gap             12996..13095
                /estimated_length=100
misc_feature    13096..15614
                /note="assembly_fragment"
gap             15615..15714
                /estimated_length=100
misc_feature    15715..19162
                /note="assembly_fragment"
gap             19163..19262
                /estimated_length=100
misc_feature    19263..23500
                /note="assembly_fragment"
gap             23501..23600
                /estimated_length=100
misc_feature    23601..27529
                /note="assembly_fragment"
gap             27530..27629
                /estimated_length=100
misc_feature    27630..32861
                /note="assembly_fragment"
gap             32862..32961
                /estimated_length=100
misc_feature    32962..37601
                /note="assembly_fragment"
gap             37602..37701
                /estimated_length=100
misc_feature    37702..44853
                /note="assembly_fragment"
gap             44854..44953
                /estimated_length=100
misc_feature    44954..50843
                /note="assembly_fragment"
gap             50844..50943
                /estimated_length=100
misc_feature    50944..60339
                /note="assembly_fragment"
gap             60340..60439
                /estimated_length=100
misc_feature    60440..68661
                /note="assembly_fragment"
gap             68662..68761
                /estimated_length=100
misc_feature    68762..78368
                /note="assembly_fragment"
gap             78369..78468
                /estimated_length=100
```

```
*   23501  23600: gap of 100 bp in length
*   23601  27529: contig of 3929 bp in length
*   27530  27629: gap of 100 bp in length
*   27630  32861: contig of 5232 bp in length
*   32862  32961: gap of 100 bp in length
*   32961  37601: contig of 4640 bp in length
*   37602  37701: gap of 100 bp in length
*   37701  44853: contig of 7152 bp in length
*   44854  44953: gap of 100 bp in length
*   44953  50843: contig of 5890 bp in length
*   50843  50943: gap of 100 bp in length
*   50943  60339: contig of 9396 bp in length
*   60339  60439: gap of 100 bp in length
*   60439  68661: contig of 8222 bp in length
*   68661  68761: gap of 100 bp in length
*   68761  78368: contig of 9607 bp in length
*   78368  78468: gap of 100 bp in length
*   78468  87095: contig of 8627 bp in length
*   87095  87195: gap of 100 bp in length
*   87195  87196: contig of 10077 bp in length
*   87196  97272: gap of 100 bp in length
*   97272  97373: contig of 10077 bp in length
*   97373  97373: gap of 100 bp in length
*   112327 112427: contig of 14955 bp in length
*   112428 112427: gap of 100 bp in length
*   112428 133342: contig of 20915 bp in length
*   133343 133442: gap of 100 bp in length
*   133443 151970: contig of 18528 bp in length
```

```
RESULT 126
AC139547/c
LOCUS       AC139547              152040 bp    DNA     linear   HTG 21-FEB-2003
DEFINITION  Homo sapiens chromosome 15 clone RP13-425K1 map 15, WORKING DRAFT
            SEQUENCE, 24 unordered pieces.
ACCESSION   AC139547
VERSION     AC139547.2  GI:28460953
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 152040)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 15, clone RP13-425K1
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 152040)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Abouelleil,A., Allen,N.,
            Anderson,S., Arachchi,H.M., Barna,N., Bastien,V., Bloom,T.,
            Boguslavkiy,L., Boukhgalter,B., Camarata,J., Chang,J., Choepel,Y.,
            Collymore,A., Cook,A., Cooke,P., Corum,B., Dearellano,K.,
            Diaz,J.S., Dodge,S., Dooley,K., Dorris,L., Erickson,J., Faro,S.,
            Ferreira,P., FitzGerald,M., Gage,D., Galagan,J., Gardyna,S.,
            Graham,L., Grand-Pierre,N., Hafez,N., Hagopian,D., Hagos,B.,
            Hall,J., Horton,L., Hulme,W., Illev,J., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
```

```
Qy           3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGAGACTTCTGTCTC 3122
                  ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         100972 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGAGACTTCTGTCTC 100921
```

```
Query Match             1.7%;  Score 52;  DB 14;  Length 151970;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
                 Lindblad-Toh,K., Liu,G., Lui,A., Mabbitt,R., Maclean,C.,
                 Macdonald,P., Major,J., Manning,J., Matthews,C., McCarthy,M.,
                 Meldrim,J., Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J.,
                 Nguyen,C., Nicol,R., Norbu,C., O'Connor,T., O'Donnell,P.,
                 O'Neil,D., Oliver,J., Peterson,K., Phunkhang,P., Pierre,N.,
                 Rachupka,A., Ramasamy,U., Raymond,C., Retta,R., Rise,C., Rogov,P.,
                 Roman,J., Schauer,S., Schupback,R., Seaman,S., Severy,P., Smith,C.,
                 Spencer,B., Stange-Thomann,N., Stojanovic,N., Stubbs,M.,
                 Talamas,J., Tesfaye,S., Theodore,J., Topham,K., Travers,M.,
                 Vassiliev,H., Venkataraman,V.S., Viel,R., Vo,A., Wilson,B., Wu,X.,
                 Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (05-FEB-2003) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 152040)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Abouelleil,A., Allen,N.,
            Anderson,S., Arachchi,H.M., Barna,N., Bastien,V., Bloom,T.,
            Boguslavkiy,L., Boukhgalter,B., Camarata,J., Chang,J., Choepel,Y.,
            Collymore,Y., Cook,A., Cooke,P., Corum,B., DeArellano,K.,
            Diaz,J.S., Dodge,S., Dooley,K., Dorris,L., Erickson,J., Faro,S.,
            Ferreira,P., FitzGerald,M., Gage,D., Galagan,J., Gardyna,S.,
            Graham,L., Grand-Pierre,N., Hafez,N., Hagopian,D., Hagos,B.,
            Hall,J., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., Lui,A., Mabbitt,R., Maclean,C.,
            Macdonald,P., Major,J., Manning,J., Matthews,C., McCarthy,M.,
            Meldrim,J., Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J.,
            Nguyen,C., Nicol,R., Norbu,C., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,J., Peterson,K., Phunkhang,P., Pierre,N.,
            Rachupka,A., Ramasamy,U., Raymond,C., Retta,R., Rise,C., Rogov,P.,
            Roman,J., Schauer,S., Schupback,R., Seaman,S., Severy,P., Smith,C.,
            Spencer,B., Stange-Thomann,N., Stojanovic,N., Stubbs,M.,
            Talamas,J., Tesfaye,S., Theodore,J., Topham,K., Travers,M.,
            Vassiliev,H., Venkataraman,V.S., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (21-FEB-2003) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Feb 21, 2003 this sequence version replaced gi:28205587.
            All repeats were identified using RepeatMasker:
            Smit,A.F.A. & Green,P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            --------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            --------------- Project Information
            Center project name: L29455
            Center clone name: 425_K_1
            --------------- Summary Statistics
            Sequencing vector: Plasmid; n/a; 100% of reads
            Chemistry: Dye-terminator Big Dye; Phrap; 100% of reads
            Assembly program: Phrap; version 0.960731
            Consensus quality: 143383 bases at least Q40
            Consensus quality: 147021 bases at least Q30
            Consensus quality: 148441 bases at least Q20
            Insert size: 213000; agarose-fp
            Insert size: 149740; sum-of-contigs
            Quality coverage: 16.9 in Q20 bases; agarose-fp
            Quality coverage: 24.1 in Q20 bases; sum-of-contigs
            ---------------
            NOTE: This is a 'working draft' sequence. It currently
            * consists of 24 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *     1   210: contig of 210 bp in length
            *   211   310: gap of 100 bp
            *   311  1698: contig of 1388 bp in length
```

```
FEATURES             Location/Qualifiers
     source          1..152040
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="15"
                     /map="15"
                     /clone="RP13-425K1"
                     /clone_lib="RPCI-13 Human Female BAC"
     misc_feature    1..210
                     /note="assembly_fragment"
     gap             211..310
                     /estimated_length=100
     misc_feature    311..1698
                     /note="assembly_fragment"
     gap             1699..1798
                     /estimated_length=100
     misc_feature    1799..2807
                     /note="assembly_fragment"
     gap             2808..2907
                     /estimated_length=100
     misc_feature    2908..3937
                     /note="assembly_fragment"
     gap             3938..4037
                     /estimated_length=100
     misc_feature    4038..4829
                     /note="assembly_fragment"
     gap             4830..4929
                     /estimated_length=100
```

```
*     1699   1798: gap of 100 bp
*     1799   2807: contig of 1009 bp in length
*     2808   2907: gap of 100 bp
*     2908   3937: contig of 1030 bp in length
*     3938   4037: gap of 100 bp
*     4038   4829: contig of 792 bp in length
*     4830   4929: gap of 100 bp
*     4930   5947: contig of 1018 bp in length
*     5948   6047: gap of 100 bp
*     6048   7740: contig of 1693 bp in length
*     7741   7840: gap of 100 bp
*     7841   9557: contig of 1717 bp in length
*     9558   9657: gap of 100 bp
*     9658  10567: contig of 910 bp in length
*    10568  10667: gap of 100 bp
*    10668  12556: contig of 1889 bp in length
*    12557  12656: gap of 100 bp
*    12657  14292: contig of 1636 bp in length
*    14293  14392: gap of 100 bp
*    14393  16890: contig of 2498 bp in length
*    16891  16990: gap of 100 bp
*    16991  17263: contig of 273 bp in length
*    17264  17363: gap of 100 bp
*    17364  19880: contig of 2517 bp in length
*    19881  19980: gap of 100 bp
*    19981  27529: contig of 7549 bp in length
*    27530  27629: gap of 100 bp
*    27630  29571: contig of 1942 bp in length
*    29572  29671: gap of 100 bp
*    29672  38820: contig of 9149 bp in length
*    38821  38920: gap of 100 bp
*    38921  46901: contig of 7981 bp in length
*    46902  47001: gap of 100 bp
*    47002  74440: contig of 27439 bp in length
*    74441  74540: gap of 100 bp
*    74541  85070: contig of 10530 bp in length
*    85071  85170: gap of 100 bp
*    85171  99159: contig of 13989 bp in length
*    99160  99259: gap of 100 bp
*    99260 118153: contig of 18894 bp in length
*   118154 118253: gap of 100 bp
*   118254 144364: contig of 26111 bp in length
*   144365 144464: gap of 100 bp
*   144465 152040: contig of 7576 bp in length.
```

```
misc_feature    4930..5947
                /note="assembly_fragment"
gap             5948..6047
                /estimated_length=100
misc_feature    6048..7740
                /note="assembly_fragment"
gap             7741..7840
                /estimated_length=100
misc_feature    7841..9557
                /note="assembly_fragment"
gap             9558..9657
                /estimated_length=100
misc_feature    9658..10567
                /note="assembly_fragment"
gap             10568..10667
                /estimated_length=100
misc_feature    10668..12556
                /note="assembly_fragment"
gap             12557..12656
                /estimated_length=100
misc_feature    12657..14292
                /note="assembly_fragment"
gap             14293..14392
                /estimated_length=100
misc_feature    14393..16890
                /note="assembly_fragment"
gap             16891..16990
                /estimated_length=100
misc_feature    16991..17263
```

```
Query Match          1.7%;  Score 52;  DB 14;  Length 152040;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches 52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy     2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    74741 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCCTGGCCAACAT 74690
```

```
RESULT 127
ACC079863
LOCUS       AC079863             152492 bp    DNA     linear   PRI 21-JUN-2002
DEFINITION  Homo sapiens 3 BAC RP11-95L3 (Roswell Park Cancer Institute Human
            BAC Library) complete sequence.
ACCESSION   AC079863
VERSION     AC079863.11  GI:17105254
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 152492)
  AUTHORS   Muzny,D.M., Adams,C., Ali-osman,F.R., Allen,C.,
            Alsbrooks,S.L., Amaratunge,H.C., Are,J.R., Banks,T., Barbaria,J.,
            Benton,J., Bimage,K., Blankenburg,K., Bonnin,D., Bouck,J.,
            Bowie,S., Brieva,M., Brown,B., Brown,M., Bryant,N.P., Buhay,C.,
            Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C., Carron,T.F.,
            Carter,M., Cavazos,S.R., Chacko,J., Chavez,D., Chen,G., Chen,R.,
            Chen,Z., Chowdhry,I., Christopoulos,C., Cleveland,C.D., Cox,C.,
            Coyle,M.D., Dathorne,S.R., David,R., Davila,M.L., Davis,C.,
            Davy-Carroll,L., Dedrich,D.A., Delaney,K.R., Delgado,O.,
            Denn,A.L., Ding,Y., Dinh,H.H., Douthwaite,K.J., Draper,H.,
            Dugan-Rocha,S., Durbin,K.J., Barnhart,C., Edgar,D., Edwards,C.C.,
            Elhaj,C., Escotto,M., Falls,T., Ferraguto,D., Flagg,N., Ford,J.,
            Foster,P., Frantz,P., Gabisi,A., Gao,J., Garcia,A., Garner,T.,
            Garza,N., Gill,R., Gorrell,J.H., Guevara,W., Gunaratne,P., Hale,S.,
            Hamilton,K., Harris,C., Harris,K., Hart,M., Havlak,P., Hawes,A.,
            He,X., Hernandez,J., Hernandez,O., Hodgson,A., Hogues,M.,
            Holloway,C., Hollins,B., Homsi,F., Howard,S., Huber,J., Hulyk,S.,
            Hume,J., Jackson,L.E., Jacobson,B., Jia,Y., Johnson,K., Jolivet,S.,
            Joudah,S., Karlsson,E., Kelly,S., Khan,U., King,L., Koravah,J.,
            Kovar,C., Kratovic,J., Kureshi,A., Landry,N., Leal,B., Lewis,L.C.,
            Lewis,L., Li,J., Li,Z., Lichtarge,O., Lieu,C., Liu,J., Liu,W.,
            Loulseged,H., Lozado,R.J., Lu,X., Lucier,A., Lucier,R., Luna,R.,
            Ma,J., Maheshwari,M., Mapua,P., Martin,R., Martindale,A.,
            Martinez,E., Massey,E., Mawhiney,E., McLeod,M.P., Meador,K.,
            Mei,G., Metzker,M., Miner,Z., Minner,G., Miner,S., Mitchell,T.,
            Moore,S., Morgan,M., Moorish,T., Morris,S., Moser,M., Neal,D.,
            Nelson,D., Newson,J., Nwokenkwo,S., Oguh,M., Okwuonu,G.,
            Nickerson,E., Nwokenkwo,S., Oguh,M., Okwuonu,G., Oragunye,N.,
            Oviedo,R., Pace,A., Payton,B., Peery,J., Perez,L., Pete2B,L.,
            Pickens,A., Primus,E., Pu,L.L., Quiles,M., Ren,Y., Rives,M.,
            Rojas,A., Rojubokan,I., Rolfe,M., Ruiz,S., Savery,G., Scherer,S.,
            Scott,G., Shen,H., Shooshtari,N., Sisson,I., Sodergren,E.,
            Sonaike,T., Sparks,A., Stanley,H., Stone,H., Sutton,A., Svatek,P.,
            Tabor,P., Tamerisa,K., Tang,H., Tansey,J., Taylor,C.,
            Taylor,T., Telfrod,B., Thomas,N., Thomas,S., Usmani,K., Vasquez,L.,
            Vera,V., Villalon,D., Vinson,R., Wall,R., Wang,S., Ward-Moore,S.,
            Warren,R., Washington,C., Watlington,S., Williams,G.,
            Williamson,A., Wleczyk,R., Wooden,S., Worley,K., Wu,C., Wu,Y.,
            Wu,Y.F., Zhou,J., Zorrilla,S., Naylor,S.L., Weinstock,G. and
            Gibbs,R.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 152492)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (05-DEC-2001) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   3  (bases 1 to 152492)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (15-SEP-2000) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   4  (bases 1 to 152492)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (28-MAR-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   5  (bases 1 to 152492)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (07-MAR-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   6  (bases 1 to 152492)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (21-JUN-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
COMMENT     On Nov 27, 2001 this sequence version replaced gi:16874814.
            INFORMATION: http://www.hgsc.bcm.tmc.edu/ or email
            gc-help@bcm.tmc.edu

            CLONE LENGTH: This sequence does not necessarily represent the
            entire insert of this clone. Overlapping regions of clones are only
            sequenced and submitted once, so the sequence for the remainder of
            the insert may be found in the record for the adjacent clones.
            Overlapping clones are noted at the beginning and end of the
            Features listing.

            ANNOTATION OF FEATURES:
            STSs are identified using ePCR (Genome Res. 7:541-550) searches
            of a local database that includes entries from dbSTS, GDB, and
            local mapping efforts.
            Repeats are identified using RepeatMasker (A. Smit and P. Green,
            unpublished.) for Human and Mouse sequences.
            Genes and Region of sequence similarity are identified by BLAST
            (Nuc. Acids Res. 25:3389-3402) similarity (expect < 1e-34) to the
            EST and cDNA sequences. Genes demonstrate at least two exons
            flanked by consensus splice sites that maintained sequence
```

continuity across the splice junctions. Sequences that are not
identical matches are annotated as similar.

SEQUENCING READ COVERAGE:This sequence is completed to a minimum
standard of double strand coverage with a minimum of 2 clones and 2
reads with no ambiguities or 2 chemistries with a minimum of 2
clones and 3 reads with no ambiguities. If the sequence quality for
a region does not meet this standard, it will be indicated in the
annotation as Low Coverage.

QUALITY OF INDIVIDUAL BASES:This sequence meets stringent quality
standards - estimated error rate less than 1 per 10,000 bases.
Reports of lowest quality individual bases and measures of base
quality are listed below. Description of the metrics can be found
at URL:
http://gc.bcm.tmc.edu:8088/quality.info/genbank.annotation.html.

QUALSTAT-REPORT.
1..152492.

FEATURES   Location/Qualifiers
     source   1..152492
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="3"
                     /clone="RP11-9543"
     misc_feature   1..2000
                     /note="overlaps bases 166235..168234 of clone AC092952"
                     /function="clone overlap"
     repeat_region   1562..1757
                     /rpt_family="L2"
     repeat_region   3321..3367
                     /rpt_family="MIR"
     repeat_region   complement(2551..2690)
                     /rpt_family="L1PA13"
     repeat_region   2920..3079
                     /rpt_family="MADE1"
     repeat_region   4166..4312
                     /rpt_family="GA-rich"
     repeat_region   complement(4369..4617)
                     /rpt_family="MIR"
     repeat_region   complement(4924..5221)
                     /rpt_family="AluJo"
     repeat_region   complement(5853..6280)
                     /rpt_family="L1"
     repeat_region   6281..6339
                     /rpt_family="Tigger2"
     repeat_region   6346..6785
                     /rpt_family="Tigger2"
     repeat_region   complement(6813..6882)
                     /rpt_family="FAM"
     repeat_region   6924..7222
                     /rpt_family="L1M3e"
     repeat_region   complement(7239..7419)
                     /rpt_family="7SLRNA"
     repeat_region   7420..7622
                     /rpt_family="Tigger1"
     repeat_region   complement(7627..7975)
                     /rpt_family="L1M2"
     repeat_region   complement(7990..8633)
                     /rpt_family="L1M4"
     repeat_region   8637..8665
                     /rpt_family="AT_rich"
     repeat_region   8672..8692
                     /rpt_family="AT_rich"
     repeat_region   8730..8820
                     /rpt_family="MLT1E2"
     repeat_region   8833..8861
                     /rpt_family="AT_rich"
     repeat_region   complement(8862..8974)
                     /rpt_family="AT_rich"
     repeat_region   9078..9169
                     /rpt_family="AluSq/x"
     repeat_region   9272..9486
                     /rpt_family="MLT1B2"
     repeat_region   complement(9489..10203)
                     /rpt_family="MLT1B2"
     repeat_region   10423..10584
                     /rpt_family="L1M4"
     repeat_region   10891..11733
                     /rpt_family="L1MCc"
     repeat_region   11832..12106
                     /rpt_family="L1M4"
     repeat_region   12207..12566
                     /rpt_family="AluJo"
     repeat_region   complement(12623..12990)
                     /rpt_family="L1MEc"
     repeat_region   complement(13033..14014)
                     /rpt_family="MLT1D"
     repeat_region   complement(14015..14326)
                     /rpt_family="L1M4"
     repeat_region   complement(14327..14539)
                     /rpt_family="AluSc"
     repeat_region   14540..14823
                     /rpt_family="L1M4"
     repeat_region   complement(14824..15113)
                     /rpt_family="Tigger3b"

RESULT 128
AC064817/c

Query Match   1.7%; Score 52; DB 8; Length 152492;
Best Local Similarity   100.0%; Pred. No. 5.7e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCGAAGACTTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   151355 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCGAAGACTTCTGTCTC 151406

LOCUS   AC064817   157135 bp   DNA   linear   HTG 16-JUL-2000
DEFINITION Homo sapiens chromosome 17 clone RP11-46I22, WORKING DRAFT
            SEQUENCE, 27 unordered pieces.
ACCESSION   AC064817
VERSION   AC064817.4 GI:8980939
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 157135)
  AUTHORS   Waterston,R.H.
  TITLE   The sequence of Homo sapiens clone RP11-46I22
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 157135)
  AUTHORS   Waterston,R.H.
  TITLE   Direct Submission
  JOURNAL   Submitted (22-APR-2000) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
COMMENT   On Jul 9, 2000 this sequence version replaced gi:7770662.
            --------------- Genome Center ---------------
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu/gsc/index.shtml
            --------------- Project Information ---------------
            Center project name: H_NH0046I22
            --------------- Summary Statistics ---------------
            Sequencing vector: M13; 100%
            Sequencing vector: plasmid; 0%
            Chemistry: Dye-terminator Big Dye; 0% of reads
            Chemistry: Dye-primer ET; 100% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 141383 bases at least Q40
            Consensus quality: 146787 bases at least Q30
            Consensus quality: 149152 bases at least Q20
            Insert size: 165000; agarose-fp

```
Insert size: 154535; sum-of-contigs
Quality coverage: 3.28 in Q20 bases; agarose-fp
Quality coverage: 3.81 in Q20 bases; sum-of-contigs
--------------------------------------------.
* NOTE: This is a 'working draft' sequence. It currently
* consists of 27 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
*         1         1120:  contig of 1120 bp in length
*      1121         1220:  gap of unknown length
*      1221         2618:  contig of 1398 bp in length
*      2619         2718:  gap of unknown length
*      2719         4808:  contig of 2090 bp in length
*      4809         4908:  gap of unknown length
*      4909         6698:  contig of 1790 bp in length
*      6699         6798:  gap of unknown length
*      6799         9212:  contig of 2414 bp in length
*      9213         9312:  gap of unknown length
*      9313        11332:  contig of 2020 bp in length
*     11333        11432:  gap of unknown length
*     11433        14518:  contig of 3086 bp in length
*     14519        14618:  gap of unknown length
*     14619        18220:  contig of 3602 bp in length
*     18221        18320:  gap of unknown length
*     18321        21383:  contig of 3063 bp in length
*     21384        21483:  gap of unknown length
*     21484        25924:  contig of 4441 bp in length
*     25925        26024:  gap of unknown length
*     26025        29223:  contig of 3199 bp in length
*     29224        29323:  gap of unknown length
*     29324        33796:  contig of 4473 bp in length
*     33797        33896:  gap of unknown length
*     33897        37526:  contig of 3630 bp in length
*     37527        37626:  gap of unknown length
*     37627        42125:  contig of 4499 bp in length
*     42126        42225:  gap of unknown length
*     42226        47482:  contig of 5257 bp in length
*     47483        47582:  gap of unknown length
*     47583        53156:  contig of 5574 bp in length
*     53157        53256:  gap of unknown length
*     53257        59938:  contig of 6682 bp in length
*     59939        60038:  gap of unknown length
*     60039        66057:  contig of 6019 bp in length
*     66058        66157:  gap of unknown length
*     66158        74668:  contig of 8511 bp in length
*     74669        74768:  gap of unknown length
*     74769        82448:  contig of 7680 bp in length
*     82449        82548:  gap of unknown length
*     82549        91047:  contig of 8499 bp in length
*     91048        91147:  gap of unknown length
*     91148        99649:  contig of 8502 bp in length
*     99650        99749:  gap of unknown length
*     99750       109752:  contig of 10003 bp in length
*    109753       109852:  gap of unknown length
*    109853       120015:  contig of 10163 bp in length
*    120016       120115:  gap of unknown length
*    120116       131890:  contig of 11775 bp in length
*    131891       131990:  gap of unknown length
*    131991       141546:  contig of 9556 bp in length
*    141547       141646:  gap of unknown length
*    141647       157135:  contig of 15489 bp in length.

FEATURES             Location/Qualifiers
     source          1..157135
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /clone="RP11-46I22"
     misc_feature    1..1120
```

```
     gap             /note="assembly_name:Contig15"
                     1121..1220
                     /estimated_length=unknown
     misc_feature    1221..2618
                     /note="assembly_name:Contig16
                     clone_end:SP6
                     vector_side:left"
     gap             2619..2718
                     /estimated_length=unknown
     misc_feature    2719..4808
                     /note="assembly_name:Contig17"
     gap             4809..4908
                     /estimated_length=unknown
     misc_feature    4909..6698
                     /note="assembly_name:Contig18"
     gap             6699..6798
                     /estimated_length=unknown
     misc_feature    6799..9212
                     /note="assembly_name:Contig19"
     gap             9213..9312
                     /estimated_length=unknown
     misc_feature    9313..11332
                     /note="assembly_name:Contig20"
     gap             11333..11432
                     /estimated_length=unknown
     misc_feature    11433..14518
                     /note="assembly_name:Contig21"
     gap             14519..14618
                     /estimated_length=unknown
     misc_feature    14619..18220
                     /note="assembly_name:Contig22"
     gap             18221..18320
                     /estimated_length=unknown
     misc_feature    18321..21383
                     /note="assembly_name:Contig23"
     gap             21384..21483
                     /estimated_length=unknown
     misc_feature    21484..25924
                     /note="assembly_name:Contig24"
     gap             25925..26024
                     /estimated_length=unknown
     misc_feature    26025..29223
                     /note="assembly_name:Contig25"
     gap             29224..29323
                     /estimated_length=unknown
     misc_feature    29324..33796
                     /note="assembly_name:Contig26"
     gap             33797..33896
                     /estimated_length=unknown
     misc_feature    33897..37526
                     /note="assembly_name:Contig27"
     gap             37527..37626
                     /estimated_length=unknown
     misc_feature    37627..42125
                     /note="assembly_name:Contig28"
     gap             42126..42225
                     /estimated_length=unknown
     misc_feature    42226..47482
                     /note="assembly_name:Contig29"
     gap             47483..47582
                     /estimated_length=unknown
     misc_feature    47583..53156
                     /note="assembly_name:Contig30"
     gap             53157..53256
                     /estimated_length=unknown
     misc_feature    53257..59938
                     /note="assembly_name:Contig31"
     gap             59939..60038
                     /estimated_length=unknown
     misc_feature    60039..66057
                     /note="assembly_name:Contig32"
     gap             66058..66157
                     /estimated_length=unknown
```

```
misc_feature      66158..74668
                  /note="assembly_name:Contig33"
gap               74669..74768
                  /estimated_length=unknown
misc_feature      74769..82448
                  /note="assembly_name:Contig34"
gap               82449..82548
                  /estimated_length=unknown
misc_feature      82549..91047
                  /note="assembly_name:Contig35"
gap               91048..91147
                  /estimated_length=unknown
misc_feature      91148..99649
                  /note="assembly_name:Contig36"
gap               99650..99749
```

```
Qy            3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGCTCTGTCTC 3122
                   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          147583 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGCTCTGTCTC 147532
```

Query Match   1.7%; Score 52; DB 14; Length 157135;
Best Local Similarity 100.0%;
Matches 52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
RESULT 129
AC008677
LOCUS       AC008677           160929 bp    DNA     linear   PRI 01-JAN-2002
DEFINITION  Homo sapiens chromosome 5 clone CTB-47B8, complete sequence.
ACCESSION   AC008677
VERSION     AC008677.5  GI:18030123
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 160929)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 160929)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (03-AUG-1999) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3  (bases 1 to 160929)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-JAN-2002) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT     On Jan 1, 2002 this sequence version replaced gi:7709258.
            Draft Sequence Produced by DOE Joint Genome Institute
            www.jgi.doe.gov
            Finishing Completed at Stanford Human Genome Center
            www-shgc.stanford.edu
            Quality: Phrap Quality >=40 99.9% of Sequence;
            Estimated Total Number of Errors is 0.1.

FEATURES             Location/Qualifiers
     source          1..160929
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="5"
                     /clone="CTB-47B8"

ORIGIN
```

Query Match   1.7%; Score 52; DB 8; Length 160929;
Best Local Similarity 100.0%; Pred. No. 5.7e-16;
Matches 52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy            2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCCTGGCCCAACAT 2940
                   ||||||||||||||||||||||||||||||||||||||||||||||||||
```

Db   92839 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCCAACAT 92890

```
RESULT 130
AC027706/c
LOCUS       AC027706           161970 bp    DNA     linear   PRI 02-MAY-2000
DEFINITION  Homo sapiens chromosome 12 clone RP11-665C13 map 12, WORKING DRAFT
            SEQUENCE, 49 unordered pieces.
ACCESSION   AC027706
VERSION     AC027706.2  GI:7677821
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 161970)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 12, clone RP11-665C13
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 161970)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,M., Bastien,V., Beda,P.,
            Boguslavkiy,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferrera,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., LaRocque,K., Lamazares,R., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McGurk,A., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,M., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Olivar,T.M., Oliver,J., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-APR-2000) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On May 2, 2000 this sequence version replaced gi:7382510.
            All repeats were identified using RepeatMasker;
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            --------------- Genome Center
               Center: Whitehead Institute/ MIT Center for Genome Research
               Center code: WIBR
               Web site: http://www-seq.wi.mit.edu
               Contact: sequence_submissions@genome.wi.mit.edu
            --------------- Project Information
               Center project name: L6713
               Center clone name: 665_C13
            --------------- Summary Statistics
               Sequencing vector: M13; M77815; 100% of reads
               Chemistry: Dye-terminator Big Dye; 100% of reads
               Assembly program: Phrap; version 0.960731
               Consensus quality: 140943 bases at least Q40
               Consensus quality: 150450 bases at least Q30
               Consensus quality: 154599 bases at least Q20
               Insert size: 165000; agarose-fp
               Insert size: 157170; sum-of-contigs
               Quality coverage: 3.1 in Q20 bases; agarose-fp
               Quality coverage: 3.3 in Q20 bases; sum-of-contigs
            ----------
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 49 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
```

```
*   runs of N, but the exact sizes of the gaps are unknown.
*   This record will be updated with the finished sequence
*   as soon as it is available and the accession number will
*   be preserved.
```

```
*        1    1052: contig of 1052 bp in length
*     1053    1152: gap of 100 bp
*     1153    2378: contig of 1226 bp in length
*     2379    2478: gap of 100 bp
*     2479    3812: contig of 1334 bp in length
*     3813    3912: gap of 100 bp
*     3913    5368: contig of 1456 bp in length
*     5369    5468: gap of 100 bp
*     5469    6519: contig of 1051 bp in length
*     6520    6619: gap of 100 bp
*     6620    7852: contig of 1233 bp in length
*     7853    7952: gap of 100 bp
*     7953    8464: contig of 512 bp in length
*     8465    8564: gap of 100 bp
*     8565   10347: contig of 1783 bp in length
*    10348   10447: gap of 100 bp
*    10448   12145: contig of 1698 bp in length
*    12146   12245: gap of 100 bp
*    12246   14006: contig of 1761 bp in length
*    14007   14106: gap of 100 bp
*    14107   15358: contig of 1252 bp in length
*    15359   15458: gap of 100 bp
*    15459   17152: contig of 1694 bp in length
*    17153   17252: gap of 100 bp
*    17253   18800: contig of 1548 bp in length
*    18801   18900: gap of 100 bp
*    18901   20291: contig of 1391 bp in length
*    20292   20391: gap of 100 bp
*    20392   21889: contig of 1498 bp in length
*    21890   21989: gap of 100 bp
*    21990   24355: contig of 2366 bp in length
*    24356   24455: gap of 100 bp
*    24456   26757: contig of 2302 bp in length
*    26758   26857: gap of 100 bp
*    26858   28317: contig of 1460 bp in length
*    28318   28417: gap of 100 bp
*    28418   30781: contig of 2364 bp in length
*    30782   30881: gap of 100 bp
*    30882   32789: contig of 1908 bp in length
*    32790   32889: gap of 100 bp
*    32890   35214: contig of 2325 bp in length
*    35215   35314: gap of 100 bp
*    35315   37181: contig of 1867 bp in length
*    37182   37281: gap of 100 bp
*    37282   39642: contig of 2361 bp in length
*    39643   39742: gap of 100 bp
*    39743   41978: contig of 2236 bp in length
*    41979   42078: gap of 100 bp
*    42079   44963: contig of 2885 bp in length
*    44964   45063: gap of 100 bp
*    45064   47265: contig of 2202 bp in length
*    47266   47365: gap of 100 bp
*    47366   49847: contig of 2482 bp in length
*    49848   49947: gap of 100 bp
*    49948   52474: contig of 2527 bp in length
*    52475   52574: gap of 100 bp
*    52575   54767: contig of 2193 bp in length
*    54768   54867: gap of 100 bp
*    54868   57938: contig of 3071 bp in length
*    57939   58038: gap of 100 bp
*    58039   60538: contig of 2500 bp in length
*    60539   60638: gap of 100 bp
*    60639   63422: contig of 2784 bp in length
*    63423   63522: gap of 100 bp
*    63523   66038: contig of 2516 bp in length
*    66039   66138: gap of 100 bp
*    66139   69185: contig of 3047 bp in length
*    69186   69285: gap of 100 bp
*    69286   72321: contig of 3036 bp in length
*    72322   72421: gap of 100 bp in length
*    72422   75240: contig of 2819 bp in length
*    75241   75340: gap of 100 bp in length
*    75341   77598: contig of 2258 bp in length
*    77599   77698: gap of 100 bp in length
*    77699   82485: contig of 4787 bp in length
*    82486   82585: gap of 100 bp in length
*    82586   86177: contig of 3592 bp in length
*    86178   86277: gap of 100 bp in length
*    86278   91129: contig of 4852 bp in length
*    91130   91229: gap of 100 bp in length
*    91230   94475: contig of 3246 bp in length
*    94476   94575: gap of 100 bp in length
*    94576   98382: contig of 3807 bp in length
*    98383   98482: gap of 100 bp in length
*    98483  103891: contig of 5409 bp in length
*   103892  103991: gap of 100 bp in length
*   103992  109749: contig of 5758 bp in length
*   109750  109849: gap of 100 bp in length
*   109850  116075: contig of 6226 bp in length
*   116076  116175: gap of 100 bp in length
*   116176  122437: contig of 6262 bp in length
*   122438  122537: gap of 100 bp in length
*   122538  132392: contig of 9855 bp in length
*   132393  132492: gap of 100 bp in length
*   132493  141881: contig of 9389 bp in length
*   141882  141981: gap of 100 bp in length
*   141982  161970: contig of 19989 bp in length.
```

```
FEATURES             Location/Qualifiers
     source          1..161970
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="12"
                     /map="12"
                     /clone="RP11-665C13"
                     /clone_lib="RPCI-11 Human Male BAC"
     misc_feature    1..1052
     gap             1053..1152
                     /estimated_length=100
     misc_feature    1153..2378
                     /note="assembly_fragment"
     gap             2379..2478
                     /estimated_length=100
     misc_feature    2479..3812
                     /note="assembly_fragment"
     gap             3813..3912
                     /estimated_length=100
     misc_feature    3913..5368
                     /note="assembly_fragment"
     gap             5369..5468
                     /estimated_length=100
     misc_feature    5469..6519
                     /note="assembly_fragment"
     gap             6520..6619
                     /estimated_length=100
     misc_feature    6620..7852
                     /note="assembly_fragment"
```

```
DEFINITION  Human DNA sequence from clone Xxbac-17K10 on chromosome 6 contains
LOCUS       AL662822          162948 bp    DNA    linear   PRI 18-MAY-2005
ACCESSION   AL662822
RESULT 131

Db   5801 CAAGATTGTGCCACTGCACTCCAGCCTGGCAACAGAGCCAAGAGACTTCTGTCTC 5750
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGCAACAGAGCCAAGAGACTTCTGTCTC 3122

Matches    52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Query Match   1.7%;   Score 52;  DB 14;  Length 161970;
```

```
ACCESSION   AL662822
VERSION     AL662822.4  GI:18650691
KEYWORDS    HTG; A-BETA; AR24; CpG island; HLA-6.2; HLA-E; major
            histocompatibility complex class 1-related P; major
            histocompatibility complex, class I-related pseudogene, a
            succinate-CoA ligase, ADP forming, beta subunit (SUCLA2)
            gene for major histocompatibility complex, class I, E and six CpG
            islands, complete sequence.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 162948)
  AUTHORS   Johnson,C.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Feb 11, 2002 this sequence version replaced gi:18135278.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep Xxbac-17K10 is
            from a CHORI-502 human bac - COX cell line library VECTOR:
            pTARBAC2.1
            This sequence was generated from part of bacterial clone contigs
            constructed by the MHC Haplotype Consortium and collaborators.
            Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr6/MHC
            --------------- Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
            ---------------
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..162948
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="XXbac-17K10"
                     /clone_lib="CHORI-502"
     misc_feature    1
                     /note="Clone_left_end: XXbac-17K10"
     misc_feature    28257
                     /note="Clone_right_end: XXbac-2271"
     gene            join(32973..33223,33490..33775,34377..34894,37463..37598)
                     /locus_tag="xxbac-BCX17K10.1-001"
                     /pseudo
     CDS             join(32973,33490..33775,34377..34894,37463..37598)
                     /locus_tag="xxbac-BCX17K10.1-001"
                     /note="match: proteins: Q98234 Q98266 Q98269 Q8WLQ0 Q8WLQ1
                     Q8WLZ6 Q9SHA2 Q9BCR4 Q9BCR5 Q9GIZ5 Q9TPU8"
                     /pseudo
                     /codon_start=1
                     /product="MHC class I polypeptide-related sequence C"
     misc_feature    7963
                     /note="Clone_left_end: XXbac-98321"
     gene            join(84827,..85246,85498,..86253)
```

```
     CDS             /locus_tag="xxbac-BCX17K10.3-001"
                     /pseudo
                     /product="thymopoietin-like 1"
                     join(84827..85246,85498..86253)
                     /locus_tag="xxbac-BCX17K10.3-001"
                     /note="match: proteins: AAC25390 O73766 P42167 Q61028
                     Q61030 Q61031 Q61032"
                     /pseudo
                     /codon_start=1
     gene            87207..88544
                     /locus_tag="xxbac-BCX17K10.5-001"
                     /pseudo
     CDS             87207..88544
                     /locus_tag="xxbac-BCX17K10.5-001"
                     /note="match: proteins: O97580 P53312 P53588 Q8WM98 Q9P2R7
                     Q9Y4T0 Q9YI37 Q92219"
                     /pseudo
                     /codon_start=1
                     /product="succinate-CoA ligase, ADP-forming, beta subunit
                     pseudogene"
     gene            104251..104901
                     /locus_tag="xxbac-BCX17K10.2-001"
                     /pseudo
     CDS             104251..104901
                     /locus_tag="xxbac-BCX17K10.2-001"
                     /note="match: proteins: AAH14518 AAH14829 AAM33416 O76173
                     P17080 P32835 P35292 P42558 P91857 Q22208 Q61820 Q9IB88
                     Q9XJ45 Q9YGC0"
                     /pseudo
                     /codon_start=1
                     /gene="RAN, member RAS oncogene family pseudogene 1"
     mRNA            join(107752,107905,108036,108305,108550,108825,
                     110851..110893,111059..112507)
                     /locus_tag="xxbac-BCX17K10.4-001"
                     /product="major histocompatibility complex, class I, E"
                     /note="match: ESTs: BG028524.1 BG756822.1 BM791769.1
                     BM917068.1
                     match: cDNAs: AJ293263.1 AJ293264.1 BC002578.1 M20022.1"
                     join(107842..107905,108036,108305,108550,108825,
                     109447..109722,109847..109963,110714..110746,
                     110851..110891)
                     /gene="HLA-E"
                     /locus_tag="xxbac-BCX17K10.4-001"
                     /standard_name="OTTHUMP00000029626"
                     /codon_start=1
                     /product="major histocompatibility complex, class I, E"
                     /protein_id="CAI17548.1"
                     /db_xref="GI:55961319"
                     /db_xref="InterPro:IPR001039"
                     /db_xref="InterPro:IPR003006"
                     /db_xref="InterPro:IPR003597"
                     /db_xref="InterPro:IPR007110"
                     /db_xref="InterPro:IPR011161"
                     /gene="HLA-E"
                     /locus_tag="xxbac-BCX17K10.4-001"
                     /translation="MVDGTLLLLLSEALALTQTWAGSHSLKYFHTSVSRPGRGEPRFI
                     SVGYVDDTQFVRFDNDAASPRMVPRAPWMEQEGSEYWDRETRSARDTAQIFRVNLRTL
                     RGYYNQSEAGSHTLQWMHGCELGPDRRFLRGYEQFAYDGKDYLTLNEDLRSWTAVDTA
                     AQISEQKSNDASEARHQAYLEDTCVEWLHKYLEKGKSTLLHLEPPKTHVTHHPISDH
                     EATLRCWALGFYPAEITLTWQQDGEGHTQDTELVETRPAGDGTFQKWAAVVVPSGEEQ
                     RYTCHVQHEGLPEPVTLRWKPASQPTIPIVGIIAGLVLLGSVVSGAVVAAVIMRKKSS
                     GGKGGSYSKAEWSDSAQGSESHSL"
     misc_feature    162948
                     /note="Clone_right_end: XXbac-17K10"
ORIGIN
            Query Match    1.7%;  Score 52;  DB 8;  Length 162948;
            Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
            Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
Qy      3071 CAAGAGTTGTGCCACTGCACTCCAGCTCTGGGCGCAACAGAGGCAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||  |||||||||   |||||||||||
Db    130886 CAAGAGTTGTGCCACTGCACTCCAGCTCTGGGCAACAGAGGACTCTGTCTC 130937
```

RESULT 132

LOCUS AC108670   163157 bp DNA   linear   PRI 28-DEC-2002
DEFINITION Homo sapiens 3 BAC RP11-218A22 (Roswell Park Cancer Institute Human BAC Library) complete sequence.
ACCESSION AC108670
VERSION AC108670.10 GI:23355671
KEYWORDS HTG.
SOURCE   Homo sapiens (human)
 ORGANISM Homo sapiens
  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
  Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
  Hominidae; Homo.
REFERENCE 1 (bases 1 to 163157)
 AUTHORS Muzny,D.M., Adams,C., Adio-Oduola,B., Ali-osman,F.R., Allen,C.,
  Alsbrooks,S.L., Amaratunge,H.C., Are,J.R., Ayele,M., Banks,T.,
  Barbaria,J., Benton,J., Bimage,K., Blankenburg,K., Bonnin,D.,
  Bouck,J., Bowie,S., Brieva,M., Brown,M., Bryant,N.P.,
  Buhay,C., Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C.,
  Carron,T.F., Carter,M., Cavazos,S.R., Chacko,J., Chavez,D.,
  Chen,G., Chen,R., Chen,Z., Chowdhry,I., Christopoulos,C.,
  Cleveland,C.D., Cox,C.C., Coyle,M.D., Dathorne,S.R., David,R.,
  Davila,M.R., Davis,C., Davy-Carroll,L., Dederich,D.A.,
  Delaney,K.R., Delgado,O., Denn,A.L., Ding,Y., Dinh,H.H.,
  Douthwaite,K.J., Draper,H., Dugan-Rocha,S., Durbin,K.J.,
  Earnhart,C., Edgar,D., Edwards,C.C., Elhaj,C., Escotto,M.,
  Falls,T., Ferraguto,D., Flagg,N., Ford,J., Foster,P., Frantz,P.,
  Gabisi,A., Gao,J., Garcia,A., Garner,T., Garza,N., Gill,R.,
  Gorell,J.H., Guevara,W., Gunaratne,P., Hale,S., Hamilton,K.,
  Harris,C., Harris,K., Hart,M., Havlak,P., Hawes,A., He,X.,
  Hernandez,J., Hernandez,O., Hodgson,A., Hogues,M., Holloway,C.,
  Hollins,B., Homsi,F., Howard,S., Huber,J., Hulyk,S., Hume,J.,
  Jackson,L.E., Jacobson,B., Jia,Y., Johnson,R., Jolivet,S.,
  Joudah,S., Karlsson,E., Kelly,S., Khan,U., King,L., Korvah,J.,
  Kovar,C., Kracovic,J., Kureshi,J., Landry,N., Leal,B., Lewis,L.C.,
  Lewis,L., Li,J., Li,Z., Lichtarge,O., Lieu,C., Liu,J., Liu,W.,
  Louieeged,H., Lozado,R.J., Lu,X., Lucier,A., Lucier,R., Luna,R.,
  Ma,J., Maheshwari,M., Mapua,P., Martin,R., Martindale,A.,
  Martinez,E., Massey,E., Mawhiney,E., Mcleod,M.P., Meador,M.,
  Mei,G., Metzker,M., Miner,G., Miner,Z., Mitchell,T., Mohabbat,K.,
  Moore,S., Morgan,M., Morris,T., Morris,S., Moser,M., Neal,D.,
  Nelson,D., Newsom,J., Newton,N., Nguyen,A., Nguyen,N., Nguyen,N.,
  Nickerson,E., Nwokenkwo,S., Oguh,M., Okwuonu,G., Oragunye,N.,
  Oviedo,R., Pace,A., Payton,B., Peery,J., Perez,L., Peters,L.,
  Pickens,R., Primus,E., Pu,L., Quiles,M., Ren,Y., Rives,M.,
  Rojas,A., Rojubokan,I., Rolfe,M., Ruiz,S., Savery,G., Scherer,S.,
  Scott,G., Shen,H., Shooshtari,N., Sisson,I., Sodergren,E.,
  Sonaike,T., Sparks,A., Stanley,H., Stone,H., Sutton,A., Svatek,A.,
  Tabor,P., Tamerisa,K., Tang,H., Tansey,J., Taylor,C.,
  Taylor,T., Telford,B., Thomas,N., Thomas,S., Usmani,K., Vasquez,L.,
  Vera,V., Villalon,D., Vinson,R., Wang,Q., Wang,S., Ward-Moore,S.,
  Warren,R., Washington,C., Watlington,S., Williams,G.,
  Williamson,A., Wleczyk,R., Wooden,S., Worley,K., Wu,C., Wu,Y.,
  Wu,Y.F., Zhou,J., Zorrilla,S., Naylor,S.L., Weinstock,G. and
  Gibbs,R.
 TITLE Direct Submission
 JOURNAL Unpublished
REFERENCE 2 (bases 1 to 163157)
 AUTHORS Worley,K.C.
 TITLE Direct Submission
 JOURNAL Submitted (31-JAN-2002) Human Genome Sequencing Center, Department
  of Molecular and Human Genetics, Baylor College of Medicine, One
  Baylor Plaza, Houston, TX 77030, USA
REFERENCE 3 (bases 1 to 163157)
 AUTHORS Worley,K.C.
 TITLE Direct Submission
 JOURNAL Submitted (01-OCT-2002) Human Genome Sequencing Center, Department
  of Molecular and Human Genetics, Baylor College of Medicine, One
  Baylor Plaza, Houston, TX 77030, USA
REFERENCE 4 (bases 1 to 163157)
 AUTHORS Worley,K.C.
 TITLE Direct Submission
 JOURNAL Submitted (30-SEP-2002) Human Genome Sequencing Center, Department
  of Molecular and Human Genetics, Baylor College of Medicine, One
  Baylor Plaza, Houston, TX 77030, USA
REFERENCE 5 (bases 1 to 163157)
 AUTHORS Worley,K.C.
 TITLE Direct Submission
 JOURNAL Submitted (28-DEC-2002) Human Genome Sequencing Center, Department
  of Molecular and Human Genetics, Baylor College of Medicine, One
  Baylor Plaza, Houston, TX 77030, USA
REFERENCE 6 (bases 1 to 163157)
 AUTHORS Worley,K.C.
 TITLE Direct Submission
 JOURNAL Submitted (12-SEP-2002) Human Genome Sequencing Center, Department
  of Molecular and Human Genetics, Baylor College of Medicine, One

COMMENT On Sep 30, 2002 this sequence version replaced gi:20514653.
  INFORMATION: http://www.hgsc.bcm.tmc.edu/ or email
  gc-help@bcm.tmc.edu

  CLONE LENGTH: This sequence does not necessarily represent the
  entire insert of this clone. Overlapping regions of clones are only
  sequenced and submitted once, so the sequence for the remainder of
  the insert may be found in the record for the adjacent clones.
  Overlapping clones are noted at the beginning and end of the
  Features listing.

  ANNOTATION OF FEATURES:
  STSs are identified using ePCR (Genome Res. 7:541-550) searches
  of a local database that includes entries from dbSTS, GDB, and
  local mapping efforts.
  Repeats are identified using RepeatMasker (A. Smit and P. Green,
  unpublished.) for Human and Mouse sequences.
  Genes and Region of sequence similarity are identified by BLAST
  (Nuc. Acids Res. 25:3389-3402) similarity (expect < 1e-34) to the
  EST and cDNA sequences. Genes demonstrate at least two exons
  flanked by consensus splice sites that maintained sequence
  continuity across the splice junctions. Sequences that are not
  identical matches are annotated as similar.

  SEQUENCING READ COVERAGE: Sequencing is completed to a minimum
  standard of double strand coverage with a minimum of 2 clones and 2
  reads with no ambiguities or 2 chemistries with a minimum of 2
  clones and 3 reads with no ambiguities. If the sequence quality for
  a region does not meet this standard, it will be indicated in the
  annotation as Low Coverage.

  QUALITY OF INDIVIDUAL BASES: This sequence meets stringent quality
  standards - estimated error rate less than 1 per 10,000 bases.
  Reports of lowest quality individual bases and measures of base
  quality are listed below. Description of the metrics can be found
  at URL:
  http://www.hgsc.bcm.tmc.edu:8088/quality.info/genbank.annotation.ht
  ml.

FEATURES   Location/Qualifiers
 source   1..163157
        /organism="Homo sapiens"
        /mol_type="genomic DNA"
        /db_xref="taxon:9606"
        /chromosome="3"
        /clone="RP11-218A22"
 repeat_region 1..234
        /rpt_family="AluSg/x"
 repeat_region 348..468
        /rpt_family="FLAM_C"
 repeat_region 469..765
        /rpt_family="AluSx"
 repeat_region 1012..1319
        /rpt_family="AluSx"
 repeat_region complement(1553..1867)
        /rpt_family="AluSx"

```
RESULT 133
AC141308

Qy        3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
               |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       22314 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 22263

Query Match      1.7%;  Score 52;  DB 8;  Length 163157;
Best Local Similarity   100.0%;
Matches   52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

repeat_region    /rpt_family="AluJb"
                 complement(1868..1977)
repeat_region    /rpt_family="AluJo"
                 2381..2686
repeat_region    /rpt_family="AluSx"
                 2687..2756
repeat_region    /rpt_family="(TA)n"
                 complement(2757..2829)
repeat_region    /rpt_family="Ricksha"
                 complement(2830..3124)
repeat_region    /rpt_family="AluSq"
                 complement(3125..3254)
repeat_region    /rpt_family="Ricksha"
                 3262..3847
repeat_region    /rpt_family="LTR9"
                 3966..4259
repeat_region    /rpt_family="AluSx"
                 complement(4327..4607)
repeat_region    /rpt_family="HERVL"
                 4833..5124
repeat_region    /rpt_family="AluSq"
                 5125..5436
repeat_region    /rpt_family="AluSx"
                 5635..5683
repeat_region    /rpt_family="AT_rich"
                 complement(5746..5934)
repeat_region    /rpt_family="AluWb"
                 complement(5935..6248)
repeat_region    /rpt_family="AluSx"
                 complement(6249..6350)
repeat_region    /rpt_family="AluJb"
                 6613..6747
repeat_region    /rpt_family="MER112"
                 complement(6837..7158)
repeat_region    /rpt_family="AluSc"
                 7439..7727
repeat_region    /rpt_family="AluSp"
                 7738..7771
repeat_region    /rpt_family="(TAAA)n"
                 complement(7828..7948)
repeat_region    /rpt_family="MLT1H"
                 complement(8132..8280)
repeat_region    /rpt_family="MLT1G1"
                 complement(8357..8467)
repeat_region    /rpt_family="L2"
                 complement(8472..8775)
repeat_region    /rpt_family="AluSg"
                 complement(9131..9257)
repeat_region    /rpt_family="L2"
                 9246..9369
repeat_region    /rpt_family="MIR"
                 9730..9751
repeat_region    /rpt_family="AT_rich"
                 9761..9893
repeat_region    /rpt_family="AluSq/x"
                 9907..10200
repeat_region    /rpt_family="AluSx"
                 complement(10355..10680)
repeat_region    /rpt_family="L2"
                 11039..11148
repeat_region    /rpt_family="MIR"
                 11039..
```

```
LOCUS           AC141308               163280 bp    DNA     linear   HTG 11-MAR-2003
DEFINITION      Homo sapiens chromosome 16 clone RP11-85H8, WORKING DRAFT
                SEQUENCE, 3 unordered pieces.
ACCESSION       AC141308
VERSION         AC141308.1  GI:28913088
KEYWORDS        HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_ACTIVEFIN.
SOURCE          Homo sapiens (human)
  ORGANISM      Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                Hominidae; Homo.
REFERENCE       1  (bases 1 to 163280)
  AUTHORS       DOE Joint Genome Institute.
  TITLE         Sequencing of Human Chromosome 16
  JOURNAL       Unpublished
REFERENCE       2  (bases 1 to 163280)
  AUTHORS       DOE Joint Genome Institute.
  TITLE         Direct Submission
  JOURNAL       Submitted (11-MAR-2003) Production Sequencing Facility, DOE Joint
                Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT         -------------Genome Center
                Center: Joint Genome Institute
                Center Code: JGI
                Web site: http://www.jgi.doe.gov
                -------------
                Project Information
                Center Project Name: 1623000
                Center Project Name: 1623000
                Center clone name: RPCI-11_85H8
                -------------
                Summary Statistics
                Consensus quality: 162905 bases at least Q40
                Consensus quality: 162980 bases at least Q30
                Consensus quality: 163047 bases at least Q20
                Estimated insert size: 175000; agarose-fp estimation
                Estimated insert size: 163080; sum-of-contigs estimation
                Quality coverage: 13.59 in Q20 bases; agarose-fp estimation
                Quality coverage: 14.58 in Q20 bases; sum-of-contigs estimation.
                NOTE: This is a 'working draft' sequence. It currently
                * consists of 3 contigs. The true order of the pieces
                * is not known and their order in this sequence record is
                * arbitrary. Gaps between the contigs are represented as
                * runs of N, but the exact sizes of the gaps are unknown.
                * This record will be updated with the finished sequence
                * as soon as it is available and the accession number will
                * be preserved.
                *      1     22836: contig of 22836 bp in length
                *  22837     22936: gap of unknown length
                *  22937     49828: contig of 26892 bp in length
                *  49829     49928: gap of unknown length
                *  49929    163280: contig of 113352 bp in length
FEATURES             Location/Qualifiers
     source          1..163280
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="16"
                     /clone="RP11-85H8"
                     /clone_lib="RPCI human BAC library 11"
     gap             22837..22936
                     /estimated_length=unknown
     gap             49829..49928
                     /estimated_length=unknown
ORIGIN

Qy        3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
               |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      134135 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 134186

Query Match      1.7%;  Score 52;  DB 14;  Length 163280;
Best Local Similarity   100.0%;
Matches   52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;
```

```
RESULT 134
LOCUS       AC161476              163432 bp    DNA     linear   HTG 24-JUN-2005
DEFINITION  Pan troglodytes chromosome UNKNOWN clone CH251-284F7, WORKING DRAFT
            SEQUENCE, 16 unordered pieces.
ACCESSION   AC161476
VERSION     AC161476.1  GI:65146782
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP.
SOURCE      Pan troglodytes (chimpanzee)
  ORGANISM  Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 163432)
  AUTHORS   Wilson,R.K.
  TITLE     The sequence of Pan troglodytes clone
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 163432)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (14-MAY-2005) Genetics, Genome Sequencing Center, 4444
            Forest Park Parkway, St. Louis, MO 63108, USA
REFERENCE   3  (bases 1 to 163432)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (24-JUN-2005) Genetics, Genome Sequencing Center, 4444
            Forest Park Parkway, St. Louis, MO 63108, USA
COMMENT     ------------- Genome Center -------------
               Center: Washington University Genome Sequencing Center
               Center code: WUGSC
               Web site: http://genome.wustl.edu
               Contact: submissions@watson.wustl.edu
            ------------ Project Information ------------
               Center project name: C_AB0284F07
            --------- Summary Statistics ---------
               Sequencing vector: M13; 0%
               Sequencing vector: plasmid; 100%
               Chemistry: Dye-primer ET; 0% of reads
               Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.990319
               Consensus quality: 152742 bases at least Q40
               Consensus quality: 156159 bases at least Q30
               Consensus quality: 158103 bases at least Q20
             * NOTE: This is a 'working draft' sequence. It currently
             * consists of 16 contigs. The true order of the pieces
             * is not known and their order in this sequence record is
             * arbitrary. Gaps between the contigs are represented as
             * runs of N, but the exact sizes of the gaps are unknown.
             * This record will be updated with the finished sequence
             * as soon as it is available and the accession number will
             * be preserved.
             *
             *        1     1144: contig of 1144 bp in length
             *     1145     1244: gap of unknown length
             *     1245     2840: contig of 1596 bp in length
             *     2841     2940: gap of unknown length
             *     2941     5060: contig of 2120 bp in length
             *     5061     5160: gap of unknown length
             *     5161     8540: contig of 3380 bp in length
             *     8541     8640: gap of unknown length
             *     8641    11235: contig of 2595 bp in length
             *    11236    11335: gap of unknown length
             *    11336    18780: contig of 7445 bp in length
             *    18781    18880: gap of unknown length
             *    18881    24016: contig of 5136 bp in length
             *    24017    24116: gap of unknown length
             *    24117    30109: contig of 5993 bp in length
             *    30110    30209: gap of unknown length
             *    30210    42865: contig of 12656 bp in length
             *    42866    42965: gap of unknown length
             *    42966    51561: contig of 8596 bp in length
```

```
FEATURES             Location/Qualifiers
     source          1..163432
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /chromosome="UNKNOWN"
                     /clone="CH251-284F7"
     misc_feature    1..1144
                     /note="assembly_name:Contig941"
     gap             1145..1244
                     /estimated_length=unknown
     misc_feature    1245..2840
                     /note="assembly_name:Contig945"
     gap             2841..2940
                     /estimated_length=unknown
     misc_feature    2941..5060
                     /note="assembly_name:Contig950"
     gap             5061..5160
                     /estimated_length=unknown
     misc_feature    5161..8540
                     /note="assembly_name:Contig951"
     gap             8541..8640
                     /estimated_length=unknown
     misc_feature    8641..11235
                     /note="assembly_name:Contig952"
     gap             11236..11335
                     /estimated_length=unknown
     misc_feature    11336..18780
                     /note="assembly_name:Contig953"
     gap             18781..18880
                     /estimated_length=unknown
     misc_feature    18881..24016
                     /note="assembly_name:Contig954"
     gap             24017..24116
                     /estimated_length=unknown
     misc_feature    24117..30109
                     /note="assembly_name:Contig955"
     gap             30110..30209
                     /estimated_length=unknown
     misc_feature    30210..42865
                     /note="assembly_name:Contig956"
     gap             42866..42965
                     /estimated_length=unknown
     misc_feature    42966..51561
                     /note="assembly_name:Contig957
                     vector_end:SP6
                     clone_end:SP6
                     vector_side:right"
     gap             51562..51661
                     /estimated_length=unknown
     misc_feature    51662..65150
                     /note="assembly_name:Contig958"
     gap             65151..65250
                     /estimated_length=unknown
     misc_feature    65251..74190
                     /note="assembly_name:Contig959"
     gap             74191..74290
                     /estimated_length=unknown
     misc_feature    74291..84891
                     /note="assembly_name:Contig960"
     gap             84892..84991
                     /estimated_length=unknown
```

```
             *    51562    51661: gap of unknown length
             *    51662    65150: contig of 13489 bp in length
             *    65151    65250: gap of unknown length
             *    65251    74190: contig of 8940 bp in length
             *    74191    74290: gap of unknown length
             *    74291    84891: contig of 10601 bp in length
             *    84892    84991: gap of unknown length
             *    84992   103199: contig of 18208 bp in length
             *   103200   103299: gap of unknown length
             *   103300   125871: contig of 22572 bp in length
             *   125872   125971: gap of unknown length
             *   125972   163432: contig of 37461 bp in length.
```

```
misc_feature      84992. .103199
                  /note="assembly_name:Contig961"
        .         103200. .103299
                  /estimated_length=unknown
gap
misc_feature      103300. .125871
                  /note="assembly_name:Contig962"
        .         125872. .125971
                  /estimated_length=unknown
gap
misc_feature      125972. .163432
                  /note="assembly_name:Contig963"

ORIGIN
Qy    2889 GAGGCAGGTGGATCACTGAGGTCGAGGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||
Db    91488 GAGGCAGGTGGATCACTGAGGTCGAGGACCAGCCTGGCCAACAT 91539

RESULT 135
Qy       Query Match
         Best Local Similarity   100.0%;
         Matches 52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

         Score 52;  DB 14;  Length 163432;
         Pred. No. 5.7e-16;
AC092606
LOCUS          AC092606            163437 bp     DNA     linear    PRI 08-OCT-2003
DEFINITION     Homo sapiens BAC clone RP11-150B23 from 7, complete sequence.
ACCESSION      AC092606
VERSION        AC092606.2  GI:1562897
KEYWORDS       HTG.
SOURCE         Homo sapiens (human)
  ORGANISM     Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
               Hominidae; Homo.
REFERENCE      1  (bases 1 to 163437)
  AUTHORS      Sulston,J.E. and Wilson,R.
  TITLE        Toward a complete human genome sequence
  JOURNAL      Genome Res. 8 (11), 1097-1108 (1998)
  PUBMED       9847074
REFERENCE      2  (bases 1 to 163437)
  AUTHORS      Abbott,A., Doebber,A. and Hou,S.
  TITLE        The sequence of Homo sapiens BAC clone RP11-150B23
  JOURNAL      Unpublished (2001)
REFERENCE      3  (bases 1 to 163437)
  AUTHORS      Waterston,R.H.
  TITLE        Direct Submission
  JOURNAL      Submitted (19-JUL-2001) Genome Sequencing Center, Washington
               University School of Medicine, 4444 Forest Park Parkway, St. Louis,
               MO 63108, USA
REFERENCE      4  (bases 1 to 163437)
  AUTHORS      Waterston,R.H.
  TITLE        Direct Submission
  JOURNAL      Submitted (01-MAR-2002) Department of Genetics, Washington
               University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE      5  (bases 1 to 163437)
  AUTHORS      Waterston,R.
  TITLE        Direct Submission
  JOURNAL      Submitted (18-SEP-2001) Genome Sequencing Center, Washington
               University School of Medicine, 4444 Forest Park Parkway, St. Louis,
               MO 63108, USA
REFERENCE      6  (bases 1 to 163437)
  AUTHORS      Waterston,R.
  TITLE        Direct Submission
  JOURNAL      Submitted (04-JUN-2002) Department of Genetics, Washington
               University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE      7  (bases 1 to 163437)
  AUTHORS      Waterston,R.
  TITLE        Direct Submission
  JOURNAL      Submitted (29-APR-2003) Department of Genetics, Washington
               University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE      8  (bases 1 to 163437)
  AUTHORS      Wilson,R.
  TITLE        Direct Submission
  JOURNAL      Submitted (08-OCT-2003) Department of Genetics, Washington
```

```
               University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
COMMENT        On Sep 18, 2001 this sequence version replaced gi:14916191.
               -------------- Genome Center
               Center: Washington University Genome Sequencing Center
               Center code: WUGSC
               Web site: http://genome.wustl.edu
               Contact: sapiens@watson.wustl.edu
               --------------- Summary Statistics
               Center project name: H_NH0150B23
               Drafting Center: WIBR
               ---------------

               NOTICE: This sequence may not represent the entire insert of this
               clone. It may be shorter because we only sequence overlapping
               clone sections once, or longer because we provide a small overlap
               between neighboring data submissions.

               This sequence was finished as follows unless otherwise noted:
               all regions were double stranded, sequenced with an alternate
               chemistry, or covered by high quality data (i.e., phred quality >=
               30); an attempt was made to resolve all sequencing problems, such
               as compressions and repeats; all regions were covered by sequence
               from more than one subclone; and the assembly was confirmed by
               restriction digest.

MAPPING INFORMATION:
               The sequence of this clone was established as part of a mapping and
               sequencing collaboration between the NHGRI Chromosome 7 Mapping
               Project (Eric D. Green, Director; John D. McPherson in the
               Department of Genetics (Washington University), and the Washington
               University Genome Sequencing Center. For additional information
               about the map position of this sequence, see
               http://www.nhgri.nih.gov/DIR/GTB/CHR7/, send
               mailto:egreen@nhgri.nih.gov, or see http://genome.wustl.edu

SOURCE INFORMATION:
               The RPCI-11 human BAC library was made from the blood of one male
               donor, as described by Osoegawa,K., Woon,P.Y., Zhao,B., Frengen,E.,
               Tateno,M., Catanese,J.J. and de Jong,P.J. (1998) An improved
               approach for construction of bacterial artificial chromosome
               libraries. Genomics 51:1-8. The clone may be obtained either from
               Research Genetics, Inc. (http://www.resgen.com) or Pieter de Jong
               and coworkers at http://www.chori.org
               VECTOR: pBACe3.6

NEIGHBORING SEQUENCE INFORMATION:
               Data from AC092148 was used to finish this clone, AC092606.

               The clone sequenced to the right is RP11-95L23. Actual start of
               this clone is at base position 1 of RP11-150B23 actual end is at
               base position 163437 of RP11-150B23.

               The sequence of AC025297 has been incorporated into AC092606.
FEATURES             Location/Qualifiers
     source          1. .163437
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="7"
                     /map="7"
                     /clone="RP11-150B23"
                     /clone_lib="RPCI-11"
     repeat_region   1. .953
                     /rpt_family="L1"
     repeat_region   1041. .1227
                     /rpt_family="L1"
     repeat_region   1227. .1868
                     /rpt_family="L1"
     repeat_region   3283. .3321
                     /rpt_family="L1"
     repeat_region   10219. .10601
                     /rpt_family="(TTTG)n"
     repeat_region   10602. .12171
                     /rpt_family="MaLR"
```

```
repeat_region   12172..12542   /rpt_family="MaLR"
repeat_region   13005..13032   /rpt_family="MaLR"
repeat_region   13940..14015   /rpt_family="AT_rich"
repeat_region   14231..14531   /rpt_family="MIR"
repeat_region   16011..16093   /rpt_family="Alu"
repeat_region   17056..17085   /rpt_family="MIR"
repeat_region   18554..18884   /rpt_family="AT_rich"
repeat_region   19610..19797   /rpt_family="Alu"
repeat_region   19838..19908   /rpt_family="MIR"
repeat_region   19909..20298   /rpt_family="L2"
repeat_region   21626..21672   /rpt_family="MaLR"
repeat_region   22177..22416   /rpt_family="L2"
misc_feature    22180..22419   /note="CpG island (%GC=58.3, o/e=0.86, #CpGs=18)"
repeat_region   22422..22455   /rpt_family="(A)n"
repeat_region   22747..22869   /rpt_family="MER1_type"
repeat_region   22871..23099   /rpt_family="Alu"
repeat_region   23115..23659   /rpt_family="MaLR"
repeat_region   24116..24359   /rpt_family="ERVL"
repeat_region   24900..24942   /rpt_family="L2"
repeat_region   25007..25236   /rpt_family="(CATA)n"
repeat_region   25878..26146   /rpt_family="MIR"
repeat_region   27029..27127   /rpt_family="Alu"
repeat_region   27128..27167   /rpt_family="L2"
repeat_region   27168..27388   /rpt_family="(CA)n"
repeat_region   28936..29055   /rpt_family="L2"
repeat_region   29766..29797   /rpt_family="MIR"
repeat_region   29878..29904   /rpt_family="(TA)n"
repeat_region   29906..30135   /rpt_family="(GA)n"
repeat_region   30620..30777   /rpt_family="Alu"
repeat_region   30778..31086   /rpt_family="L1"
repeat_region   31087..31289   /rpt_family="Alu"
repeat_region   32124..32189   /rpt_family="L1"
repeat_region   32323..32442   /rpt_family="L2"
repeat_region   33086..33222   /rpt_family="CR1"
repeat_region   33274..33551   /rpt_family="MIR"
repeat_region   33822..34122   /rpt_family="MaLR"
repeat_region   34435..34711   /rpt_family="L2"
repeat_region   35362..35457   /rpt_family="CT-rich"
```

```
Query Match            1.7%;   Score 52; DB 8; Length 163437;
Best Local Similarity  100.0%; Pred. No. 5.7e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  85364 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGAGACTCTGTCTC 85415
```

```
RESULT 136
AC096508/c

LOCUS       AC096508    163662 bp    DNA    linear    HTG 13-SEP-2002
DEFINITION  Homo sapiens chromosome X clone RP11-111F17, WORKING DRAFT
            SEQUENCE, 5 unordered pieces.
ACCESSION   AC096508
VERSION     AC096508.8  GI:22830224
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP; HTGS_ACTIVEFIN.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 163662)
  AUTHORS   Muzny,D.M., Adams,C., Adio-Oduola,B., Ali-osman,F.R., Allen,C.,
            Alabrooks,S.L., Amaratunge,H.C., Ara,J.R., Ayele,M., Banks,T.,
            Barbaria,J., Benton,J., Bimage,K., Blankenburg,K., Bonnin,D.,
            Bouck,J., Bowie,S., Brieva,M., Brown,E., Brown,M., Bryant,N.P.,
            Buhay,C., Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C.,
            Carron,T.F., Carter,M., Cavazos,S.R., Chacko,J., Chavez,D.,
            Chen,G., Chen,R., Chen,Z., Chowdhry,I., Christopoulos,C.,
            Cleveland,C.D., Cox,C., Coyle,M.D., Dathorne,S.R., David,R.,
            Davila,M.L., Davis,C., Davy-Carroll,L., Dederich,D.A.,
            Delaney,K.R., Delgado,O., Denn,A.L., Ding,Y., Dinh,H.H.,
            Douthwaite,K.J., Draper,H., Dugan-Rocha,S., Durbin,K.J.,
            Earnhart,C., Edgar,D., Edwards,C.C., Elhaj,C., Escotto,M.,
            Falls,T., Ferraguto,D., Flagg,N., Ford,J., Foster,P., Frantz,P.,
            Gabisi,A., Gao,J., Garcia,A., Garner,T., Garza,N., Gill,R.R.,
            Gorrell,J.H., Guevara,M., Gunaratne,P., Hale,S., Hamilton,K.,
            Harris,C., Harris,K., Hart,M., Havlak,P., Hawes,A., Hernandez,J.,
            Hernandez,O., Hodgson,A., Hogues,M., Holloway,C., Hollins,B.,
            Homsi,F., Howard,S., Huber,J., Hulyk,S., Hume,J., Jackson,L.B.,
            Jacobson,B., Jia,Y., Johnson,R., Jolivet,S., Joudah,S.,
            Karlsson,E., Kelly,S., Khan,U., King,L., Korvah,J., Kovar,C.,
            Kratovic,J., Kureshi,A., Landry,N., Leal,B., Lewis,L.C., Lewis,L.,
            Li,J., Li,Z., Lichtarge,O., Lieu,C., Liu,J., Liu,W., Loulseged,H.,
            Lozado,R.J., Lu,X., Lucier,A., Lucier,R., Luna,R., Ma,J.,
            Maheshwari,M., Mapua,P., Martin,R., Martindale,A., Martinez,E.,
            Massey,E., Mawhiney,E., McLeod,M.P., Meador,M., Mei,G., Metzker,M.,
            Miner,G., Miner,Z., Mitchell,T., Mohabbat,K., Morgan,M., Morris,S.,
            Moser,M., Neal,D., Newton,J., Newtson,N., Nguyen,L., Nguyen,N.,
            Nguyen,N., Nickerson,E., Nwokenkwo,S., Oguh,M., Okwuonu,G.,
            Oragunye,N., Oviedo,R., Pace,A., Payton,B., Peery,J., Perez,L.,
            Peters,L., Pickens,R., Primus,E., Pu,L.L., Quiles,M.,
            Rives,M., Rojas,A., Rojubokan,I., Rolfe,M., Ruiz,S., Savery,G.,
            Scherer,S., Scott,G., Shen,H., Shooshtari,N., Sisson,I.,
            Sodergren,E., Sonaike,T., Sparks,A., Stanley,H., Stone,I.,
            Sutton,A., Svatek,A., Tabor,P., Tamerisa,K., Tang,H.,
            Tansey,J., Taylor,C., Taylor,T., Telford,B., Thomas,N., Thomas,S.,
            Usmani,K., Vasquez,V., Vera,V., Villalon,D., Vinson,P., Wang,Q.,
            Wang,S., Ward-Moore,S., Warren,R., Washington,C., Watlington,S.,
            Williams,G., Williamson,A., Wieczyk,R., Wooden,S., Worley,K.,
            Wu,C., Wu,Y., Wu,Y.F., Zhou,J., Zorrilla,S., Nelson,D.,
            Weinstock,G. and Gibbs,R.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 163662)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
```

```
JOURNAL   Submitted (17-SEP-2001) Human Genome Sequencing Center, Department
          of Molecular and Human Genetics, Baylor College of Medicine, One
          Baylor Plaza, Houston, TX 77030, USA
REFERENCE 3  (bases 1 to 163662)
AUTHORS   Worley,K.C.
TITLE     Direct Submission
JOURNAL   Submitted (13-SEP-2002) Human Genome Sequencing Center, Department
          of Molecular and Human Genetics, Baylor College of Medicine, One
          Baylor Plaza, Houston, TX 77030, USA
COMMENT   On Sep 13, 2002 this sequence version replaced gi:20376857.
          ----------------------  Genome Center
          Center: Baylor College of Medicine
          Center code: BCM
          Web site: http://www.hgsc.bcm.tmc.edu/
          Drafting Center Code: BCM
          Contact: hgsc-help@bcm.tmc.edu
          ----------------------  Project Information
          Center project name: HDML
          Center clone name: RP11-111F17
          ----------------------  Summary Statistics
          Sequencing vector: plasmid;
          Sequencing vector: M13;
          Chemistry: Dye-terminator Big Dye; version 0.990329
          Assembly program: Phrap; version 0.990329
          Consensus quality: 161410 bases at least Q40
          Consensus quality: 162039 bases at least Q30
          Consensus quality: 162473 bases at least Q20
          Estimated insert size: 164107; sum-of-contigs estimation
          Quality coverage: 10x in Q20 bases; sum-of-contigs estimation
          *
          * NOTE: Estimated insert size may differ from sequence length
          * (see http://www.hgsc.bcm.tmc.edu/docs/Genbank_draft_data.html).
          * NOTE: This is a 'working draft' sequence. It currently
          * consists of 5 contigs. The true order of the pieces
          * is not known and their order in this sequence record is
          * arbitrary. Gaps between the contigs are represented as
          * runs of N, but the exact sizes of the gaps are unknown.
          * This record will be updated with the finished sequence
          * as soon as it is available and the accession number will
          * be preserved.
          *
          * 1      3227: contig of 3227 bp in length
          * 3228   3327: gap of unknown length
          * 3328  12653: contig of 9326 bp in length
          * 12654 12753: gap of unknown length
          * 12754 33426: contig of 20673 bp in length
          * 33427 33526: gap of unknown length
          * 33527 60991: contig of 27465 bp in length
          * 60992 61091: gap of unknown length
          * 61092 163662: contig of 102571 bp in length
FEATURES             Location/Qualifiers
     source          1..163662
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="X"
                     /clone="RP11-111F17"
     gap             3228..3327
                     /estimated_length=unknown
     gap             12654..12753
                     /estimated_length=unknown
     gap             33427..33526
                     /estimated_length=unknown
     gap             60992..61091
                     /estimated_length=unknown
ORIGIN

Query Match       1.7%;  Score 52;  DB 14;  Length 163662;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  2889 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 85350 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 85299
```

```
RESULT 137
LOCUS       AC150837    164429 bp    DNA    linear    HTG 02-APR-2005
DEFINITION  Papio anubis clone RP41-147B6, WORKING DRAFT SEQUENCE, 16 ordered
            pieces.
ACCESSION   AC150837
VERSION     AC150837.3  GI:62175061
KEYWORDS    HTG; HTGS_PHASE2; HTGS DRAFT.
SOURCE      Papio anubis (olive baboon)
  ORGANISM  Papio anubis
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Cercopithecidae; Cercopithecinae; Papio.
REFERENCE   1  (bases 1 to 164429)
  AUTHORS   Antonellis,A., Ayele,K., Benjamin,B., Blakesley,R.W., Boakye,A.,
            Bouffard,G.G., Brinkley,C., Brooks,S., Chu,G., Coleman,H.,
            Engle,J., Fuksenko,T., Gestole,M., Greene,A., Guan,X., Gupta,J.,
            Haghighi,P., Han,J., Hansen,N., Ho,S.-L., Hu,P., Hunter,G.,
            Hurle,B., Idol,J.R., Kwong,P., Laric,P., Larson,S., Lee-Lin,S.-Q.,
            Legaspi,R., Madden,M., Maduro,Q.L., Maduro,V.B., Margulies,E.H.,
            Masiello,C., Maskeri,B., McDowell,J., Mojidi,H.A., Mullikin,J.C.,
            Oestreicher,J.S., Park,M., Portnoy,M.E., Prasad,A., Puri,O.,
            Reddix-Dugue,N., Schandler,K., Schueler,M.G., Sison,C.,
            Stantripop,S., Stephen,E., Taye,A., Thomas,J.W., Thomas,P.J.,
            Tsipouri,V., Ung,L., Vogt,J.L., Wetherby,K.D., Young,A. and
            Green,E.D.
            NISC Comparative Sequencing Initiative
  TITLE     Unpublished
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 164429)
  AUTHORS   Green,E.D.
  TITLE     Direct Submission
  JOURNAL   Submitted (11-AUG-2004) NIH Intramural Sequencing Center, 8717
            Grovemont Circle, Gaithersburg, MD 20877, USA
REFERENCE   3  (bases 1 to 164429)
  AUTHORS   Green,E.D.
  TITLE     Direct Submission
  JOURNAL   Submitted (02-APR-2005) NIH Intramural Sequencing Center, 5625
            Fishers Lane, Rockville, MD 20852, USA
COMMENT     On Apr 2, 2005 this sequence version replaced gi:56159036.
            ----------------------  Genome Center
            Center: NIH Intramural Sequencing Center
            Center code: NISC
            Web site: http://www.nisc.nih.gov
            Contact: nisc_zoo@nhgri.nih.gov
            ----------------------  Project Information
            Center project name: hql
            Center clone name: 147B06
            ----------------------
            The sequence data in this record represents an 'enhanced'
            version of a Phase 2 submission. Specifically, the indicated
            order and orientation of each sequence contig has been
            established using one or more of the following: read-pair
            data from individual subclones, overlaps with neighboring
            clones, alignment with available reference sequence (e.g.,
            human), and/or confirmation by PCR testing. In addition,
            the sequence assembly is generally based on at least 8X average
            coverage in Q20 bases and has been reviewed to rule out
            gross misassemblies, the low-quality ends of sequence
            contigs have been trimmed away, and each base is associated
            with a Phrap-derived quality score.
            ----------------------  Summary Statistics
            Sequencing vector: plasmid; n/a; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 160267 bases at least Q40
            Consensus quality: 161522 bases at least Q30
            Consensus quality: 162357 bases at least Q20
            Insert size: 132000; agarose-fp
            Insert size: 162929; sum-of-contigs
            Quality coverage: 12.99x in Q20 bases; agarose-fp
            Quality coverage: 10.53x in Q20 bases; sum-of-contigs
```

```
------------
*  NOTE: This is a 'working draft' sequence. It currently
*  consists of 16 contigs. Gaps between the contigs
*  are represented as runs of N. The order of the pieces
*  is believed to be correct as given, however the sizes
*  of the gaps between them are based on estimates that have
*  provided by the submittor.
*  This sequence will be replaced
*  by the finished sequence as soon as it is available and
*  the accession number will be preserved.
*            1            4345: contig of 4345 bp in length
*         4446            4445: gap of unknown length
*        11450           11449: contig of 7004 bp in length
*        11550           11549: gap of unknown length
*        28453           28453: contig of 16904 bp in length
*        28554           28553: gap of unknown length
*        30920           30919: contig of 2366 bp in length
*        31020           31019: gap of unknown length
*        36198           36197: contig of 5178 bp in length
*        36298           36297: gap of unknown length
*        39675           39674: contig of 3377 bp in length
*        39775           39774: gap of unknown length
*        46431           46430: contig of 6656 bp in length
*        46531           46530: gap of unknown length
*        49598           49597: contig of 3067 bp in length
*        49698           49697: gap of unknown length
*        63076           63075: contig of 13378 bp in length
*        63176           63175: gap of unknown length
*        66463           66462: contig of 3287 bp in length
*        66563           66562: gap of unknown length
*        69323           69322: contig of 2760 bp in length
*        69423           69422: gap of unknown length
*        85464           85463: contig of 16041 bp in length
*        85564           85563: gap of unknown length
*       119975          119974: contig of 34411 bp in length
*       120075          120074: gap of unknown length
*       131536          131535: contig of 11461 bp in length
*       131636          131635: gap of unknown length
*       133932          133931: contig of 2296 bp in length
*       134032          134031: gap of unknown length
*       164429          164429: contig of 30398 bp in length.
FEATURES             Location/Qualifiers
     source          1..164429
                     /organism="Papio anubis"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9555"
                     /clone_lib="RP41"
                     /clone="RP41-147B6"
                     /note="BAC resource: http://bacpac.chori.org/"
     misc_feature    1..50701
                     /note="clone overlaps with GenBank Accession Number
                     AC094014 clone RP41-371B12 (center project name ccv)"
     misc_feature    1..4345
                     /note="assembly_fragment"
     gap             4346..4445
                     /estimated_length=unknown
     misc_feature    4446..11449
                     /note="assembly_fragment"
     gap             11450..11549
                     /estimated_length=unknown
     misc_feature    11550..28453
                     /note="assembly_fragment"
     gap             28454..28553
                     /estimated_length=unknown
     misc_feature    28554..30919
                     /note="assembly_fragment"
     gap             30920..31019
                     /estimated_length=unknown
     misc_feature    31020..36197
                     /note="assembly_fragment"
     gap             36198..36297
                     /estimated_length=unknown
     misc_feature    36298..39674
                     /note="assembly_fragment"
     gap             39675..39774
                     /estimated_length=unknown
     misc_feature    39775..46430
                     /note="assembly_fragment"
     gap             46431..46530
                     /estimated_length=unknown
     misc_feature    49598..49697
                     /note="assembly_fragment"
     gap             49598..49697
                     /estimated_length=unknown
     misc_feature    49698..63075
                     /note="assembly_fragment"
     gap             63076..63175
                     /estimated_length=unknown
     misc_feature    63176..66462
                     /note="assembly_fragment"
     gap             66463..66562
                     /estimated_length=unknown
     misc_feature    66563..69322
                     /note="assembly_fragment"
     gap             69323..69422
                     /estimated_length=unknown
     misc_feature    69423..85463
                     /note="assembly_fragment"
     gap             74551..164429
                     /note="clone overlaps with GenBank Accession Number
                     AC093126 clone RP41-221J21 (center project name ccu)"
     gap             85464..85563
                     /estimated_length=unknown
     misc_feature    85564..119974
                     /note="assembly_fragment"
     gap             119975..120074
                     /estimated_length=unknown
     misc_feature    120075..131535
                     /note="assembly_fragment"
     gap             131536..131635
                     /estimated_length=unknown
     misc_feature    131636..133931
                     /note="assembly_fragment"
     gap             133932..134031
                     /estimated_length=unknown
     misc_feature    134032..164429
                     /note="assembly_fragment
                     clone_end:T7
                     vector_side:right"
```

```
TITLE       Haugen,E.D.
JOURNAL     Direct Submission
            Unpublished
REFERENCE   2  (bases 1 to 165311)
AUTHORS     Kaul,R.K., Olson,M.V., Raymond,C., Clendenning,J. and Haugen,E.D.
TITLE       Direct Submission
JOURNAL     Submitted (06-OCT-2001) Genome Center, University of Washington,
            Box 352145, Seattle, WA 98195, USA
REFERENCE   3  (bases 1 to 165311)
AUTHORS     Kaul,R.K., Olson,M.V., Zhou,Y., James,R.A., Raymond,C. and
            Haugen,E.D.
TITLE       Direct Submission
JOURNAL     Submitted (04-JAN-2002) Genome Center, University of Washington,
            Box 352145, Seattle, WA 98195, USA
COMMENT     On Jan 4, 2002 this sequence version replaced gi:15982504.
            -----  Genome Center
            Center: University of Washington Genome Center
            Center Code: UWGC
            Web site: http://www.genome.washington.edu
            Contact: uwgchtgs@u.washington.edu
            -----  Project Information
            Center Project name: chr-1
            Center clone name: RP11-415L24 (sc0692)
            -----  Summary Statistics
            Sequencing vector: plasmid; 62% of reads
            Sequencing vector: plasmid; 38% of reads
            Chemistry: Dye-terminator ET; 92% of reads
            Chemistry: Dye-terminator Big Dye; 8% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 165135 bases at least Q40
            Consensus quality: 165301 bases at least Q30
            Consensus quality: 165311 bases at least Q20
            Insert size: 165311; sum-of-contigs
            Quality coverage: 10.5x in Q20 bases; sum-of-contigs
            -----.
            Overlapping Sequences:
            5': Mapping in progress
            3': Mapping in progress
            -----.
            Sequence Quality Assessment:
            This entry has been annotated with sequence quality
            estimates computed by the Phrap assembly program.
            All manually edited bases have been reduced to quality zero.
            Quality levels above 40 are expected to have less than
            1 error in 10,000 bp.
            Base-by-base quality values are not generally visible from the
            GenBank flat file format but are available as part
            of this entry's ASN.1 file.
            -----.
            Sequence Validation:
            This sequence was finished as follows unless otherwise noted:
            all regions were either double-stranded or sequenced with an
            alternate chemistry or covered by high quality data (i.e., Phred
            quality >= 30); an attempt was made to resolve all sequencing
            problems, such as compressions and repeats; all regions were
            covered by at least one plasmid subclone or more than one M13
            subclone; and the assembly was confirmed by restriction digest.
            -----.
            Sequence Validation:
            This sequence has been validated by Multiple Complete Digest
            fingerprinting. Comparison of the experimentally derived digest
            fragments with sequence-predicted fragments is given below.
            The electronically-digested sequence consists of both insert and
            vector, in order to accurately represent the entire circular BAC.
            Small fragments below a variable cutoff (approximately 400-800 bp)
            are not resolved in the fingerprint and hence do not appear
            in the table. There are no significant remaining discrepancies
            between the experimental and predicted values. Uniquely ordered
            fragments are separated by dashed lines.
            EcoRI
            -------  -------  -------  -------
            Hindlll
            -------  -------  -------  -------
            BglII
            -------  -------  -------  -------
SeqDerMap   FngrPrnt SeqDerMap FngrPrnt
-------  -------  -------  -------
```

SeqDerMap	FngrPrnt	SeqDerMap	FngrPrnt	SeqDerMap	FngrPrnt
8696	8888	8888	2946	2958	3938
6	<800	6382	6573	6573	2067
1114	1095	512	<800	<800	6223
2678	2839	449	<800	3058	3059
12640	12720	12720	1478	1474	1596
3027	3001	4425	4355	4355	1864
3092	3205	4873	4812	4812	2371
3033	3001	4854	4812	4812	2950
2024	2026	101	<800	66	<800
5868	5803	6408	6573	6573	1920
2058	2026	917	912	912	8992
5042	4888	650	<800	<800	3816
4032	4019	13	<800	1133	1206
3619	3528	1690	1726	4202	4243
591	<800	386	<800	3573	3372
4588	4489	2804	2844	1849	1854
2408	2424	4197	4127	5100	4972
7317	7290	1498	1474	4855	4668
894	900	2333	2322	786	738
3436	3528	18208	18271	2637	2661
628	<800	2298	2322	1590	1498
4548	4489	655	<800	1551	1498
10022	9975	4722	4639	2404	2419
1294	1270	3350	3349	2367	2419
3368	3404	1106	1120	7404	7763
2605	2636	6	<800	2550	2661
11049	11044	1252	1252	5821	5919
2901	3001	1865	1874	6442	6510
3810	3763	3820	3748	7628	7763
3224	3404	3738	3748	3409	3372
265	<800	1260	1252	5101	5174
1506	1489	2177	2158	4674	4668
2794	3001	11327	11212	1871	1854
10596	10633	8132	8134	3928	3943
5955	5803	8234	8134	3151	3177
2975	3001	9110	9098	10946	10956

```
RESULT 139
LOCUS       AC135854/c
ACCESSION   AC135854/c
DEFINITION  Homo sapiens chromosome 15 clone RP11-1404H5 map 15, 3 unordered
            pieces.

Qy          3071 CAAGATTCGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         60695 CAAGATTCGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 60644
```

Query Match 1.7%; Score 52; DB 8; Length 165311;
Best Local Similarity 100.0%; Pred. No. 5.7e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
FEATURES             Location/Qualifiers
     source          1..165311
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP11-415L24"
                     /clone_lib="RPCI human BAC library 11"
ORIGIN
```

7368	----	7290	7551	7596	1507	1498
740	<800	1891	1874	5891	5919
6924	6877	3698	3748	8949	9128
488	<800	218	2678	2827
1689	1615	11309	11212	51	<800
634	<800	770	6768	6510
376	<800	8011	8134	3884	3943
12088	12061	581	<800	2500	2661
		1780	1874	4918	4800
		641	<800	719	<800
		5216	5119	2412	2419
		2255	2322
		1179	1120
		734	<800

```
LOCUS       AC135854   165972 bp   DNA   linear   HTG 27-MAR-2003
DEFINITION  Homo sapiens chromosome 15 clone RP11-1404H5 map 15, 3 unordered
            pieces.
ACCESSION   AC135854
VERSION     AC135854.4  GI:27552578
KEYWORDS    HTG; HTGS_PHASE1; HTGS_FULLTOP; HTGS_CANCELLED.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 165972)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 15, clone RP11-1404H5
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 165972)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
            Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
            Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
            Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (23-OCT-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 165972)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
            Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
            Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
            Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (27-MAR-2003) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
  COMMENT   On Jan 9, 2003 this sequence version replaced gi:27531844.
            All repeats were identified using RepeatMasker.
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            --------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            --------------- Project Information
            Center project name: L28447
            Center clone name: 1404_H_5
            --------------- 
            NOTE: This is a 'working draft' sequence. It currently
            consists of 3 contigs. The true order of the pieces
            is not known and their order in this sequence record is
            arbitrary. Gaps between the contigs are represented as
            runs of N, but the exact sizes of the gaps are unknown.
            This record will be updated with the finished sequence
            as soon as it is available and the accession number will
            be preserved.
               1            22900: contig of 22900 bp in length
           22901            23000: gap of 100 bp
           23001           138676: contig of 115676 bp in length
          138677           138776: gap of 100 bp
          138777           165972: contig of 27196 bp in length
FEATURES             Location/Qualifiers
     source          1..165972
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="15"
                     /clone="RP11-1404H5"
                     /map="15"
                     /clone_lib="RPCI-11 Male BAC segment 5"
     gap             22901..23000
                     /estimated_length=100
     gap             138677..138776
                     /estimated_length=100
```

```
RESULT 140

Query Match        1.7%;  Score 52; DB 14;  Length 165972;
Best Local Similarity 100.0%;  Pred. No. 5.7e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCCTGGGCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  76245 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCCTGGGCAACAT 76194
```

```
ORIGIN      /estimated_length=100

LOCUS       AC026830              166484 bp    DNA     linear   HTG 24-AUG-2002
DEFINITION  Homo sapiens chromosome 15 clone RP11-215H14 map 15, WORKING DRAFT
            SEQUENCE, 32 unordered pieces.
ACCESSION   AC026830
VERSION     AC026830.2  GI:7596690
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 166484)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 15, clone RP11-215H14
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 166484)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,P.,
            Boguslavkiy,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Illev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., LaRocque,K., Lamazares,R., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McGurk,A., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,J., Oliver,T.M., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (24-MAR-2000) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 166484)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,P.,
            Boguslavkiy,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Illev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., LaRocque,K., Lamazares,R., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McGurk,A., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,J., Oliver,T.M., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
```

```
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (24-AUG-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
            On Apr 19, 2000 this sequence version replaced gi:7321633.
            All repeats were identified using RepeatMasker;
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            --------------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            --------------------- Project Information
            Center project name: 215_H_14
            Center clone name: 215_H_14
            --------------------- Summary Statistics
            Sequencing vector: M13; M77815; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.960731
            Consensus quality: 150453 bases at least Q40
            Consensus quality: 158028 bases at least Q30
            Consensus quality: 161192 bases at least Q20
            Insert size: 176000; agarose-fp
            Insert size: 163384; sum-of-contigs
            Quality coverage: 3.6 in Q20 bases; agarose-fp
            Quality coverage: 3.9 in Q20 bases; sum-of-contigs
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 32 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *           1: contig of 1024 bp in length
            *        1025: gap of 100 bp
            *        1124: contig of 1024 bp in length
            *        1125: gap of 100 bp
            *        2485: contig of 1361 bp in length
            *        2486: gap of 100 bp
            *        2585: contig of 100 bp in length
            *        2586: gap of 100 bp
            *        3626: contig of 1041 bp in length
            *        3627: gap of 100 bp
            *        3726: contig of 3855 bp in length
            *        3727: gap of 100 bp
            *        4884: contig of 1158 bp in length
            *        4885: gap of 100 bp
            *        4984: contig of 100 bp in length
            *        4985: gap of 100 bp
            *        6513: contig of 1529 bp in length
            *        6514: gap of 100 bp
            *        6613: contig of 100 bp in length
            *        6614: gap of 100 bp
            *        8513: contig of 1900 bp in length
            *        8514: gap of 100 bp
            *        8613: contig of 100 bp in length
            *        8614: gap of 100 bp
            *       10616: contig of 2003 bp in length
            *       10617: gap of 100 bp
            *       10716: contig of 100 bp in length
            *       10717: gap of 100 bp
            *       12445: contig of 1729 bp in length
            *       12446: gap of 100 bp
            *       12545: contig of 100 bp in length
            *       12546: gap of 100 bp
            *       16043: contig of 3498 bp in length
            *       16044: gap of 100 bp
            *       16143: contig of 100 bp in length
            *       16144: gap of 100 bp
            *       19800: contig of 3657 bp in length
            *       19801: gap of 100 bp
            *       19900: contig of 100 bp in length
            *       19901: gap of 100 bp
            *       23755: contig of 3855 bp in length
            *       23756: gap of 100 bp
            *       23855: contig of 100 bp in length
            *       23856: gap of 100 bp
            *       25033: contig of 1178 bp in length
            *       25034: gap of 100 bp
            *       25133: contig of 100 bp in length
            *       25134: gap of 100 bp
            *       28296: contig of 3163 bp in length
            *       28297: gap of 100 bp
            *       28396: contig of 100 bp in length
            *       28397: gap of 100 bp
            *       31054: contig of 2658 bp in length
            *       31055: gap of 100 bp
            *       31154: contig of 100 bp in length
            *       31155: gap of 100 bp
            *       35420: contig of 4266 bp in length
            *       35421: gap of 100 bp
            *       35520: contig of 100 bp in length
            *       35521: gap of 100 bp
            *       39220: contig of 3700 bp in length
            *       39221: gap of 100 bp
            *       39320: contig of 100 bp in length
            *       39321: gap of 100 bp
            *       42676: contig of 3356 bp in length
            *       42677: gap of 100 bp
            *       42776: contig of 100 bp in length
            *       42777: gap of 100 bp
            *       46418: contig of 3642 bp in length
```

Column 1 (alignment and FEATURES table)

Query Match

Best Local Similarity 100.0%; 1.7%; Score 52; DB 14; Length 166484; Pred. No. 5.7e-16;

Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
*  46419   46518:  gap of 100 bp in length
*  46519   51021:  contig of 4503 bp in length
*  51022   51121:  gap of 100 bp in length
*  51122   56073:  contig of 4952 bp in length
*  56074   56173:  gap of 100 bp in length
*  56174   61048:  contig of 4875 bp in length
*  61049   61148:  gap of 100 bp in length
*  61149   66205:  contig of 5057 bp in length
*  66206   66305:  gap of 100 bp in length
*  66306   72086:  contig of 5781 bp in length
*  72087   72186:  gap of 100 bp in length
*  72187   77190:  contig of 5004 bp in length
*  77191   77290:  gap of 100 bp in length
*  77291   87414:  contig of 10124 bp in length
*  87415   87514:  gap of 100 bp in length
*  87515   94355:  contig of 6841 bp in length
*  94356   94455:  gap of 100 bp in length
*  94456  103495:  contig of 9040 bp in length
* 103496  103595:  gap of 100 bp in length
* 103596  112676:  contig of 9081 bp in length
* 112677  112776:  gap of 100 bp in length
* 112777  122142:  contig of 9366 bp in length
* 122143  122242:  gap of 100 bp in length
* 122243  131715:  contig of 9473 bp in length
* 131716  131815:  gap of 100 bp in length
* 131816  142646:  contig of 10831 bp in length
* 142647  142746:  gap of 100 bp in length
* 142747  166484:  contig of 23738 bp in length.
```

FEATURES   Location/Qualifiers
```
     source          1..166484
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="15"
                     /map="15"
                     /clone_lib="RPCI-11 Human Male BAC"
                     /clone="RP11-215H14"
     misc_feature    1..1024
                     /note="assembly_fragment"
     gap             1025..1124
                     /estimated_length=100
     misc_feature    1125..2485
                     /note="assembly_fragment"
     gap             2486..2585
                     /estimated_length=100
     misc_feature    2586..3626
                     /note="assembly_fragment"
     gap             3627..3726
                     /estimated_length=100
     misc_feature    3727..4884
                     /note="assembly_fragment"
     gap             4885..4984
                     /estimated_length=100
     misc_feature    4985..6513
                     /note="assembly_fragment"
     gap             6514..6613
                     /estimated_length=100
     misc_feature    6614..8513
                     /note="assembly_fragment"
     gap             8514..8613
                     /estimated_length=100
     misc_feature    8614..10616
                     /note="assembly_fragment"
     gap             10617..10716
                     /estimated_length=100
     misc_feature    1017..12445
                     /note="assembly_fragment"
     gap             12446..12545
                     /note="assembly_fragment"
```

Column 2 (GenBank record)

```
Qy   2889  GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGCCTTGGGCCAACAT  2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||| |||||
Db  67810  GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGCCTGGGCCAACAT  67861
```

RESULT 141
AL844892

```
LOCUS       AL844892              167780 bp    DNA     linear   PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone RP11-396M20 on chromosome 10 Contains
            the 5' end of the GRID1 gene for glutamate receptor (ionotropic)
            delta 1, the 3' end of the gene for friend of EBNA2 (FOE)
            (KIAA0261) and five CpG islands, complete sequence.
ACCESSION   AL844892
VERSION     AL844892.5  GI:23395595
KEYWORDS    HTG; FOE; GRID1; KIAA0261.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 167780)
  AUTHORS   Howden,P.
  TITLE     Direct Submission
  JOURNAL   Submitted (17-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
COMMENT     Clone requests: clonerequest@sanger.ac.uk
            On Oct 1, 2002 this sequence version replaced gi:22798583.
            RP11-396M20 is from the library RPCI-11.2 constructed by the group
            of Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pBACe3.6
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 10, constructed by the Sanger Centre Chromosome 10
            Mapping Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr10
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
            -----------------------
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..167780
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="10"
                     /clone="RP11-396M20"
                     /clone_lib="RPCI-11.2"
     misc_feature    1
                     /note="Clone_left_end: RP11-396M20"
     misc_feature    48351..48357
                     /note="Sequence from uni-directional dGTP big dye
                     terminator reads only."
     misc_feature    57532
                     /note="Clone_right_end: RP11-539A10"
     gene            join(complement(158796..61348),
                     complement(AL683834.9:36029..103858),
                     complement(AC073162.9:114306..176049),
                     complement(AL596135.6:7440..14051),
                     complement(AC022028.7:40751..86154))
```

gene
/gene="GRID1"

mRNA
/gene="GRID1"
/locus_tag="RP11-93H12.1-001"
join(complement(61169..61348),complement(58796..58951),
complement(AL683834.9:103574..103858),
complement(AL683834.9:36029..36234),
complement(AC073162.9:175996..176049),
complement(AC073162.9:128820..128990),
complement(AC073162.9:115839..116000),
complement(AC073162.9:114306..114425),
complement(AC596135.6:13950..140051),
complement(AL596135.6:12292..12489),
complement(AL596135.6:8789..9113),
complement(AL596135.6:7440..7578),
complement(AC022028.7:85959..86154),
complement(AC022028.7:52164..52404),
complement(AC022028.7:40751..41458))
/gene="GRID1"
/locus_tag="RP11-93H12.1-001"
/product="glutamate receptor, ionotropic, delta 1"
/note="match: cDNAs: BC039263.1"

CDS
join(complement(61169..61347),complement(58796..58951),
complement(AL683834.9:103574..103858),
complement(AL683834.9:36029..36234),
complement(AC073162.9:175996..176049),
complement(AC073162.9:128820..128990),
complement(AC073162.9:115839..116000),
complement(AC073162.9:114306..114425),
complement(AC596135.6:13950..140051),
complement(AL596135.6:12292..12489),
complement(AL596135.6:8789..9113),
complement(AL596135.6:7440..7578),
complement(AC022028.7:85959..86154),
complement(AC022028.7:52330..52404))
/gene="GRID1"
/locus_tag="RP11-93H12.1-001"
/standard_name="OTTHUMP00000020002"
/codon_start=1
/product="glutamate receptor, ionotropic, delta 1"
/protein_id="CAH73378.1"
/db_xref="GI:55666097"
/db_xref="GOA:Q5VSK3"
/db_xref="InterPro:IPR001311"
/db_xref="InterPro:IPR001320"
/db_xref="InterPro:IPR001508"
/db_xref="InterPro:IPR001828"
/db_xref="UniProt/TrEMBL:Q5VSK3"
/translation="MEAITLWLLPWICQCVSVRADSIIHIGAIFEENAAKDDRVFQLA
VSDLSLNDDLLQSEKITYSIKVIEANNPFQAVOBACDLMTQGIILALVTSTGCASANAL
QSLTDAMHIPHLFVQRNFGGSPRTACHLNPSPDGEAYTLASRPPVRLNDVMLRIVIEL
RWQKFVMFYDSEYDIRGLQSFLDQASRLGLDVSLQKVDKNISHVFTSLFTTMKTEELN
RYRDTLRRAILLLSPQGAHSFINEAVETNLLASKDSHWVFVNEEISDPEILDLVHSALG
RMTVVRQIFSAKDNQXCTRNNHRISSLLCDPQEGYLQMLQISNLYDSVLMLANAF
HRKLEDRKWHSMASLNCIRKSTKPWNGGRSMLDTIKGHITGLTGVMEFREDSSNPYV
QFEILGTTYSETFGKDMRKLATWDSEKGLNGSLQERPMGSRLQGLTLKVVTVLEEPFV
MVAENILGQPRYKGFSIDVDALAXALGFXYEIYQAPDGRYGHQLHNTSWNGMIGEL
ISKRADLAISAITITPERESVVDFSKRYMDYSVGILILKKPEEKISIFSLFAPFDFAVW
ACIAAAIPVCVLIFVLNRIQAVRAQSAAQDRPSASATLHSAIWIVYGAFVQQGESS
VNSMAMRIVMGSWWLFTLIVCSSYTANLAAFLTVSRMDNPIRTFQDLSKQVEMSYGTV
RDSAVYEYFRAKGTNPLEQDSTFAELWRTISKNGGADNCVSSPSEGIRKDPGAAGHRG
PGCARAEVVAAHGPL"

misc_feature
61673..61783
/note="Single clone region. Sequence generated from a
transposon library derived from a single pUC clone.
Restriction digest data confirm the assembly."

gene
join(complement(AL731569.18:50750..50890),
complement(AL731569.18:50440..50616),
complement(AL731569.18:46646..47166),
complement(AL731569.18:28793..29818),
complement(AL731569.18:26276..26394),
complement(AL731569.18:2953..3048),
complement(167467..167619),complement(167063..167199),
complement(165958),complement(165847),
complement(162134..162361),

complement(156031..156142),complement(155254..155351),
complement(153844..153920),complement(148511..148686),
complement(148075..148190),complement(146822..146986),
complement(141097..141304),complement(138130..138218),
complement(132775..132870,complement(130111..130463))
/gene="KIAA0261"
/locus_tag="RP11-396M20.1-001"

mRNA
/gene="KIAA0261"
/locus_tag="RP11-396M20.1-001"
join(complement(AL731569.18:50750..50890),
complement(AL731569.18:50440..50616),
complement(AL731569.18:46646..47166),
complement(AL731569.18:28793..29818),
complement(AL731569.18:26276..26394),
complement(AL731569.18:2953..3048),
complement(167467..167619),complement(167063..167199),
complement(165958..165847),complement(162134..162361),
complement(156031..156142),complement(155254..155351),
complement(153844..153920),complement(148511..148686),
complement(148075..148190),complement(146822..146986),
complement(141097..141304),complement(138130..138218),
complement(132775..132870),complement(130111..130463))
/gene="KIAA0261"
match: cDNAs: D87450.1"
/note="match: ESTs: AA579854.1 AW577904.1 BI438658.1
BU620920.1 BM504319.1 BM683407.1 BQ007553.1 BQ420406.1
BI459087.1 BM620920.1"

gene
complement(join(130111..130463,132775..132870,
138130..138887))
/gene="KIAA0261"
/locus_tag="RP11-396M20.1-002"

polyA_site
complement(130129..130134)
/gene="KIAA0261"

polyA_signal
complement(130111..130134)
/gene="KIAA0261"
/note="match: cDNAs: BC036507.1"

mRNA
complement(join(130111..130463,132775..132870,
138130..138887))
/gene="KIAA0261"
/locus_tag="RP11-396M20.1-004"

gene
complement(join(131865..132463,132775..132870,
138130..138218,141097..141304,148075..148190,
148511..148686,153844..153920,155254..155351,
156031..156142,162134..162363))
/gene="KIAA0261"
/locus_tag="RP11-396M20.1-002"

mRNA
complement(join(131865..132463,132775..132870,
138130..138218,141097..141304,148075..148190,
148511..148686,153844..153920,155254..155351,
156031..156142,162134..162363))
/gene="KIAA0261"
/locus_tag="RP11-396M20.1-004"
/note="match: cDNAs: BC017393.1"

CDS
join(complement(AL731569.18:50750..50805),
complement(AL731569.18:50440..50616),
complement(AL731569.18:46646..47166),
complement(AL731569.18:28793..29818),
complement(162134..162363))

RESULT 142
AC109635

Query Match   1.7%; Score 52; DB 8; Length 167780;
Best Local Similarity 100.0%;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3071 CAAGATTGTGCCACTGCACTCCACCTGGGCAACAGAGACGAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 93241 CAAGATTGTGCCACTGCACTCCACCTGGGCAACAGAGACGAAGAGACTCTGTCTC 93292

```
LOCUS                            167920 bp    DNA     linear   PRI 10-SEP-2002
DEFINITION  Homo sapiens chromosome 11, clone RP11-347H15, complete sequence.
ACCESSION   AC109635
VERSION     AC109635.6  GI:22473373
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 167920)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 11, clone RP11-347H15
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 167920)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Bastien,V., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., LaRocque,K., Lamazares,R.,
            Lehoczky,J., Levine,R., Liu,G., Maclean,N.,
            Landers,T., Lehoczky,J., Levine,R., Liu,G., Maclean,N.,
            Macdonald,P., Major,J., Marquis,P., Matthews,C., McCarthy,M.,
            McEwan,P., McKernan,K., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Pollara,V., Raymond,C.,
            Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J.,
            Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S.,
            Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,D., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travis,M., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (06-FEB-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 167920)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hagos,B.,
            Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C., Kamat,A.,
            Karatas,A., Kells,C., Landers,T., Levine,R., Lindblad-Toh,K.,
            Liu,G., MacLean,C., Macdonald,P., Major,J., Matthews,C.,
            McCarthy,M., Meldrim,J., Meneus,L., Mihova,T., Mlenga,V.,
            Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C., Norman,C.H.,
            O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J., Peterson,K.,
            Phunkhang,P., Pierre,N., Raymond,C., Retta,R., Rise,C., Rogov,P.,
            Roman,J., Roy,A., Schauer,S., Schupback,R., Seaman,S., Severy,P.,
            Smith,C., Spencer,B., Stange-Thomann,N., Stojanovic,N., Talamas,J.,
            Tesfaye,S., Theodore,J., Topham,K., Travers,M., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Young,G., Zainoun,J.,
            Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (25-AUG-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   4  (bases 1 to 167920)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hagos,B.,
            Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C., Kamat,A.,
            Karatas,A., Kells,C., Landers,T., Levine,R., Lindblad-Toh,K.,
            Liu,G., MacLean,C., Macdonald,P., Major,J., Matthews,C., Mlenga,V.,
            McCarthy,M., Meldrim,J., Meneus,L., Mihova,T., Matthews,C.,
```

COMMENT   On Sep 10, 2002 this sequence version replaced gi:22475361.
            All repeats were identified using RepeatMasker:
            Smit, A.F.A. & Green. P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html

TITLE   Direct Submission
JOURNAL   Submitted (10-SEP-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
            -------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            -------------- Project Information
            Center project name: L24041
            Center clone name: 347_H15

FEATURES   Location/Qualifiers
     source   1..167920
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="11"
                     /clone="RP11-347H15"
                     /map="11"
                     /clone_lib="RPCI-11 Human Male BAC"
     repeat_region   complement(903..2453)
                     /rpt_family="AluSx"
     repeat_region   2552..2726
                     /rpt_family="MIR"
     repeat_region   complement(3163..3289)
                     /rpt_family="Alub"
     repeat_region   3377..3426
                     /rpt_family="(CATA)n"
     repeat_region   3701..5177
                     /rpt_family="THE1-int"
     repeat_region   5409..5446
                     /rpt_family="(CA)n"
     repeat_region   6146..6179
                     /rpt_family="(TTTG)n"
     repeat_region   complement(6551..6861)
                     /rpt_family="AluSx"
     repeat_region   6868..6965
                     /rpt_family="MIR"
     repeat_region   9236..9316
                     /rpt_family="L2"
     repeat_region   9478..9544
                     /rpt_family="(TCTA)n"
     repeat_region   complement(10278..10409)
                     /rpt_family="FLAM_C"
     repeat_region   10439..10729
                     /rpt_family="AluY"
     repeat_region   complement(10738..10947)
                     /rpt_family="L1ME"
     repeat_region   complement(10968..11095)
                     /rpt_family="L1ME4a"
     repeat_region   complement(11142..11423)
                     /rpt_family="L1ME4A"
     repeat_region   11462..11535
                     /rpt_family="(TATATG)n"
     repeat_region   11813..11846
                     /rpt_family="AT_rich"
     repeat_region   complement(13232..13345)
                     /rpt_family="FRAM/FAM"
     repeat_region   13679..13724
                     /rpt_family="(TATATG)n"

```
LOCUS       AC007371   168734 bp   DNA   linear   PRI 16-SEP-1999
DEFINITION  Homo sapiens, clone 24_A_9, complete sequence.
ACCESSION   AC007371
VERSION     AC007371.16  GI:5542041
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 168734)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens, clone 24_A_9
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 168734)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,M.,
            Baker,J., Baldwin,J., Barna,N., Beckerly,R., Benn,J., Brown,A.,
            Castle,A., Cerny,J., Colangelo,M., Collins,S., Collymore,A.,
            Cooke,P., DeArellano,K., Depayre,B., Devon,K., Dewar,K.,
            Donelan,L., Doyle,M., Ferreira,P., FitzHugh,W., Forrest,C.,
            Punke,R., Gage,D., Galagan,J., Gardyna,S., Gilbert,D., Grant,G.,
            Hagos,B., Heaford,A., Horton,L., Howland,J.C., Jones,C., Kann,L.,
            Karatas,A., Lehoczky,J., Lieu,C., Locke,K., Macdonald,P.,
            Marquis,N., McEwan,P., McGurk,A., McKernan,K., McLaughlin,J.,
            Meldrim,J., Molla,M., Morris,W., Morrow,J., Mychalecky,J.,
            Naylor,J., Niloff,M., O'Connor,T., O'Donnell,P., Pavlin,B.,
            Peterson,K., Pollara,V., Riley,R., Roberts,D., Roy,A., Severy,P.,
            Stange-Thomann,N., Stojanovic,N., Stone,C., Subramanian,A.,
            Tesfaye,S., Toruella-Miller,I., Vassiliev,H., Vo,A., Wagner,A.,
            Wheeler,J., Wu,X., Wyman,D., Ye,W.J. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (24-APR-1999) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 168734)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,M.,
            Baldwin,J., Barna,N., Boguslavsky,L., Boukhgalter,B., Brown,A.,
            Colangelo,M., Collins,S., Collymore,A., Cooke,P., DeArellano,K.,
            Dewar,K., Domino,M., Donelan,L., Doyle,M., Ferreira,P.,
            FitzHugh,W., Funke,R., Gage,D., Galagan,J., Gardyna,S., Grant,G.,
            Hagos,B., Heaford,A., Horton,L., Howland,J.C., Jones,C., Kann,L.,
            Karatas,A., Klein,J., Lehoczky,J., Lieu,C., Locke,K., Macdonald,P.,
            Marquis,N., McEwan,P., McGurk,A., McKernan,K., McLaughlin,J.,
            Meldrim,J., Morrow,J., Naylor,J., Norman,C.H., O'Donnell,P.,
            Peterson,K., Pollara,V., Riley,R., Roy,A., Santos,P., Severy,P.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Tirrell,A., Vassiliev,H., Vo,A., Wheeler,J., Wu,X.,
            Wyman,D., Ye,W.J., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (16-SEP-1999) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Jul 21, 1999 this sequence version replaced gi:5468556.
            All repeats were identified using RepeatMasker: Smit, A.F.A. &
            Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html.
FEATURES             Location/Qualifiers
     source          1..168734
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="24_A_9"
                     /clone_lib="Alan Buckler -- per comm"
     repeat_region   complement(1444..1552)
                     /rpt_family="MIR"
     repeat_region   complement(1581..1792)
                     /rpt_family="MER20"
     repeat_region   complement(3654..3953)
                     /rpt_family="AluSg"
     repeat_region   4172..4695
                     /rpt_family="AluSg"
     repeat_region   4700..4730
                     /rpt_family="L1MC4"
     repeat_region   complement(4731..5015)
                     /rpt_family="(TTTG)n"
     repeat_region   5016..5038
                     /rpt_family="AluSq"
     repeat_region   complement(5039..5331)
                     /rpt_family="L1MC4"
     repeat_region   5332..5417
                     /rpt_family="AluY"
     repeat_region   5490..5649
                     /rpt_family="L1MC4"
```

```
-RESULT 143
Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db  57209 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 57260

Query Match     1.7%;  Score 52;  DB 8;  Length 167920;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;
```

```
     repeat_region   13725..13893
                     /rpt_family="(TA)n"
     repeat_region   13898..14082
                     /rpt_family="(TA)n"
     repeat_region   14083..14248
                     /rpt_family="(TAA)n"
     repeat_region   14272..14947
                     /rpt_family="(TA)n"
     repeat_region   14990..15155
                     /rpt_family="(TA)n"
     repeat_region   15202..15371
                     /rpt_family="(TA)n"
     repeat_region   15378..15398
                     /rpt_family="(TA)n"
     repeat_region   15411..15730
                     /rpt_family="AT_rich"
     repeat_region   15735..15761
                     /rpt_family="(TA)n"
     repeat_region   15766..15926
                     /rpt_family="AT_rich"
     repeat_region   15942..16119
                     /rpt_family="(TA)n"
     repeat_region   16041..16047
                     /rpt_family="(TA)n"
     unsure          16047
                     /note="<30 qual SNGL region"
     repeat_region   complement(16537..16909)
                     /rpt_family="L2"
     repeat_region   16930..16965
                     /rpt_family="(TG)n"
     repeat_region   17126..17420
                     /rpt_family="AluSx"
                     complement(17423..17566)
                     /rpt_family="L1PA2"
     repeat_region   17567..18711
                     /rpt_family="L1PA2"
     repeat_region   complement(19966..20063)
                     /rpt_family="MIR"
     repeat_region   complement(20925..20973)
                     /rpt_family="L1MC4"
     repeat_region   20977..22253
                     /rpt_family="pTR5"
     repeat_region   complement(22640..23478)
                     /rpt_family="L1MC4"
     repeat_region   23560..23902
                     /rpt_family="L2"
                     complement(23943..24673)
                     /rpt_family="LTR8"
     repeat_region   24699..24746
                     /rpt_family="(CGTG)n"
     repeat_region   25464..25498
                     /rpt_family="MADE1"
     repeat_region   26408..26725
                     /rpt_family="L1PA7"
     repeat_region   26726..26765
                     /rpt_family="AT_rich"
```

```
repeat_region    6091..6249
                 /rpt_family="MIR"
repeat_region    6615..6645
                 /rpt_family="MIR"
repeat_region    6920..7228
                 /rpt_family="AT_rich"
repeat_region    complement(7875..8062)
                 /rpt_family="AluSg"
repeat_region    8069..8161
                 /rpt_family="L2"
repeat_region    complement(10637..10816)
                 /rpt_family="MIR"
repeat_region    complement(11031..11134)
                 /rpt_family="LIMC4"
repeat_region    11375..11507
                 /rpt_family="MER12"
repeat_region    11901..11932
                 /rpt_family="FLAM_C"
repeat_region    12275..12296
                 /rpt_family="AT_rich"
repeat_region    12424..12632
                 /rpt_family="AT_rich"
repeat_region    12877..13606
                 /rpt_family="MIR"
repeat_region    14281..14308
                 /rpt_family="L2"
repeat_region    14414..15069
                 /rpt_family="AT_rich"
repeat_region    15459..15589
                 /rpt_family="L2"
repeat_region    15650..16082
                 /rpt_family="FLAM_C"
repeat_region    16280..16311
                 /rpt_family="L2"
repeat_region    complement(16862..17059)
                 /rpt_family="(TTTG)n"
repeat_region    17113..17366
                 /rpt_family="MIR"
repeat_region    17405..17439
                 /rpt_family="MIR"
repeat_region    17591..17645
                 /rpt_family="(TG)n"
repeat_region    complement(18182..18482)
                 /rpt_family="(CA)n"
repeat_region    complement(19280..19588)
                 /rpt_family="AluJb"
repeat_region    19617..19903
                 /rpt_family="AluJo"
repeat_region    19904..19934
                 /rpt_family="AluJo"
repeat_region    complement(20626..20927)
                 /rpt_family="(CAA)n"
repeat_region    21346..21380
                 /rpt_family="AluJb"
repeat_region    22056..22353
                 /rpt_family="AT_rich"
repeat_region    22650..22705
                 /rpt_family="L2"
repeat_region    complement(22705..22823)
                 /rpt_family="MIR"
repeat_region    24066..24423
                 /rpt_family="MLT1J2"
repeat_region    24294..24435
                 /rpt_family="MLT1J1"
repeat_region    complement(24436..24606)
                 /rpt_family="AluSg/x"
repeat_region    24646..24717
                 /rpt_family="L2"
repeat_region    24754..24994
                 /rpt_family="L2"
repeat_region    25223..25277
                 /rpt_family="MLT1B"
repeat_region    25223..25277
                 /rpt_family="MIR"
```

```
repeat_region    complement(25440..25546)
                 /rpt_family="MIR"
repeat_region    25616..25690
                 /rpt_family="MIR"
repeat_region    25885..26615
                 /rpt_family="MER103"
repeat_region    complement(26034..26094)
                 /rpt_family="AluSq/x"
repeat_region    26129..26303
                 /rpt_family="MIR"
repeat_region    26704..26960
                 /rpt_family="MIR"
repeat_region    complement(27595..27889)
                 /rpt_family="AluSg1"
repeat_region    28051..28369
                 /rpt_family="AluSx"
repeat_region    28869..28914
                 /rpt_family="AluSx"
repeat_region    29087..29157
                 /rpt_family="AT_rich"
repeat_region    30863..31007
                 /rpt_family="MER47"
repeat_region    complement(31619..31897)
                 /rpt_family="MIR"
repeat_region    complement(31920..32222)
                 /rpt_family="AluJb"
repeat_region    complement(32390..32635)
                 /rpt_family="AluSg1"
repeat_region    complement(33248..33322)
                 /rpt_family="L2"
repeat_region    complement(33330..33542)
                 /rpt_family="L2"
repeat_region    33762..33782
                 /rpt_family="MIR"
repeat_region    35250..35296
                 /rpt_family="AT_rich"
repeat_region    35406..35454
                 /rpt_family="AT_rich"
repeat_region    complement(35466..35758)
                 /rpt_family="(TG)n"
repeat_region    38644..38729
                 /rpt_family="AluSx"
repeat_region    38842..38868
                 /rpt_family="L2"
repeat_region    38873..38937
                 /rpt_family="(TTTC)n"
repeat_region    39359..39411
                 /rpt_family="L2"
```

```
Query Match          1.7%;  Score 52;  DB 8;  Length 168734;
Best Local Similarity 100.0%;  Pred. No. 5.7e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy 3071 CAAGATTGTTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 28288 CAAGATTGTTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 28339
```

```
REFERENCE   2  (bases 1 to 168793)
AUTHORS     Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,P.,
            Boguslavsky,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J.C., LaRocque,R., Lamazares,R., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Olivar,T.M., Oliver,J., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
TITLE       Direct Submission
JOURNAL     Submitted (14-MAR-2000) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 168793)
AUTHORS     Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., LaRocque,K., Lamazares,R.,
            Landers,T., Lehoczky,J., Levine,R., Liu,G., MacLean,D.,
            Macdonald,P., Major,J., Marquis,N., Matthews,C., McCarthy,M.,
            McEwan,P., McKernan,K., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Pollara,V., Raymond,C.,
            Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J.,
            Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S.,
            Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE       Direct Submission
JOURNAL     Submitted (18-FEB-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   4  (bases 1 to 168793)
AUTHORS     Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., LaRocque,K., Lamazares,R.,
            Landers,T., Lehoczky,J., Levine,R., Liu,G., MacLean,D.,
            Macdonald,P., Major,J., Marquis,N., Matthews,C., McCarthy,M.,
            McEwan,P., McKernan,K., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Pollara,V., Raymond,C.,
            Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J.,
            Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S.,
            Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travers,M., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.

TITLE       Direct Submission
JOURNAL     Submitted (20-FEB-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Feb 18, 2002 this sequence version replaced gi:18377313.
            All repeats were identified using RepeatMasker;
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            -------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            -------------- Project Information
            Center project name: L6819
            Center clone name: 227_P_3

FEATURES             Location/Qualifiers
     source          1..168793
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="11"
                     /map="11"
                     /clone="RP11-227P3"
                     /clone_lib="RPCI-11 Human Male BAC"
     repeat_region   complement(1..97)
                     /rpt_family="L2"
     repeat_region   100..393
                     /rpt_family="AluJb"
     repeat_region   complement(648..1118)
                     /rpt_family="MER1A"
     repeat_region   complement(1420..1573)
                     /rpt_family="LTR41"
     repeat_region   1574..1717
                     /rpt_family="AluJo"
     repeat_region   1718..1757
                     /rpt_family="AluSg"
     repeat_region   1758..1925
                     /rpt_family="(TAAAA)n"
     repeat_region   complement(1925..2530)
                     /rpt_family="AluJo"
     repeat_region   2227..2530
                     /rpt_family="AluSq"
     repeat_region   complement(2540..2677)
                     /rpt_family="MIR"
     repeat_region   3942..3968
                     /rpt_family="AT_rich"
     repeat_region   4486..4792
                     /rpt_family="AluSq"
     repeat_region   complement(5142..5451)
                     /rpt_family="AluSx"
     repeat_region   complement(5848..6129)
                     /rpt_family="AluY"
     repeat_region   complement(6442..6567)
                     /rpt_family="MER17"
     repeat_region   7601..7893
                     /rpt_family="AluSx"
     repeat_region   8001..8296
                     /rpt_family="AluSx"
     repeat_region   8385..8663
                     /rpt_family="AluY"
     unsure          complement(8640..8645)
                     /note=<30 qual SNGL region"
     repeat_region   complement(8840..9137)
                     /rpt_family="AluSx"
     repeat_region   complement(9183..9481)
                     /rpt_family="AluSx"
     repeat_region   9630..9754
                     /rpt_family="AT_rich"
     repeat_region   9861..9889
                     /rpt_family="AluJo"
     repeat_region   complement(9894..10195)
                     /rpt_family="AluSx"
     repeat_region   10196..10467
                     /rpt_family="AluSx"
```

```
RESULT 145
AC009790/c
LOCUS       AC009790      169059 bp    DNA     linear   HTG 24-AUG-2002
DEFINITION  Homo sapiens chromosome 8 clone RP11-128N8 map 8, WORKING DRAFT
            SEQUENCE, 25 unordered pieces.
ACCESSION   AC009790
VERSION     AC009790.4  GI:728038
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 169059)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 8, clone RP11-128N8
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 169059)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,M.,
            Baker,J., Baldwin,J., Barna,M., Beckerly,R., Benn,J., Brown,A.,
            Castle,A., Cerny,J., Colangelo,M., Collins,S., Collymore,A.,
            Cooke,P., DeArellano,K., Depayre,E., Devon,K., Dewar,K.,
            Donelan,L., Doyle,M., Ferreira,P., FitzHugh,W., Forrest,C.,
```

```
Qy        3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 3122
               ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      121606 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 121657
```

```
Query Match     1.7%;  Score 52; DB 8; Length 168793;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
            Funke,R., Gage,D., Galagan,J., Gardyna,S., Gilbert,D., Grant,G.,
            Hagos,B., Heaford,A., Horton,L., Howland,J.C., Jones,C., Kann,L.,
            Karatas,A., Lehoczky,J., Lieu,C., Locke,K., Macdonald,P.,
            Marquis,N., McEwan,P., McGurk,A., McKernan,K., McLaughlin,J.,
            Meldrim,J., Molla,M., Morris,W., Morrow,J., Mychaleckyj,J.,
            Naylor,J., Niloff,M., O'Connor,T., O'Donnell,P., Pavlin,B.,
            Peterson,K., Pollara,V., Riley,R., Roberts,D., Roy,A., Severy,P.,
            Stange-Thomann,N., Stojanovic,N., Stone,C., Subramanian,A.,
            Tesfaye,S., Torruella-Miller,I., Vassiliev,H., Vo,A., Wagner,A.,
            Wheeler,J., Wu,X., Wyman,D., Ye,W.J. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-SEP-1999) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 169059)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,F.,
            Boguslavkiy,L., Boukhgalter,B., Brown,A., Burkett,C.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., LaRocque,K., Lamazares,R., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McGurk,A., McKernan,K., Mlenga,V., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,T.M., Oliver,J., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (24-AUG-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Apr 8, 2000 this sequence version replaced gi:6630600.
            All repeats were identified using RepeatMasker.
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            -------------------- Genome Center
              Center: Whitehead Institute/ MIT Center for Genome Research
              Center code: WIBR
              Web site: http://www-seq.wi.mit.edu
              Contact: sequence_submissions@genome.wi.mit.edu
            -------------------- Project Information
              Center project name: L2031
              Center clone name: 128_N_8
            -------------------- Summary Statistics
              Sequencing vector: M13; M77815; 100% of reads
              Chemistry: Dye-terminator Big Dye; 100% of reads
              Assembly program: Phrap; version 0.960731
              Consensus quality: 199988 bases at least Q40
              Consensus quality: 199988 bases at least Q30
              Consensus quality: 162235 bases at least Q20
              Insert size: 170000; agarose-fp
              Insert size: 166659; sum-of-contigs
              Quality coverage: 3.9 in Q20 bases; agarose-fp
              Quality coverage: 4.0 in Q20 bases; sum-of-contigs
            --------------------
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 25 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *        1    1539: contig of 1539 bp in length
            *     1539    1639: gap of 100 bp
            *     1540    1639: contig of 1539 bp in length
            *     1640    2821: contig of 1182 bp in length
```

```
repeat_region   10876..11186
                /rpt_family="AluJo"
unsure          11226
                /note="probably TTTT; possibly TTT"
repeat_region   11286..11583
                /rpt_family="L2"
repeat_region   11621..11699
                /rpt_family="AluSg"
repeat_region   complement(11700..11920)
                /rpt_family="L2"
repeat_region   11921..12456
                /rpt_family="MER58A"
repeat_region   12523..12649
                /rpt_family="L2"
repeat_region   12652..12866
                /rpt_family="Aluwb"
repeat_region   12870..13185
                /rpt_family="AluJo"
repeat_region   13191..13308
                /rpt_family="AluSx"
repeat_region   complement(13535..13839)
                /rpt_family="L2"
repeat_region   15032..15436
                /rpt_family="AluSg"
repeat_region   15459..15550
                /rpt_family="L1MC5"
repeat_region   15597..15869
                /rpt_family="L1MC5"
repeat_region   complement(15870..20120)
                /rpt_family="AluSq"
repeat_region   20121..20182
                /rpt_family="ALR6/alpha"
repeat_region   complement(20183..21439)
                /rpt_family="(TA)n"
repeat_region   21996..22132
                /rpt_family="ALR6/alpha"
repeat_region   complement(22855..23061)
                /rpt_family="MIR3"
repeat_region   complement(22904..22918)
                /rpt_family="L2"
unsure
```

```
 *    2822      2921: gap of 100 bp in length
 *    2922      4692: contig of 1771 bp in length
 *    4693      4792: gap of 100 bp in length
 *    4793      6136: contig of 1344 bp in length
 *    6137      6236: gap of 100 bp in length
 *    6237      8728: contig of 2492 bp in length
 *    8729      8828: gap of 100 bp in length
 *    8829     11075: contig of 2247 bp in length
 *   11076     11175: gap of 100 bp in length
 *   11176     13885: contig of 2710 bp in length
 *   13886     13985: gap of 100 bp in length
 *   13986     17062: contig of 3077 bp in length
 *   17063     17162: gap of 100 bp in length
 *   17163     21818: contig of 4656 bp in length
 *   21819     21918: gap of 100 bp in length
 *   21919     25663: contig of 3745 bp in length
 *   25664     25763: gap of 100 bp in length
 *   25764     30441: contig of 4678 bp in length
 *   30442     30541: gap of 100 bp in length
 *   30542     33885: contig of 3345 bp in length
 *   33886     33986: gap of 100 bp in length
 *   33887     33986: contig of 4488 bp in length
 *   38475     38574: gap of 100 bp in length
 *   38575     43895: contig of 5321 bp in length
 *   43896     43995: gap of 100 bp in length
 *   43996     50044: contig of 6049 bp in length
 *   50045     50144: gap of 100 bp in length
 *   50145     56692: contig of 6548 bp in length
 *   56693     56792: gap of 100 bp in length
 *   56793     61378: contig of 4586 bp in length
 *   61379     61478: gap of 100 bp in length
 *   61479     69459: contig of 7981 bp in length
 *   69460     69559: gap of 100 bp in length
 *   69560     78975: contig of 9416 bp in length
 *   78976     79075: gap of 100 bp in length
 *   79076     88285: contig of 9210 bp in length
 *   88286     88385: gap of 100 bp in length
 *   88386     98035: contig of 9651 bp in length
 *   98036     98136: gap of 100 bp in length
 *   98037    109264: contig of 11128 bp in length
 *  109265    109364: gap of 100 bp in length
 *  109365    123063: contig of 13700 bp in length
 *  123064    123164: gap of 100 bp in length
 *  123165    143558: contig of 20394 bp in length
 *  143559    143658: gap of 100 bp in length
 *  143659    169059: contig of 25401 bp in length.
```

```
FEATURES             Location/Qualifiers
     source          1..169059
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="8"
                     /map="8"
                     /clone="RP11-128N8"
                     /clone_lib="RPCI-11 Human Male BAC"
     misc_feature    1..1539
                     /note="assembly_fragment"
     gap             1540..1639
                     /estimated_length=100
     misc_feature    1640..2821
                     /note="assembly_fragment"
     gap             2822..2921
                     /estimated_length=100
     misc_feature    2922..4692
                     /note="assembly_fragment"
     gap             4693..4792
                     /estimated_length=100
     misc_feature    4793..6136
                     /note="assembly_fragment"
     gap             6137..6236
                     /estimated_length=100
     misc_feature    6237..8728
                     /note="assembly_fragment"
     gap             8729..8828
                     /estimated_length=100
     misc_feature    8829..11075
                     /note="assembly_fragment"
     gap             11076..11175
                     /estimated_length=100
     misc_feature    11176..13885
                     /note="assembly_fragment"
     gap             13886..13985
                     /estimated_length=100
     misc_feature    13986..17062
                     /note="assembly_fragment"
     gap             17063..17162
                     /estimated_length=100
     misc_feature    17163..21818
                     /note="assembly_fragment"
     gap             21819..21918
                     /estimated_length=100
     misc_feature    21919..25663
                     /note="assembly_fragment"
     gap             25664..25763
                     /estimated_length=100
     misc_feature    25764..30441
                     /note="assembly_fragment"
     gap             30442..30541
                     /estimated_length=100
     misc_feature    30542..33886
                     /note="assembly_fragment"
     gap             33887..33986
                     /estimated_length=100
     misc_feature    33987..38474
```

```
Query Match      1.7%;   Score 52; DB 14;  Length 169059;
Best Local Similarity 100.0%;  Pred. No. 5.7e-16;
Matches   52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAGACTCTGTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    158812 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAGACTCTGTGTCTC 158761

RESULT 146
LOCUS       AC021165/c
ACCESSION   AC021165
DEFINITION  Homo sapiens chromosome 19 clone RP11-56523, WORKING DRAFT
            SEQUENCE, 17 unordered pieces.
ACCESSION   AC021165
VERSION     AC021165.4  GI:9965022
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 169893)
  AUTHORS   Waterston,R.H.
  TITLE     The sequence of Homo sapiens clone
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 169893)
  AUTHORS   Waterston,R.H.
  TITLE     Direct Submission
  JOURNAL   Submitted (14-JAN-2000) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
COMMENT     On Sep 2, 2000 this sequence version replaced gi:7637373.
            --------------- Genome Center ---------------
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu/gsc/index.shtml
            -------------- Project Information --------------
```

(continued entries, right column)

```
     gap             8729..8828
                     /estimated_length=100
     misc_feature    8829..11075
                     /note="assembly_fragment"
     gap             11076..11175
                     /estimated_length=100
     misc_feature    11176..13885
                     /note="assembly_fragment"
     gap             13886..13985
                     /estimated_length=100
     misc_feature    13986..17062
                     /note="assembly_fragment"
     gap             17063..17162
                     /estimated_length=100
     misc_feature    17163..21818
                     /note="assembly_fragment"
     gap             21819..21918
                     /estimated_length=100
     misc_feature    21919..25663
                     /note="assembly_fragment"
     gap             25664..25763
                     /estimated_length=100
     misc_feature    25764..30441
                     /note="assembly_fragment"
     gap             30442..30541
                     /estimated_length=100
     misc_feature    30542..33886
                     /note="assembly_fragment"
                     /clone_end:T7
                     /vector_side:left"
     gap             33887..33986
                     /estimated_length=100
     misc_feature    33987..38474
```

```
Center project name: H_NH0565J03
---------    Summary Statistics    ---------
Sequencing vector: M13; 76%
Sequencing vector: plasmid; 24%
Chemistry: Dye-primer ET; 76% of reads
Chemistry: Dye-terminator Big Dye; 24% of reads
Assembly program: Phrap; version 0.990319
Consensus quality: 152885 bases at least Q40
Consensus quality: 159085 bases at least Q30
Consensus quality: 162352 bases at least Q20
Insert size: 185000; agarose-fp
Insert size: 168293; sum-of-contigs
Quality coverage: 3.07 in Q20 bases; agarose-fp
Quality coverage: 3.43 in Q20 bases; sum-of-contigs
*
* NOTE: This is a 'working draft' sequence. It currently
* consists of 17 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
*
*          1          1397: contig of 1397 bp in length
*       1398.         1497: gap of unknown length
*       1498.         3037: contig of 1540 bp in length
*       3038.         3137: gap of unknown length
*       3138.         6455: contig of 3318 bp in length
*       6456.         6555: gap of unknown length
*       6556.         9394: contig of 2839 bp in length
*       9395.         9494: gap of unknown length
*       9495.        12928: contig of 3434 bp in length
*      12929.        13028: gap of unknown length
*      13029.        17141: contig of 4113 bp in length
*      17142.        17241: gap of unknown length
*      17242.        23019: contig of 5778 bp in length
*      23020.        23119: gap of unknown length
*      23120.        27296: contig of 4177 bp in length
*      27297.        27396: gap of unknown length
*      27397.        53901: contig of 26505 bp in length
*      53902.        54001: gap of unknown length
*      54002.        61627: contig of 7626 bp in length
*      61628.        61727: gap of unknown length
*      61728.        72148: contig of 10421 bp in length
*      72149.        72248: gap of unknown length
*      72249.        80663: contig of 8415 bp in length
*      80664.        80763: gap of unknown length
*      80764.        89249: contig of 8486 bp in length
*      89250.        89349: gap of unknown length
*      89350.       102831: contig of 13482 bp in length
*     102832.       102931: gap of unknown length
*     102932.       115578: contig of 12647 bp in length
*     115579.       115678: gap of unknown length
*     115679.       131546: contig of 15868 bp in length
*     131547.       131646: gap of unknown length
*     131647.       169893: contig of 38247 bp in length.

FEATURES             Location/Qualifiers
     source          1..169893
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="RP11-565J3"
                     /chromosome="19"
     misc_feature    1..1397
                     /note="assembly_name:Contig10"
     gap             1398..1497
                     /estimated_length=unknown
     misc_feature    1498..3037
                     /note="assembly_name:Contig11"
     gap             3038..3137
                     /estimated_length=unknown
     misc_feature    3138..6455
                     /note="assembly_name:Contig12"
```

```
     gap             6456..6555
                     /estimated_length=unknown
     misc_feature    6556..9394
                     /note="assembly_name:Contig13"
     gap             9395..9494
                     /estimated_length=unknown
     misc_feature    9495..12928
                     /note="assembly_name:Contig14"
     gap             12929..13028
                     /estimated_length=unknown
     misc_feature    13029..17141
                     /note="assembly_name:Contig15"
     gap             17142..17241
                     /estimated_length=unknown
     misc_feature    17242..23019
                     /note="assembly_name:Contig16"
     gap             23020..23119
                     /estimated_length=unknown
     misc_feature    23120..27296
                     /note="assembly_name:Contig17
                     clone_end:SP6
                     vector_side:left"
     gap             27297..27396
                     /estimated_length=unknown
     misc_feature    27397..53901
                     /note="assembly_name:Contig25
                     clone_end:T7
                     vector_side:left"
     gap             53902..54001
                     /estimated_length=unknown
     misc_feature    54002..61627
                     /note="assembly_name:Contig18"
     gap             61628..61727
                     /estimated_length=unknown
     misc_feature    61728..72148
                     /note="assembly_name:Contig19"
     gap             72149..72248
                     /estimated_length=unknown
     misc_feature    72249..80663
                     /note="assembly_name:Contig20"
     gap             80664..80763
                     /estimated_length=unknown
     misc_feature    80764..89249
                     /note="assembly_name:Contig21"
     gap             89250..89349
                     /estimated_length=unknown
     misc_feature    89350..102831
                     /note="assembly_name:Contig22"
     gap             102832..102931
                     /estimated_length=unknown
     misc_feature    102932..115578
                     /note="assembly_name:Contig23"
     gap             115579..115678
                     /estimated_length=unknown
     misc_feature    115679..131546
                     /note="assembly_name:Contig24"
     gap             131547..131646
                     /estimated_length=unknown
     misc_feature    131647..169893
                     /note="assembly_name:Contig26"
ORIGIN
```

```
RESULT 147
AL135903/c

Query Match      1.7%;   Score 52;   DB 14;   Length 169893;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAAGACTCTGTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 32826 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAAGACTCTGTCTC 32775
```

```
LOCUS       AL135903              170232 bp    DNA     linear   PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone RP11-30P6 on chromosome 6 Contains a
            karyopherin alpha 5 (importin alpha 6) (KPNA5) pseudogene, a
            keratin 18 (KRT18) pseudogene, a tumor protein,
            translationally-controlled 1 (TPT1) pseudogene, the NT5E gene for
            5'-nucleotidase ecto (CD73) and a CpG island, complete sequence.
ACCESSION   AL135903
VERSION     AL135903.12  GI:12830388
KEYWORDS    HTG; CD73; CpG island; DUT; KPNA5; KRT18; NT5E; TPT1.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 170232)
  AUTHORS   Johnson,C.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Feb 14, 2001 this sequence version replaced gi:11342762.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 6, constructed by the Sanger Centre Chromosome 6 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr6
            RP11-30P6 is from the library RPCI-11.1 constructed by the group of
            Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pBACe3.6
            ------------------------------------
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
            ------------------------------------
            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30;) an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.
FEATURES             Location/Qualifiers
     source          1..170232
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /clone="RP11-30P6"
                     /clone_lib="RPCI-11.1"
     misc_feature    104
                     /note="Clone_right_end: RP1-161C16"
     gene            join(520..610,682..1243,1488..2119,4690..4777,5077..5293)
                     /locus_tag="RP11-30P6.1-001"
                     /pseudo
     CDS             join(520..610,682..1243,1488..2119,4690..4777,5077..5293)
                     /locus_tag="RP11-30P6.1-001"
                     /note="match: proteins: AAL87378 IMA1_SCHPO IMA2_ARATH
                     IMA3_HUMAN IMA_LYCES K1M8_HUMAN K2C8_MOUSE O49601 O82783
                     O9374 Q90YH3 Q94F55 Q9D637 Q9PUB5 Q9U1H6"
                     /pseudo
                     /codon_start=1
     gene            2233..3451
                     /locus_tag="RP11-30P6.2-001"
                     /pseudo
     CDS             2233..3451
                     /locus_tag="RP11-30P6.2-001"
                     /pseudo
                     /note="match: proteins: AAH04253 AAH20982 K1CR_HUMAN
                     K1CR_MOUSE K1M8_HUMAN K2C8_MOUSE O57611 O77727 Q07427
                     Q90W74 Q90YH3 Q96GD2 Q9PUB5 Q9PWD8 Q9QWL7"
                     /pseudo
     gene            complement(join(101663..104001,104457..104630))
                     /locus_tag="RP11-30P6.6-001"
                     /pseudo
     mRNA            complement(join(101663..104001,104457..104630))
                     /locus_tag="RP11-30P6.6-001"
                     /note="match: cDNAs: AK024998"
     gene            complement(141101..141569)
                     /locus_tag="RP11-30P6.4-001"
                     /pseudo
     CDS             complement(141101..141569)
                     /locus_tag="RP11-30P6.4-001"
                     /note="match: proteins: AAB96413 AAD50334 AAL77806
                     CAB54626 DUT_ADEG1 DUT_ADEG8 DUT_FOWPV DUT_HUMAN DUT_ORFN2
                     DUT_RAT DUT_SCHPO DUT_VACCG DUT_VARV DUT_YEAST O01934
                     P87630 Q8V546 Q8YCG1 Q91BK5 Q96081 Q96081 Q99HX3 Q9CQ43 Q9CU90
                     Q9JFP1 Q9JJ44 Q9Q8S9 Q9Q958 Q9STG6 Q9U174"
                     /pseudo
                     /codon_start=1
     gene            complement(141897..142410)
                     /locus_tag="RP11-30P6.3-001"
                     /pseudo
     CDS             complement(141897..142410)
                     /locus_tag="RP11-30P6.3-001"
                     /note="match: proteins: AAH22436 AAL68965 FKG2_HUMAN
                     Q9NXW1 TCTP_BRABE TCTP_CHICK TCTP_DROME TCTP_HUMAN
                     TCTP_LABRO TCTP_MEDSA TCTP_MOUSE TCTP_PEA TCTP_RABIT
                     TCTP_SCHJA TCTP_SCHPO TCTP_YBAST"
                     /pseudo
                     /codon_start=1
     gene            join(164535..164922,AL589666.5:11372..11594,
                     AL589666.5:15549..15911)
                     /locus_tag="RP11-321N4.1-001"
                     /gene="NT5E"
     mRNA            join(164535..164922,AL589666.5:11372..11594,
                     AL589666.5:15549..15911)
                     /locus_tag="RP11-321N4.1-001"
                     /gene="NT5E"
                     /note="match: ESTs: AI202304 AI420969 AW006723 AW025554
                     AW271686 BB677446 BF476532
                     match: cDNAs: BC015940 BC015940.1"
                     /product="5'-nucleotidase, ecto (CD73)"
                     /gene="NT5E"
     gene            join(164535..164922,AL589666.5:11372..11594,
                     AL589666.5:15549..15737,AL589666.5:29547..29744,
                     AL589666.5:31647..31801,AL589666.5:33806..33911,
                     AL589666.5:34820..34969,AL589666.5:36289..36489,
                     AL589666.5:38153..40090)
                     /gene="NT5E"
     mRNA            join(164535..164922,AL589666.5:11372..11594,
                     AL589666.5:15549..15737,AL589666.5:29547..29744,
                     AL589666.5:31647..31801,AL589666.5:33806..33911,
                     AL589666.5:34820..34969,AL589666.5:36289..36489,
                     AL589666.5:38153..40090)
                     /gene="NT5E"
                     /note="match: cDNAs: BE547456 BB891902 BG294369 BI756281 BM006258 BM762339
                     BM847311 BM926263 BM937597
                     match: ESTs: AA375089 AL553737 AL702918 BB646149
                     S64302"
                     /product="5'-nucleotidase, ecto (CD73)"
                     /gene="NT5E"
     CDS             join(164584..164922,AL589666.5:11372..11594,
                     AL589666.5:15549..15781)
                     /locus_tag="RP11-321N4.1-001"
                     /gene="NT5E"
                     /standard_name="OTTHUMP00000016809"
                     /note="match: proteins: Q95B60"
                     /codon_start=1
                     /product="5'-nucleotidase, ecto (CD73)"
```

```
RESULT 148

  Query Match      Best Local Similarity   100.0%;
  Matches  52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
                 Score 52;  DB 8;  Length 170232;
                 Pred. No. 5.7e-16;

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  128510 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGACTCTGTCTC 128459
```

```
LOCUS       AC073068              171058 bp    DNA     linear   PRI 08-OCT-2003
DEFINITION  Homo sapiens BAC clone RP11-159I18 from 7, complete sequence.
ACCESSION   AC073068
VERSION     AC073068.8  GI:1410911
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 171058)
  AUTHORS   Sulston,J.E. and Wilson,R.
  TITLE     Toward a complete human genome sequence
  JOURNAL   Genome Res. 8 (11), 1097-1108 (1998)
  PUBMED    9847074
REFERENCE   2  (bases 1 to 171058)
  AUTHORS   Belter,B., Maupin,R. and Podhrasky,A.
  TITLE     The sequence of Homo sapiens BAC clone RP11-159I18
  JOURNAL   Unpublished (2001)
REFERENCE   3  (bases 1 to 171058)
  AUTHORS   Waterston,R.H.
  TITLE     Direct Submission
  JOURNAL   Submitted (08-JUN-2000) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
REFERENCE   4  (bases 1 to 171058)
  AUTHORS   Waterston,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (09-MAY-2001) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   5  (bases 1 to 171058)
  AUTHORS   Waterston,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (08-OCT-2003) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   6  (bases 1 to 171058)
  AUTHORS   Wilson,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (29-APR-2003) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
COMMENT     On May 9, 2001 this sequence version replaced gi:10518416.
            --------------- Genome Center
              Center: Washington University Genome Sequencing Center
              Center code: WUGSC
              Web site: http://genome.wustl.edu
              Contact: sapiens@watson.wustl.edu
            --------------- Summary Statistics
              Center project name: H_NH0159I18
            ---------------.

            This sequence was finished as follows unless otherwise noted:
            all regions were double stranded, sequenced with an alternate
            chemistry, or covered by high quality data (i.e., phred quality >=
            30;) an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by sequence
            from more than one subclone; and the assembly was confirmed by
            restriction digest.

            NOTICE: This sequence may not represent the entire insert of this
            clone. It may be shorter because we only sequence overlapping
            clone sections once, or longer because we provide a small overlap
            between neighboring data submissions.

            MAPPING INFORMATION:
            The sequence of this clone was established as part of a mapping and
            sequencing collaboration between the NHGRI Chromosome 7 Mapping
            Project (Eric D. Green, Director) John D. McPherson in the
            Department of Genetics (Washington University), and the Washington
            University Genome Sequencing Center. For additional information
            about the map position of this sequence, see
            http://www.nhgri.nih.gov/DIR/GTB/CHR7; send
            mailto:egreen@nhgri.nih.gov, or see http://genome.wustl.edu

            SOURCE INFORMATION:
            The RPCI-11 human BAC library was made from the blood of one male
            donor, as described by Osoegawa,K., Woon,P.Y., Zhao,B., Frengen,E.,
            Tateno,M., Catanese,J.J. and de Jong,P.J. (1998) An improved
            approach for construction of bacterial artificial chromosome
            libraries. Genomics 51:1-8. The clone may be obtained either from
            Research Genetics, Inc. (http://www.resgen.com) or Pieter de Jong
            and coworkers at http://www.chori.org
            VECTOR: pBACe3.6

            NEIGHBORING SEQUENCE INFORMATION:
            The actual start of this clone is at base position 1 of RP11-159I18.
            Actual end is at base position 171058 of RP11-159I18.
FEATURES             Location/Qualifiers
     source          1..171058
```

```
     misc_feature    170232
                     /note="Clone_right_end: RP11-30P6"
     CDS             join(164584..164922,AL589666.5:11372..11594,
                     AL589666.5:15549..15737,AL589666.5:29547..29744,
                     AL589666.5:31647..31801,AL589666.5:33806..33911,
                     AL589666.5:34820..34969,AL589666.5:36289..36489,
                     AL589666.5:38153..38316)
                     /product="5'-nucleotidase, ecto (CD73)"
                     /codon_start=1
                     /protein_id="CAH72337.1"
                     /db_xref="GI:55661714"
                     /db_xref="InterPro:IPR006179"
                     /db_xref="InterPro:IPR006146"
                     /db_xref="InterPro:IPR004843"
                     /db_xref="InterPro:IPR008334"
                     /translation="MCPRAARAPATLILALGAVLWPAAGAWELTILHTNDVHSRLEQT
                     SEDSSKCVNASRCMGGVARLFTKVQQIRRAEPNVLLLDAGDQYQGTIWFTVYKGAEVA
                     HFMNALRYDAMALGNHEFDNGVEGLIBPLLKEAKFPILSANIKAKGPLASQISGLYLP
                     YKVLPVGDEVVGIVGYTSKETPFLSNPGTNLVFEDEITALQPEVDKLKTLNVNKIIAL
                     GHSGFEMDKLIAQKVRGVDVVVGGHSNTFLYTGNPPSKEVPAGKYPFIVTSDDGRKVP
                     VVQAYAFGKYLGYLKIEFDERGNVISSHGNPILLNSSIPEDPSIKADINKWRIKLDNY
                     STQELGKTIIVLDGSSQSCRFRECNMGNLICDAMINNNLRHTDEMFWNHVSMCILNGG
                     GIRSPIDERNNGTITWENLAAVLPGGTFDLIVQLKGSTLKKAFEHSVHRYGQSTGEFL
                     QVGGIHVVDLSRKPDRVVRLDVLCTKCRVPSYDPLKMDEVYKVILPNFLANGGDGF
                     QMIKDELLRHDSGDQDINVSTYISKMKVIYPAVEGRIKFSTGSHCHGSFSLIFLSLW
                     AVIFVLYQ"
```

```
     CDS             join(164584..164922,AL589666.5:11372..11594,
                     AL589666.5:15549..15737,AL589666.5:29547..29744,
                     AL589666.5:31647..31801,AL589666.5:33806..33911,
                     AL589666.5:34820..34969,AL589666.5:36289..36489,
                     AL589666.5:38153..38316)
                     /gene="NT5E"
                     /locus_tag="RP11-321N4.1-001"
                     /standard_name="OTTHUMP00000016808"
                     /note="match: proteins: Sw:O04580 APY_AEDAE CA028125 CA028126 O34313
                     Q05700 Q95P65 Q96B60 Q9U916 Q9V824 Q9VZ33"
                     /protein_id="CAH72336.1"
                     /db_xref="GI:55661713"
                     /db_xref="GOA:Q96B60"
                     /db_xref="InterPro:IPR004843"
                     /db_xref="InterPro:IPR006146"
                     /db_xref="InterPro:IPR006179"
                     /db_xref="UniProt/TrEMBL:Q96B60"
                     /translation="MCPRAARAPATLILALGAVLWPAAGAWELTILHTNDVHSRLEQT
                     SEDSSKCVNASRCMGGVARLFTKVQQIRRAEPNVLLLDAGDQYQGTIWFTVYKGAEVA
                     HFMNALRYDAMALGNHEFDNGVEGLIEPLLKEAKFPILSANIKAKGPLASQISGLYLP
                     YKVLPVGDEVVGIVGYTSKETPFLSNPGTNLVFEDEITALQPEVDKLKTLNVNKIIAL
                     GHSGFEMDKLIAQKVRGVDVVVGGHSNTFLYTGNPPSKEVPAGKYPFIVTSDDGRKVP
                     VVQAYAFGKYLGYLKIEFDERGNVISSHGNPILLNSSIPEDPSIKADINKWRIKLDNY
                     STQELGKTIIVLDGSSQSCRFRECNMGNLICDAMINNNLRHTDEMFWNHVSMCILNGG
                     GIRSPIDERNNGTITWENLAAVLPGGTFDLIVQLKGSTLKKAFEHSVHRYGQSTGEFL
                     QVGGIHVVDLSRKPDRVVRLDVLCTKCRVPSYDPLKMDEVYKVILPNFLANGGDGF
                     QMIKDELLRHDSGDQDINVSTYISKMKVIYPAVEGRIKFSTGSHCHGSFSLIFLSLW
                     AVIFVLYQ"
```

```
source           /organism="Homo sapiens"
                 /mol_type="genomic DNA"
                 /db_xref="taxon:9606"
                 /chromosome="7"
                 /map="7"
                 /clone="RP11-159118"
                 /clone_lib="RPCI-11"
repeat_region    1..835
repeat_region    839..1818
                 /rpt_family="L1"
repeat_region    2300..2408
                 /rpt_family="L1"
repeat_region    2997..3302
                 /rpt_family="ERVL"
repeat_region    3483..3512
                 /rpt_family="Alu"
repeat_region    5688..5842
                 /rpt_family="AT_rich"
repeat_region    6268..6676
                 /rpt_family="L1"
repeat_region    6693..7000
                 /rpt_family="L1"
repeat_region    7003..7114
                 /rpt_family="Alu"
repeat_region    7151..7315
                 /rpt_family="L1"
repeat_region    7316..7618
                 /rpt_family="L1"
repeat_region    7619..7838
                 /rpt_family="Alu"
repeat_region    8030..8166
                 /rpt_family="L1"
repeat_region    8172..8986
                 /rpt_family="GA-rich"
repeat_region    8986..9561
                 /rpt_family="L1"
repeat_region    9574..9723
                 /rpt_family="L1"
repeat_region    9809..10484
                 /rpt_family="GA-rich"
repeat_region    10524..10552
                 /rpt_family="L1"
repeat_region    10745..10968
                 /rpt_family="AT_rich"
repeat_region    10975..11399
                 /rpt_family="L1"
repeat_region    11705..11773
                 /rpt_family="L1"
repeat_region    11783..11985
                 /rpt_family="L1"
repeat_region    11986..12013
                 /rpt_family="Alu"
repeat_region    12014..12037
                 /rpt_family="L1"
repeat_region    12038..12301
                 /rpt_family="(TG)n"
repeat_region    13302..13594
                 /rpt_family="L1"
repeat_region    13595..14432
                 /rpt_family="Alu"
repeat_region    14331..14700
                 /rpt_family="L1"
repeat_region    16105..16181
                 /rpt_family="L1"
repeat_region    17251..17343
                 /rpt_family="MER1_type"
repeat_region    17360..17741
                 /rpt_family="ERV1"
repeat_region    18632..18662
                 /rpt_family="ERV1"
repeat_region    18657..18700
                 /rpt_family="(TTCC)n"
repeat_region    18665..18700
                 /rpt_family="CT-rich"

repeat_region    19609..19720
                 /rpt_family="MIR"
repeat_region    20991..21033
                 /rpt_family="MIR"
repeat_region    21046..21083
                 /rpt_family="(TG)n"
repeat_region    21088..21271
                 /rpt_family="(TTTTG)n"
repeat_region    21754..21916
                 /rpt_family="Alu"
repeat_region    22245..22279
                 /rpt_family="MIR"
repeat_region    22732..23580
                 /rpt_family="CR1"
repeat_region    24129..25030
                 /rpt_family="L1"
repeat_region    25031..25336
                 /rpt_family="L1"
repeat_region    25337..25546
                 /rpt_family="Alu"
repeat_region    25550..25632
                 /rpt_family="L1"
repeat_region    25663..25997
                 /rpt_family="Mariner"
repeat_region    26166..26337
                 /rpt_family="ERVL"
repeat_region    26338..26431
                 /rpt_family="MaLR"
repeat_region    26441..27629
                 /rpt_family="ERVL"
repeat_region    27630..27683
                 /rpt_family="L1"
repeat_region    27684..27970
                 /rpt_family="L1"
repeat_region    27993..28276
                 /rpt_family="ERVL"
repeat_region    28315..28609
                 /rpt_family="L1"
repeat_region    29268..29353
                 /rpt_family="L1"
```

```
Query Match              1.7%;  Score 52;  DB 8;  Length 171058;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches   52;  Conservative    0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy     3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGACTCTGTCTC 3122
            |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     7545 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGACTTCTGTCTC 7596

RESULT 149
AC010616
LOCUS       AC010616               171849 bp    DNA     linear   PRI 01-MAY-2001
DEFINITION  Homo sapiens chromosome 19 clone CTD-2575K13, complete sequence.
ACCESSION   AC010616
VERSION     AC010616.5  GI:13876489
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 171849)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 171849)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (16-SEP-1999) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3  (bases 1 to 171849)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
```

```
JOURNAL     Submitted (28-APR-2001) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
REFERENCE   4  (bases 1 to 171849)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-MAY-2001) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT     On Apr 28, 2001 this sequence version replaced gi:7711477.
            Draft Sequence Produced by DOE Joint Genome Institute
            www.jgi.doe.gov
            Finishing Completed at Stanford Human Genome Center
            www-shgc.stanford.edu
            Quality: Phrap Quality >=40 99.8% of Sequence;
            Estimated Total Number of Errors is 1.
            STS Content:
            WI-15934 G21486
            SHGC-64254 G38544.
FEATURES             Location/Qualifiers
     source          1..171849
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="19"
                     /clone="CTD-2575K13"
ORIGIN
Query Match      1.7%;  Score 52; DB 8; Length 171849;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches   52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy     3071  CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACACAGAGCCAAGACTCTGTCTC  3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   129747  CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACACAGAGCCAAGACTCTGTCTC  129798

RESULT 150
LOCUS       AL590609/c
DEFINITION  AL590609/c
LOCUS       172307 bp    DNA    linear    PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone RP11-4M23 on chromosome 1 Contains
            the 5' end of the FUCA1 gene for alpha-L-1 fucosidase (tissue)
            the CNR2 gene for cannabinoid receptor 2 (macrophage), a BTB (POZ)
            domain-containing 6 (BTBD6) pseudogene, a novel gene, an H3 histone
            family 3A (H3F3A) pseudogene, the PNRC2 gene for proline-rich
            nuclear receptor coactivator 2, the FUS1P1 gene for FUS interacting
            protein (serine-arginine rich) 1, a ribosomal protein L36 (RPL36)
            pseudogene and seven CpG islands, complete sequence.
ACCESSION   AL590609
VERSION     AL590609.15  GI:39573520
KEYWORDS    HTG; BTBD6; cannabinoid receptor; CNR2; CpG island; FUCA; FUS;
            FUS1P1; H3F3A; histone; PNCR2; POZ; proline-rich; RPL36.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 172307)
  AUTHORS   Wallis,J.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
COMMENT     On Dec 8, 2003 this sequence version replaced gi:1579C484.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Clone requests: clonerequest@sanger.ac.uk
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 1, constructed by the Sanger Centre Chromosome 1 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr1
            RP11-4M23 is from the library RPCI-11.1 constructed by the group of
            Pieter de Jong. For further details see
```

```
            http://www.chori.org/bacpac/home.htm
VECTOR: pBACe3.6
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
FEATURES             Location/Qualifiers
     source          1..172307
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP11-4M23"
                     /clone_lib="RPCI-11.1"
     misc_feature    1
                     /note="Clone left end: RP11-4M23"
     gene            complement(join(3548..8684,46268..46384))
                     /gene="CNR2"
                     /locus_tag="RP11-4M23.1-001"
     mRNA            complement(join(3548..8684,46268..46384))
                     /gene="CNR2"
                     /locus_tag="RP11-4M23.1-001"
                     /product="cannabinoid receptor 2 (macrophage)"
                     /note="match: ESTs: Em:AA485015.1 Em:AA909480.1
                     Em:AI218261.1 Em:AI424994.1 Em:AI475798.1 Em:AI864752.1
                     Em:AW503816.1 Em:BM151899.1
                     match: cDNAs: Em:X74328.1"
     polyA_site      complement(3548)
                     /gene="CNR2"
                     /locus_tag="RP11-4M23.1-001"
     polyA_signal    complement(3566..3571)
                     /gene="CNR2"
                     /locus_tag="RP11-4M23.1-001"
     polyA_site      complement(6097)
                     /gene="CNR2"
                     /locus_tag="RP11-4M23.1-001"
     polyA_signal    complement(6116..6121)
                     /gene="CNR2"
                     /locus_tag="RP11-4M23.1-001"
     CDS             complement(7557..8639)
                     /gene="CNR2"
                     /locus_tag="RP11-4M23.1-001"
                     /standard_name="OTTHUMP00000015772"
                     /note="match: proteins: Sw:P34972 Sw:P47936 Sw:Q9QZN9
                     Tr:BAC29520 Tr:BAC29894"
                     /codon_start=1
                     /product="cannabinoid receptor 2 (macrophage)"
                     /protein_id="CAI14799.1"
                     /db_xref="GI:55961036"
                     /db_xref="InterPro:IPR000276"
                     /db_xref="InterPro:IPR001551"
                     /db_xref="InterPro:IPR002230"
                     /translation="MEECWVTEIANGSKDGLDSNPMKDYMILSGPQKTAVAVLCTLLG
                     LLSALENVAVLVLILSSHQLRRKPSYLFIGSLAGADFLASVVFACSFVNFHVFHGVDS
                     KAVFLLKIGSVTMTFTASVGSLLLTAIDRYLCLRYPPSYKALLTRGRALVTLGIMWVL
                     SALVSYLPLMGWTCCPRPCSELFPLINDYLLSWLLFIAFLFSGIIYTYGHVLWKAHQ
                     HVASLSGHQDRQVPGMARRLDVRLAKTLGLVLAVLLICWFPVLALMAHSLATTLSDQ
                     VKKAFAFCSMLCLINSMVNPVIYALRSGEIRSSAHHCLAHWKKCVRGLGSEAKEAPR
                     SSVTETEADGKITPWPDSRDLDLSDC"
     gene            complement(34493..35759)
                     /locus_tag="RP11-4M23.2-001"
                     /pseudo
     CDS             complement(34493..35759)
                     /locus_tag="RP11-4M23.2-001"
```

polyA_signal
/locus_tag="RP11-4M23.5-001"
/gene="PNRC2"
/note="match: proteins: Sw:P58545 Sw:Q96KR9 Sw:Q9Y2F9
Tr:AAH62968 Tr:Q8CHC1 Tr:Q9NST6"

gene
/pseudo
/codon_start=1
/product="BTB (POZ) domain-containing 6 (BTBD6)
pseudogene"

mRNA
complement(join(40133..40203,40769..40907))
/locus_tag="RP11-4M23.3-001"
/pseudo

gene
complement(join(40133..40203,40769..40907))
/locus_tag="RP11-4M23.3-001"
/pseudo

misc_feature
/note="Clone_right_end: RP11-45G17"

gene
complement(82037..82405)
/locus_tag="RP11-4M23.4-001"
/pseudo

CDS
complement(82037..82405)
/locus_tag="RP11-4M23.4-001"
/codon_start=1
/product="H3 histone, family 3A (H3F3A) pseudogene"
/note="match: proteins: Sw:Q92068 Sw:Q92068 Tr:AAH12687 Tr:AAH17558
Tr:BAB22464 Tr:BAC29895 Tr:BAC40130 Tr:Q7V67 Tr:Q8NSF1
Tr:Q9U281"

gene
join(92131..92278,93951..94156,94462..94487)
/locus_tag="RP11-4M23.5-003"
/gene="PNRC2"

mRNA
join(92131..92278,93951..94156,94462..94487)
/locus_tag="RP11-4M23.5-003"
/gene="PNRC2"
/product="proline-rich nuclear receptor coactivator 2"
/note="match: ESTs: Em:AV686572.1 Em:CD689388.1"

gene
join(92834..93020,93951..94156,94462..94484)
/locus_tag="RP11-4M23.5-001"
/gene="PNRC2"

mRNA
join(92834..93020,93951..94156,94462..94484)
/locus_tag="RP11-4M23.5-001"
/gene="PNRC2"
/product="proline-rich nuclear receptor coactivator 2"
/note="match: ESTs: Em:AI221857.1 Em:AI240994.1
Em:AI684547.1 Em:AI823428.1 Em:AI829468.1 Em:AU2804880.1
Em:AW184027.1 Em:AW274261.1 Em:AW274281.1 Em:BE047281.1 Em:BM924437.1
Em:BU159988.1 Em:BU165438.1"

gene
join(92850..93020,93955..94156,94462..94902)
/locus_tag="RP11-4M23.5-002"
/gene="PNRC2"

mRNA
join(92850..93020,93955..94156,94462..94902)
/locus_tag="RP11-4M23.5-002"
/gene="PNRC2"
/note="match: ESTs: Em:BG715201.1 Em:BI596502.1"

CDS
match: cDNA: Em:AF151042.1 Em:AF374386.1 Em:AK000319.1
Em:AK024774.1 Em:BC001959.1"
join(92834..93020,93955..94156,94462..94902)
/locus_tag="RP11-4M23.5-001"
/gene="PNRC2"
/product="proline-rich nuclear receptor coactivator 2"
/standard_name="OTTHUMP00000015770"
/codon_start=1
/protein_id="CAI14802.1"
/db_xref="GI:55961037"
/db_xref="GOA:Q9NPJ4"
/db_xref="UniProt/Swiss-Prot:Q9NPJ4"
/translation="MGGERYNIPAPQSRNVSKNQQLNRQKTKEQNSQMKIVHKKKE
RGHGYNSSAAAWQAMQNGGKKNRNFPNNQSWNSSLSGPRLLFKSQANQNYAGAKFSEPP
SPSVLPKPPSHWVPVSFNPSDKEIMTFQLKTLLKVQV"

polyA_signal
/locus_tag="RP11-4M23.5-001"
/gene="PNRC2"

polyA_site
/locus_tag="RP11-4M23.5-001"
/gene="PNRC2"

polyA_signal
/locus_tag="RP11-4M23.5-001"
/gene="PNRC2"

polyA_site
/locus_tag="RP11-4M23.5-001"
/gene="PNRC2"

gene
complement(join(97826..107745,104595..104648,
104872..105034,107996..108099,111735..111839,
113213..113378))
/gene="FUSIP1"

mRNA
complement(join(97826..107745,104595..104648,
104872..105034,107996..108099,111735..111839,
113213..113378))
/gene="FUSIP1"

polyA_signal
96441..96446
/gene="PNRC2"

polyA_site
/locus_tag="RP11-4M23.5-001"
/gene="PNRC2"

polyA_signal
96445..96450
/gene="PNRC2"

polyA_site
96484
/gene="PNRC2"

gene
complement(join(97826..107745,104595..104648,
104872..105034,107996..108099,111735..111839,
113213..113378))
/locus_tag="RP11-4M23.6-002"
/gene="FUSIP1"

mRNA
complement(join(97826..107745,104595..104648,
104872..105034,107996..108099,111735..111839,
113213..113378))
/locus_tag="RP11-4M23.6-001"
/gene="FUSIP1"

Qy   3071 CAAGATTGTGCCACTGCACTCCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 149550 CAAGATTGTGCCACTGCACTCCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 149499

Query Match   1.7%;   Score 52;   DB 8;   Length 172307;
Best Local Similarity 100.0%;   Pred. No. 5.7e-16;
Matches 52;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

RESULT 151
AC025589
LOCUS   AC025589   172759 bp   DNA   linear   PRI 01-MAY-2001
DEFINITION   Homo sapiens chromosome 3 clone RP11-175F9, complete sequence.
ACCESSION   AC025589
VERSION   AC025589.20   GI:13899418
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 172759)
AUTHORS   Abola,A.P., Bruno,D., Conn,L., Dela Rosa,M., Faulkner,D.,
             Federspiel,N., Glukhov,S., Hansen,N., Herman,Z.S., Hyman,R.,
             Komp,C., Kottler,S., Lam,B., Mao,J., Marathe,R., Miranda,M.,
             Morehouse,A.J., Nguyen,M., Oefner,P., Palm,C.J., Ramirez,D.,
             Southwick,A.M., Webb,C., Wilhelmy,J., Yu,S. and Davis,R.W.
             Unpublished
REFERENCE   2 (bases 1 to 172759)
AUTHORS   Bruno,D., Conn,L., Dela Rosa,M., Faulkner,D., Federspiel,N.,
             Glukhov,S., Hansen,N., Hyman,R., Mao,J., Marathe,R.,
             Morehouse,A.J., Oefner,P., Palm,C.J., Ramirez,D., Wilhelmy,J.,
             Yu,S. and Davis,R.W.
JOURNAL   Direct Submission
             Submitted (12-MAR-2000) DNA Sequencing and Technology Center,
             Stanford University, 855 California Avenue, Palo Alto, CA 94304,
             USA
REFERENCE   3 (bases 1 to 172759)
AUTHORS   Abola,A.P., Bruno,D., Conn,L., Dela Rosa,M., Faulkner,D.,
             Federspiel,N., Glukhov,S., Hansen,N., Herman,Z.S., Hyman,R.,
             Komp,C., Kottler,S., Lam,B., Mao,J., Marathe,R., Miranda,M.,
             Morehouse,A.J., Nguyen,M., Oefner,P., Palm,C.J., Ramirez,D.,
             Southwick,A.M., Webb,C., Wilhelmy,J., Yu,S. and Davis,R.W.
JOURNAL   Direct Submission
             Submitted (01-MAY-2001) Genome Technology Center, Stanford
             University, 855 California Avenue, Palo Alto, CA 94304, USA
TITLE   On May 1, 2001 this sequence version replaced gi:13446262.
COMMENT   -------------------- Genome Center
             Center: Stanford DNA Sequencing and Technology Development
             Center
             Center code: SDSTDC
             Web site: http://sequence-www.stanford.edu/group/human/
             Contact: hum-info@sequence.stanford.edu
             -------------------- Project Information

```
                 Center project name: 860
                 Center clone name: RP11-175F9

                 -------- Summary
          This sequence was finished as follows unless otherwise noted:
          all regions were double stranded or sequenced with an alternate
          chemistry or covered by high quality data (i.e., phred quality >=
          30); an attempt was made to resolve all sequencing problems, such
          as compressions and repeats; all regions were covered by sequence
          from more than one subclone; and the assembly was confirmed by
          restriction digest.

FEATURES             Location/Qualifiers
     source          1..172759
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="3"
                     /clone_lib="RPCI human BAC library 11"
                     /clone="RP11-175F9"

ORIGIN

Qy      2899 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACCC 2950
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     14184 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACCC 14235

Query Match      1.7%;  Score 52;  DB 8;  Length 172759;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

RESULT 152
AC010160/c
LOCUS       AC010160               172915 bp    DNA     linear   HTG 01-OCT-2002
DEFINITION  Homo sapiens chromosome 10 clone RP11-396M20, WORKING DRAFT
            SEQUENCE, 5 unordered pieces.
ACCESSION   AC010160
VERSION     AC010160.9  GI:13958383
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP; HTGS_ACTIVEFIN;
            HTGS_CANCELLED.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 172915)
  AUTHORS   Smith,D.R.
  TITLE     Genome Therapeutics Corporation Sequencing Center: Human Genome
            Sequence Data
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 172915)
  AUTHORS   Smith,D.R.
  TITLE     Direct Submission
  JOURNAL   Submitted (14-SEP-1999) Genome Therapeutics Corporation, 100 Beaver
            Street, Waltham, MA 02453, USA
COMMENT     On May 6, 2001 this sequence version replaced gi:9887635.
            -------- Genome Center
            Center: Genome Therapeutics Corporation
            Center code: GTC
            Web site: http://www.genomecorp.com/
            Contact: gtc-sequencer@genomecorp.com
            -------- Project Information
            Center project name: hg015
            -------- Summary Statistics
            Sequencing vector: N/A
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 990315
            Assembly program: Phrap; version 990315
            DOE Joint Genome Institute 166031 bases at least Q40
            Consensus quality: 167418 bases at least Q30
            Consensus quality: 168334 bases at least Q20
            Insert size: 172565; sum-of-contigs
            Quality coverage: 7.4x in Q20 bases; sum-of-contigs

*  NOTE: This is a 'working draft' sequence. It currently
```

```
*  consists of 5 contigs. The true order of the pieces
*  is not known and their order in this sequence record is
*  arbitrary. Gaps between the contigs are represented as
*  runs of N, but the exact sizes of the gaps are unknown.
*  This record will be updated with the finished sequence
*  as soon as it is available and the accession number will
*  be preserved.

FEATURES             Location/Qualifiers
     source          1..172915
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="10"
                     /clone="RP11-396M20"
                     /clone_lib="RPCI-11"

     misc_feature    1..1479
                     /note="assembly_name:Contig3"
     gap             1480..1579
                     /estimated_length=unknown
     misc_feature    1580..19522
                     /note="assembly_name:Contig5"
     gap             19523..19622
                     /estimated_length=unknown
     misc_feature    19623..43164
                     /note="assembly_name:Contig6"
     gap             43165..43264
                     /estimated_length=unknown
     misc_feature    43265..88435
                     /note="assembly_name:Contig7"
     gap             88436..88535
                     /estimated_length=unknown
     misc_feature    88536..172915
                     /note="assembly_name:Contig8"

ORIGIN

Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    153187 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAAGACTCTGTCTC 153136

Query Match      1.7%;  Score 52;  DB 14;  Length 172915;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

RESULT 153
AC020908
LOCUS       AC020908               174034 bp    DNA     linear   PRI 03-OCT-2001
DEFINITION  Homo sapiens chromosome 19 clone CTD-2528A14, complete sequence.
ACCESSION   AC020908
VERSION     AC020908.7  GI:15887300
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 174034)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 174034)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (12-JAN-2000) Production Sequencing Facility, DOE Joint
```

REFERENCE   3 (bases 1 to 174034)
AUTHORS   Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
            DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE   Direct Submission
JOURNAL   Submitted (01-SEP-2000) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
REFERENCE   4 (bases 1 to 174034)
AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
TITLE   Direct Submission
JOURNAL   Submitted (03-OCT-2001) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT   On Oct 3, 2001 this sequence version replaced gi:9958017.
            Draft Sequence Produced by DOE Joint Genome Institute
            www.jgi.doe.gov
            Finishing Completed at Stanford Human Genome Center
            www-shgc.stanford.edu
            Quality: Phrap Quality >=40 99.8% of Sequence;
            Estimated Total Number of Errors is 0.6.
FEATURES   Location/Qualifiers
     source   1..174034
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="19"
                     /clone="CTD-2528A14"
ORIGIN
Qy   2889 GAGGCAGGTGGGATCACCTGAGGCGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
                 |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61038 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 61089

RESULT 154
LOCUS   AC127468/c
ACCESSION   AC127468
DEFINITION Papio anubis clone RP41-263F8, WORKING DRAFT SEQUENCE, 15 ordered
            pieces.
ACCESSION   AC127468
VERSION   AC127468.4 GI:31415891
KEYWORDS   HTG; HTGS_PHASE2; HTGS_DRAFT.
SOURCE   Papio anubis (olive baboon)
  ORGANISM Papio anubis
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Cercopithecidae; Cercopithecinae; Papio.
REFERENCE   1 (bases 1 to 174521)
AUTHORS   Antonellis,A., Ayele,K., Beckstrom-Sternberg,S.M., Benjamin,B.,
            Blakesley,R.W., Bouffard,G.G., Brinkley,C., Brooks,S., Cariaga,K.,
            Chu,G., Coleman,H., Engle,J., Granite,S., Guan,X.,
            Gupta,J., Haghighi,P., Han,J., Hansen,N., Ho,S.-L., Hu,P.,
            Hurle,B., Idol,J.R., Karlins,E., Kwong,P., Laric,P., Lee-Lin,S.-Q.,
            Legaspi,R., Maduro,Q.L., Maduro,V.B., Margulies,E.H., Masiello,C.,
            Maskeri,B., McDowell,J., Pagurigan,C., Pearson,R., Portnoy,M.E.,
            Prasad,A., Reddix-Dugue,N., Schandler,K., Schueler,M.G., Shah,K.,
            Sison,C., Stantripop,S., Thomas,J.W., Thomas,P.J., Tsipouri,V.,
            Vogt,J.L., Wetherby,K.D., Wiggins,L., Young,A. and Green,E.D.
TITLE   NISC Comparative Sequencing Initiative
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 174521)
AUTHORS   Green,E.D.
TITLE   Direct Submission
JOURNAL   Submitted (17-JUL-2002) NIH Intramural Sequencing Center, 8717
            Grovemont Circle, Gaithersburg, MD 20877, USA
REFERENCE   3 (bases 1 to 174521)
AUTHORS   Green,E.D.
TITLE   Direct Submission
JOURNAL   Submitted (05-JUN-2003) NIH Intramural Sequencing Center, 8717
            Grovemont Circle, Gaithersburg, MD 20877, USA
COMMENT   On Jun 5, 2003 this sequence version replaced gi:26050953.

Qy   Query Match   1.7%; Score 52; DB 8; Length 174034;
            Best Local Similarity 100.0%; Pred. No. 5.7e-16;
            Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

LOCUS   174521 bp   DNA   linear   HTG 05-JUN-2003

------------------ Genome Center
                     Center: NIH Intramural Sequencing Center
                     Center code: NISC
                     Web site: http://www.nisc.nih.gov
                     Contact: nisc_zoo@mail.nih.gov

                     Project name: cyr
                     Center project name: cyr
                     Center clone name: 263F08

The sequence data in this record represents an 'enhanced'
version of a Phase 2 submission. Specifically, the indicated
order and orientation of each sequence contig has been
established using one or more of the following: read-pair
data from individual subclones, overlaps with neighboring
clones, alignment with available reference sequence (e.g.,
human), and/or confirmation by PCR testing. In addition,
the sequence assembly is based on at least 8X average
coverage in Q20 bases and has been reviewed to rule out
gross misassemblies, the low-quality ends of sequence
contigs have been trimmed away, and each base is associated
with a Phrap-derived quality score.

----------- Summary Statistics -----------
Sequencing vector: plasmid; n/a; 100% of reads
Chemistry: Dye-terminator Big Dye; 100% of reads
Assembly program: Phrap; Version 0.990319
Consensus quality: 171309 bases at least Q40
Consensus quality: 171311 bases at least Q30
Consensus quality: 172845 bases at least Q20
Insert size: 177000; agarose-fp
Insert size: 173121; sum-of-contigs
Quality coverage: 10.09x in Q20 bases; agarose-fp
Quality coverage: 10.32x in Q20 bases; sum-of-contigs

* NOTE: This is a 'working draft' sequence. It currently
* consists of 15 contigs. Gaps between the contigs
* are represented as runs of N. The order of the pieces
* is believed to be correct as given, however the sizes
* of the gaps between them are based on estimates that have
* provided by the submittor.
* This sequence will be replaced
* by the finished sequence as soon as it is available and
* the accession number will be preserved.

pos	contig info
1	42198: contig of 42198 bp in length
42199	42298: gap of unknown length
42299	45686: contig of 3388 bp in length
45687	45786: gap of unknown length
45787	71568: contig of 25782 bp in length
71569	71668: gap of unknown length
71669	75986: contig of 4318 bp in length
75987	76086: gap of unknown length
76087	85283: contig of 9197 bp in length
85284	85383: gap of unknown length
85384	103813: contig of 18430 bp in length
103814	103913: gap of unknown length
103914	105217: contig of 1304 bp in length
105218	105317: gap of unknown length
105318	112563: contig of 7246 bp in length
112564	112663: gap of unknown length
112664	114712: contig of 2049 bp in length
114713	114812: gap of unknown length
114813	141386: contig of 26574 bp in length
141387	141486: gap of unknown length
141487	144449: contig of 2963 bp in length
144450	144549: gap of unknown length
144550	148916: contig of 4367 bp in length
148917	149016: gap of unknown length
149017	153247: contig of 4231 bp in length
153248	153347: gap of unknown length
153348	165212: contig of 11865 bp in length
165213	165312: gap of unknown length
165313	174521: contig of 9209 bp in length

FEATURES   Location/Qualifiers
     source   1..174521

RESULT 155

Qy   2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   90300 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 90249

Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

LOCUS   CNS01DX3   176343 bp   DNA   linear   PRI 26-APR-2001
DEFINITION CNS01DX3/c
            Human chromosome 14 DNA sequence BAC R-517O13 of library RPCI-11
            from chromosome 14 of Homo sapiens (Human), complete sequence.
ACCESSION   AL139021
VERSION   AL139021.6 GI:13159194
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 176343)
  AUTHORS   Heilig,R., Petit,J.L., Vico,V., Dasilva,C., Robert,C., Wincker,P.,
            Brottier,P., Cattolico,L., Barbe,V., Pelletier,E., Artiguenave,F.,
            Levy,M., Eckenberg,R., Bruls,T., deBerardinis,V., Cruaud,C.,
            Gyapay,G., Saurin,W. and Weissenbach,J.
  TITLE   Sequencing of the human chromosome 14
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 176343)
  AUTHORS   Genoscope.
  TITLE   Direct Submission
  JOURNAL   Submitted (26-APR-2001) Genoscope - Centre National de Sequencage
            BP 191 91006 EVRY cedex - FRANCE (E-mail : segref@genoscope.cns.fr
            - Web : www.genoscope.cns.fr)
COMMENT   On Feb 27, 2001 this sequence version replaced gi:11611151.
            - Web site: http://www.genoscope.cns.fr/
            Contact: SeqRef@genoscope.cns.fr
            Center: Genoscope / Centre National de Sequencage
            Center code: GS
            Web site: http://www.genoscope.cns.fr/
            Contact: SeqRef@genoscope.cns.fr
            -------------- Genome Center
            Center: Genoscope / Centre National de Sequencage
            Center code: GS
            Web site: http://www.genoscope.cns.fr/
            Contact: SeqRef@genoscope.cns.fr
            -------------- Summary Statistics
            Assembly program: Phrap; version 2.0
            Quality coverage: 8.11x in Q20 bases; sum-of-contigs
            ----
            Overall quality chart :
            Range :   bases
            0   :   9
            1 -   9 :   2
            10 - 19 :   10
            20 - 29 :   210
            30 - 39 :   4379
            40 - 49 :   10906
            50 - 59 :   9685
            60 - 69 :   18251
            70 - 79 :   45109
            80 - 89 :   87791
            90 - 99 :
            Percentage of bases with a quality value >= 40 : 99 %.
            The following BAC sequence is oriented from the T7 to the SP6 end.
            Upstream BAC (overlapping the T7 end) : C-200H8
            Downstream BAC (overlapping the SP6 end) : R-401H9 (AC=AL135752)
FEATURES   Location/Qualifiers
     source   1..176343
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="14"
                     /clone="R-517O13"
                     /clone_lib="RPCI-11"
     STS   2338..2477
                     /note="matching EMBL:G33047

     misc_feature   1..42198
                     /note="assembly_fragment
     source   1..42198
                     /organism="Papio anubis"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9555"
                     /clone="RP41-263F8"
                     /clone_lib="RP41"
     misc_feature   1..42198
                     /note="assembly_fragment
                     missing T7 clone end on 5' end of insert"
     gap   42199..42298
                     /estimated_length=unknown
     misc_feature   42299..45686
                     /note="assembly_fragment"
     gap   45687..45786
                     /estimated_length=unknown
     misc_feature   45787..71568
                     /note="assembly_fragment"
     gap   71569..71668
                     /estimated_length=unknown
     misc_feature   71669..75986
                     /note="assembly_fragment"
     gap   75987..76086
                     /estimated_length=unknown
     misc_feature   76087..85283
                     /note="assembly_fragment"
     gap   85284..85383
                     /estimated_length=unknown
     misc_feature   85384..103813
                     /note="assembly_fragment"
     gap   103814..103913
                     /estimated_length=unknown
     misc_feature   103914..105217
                     /note="assembly_fragment"
     gap   105218..105317
                     /estimated_length=unknown
     misc_feature   105318..174521
                     /note="clone overlaps with GenBank Accession Number
                     AC127469 clone RP41-91L23 (center project name cyg)"
     misc_feature   105318..112563
                     /note="assembly_fragment"
     gap   112564..112663
                     /estimated_length=unknown
     misc_feature   112664..114712
                     /note="assembly_fragment"
     gap   114713..114812
                     /estimated_length=unknown
     misc_feature   114813..141386
                     /note="assembly_fragment"
     gap   141387..141486
                     /estimated_length=unknown
     misc_feature   141487..144449
                     /note="assembly_fragment"
     gap   144450..144549
                     /estimated_length=unknown
     misc_feature   144550..148916
                     /note="assembly_fragment"
     gap   148917..149016
                     /estimated_length=unknown
     misc_feature   149017..153247
                     /note="assembly_fragment"
     gap   153248..153347
                     /estimated_length=unknown
     misc_feature   153348..165212
                     /note="assembly_fragment"
     gap   165213..165312
                     /estimated_length=unknown
     misc_feature   165313..174521
                     /note="assembly_fragment
                     clone_end:SP6
                     vector_side:right"

ORIGIN

Query Match   1.7%; Score 52; DB 14; Length 174521;
Best Local Similarity 100.0%; Pred. No. 5.7e-16;

```
STS      RHdb:RH67742
         dbSTS:STS47669
         Identified using the e-PCR software (G. Schuler)"
         35745..35866
         /note="matching EMBL:G13592
         RHdb:RH95857
         RHdb:RH13047
         dbSTS:STS13237
         Identified using the e-PCR software (G. Schuler)"
         37127..37251
         /note="matching EMBL:G30370
         RHdb:RH53945
         RHdb:RH38563
         dbSTS:STS8453
         Identified using the e-PCR software (G. Schuler)"
         66498..66635
         /note="matching EMBL:N55165
         RHdb:RH66721
         dbSTS:STS46650
         Identified using the e-PCR software (G. Schuler)"
         71248..71368
         /note="matching EMBL:H97583
         RHdb:RH78893
         dbSTS:STS5634
         Identified using the e-PCR software (G. Schuler)"
         72428..72563
         /note="matching EMBL:N22461
         RHdb:RH46962
         dbSTS:STS40024
         Identified using the e-PCR software (G. Schuler)"
         110431..110732
         /note="matching EMBL:G03433
         RHdb:RH34713
         dbSTS:STS1533
         Identified using the e-PCR software (G. Schuler)"

ORIGIN

Query Match
Best Local Similarity   100.0%;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

                          Score 52;  DB 8;  Length 176343;
                          Pred. No. 5.7e-16;

Qy   3071 CAAGATTGTGCCACTGCACTTCCAGCCTCGGGCAACAGACGAGCAAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   4072 CAAGATTGTGCCACTGCACTTCCAGCCTCGGGCAACAGACGAGCAAGACTCTGTCTC 4021


RESULT 156

LOCUS       AC150824              176871 bp    DNA     linear   HTG 16-SEP-2004
DEFINITION  Callithrix jacchus clone CH259-392G13, WORKING DRAFT SEQUENCE, 6
            ordered pieces.
ACCESSION   AC150824
VERSION     AC150824.2  GI:52138777
KEYWORDS    HTG; HTGS_PHASE2; HTGS_DRAFT.
SOURCE      Callithrix jacchus (white-tufted-ear marmoset)
ORGANISM    Callithrix jacchus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Platyrrhini;
            Callitrichidae; Callithrix.
REFERENCE   1  (bases 1 to 176871)
AUTHORS     Antonellis,A., Ayele,K., Benjamin,B., Blakesley,R.W., Boakye,A.,
            Bouffard,G.G., Brinkley,C., Brooks,S., Chu,G., Coleman,H., Daki,N.,
            Engle,J., Guan,X., Gupta,J., Haghighi,P., Han,J., Hansen,N.,
            Ho,S.-L., Hu,P., Hurle,B., Idol,J.R., Jones,C., Kwong,P., Laric,P.,
            Larson,S., Lee-Lin,S.-Q., Legaspi,R., Madden,M., Maduro,Q.L.,
            Maduro,V.B., Margulies,E.H., Masiello,C., Maxwell,B., McDowell,J.,
            Mullikin,J.C., Park,M., Portnoy,M.E., Prasad,A., Puri,O.,
            Reddix-Dugue,N., Roaes,B., Schandler,K., Scheler,M.G., Shah,K.,
            Sison,C., Stantripop,S., Stephen,E., Thomas,J.W., Thomas,P.J.,
            Taipouri,V., Vogt,J.L., Wetherby,K.D., Young,A. and Green,E.D.
TITLE       NISC Comparative Sequencing Initiative
JOURNAL     Unpublished
REFERENCE   2  (bases 1 to 176871)
AUTHORS     Green,E.D.
TITLE       Direct Submission
JOURNAL     Submitted (11-AUG-2004) NIH Intramural Sequencing Center, 8717
            Grovemont Circle, Gaithersburg, MD 20877, USA
REFERENCE   3  (bases 1 to 176871)
AUTHORS     Green,E.D.
TITLE       Direct Submission
JOURNAL     Submitted (16-SEP-2004) NIH Intramural Sequencing Center, 8717
            Grovemont Circle, Gaithersburg, MD 20877, USA
COMMENT     On Sep 16, 2004 this sequence version replaced gi:51101028.
            -------------------- Genome Center
                  Center: NIH Intramural Sequencing Center
                  Center code: NISC
                  Web site: http://www.nisc.nih.gov
                  Contact: nisc_zoo@nhgri.nih.gov
            -------------------- Project Information
                  Center project name: hjb
                  Center clone name: 392G13
            --------------------
            The sequence data in this record represents an 'enhanced'
            version of a Phase 2 submission. Specifically, the indicated
            order and orientation of each sequence contig has been
            established using one or more of the following: read-pair
            data from individual subclones, overlaps with neighboring
            clones, alignment with available reference sequence (e.g.,
            human), and/or confirmation by PCR testing. In addition,
            the sequence assembly is based on at least 8X average
            coverage in Q20 bases and has been reviewed to rule out
            gross misassemblies, the low-quality ends of sequence
            contigs have been trimmed away, and each base is associated
            with a Phrap-derived quality score.
            -------------------- Summary Statistics
                  Sequencing vector: plasmid; n/a; 100% of reads
                  Chemistry: Dye-terminator Big Dye; 100% of reads
                  Assembly program: Phrap; version 0.990319
                  Consensus quality: 175488 bases at least Q40
                  Consensus quality: 176005 bases at least Q30
                  Consensus quality: 176238 bases at least Q20
                  Insert size: 176371; agarose-fp
                  Insert size: 176371; sum-of-contigs
                  Quality coverage: 8.55x in Q20 bases; agarose-fp
                  Quality coverage: 10.91x in Q20 bases; sum-of-contigs
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 6 contigs. Gaps between the contigs
            * are represented as runs of N. The order of the pieces
            * is believed to be correct as given, however the sizes
            * of the gaps between them are based on estimates that have
            * been provided by the submittor.
            * This sequence will be replaced
            * by the finished sequence as soon as it is available and
            * the accession number will be preserved.
            *     1        22851: contig of 22851 bp in length
            *     22852    22951: gap of unknown length
            *     22952    25041: contig of 2090 bp in length
            *     25042    25141: gap of unknown length
            *     25142    63108: contig of 37967 bp in length
            *     63109    63208: gap of unknown length
            *     63209   156929: contig of 93721 bp in length
            *     156930  157029: gap of unknown length
            *     157030  171090: contig of 14061 bp in length
            *     171091  171190: gap of unknown length
            *     171191  176871: contig of 5681 bp in length.
FEATURES             Location/Qualifiers
     source          1..176871
                     /organism="Callithrix jacchus"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9483"
                     /clone="CH259-392G13"
                     /clone_lib="CH259"
                     /note="BAC resource: http://bacpac.chori.org/"
     misc_feature    1..106470
                     /note="clone overlaps with GenBank Accession Number
```

```
misc_feature   AC151042 clone CH259-63D17 (center project name hja)"
               1..22851
               /note="assembly_fragment
               clone_end:T7
               vector_side:left"
gap            22852..22951
misc_feature   22952..25041
               /estimated_length=unknown
               /note="assembly_fragment"
gap            25042..25141
misc_feature   25142..63108
               /estimated_length=unknown
               /note="assembly_fragment"
gap            63109..63208
misc_feature   63209..156929
               /estimated_length=unknown
               /note="assembly_fragment"
misc_feature   7921..176871
               /note="clone overlaps with GenBank Accession Number
               AC151035 clone CH259-434P22 (center project name hjc)"
gap            156930..157029
misc_feature   157030..171090
               /estimated_length=unknown
               /note="assembly_fragment"
gap            171091..171190
misc_feature   171191..176871
               /estimated_length=unknown
               /note="assembly_fragment
               clone_end:SP6
               vector_side:right"
ORIGIN

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   4700 CAAGATTGTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGAGACTCTGTCTC 4751

RESULT 157
AC073954/c
LOCUS          AC073954         177744 bp     DNA     linear     HTG 17-NOV-2000
DEFINITION     Homo sapiens chromosome 17 clone RP11-147C10, WORKING DRAFT
               SEQUENCE, 34 unordered pieces.
ACCESSION      AC073954
VERSION        AC073954.3  GI:10998993
KEYWORDS       HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE         Homo sapiens (human)
ORGANISM       Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
               Hominidae; Homo.
REFERENCE      1 (bases 1 to 177744)
AUTHORS        Waterston,R.H.
TITLE          The sequence of Homo sapiens clone
JOURNAL        Unpublished
REFERENCE      2 (bases 1 to 177744)
AUTHORS        Waterston,R.H.
TITLE          Direct Submission
JOURNAL        Submitted (07-JUL-2000) Genome Sequencing Center, Washington
               University School of Medicine, 4444 Forest Park Parkway, St. Louis,
               MO 6310, USA
               On Oct 25, 2000 this sequence version replaced gi:9186649.
COMMENT        --------------- Genome Center ---------------
               Center: Washington University Genome Sequencing Center
               Center code: WUGSC
               Web site:http://genome.wustl.edu/gsc/index.shtml
               ------------- Project Information -------------
               Center project name: H_NH0147C10
               --------------- Summary Statistics ---------------
```

Query Match   1.7%;   Score 52;   DB 14;   Length 176871;
Best Local Similarity 100.0%; Pred. No. 5.7e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
* Sequencing vector: M13; 100%
* Sequencing vector: plasmid; 0%
* Chemistry: Dye-primer ET; 100% of reads
* Chemistry: Dye-terminator ET; 0% of reads
* Assembly program: Phrap; version 0.990319
* Consensus quality: 155679 bases at least Q40
* Consensus quality: 163329 bases at least Q30
* Consensus quality: 166780 bases at least Q20
* Insert size: 185000; agarose-fp
* Insert size: 183559; sum-of-contigs
* Quality coverage: 3.29 in Q20 bases; agarose-fp
* Quality coverage: 3.43 in Q20 bases; sum-of-contigs
* NOTE: This is a 'working draft' sequence. It currently
* consists of 34 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
*
*          1     1247: contig of 1247 bp in length
*       1248     1347: gap of unknown length
*       1348     2762: contig of 1415 bp in length
*       2763     2862: gap of unknown length
*       2863     4773: contig of 1911 bp in length
*       4774     4873: gap of unknown length
*       4874     6326: contig of 1453 bp in length
*       6327     6426: gap of unknown length
*       6427     8873: contig of 2447 bp in length
*       8874     8973: gap of unknown length
*       8974    10783: contig of 1810 bp in length
*      10784    10883: gap of unknown length
*      10884    12763: contig of 1880 bp in length
*      12764    12863: gap of unknown length
*      12864    15381: contig of 2518 bp in length
*      15382    15481: gap of unknown length
*      15482    17365: contig of 1884 bp in length
*      17366    17465: gap of unknown length
*      17466    19992: contig of 2527 bp in length
*      19993    20092: gap of unknown length
*      20093    23512: contig of 3420 bp in length
*      23513    23612: gap of unknown length
*      23613    25699: contig of 2087 bp in length
*      25700    25799: gap of unknown length
*      25800    28333: contig of 2534 bp in length
*      28334    28433: gap of unknown length
*      28434    32027: contig of 3594 bp in length
*      32028    32127: gap of unknown length
*      32128    36115: contig of 3988 bp in length
*      36116    36215: gap of unknown length
*      36216    39882: contig of 3667 bp in length
*      39883    39982: gap of unknown length
*      39983    44009: contig of 4027 bp in length
*      44010    44109: gap of unknown length
*      44110    47829: contig of 3720 bp in length
*      47830    47929: gap of unknown length
*      47930    53768: contig of 5839 bp in length
*      53769    53868: gap of unknown length
*      53869    60215: contig of 6347 bp in length
*      60216    60315: gap of unknown length
*      60316    66477: contig of 6162 bp in length
*      66478    66577: gap of unknown length
*      66578    71476: contig of 4899 bp in length
*      71477    71576: gap of unknown length
*      71577    78883: contig of 7307 bp in length
*      78884    78983: gap of unknown length
*      78984    85952: contig of 6969 bp in length
*      85953    86052: gap of unknown length
*      86053    93510: contig of 7458 bp in length
*      93511    93610: gap of unknown length
*      93611   100718: contig of 7108 bp in length
*     100719   100818: gap of unknown length
```

```
FEATURES             Location/Qualifiers
source               1..177744
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /clone="RP11-147C10"
     misc_feature    1..1247
                     /note="assembly_name:Contig26"
     gap             1248..1347
                     /estimated_length=100
     misc_feature    1348..2762
                     /note="assembly_name:Contig31"
     gap             2763..2862
                     /estimated_length=unknown
     misc_feature    2863..4773
                     /note="assembly_name:Contig34"
     gap             4774..4873
                     /estimated_length=unknown
     misc_feature    4874..6326
                     /note="assembly_name:Contig35"
     gap             6327..6426
                     /estimated_length=unknown
     misc_feature    6427..8873
                     /note="assembly_name:Contig36"
     gap             8874..8973
                     /estimated_length=unknown
     misc_feature    8974..10783
                     /note="assembly_name:Contig37"
     gap             10784..10883
                     /estimated_length=unknown
     misc_feature    10884..12763
                     /note="assembly_name:Contig38"
     gap             12764..12863
                     /estimated_length=unknown
     misc_feature    12864..15381
                     /note="assembly_name:Contig39"
     gap             15382..15481
                     /estimated_length=unknown
     misc_feature    15482..17365
                     /note="assembly_name:Contig40"
     gap             17366..17465
                     /estimated_length=unknown
     misc_feature    17466..19992
                     /note="assembly_name:Contig41"
     gap             19993..20092
                     /estimated_length=unknown
     misc_feature    20093..23512
                     /note="assembly_name:Contig42"
     gap             23513..23612
                     /estimated_length=unknown
     misc_feature    23613..25699
                     /note="assembly_name:Contig43"
     gap             25700..25799
                     /estimated_length=unknown
     misc_feature    25800..28333
                     /note="assembly_name:Contig44"
     gap             28334..28433
                     /estimated_length=unknown
     misc_feature    28434..32027
                     /note="assembly_name:Contig45"
     gap             32028..32127
                     /estimated_length=unknown
     misc_feature    32128..36115
                     /note="assembly_name:Contig46"
     gap             36116..36215
                     /estimated_length=unknown
     misc_feature    36216..39982
                     /note="assembly_name:Contig47"
     gap             39983..39982
                     /estimated_length=unknown
     misc_feature    39983..44009
                     /note="assembly_name:Contig48"
     gap             44010..44109
                     /estimated_length=unknown
     misc_feature    44110..47829
                     /note="assembly_name:Contig49"
     gap             47830..47929
                     /estimated_length=unknown
     misc_feature    47930..53768
                     /note="assembly_name:Contig50"
     gap             53769..53868
```

```
*  100819 100795: contig of 8977 bp in length
*  100796 109895: gap of unknown length
*  109896 117790: contig of 7895 bp in length
*  117791 117890: gap of unknown length
*  117891 126044: contig of 8154 bp in length
*  126045 126144: gap of unknown length
*  126145 134442: contig of 8298 bp in length
*  134443 134542: gap of unknown length
*  134543 145662: contig of 11121 bp in length
*  145663 145763: gap of unknown length
*  145764 157188: contig of 11426 bp in length
*  157189 157289: gap of unknown length
*  157290 166821: contig of 9533 bp in length
*  166822 166921: gap of unknown length
*  166922 177743: contig of 10822 bp in length
   166923 177744:
```

```
RESULT 158
LOCUS       AC010761               177773 bp    DNA     linear   PRI 10-JAN-2003
DEFINITION  Homo sapiens chromosome 17, clone RP11-386F9, complete sequence.
ACCESSION   AC010761
VERSION     AC010761.10  GI:27573488
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 177773)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 17, clone RP11-386F9
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 177773)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,M.,
            Baldwin,J., Barna,N., Beckerly,R., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Castle,A., Colangelo,M., Collins,S., Collymore,A.,
            Cooke,P., DeArellano,K., Dewar,K., Domino,M., Donelan,L., Doyle,M.,
            Ferreira,P., FitzHugh,W., Forrest,C., Funke,R., Gage,D.,
            Galagan,J., Gacdyna,S., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J., Johnson,R., Jones,C., Kann,L., Karatas,A., Klein,J.,
            Lehoczky,J., Lieu,C., Locke,K., Macdonald,P., Marquis,N.,
            McEwan,P., McGurk,A., McKernan,K., McLaughlin,J., Meldrim,J.,
            Morrow,J., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            Peterson,K., Pollara,V., Riley,R., Roy,A., Santos,R., Severy,P.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Tirrell,A., Vassiliev,H., Vo,A., Wheeler,J., Wu,X.,
            Wyman,D., Ye,W.J., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (22-SEP-1999) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 177773)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
```

```
Query Match             1.7%;  Score 52;  DB 14;  Length 177744;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches   52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        146170 GAGGCAGGTGGGATCACCTGAGGCCAGGAGGTTCGAGACCAGCCTGGCCAACAT 146119
```

```
AUTHORS   Paro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
          Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
          Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
          Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
          Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
          Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
          Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
          Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
          Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
          Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
          Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
          Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
          Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
          Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE     Direct Submission
JOURNAL   Submitted (11-NOV-2002) Whitehead Institute/MIT Center for Genome
          Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE 4  (bases 1 to 177773)
AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
          Barnas,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
          Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
          Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
          Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
          Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
          Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
          Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
          Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
          Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
          Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
          Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
          Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
          Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
          Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
          Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
          Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
          Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE     Direct Submission
JOURNAL   Submitted (10-JAN-2003) Whitehead Institute/MIT Center for Genome
          Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT   On Jan 10, 2003 this sequence version replaced gi:24850532.
          All repeats were identified using RepeatMasker:
          Smit,A.F.A. & Green,P. (1996-1997)
          http://ftp.genome.washington.edu/RM/RepeatMasker.html
          --------------- Genome Center
          Center: Whitehead Institute/ MIT Center for Genome Research
          Center code: WIBR
          Web site: http://www-seq.wi.mit.edu
          Contact: sequence_submissions@genome.wi.mit.edu
          --------------- Project Information
          Center project name: L1611
          Center clone name: 386_F_9
          ---------------
FEATURES             Location/Qualifiers
     source          1..177773
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /map="17"
                     /clone="RP11-386F9"
                     /clone_lib="RPCI-11 Human Male BAC"
     repeat_region   31..91
                     /rpt_family="MIR"
     repeat_region   92..396
                     /rpt_family="AluY"
     repeat_region   397..443
                     /rpt_family="MIR"
     repeat_region   1541..1662
                     /rpt_family="AluJb"
     repeat_region   1663..1915
                     /rpt_family="AluSp"
     repeat_region   1916..2068
                     /rpt_family="AluJb"
     repeat_region   complement(2094..2403)
                     /rpt_family="AluSq"
     repeat_region   complement(2621..2655)
                     /rpt_family="FAM"
     repeat_region   2656..2983
                     /rpt_family="AluSq"
     repeat_region   complement(2984..3026)
                     /rpt_family="FAM"
     repeat_region   complement(3028..3215)
                     /rpt_family="AluJo"
     repeat_region   complement(3230..3515)
                     /rpt_family="AluSx"
     repeat_region   3607..3773
                     /rpt_family="MIR"
     repeat_region   3932..3953
                     /rpt_family="(TG)n"
     repeat_region   3956..4172
                     /rpt_family="AluSx"
     repeat_region   4177..4349
                     /rpt_family="L1MC3"
     repeat_region   complement(4456..4759)
                     /rpt_family="FAM"
     repeat_region   4772..5682
                     /rpt_family="AluSg"
     repeat_region   5683..6006
                     /rpt_family="L1MC3"
     repeat_region   6007..6108
                     /rpt_family="AluSg"
     repeat_region   6181..6455
                     /rpt_family="L1MC3"
     repeat_region   6685..6821
                     /rpt_family="AluJo"
     repeat_region   6822..7132
                     /rpt_family="AluSx"
     repeat_region   7133..7294
                     /rpt_family="AluSg"
     repeat_region   8303..8367
                     /rpt_family="AluSx"
     repeat_region   complement(8373..8421)
                     /rpt_family="Alu"
     repeat_region   8431..8455
                     /rpt_family="Alu"
     repeat_region   8456..8759
                     /rpt_family="AT_rich"
     repeat_region   9104..9406
                     /rpt_family="AluSx"
     repeat_region   9419..9536
                     /rpt_family="AluSg"
     repeat_region   complement(9557..9849)
                     /rpt_family="FLAM_C"
     repeat_region   9850..9883
                     /rpt_family="AluJb"
     repeat_region   9886..10131
                     /rpt_family="AT_rich"
     repeat_region   13236..13255
                     /rpt_family="AluJb"
     repeat_region   complement(10405..11595)
                     /rpt_family="L2"
     repeat_region   13491..13699
                     /rpt_family="(A)n"
     repeat_region   complement(11607..12423)
                     /rpt_family="SVA"
     repeat_region   16137..16377
                     /rpt_family="MIR"
     repeat_region   complement(12650..12763)
                     /rpt_family="SVA"
     repeat_region   13119..13194
                     /rpt_family="MER5A"
     repeat_region   16378..16660
                     /rpt_family="L2"
     repeat_region   16661..17274
                     /rpt_family="AluSx"
```

```
repeat_region   17513..17625
                /rpt_family="L2"
repeat_region   17629..17722
                /rpt_family="L2"
repeat_region   17724..17749
                /rpt_family="AluSx"
repeat_region   17750..17924
                /rpt_family="(TATATG)n"
repeat_region   17950..18079
                /rpt_family="FRAM"
repeat_region   18097..18145
                /rpt_family="L2"
                complement(18703..19008)
repeat_region   19259..19546
                /rpt_family="AluY"
repeat_region   19558..19586
                /rpt_family="AluSx"
                /rpt_family="(TA)n"

Qy  3071 CAAGATTGTGCCACTGCACTTCCAGCCTCGGGCAACAGAGCAAGAGACTCTGTTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 45101 CAAGATTGTGCCACTGCACTTCCAGCCTCGGGCCACAGAGACGAAGAGACTCTGTTCTC 45152

Query Match  1.7%;  Score 52;  DB 8;  Length 177773;
Best Local Similarity 100.0%;  Pred. No. 5.7e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

RESULT 159
AC012350/c
LOCUS       AC012350     178168 bp    DNA     linear    HTG 01-APR-2000
DEFINITION  Homo sapiens clone RP11-16N9, WORKING DRAFT SEQUENCE, 16 unordered
            pieces.
ACCESSION   AC012350
VERSION     AC012350.3  GI:7381803
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 178168)
  AUTHORS   Birten,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 178168)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,M.,
            Baldwin,J., Barna,M., Beckerly,R., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Castle,A., Colangelo,M., Collins,S., Collymore,A.,
            Cooke,P., DeArellano,K., Dewar,K., Domino,M., Donelan,L., Doyle,M.,
            Ferreira,P., FitzHugh,W., Forrest,C., Funke,R., Gage,D.,
            Galagan,J., Gardyna,S., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Johnson,R., Jones,C., Kann,L., Karatas,A., Klein,J.,
            Lehoczky,J., Lieu,C., Locke,K., Macdonald,P., Marquis,N.,
            McEwan,P., McGurk,A., McKernan,K., McLaughlin,J., Meldrim,J.,
            Morrow,J., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            Peterson,J., Pollara,V., Riley,R., Roy,A., Santos,R., Severy,P.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talanas,J.,
            Tesfaye,S., Tirrell,A., Vassiliev,H., Vo,P., Wheeler,J., Wu,X.,
            Wyman,D., Ye,W.J., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (25-OCT-1999) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Apr 1, 2000 this sequence version replaced gi:6479001.
            All repeats were identified using RepeatMasker:
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            ------------------------------------------
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            ------------------------------------------
            Center project name: L3593
```

```
            Center clone name: 16 N 9
            ----------------- Summary Statistics -----------------
            Sequencing vector: M13; M77815; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.960731
            Consensus quality: 172070 bases at least Q40
            Consensus quality: 174479 bases at least Q30
            Consensus quality: 175597 bases at least Q20
            Insert size: 170000; agarose-fp
            Insert size: 176668; sum-of-contigs
            Quality coverage: 6.4 in Q20 bases; agarose-fp
            Quality coverage: 6.2 in Q20 bases; sum-of-contigs

            NOTE: This is a 'working draft' sequence. It currently
            consists of 16 contigs. The true order of the pieces
            is not known and their order in this sequence record is
            arbitrary. Gaps between the contigs are represented as
            runs of N, but the exact sizes of the gaps are unknown.
            This record will be updated with the finished sequence
            as soon as it is available and the accession number will
            be preserved.

            *        1   1694:  contig of 1694 bp in length
            *     1695   1794:  gap of 100 bp
            *     1795   4437:  contig of 2643 bp in length
            *     4438   4537:  gap of 100 bp
            *     4538   6644:  contig of 2107 bp in length
            *     6645   6744:  gap of 100 bp
            *     6745  10092:  contig of 3348 bp in length
            *    10093  10192:  gap of 100 bp
            *    10193  11801:  contig of 1609 bp in length
            *    11802  11901:  gap of 100 bp
            *    11902  15584:  contig of 3683 bp in length
            *    15585  15684:  gap of 100 bp
            *    15685  19675:  contig of 3991 bp in length
            *    19676  19775:  gap of 100 bp
            *    19776  27913:  contig of 8138 bp in length
            *    27914  28013:  gap of 100 bp
            *    28014  34156:  contig of 6143 bp in length
            *    34157  34256:  gap of 100 bp
            *    34257  43325:  contig of 9069 bp in length
            *    43326  43425:  gap of 100 bp
            *    43426  55265:  contig of 11840 bp in length
            *    55266  55365:  gap of 100 bp
            *    55366  68306:  contig of 12941 bp in length
            *    68307  68406:  gap of 100 bp
            *    68407  82910:  contig of 14504 bp in length
            *    82911  83010:  gap of 100 bp
            *    83011 102181:  contig of 19171 bp in length
            *   102182 102281:  gap of 100 bp
            *   102282 128058:  contig of 25777 bp in length
            *   128059 128158:  gap of 100 bp
            *   128159 178168:  contig of 50010 bp in length.

FEATURES             Location/Qualifiers
     source          1..178168
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="RP11-16N9"
                     /clone_lib="RPCI-11 Human Male BAC"
     misc_feature    1..1694
                     /note="assembly_fragment"
     gap             1695..1794
                     /estimated_length=100
     misc_feature    1795..4437
                     /note="assembly_fragment"
     gap             4438..4537
                     /estimated_length=100
     misc_feature    4538..6644
                     /note="assembly_fragment"
     gap             6645..6744
                     /estimated_length=100
     misc_feature    6745..10092
                     /note="assembly_fragment"
```

```
gap             10093..10192
                /estimated_length=100
misc_feature    10193..11801
                /note="assembly_fragment
                clone:SP6
                vector_side:right"
gap             11802..11901
                /estimated_length=100
misc_feature    11902..15584
                /note="assembly_fragment"
gap             15585..15684
                /estimated_length=100
misc_feature    15685..19675
                /note="assembly_fragment"
gap             19676..19775
                /estimated_length=100
misc_feature    19776..27913
                /note="assembly_fragment"
gap             27914..28013
                /estimated_length=100
misc_feature    28014..34156
                /note="assembly_fragment"
gap             34157..34256
                /estimated_length=100
misc_feature    34257..43325
                /note="assembly_fragment"
gap             43326..43425
                /estimated_length=100
misc_feature    43426..55265
                /note="assembly_fragment"
gap             55266..55365
                /estimated_length=100
misc_feature    55366..68306
                /note="assembly_fragment"
gap             68307..68406
                /estimated_length=100
misc_feature    68407..82910
                /note="assembly_fragment"
gap             82911..83010
                /estimated_length=100
misc_feature    83011..102181
                /note="assembly_fragment
                clone_end:T7
                vector_side:right"
gap             102182..102281
                /estimated_length=100
misc_feature    102282..128058
                /note="assembly_fragment"
gap             128059..128158
                /estimated_length=100
misc_feature    128159..178168
                /note="assembly_fragment"

ORIGIN

Query Match     1.7%;   Score 52;   DB 14;   Length 178168;
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches 52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   98028 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 97977


RESULT 160
LOCUS       AC093126           181792 bp   DNA   linear   PRI 19-OCT-2002
DEFINITION  Papio anubis clone RP41-231J21, complete sequence.
ACCESSION   AC093126
VERSION     AC093126.2  GI:24137422
KEYWORDS    HTG.
SOURCE      Papio anubis (olive baboon)
  ORGANISM  Papio anubis
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Cercopithecidae; Cercopithecinae; Papio.
REFERENCE   1  (bases 1 to 181792)
  AUTHORS   Akhter,N., Antonellis,A., Ayele,K., Beckstrom-Sternberg,S.M.,
            Benjamin,B., Blakesley,R.W., Bouffard,G.G., Brinkley,C., Brooks,S.,
            Cariaga,K., Coleman,B., Dietrich,N.L., Engle,G., Granite,S.,
            Idol,J.R., Gupta,J., Haghighi,P., Han,J., Hansen,N., Ho,S.-L.,
            Idol,J.R., Karlins,E., Laric,P., Lee-Lin,S.-Q., Legaspi,R.,
            Maduro,Q.L., Maduro,V.B., Margulies,E.H., Masiello,C., Maskeri,B.,
            Mastrian,S.D., McCloskey,J.C., McDowell,J.,
            Pearson,R., Portnoy,M.E., Prasad,A., Reddix-Dugue,N., Schandler,K.,
            Schueler,M.G., Sison,C., Stantripop,S., Thomas,J.W., Thomas,P.J.,
            Touchman,J.W., Vogt,J.L.-H. Walker,M., Wetherby,K.D., Wiggins,L.,
            Young,A., Zhang,L.-H. and Green,E.D.
  TITLE     NISC Comparative Sequencing Initiative
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 181792)
  AUTHORS   Green,E.D.
  TITLE     Direct Submission
  JOURNAL   Submitted (11-AUG-2001) NIH Intramural Sequencing Center, 8717
            Grovemont Circle, Gaithersburg, MD 20877, USA
REFERENCE   3  (bases 1 to 181792)
  AUTHORS   Green,E.D.
  TITLE     Direct Submission
  JOURNAL   Submitted (19-OCT-2002) NIH Intramural Sequencing Center, 8717
            Grovemont Circle, Gaithersburg, MD 20877, USA
COMMENT     On Oct 19, 2002 this sequence version replaced gi:15148116.
            --------------- Genome Center
              Center: NIH Intramural Sequencing Center
              Center code: NISC
              Web site: http://www.nisc.nih.gov
              Contact: nisc_zoo@nhgri.nih.gov
            --------------- Project Information
              Center project name: ccu
              Center clone name: 231J21

            This sequence was finished as follows unless otherwise noted:
            all regions were double-stranded, sequenced with an
            alternate chemistry, or covered by high quality data
            (i.e., phred quality >= 30); an attempt was made to resolve
            all sequencing problems, such as compressions and repeats;
            all regions were covered by at least one plasmid subclone
            or more than one M13 subclone; and the assembly was confirmed
            by restriction digest.

            CLONE LENGTH: This sequence represents the entire insert of
            this clone unless otherwise noted. If there are overlapping
            clones, the overlaps are noted in the beginning and end of
            the Features section.
FEATURES             Location/Qualifiers
     source          1..181792
                     /organism="Papio anubis"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9555"
                     /clone="RP41-231J21"
                     /clone_lib="RP41"
     misc_feature    1..2005
                     /note="single clone coverage"
     misc_feature    19955..44183
                     /note="single clone coverage"
     misc_feature    44150..55715
                     /note="single clone coverage"
     misc_feature    55640..81045
                     /note="single clone coverage"
     misc_feature    80993..158799
                     /note="single clone coverage"
     misc_feature    158760..158799
                     /note="single clone coverage"
ORIGIN

Query Match     1.7%;   Score 52;   DB 8;   Length 181792;
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches 52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
```

RESULT 161

Db

35625 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 35574

```
|||||||||||||||||||||||||||||||||||||||||||||||||||||
|||||||||||||||||||||||||||||||||||||||||||||||||||||
```

AC067929   182152 bp   DNA   linear   HTG 24-AUG-2002

LOCUS   AC067929/c
DEFINITION Homo sapiens chromosome 6 clone RP11-403120 map 6, WORKING DRAFT
            SEQUENCE, 18 unordered pieces.
ACCESSION   AC067929
VERSION   AC067929.2 GI:8247824
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 182152)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE   Homo sapiens chromosome 6, clone RP11-403120
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 182152)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,F.,
            Boguslavsky,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., LaRocque,R., Lamazares,R., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McGurk,A., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,T.M., Oliver,J., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (27-APR-2000) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3 (bases 1 to 182152)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,F.,
            Boguslavsky,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., LaRocque,R., Lamazares,R., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McGurk,A., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,T.M., Oliver,J., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (24-AUG-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
            On Jun 4, 2000 this sequence version replaced gi:7655991.
COMMENT   All repeats were identified using RepeatMasker:
```
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            --------------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            --------------------- Project Information
            Center project name: L10103
            Center clone name: 403_I_20
            --------------------- Summary Statistics
            Sequencing vector: M13; M77815; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.960731
            Consensus quality: 173395 bases at least Q40
            Consensus quality: 177417 bases at least Q30
            Consensus quality: 179105 bases at least Q20
            Insert size: 179000; agarose-fp
            Insert size: 180452; sum-of-contigs
            Quality coverage: 4.8 in Q20 bases; agarose-fp
            Quality coverage: 4.7 in Q20 bases; sum-of-contigs
```
```
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 18 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *        1: contig of 2222 bp in length
            *     2223: contig of 100 bp in length
            *     2323: contig of 1463 bp in length
            *     3786: contig of 100 bp in length
            *     3886: contig of 2868 bp in length
            *     6754: contig of 100 bp in length
            *     6854: contig of 3183 bp in length
            *    10037: contig of 100 bp in length
            *    10137: contig of 4401 bp in length
            *    14538: contig of 100 bp in length
            *    14638: contig of 6540 bp in length
            *    21178: contig of 100 bp in length
            *    21278: contig of 8963 bp in length
            *    30241: contig of 100 bp in length
            *    30341: contig of 9783 bp in length
            *    40124: contig of 100 bp in length
            *    40224: contig of 7776 bp in length
            *    48000: contig of 100 bp in length
            *    48100: contig of 10136 bp in length
            *    58236: contig of 100 bp in length
            *    58336: contig of 8706 bp in length
            *    67042: contig of 100 bp in length
            *    67142: contig of 8780 bp in length
            *    75922: contig of 100 bp in length
            *    76022: contig of 10506 bp in length
            *    86528: contig of 100 bp in length
            *    86628: contig of 14707 bp in length
            *   101335: contig of 100 bp in length
            *   101435: contig of 16196 bp in length
            *   117631: contig of 100 bp in length
            *   117731: contig of 20563 bp in length
            *   138294: contig of 100 bp in length
            *   138394: contig of 19448 bp in length
            *   157842: contig of 100 bp in length
            *   157942: contig of 24211 bp in length
```
FEATURES   Location/Qualifiers
     source   1..182152
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="6"
                     /map="6"
                     /clone="RP11-403120"

```
RESULT 162
LOCUS        AC034244       182892 bp    DNA    linear   PRI 20-JUL-2001
Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     14779 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 14728

Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Best Local Similarity 100.0%; Pred. No. 5.7e-16;
Query Match 1.7%; Score 52; DB 14; Length 182152;

misc_feature   101435..117630
               /estimated_length=100
gap            101335..101434
               /note="assembly_fragment"
misc_feature   86628..101334
               /estimated_length=100
gap            86528..86627
               /note="assembly_fragment"
misc_feature   76022..86527
               /estimated_length=100
gap            75922..76021
               /note="assembly_fragment"
misc_feature   67142..75921
               /estimated_length=100
gap            67042..67141
               /note="assembly_fragment"
misc_feature   58336..67041
               /estimated_length=100
gap            58236..58335
               /note="assembly_fragment"
misc_feature   48100..58235
               /estimated_length=100
gap            48000..48099
               /note="assembly_fragment"
               vector_side:left"
               clone_end:SP6
misc_feature   40224..47999
               /estimated_length=100
gap            40124..40223
               /note="assembly_fragment"
misc_feature   30341..40123
               /estimated_length=100
gap            30241..30340
               /note="assembly_fragment"
misc_feature   21278..30240
               /estimated_length=100
gap            21178..21277
               /note="assembly_fragment"
misc_feature   14638..21177
               /estimated_length=100
gap            14538..14637
               /note="assembly_fragment"
misc_feature   6854..10036
               /estimated_length=100
gap            6754..6853
               /note="assembly_fragment"
misc_feature   3886..6753
               /estimated_length=100
gap            3786..3885
               /note="assembly_fragment"
misc_feature   2323..3785
               /estimated_length=100
gap            2223..2322
               /note="assembly_fragment"
misc_feature   1..2222
               /clone_lib="RPCI-11 Human Male BAC"
```

```
DEFINITION   Homo sapiens chromosome 5 clone RP11-101B14, complete sequence.
ACCESSION    AC034244
VERSION      AC034244.6  GI:14971194
KEYWORDS     HTG.
SOURCE       Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE    1  (bases 1 to 182892)
  AUTHORS    DOE Joint Genome Institute.
  TITLE      Direct Submission
  JOURNAL    Unpublished
REFERENCE    2  (bases 1 to 182892)
  AUTHORS    DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE      Direct Submission
  JOURNAL    Submitted (05-APR-2000) Production Sequencing Facility, DOE Joint
             Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE    3  (bases 1 to 182892)
  AUTHORS    DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE      Direct Submission
  JOURNAL    Submitted (26-JUN-2001) DOE Joint Genome Institute, 2800 Mitchell
             Drive, Walnut Creek, CA 94598, USA
REFERENCE    4  (bases 1 to 182892)
  AUTHORS    DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE      Direct Submission
  JOURNAL    Submitted (20-JUL-2001) DOE Joint Genome Institute, 2800 Mitchell
             Drive, Walnut Creek, CA 94598, USA
COMMENT      On Jul 20, 2001 this sequence version replaced gi:14550305.
             Draft Sequence Produced by DOE Joint Genome Institute
             www.jgi.doe.gov
             Finishing Completed at Stanford Human Genome Center
             www-shgc.stanford.edu
             Quality: Phrap Quality >=40 99.8% of Sequence;
             Estimated Total Number of Errors 18 0.3.
FEATURES             Location/Qualifiers
     source          1..182892
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="5"
                     /clone="RP11-101B14"
ORIGIN
```

```
RESULT 163
LOCUS        AC019059/c      183556 bp    DNA    linear   HTG 07-JUL-2000
Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     91960 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 92011

Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Best Local Similarity 100.0%; Pred. No. 5.7e-16;
Query Match 1.7%; Score 52; DB 8; Length 182892;

DEFINITION   Homo sapiens chromosome 11 clone RP11-125F14, WORKING DRAFT
             SEQUENCE, 31 unordered pieces.
ACCESSION    AC019059
VERSION      AC019059.4  GI:8567959
KEYWORDS     HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE       Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE    1  (bases 1 to 183556)
  AUTHORS    Waterston,R.H.
  TITLE      The sequence of Homo sapiens clone
  JOURNAL    Unpublished
REFERENCE    2  (bases 1 to 183556)
  AUTHORS    Waterston,R.H.
  TITLE      Direct Submission
```

```
JOURNAL     Submitted (30-DEC-1999) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
            On Jun 15, 2000 this sequence version replaced gi:7684541.
COMMENT
            ----------- Genome Center ------------
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site:http://genome.wustl.edu/gsc/index.shtml
            --------- Project Information ----------
            Center project name: H_NH0125P14
            --------- Summary Statistics ----------
            Sequencing vector: M13; 70%
            Sequencing vector: plasmid; 30%
            Chemistry: Dye-primer ET; 70% of reads
            Chemistry: Dye-terminator Big Dye; 30% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 164779 bases at least Q40
            Consensus quality: 170994 bases at least Q30
            Consensus quality: 174798 bases at least Q20
            Insert size: 167000; agarose-fp
            Insert size: 180556; sum-of-contigs
            Quality coverage: 3.76 in Q20 bases; agarose-fp
            Quality coverage: 3.61 in Q20 bases; sum-of-contigs
          * NOTE: This is a 'working draft' sequence. It currently
          * consists of 31 contigs. The true order of the pieces
          * is not known and their order in this sequence record is
          * arbitrary. Gaps between the contigs are represented as
          * runs of N, but the exact sizes of the gaps are unknown.
          * This record will be updated with the finished sequence
          * as soon as it is available and the accession number will
          * be preserved.
          *        1     1181: contig of 1181 bp in length
          *     1182     1281: gap of unknown length
          *     1282     2783: contig of 1502 bp in length
          *     2784     2883: gap of unknown length
          *     2884     4618: contig of 1735 bp in length
          *     4619     4718: gap of unknown length
          *     4719     6318: contig of 1600 bp in length
          *     6319     6418: gap of unknown length
          *     6419     8952: contig of 2534 bp in length
          *     8953     9052: gap of unknown length
          *     9053    11436: contig of 2384 bp in length
          *    11437    11536: gap of unknown length
          *    11537    14108: contig of 2572 bp in length
          *    14109    14208: gap of unknown length
          *    14209    16184: contig of 1976 bp in length
          *    16185    16284: gap of unknown length
          *    16285    20536: contig of 4252 bp in length
          *    20537    20636: gap of unknown length
          *    20637    25264: contig of 4628 bp in length
          *    25265    25364: gap of unknown length
          *    25365    29797: contig of 4433 bp in length
          *    29798    29897: gap of unknown length
          *    29898    33626: contig of 3729 bp in length
          *    33627    33726: gap of unknown length
          *    33727    37341: contig of 3615 bp in length
          *    37342    37441: gap of unknown length
          *    37442    41642: contig of 4201 bp in length
          *    41643    41742: gap of unknown length
          *    41743    47291: contig of 5549 bp in length
          *    47292    47391: gap of unknown length
          *    47392    50826: contig of 3435 bp in length
          *    50827    50926: gap of unknown length
          *    50927    58180: contig of 7254 bp in length
          *    58181    58280: gap of unknown length
          *    58281    63165: contig of 4885 bp in length
          *    63166    63265: gap of unknown length
          *    63266    68481: contig of 5216 bp in length
          *    68482    68581: gap of unknown length
          *    68582    73841: contig of 5260 bp in length
          *    73842    73941: gap of unknown length
          *    73942    79919: contig of 5978 bp in length
          *    79920    80019: gap of unknown length
          *    80020    86721: contig of 6702 bp in length
          *    86722    86821: gap of unknown length
          *    86822    92876: contig of 6055 bp in length
          *    92877    92976: gap of unknown length
          *    92977    98096: contig of 5120 bp in length
          *    98097    98196: gap of unknown length
          *    98197   106663: contig of 8467 bp in length
          *   106664   106763: gap of unknown length
          *   106764   117153: contig of 10390 bp in length
          *   117154   117253: gap of unknown length
          *   117254   128332: contig of 11079 bp in length
          *   128333   128432: gap of unknown length
          *   128433   139368: contig of 10936 bp in length
          *   139369   139468: gap of unknown length
          *   139469   154140: contig of 14672 bp in length
          *   154141   154240: gap of unknown length
          *   154241   167723: contig of 13483 bp in length
          *   167724   167823: gap of unknown length
          *   167824   183556: contig of 15733 bp in length.
FEATURES             Location/Qualifiers
     source          1..183556
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="11"
                     /clone="RP11-125P14"
     misc_feature    1..1181
                     /note="assembly_name:Contig7"
     gap             1182..1281
                     /estimated_length=unknown
     misc_feature    1282..2783
                     /note="assembly_name:Contig8"
     gap             2784..2883
                     /estimated_length=unknown
     misc_feature    2884..4618
                     /note="assembly_name:Contig9"
     gap             4619..4718
                     /estimated_length=unknown
     misc_feature    4719..6318
                     /note="assembly_name:Contig10"
     gap             6319..6418
                     /estimated_length=unknown
     misc_feature    6419..8952
                     /note="assembly_name:Contig11"
     gap             8953..9052
                     /estimated_length=unknown
     misc_feature    9053..11436
                     /note="assembly_name:Contig12"
     gap             11437..11536
                     /estimated_length=unknown
     misc_feature    11537..14108
                     /note="assembly_name:Contig13"
     gap             14109..14208
                     /estimated_length=unknown
     misc_feature    14209..16184
                     /note="assembly_name:Contig14"
     gap             16185..16284
                     /estimated_length=unknown
     misc_feature    16285..20536
                     /note="assembly_name:Contig15"
     gap             20537..20636
                     /estimated_length=unknown
     misc_feature    20637..25264
                     /note="assembly_name:Contig16"
     gap             25265..25364
                     /estimated_length=unknown
     misc_feature    25365..29797
                     /note="assembly_name:Contig17"
     gap             29798..29897
                     /estimated_length=unknown
     misc_feature    29898..33626
                     /estimated_length=unknown
```

```
RESULT 164
AC139565/c
LOCUS       AC139565           184252 bp    DNA     linear   HTG 20-FEB-2003
DEFINITION  Homo sapiens chromosome 15 clone RP13-620J1 map 15, WORKING DRAFT
            SEQUENCE, 4 unordered pieces.
ACCESSION   AC139565
VERSION     AC139565.2  GI:28436285
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 184252)
AUTHORS     Birren,B., Nusbaum,C. and Lander,E.
TITLE       Homo sapiens chromosome 15, clone RP13-620J1
JOURNAL     Unpublished
REFERENCE   2  (bases 1 to 184252)
AUTHORS     Birren,B., Nusbaum,C., Lander,E., Abouelleil,A., Allen,N.,
            Anderson,S., Arachchi,H.M., Barna,N., Bastien,V., Bloom,T.,
            Boguslavkiy,L., Boukhgalter,B., Camarata,J., Chang,J., Choepel,Y.,
            Collymore,A., Cook,A., Cooke,P., Corum,B., DeArellano,K.,
            Diaz,J.S., Dodge,S., Dooley,K., Dorris,L., Erickson,J., Faro,S.,
            Ferreira,P., FitzGerald,M., Gage,D., Galagan,J., Gardyna,S.,
            Graham,L., Grand-Pierre,N., Hafez,N., Hagopian,D., Hagos,B.,
            Hall,J., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., Lui,A., Mabbitt,R., Maclean,C.,
            Macdonald,P., Major,J., Manning,J., Matthews,C., McCarthy,M.,
            Meldrim,J., Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J.,
            Nguyen,C., Nicol,R., Norbu,C., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,J., Peterson,K., Phunkhang,P., Pierre,N.,
            Rachupka,A., Ramasamy,U., Raymond,C., Retta,R., Rise,C., Rogov,P.,
            Roman,J., Schauer,S., Schupback,R., Seaman,S., Severy,P., Smith,C.,
            Spencer,B., Stange-Thomann,N., Stojanovic,N., Stubbs,M.,
            Talamas,J., Tesfaye,S., Theodore,J., Topham,K., Travers,M.,
            Vassiliev,H., Venkataraman,V.S., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE       Direct Submission
JOURNAL     Submitted (05-FEB-2003) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 184252)
AUTHORS     Birren,B., Nusbaum,C., Lander,E., Abouelleil,A., Allen,N.,
            Anderson,S., Arachchi,H.M., Barna,N., Bastien,V., Bloom,T.,
            Boguslavkiy,L., Boukhgalter,B., Camarata,J., Chang,J., Choepel,Y.,
            Collymore,A., Cook,A., Cooke,P., Corum,B., DeArellano,K.,
            Diaz,J.S., Dodge,S., Dooley,K., Dorris,L., Erickson,J., Faro,S.,
            Ferreira,P., FitzGerald,M., Gage,D., Galagan,J., Gardyna,S.,
            Graham,L., Grand-Pierre,N., Hafez,N., Hagopian,D., Hagos,B.,
            Hall,J., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., Lui,A., Mabbitt,R., Maclean,C.,
            Macdonald,P., Major,J., Manning,J., Matthews,C., McCarthy,M.,
            Meldrim,J., Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J.,
            Nguyen,C., Nicol,R., Norbu,C., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,J., Peterson,K., Phunkhang,P., Pierre,N.,
            Rachupka,A., Ramasamy,U., Raymond,C., Retta,R., Rise,C., Rogov,P.,
            Roman,J., Schauer,S., Schupback,R., Seaman,S., Severy,P., Smith,C.,
            Spencer,B., Stange-Thomann,N., Stojanovic,N., Stubbs,M.,
            Talamas,J., Tesfaye,S., Theodore,J., Topham,K., Travers,M.,
            Vassiliev,H., Venkataraman,V.S., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE       Direct Submission
JOURNAL     Submitted (20-FEB-2003) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Feb 20, 2003 this sequence version replaced gi:28209707.
            All repeats were identified using RepeatMasker:
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            -------------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            -------------------- Project Information
            Center project name: L29407
            Center clone name: 620_J1
            -------------------- Summary Statistics
            Sequencing vector: Plasmid; n/a; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.960731
            Consensus quality: 183540 bases at least Q40
            Consensus quality: 183745 bases at least Q30
            Consensus quality: 183810 bases at least Q20
            Insert size: 181000; agarose-fp
            Insert size: 183952; sum-of-contigs
            Quality coverage: 18.0 in Q20 bases; agarose-fp
            Quality coverage: 17.7 in Q20 bases; sum-of-contigs
            --------------------
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 4 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *         1       89178: contig of 89178 bp in length
            *     89179       89278: gap of 100 bp
            *     89279       89403: contig of 125 bp in length
```

```
Qy          2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        127068 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 127017
```

```
Query Match         1.7%;  Score 52;  DB 14;  Length 183556;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

```
            misc_feature    73942..79919
                            /note="assembly_name:Contig26"
            gap             73842..73941
                            /estimated_length=unknown
            misc_feature    68582..73841
                            /note="assembly_name:Contig25"
            gap             68482..68581
                            /estimated_length=unknown
            misc_feature    63266..68481
                            /note="assembly_name:Contig24"
            gap             63166..63265
                            /estimated_length=unknown
            misc_feature    58281..63165
                            /note="assembly_name:Contig23"
            gap             58181..58280
                            /estimated_length=unknown
            misc_feature    52927..58180
                            /note="assembly_name:Contig22"
            gap             50827..50926
                            /estimated_length=unknown
            misc_feature    47392..50826
                            /note="assembly_name:Contig21"
            gap             47292..47391
                            /estimated_length=unknown
            misc_feature    41743..47291
                            /note="assembly_name:Contig20"
            gap             41643..41742
                            /estimated_length=unknown
            misc_feature    37442..41642
                            /note="assembly_name:Contig19"
            gap             37342..37441
                            /estimated_length=unknown
            misc_feature    33727..37341
                            /note="assembly_name:Contig18"
            gap             33627..33726
                            /estimated_length=unknown
```

FEATURES
         source
* 89404 89503: gap of 100 bp in length
* 89504 89667: contig of 1164 bp in length
* 90668 90767: gap of 100 bp
  90768 184252: contig of 93485 bp in length.
         1..184252
         /organism="Homo sapiens"
         /mol_type="genomic DNA"
         /db_xref="taxon:9606"
         /chromosome="15"
         /map="15"

misc_feature
         /clone="RP13-620J1"
         /clone_lib="RPCI-13 Human Female BAC"
         1..89178
         /note="assembly_fragment"
         vector_end:SP6
         89179..89278
         /note="assembly_fragment"
         /estimated_length=100
         89279..89403
         /note="assembly_fragment"

gap   89404..89503
         /estimated_length=100
         89504..90667
         /note="assembly_fragment"

misc_feature
gap   90668..90767
         /estimated_length=100
         90768..184252
         /note="assembly_fragment"

misc_feature
         /clone_end:T7
         vector_side:right"

ORIGIN

Query Match   1.7%;   Score 52;   DB 14;   Length 184252;
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches 52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2889   GAGGCAGGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT   2940
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 154414   GAGGCAGGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT   154363

LOCUS   AC008675   18415 bp   DNA   linear   PRI 20-DEC-2000
DEFINITION Homo sapiens chromosome 5 clone CTB-451B, complete sequence.
ACCESSION   AC008675
VERSION   AC008675.5   GI:11908270
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 18415)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 18415)
  AUTHORS   DOE Joint Genome Institute.
  TITLE   Direct Submission
  JOURNAL   Submitted (03-AUG-1999) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3 (bases 1 to 18415)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE   Direct Submission
  JOURNAL   Submitted (20-DEC-2000) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT   On Dec 20, 2000 this sequence version replaced gi:7709256.
            Draft Sequence Produced by DOE Joint Genome Institute
            www.jgi.doe.gov
            Finishing Completed at Stanford Human Genome Center
            www-shgc.stanford.edu

Quality: Phrap Quality >=40 99.4% of Sequence;
Estimated Total Number of Errors is 1.3.

FEATURES
         source
         1..18415
         /organism="Homo sapiens"
         /mol_type="genomic DNA"
         /db_xref="taxon:9606"
         /chromosome="5"
         /clone="CTB-451B"

ORIGIN

Query Match   1.7%;   Score 52;   DB 8;   Length 186415;
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches 52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2899   GATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGGCGAAACCC   2950
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 116437   GATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGGCGAAACCC   116488

RESULT 166
LOCUS   AC018757/c
            AC018757   186418 bp   DNA   linear   PRI 03-OCT-2001
DEFINITION Homo sapiens chromosome 5 clone CTB-45J8, complete sequence.
ACCESSION   AC018757
VERSION   AC018757.6   GI:15887297
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 186418)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 186418)
  AUTHORS   DOE Joint Genome Institute.
  TITLE   Direct Submission
  JOURNAL   Submitted (19-DEC-1999) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
REFERENCE   3 (bases 1 to 186418)
  AUTHORS   DOE Joint Genome Institute and Stanford Human Genome Center.
  TITLE   Direct Submission
  JOURNAL   Submitted (03-OCT-2001) DOE Joint Genome Institute, 2800 Mitchell
            Drive, Walnut Creek, CA 94598, USA
COMMENT   On Oct 3, 2001 this sequence version replaced gi:9625331.
            DOE Joint Genome Institute and Stanford Human Genome Center.
            Draft Sequence Produced by DOE Joint Genome Institute
            www.jgi.doe.gov
            Finishing Completed at Stanford Human Genome Center
            www-shgc.stanford.edu
            Quality: Phrap Quality >=40 99.4% of Sequence;
            Estimated Total Number of Errors is 1.1.

FEATURES
         source
         1..186418
         /organism="Homo sapiens"
         /mol_type="genomic DNA"
         /db_xref="taxon:9606"
         /chromosome="5"
         /clone="CTB-45J8"

ORIGIN

Query Match   1.7%;   Score 52;   DB 8;   Length 186418;
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches 52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2899   GATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGGCGAAACCC   2950
             |||||||||||||||||||||||||||||||||||||||||||||||||||||

Db   69981 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGGCGAAACCC 69930

RESULT 167
ACC034129
LOCUS   AC034129   186448 bp   DNA   linear   HTG 09-JUN-2001
DEFINITION   Homo sapiens chromosome 12 clone RP11-254M16 map 12, WORKING DRAFT
               SEQUENCE, 27 unordered pieces.
ACCESSION   AC034129
VERSION   AC034129.2 GI:7770557
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
               Hominidae; Homo.
REFERENCE   1 (bases 1 to 186448)
AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
TITLE   Homo sapiens chromosome 12, clone RP11-254M16
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 186448)
AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
               Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,F.,
               Boguslavkiy,L., Bouknhgalter,B., Brown,A., Burkett,G.,
               Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
               Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
               Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
               Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
               Grand-Pierre,N Grant,G., Hagos,B., Heaford,A., Horton,L.,
               Howland,J.C., Illev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
               Klein,J., LaRocque,K., Lamazares,R., Landers,T., Lehoczky,J.,
               Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
               McCarthy,M., McEwan,P., McGurk,A., McKernan,K., McPheeters,R.,
               Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
               Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
               O'Neil,D., Olivar,T.M., Oliver,J., Peterson,K., Pierre,N.,
               Pisani,C., Poliara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
               Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
               Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
               Tesfaye,S., Theodore,J., Tirrell,J.A., Travers,M., Trigilio,J.,
               Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
               Young,G., Zainoun,J., Zimmer,A. and Zody,M.
TITLE   Direct Submission
JOURNAL   Submitted (04-APR-2000) Whitehead Institute/ MIT Center for Genome
               Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT   On May 12, 2000 this sequence version replaced gi:7408060.
               All repeats were identified using RepeatMasker:
               Smit, A.F.A. & Green, P. (1996-1997)
               http://ftp.genome.washington.edu/RM/RepeatMasker.html
               ---------------------- Genome Center
                 Center: Whitehead Institute/ MIT Center for Genome Research
                 Center code: WIBR
                 Web site: http://www-seq.wi.mit.edu
                 Contact: sequence_submissions@genome.wi.mit.edu
               ---------------------- Project Information
                 Center project name: L9041
                 Center clone name: 254_M_16
               ---------------------- Summary Statistics
                 Sequencing vector: M13; M77815; 100% of reads
                 Chemistry: Dye-terminator Big Dye; 100% of reads
                 Assembly program: Phrap; version 0.960731
                 Consensus quality: 171513 bases at least Q40
                 Consensus quality: 178410 bases at least Q30
                 Consensus quality: 181612 bases at least Q20
                 Insert size: 183648; sum-of-contigs
                 Quality coverage: 4.1 in Q20 bases; sum-of-contigs
               * ---
               * NOTE: This is a 'working draft' sequence. It currently
               * consists of 27 contigs. The true order of the pieces
               * is not known and their order in this sequence record is
               * arbitrary. Gaps between the contigs are represented as
               * runs of N, but the exact sizes of the gaps are unknown.
               * This record will be updated with the finished sequence
               * as soon as it is available and the accession number will
               * be preserved.

FEATURES   Location/Qualifiers
     source   1..186448
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="12"
                     /map="12"
                     /clone="RP11-254M16"
                     /clone_lib="RPCI-11 Human Male BAC"
     misc_feature   1..1344
                     /note="assembly_fragment"
     gap   1345..1444
                     /estimated_length=100
     misc_feature   1445..2840
                     /note="assembly_fragment"
     gap   2841..2940
                     /estimated_length=100
     misc_feature   2941..4409

1   1344: contig of 1344 bp in length
1345   1444: gap of 100 bp in length
1445   2840: contig of 1396 bp in length
2841   2940: gap of 100 bp in length
2941   4409: contig of 1469 bp in length
4410   4509: gap of 100 bp in length
4510   6019: contig of 1510 bp in length
6020   6119: gap of 100 bp in length
6120   8353: contig of 2234 bp in length
8354   8453: gap of 100 bp in length
8453   11512: contig of 3059 bp in length
11513 11612: gap of 100 bp in length
11613 13961: contig of 2349 bp in length
13962 14061: gap of 100 bp in length
14062 15526: contig of 1465 bp in length
15527 15626: gap of 100 bp in length
15627 18439: contig of 2813 bp in length
18440 18539: gap of 100 bp in length
18540 20286: contig of 1747 bp in length
20287 20386: gap of 100 bp in length
20387 24011: contig of 3625 bp in length
24012 24111: gap of 100 bp in length
24112 27768: contig of 3657 bp in length
27769 27868: gap of 100 bp in length
27869 31346: contig of 3478 bp in length
31347 31446: gap of 100 bp in length
31447 35421: contig of 3975 bp in length
35422 35521: gap of 100 bp in length
35522 40318: contig of 4797 bp in length
40319 40418: gap of 100 bp in length
40419 47211: contig of 6793 bp in length
47212 47311: gap of 100 bp in length
47312 54425: contig of 7114 bp in length
54426 54525: gap of 100 bp in length
54526 61784: contig of 7259 bp in length
61785 61884: gap of 100 bp in length
61885 69081: contig of 7197 bp in length
69082 69181: gap of 100 bp in length
69182 77835: contig of 8654 bp in length
77836 77935: gap of 100 bp in length
77936 87901: contig of 9966 bp in length
87902 88001: gap of 100 bp in length
88002 100327: contig of 12326 bp in length
100328 100427: gap of 100 bp in length
100428 110556: contig of 10129 bp in length
110557 110656: gap of 100 bp in length
110657 125072: contig of 14416 bp in length
125073 125172: gap of 100 bp in length
125173 138846: contig of 13674 bp in length
138847 138946: gap of 100 bp in length
138947 162305: contig of 23359 bp in length
162306 162405: gap of 100 bp in length
162405 186448: contig of 24043 bp in length

```
RESULT 168
Qy      3071  CAAGATTCGTGCCACTCGCACATCCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    148872  CAAGATTCGTGCCACTCGCACATCCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 148923

Matches 52;      Conservative 0;    Mismatches 0;    Indels 0;    Gaps 0;
Best Local Similarity    100.0%;    Pred. No. 5.7e-16;
Query Match  1.7%;  Score 52;  DB 14;  Length 186448;
```

LOCUS   AC120045   188596 bp   DNA   linear   PRI 11-FEB-2003
DEFINITION Homo sapiens chromosome 15, clone RP11-93209, complete sequence.
ACCESSION   AC120045
VERSION   AC120045.19 GI:28301998
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 188596)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE   Homo sapiens chromosome 15, clone RP11-93209
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 188596)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L.,
            Boukhgalter,B., Brown,A., Camarata,J., Campopiano,A., Chang,J.,
            Chazaro,B., Choepel,Y., Colangelo,M., Collins,S., Collymore,A.,
            Cook,A., Cooke,P., Dearellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Illiev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., LaRocque,R., Lamazares,P.,
            Landers,T., Lehoczky,J., Levine,R., Lindblad-Toh,K., Liu,G.,
            MacLean,C., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
            McCarthy,M., McEwan,P., McKernan,K., Meldrim,J., Meneus,J.,
            Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R.,
            Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D.,
            Oliver,J., Peterson,K., Phunkhang,P., Pierre,N., Pollara,V.,
            Raymond,C., Retta,R., Rieback,M., Riley,M., Rise,C., Rogov,P.,
            Roman,J., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Severy,P., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travis,M., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (02-MAY-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3 (bases 1 to 188596)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
            Hagos,B., Horton,L., Hulme,W., Illiev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
            Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
            Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
            Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL   Submitted (14-JAN-2003) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   4 (bases 1 to 188596)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Abouelleil,A., Allen,N.,
            Anderson,S., Arachchi,H.M., Barna,N., Bastien,V., Bloom,T.,
            Boguslavkiy,L., Boukhgalter,B., Camarata,J., Chang,J., Choepel,Y.,
            Collymore,A., Cook,A., Cooke,P., Corum,B., DeArellano,K.,
            Diaz,J.S., Dodge,S., Dooley,K., Dorris,L., Erickson,J., Faro,S.,
            Ferreira,P., FitzGerald,M., Gage,D., Galagan,J., Gardyna,S.,
            Graham,L., Grand-Pierre,N., Hafez,N., Hagopian,D., Hagos,B.,
            Hall,J., Horton,L., Hulme,W., Illiev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., Lui,A., Mabbitt,R., MacLean,C.,
            Macdonald,P., Major,J., Manning,J., Matthews,C., McCarthy,M.,
            Meldrim,J., Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J.,
```

```
misc_feature   4410..4509
               /note="assembly_fragment"
gap            4510..6019
               /estimated_length=100
misc_feature   6020..6119
               /note="assembly_fragment"
gap            6120..8353
               /estimated_length=100
misc_feature   8354..8453
               /note="assembly_fragment"
gap            8454..11512
               /estimated_length=100
misc_feature   11513..11612
               /note="assembly_fragment"
gap            11613..13961
               /estimated_length=100
misc_feature   13962..14061
               /note="assembly_fragment"
gap            14062..15526
               /estimated_length=100
misc_feature   15527..15626
               /note="assembly_fragment"
misc_feature   15627..15839
               /note="assembly_fragment
               clone_end:SP6
               vector_side:right"
gap            15840..18539
               /estimated_length=100
misc_feature   18540..20286
               /note="assembly_fragment"
gap            20287..20386
               /estimated_length=100
misc_feature   20387..24011
               /note="assembly_fragment"
gap            24012..24411
               /estimated_length=100
misc_feature   24112..27768
               /note="assembly_fragment"
gap            27769..27868
               /estimated_length=100
misc_feature   27869..31346
               /note="assembly_fragment"
gap            31347..31446
               /estimated_length=100
misc_feature   31447..35421
               /note="assembly_fragment
               clone_end:T7
               vector_side:right"
gap            35422..35521
               /estimated_length=100
misc_feature   35522..40318
               /note="assembly_fragment"
gap            40319..40418
               /estimated_length=100
misc_feature   40419..47211
               /note="assembly_fragment"
gap            47212..47311
               /estimated_length=100
```

```
            Nguyen,C., Nicol,R., Norbu,C., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,J., Peterson,K., Phunkhang,P., Pierce,N.,
            Rachupka,A., Ramasamy,U., Raymond,C., Retta,R., Rise,C., Rogov,P.,
            Roman,J., Schauer,S., Schupback,R., Seaman,S., Severy,P., Smith,C.,
            Spencer,B., Stange-Thomann,N., Stojanovic,N., Stubbs,M.,
            Talamas,J., Tesfaye,S., Theodore,J., Topham,K., Travers,M.,
            Vassiliev,H., Venkataraman,V.S., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (11-FEB-2003) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
  COMMENT   On Feb 11, 2003 this sequence version replaced gi:27733957.
            All repeats were identified using RepeatMasker:
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            --------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            --------- Project Information
            Center project name: L26756
            Center clone name: 932_0_9

FEATURES             Location/Qualifiers
     source          1..188596
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="15"
                     /map="15"
                     /clone_lib=RPCI-11 Human Male BAC"
                     /clone="RP11-93209"

     repeat_region   complement(1..362)
                     /rpt_family="L1PA15-16"
     repeat_region   complement(363..1097)
                     /rpt_family="L1PA8"
     repeat_region   complement(1152..1616)
                     /rpt_family="L1PA8"
     repeat_region   complement(1616..2183)
                     /rpt_family="L1PA8"
     repeat_region   2198..4496
                     /rpt_family="L1P"
     repeat_region   complement(4499..5744)
                     /rpt_family="L1PA8"
     repeat_region   5899..5921
                     /rpt_family="AT_rich"
     repeat_region   5993..6243
                     /rpt_family="L1MC/D"
     repeat_region   6322..6493
                     /rpt_family="MIR"
     repeat_region   complement(6832..7032)
                     /rpt_family="MER20"
     repeat_region   7175..7212
                     /rpt_family="MIR"
     repeat_region   7365..7645
                     /rpt_family="(TG)n"
     repeat_region   complement(7646..7746)
                     /rpt_family="AluSg"
     repeat_region   8077..8255
                     /rpt_family="L1MC4a"
     repeat_region   complement(8615..8709)
                     /rpt_family="MIR"
     repeat_region   complement(8718..9169)
                     /rpt_family="L0R1b"
     repeat_region   10248..10570
                     /rpt_family="AluSq"
     repeat_region   complement(11192..11264)
                     /rpt_family="MIR"
     repeat_region   complement(11582..11606)
                     /rpt_family="AluJb"
                     complement(11606..12258)
                     /rpt_family="L1MA3"

     repeat_region   complement(12612..14605)
                     /rpt_family="L1MB2"
     repeat_region   complement(14608..14911)
                     /rpt_family="AluJo"
     repeat_region   15671..15748
                     /rpt_family="MER116"
     repeat_region   complement(16155..16281)
                     /rpt_family="FLAM_C"
     repeat_region   16685..17005
                     /rpt_family="AluSc"
     repeat_region   17157..17208
                     /rpt_family="MER3"
     repeat_region   complement(17168..17217)
                     /rpt_family="MER3"
     repeat_region   17218..17496
                     /rpt_family="AluJb"
     repeat_region   complement(17497..17654)
                     /rpt_family="MER3"
     repeat_region   complement(17766..17959)
                     /rpt_family="AluJo"
     repeat_region   17981..18226
                     /rpt_family="MSTA"
     repeat_region   19462..19981
                     /rpt_family="MIR"
     repeat_region   20225..20266
                     /rpt_family="MER2"
     repeat_region   complement(20260..20516)
                     /rpt_family="MLT1F2"
     repeat_region   20933..21075
                     /rpt_family="MLT1F2"
     repeat_region   22083..22186
                     /rpt_family="MLT1F2"
     repeat_region   complement(22188..22486)
                     /rpt_family="CT-rich"
     repeat_region   22503..22754
                     /rpt_family="AluSx"
     repeat_region   22755..23060
                     /rpt_family="L1ME2"
     repeat_region   23063..23297
                     /rpt_family="AluSx"
     repeat_region   23298..23351
                     /rpt_family="AluY"
     repeat_region   23352..23416
                     /rpt_family="(TA)n"
     repeat_region   23449..23580
                     /rpt_family="L1ME2"
     repeat_region   complement(23690..23807)
                     /rpt_family="L1MC5"
                     complement(23834..24139)
                     /rpt_family="AluY"
```

```
RESULT 169
AC146153
LOCUS       AC146153
DEFINITION  Pan troglodytes chromosome UNK clone RP43-37C16, *** SEQUENCING IN
            PROGRESS ***, 18 unordered pieces.
ACCESSION   AC146153
VERSION     AC146153.1  GI:33387107
KEYWORDS    HTG; HTGS_PHASE1.
SOURCE      Pan troglodytes
ORGANISM    Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Query Match            1.7%;  Score 52;  DB 8;  Length 188596;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches 52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy      2889 GAGGCAGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     92058 GAGGCAGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 92109

LOCUS       AC146153        188640 bp    DNA    linear    HTG 01-AUG-2003
```

```
         Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
         Hominidae; Pan.
REFERENCE   1  (bases 1 to 188640)
  AUTHORS   Wilson,R.K.
  TITLE     The sequence of Pan troglodytes clone
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 188640)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-AUG-2003) Genetics, Genome Sequencing Center, 4444
            Forest Park Parkway, St. Louis, MO 63108, USA
COMMENT     -------------- Genome Center --------------
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu
            Contact: submissions@watson.wustl.edu
            -------------- Project Information --------------
            Center project name: C_PT037C16
            --------------------------------------------------
            NOTE: This is a 'working draft' sequence. It currently
            consists of 18 contigs. The true order of the pieces
            is not known and their order in this sequence record is
            arbitrary. Gaps between the contigs are represented as
            runs of N, but the exact sizes of the gaps are unknown.
            This record will be updated with the finished sequence
            as soon as it is available and the accession number will
            be preserved.
FEATURES             Location/Qualifiers
     source          1..188640
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /chromosome="UNK"
                     /clone="RP43-37C16"
     misc_feature    1..1483
                     /note="assembly_name:Contig13"
     gap             1484..1583
                     /estimated_length=unknown
     misc_feature    1584..3816
                     /note="assembly_name:Contig16"
     gap             3817..3916
                     /estimated_length=unknown
     misc_feature    3917..6890
                     /note="assembly_name:Contig17"
     gap             6891..6990
                     /estimated_length=unknown
     misc_feature    6991..9556
                     /note="assembly_name:Contig18"
     gap             9557..9656
                     /estimated_length=unknown
     misc_feature    9657..12497
                     /note="assembly_name:Contig19"
     gap             12498..12597
                     /estimated_length=unknown
     misc_feature    12598..15693
                     /note="assembly_name:Contig20"
     gap             15694..15793
                     /estimated_length=unknown
     misc_feature    15794..18490
                     /note="assembly_name:Contig21"
     gap             18491..18590
                     /estimated_length=unknown
     misc_feature    18591..24956
                     /note="assembly_name:Contig22"
     gap             24957..25056
                     /estimated_length=unknown
     misc_feature    25057..28576
                     /note="assembly_name:Contig23"
     gap             28577..28676
                     /estimated_length=unknown
     misc_feature    28677..34097
                     /note="assembly_name:Contig24"
     gap             34098..34197
                     /estimated_length=unknown
     misc_feature    34198..41105
                     /note="assembly_name:Contig25"
     gap             41106..41205
                     /estimated_length=unknown
     misc_feature    41206..53243
                     /note="assembly_name:Contig26"
     gap             53244..53343
                     /estimated_length=unknown
     misc_feature    53344..64385
                     /note="assembly_name:Contig27"
     gap             64386..64485
                     /estimated_length=unknown
     misc_feature    64486..77536
                     /note="assembly_name:Contig28"
     gap             77537..77636
                     /estimated_length=unknown
     misc_feature    77637..92854
                     /note="assembly_name:Contig29"
     gap             92855..92954
                     /estimated_length=unknown
     misc_feature    92955..185570
                     /note="assembly_name:Contig30"
     gap             185571..185670
                     /estimated_length=unknown
     misc_feature    185671..187117
                     /note="assembly_name:Contig6"
     gap             187118..187217
                     /estimated_length=unknown
     misc_feature    187218..188640
                     /note="assembly_name:Contig9"
ORIGIN
```

```
     misc_feature    1484..1583
                     /estimated_length=unknown
     gap             1484..1583
     misc_feature    1584..3816
                     /note="assembly_name:Contig16"
     gap             3817..3916
                     /estimated_length=unknown
     misc_feature    3917..6890
                     /note="assembly_name:Contig17"
     gap             6891..6990
                     /estimated_length=unknown
     misc_feature    6991..9556
                     /note="assembly_name:Contig18"
     gap             9557..9656
                     /estimated_length=unknown
     misc_feature    9657..12497
                     /note="assembly_name:Contig19"
     gap             12498..12597
                     /estimated_length=unknown
     misc_feature    12598..15693
                     /note="assembly_name:Contig20"
     gap             15694..15793
                     /estimated_length=unknown
     misc_feature    15794..18490
                     /note="assembly_name:Contig21"
     gap             18491..18590
                     /estimated_length=unknown
     misc_feature    18591..24956
                     /note="assembly_name:Contig22"
     gap             24957..25056
                     /estimated_length=unknown
     misc_feature    25057..28576
                     /note="assembly_name:Contig23"
     gap             28577..28676
                     /estimated_length=unknown
     misc_feature    28677..34097
                     /note="assembly_name:Contig24"
     gap             34098..34197
                     /estimated_length=unknown
     misc_feature    34198..41105
                     /note="assembly_name:Contig25"
     gap             41106..41205
                     /estimated_length=unknown
     misc_feature    41206..53243
                     /note="assembly_name:Contig26"
     gap             53244..53343
                     /estimated_length=unknown
     misc_feature    53344..64385
                     /note="assembly_name:Contig27"
     gap             64386..64485
                     /estimated_length=unknown
     misc_feature    64486..77536
                     /note="assembly_name:Contig28"
     gap             77537..77636
                     /estimated_length=unknown
     misc_feature    77637..92854
                     /note="assembly_name:Contig29"
     gap             92855..92954
                     /estimated_length=unknown
     misc_feature    92955..185570
                     /note="assembly_name:Contig30"
     gap             185571..185670
                     /estimated_length=unknown
     misc_feature    185671..187117
                     /note="assembly_name:Contig6"
     gap             187118..187217
                     /estimated_length=unknown
     misc_feature    187218..188640
                     /note="assembly_name:Contig9"
```

```
Query Match          1.7%;  Score 52;  DB 14;  Length 188640;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
Qy      2889  GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
              |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    172431  GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 172482
```

```
RESULT 170
ACO91561

Db    172431  GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 172482
```

```
LOCUS       ACO91561           191037 bp    DNA     linear   PRI 12-JUL-2002
DEFINITION  Homo sapiens chromosome 8, clone RP11-388G22, complete sequence.
ACCESSION   ACO91561
VERSION     ACO91561.4  GI:16041368
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 191037)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE     Unpublished
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 191037)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B., Brown,A.,
            Camarata,J., Campopiano,A., Chang,J., Choepel,Y., Colangelo,M.,
            Collins,S., Collymore,A., Cooke,P., DeArellano,K., Dewar,K.,
            Diaz,J.S., Dodge,S., Faro,S., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Hagos,B., Heaford,A., Horton,L., Hulme,W.,
            Iliev,I., Johnson,R., Jones,C., Karatas,K., LaRocque,K.,
            Lamazares,R., Landers,T., Lehoczky,J., Levine,R., Liu,G.,
            Macdonald,P., Marquis,M., McCarthy,M.,
            McEwan,P., McKernan,K., McPheeters,R., Meldrim,J., Meneus,L.,
            Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Pollara,V., Raymond,C.,
            Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J.,
            Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S.,
            Severy,R., Sougnez,C., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S.,
            Theodore,J., Travers,M., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (07-MAY-2001) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 191037)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hagos,B.,
            Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C., Kamat,A.,
            Katatas,A., Kells,C., Landers,T., Levine,R., Lindblad-Toh,K.,
            Liu,G., MacLean,C., Macdonald,P., Major,J., Matthews,C.,
            McCarthy,M., Meldrim,J., Meneus,L., Mihova,T., Mlenga,V.,
            Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C., Norman,C.H.,
            O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J., Peterson,K.,
            Phunkhang,P., Pierre,N., Raymond,C., Retta,R., Rise,C., Rogov,P.,
            Roman,J., Roy,A., Schauer,S., Schupback,R., Seaman,S., Severy,P.,
            Smith,C., Spencer,B., Stange-Thomann,N., Stojanovic,N., Talamas,J.,
            Tesfaye,S., Theodore,J., Topham,K., Travers,M., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Young,G., Zainoun,J.,
            Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (12-JUL-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Oct 11, 2001 this sequence version replaced gi:15706084.
            All repeats were identified using RepeatMasker:
            Smit,A.F.A. & Green,P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            ------------------ Genome Center
```

```
FEATURES             Location/Qualifiers
     source          1..191037
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="8"
                     /map="8"
                     /clone="RP11-388G22"
                     /clone_lib="RPCI-11 Human Male BAC"
     repeat_region   1..525
                     /rpt_family="L1PA8"
     repeat_region   526..768
                     /rpt_family="L1PA8"
     repeat_region   1436..1590
                     /rpt_family="MLT1L"
     repeat_region   complement(3292..3332)
                     /rpt_family="MSTB"
     repeat_region   3333..3634
                     /rpt_family="AluSx"
     repeat_region   complement(3635..4004)
                     /rpt_family="MSTB"
     repeat_region   4057..4201
                     /rpt_family="MIR"
     repeat_region   5412..5507
                     /rpt_family="MIR"
     repeat_region   6261..6392
                     /rpt_family="MER5A"
     repeat_region   6615..6698
                     /rpt_family="L2"
     repeat_region   8232..8255
                     /rpt_family="AT_rich"
     repeat_region   8276..8323
                     /rpt_family="AT_rich"
     repeat_region   complement(8427..8585)
                     /rpt_family="L2"
     repeat_region   complement(8979..9169)
                     /rpt_family="LIME2"
     repeat_region   complement(9224..9495)
                     /rpt_family="LIME"
     repeat_region   complement(9539..10754)
                     /rpt_family="LIME"
     repeat_region   complement(10892..11295)
                     /rpt_family="LIME"
     repeat_region   11324..11633
                     /rpt_family="AluY"
     repeat_region   complement(12128..12551)
                     /rpt_family="MLT1D"
     repeat_region   13172..13199
                     /rpt_family="AT_rich"
     repeat_region   complement(13411..13742)
                     /rpt_family="L2"
     repeat_region   complement(13801..14413)
                     /rpt_family="L2"
     repeat_region   15622..15941
                     /rpt_family="MER34B"
     repeat_region   complement(15942..16244)
                     /rpt_family="AluJo"
     repeat_region   16245..16645
                     /rpt_family="AluJo"
     repeat_region   17295..17445
                     /rpt_family="MER34B"
     repeat_region   17446..17473
                     /rpt_family="MIR"
     repeat_region   17565..17587
                     /rpt_family="AT_rich"
     repeat_region   17565..17587
                     /rpt_family="AT_rich"
```

RESULT 171
AC018681/c

Db   3391 GATCACCTGAGGCCAGGAGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACCC 3442
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   2899 GATCACCTGAGGCCAGGAGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACCC 2950

Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Best Local Similarity 100.0%; Pred. No. 5.7e-16;
Query Match 1.7%; Score 52; DB 8; Length 191037;

```
repeat_region   complement(17591..17704)
                /rpt_family="FLAM_C"
repeat_region   complement(18659..19027)
                /rpt_family="LTR16A"
repeat_region   21261..21373
                /rpt_family="GA-rich"
repeat_region   21496..21526
                /rpt_family="(TG)n"
repeat_region   complement(21835..22343)
                /rpt_family="LIMEd"
repeat_region   22937..22971
                /rpt_family="AT_rich"
repeat_region   23094..23121
                /rpt_family="AT_rich"
repeat_region   complement(23753..23955)
                /rpt_family="MIR"
repeat_region   complement(24750..25038)
                /rpt_family="AluY"
repeat_region   complement(25410..25582)
                /rpt_family="MIR"
repeat_region   complement(25676..26047)
                /rpt_family="Charlie2a"
repeat_region   complement(26056..26269)
                /rpt_family="LIMA3"
repeat_region   complement(26271..29438)
                /rpt_family="LIMA3"
repeat_region   complement(29439..29747)
                /rpt_family="AluY"
repeat_region   complement(29748..31075)
                /rpt_family="LIMA3"
repeat_region   31076..31098
                /rpt_family="LIMA3"
repeat_region   complement(31099..32198)
                /rpt_family="(TG)n"
repeat_region   32199..32218
                /rpt_family="LIMA3"
repeat_region   complement(32219..33960)
                /rpt_family="(CAAAA)n"
repeat_region   34076..34102
                /rpt_family="LIMA3"
repeat_region   complement(34160..34615)
                /rpt_family="(TTA)n"
repeat_region   complement(34622..34975)
                /rpt_family="Charlie2a"
repeat_region   34984..35006
                /rpt_family="MIT1A2"
repeat_region   complement(35080..35165)
                /rpt_family="AT_rich"
repeat_region   complement(35297..35528)
                /rpt_family="Charlie2a"
repeat_region   complement(35577..35856)
                /rpt_family="Charlie2b"
repeat_region   complement(36739..36785)
                /rpt_family="L2"
repeat_region   complement(36805..36962)
                /rpt_family="L3"
repeat_region   complement(36953..37063)
                /rpt_family="L3"
repeat_region   37311..37599
                /rpt_family="L3"
repeat_region   37635..38296
                /rpt_family="LIMC2"
```

LOCUS   AC018681   191234 bp   DNA   linear   HTG 07-JUL-2000
DEFINITION Homo sapiens chromosome 8 clone RP11-388G22, WORKING DRAFT
            SEQUENCE, 8 unordered pieces.
ACCESSION   AC018681
VERSION   AC018681.6 GI:8954341
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 191234)
  AUTHORS   Waterston,R.H.
  TITLE   The sequence of Homo sapiens clone
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 191234)
  AUTHORS   Waterston,R.H.
  TITLE   Direct Submission
  JOURNAL   Submitted (16-DEC-1999) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
COMMENT   On Jul 7, 2000 this sequence version replaced gi:7231039.

            ----------------- Genome Center -----------------
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu/gsc/index.shtml
            Center project name: H_NH0388G22
            ----------- Project Information -----------
            ----------- Summary Statistics -----------
            Sequencing vector: M13; 71%
            Sequencing vector: plasmid; 29%
            Chemistry: Dye-primer ET; 71% of reads
            Chemistry: Dye-terminator Big Dye; 29% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 186413 bases at least Q40
            Consensus quality: 188204 bases at least Q30
            Consensus quality: 189106 bases at least Q20
            Insert size: 172000; agarose-fp
            Insert size: 190534; sum-of-contigs
            Quality coverage: 5.22 in Q20 bases; agarose-fp
            Quality coverage: 5.15 in Q20 bases; sum-of-contigs

            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 8 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            *   1   1724: contig of 1724 bp in length
            *   1725   1824: gap of unknown length
            *   1825   3510: contig of 1686 bp in length
            *   3511   3610: gap of unknown length
            *   3611   11673: contig of 8063 bp in length
            *   11674   11773: gap of unknown length
            *   11774   23956: contig of 12183 bp in length
            *   23957   24056: gap of unknown length
            *   24057   40166: contig of 16110 bp in length
            *   40167   40266: gap of unknown length
            *   40267   77292: contig of 37026 bp in length
            *   77293   77392: gap of unknown length
            *   77393   125869: contig of 48477 bp in length
            *   125870   125969: gap of unknown length
            *   125970   191234: contig of 65265 bp in length.

FEATURES   Location/Qualifiers
     source   1..191234
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="8"
                     /clone="RP11-388G22"

RESULT 172

```
LOCUS       AC144780              191540 bp    DNA     linear   PRI 26-SEP-2003
DEFINITION  Pan troglodytes BAC clone RP43-2J12 from 7, complete sequence.
ACCESSION   AC144780
VERSION     AC144780.1  GI:30841075
KEYWORDS    HTG.
SOURCE      Pan troglodytes (chimpanzee)
  ORGANISM  Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 191540)
  AUTHORS   Ali,J., Bielicki,L. and Cotton,M.
  TITLE     The sequence of Pan troglodytes BAC clone RP43-2J12
  JOURNAL   Unpublished (2001)
REFERENCE   2  (bases 1 to 191540)
  AUTHORS   Sulston,J.E. and Wilson,R.
  TITLE     Sequencing of Pan troglodytes
  JOURNAL   Unpublished (2001)
REFERENCE   3  (bases 1 to 191540)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Direct Submission
REFERENCE   4  (bases 1 to 191540)
  AUTHORS   Wilson,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (17-MAY-2003) Genetics, Genome Sequencing Center, 4444
            Forest Park Parkway, St. Louis, MO 63108, USA
  JOURNAL   Submitted (26-SEP-2003) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
COMMENT     -------------- Genome Center
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu
            Contact: submission@watson.wustl.edu
            --------------
            Center project name: C_PTO02J12
            --------------  Summary Statistics
            This sequence was finished as follows unless otherwise noted:
            all regions were double stranded, sequenced with an alternate
            chemistry, or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by sequence
            from more than one subclone; and the assembly was confirmed by
            restriction digest.
            NOTICE: This sequence may not represent the entire insert of this
            clone. It may be shorter because we only sequence overlapping
            clone sections once, or longer because we provide a small overlap
            between neighboring data submissions.
            MAPPING INFORMATION:
            Mapping information for this clone was provided by Dr. Wes Warren,
            Department of Genetics, Washington University, St. Louis MO. For
            additional information about the map position of this sequence, see
            http://genome.wustl.edu
            SOURCE INFORMATION:
            The RPCI-43 BAC Library has been constructed by Chung-Li Shu. DNA
            was isolated from white blood cells obtained from a male chimpanzee
            (Pan troglodytes, Clint, Yerkes #C0471; birthdate: 6-6-80). The
            clone and detailed information can be obtained from ResGen
            (http://www.resgen.com) or Pieter de Jong and co-workers at
            http://www.bacpac.chori.org.
            NEIGHBORING SEQUENCE INFORMATION:
            This sequence is the entire insert of the clone.
FEATURES             Location/Qualifiers
     source          1..191540
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone="RP43-2J12"
                     /chromosome="7"
                     /map="7"
                     /clone_lib="RPCI-43"
     misc_feature    1..1724
                     /note="assembly_name:Contig8"
     gap             1725..1824
                     /estimated_length=unknown
     misc_feature    1825..3510
                     /note="assembly_name:Contig9"
     gap             3511..3610
                     /estimated_length=unknown
     misc_feature    3611..11673
                     /note="assembly_name:Contig10"
     gap             11674..11773
                     /estimated_length=unknown
     misc_feature    11774..23956
                     /note="assembly_name:Contig11"
     gap             23957..24056
                     /estimated_length=unknown
     misc_feature    24057..40166
                     /note="assembly_name:Contig12"
     gap             40167..40266
                     /estimated_length=unknown
     misc_feature    40267..77292
                     /note="assembly_name:Contig13"
     gap             77293..77392
                     /estimated_length=unknown
     misc_feature    77393..125869
                     /note="assembly_name:Contig14"
     gap             125870..125969
                     /estimated_length=unknown
     misc_feature    125970..191234
                     /note="assembly_name:Contig15"
                     /clone_end:SP6
                     /vector_side:right"
                     /clone_end:T7
                     /vector_side:left"
ORIGIN
```

```
Query Match   1.7%;  Score 52;  DB 14;  Length 191234;
Best Local Similarity   100.0%;
Matches 52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   2899 GATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACATAGCGAAACCC 2950
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  20572 GATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACATAGCGAAACCC 20521
```

RESULT 173

```
LOCUS       AC068676              191866 bp    DNA     linear   HTG 16-DEC-2000
DEFINITION  Homo sapiens clone RP11-768N8, WORKING DRAFT SEQUENCE, 14 unordered
            pieces.
ACCESSION   AC068676
VERSION     AC068676.3  GI:11875293
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
```

```
Query Match   1.7%;  Score 52;  DB 8;  Length 191540;
Best Local Similarity   100.0%;
Matches 52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCGAAGACTTCGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  170515 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCGAAGACTTCGTCTC 170464
```

```
REFERENCE   1  (bases 1 to 191866)
  AUTHORS    Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE      Homo sapiens, clone RP11-768N8
  JOURNAL    Unpublished
REFERENCE   2  (bases 1 to 191866)
  AUTHORS    Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
             Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,F.,
             Boguslavskiy,L., Boukhgalter,B., Brown,A., Burkett,G.,
             Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
             Collymore,A., Cooke,P., DeArellano,K., Dewar,J., Diaz,J.S.,
             Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
             Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
             Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
             Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
             Klein,J., LaRocque,K., Lamazares,R., Landers,T., Lehoczky,J.,
             Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
             McCarthy,M., McBwan,P., McGurk,A., McKernan,K., McPheeters,R.,
             Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
             Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
             O'Neil,D., Oliver,T.M., Oliver,J., Peterson,K., Pierre,P.,
             Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
             Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
             Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
             Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
             Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
             Young,G., Zainoun,J., Zimmer,A. and Zody,M.
  TITLE      Direct Submission
  JOURNAL    Submitted (06-MAY-2000) Whitehead Institute/MIT Center for Genome
             Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Dec 16, 2000 this sequence version replaced gi:10440660.
            All repeats were identified using RepeatMasker:
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            ------------------------------------------
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            ------------------------------------------
            Center project name: L10325
            Center clone name: 768_N_8
            ------------------------------------------
            Summary Statistics
            Sequencing vector: M13; M77815; 2% of reads
            Sequencing vector: Plasmid; n/a; 98% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.960731
            Consensus quality: 186020 bases at least Q40
            Consensus quality: 188219 bases at least Q30
            Consensus quality: 189180 bases at least Q20
            Insert size: 188000; agarose-fp
            Insert size: 190566; sum-of-contigs
            Quality coverage: 9.2 in Q20 bases; agarose-fp
            Quality coverage: 9.1 in Q20 ba.
            ------------------------------------------
   *        NOTE: This is a 'working draft' sequence. It currently
   *        consists of 14 contigs. The true order of the pieces
   *        is not known and their order in this sequence record is
   *        arbitrary. Gaps between the contigs are represented as
   *        runs of N, but the exact sizes of the gaps are unknown.
   *        This record will be updated with the finished sequence
   *        as soon as it is available and the accession number will
   *        be preserved.
   *
   *             1      527: contig of 527 bp in length
   *           528      627: gap of 100 bp
   *           628     1287: contig of 660 bp in length
   *          1288     1387: gap of 100 bp
   *          1388     1833: contig of 446 bp in length
   *          1834     1933: gap of 100 bp
   *          1934     2723: contig of 790 bp in length
   *          2724     2823: gap of 100 bp
   *          2824     4471: contig of 1648 bp in length
   *          4472     4571: gap of 100 bp
   *          4572     8184: contig of 3613 bp in length
   *          8185     8284: gap of 100 bp
```

```
   *          8285    18881: contig of 10597 bp in length
   *         18882    18981: gap of 100 bp
   *         18982    33829: contig of 14848 bp in length
   *         33830    33929: gap of 100 bp
   *         33930    51797: contig of 17868 bp in length
   *         51798    51897: gap of 100 bp
   *         51898    67219: contig of 15322 bp in length
   *         67220    67319: gap of 100 bp
   *         67320    88231: contig of 20912 bp in length
   *         88232    88331: gap of 100 bp
   *         88332   132689: contig of 44358 bp in length
   *        132690   132789: gap of 100 bp
   *        132790   170094: contig of 37305 bp in length
   *        170095   170194: gap of 100 bp
   *        170195   191866: contig of 21672 bp in length.

FEATURES             Location/Qualifiers
     source          1..191866
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="RP11-768N8"
                     /clone_lib="RPCI-11 Human Male BAC"
     misc_feature    1..527
                     /note="assembly_fragment
                     clone_end:SP6
                     vector_side:left"
                     /estimated_length=527
     gap             528..627
                     /estimated_length=100
     misc_feature    628..1287
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             1288..1387
                     /estimated_length=100
     misc_feature    1388..1833
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             1834..1933
                     /estimated_length=100
     misc_feature    1934..2723
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             2724..2823
                     /estimated_length=100
     misc_feature    2824..4471
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             4472..4571
                     /estimated_length=100
     misc_feature    4572..8184
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             8185..8284
                     /estimated_length=100
     misc_feature    8285..18881
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             18882..18981
                     /estimated_length=100
     misc_feature    18982..33829
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             33830..33929
                     /estimated_length=100
     misc_feature    33930..51797
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             51798..51897
                     /estimated_length=100
     misc_feature    51898..67219
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             67220..67319
                     /estimated_length=100
     misc_feature    67320..88231
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             88232..88331
                     /estimated_length=100
     misc_feature    88332..132689
                     /note="assembly_fragment"
                     /estimated_length=100
     gap             132690..132789
                     /estimated_length=100
     misc_feature    132790..170094
                     /note="assembly_fragment"
                     /estimated_length=100
```

```
gap                    /note="assembly_fragment"
                       170095. .170194
                       /estimated_length=100
                       170195. .191866
     misc_feature      /note="assembly_fragment
                       clone_end:R7
                       vector_side:right"

ORIGIN

     Query Match        1.7%;  Score 52;  DB 14;  Length 191866;
     Best Local Similarity 100.0%;  Pred. No. 5.7e-16;
     Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy       2889  GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCCTGGCCAACAT  2940
               ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     170408  GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCCTGGCCAACAT  170459

RESULT 174
ACC091440/c
LOCUS              AC091440          191924 bp    DNA    linear    HTG 26-MAY-2001
DEFINITION         Homo sapiens chromosome UNK clone RP11-561D8, WORKING DRAFT
                   SEQUENCE, 25 unordered pieces.
ACCESSION          AC091440
VERSION            AC091440.2  GI:14209805
KEYWORDS           HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE             Homo sapiens (human)
  ORGANISM         Homo sapiens
                   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                   Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                   Hominidae; Homo.
REFERENCE          1  (bases 1 to 191924)
  AUTHORS          Waterston,R.H.
  TITLE            The sequence of Homo sapiens clone
  JOURNAL          Unpublished
REFERENCE          2  (bases 1 to 191924)
  AUTHORS          Waterston,R.H.
  TITLE            Direct Submission
  JOURNAL          Submitted (20-APR-2001) Genome Sequencing Center, Washington
                   University School of Medicine, 4444 Forest Park Parkway, St. Louis,
                   MO 63108, USA
COMMENT            On May 26, 2001 this sequence version replaced gi:13699798.
                   -------------------- Genome Center --------------------
                   Center: Washington University Genome Sequencing Center
                   Center code: WUGSC
                   Web site: http://genome.wustl.edu/gsc/index.shtml
                   ------------ Project Information ------------
                   Center project name: H_NH0561D08
                   ------------- Summary Statistics -------------
                   Sequencing vector: M13; 7%
                   Sequencing vector: plasmid; 93%
                   Chemistry: Dye-primer Big Dye; 93% of reads
                   Chemistry: Dye-terminator Big Dye; 7% of reads
                   Assembly program: Phrap; version 0.99319
                   Consensus quality: 177613 bases at least Q40
                   Consensus quality: 182658 bases at least Q30
                   Consensus quality: 185159 bases at least Q20
                   Insert size: 204000; agarose-fp
                   Insert size: 189524; sum-of-contigs
                   Quality coverage: 3.86 in Q20 bases; agarose-fp
                   Quality coverage: 4.21 in Q20 bases; sum-of-contigs
                   --------------------------------------------------
                   * NOTE: This is a 'working draft' sequence. It currently
                   * consists of 25 contigs. The true order of the pieces
                   * is not known and their order in this sequence record is
                   * arbitrary. Gaps between the contigs are represented as
                   * runs of N, but the exact sizes of the gaps are unknown.
                   * This record will be updated with the finished sequence
                   * as soon as it is available and the accession number will
                   * be preserved.
                   *     1    2553: contig of 2553 bp in length
                   *  2554    2653: gap of unknown length
```

```
FEATURES             Location/Qualifiers
     source          1. .191924
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="RP11-561D8"
                     /chromosome="UNK"
     misc_feature    1. .2553
                     /note="assembly_name:Contig10"
     gap             2554. .2653
                     /estimated_length=unknown
     misc_feature    2654. .5221
                     /note="assembly_name:Contig11"
     gap             5222. .5321
                     /estimated_length=unknown
     misc_feature    5322. .8504
                     /note="assembly_name:Contig12"
     gap             8505. .8604
                     /estimated_length=unknown
     misc_feature    8605. .11131
                     /note="assembly_name:Contig13"
     gap             11132. .11231
                     /estimated_length=unknown
     misc_feature    11232. .14456
                     /note="assembly_name:Contig14"
     gap             14457. .14556
```

```
*     2654    5221: contig of 2568 bp in length
*     5222    5321: gap of unknown length
*     5322    8504: contig of 3183 bp in length
*     8505    8604: gap of unknown length
*     8605   11131: contig of 2527 bp in length
*    11132   11231: gap of unknown length
*    11232   14456: contig of 3225 bp in length
*    14457   14556: gap of unknown length
*    14557   19951: contig of 5395 bp in length
*    19952   20051: gap of unknown length
*    20052   24638: contig of 4587 bp in length
*    24639   24738: gap of unknown length
*    24739   28963: contig of 4225 bp in length
*    28964   29063: gap of unknown length
*    29064   35750: contig of 6687 bp in length
*    35751   35850: gap of unknown length
*    35851   41905: contig of 6055 bp in length
*    41906   42005: gap of unknown length
*    42006   48503: contig of 6498 bp in length
*    48504   48603: gap of unknown length
*    48604   56276: contig of 7673 bp in length
*    56277   56376: gap of unknown length
*    56377   63617: contig of 7241 bp in length
*    63618   63717: gap of unknown length
*    63718   70545: contig of 6828 bp in length
*    70546   70645: gap of unknown length
*    70646   79240: contig of 8595 bp in length
*    79241   79340: gap of unknown length
*    79341   87568: contig of 8228 bp in length
*    87569   87668: gap of unknown length
*    87669   98108: contig of 10440 bp in length
*    98109   98208: gap of unknown length
*    98209  111884: contig of 13676 bp in length
*   111885  111984: gap of unknown length
*   111985  125202: contig of 13218 bp in length
*   125203  125302: gap of unknown length
*   125303  139501: contig of 14199 bp in length
*   139502  139601: gap of unknown length
*   139602  159852: contig of 20251 bp in length
*   159853  159952: gap of unknown length
*   159953  186323: contig of 26371 bp in length
*   186324  186423: gap of unknown length
*   186424  188357: contig of 1934 bp in length
*   188358  188457: gap of unknown length
*   188458  190113: contig of 1656 bp in length
*   190114  190213: gap of unknown length
*   190214  191924: contig of 1711 bp in length.
```

```
misc_feature   /estimated_length=unknown
               14557..19951
gap            /note="assembly_name:Contig15"
               19952..20051
misc_feature   /estimated_length=unknown
               20052..24638
gap            /note="assembly_name:Contig16"
               24639..24738
misc_feature   /estimated_length=unknown
               24739..28963
gap            /note="assembly_name:Contig17"
               28964..29063
misc_feature   /estimated_length=unknown
               29064..35750
gap            /note="assembly_name:Contig18"
               35751..35850
misc_feature   /estimated_length=unknown
               35851..41905
gap            /note="assembly_name:Contig19"
               41906..42005
misc_feature   /estimated_length=unknown
               42006..48503
gap            /note="assembly_name:Contig20"
               48504..48603
misc_feature   /estimated_length=unknown
               48604..56276
gap            /note="assembly_name:Contig21"
               56277..56376
misc_feature   /estimated_length=unknown
               56377..63617
gap            /note="assembly_name:Contig22"
               63618..63717
misc_feature   /estimated_length=unknown
               63718..70545
gap            /note="assembly_name:Contig23"
               70546..70645
misc_feature   /estimated_length=unknown
               70646..79240
gap            /note="assembly_name:Contig24"
               79241..79340
misc_feature   /estimated_length=unknown
               79341..87568
gap            /note="assembly_name:Contig25"
               87569..87668
misc_feature   /estimated_length=unknown
               87669..98108
gap            /note="assembly_name:Contig26"
               98109..98208
misc_feature   /estimated_length=unknown
               98209..111884
gap            /note="assembly_name:Contig27"
               111885..111984
misc_feature   /estimated_length=unknown
               111985..125202
gap            /note="assembly_name:Contig28"
               125203..125302
misc_feature   /estimated_length=unknown
               125303..139501
gap            /note="assembly_name:Contig29"
               139502..139601
misc_feature   /estimated_length=unknown
               139602..159852
gap            /note="assembly_name:Contig30"
               159853..159952
misc_feature   /estimated_length=unknown
               159953..186323
gap            /note="assembly_name:Contig31"
               186324..186423
misc_feature   /estimated_length=unknown
               186424..186357
```

```
gap             188358..188457

Qy    3071  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC  3122
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  123776  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTTCTGTCTC  123725

RESULT 175
AL954212
LOCUS       AL954212        192328 bp    DNA     linear   PRI 16-OCT-2003
DEFINITION  Pan troglodytes chromosome 22 clone RP43-043L10 map 22q22.11,
            complete sequence.
ACCESSION   AL954212
VERSION     AL954212.1  GI:37605795
KEYWORDS    HTG.
SOURCE      Pan troglodytes (chimpanzee)
  ORGANISM  Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 192328)
  AUTHORS   The Chimpanzee Chromosome 22 Sequencing Consortium
  CONSRTM   DNA sequence of chimpanzee chromosome 22 and its evolutionary
  TITLE     implications
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 192328)
  AUTHORS   Kube,M., Sudbrak,R., Borzym,K., Lehrack,S., Thiel,J., Mueller,I.,
            Klages,S., Gimmel,V., Beck,A., Ben Kahla,A., Lehrach,H., Yaspo,M.L.
            and Reinhardt,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (18-DEC-2002) Max-Planck-Institute for Molecular
            Genetics, Department of Vertebrate Genomics, Ihnestrasse 73,
            Berlin, 14195 Germany
COMMENT     The Chimpanzee Chromosome 22 Sequencing Consortium consists of:
            *Chinese National Human Genome Center at Shanghai,
             Shanghai, China;
            *GBF, Dept. of Genome Analysis, Braunschweig, Germany;
            *Institute of Molecular Biotechnology, Jena, Germany;
            *KRIBB Genome Research Center, Daejeon, Korea;
            *Max-Planck-Institute for Molecular Genetics, Berlin, Germany;
            *National Institute of Genetics, Mishima, Japan;
            *National Yang Ming University Genome Research Center, Taipei,
             Taiwan;
            *RIKEN Genomic Sciences Center, Yokohama, Japan.
            --------------- Genome Center
            Center: Max-Planck-Institute for Molecular Genetics
            Center code: MPIMG
            --------------- Project Information
            Center clone name: RP43-043L10
            --------------- Summary Statistics
            Sequencing vector: pUC18; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.990329
            Consensus quality: 192151 bases at least Q40
            Consensus quality: 192300 bases at least Q30
            Consensus quality: 192327 bases at least Q20
            Quality coverage: 10.18
            ---------------
            This sequence was finished as follows unless otherwise noted: all
            regions were double stranded, sequenced with an alternate
            chemistry, or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one plasmid subclone or more than one M13 subclone; and the
            assembly was confirmed by restriction digest. ---------------
            Neighboring sequence information:
            This clone is overlapped by
            PTB-034G05
```

Query Match 1.7%; Score 52; DB 14; Length 191924;
Best Local Similarity 100.0%; Pred. No. 5.7e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RP43-040C07

SOURCE INFORMATION:
The RPCI-43 chimpanzee BAC library was prepared from DNA isolated from the blood of a single male chimpanzee using published protocols (Osoegawa,K. et al. Genomics 51:1-8). The DNA from the chimpanzee ('Clint') was obtained from the Yerkes Primate Center in Atlanta. The library was prepared by Baoli Zhu, Chung Li Shu, Kazutoyo Osoegawa, Evan Eichler & Pieter J de Jong. The library characteristics are described at
http://www.chori.org/bacpac/mchimp43.htm.
The clone may be obtained from Pieter J. de Jong and coworkers
(http://www.chori.org/bacpac).
VECTOR: pBACe3.6

```
FEATURES        Location/Qualifiers
     source          1..192328
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /chromosome="22"
                     /map="22q22.11"
                     /clone="RP43-043L10"
     source          <1..42096
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone="PTB-034G05"
                     /note="overlapping clone"
     source          153484..>192328
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone="RP43-040C07"
                     /note="overlapping clone"
ORIGIN

Query Match             1.7%;  Score 52;  DB 8;  Length 192328;
  Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
  Matches   52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     15603 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 15654
```

RESULT 176
AL353136

```
LOCUS       AL353136   192505 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION  Human DNA sequence from clone RP11-133K18 on chromosome X Contains
            a pyruvate kinase muscle (PKM2) pseudogene and the gene for
            ectodysplasin A2 isoform receptor (XEDAR), complete sequence.
ACCESSION   AL353136
VERSION     AL353136.21  GI:13274342
KEYWORDS    HTG; PKM2; XEDAR.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 192505)
  AUTHORS   Heath,P.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Mar 12, 2001 this sequence version replaced gi:13212368.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
```

chromosome X, constructed by the Sanger Centre Chromosome X Mapping Group. Further information can be found at
http://www.sanger.ac.uk/HGP/ChrX
RP11-133K18 is from the library RPCI-11.1 constructed by the group of Pieter de Jong. For further details see
http://www.chori.org/bacpac/home.htm
VECTOR: pBACe3.6
Center: Genome Center
Center: Wellcome Trust Sanger Institute
Center code: SC
Web site: http://www.sanger.ac.uk
Contact: vega@sanger.ac.uk

This sequence was finished as follows unless otherwise noted: all regions were either double-stranded or sequenced with an alternate chemistry or covered by high quality data (i.e., phred quality >= 30); an attempt was made to resolve all sequencing problems, such as compressions and repeats; all regions were covered by at least one subclone; and the assembly was confirmed by restriction digest, except on the rare occasion of the clone being a YAC.

```
FEATURES        Location/Qualifiers
     source          1..192505
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="RP11-133K18"
                     /clone_lib="RPCI-11.1"
     gene            2001..3677
                     /locus_tag="RP11-133K18.1-001"
                     /pseudo
     mRNA            2001..3677
                     /locus_tag="RP11-133K18.1-001"
                     /pseudo
     CDS             2001..3677
                     /locus_tag="RP11-133K18.1-001"
                     /pseudo
                     /product="pyruvate kinase muscle (PKM2) pseudogene"
                     /note="match: proteins: AAH44007 P00548 P11974 P11979
                     P11980 P52480 Q8WUW7 Q91YI8 Q92122 Q96E76"
                     /codon_start=1
     gene            complement(join(99890..103346,103727..104113,
                     120187..102283,143248..143294))
                     /gene="EDA2R"
                     /locus_tag="RP11-133K18.2-001"
     mRNA            complement(join(99890..103346,103727..104113,
                     120187..102283,143248..143294))
                     /gene="EDA2R"
                     /locus_tag="RP11-133K18.2-001"
                     /product="ectodysplasin A2 receptor"
                     /note="match: cDNAs: AF298812.1 BC034919.1"
     polyA_signal    complement(99890)
                     /gene="EDA2R"
                     /locus_tag="RP11-133K18.2-001"
     polyA_site      complement(99908..99913)
                     /gene="EDA2R"
                     /locus_tag="RP11-133K18.2-001"
     gene            complement(join(103737..104119,104292..104348,
                     106886..107050,108674..108759,109301..109479,
                     120187..120273))
                     /gene="EDA2R"
                     /locus_tag="RP11-133K18.2-002"
     mRNA            complement(join(103737..104119,104292..104348,
                     106886..107050,108674..108759,109301..109479,
                     120187..120273))
                     /gene="EDA2R"
                     /locus_tag="RP11-133K18.2-002"
                     /product="ectodysplasin A2 receptor"
                     /note="match: cDNAs: AY152724.1"
     CDS             complement(join(103737..104113,106886..107050,
                     108674..108759,109301..109479,120187..120273))
                     /gene="EDA2R"
                     /locus_tag="RP11-133K18.2-001"
```

```
RESULT 177

ACI10601/c

LOCUS       ACI10601            193351 bp    DNA     linear   HTG 27-MAR-2003
DEFINITION  Homo sapiens chromosome 15 clone RP11-422F16 map 15, 4 unordered
            pieces.
ACCESSION   ACI10601
VERSION     ACI10601.4  GI:25103366
KEYWORDS    HTG; HTGS_PHASE1; HTGS_FULLTOP; HTGS_CANCELLED.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 193351)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 15, clone RP11-422F16
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 193351)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., LaRocque,K., Lamazares,R.,
```

```
REFERENCE             Landers,T., Lehoczky,J., Levine,R., Liu,G., MacLean,C.,
AUTHORS               Macdonald,P., Major,J., Marquis,N., Matthews,C., McCarthy,M.,
                      McEwan,P., McKernan,K., Meldrim,J., Meneus,L., Mihova,T.,
                      Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
                      Norman,C.H., O'Connor,T., O'Donnell,P., O'Neill,P., Oliver,J.,
                      Peterson,K., Phunkhang,P., Pierre,N., Pollara,V., Raymond,C.,
                      Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J.,
                      Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S.,
                      Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
                      Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
                      Topham,K., Travers,M., Travis,N., Triglio,J., Vassiliev,H.,
                      Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
                      Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE                 Direct Submission
JOURNAL               Submitted (13-FEB-2002) Whitehead Institute/MIT Center for Genome
                      Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 193351)
AUTHORS               Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
                      Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
                      Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
                      Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
                      Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
                      Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
                      Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
                      Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
                      Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
                      Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
                      Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
                      Norman,C.H., O'Connor,T., O'Donnell,P., O'Neill,P., Oliver,J.,
                      Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
                      Rise,C., Rogov,P., Roy,A., Santos,R., Schauer,S., Schupback,R.,
                      Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
                      Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
                      Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
                      Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE                 Direct Submission
JOURNAL               Submitted (27-MAR-2003) Whitehead Institute/MIT Center for Genome
                      Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT               On Nov 19, 2002 this sequence version replaced gi:22507177.
                      All repeats were identified using RepeatMasker.
                      Smit, A.F.A. & Green, P. (1996-1997)
                      http://ftp.genome.washington.edu/RM/RepeatMasker.html
                      ---------------------- Genome Center
                            Center: Whitehead Institute/ MIT Center for Genome Research
                            Center code: WIBR
                            Web site: http://www-seq.wi.mit.edu
                            Contact: sequence_submissions@genome.wi.mit.edu
                      ---------------------- Project Information
                            Center project name: L25406
                            Center clone name: 422_P16
                      ----------------------
                      NOTE: This is a 'working draft' sequence. It currently
                      * consists of 4 contigs. The true order of the pieces
                      * is not known and their order in this sequence record is
                      * arbitrary. Gaps between the contigs are represented as
                      * runs of N, but the exact sizes of the gaps are unknown.
                      * This record will be updated with the finished sequence
                      * as soon as it is available and the accession number will
                      * be preserved.
                      *
                      *        1         23397: contig of 23397 bp in length
                      *        23398     23497: gap of 100 bp
                      *        23498     85171: contig of 61674 bp in length
                      *        85172     85271: gap of 100 bp
                      *        85272    140698: contig of 55427 bp in length
                      *        140699   140798: gap of 100 bp in length
                      *        140799   193351: contig of 52553 bp in length
FEATURES             Location/Qualifiers
     source          1..193351
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="15"
                     /map="15"
```

```
ORIGIN

Qy          3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||
Db        128720 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 128771

Query Match    1.7%;  Score 52;  DB 8;  Length 192505;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

```
Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
Db 128720 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 128771
```

```
CDS          complement(join(103737..103737, 104119,104292..104348,
                      106886..107050,108674..108759,109301..109479,
                      120187..120273))
             /gene="BDAR"
             /locus_tag=RP11-133K18.2-002"
             /standard_name="OTTHUMP00000023449"
             /codon_start=1
             /product="ectodysplasin A2 receptor"
             /protein_id="CAH70434.1"
             /db_xref="Interpro:IPR001368"
             /db_xref="GT:55663360"
             /db_xref="UniProt/TrEMBL:Q5VYX9"
             /translation="MDCQENEYWDQWGRCVTCQRCGPGQEELSKDCGYGEGGDAYCTAC
                      PRRYKSSWGHHRCQSCITCAVINRVQKVNCTATSNAVCGDCLPRFYRKTRIGGLQDQ
                      ECIPCTKQTPTSEVQCAFQLSLVEADPTVPPQEATLVALVSSLIVVFTLAFLGLFFL
                      YCKQFFNRHCQRGGLLQFEADKTAKEESLFVPPSKETSASQVSNIFQTQPLNPII
                      TSAESQVSENIFQTQPLNPILEDDCSSTSGFPTQBSFTMASCTSESHSHWVHSPIECT
                      ELDLQKFSSSASYTGAETLGGNTVESTGDRLELNVPFEVPSP"
```

```
CDS          complement(join(103737..103737, 104119,104292..104348,
                      106886..107050,108674..108759,109301..109479,
                      120187..120273))
             /gene="BDAR"
             /locus_tag=RP11-133K18.2-002"
             /standard_name="OTTHUMP00000023448"
             /codon_start=1
             /product="ectodysplasin A2 receptor"
             /protein_id="CAH70433.1"
             /db_xref="GI:55663359"
             /db_xref="GOA:Q5VYY0"
             /db_xref="Interpro:IPR001368"
             /db_xref="UniProt/TrEMBL:Q5VYY0"
             /note="match: proteins: Q9HAV5"
             /codon_start=1
             /standard_name="OTTHUMP00000023448"
             /translation="MDCQENEYWDQWGRCVTCQRCGPGQEELSKDCGYGEGGDAYCTAC
                      PRRYKSSWGHHRCQSCITCAVINRVQKVNCTATSNAVCGDCLPRFYRKTRIGGLQDQ
                      ECIPCTKQTPTSEVQCAFQLSLVEADPTVPPQEATLVALVSSLIVVFTLAFLGLFFL
                      YCKQFFNRHCQRGGLLQFEADKTAKEESLFVPPSKETSASQVSNIFQTQPLNPII
                      EDDCSSTSGFPTQBSFTMASCTSESHSHWVHSPIECTELDLQKFSSSASYTGAETLGG
                      NTVESTGDRLELNVPFEVPSP"
             /standard_name="OTTHUMP00000023448"
```

RESULT 178

AC141263/c

```
Query Match
Best Local Similarity   1.7%;   Score 52;   DB 14;   Length 193351;
Matches 52;   Conservative  0;   Mismatches  0;   Indels  0;   Gaps  0;

ORIGIN
Qy   2889  GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT  2940
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 183110  GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 183059
```

```
gap   /clone="RP11-422F16"
      /clone_lib="RPCI-11 Human Male BAC"
      23398._23497
gap   85172._85271
      /estimated_length=100
      140699._140798
      /estimated_length=100
```

```
Db
LOCUS       AC141263             193952 bp    DNA     linear   HTG 11-MAR-2003
DEFINITION  Homo sapiens chromosome 16 clone RP11-133K18, WORKING DRAFT
            SEQUENCE, 3 unordered pieces.
ACCESSION   AC141263
VERSION     AC141263.1  GI:28913043
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_ACTIVEFIN.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 193952)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Sequencing of Human Chromosome 16
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 193952)
  AUTHORS   DOE Joint Genome Institute.
  TITLE     Direct Submission
  JOURNAL   Submitted (11-MAR-2003) Production Sequencing Facility, DOE Joint
            Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT     -----Genome Center
            Center: Joint Genome Institute
            Center Code: JGI
            Web site: http://www.jgi.doe.gov
            -----
            Project Information
            Center Project Name: 457695
            Center clone name: RPCI-11_133K18
            -----
            Summary Statistics
            Consensus quality: 193564 bases at least Q40
            Consensus quality: 193701 bases at least Q30
            Consensus quality: 193722 bases at least Q20
            Consensus insert size: 175000; agarose-fp estimation
            Estimated insert size: 193752; sum-of-contigs estimation
            Quality coverage: 10.71 in Q20 bases; agarose-fp estimation
            Quality coverage: 9.68 in Q20 bases; sum-of-contigs estimation.
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 3 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *       1       1207: contig of 1207 bp in length
            *    1208       1307: gap of unknown length
            *    1308      74872: contig of 73565 bp in length
            *   74873      74972: gap of unknown length
            *   74973     193952: contig of 118980 bp in length
FEATURES             Location/Qualifiers
     source          1..193952
```

RESULT 179

AC103705

```
Query Match
Best Local Similarity   1.7%;   Score 52;   DB 14;   Length 193952;
Matches 52;   Conservative  0;   Mismatches  0;   Indels  0;   Gaps  0;

ORIGIN
Qy   3071  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTCGTCTC  3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 65093  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAGACTCTCGTCTC 65042
```

```
gap   /organism="Homo sapiens"
      /mol_type="genomic DNA"
      /db_xref="taxon:9606"
      /chromosome="16"
gap   /clone="RP11-133K18"
      /clone_lib="RPCI human BAC library 11"
      1208._1307
      /estimated_length=unknown
      74873._74972
      /estimated_length=unknown
```

```
Db
LOCUS       AC103705             194189 bp    DNA     linear   PRI 07-JAN-2003
DEFINITION  Homo sapiens chromosome 8, clone RP11-55S15, complete sequence.
ACCESSION   AC103705
VERSION     AC103705.5  GI:27531862
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 194189)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE     Sequencing of Human Chromosome 8, clone RP11-55S15
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 194189)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
            Anderson,S., Barna,A., Bastien,V., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
            Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
            Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
            Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Heaford,A., Horton,L., Hulme,W., Iliev,I., Johnson,R.,
            Jones,C., Kamat,A., Karatas,A., Kells,C., LaRocque,K.,
            Lamazares,R., Landers,T., Lehoczky,J., Levine,R., Liu,G.,
            Lui,A., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
            MacLean,C., McCarthy,M., McBwan,P., McKernan,K., McPheeters,R., Meldrim,J.,
            Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C.,
            Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neill,D.,
            Oliver,J., Peterson,K., Phunkhang,P., Pierre,N., Pollard,V.,
            Raymond,C., Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P.,
            Roman,J., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupbeck,R.,
            Seaman,S., Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Topham,K., Travis,M., Travis,N., Trigilio,J., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
            Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (29-NOV-2001) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 194189)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
```

```
           Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
           Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,T.,
           Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
           Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
           Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
           Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
           Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
           Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
           Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL Submitted (01-NOV-2002) Whitehead Institute/MIT Center for Genome
           Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE  4  (bases 1 to 194189)
  AUTHORS  Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
           Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
           Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
           Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
           Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
           Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
           Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
           Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
           Lindblad-Toh,K., Liu,G., Maclean,C., Macdonald,P., Major,J.,
           Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
           Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
           Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
           Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
           Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
           Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
           Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
           Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
           Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE   Direct Submission
  JOURNAL Submitted (07-JAN-2003) Whitehead Institute/MIT Center for Genome
           Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT    On Jan 7, 2003 this sequence version replaced gi:24462416.
           All repeats were identified using RepeatMasker:
           Smit, A.F.A. & Green, P. (1996-1997)
           http://ftp.genome.washington.edu/RM/RepeatMasker.html
           --------------- Genome Center
           Center: Whitehead Institute/ MIT Center for Genome Research
           Center code: WIBR
           Web site: http://www-seq.wi.mit.edu
           Contact: sequence_submissions@genome.wi.mit.edu
           --------------- Project Information
           Center project name: L21594
           Center clone name: 55_J_15
           ---------------
FEATURES           Location/Qualifiers
     source        1..194189
                   /organism="Homo sapiens"
                   /mol_type="genomic DNA"
                   /db_xref="taxon:9606"
                   /chromosome="8"
                   /map="8"
                   /clone="RP11-55J15"
                   /clone_lib="RPCI-11 Human Male BAC"

     repeat_region 71..416
                   /rpt_family="AluSx"
     repeat_region complement(773..1076)
                   /rpt_family="Alu"
     repeat_region 1725..1776
                   /rpt_family="MIR"
     repeat_region 2452..2753
                   /rpt_family="MIR"
     repeat_region 3295..3420
                   /rpt_family="AluSg"
     repeat_region 3653..3780
                   /rpt_family="AluSq/x"
     repeat_region 4093..4386
                   /rpt_family="MIR"
     repeat_region complement(4392..4667)
                   /rpt_family="AluSx"
     repeat_region 5046..5088
                   /rpt_family="AluJo"

     repeat_region /rpt_family="(TTTA)n"
     repeat_region complement(5093..5372)
                   /rpt_family="AluSg"
     repeat_region 5425..5694
                   /rpt_family="L2"
     repeat_region complement(5697..5767)
                   /rpt_family="MIR"
     repeat_region 6202..6432
                   /rpt_family="AluSx"
     repeat_region complement(6511..6810)
                   /rpt_family="MIR"
     repeat_region 7006..7115
                   /rpt_family="AluY"
     repeat_region 7276..7753
                   /rpt_family="MIR"
     repeat_region complement(10040..10142)
                   /rpt_family="MLT1D"
     repeat_region complement(10343..10667)
                   /rpt_family="MIR"
     repeat_region 10734..10851
                   /rpt_family="AluSx"
     repeat_region complement(11143..11453)
                   /rpt_family="(TA)n"
     repeat_region 11753..11822
                   /rpt_family="AluSx"
     repeat_region complement(11823..12124)
                   /rpt_family="MLT1C"
     repeat_region 12125..12516
                   /rpt_family="AluSx"
     repeat_region 12735..12890
                   /rpt_family="MLT1C"
     repeat_region 13791..13829
                   /rpt_family="MIR"
     repeat_region 13830..14147
                   /rpt_family="L1MA3"
     repeat_region 14156..14457
                   /rpt_family="AluSg"
     repeat_region 14458..14616
                   /rpt_family="AluSx"
     repeat_region 15897..15952
                   /rpt_family="L1MA3"
     repeat_region complement(15963..16079)
                   /rpt_family="L2"
     repeat_region complement(16310..16421)
                   /rpt_family="L2"
     repeat_region 16548..16614
                   /rpt_family="L2"
     repeat_region 16927..16967
                   /rpt_family="MIR"
     repeat_region 17335..17407
                   /rpt_family="(TG)n"
     repeat_region 17691..17766
                   /rpt_family="(TCTCTG)n"
     repeat_region 18015..18167
                   /rpt_family="MIR"
     repeat_region 18277..18313
                   /rpt_family="MER5A"
     repeat_region 18425..18468
                   /rpt_family="(TG)n"
     repeat_region 18542..18606
                   /rpt_family="T-rich"
     repeat_region 19749..19961
                   /rpt_family="CT-rich"
     repeat_region 20552..20630
                   /rpt_family="AluJb"
     repeat_region 20597..20634
                   /rpt_family="CT-rich"
     repeat_region 21246..21269
                   /rpt_family="(TCTG)n"
     repeat_region 21270..21595
                   /rpt_family="MIR"
     repeat_region 21596..21764
                   /rpt_family="AluSx"
     repeat_region /rpt_family="MIR"
```

```
repeat_region   21936..22047
                /rpt_family="MIR3"
repeat_region   22184..22268
                /rpt_family="L2"

Qy          3071  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
                  |||||||||||||||||||||||||||||||||||||||||||||||||||
Db        134370  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 134421


RESULT 180
AP000026
LOCUS       AP000026              195389 bp    DNA     linear   PRI 19-MAR-2003
DEFINITION  Homo sapiens genomic DNA, chromosome 4q22-q24, clone:429K21,
            complete sequence.
ACCESSION   AP000026
VERSION     AP000026.2  GI:29122862
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Tsai,S.
  TITLE     The Complete Genomic DNA Sequence of the Human ADH Gene Complex 1
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 195389)
  AUTHORS   Tsai,S.F.
  TITLE     Direct Submission
  JOURNAL   Submitted (09-MAY-2000) Shih-Feng Tsai, National Yang-Ming
            University, Institute of Genetics; 155 Li-Rong St. Section 2,
            Peitou, Taipei, Taiwan 11221, Republic of China
            (E-mail:ympetsai@ym.edu.tw, URL:http://genome.ym.edu.tw/,
            Tel:886-2-28267043, Fax:886-2-28264930)
COMMENT     On Mar 18, 2003 this sequence version replaced gi:9293861.
            Quality: the expected Phred/Phrap calculated error rate (per 10kb)
            is 0.68; Estimated total number of errors is 13.39.
FEATURES             Location/Qualifiers
     source          1..195389
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="4"
                     /map="4q22-q24"
                     /clone="429K21"
ORIGIN

Qy          3071  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
                  |||||||||||||||||||||||||||||||||||||||||||||||||||
Db        85260  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 85311


RESULT 181
AC125238/c
LOCUS       AC125238              196622 bp    DNA     linear   PRI 30-APR-2005
DEFINITION  Homo sapiens BAC clone RP11-711C24 from 2, complete sequence.
ACCESSION   AC125238
VERSION     AC125238.5  GI:22267884
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
```

Query Match
Best Local Similarity   1.7%;   Score 52; DB 8; Length 194189;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Query Match
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Query Match
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;   DB 8; Length 195389;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
REFERENCE   1  (bases 1 to 196622)
  AUTHORS   Nguyen,C., Bielicki,L. and Schatzkamer,K.
  TITLE     The sequence of Homo sapiens BAC clone RP11-711C24
  JOURNAL   Unpublished (2001)
REFERENCE   2  (bases 1 to 196622)
  AUTHORS   Waterston,R.H.
  TITLE     Direct Submission
  JOURNAL   Submitted (20-JUN-2002) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
REFERENCE   3  (bases 1 to 196622)
  AUTHORS   Waterston,R.H.
  TITLE     Direct Submission
  JOURNAL   Submitted (08-AUG-2002) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
REFERENCE   4  (bases 1 to 196622)
  AUTHORS   Waterston,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (16-AUG-2002) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   5  (bases 1 to 196622)
  AUTHORS   Waterston,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (15-OCT-2002) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   6  (bases 1 to 196622)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (30-APR-2005) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
COMMENT     On Aug 16, 2002 this sequence version replaced gi:22138709.
            -------------- Genome Center
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu
            Contact: submissions@watson.wustl.edu
            -------------- Summary Statistics
            Center project name: H_NH0711C24
            --------------.

NOTICE:

This sequence was finished as follows unless otherwise noted:
all regions were double stranded, sequenced with an alternate
chemistry, or covered by high quality data (i.e., phred quality >=
30); an attempt was made to resolve all sequencing problems, such
as compressions and repeats; all regions were covered by sequence
from more than one subclone; and the assembly was confirmed by
restriction digest.

MAPPING INFORMATION:
Mapping information for this clone was provided by Dr. Wes Warren,
Department of Genetics, Washington University, St. Louis MO. For
additional information about the map position of this sequence, see
http://genome.wustl.edu

SOURCE INFORMATION:
The RPCI-11 human BAC library was made from the blood of one male
donor, as described by Osoegawa,K., Woon,P.Y., Zhao,B., Frengen,E.,
Tateno,M., Catanese,J.J. and de Jong,P.J (1998) An improved
approach for construction of bacterial artificial chromosome
libraries. Genomics 51:1-8. The clone may be obtained either from
Research Genetics, Inc. (http://www.resgen.com) or Pieter de Jong
and coworkers at http://www.chori.org
VECTOR: pBACe3.6

NEIGHBORING SEQUENCE INFORMATION:
This sequence is the entire insert of the clone. This clone is
overlapped by AC069314 and AC010138.
FEATURES             Location/Qualifiers
     source          1..196622
```

RESULT 182

```
Qy      3071 CAAGATTGTGCCACTGCACTCCAGCTCGGGCAACAGAGACGAAGACTCTCGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     70272 CAAGATTGTGCCACTGCACTCCAGCTCGGGCAACAGAGACGAAGACTCTCGTCTC 70221
```

Query Match   100.0%; Score 52; DB 8; Length 196622;
Best Local Similarity   1.7%;
Matches 52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Pred. No. 5.7e-16;

LOCUS   AC099058   196623 bp   DNA   linear   PRI 26-JAN-2002
DEFINITION Homo sapiens chromosome 3 clone RP11-714G12, complete sequence.
ACCESSION   AC099058 AC026268
VERSION   AC099058.2 GI:18376904
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 196623)
  AUTHORS   Kaul,R.K., Olson,M.V., Zhou,Y., James,R.A., Rouse,G., Wu,Z.,
            Saenphimmachak,C., Phelps,K.A., Raymond,C. and Haugen,E.D.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 196623)
  AUTHORS   Kaul,R.K., Olson,M.V., Zhou,Y., James,R.A., Rouse,G., Wu,Z.,
            Saenphimmachak,C., Phelps,K.A., Raymond,C. and Haugen,E.D.
  TITLE   Direct Submission
  JOURNAL   Submitted (08-NOV-2001) Genome Center, University of Washington,
            Box 352145, Seattle, WA 98195, USA
REFERENCE   3 (bases 1 to 196623)
  AUTHORS   Kaul,R.K., Olson,M.V., Zhou,Y., James,R.A., Rouse,G., Wu,Z.,
            Saenphimmachak,C., Phelps,K.A., Raymond,C. and Haugen,E.D.
  TITLE   Direct Submission
  JOURNAL   Submitted (26-JAN-2002) Genome Center, University of Washington,
            Box 352145, Seattle, WA 98195, USA
On Jan 26, 2002 this sequence version replaced gi:16799016.
COMMENT   -------------- Genome Center
            Center: University of Washington Genome Center
            Center Code: UWGC
            Web site: http://www.genome.washington.edu
            Contact: uwgchtg@u.washington.edu
            -------------- Project Information
            Center project name: chr-3
            Center clone name: RP11-714G12 (bc0534)
            -------------- Summary Statistics
            Sequencing vector: unknown; 46% of reads
            Sequencing vector: plasmid; 54% of reads
            Chemistry: Dye-terminator ET; 92% of reads
            Chemistry: Dye-terminator Big Dye; 8% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 196528 bases at least Q40
            Consensus quality: 196607 bases at least Q30
            Consensus quality: 196623 bases at least Q20
            Insert size: 196623; sum-of-contigs
            Quality coverage: 10.6x in Q20 bases; sum-of-contigs
            ----
            Overlapping Sequences:
            5'; RP11-757A9 (UWGC:bc0549) AC104438
            3'; RP11-45P4 (UWGC:bc0161) AC015642

            Sequence Quality Assessment:
            This entry has been annotated with sequence quality
            estimates computed by the Phrap assembly program.
            All manually edited bases have been reduced to quality zero.
            Quality levels above 40 are expected to have less than
            1 error in 10,000 bp.
            Base-by-base quality values are not generally visible from the
            GenBank flat file format but are available as part
            of this entry's ASN.1 file.

            Sequence Validation:
            This sequence has been validated by Multiple Complete Digest
            fingerprinting. Comparison of the experimentally derived digest
            fragments with sequence-predicted fragments is given below.
            The electronically-digested sequence consists of both insert and
            vector, in order to accurately represent the entire circular BAC.
            Small fragments below a variable cutoff (approximately 400-800 bp)
            are not resolved in the fingerprint and hence do not appear
            in the table. There are no significant remaining discrepancies
            between the experimental and predicted values. Uniquely ordered
            fragments are separated by dashed lines.
```

	EcoRI		HindIII		BglII	
SeqDerMap	FngrPrnt	SeqDerMap	FngrPrnt	SeqDerMap	FngrPrnt
-------	-------	-------	-------	-------	-------
8696	8773	873	862	6586	6552
6	<800	6382	6565	2067	2057
1412	1360	512	<800	11841	11792
3175	3219	449	<800	2788	2800
4008	4037	10461	10208	1276	1274

```
ORIGIN
```

misc_feature   17943..178329
               /note="CpG_island (%GC=73.1, o/e=0.60, #CpGs=34)"
misc_feature   171163..171427
               /note="CpG_island (%GC=62.3, o/e=0.80, #CpGs=20)"
               This gene was based on gi(5453610)."
               H_NH071C24.1
RS"
               /translation="MLRLLALNLFPSIQVTGNKILVKQSPMLVAYDNAVNLSCKYSY
               NLFSREFRASLHKGLDSAVEVCVVYGNYSOQLQVYSKTGFNCDGKLGNESVTFYLQNL
               YVNQTDIYFCKIEVMYPPPYLDNEKSNGTIIHVKGKHLCPSPLFPGPSKPFWVLVVVG
               GVLACYSLLVTVAFIIFWVRSKRSRLLHSDYMNMTRRPGPTRKHYQPYAPPRDFAAY

misc_feature   /db_xref="GI:62988736"
CDS   join(99089..99140,119025..119381,122040..122164,
               127176..127304)
               /note="Homo sapiens CD28 antigen (Tp44) (CD28), mRNA.;
               /protein_id="AAX24123.1"
               /codon_start=1
               /product="unknown"
mRNA   join(98867..99140,119025..119381,122040..122164,
               127176..130225)
               /note="CpG_island (%GC=57.4, o/e=1.17, #CpGs=21)"
               /gene="CD28"
               /gene="CD28"
gene   98867..130225
               /note="Homo sapiens CD28 antigen (CD28), mRNA.;
misc_feature   35283..35552
               /note="CpG_island (%GC=73.5, o/e=0.70, #CpGs=31)"
misc_feature   34311..34561
               /note="CpG_island (%GC=60.7, o/e=0.67, #CpGs=18)"
misc_feature   11079..11345
               /db_xref="taxon:9606"
               /clone_lib="RPCI-11"
               /clone="RP11-711C24"
               /chromosome="2"
               /mol_type="genomic DNA"
               /organism="Homo sapiens"

3177	3219	1048	5097	5045	448	<800	728	<800	3734	3747	
11	<800	48	<800	30195	30333	149	<800	4397	4426	2416	2384
13	<800	13755	13252	12139	11792	3017	3219	1451	1419		
18	<800	1120	1124	2717	2800	315	<800	2911	3071		
152	<800	4425	4426	15035	14805	299	<800	4929	5019		
2523	2608	243	<800	4759	4767	247	<800	1906	1898		
1226	1156	710	352	<800	<800	8940	8773	325	<800		
1584	1667	1273	1209	2393	2384	1367	1360	22385	22824		
1748	1667	2375	2359	2558	2580	1983	1978	2144	2185		
2184	2196	1606	1605	6014	5959	86	<800	1909	1898		
1165	1156	2656	2648	8265	8530	3759	3677	10063	10208		
939	944	14802	14596	1985	1920	7559	7610	2713	2848		
187	<800	3065	3205	6151	6165	3376	3447	6186	6297		
2562	2608	2314	2428	9322	9390	69	<800	9507	9450		
340	<800	1401	1419	842	857	<800	<800	<800	<800		
1077	1069	893	914	3925	3969	788	794	1427	1419		
3681	3677	998	1014	220	<800						
26	<800	172	<800	29	<800						
1185	1156	58	<800	3279	3297						
1674	1667	2173	2185	8443	8530						
1154	1156	2615	2740	772	857						
237	<800	1850	1898	10592	10553						
4100	4037	4785	4841	1322	1274						
8739	8773	126	<800	1407	1376						
1356	1360	2675	2848	828	857						
1528	1532	1217	1209	1138	1121						
2083	2196	1445	1419	5860	5959						
6682	6726	4251	4200	153	<800						
8269	8217	7428	7543	250	<800						
3621	3677	3474	3582	2351	2384						
5344	5303	3347	3426	867	857						
6076	6046	1463	1419	6660	6731						
4071	4037	839	862	4484	4513						
776	<800	10565	10208	559	<800						
746	794	662	<800	3026	3026						
3244	3219	9	<800	10591	10553						
6000	6046	2925	3071	34	<800						

RESULT 183

```
LOCUS       AC026160              198105 bp    DNA     linear   HTG 31-MAY-2000
DEFINITION  Homo sapiens chromosome 3 clone RP11-1017A6 map 3p, WORKING DRAFT
            SEQUENCE, 16 unordered pieces.
ACCESSION   AC026160
VERSION     AC026160.2  GI:8121162
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 198105)
  AUTHORS   Bao,J., Bao,Q., Bao,W., Bian,X., Cao,T., Chen,C., Chen,J., Ding,H.,
            Dong,W., Fan,H., Feng,X., Guan,Q., Gu,X., Guo,D., He,L., Hu,S.,
            Huang,F., Jin,Y., Kang,N., Li,C., Li,G., Li,J., Li,L.,
            Li,S., Li,T., Liu,Y., Liu,N., Liu,B., Liu,Y., Li,W., Li,Y.,
            Luo,J., Niu,Y., Qi,Q., Qi,X., Song,S., Sun,M., Sun,W., Sun,Y.,
            Tao,R., Wang,H., Wang,J., Wang,Y., Wu,D., Xie,F., Xuan,Z., Xue,Y.,
            Yan,C., Yang,X., Yu,B., Zeng,Y., Zhang,G., Zhang,H., Zhang,H.,
            Zhang,L., Zhang,M., Zhang,X., Zhang,X., Zhang,Y., Zhang,Y.,
            Zhang,Z., Zhu,B., Yu,J. and Yang,H.
  TITLE     Chromosome 3p genomic sequence
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 198105)
  AUTHORS   Kang,N., Hu,S., Dong,W., Wang,J., Zhang,Y., Zhang,H., Liu,B.,
            Bao,W., Sun,Y., Wu,Q., Wang,H., Yang,X., Cheng,C., Wang,Y., Niu,Y.,
            Qi,X., Li,T., Zhang,H., Li,C., Wu,D., Wu,B., Fan,H., Liu,Y.,
            Li,G., Li,C., Bao,Q., Bao,J., Wang,X., Song,L., Zhang,L., Guo,D.,
            Huang,F., Zhang,G., Li,J., Bian,X., Zhang,M., Li,L., Feng,X., Yu,J.
            and Yang,H.
```

Query Match   1.7%;   Score 52;   DB 8;   Length 196623;
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches   52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy       2899 GATCACCTGAGGGCCAGGGAGTTCGAGACCAGCCTGGCCAACATAGCGGAAACCC 2950
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     127069 GATCACCTGAGGGCCAGGGAGTTCGAGACCAGCCTGGCCAACATAGCGGAAACCC 127120
```

```
TITLE        Direct Submission
JOURNAL      Submitted (21-MAR-2000) Human Genomic Center, Institute of
             Genetics, Chinese Academy of Sciences, Datun Road, Beijing, Beijing
             10101, P.R.China
COMMENT      On May 31, 2000 this sequence version replaced gi:7271977.
             --------------Genome Center
             Center: Beijing Genome Center
             Center code: Beijing
             Website: http://hgc.igtp.ac.cn
             http://www.genomics.org.cn
             Contact: hgc@igtp.ac.cn
             --------------Project Information
             Center project name: 1$ project
             Center project name: 1$ project
             Center clone name: RP11-1017A6
             --------------Summary Statistics
             Sequencing vector: pUC18; 100$ of reads
             Chemistry: Dye-terminator: ET 55$ of reads
             Chemistry: Dye-terminator Big Dye; 45$ of reads
             Assembly program: Phrap; version 0.990329
             Consensus quality: 189600 bases at least Q40
             Consensus quality: 19382 bases at least Q30
             Consensus quality: 197736 bases at least Q20
             Insert size: 190445; sum-of-contigs
             Quality coverage: 4.76x in Q20 bases; sum-of-contigs
             * NOTE: This is a 'working draft' sequence. It currently
             * consists of 16 contigs. The true order of the pieces
             * is not known and their order in this sequence record is
             * arbitrary. Gaps between the contigs are represented as
             * runs of N, but the exact sizes of the gaps are unknown.
             * This record will be updated with the finished sequence
             * as soon as it is available and the accession number will
             * be preserved.
             *
             *    1195      1194:   contig of 1194 bp in length
             *    1295      1294:   gap of unknown length
             *    3028      3027:   contig of 1733 bp in length
             *    3128      3127:   gap of unknown length
             *    4528      4527:   contig of 1400 bp in length
             *    4628      4627:   gap of unknown length
             *    8414      8413:   contig of 3786 bp in length
             *    8514      8513:   gap of unknown length
             *   13192     13191:   contig of 4678 bp in length
             *   13292     13291:   gap of unknown length
             *   19448     19447:   contig of 6156 bp in length
             *   19548     19547:   gap of unknown length
             *   25716     25715:   contig of 6168 bp in length
             *   25816     25815:   gap of unknown length
             *   36293     36292:   contig of 10477 bp in length
             *   36393     36392:   gap of unknown length
             *   49188     49087:   contig of 12695 bp in length
             *   49188     49187:   gap of unknown length
             *   61855     61854:   contig of 12667 bp in length
             *   61955     61954:   gap of unknown length
             *   75325     75324:   contig of 13370 bp in length
             *   75425     75424:   gap of unknown length
             *   88686     88685:   contig of 13261 bp in length
             *   88786     88785:   gap of unknown length
             *  104411    104410:   contig of 15625 bp in length
             *  104511    104510:   gap of unknown length
             *  120476    120475:   contig of 15965 bp in length
             *  120576    120575:   gap of unknown length
             *  141215    141214:   contig of 20639 bp in length
             *  141315    141314:   gap of unknown length
             *  198105    198105:   contig of 56791 bp in length.
FEATURES             Location/Qualifiers
     source          1..198105
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="3"
                     /map="3p"
                     /clone="RP11-1017A6"
     misc_feature    1..1194
```
```
     gap              /note="assembly_name:Contig3"
                     1195..1294
     misc_feature    /estimated_length=unknown
                     1295..3027
     gap              /note="assembly_name:Contig4"
                     3028..3127
     misc_feature    /estimated_length=unknown
                     3128..4527
     gap              /note="assembly_name:Contig5"
                     4528..4627
     misc_feature    /estimated_length=unknown
                     4628..8413
     gap              /note="assembly_name:Contig6"
                     8414..8513
     misc_feature    /estimated_length=unknown
                     8514..13191
     gap              /note="assembly_name:Contig7"
                     13192..13291
     misc_feature    /estimated_length=unknown
                     13292..19447
     gap              /note="assembly_name:Contig8"
                     19448..19547
                     /estimated_length=unknown
                     /vector_side:right"
     misc_feature    19548..25715
                     /note="assembly_name:Contig9"
     gap              25716..25815
                     /estimated_length=unknown
     misc_feature    25816..36292
                     /note="assembly_name:Contig10"
                     /clone_end:SP6
                     /vector_side:right"
     gap              36293..36392
                     /estimated_length=unknown
     misc_feature    36393..49087
                     /note="assembly_name:Contig11"
     gap              49088..49187
                     /estimated_length=unknown
     misc_feature    49188..61854
                     /note="assembly_name:Contig12"
                     /clone_end:T7
                     /vector_side:right"
     gap              61855..61954
                     /estimated_length=unknown
     misc_feature    61955..75324
                     /note="assembly_name:Contig13"
     gap              75325..75424
                     /estimated_length=unknown
     misc_feature    75425..88685
                     /note="assembly_name:Contig14"
     gap              88686..88785
                     /estimated_length=unknown
     misc_feature    88786..104410
                     /note="assembly_name:Contig15"
     gap              104411..104510
                     /estimated_length=unknown
     misc_feature    104511..120475
                     /note="assembly_name:Contig16"
     gap              120476..120575
                     /estimated_length=unknown
     misc_feature    120576..141214
                     /note="assembly_name:Contig17"
     gap              141215..141314
                     /estimated_length=unknown
     misc_feature    141315..198105
                     /note="assembly_name:Contig18"
ORIGIN
Query Match        1.7%;   Score 52;  DB 14;  Length 198105;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
```

Db　　113417　CAAGATTGTGCCACTGCATCGCACTCCAGCCTCGGCAACACAGAGCAAGAGCTCTGTCTC 113468

RESULT 184
ACC008108/c
LOCUS　　　　AC008108　　　　200000 bp　　　DNA　　　linear　　HTG 23-JUL-1999
DEFINITION　Homo sapiens chromosome 4, *** SEQUENCING IN PROGRESS ***, 17
　　　　　　　unordered pieces.
ACCESSION　AC008108
VERSION　　AC008108.1　GI:5578727
KEYWORDS　　HTG; HTGS_PHASE1.
SOURCE　　　Homo sapiens (human)
　ORGANISM　Homo sapiens
　　　　　　Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
　　　　　　Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
　　　　　　Hominidae; Homo.
REFERENCE　1　(bases 1 to 200000)
　AUTHORS　　Stone,N.E., Schmutz,J.J., Cox,D.R. and Myers,R.M.
　TITLE　　　Direct Submission
　JOURNAL　　Unpublished
REFERENCE　2　(bases 1 to 200000)
　AUTHORS　　Stone,N.E., Schmutz,J.J., Cox,D.R. and Myers,R.M.
　TITLE　　　Direct Submission
　JOURNAL　　Submitted (23-JUL-1999) Department of Genetics, Stanford Human
　　　　　　Genome Center, 855 California Avenue, Palo Alto, CA 94304, USA
COMMENT　　* NOTE: This is a 'working draft' sequence. It currently
　　　　　　* consists of 17 contigs. The true order of the pieces
　　　　　　* is not known and their order in this sequence record is
　　　　　　* arbitrary. Gaps between the contigs are represented as
　　　　　　* runs of N, but the exact sizes of the gaps are unknown.
　　　　　　* This record will be updated with the finished sequence
　　　　　　* as soon as it is available and the accession number will
　　　　　　* be preserved.
FEATURES　　　　　Location/Qualifiers
　source　　　　　1..200000
　　　　　　　　　/organism="Homo sapiens"
　　　　　　　　　/mol_type="genomic DNA"
　　　　　　　　　/db_xref="taxon:9606"
　　　　　　　　　/chromosome="4"
　gap　　　　　　　1206..12031

　　　　　1206:　contig of 1205 bp in length
　　　　12031:　gap of unknown length
　　　　13178:　contig of 1147 bp in length
　　　　24004:　gap of unknown length
　　　　25125:　contig of 1121 bp in length
　　　　35951:　gap of unknown length
　　　　37175:　contig of 1224 bp in length
　　　　48001:　gap of unknown length
　　　　49547:　contig of 1546 bp in length
　　　　60373:　gap of unknown length
　　　　61456:　contig of 1083 bp in length
　　　　72281:　gap of unknown length
　　　　73415:　contig of 1134 bp in length
　　　　84240:　gap of unknown length
　　　　85493:　contig of 1253 bp in length
　　　　96318:　gap of unknown length
　　　　97555:　contig of 1237 bp in length
　　　108380:　gap of unknown length
　　　110360:　contig of 1980 bp in length
　　　121185:　gap of unknown length
　　　122778:　contig of 1593 bp in length
　　　133603:　gap of unknown length
　　　135588:　contig of 1985 bp in length
　　　146413:　gap of unknown length
　　　148101:　contig of 1688 bp in length
　　　158926:　gap of unknown length
　　　160582:　contig of 1656 bp in length
　　　171407:　gap of unknown length
　　　173903:　contig of 2496 bp in length
　　　184728:　gap of unknown length
　　　186679:　contig of 1951 bp in length
　　　197504:　gap of unknown length
　　　200000:　contig of 2496 bp in length.

　gap　　　/estimated_length=unknown
　　　　　13179..24004
　gap　　　/estimated_length=unknown
　　　　　25126..35951
　gap　　　/estimated_length=unknown
　　　　　37176..48001
　gap　　　/estimated_length=unknown
　　　　　49548..60373
　gap　　　/estimated_length=unknown
　　　　　61457..72281
　gap　　　/estimated_length=unknown
　　　　　73416..84240
　gap　　　/estimated_length=unknown
　　　　　85494..96318
　gap　　　/estimated_length=unknown
　　　　　97556..108380
　gap　　　/estimated_length=unknown
　　　　　110361..121185
　gap　　　/estimated_length=unknown
　　　　　122779..133603
　gap　　　/estimated_length=unknown
　　　　　135589..146413
　gap　　　/estimated_length=unknown
　　　　　148102..158926
　gap　　　/estimated_length=unknown
　　　　　160583..171407
　gap　　　/estimated_length=unknown
　　　　　173904..184728
　gap　　　/estimated_length=unknown
　　　　　186680..197504
　gap　　　/estimated_length=unknown

ORIGIN

Query Match　　　　1.7%;　Score 52; DB 14; Length 200000;
Best Local Similarity　100.0%;　Pred. No. 5.7e-16;
Matches　52;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　　3071　CAAGATTGTGCCACTGCATCGCACTCCAGCCTCGGCAACACAGAGCAAGAGCTCTGTCTC 3122
　　　　　　|||||||||||||||||||||||||||||||||||||||||||||||||||||
Db　96734　CAAGATTGTGCCACTGCATCGCACTCCAGCCTCGGCAACACAGAGCAAGAGCTCTGTCTC 96683

RESULT 185
CNS01DSQ/c
LOCUS　　　CNS01DSQ　　　200853 bp　　　DNA　　　linear　　PRI 26-SEP-2001
DEFINITION　Human chromosome 14 DNA sequence BAC R-747H7 of library RPCI-11
　　　　　　from chromosome 14 of Homo sapiens (Human), complete sequence.
ACCESSION　AL121839
VERSION　　AL121839.3　GI:15795542
KEYWORDS　　HTG.
SOURCE　　　Homo sapiens (human)
　ORGANISM　Homo sapiens
　　　　　　Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
　　　　　　Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
　　　　　　Hominidae; Homo.
REFERENCE　1　(bases 1 to 200853)
　AUTHORS　　Heilig,R., Petit,J.L., Vico,V., Dasilva,C., Robert,C., Wincker,P.,
　　　　　　Brottier,P., Cattolico,L., Barbe,V., Pelletier,E., Artiguenave,F.,
　　　　　　Levy,M., Eckenberg,R., Bruls,T., deBerardinis,V., Cruaud,C.,
　　　　　　Gyapay,G., Saurin,W. and Weissenbach,J.
　TITLE　　　Sequencing of the human chromosome 14
　JOURNAL　　Unpublished
REFERENCE　2　(bases 1 to 200853)
　AUTHORS　　Genoscope.
　TITLE　　　Direct Submission
　JOURNAL　　Submitted (26-SEP-2001) Genoscope - Centre National de Sequencage
　　　　　　BP 191 91006 EVRY cedex - FRANCE (E-mail : seqref@genoscope.cns.fr
COMMENT　　- Web : www.genoscope.cns.fr)
　　　　　　On Sep 27, 2001 this sequence version replaced gi:9955595.
　　　　　　- Genome Center
　　　　　　Center: Genoscope / Centre National de Sequencage
　　　　　　Center code: GS
　　　　　　Web site: http://www.genoscope.cns.fr/

Contact: SeqRef@genoscope.cns.fr

The following BAC sequence is oriented from the T7 to the SP6 end.
Upstream BAC (overlapping the T7 end) : R-818K5 (AC=AL590328)
Downstream BAC (overlapping the SP6 end) : R-248B24 ------------------
Summary Statistics
Assembly program: Phrap; version 2.0

Overall quality chart :
Range   : bases

0		
1 -	9	1
1 -	19	1
10 -	29	10
20 -	29	37
30 -	39	228
40 -	49	3790
40 -	59	12266
50 -	59	14881
60 -	69	23014
70 -	79	49600
80 -	89	97026
90 -	99	

Percentage of bases with a quality value >= 40 : 99 %.

FEATURES   Location/Qualifiers
     source   1..200853
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="14"
                     /clone="R-747H7"
                     /clone_lib="RPCI-11"

     STS   74706..74805
                     /note="matching EMBL:R33632
                     RHdb:RH53920
                     dbSTS:STS32121
                     Identified using the e-PCR software (G. Schuler)"
     STS   82261..82445
                     /note="matching EMBL:R25802
                     RHdb:RH44422
                     RHdb:RH11302
                     dbSTS:STS1025
                     Identified using the e-PCR software (G. Schuler)"
     STS   83496..83749
                     /note="matching EMBL:H09564
                     RHdb:RH53633
                     dbSTS:STS42877
                     Identified using the e-PCR software (G. Schuler)"
     STS   119336..119486
                     /note="matching EMBL:G09073
                     RHdb:RH53763
                     RHdb:RH28183
                     dbSTS:STS32298
                     Identified using the e-PCR software (G. Schuler)"

ORIGIN

Qy   3071 CAAGAATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCTGTTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   94881 CAAGAATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCTGTTCTC 94830

RESULT 186
        AL162591
LOCUS   AL162591   201167 bp   DNA   linear   PRI 18-MAY-2005
DEFINITION Human DNA sequence from clone RP11-350G8 on chromosome 1 Contains
            the 3' end of the AQP10 gene for aquaporin 10, the ATP8B2 gene for
            ATPase, Class I, type 8B, member 2, a mitochondrial ribosomal
            protein S33 (MRPS33) pseudogene, a novel gene, the IL6R gene for
            interleukin 6 receptor, a proteasome (prosome, macropain) 26S

subunit, non-ATPase, 8 (PSMD8) pseudogene, a novel gene
            (LOC126669), the 5' end of a novel gene (DKFZp434M202) and a CpG
            island, complete sequence.
ACCESSION   AL162591
VERSION   AL162591.16 GI:22204151
KEYWORDS   HTG; AQP10; ATP8B2; CpG island; DKFZp434M202; IL6R; LOC126669;
            MRPS33; PSMD8.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 201167)
  AUTHORS   Hall,R.
  TITLE   Direct Submission
  JOURNAL   Submitted (13-MAY-2005) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries: vega@sanger.ac.uk
            Clone requests: clonerequest@sanger.ac.uk
COMMENT   On Aug 11, 2002 this sequence version replaced gi:16972024.
            The following abbreviations are used to associate primary accession
            numbers given in the feature table with their source databases:
            Em:, EMBL; Sw:, SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; Information
            on the WORMPEP database can be found at
            http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
            was generated from part of bacterial clone contigs of human
            chromosome 1, constructed by the Sanger Centre Chromosome 1 Mapping
            Group. Further information can be found at
            http://www.sanger.ac.uk/HGP/Chr1
            RP11-350G8 is from the library RPCI-11.2 constructed by the group
            of Pieter de Jong. For further details see
            http://www.chori.org/bacpac/home.htm
            VECTOR: pBACe3.6

            This sequence was finished as follows unless otherwise noted: all
            regions were either double-stranded or sequenced with an alternate
            chemistry or covered by high quality data (i.e., phred quality >=
            30); an attempt was made to resolve all sequencing problems, such
            as compressions and repeats; all regions were covered by at least
            one subclone; and the assembly was confirmed by restriction digest,
            except on the rare occasion of the clone being a YAC.

            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: vega@sanger.ac.uk
FEATURES   Location/Qualifiers
     source   1..201167
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone_lib="RPCI-11.2"
                     /clone="RP11-350G8"
                     /chromosome="1"
     misc_feature   1..201167
                     /note="Clone_left_end: RP11-350G8"
     gene   join(complement(2407..2520),
                     complement(AL592078.10:38498..44621))
                     /gene="RP11-61L14.3"
                     /locus_tag="RP11-61L14.3-001"
     mRNA   join(complement(2407..2520),
                     complement(AL592078.10:44579..44621),
                     complement(AL592078.10:43824..43914),
                     complement(AL592078.10:42335..42273),
                     complement(AL592078.10:42128..42273),
                     complement(AL592078.10:41696..41850),
                     complement(AL592078.10:39077..39236),
                     complement(AL592078.10:38498..38967))
                     /gene="RP11-61L14.3"
                     /locus_tag="RP11-61L14.3-001"
                     /product="novel protein (DKFZp434M202)"
                     /note="match: cDNAs: Em:AL713777.1"
     CDS   join(complement(2407..2433),

```
            complement(AL592078.10:44579..44621),
            complement(AL592078.10:43824..43914),
            complement(AL592078.10:42535..42682),
            complement(AL592078.10:42128..42273),
            complement(AL592078.10:41696..41850),
            complement(AL592078.10:39088..39236))
            /gene="RP11-61L14.3"
            /locus_tag="RP11-61L14.3-001"
            /standard_name="OTTHUMP00000035375"

gene        /locus_tag="RP11-61L14.3-001"
            /product="novel protein (DKFZp434M202)"
            /protein_id="CAH72850.1"
            /db_xref="GI:55663063"
            /db_xref="InterPro:IPR008191"
            /translation="MIQQPRAPLVLEKASGEGFGKTAAIIQLAPKAPVDLCETEKLRA
            AFPAVPLEMRGSFLVLLREGFRDLSWLALIHSVRGEAGLLVTSIVPKTFPFWAMEVT
            EALHQNMQALFSTLAQAEEQQPYLEGSTVMRGTRCLAEYHLGDYGHAWNRCWVLRVD
            TWAVVMPIDFGQLATIPVQSLRSLSDSDFNFNTFIPPLTQPFMLEKDILSSYEVVHRILKG
            KITGALNSAVTAPASNLAVVPPLLPGLCLQQAAA"

mRNA        /gene="RP11-35OG8.8"
            /locus_tag="RP11-35OG8.8-001"
            join(21773..22450,24648..24774,34530..34835,37203..37359,
            37824..37943,39551..44405)
            /gene="RP11-35OG8.8"
            /locus_tag="RP11-35OG8.8-001"
            match: cDNAs: ESTs: Em:AA256153.1 Em:AA331688.1
            Em:A608795.1 Em:AI143934.1 Em:AI203653.1 Em:AI218131.1
            Em:AI18256.1 Em:AI274859.1 Em:AI636442.1 Em:AI699294.1
            Em:AI797276.1 Em:AI824144.1 Em:AW014449.1 Em:BM991263.1
            Em:BX088810.1 Em:CA364491.1 Em:CA445011.1 Em:CB265391.1
            Em:CB270316.1 Em:CD300256.1 Em:CD359900.1 Em:CF552824.1
            Em:T39217.1
            match: cDNAs: Em:AK074067.1 Em:AK126006.1
            Em:AK131004.1
            join(21860..22450,24648..24774,34530..34835,37203..37359,
            37824..37943,39551..39737)
            /gene="RP11-35OG8.8-001"
CDS         /locus_tag="RP11-35OG8.8-001"
            standard_name="OTTHUMP00000034319"
            /codon_start=1
            /product="novel protein (LOC126669)"
            /protein_id="CAH72851.1" Tr:Q8BSD5 Tr:Q8TEQ5"
            /db_xref="GI:55663064"
            /db_xref="GOA:Q5VZ18"
            /db_xref="InterPro:IPR000980"
            /db_xref="UniProt/TrEMBL:Q5VZ18"
            /translation="MQWSPTPGASACLGWASSLACSTAPTLLGRGRGPLMAAKMPKE
            FPLNLKTVSBRAKPGCGGGKRKNSRATEEPHRGATKSSGCSTYINRLIKVDTGEKNGKSN
            YPSSSSSSSSSSSSASSSPSSLGPELDKGKLIKQQETVIILEDYADPYDAARTKGQRD
            AERVGENDGYMEPYDAQQMITEIRRGSKDPLVKALQLLDSPCEPADGGLKSETLAKR
            RSSKDLLGKPGQLYDTPYEPAPGGPRAEGKARPPDSRLPENDERPAAEYEQPWEWKKE
            QIVRALSVQFEGAERPSFREETVRQHHRQKSWTQKILKPALSDHSEGEKVDFGLPLEK
            KYTLNQSAVFDSIPEVHYSENEKLPFKGABHMTLLYPVHSKLH"

gene        /locus_tag="RP11-35OG8.8-002"
            join(37842..37943,53524..54114)
            /gene="RP11-35OG8.8-002"
mRNA        join(37842..37943,53524..54114)
            /gene="RP11-35OG8.8-002"
            /locus_tag="RP11-35OG8.8-002"
            /product="novel protein (LOC126669)"
            /note="match: ESTs: Em:BM974630.1"

polyA_signal 44384..44389
            /gene="RP11-35OG8.8"
            /locus_tag="RP11-35OG8.8-002"

polyA_site  44405
            /gene="RP11-35OG8.8"
```

```
gene        /locus_tag="RP11-35OG8.6-001"
            /product="interleukin 6 receptor"
            complement(join(54436..58752,69305..69398,73906..73975,
            75715..75761,87776..87917,88730..88896,89186..89367,
            93280..93403,94442..94690,118172..118693))
            /gene="IL6R"

mRNA        /locus_tag="RP11-35OG8.6-001"
            complement(join(54436..58752,69305..69398,73906..73975,
            75715..75761,87776..87917,88730..88896,89186..89367,
            93280..93403,94442..94690,118172..118693))
            /gene="IL6R"
            /locus_tag="RP11-35OG8.6-001"
            /note="match: ESTs: Em:AA035013.1 Em:AA193347.1
            Em:AA411559.1 Em:AI003332.1 Em:AI434387.1 Em:AI193304.1
            Em:AA468643.1 Em:AL120677.1 Em:AW179946.1 Em:AW178188.1
            Em:AI971631.1 Em:AL120677.1 Em:BG032730.1 Em:BG050539.1
            Em:AW468643.1 Em:AW503691.1 Em:BI018205.1 Em:BI769331.1 Em:BI860794.1
            Em:BG575786.1 Em:BI018205.1 Em:BM112812.1 Em:BM549585.1
            Em:BM015654.1 Em:BM044442.1 Em:BM112812.1 Em:BM549585.1
            Em:BM011928.1 Em:BQ235533.1 Em:BQ335482.1 Em:BU777559.1
            Em:BQ992176.1 Em:BQ937176.1 Em:BU632087.1 Em:BU632645.1
            Em:BU848859.1 Em:BX113990.1 Em:BX509093.1 Em:BX646979.1
            Em:BU848859.1 Em:CA422880.1 Em:CA427041.1 Em:CB163591.1
            Em:CA308138.1 Em:CD516644.1 Em:CD609023.1 Em:CD609024.1
            Em:CB962465.1 Em:CF123018.1 Em:H59001.1
            Em:CD695637.1 Em:CF123018.1 Em:H59001.1
            match: cDNAs: Em:AF147881.1 Em:BC035327.1 Em:X12830.1
            Em:X58298.1"

polyA_site  complement(54436)
            /gene="IL6R"
            /locus_tag="RP11-35OG8.6-001"

polyA_signal complement(54451..54456)
            /gene="IL6R"
            /locus_tag="RP11-35OG8.6-001"

CDS         complement(join(58506..58752,69305..69398,73906..73975,
            75715..75761,87776..87917,88730..88896,89186..89367,
            93280..93403,94442..94690,118172..118256))
            /gene="IL6R"
            /locus_tag="RP11-35OG8.6-001"
            standard_name="OTTHUMP00000034320"
            /note="match: proteins: Sw:P08887"
            /codon_start=1
            /product="interleukin 6 receptor"
            /protein_id="CAH72853.1"
            /db_xref="GI:55663065"
            /db_xref="InterPro:IPR002996"
            /db_xref="InterPro:IPR003530"
            /db_xref="InterPro:IPR003961"
            /db_xref="InterPro:IPR007110"
            /db_xref="InterPro:IPR008957"
```

RESULT 187

```
Query Match 100.0%; Score 52; DB 8; Length 201167;
Best Local Similarity 100.0%;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  122716 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 122767
```

```
LOCUS       AC090559     202539 bp    DNA    linear    PRI 29-JUL-2002
DEFINITION  Homo sapiens chromosome 11, clone RP11-750H9, complete sequence.
ACCESSION   AC090559
VERSION     AC090559.7  GI:22002211
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 202539)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 11, clone RP11-750H9
```

JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 202539)
AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B., Brown,A.,
            Camarata,J., Campopiano,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Faro,S., Ferreira,P., FitzHugh,W., Gage,D., Galagan,J.,
            Gardyna,S., Ginde,S., Goyette,M., Graham,L., Grand-Pierre,N.,
            Hagos,B., Heaford,A., Horton,L., Hulme,W., Iliev,I., Johnson,R.,
            Jones,C., Karatas,A., LaRocque,K., Lamazares,R., Landers,T.,
            Lehoczky,J., Levine,R., Liu,G., MacLean,C., Macdonald,P.,
            Marquis,N., Matthews,C., McCarthy,M., McEwan,P., McKernan,K.,
            McPheeters,R., Meldrim,J., Meneus,L., Mihova,T., Mlenga,V.,
            Murphy,T., Naylor,J., Nguyen,C., Norbu,C., Norman,C.H.,
            O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J., Peterson,K.,
            Phunkhang,P., Pierre,N., Pollara,V., Raymond,C., Retta,R.,
            Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J., Rosetti,M.,
            Roy,A., Santos,R., Schauer,S., Schupback,R., Seaman,S., Severy,P.,
            Sougnez,C., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
            Travers,M., Travis,N., Trigilio,J., Vassiliev,H., Viel,R., Vo,A.,
            Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G., Zainoun,J.,
            Zembek,L., Zimmer,A. and Zody,M.
TITLE   Direct Submission
JOURNAL   Submitted (03-MAR-2001) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3 (bases 1 to 202539)
AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hagos,B.,
            Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C., Kamat,A.,
            Karatas,A., Kells,C., Landers,T., Levine,R., Lindblad-Toh,K.,
            Liu,G., MacLean,C., Macdonald,P., Major,J., Matthews,C.,
            McCarthy,M., Meldrim,J., Meneus,L., Mihova,T., Mlenga,V.,
            Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C., Norman,C.H.,
            O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J., Peterson,K.,
            Phunkhang,P., Pierre,N., Raymond,C., Retta,R., Rise,C., Rogov,P.,
            Roman,J., Roy,A., Schauer,S., Schupback,R., Seaman,S., Severy,P.,
            Smith,C., Spencer,B., Stange-Thomann,N., Stojanovic,N., Talamas,J.,
            Tesfaye,S., Theodore,J., Topham,K., Travers,M., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Young,G., Zainoun,J.,
            Zembek,L., Zimmer,A. and Zody,M.
TITLE   Direct Submission
JOURNAL   Submitted (26-JUN-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   4 (bases 1 to 202539)
AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hagos,B.,
            Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C., Kamat,A.,
            Karatas,A., Kells,C., Landers,T., Levine,R., Lindblad-Toh,K.,
            Liu,G., MacLean,C., Macdonald,P., Major,J., Matthews,C.,
            McCarthy,M., Meldrim,J., Meneus,L., Mihova,T., Mlenga,V.,
            Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C., Norman,C.H.,
            O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J., Peterson,K.,
            Phunkhang,P., Pierre,N., Raymond,C., Retta,R., Rise,C., Rogov,P.,
            Roman,J., Roy,A., Schauer,S., Schupback,R., Seaman,S., Severy,P.,
            Smith,C., Spencer,B., Stange-Thomann,N., Stojanovic,N., Talamas,J.,
            Tesfaye,S., Theodore,J., Topham,K., Travers,M., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Young,G., Zainoun,J.,
            Zembek,L., Zimmer,A. and Zody,M.
TITLE   Direct Submission
JOURNAL   Submitted (29-JUL-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT   On Jul 29, 2002 this sequence version replaced gi:21591871.
            All repeats were identified using RepeatMasker:
            Smit,A.F.A & Green, P. (1996-1997)

http://ftp.genome.washington.edu/RM/RepeatMasker.html

            ------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            ------------- Project Information
            Center project name: L11075
            Center clone name: 750_H_9

FEATURES   Location/Qualifiers
     source   1..202539
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="11"
                     /map="11"
                     /clone="RP11-750H9"
                     /clone_lib="RPCI-11 Human Male BAC"
                     /clone="RP11-750H9"
     repeat_region   996..1158
                     /rpt_family="CT-rich"
     repeat_region   2010..2190
                     /rpt_family="(TCCA)n"
     repeat_region   3759..3937
                     /rpt_family="(CCCCAG)n"
     repeat_region   3981..4135
                     /rpt_family="(TCCA)n"
     repeat_region   complement(4149..4503)
                     /rpt_family="L1MA4A"
     repeat_region   4508..4785
                     /rpt_family="L1PB3"
     repeat_region   4805..4903
                     /rpt_family="(TCCA)n"
     repeat_region   complement(4911..4987)
                     /rpt_family="L2"
     repeat_region   5029..5059
                     /rpt_family="(TA)n"
     repeat_region   5521..5599
                     /rpt_family="(TTG)n"
     repeat_region   complement(5601..5959)
                     /rpt_family="(TTCA)n"
     repeat_region   5960..5987
                     /rpt_family="L1PB3"
     repeat_region   complement(5988..6163)
                     /rpt_family="L1PB3"
     repeat_region   complement(6164..6470)
                     /rpt_family="L1PB3"
     repeat_region   complement(6473..6771)
                     /rpt_family="AluSq"
     repeat_region   6772..6832
                     /rpt_family="AluJb"
     repeat_region   complement(7731..7814)
                     /rpt_family="L1PB3"
     repeat_region   7841..8088
                     /rpt_family="MIR"
     repeat_region   complement(8333..8516)
                     /rpt_family="GA-rich"
     repeat_region   8517..8827
                     /rpt_family="AluY"
     repeat_region   complement(8828..8939)
                     /rpt_family="L1ME4A"
     repeat_region   complement(8940..9144)
                     /rpt_family="L1MA3"
     repeat_region   complement(9145..9200)
                     /rpt_family="L1ME4A"
     repeat_region   complement(9194..9273)
                     /rpt_family="L1ME3A"
     repeat_region   9274..9580
                     /rpt_family="AluY"
     repeat_region   complement(9581..9641)
                     /rpt_family="L1ME3A"
     repeat_region   9642..9955
                     /rpt_family="AluY"

```
RESULT 188
AC151042
LOCUS       AC151042              202971 bp    DNA     linear   HTG 24-NOV-2004
DEFINITION  Callithrix jacchus clone CH259-63D17, WORKING DRAFT SEQUENCE, 15
            ordered pieces.
ACCESSION   AC151042
VERSION     AC151042.2  GI:56044586
KEYWORDS    HTG; HTGS_PHASE2; HTGS_DRAFT.
SOURCE      Callithrix jacchus (white-tufted-ear marmoset)
  ORGANISM  Callithrix jacchus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Platyrrhini;
            Callitrichidae; Callithrix.
REFERENCE   1  (bases 1 to 202971)
  AUTHORS   Antonellis,A., Ayele,K., Benjamin,B., Blakesley,R.W., Boakye,A.,
            Bouffard,G.G., Brinkley,C., Brooks,S., Chu,G., Coleman,H.,
            Engle,J., Guan,X., Gupta,J., Haghighi,P., Han,J., Hansen,N.,
            Ho,S.-L., Hu,P., Hurle,B., Idol,J.R., Jones,C., Kwong,P., Laric,P.,
            Larson,S., Lee-Lin,S.-Q., Legaspi,R., Madden,M., Maduro,Q.L.,
            Maduro,V.B., Margulies,E.H., Masiello,C., Maskeri,B., McDowell,J.,
            Mullikin,J.C., Oestreicher,J.S., Park,M., Portnoy,M.E., Prasad,A.,
            Puri,O., Reddix-Dugue,N., Rosas,B., Schandler,K., Schueler,M.G.,
            Shah,K., Sison,C., Stantripop,S., Stephen,E., Thomas,J.W.,
            Thomas,P.J., Tsipouri,V., Vogt,J.L., Wetherby,K.D., Young,A. and
            Green,E.D.
  TITLE     NISC Comparative Sequencing Initiative
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 202971)
  AUTHORS   Green,E.D.
  TITLE     Direct Submission
  JOURNAL   Submitted (19-AUG-2004) NIH Intramural Sequencing Center, 8717
            Grovemont Circle, Gaithersburg, MD 20877, USA
REFERENCE   3  (bases 1 to 202971)
  AUTHORS   Green,E.D.
  TITLE     Direct Submission
  JOURNAL   Submitted (24-NOV-2004) NIH Intramural Sequencing Center, 5625
            Fishers Lane, Rockville, MD 20852, USA
COMMENT     On Nov 24, 2004 this sequence version replaced gi:51372024.
            -------------- Genome Center
               Center: NIH Intramural Sequencing Center
               Center code: NISC
               Web site: http://www.nisc.nih.gov
               Contact: nisc_zoo@nhgri.nih.gov
            -------------- Project Information
               Center project name: hja
               Center clone name: 063D17
            --------------
            The sequence data in this record represents an 'enhanced'
            version of a Phase 2 submission. Specifically, the indicated
            order and orientation of each sequence contig has been
            established using one or more of the following: read-pair
            data from individual subclones, overlaps with neighboring
            clones, and/or confirmation by PCR testing. In addition,
            the sequence assembly is based on at least 8X average
            coverage in Q20 bases and has been reviewed to rule out
            gross misassemblies, the low-quality ends of sequence
            contigs have been trimmed away, and each base is associated
            with a Phrap-derived quality score.
            --------------  Summary Statistics
            Sequencing vector: plasmid; n/a; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 199626 bases at least Q40
            Consensus quality: 200659 bases at least Q30
            Consensus quality: 201280 bases at least Q20
            Insert size: 228000; agarose-fp
            Insert size: 201571; sum-of-contigs
            Quality coverage: 7.60x in Q20 bases; agarose-fp
            Quality coverage: 8.60x in Q20 bases; sum-of-contigs
            --------------
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 15 contigs. Gaps between the contigs
            * are represented as runs of N. The order of the pieces
            * is believed to be correct as given, however the sizes
            * of the gaps between them are based on estimates that have
            * provided by the submittor.
            * This sequence will be replaced
            * by the finished sequence as soon as it is available and
            * the accession number will be preserved.
            *      1     19090: contig of 19090 bp in length
            *  19091     19190: gap of unknown length
            *  19191     32965: contig of 13775 bp in length
            *  32966     33065: gap of unknown length
            *  33066     37634: contig of 4569 bp in length
            *  37635     37734: gap of unknown length
            *  37735     39153: contig of 1419 bp in length
            *  39154     39253: gap of unknown length
            *  39254     46148: contig of 6895 bp in length
            *  46149     46248: gap of unknown length
            *  46249     75331: contig of 29083 bp in length
            *  75332     75431: gap of unknown length
            *  75432     79016: contig of 3585 bp in length
            *  79017     79116: gap of unknown length
            *  79117     82235: contig of 3119 bp in length
```

```
unsure          9915..9924
                /note="<30 qual SNGL region"
repeat_region   complement(9956..10051)
                /rpt_family="LIME3A"
repeat_region   complement(10052..10356)
                /rpt_family="AluSg"
repeat_region   complement(10533..10835)
                /rpt_family="AluSx"
repeat_region   complement(10878..10997)
                /rpt_family="AluJb"
repeat_region   complement(10998..11149)
                /rpt_family="LIME3A"
repeat_region   complement(11150..11184)
                /rpt_family="AluSx"
repeat_region   11185..11208
                /rpt_family="(TTTTA)n"
repeat_region   complement(11209..11495)
                /rpt_family="AluSx"
repeat_region   complement(11500..11622)
                /rpt_family="FLAM_C"
repeat_region   11667..11805
                /rpt_family="AluJb"
repeat_region   11806..11830
                /rpt_family="(TCG)n"
repeat_region   11831..11976
                /rpt_family="AluJb"
repeat_region   12021..12226
                /rpt_family="AluSq"
repeat_region   complement(12952..13398)
                /rpt_family="L2"
repeat_region   complement(13452..13561)
                /rpt_family="MIR"
repeat_region   complement(13636..13765)
                /rpt_family="MIR"
repeat_region   14462..14461
                /rpt_family="MIR"
repeat_region   14692..14870
                /rpt_family="MIR"
repeat_region   complement(15253..15394)
                /rpt_family="MIR"
repeat_region   complement(15871..15976)
```

```
Query Match             1.7%;  Score 52;  DB 8;  Length 202539;
Best Local Similarity   100.0%;
Matches    52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  63712 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 63763
```

```
FEATURES             Location/Qualifiers
     source          1..202971
                     /organism="Callithrix jacchus"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9483"
                     /clone_lib="CH259"
                     /note="BAC resource: http://bacpac.chori.org/"
     misc_feature    1..39045
                     /note="Clone overlaps with GenBank Accession Number
                     AC151015 clone CH259-164B19 (center project name hiz)"
     misc_feature    1..19090
                     /note="assembly_fragment
                     clone_end:T7
                     vector_side:left"
     misc_feature    19091..19190
                     /estimated_length=unknown
     gap             19191..32965
                     /note="assembly_fragment"
     misc_feature    32966..33065
                     /estimated_length=unknown
     gap             33066..37634
                     /note="assembly_fragment"
     misc_feature    37635..37734
                     /estimated_length=unknown
     gap             37735..39153
                     /note="assembly_fragment"
     misc_feature    39154..39253
                     /estimated_length=unknown
     gap             39254..46148
                     /note="assembly_fragment"
     misc_feature    46149..46248
                     /estimated_length=unknown
     gap             46249..75431
                     /note="assembly_fragment"
     misc_feature    75432..75531
                     /estimated_length=unknown
     gap             75532..79016
                     /note="assembly_fragment"
     misc_feature    79017..79116
                     /estimated_length=unknown
     gap             79117..82235
                     /note="assembly_fragment"
     misc_feature    82236..82335
                     /estimated_length=unknown
     gap             82336..87728
                     /note="assembly_fragment"
     misc_feature    87729..87828
                     /estimated_length=unknown
     gap             87829..98925
                     /note="assembly_fragment"
     misc_feature    98925..100513
                     /note="Clone overlaps with GenBank Accession Number
                     AC150824 clone CH259-392G13 (center project name hjb)"
     misc_feature    100514..100613
                     /estimated_length=unknown
     gap             100614..123670
                     /note="assembly_fragment"
     misc_feature    123671..123770
                     /estimated_length=unknown
```

```
     *  82236   82335: gap of unknown length
     *  82336   87728: contig of 5393 bp in length
     *  87729   87828: gap of unknown length
     *  87829  100513: contig of 12685 bp in length
     * 100514  100613: gap of unknown length
     * 100614  123670: contig of 23057 bp in length
     * 123671  123770: gap of unknown length
     * 123771  137796: contig of 14026 bp in length
     * 137797  137896: gap of unknown length
     * 137897  161136: contig of 23240 bp in length
     * 161137  161236: gap of unknown length
     * 161237  176590: contig of 15354 bp in length
     * 176591  176690: gap of unknown length
     * 176691  202971: contig of 26281 bp in length.
```

```
     misc_feature    123771..137796
                     /estimated_length=unknown
     gap             137797..137896
                     /note="assembly_fragment"
     misc_feature    137897..161136
                     /estimated_length=unknown
     gap             161137..161236
                     /note="assembly_fragment"
     misc_feature    161237..176590
                     /estimated_length=unknown
     gap             176591..176690
                     /note="assembly_fragment"
     misc_feature    176691..202971
                     /note="assembly_fragment
                     clone_end:SP6
                     vector_side:right"
```

```
ORIGIN

Query Match         1.7%;  Score 52;  DB 14;  Length 202971;
Best Local Similarity 100.0%;  Pred. No. 5.7e-16;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy      3071 CAAGATTGTGCCCACTGCACTCCAGCCTGGGCCAACAGAGCAGAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    103406 CAAGATTGTGCCCACTGCACTCCAGCCTGGGCCAACAGAGCAGAGAGACTCTGTCTC 103457
```

```
RESULT 189
AC008040/c
LOCUS       AC008040            204917 bp   DNA       linear    PRI 28-SEP-2002
DEFINITION  Homo sapiens 3 BAC RP11-379K17 (Roswell Park Cancer Institue Human
            BAC Library) complete sequence.
ACCESSION   AC008040
VERSION     AC008040.7  GI:5922025
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 204917)
  AUTHORS   Muzny,D.M., Adams,C., Bailey,M., Barbaria,J., Blankenburg,K.,
            Bodota,B., Bouck,J., Bowie,S., Brooks,A., Buhay,C., Bunac,C.,
            Burkett,C., Burrows,J., Carter,M., Chacko,J., Chen,Z., Cox,C.,
            David,R., Delgado,O., Deshazo,D., Ding,Y., Donah-Rashid,N.,
            Dugan-Rocha,S., Durbin,K.J., Fernandez,C., Ferraguto,D.,
            Forcum-Tansey,J., Frantz,P., Ganesh,R., Garcia,D.K., Gorrell,J.H.,
            Gorrell,L.L., Guevara,M., Harris,K., He,X., Hernandez,J.,
            Hodgson,A., Hogues,M., Holloway,C., Hosak.H., Jackson,L.B.,
            Jackson,L., Jia,Y., Jones,M., Kelly,S., Kondejewski,N., Kong,Y.,
            Kovar,C., Leal,B., Li,Z., Licharge,O., Liu,J., Liu,W., Logan,O.,
            Lu,J., Lucier,R., Martin,R., Martinez,C., McLeod,M.P., Mei,G.,
            Moore,S., Moorish,T., Morgan,M., Morris,S., Nash,S., Nelson,A.,
            Nguyen,R., Nguyen,N., Nguyen,S., Oswal,G., Parish,B., Paxton,S.,
            Payton,B., Perez,L., Pu,L.L., Quiles,M., Reiter,D., Rives,M.,
            Samuel,S., Say,J., Scherer,S., Shah,E., Shen,H., Simon,M.,
            Sparks,A., Stamps,A., Sucgang,R., Tabor,P., Taylor,T., Vasquez,L.,
            Vinson,R., Vo,Q., Wahbah,M., Watlington,S., Weinstock,G.,
            Weinstock,I.R., Williamson,A., Worley,K., Wren,J., Wrensford,G.,
            Yu,W., Zhou,X., Naylor,S.L., Nelson,D. and Gibbs,R.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 204917)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (14-JUL-1999) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   3  (bases 1 to 204917)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (24-SEP-1999) Human Genome Sequencing Center, Department
```

REFERENCE   4 (bases 1 to 204917)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (09-OCT-1999) Human Genome Sequencing Center, Department
             of Molecular and Human Genetics, Baylor College of Medicine, One
             Baylor Plaza, Houston, TX 77030, USA
REFERENCE   5 (bases 1 to 204917)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (16-MAY-2002) Human Genome Sequencing Center, Department
             of Molecular and Human Genetics, Baylor College of Medicine, One
             Baylor Plaza, Houston, TX 77030, USA
REFERENCE   6 (bases 1 to 204917)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (28-JUN-2002) Human Genome Sequencing Center, Department
             of Molecular and Human Genetics, Baylor College of Medicine, One
             Baylor Plaza, Houston, TX 77030, USA
REFERENCE   7 (bases 1 to 204917)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (28-SEP-2002) Human Genome Sequencing Center, Department
             of Molecular and Human Genetics, Baylor College of Medicine, One
             Baylor Plaza, Houston, TX 77030, USA
COMMENT   On Sep 24, 1999 this sequence version replaced gi:5739555.
             INFORMATION: http://www.hgsc.bcm.tmc.edu/ or email
             gc-help@bcm.tmc.edu
             CLONE LENGTH: This sequence does not necessarily represent the
             entire insert of this clone. Overlapping regions of clones are only
             sequenced and submitted once, so the sequence for the remainder of
             the insert may be found in the record for the adjacent clones.
             Overlapping clones are noted at the beginning and end of the
             Features listing.
             ANNOTATION OF FEATURES:
             STSs are identified using ePCR (Genome Res. 7:541-550) searches
             of a local database that includes entries from dbSTS, GDB, and
             local mapping efforts.
             Repeats are identified using RepeatMasker (A. Smit and P. Green,
             unpublished.) for Human and Mouse Sequences.
             Genes and Region of sequence similarity are identified by BLAST
             (Nuc. Acids Res. 25:3389-3402) similarity (expect < 1e-34) to the
             EST and cDNA sequences. Genes demonstrate at least two exons
             flanked by consensus splice junctions. Sequences that maintained
             continuity across the splice junctions. Sequences that are not
             identical matches are annotated as similar.
             SEQUENCING READ COVERAGE:Sequencing is completed to a minimum
             standard of double strand coverage with a minimum of 2 clones and 2
             reads with no ambiguities or 2 chemistries with a minimum of 2
             clones and 3 reads with no ambiguities. If the sequence quality for
             a region does not meet this standard, it will be indicated in the
             annotation as Low Coverage.
             QUALITY OF INDIVIDUAL BASES:This sequence meets stringent quality
             standards - estimated error rate less than 1 per 10,000 bases.
             Reports of lowest quality individual bases and measures of base
             quality are listed below. Description of the metrics can be found
             at URL:
             http://gc.bcm.tmc.edu:8088/quality.info/genbank.annotation.html.
FEATURES   Location/Qualifiers
     source   1..204917
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="3"
                     /clone="RP11-379K17"
     misc_feature   complement(1..1995)
                     /note="overlaps bases 1..1995 of clone AC023891"
                     /function="clone overlap"
     misc_feature   766..1132
                     /note="Region: odl1d01.s1 Homo saplens cDNA, AA810014"
     misc_feature   2456..2779
                     /note="Region: z855f12.s1 Homo sapiens cDNA, AA286777"
     STS   2554..2768
                     /standard_name="G37704"
                     /db_xref="dbSTS:55264"
     repeat_region   6897..7126
                     /rpt_family="MER20"
     misc_feature   7488..8243
                     /note="Region: Unigene cluster containing AA400519 and
                     AA165136"
     repeat_region   11171..11471
                     /rpt_family="AluSx"
                     complement(13526..13835)
     repeat_region   13556..15048
                     /rpt_family="AluSq"
     misc_feature   15264..15890
                     /note="Region: Unigene cluster containing AI683116,
                     complement(14286..14586)
                     /rpt_family="AluSx"
     misc_feature   15264..15890
                     /note="Region: Unigene cluster containing AI042019 and
                     AI890489"
     repeat_region   15800..15834
                     /rpt_family="AT_rich"
     repeat_region   16816..16837
                     /rpt_family="AT_rich"
     repeat_region   16911..17154
                     /rpt_family="MIR"
                     complement(17196..17318)
     repeat_region   17598..17782
                     /rpt_family="MER112"
     repeat_region   18072..19357
                     /rpt_family="MER20"
     misc_feature   18120..18226
                     /note="Region: Unigene cluster containing AI767291,
                     AI522162, W31729 and AA354506"
     STS   20464..20496
                     /db_xref="dbSTS:37867"
                     /standard_name="G24029"
     repeat_region   20576..20882
                     /rpt_family="(CAAAAA)n"
     repeat_region   21460..21885
                     /rpt_family="AluJo"
                     complement(20890..21061)
                     /rpt_family="MER46A"
     repeat_region   22470..22760
                     /rpt_family="L1PA13"
     repeat_region   22470..22760
                     /rpt_family="AluJb"
                     complement(24017..24179)
     repeat_region   24180..24635
                     /rpt_family="Charlie1b"
                     complement(24180..24635)
     repeat_region   24639..24744
                     /rpt_family="LTR22A"
                     complement(24639..24744)
     repeat_region   25606..26058
                     /rpt_family="HERVK22"
                     complement(24750..25603)
     repeat_region   26061..26174
                     /rpt_family="LTR22A"
                     complement(25606..26058)
     repeat_region   26391..26559
                     /rpt_family="Charlie1b"
                     complement(26061..26174)
     repeat_region   26635..26943
                     /rpt_family="MIR"
                     complement(26391..26559)
     repeat_region   27836..28013
                     /rpt_family="AluSx"
     repeat_region   28215..28526
                     /rpt_family="MLT1I"
                     complement(28215..28526)
     repeat_region   28548..28687
                     /rpt_family="AluSq"

```
repeat_region   28688..28981
                /rpt_family="LiM4"
repeat_region   28982..29281
                /rpt_family="AluJb"
repeat_region   29282..29588
                /rpt_family="LiM4"
repeat_region   29589..30042
                /rpt_family="AluSx"
repeat_region   30055..30213
                /rpt_family="LiM4"
repeat_region   30055..30213
                /rpt_family="LiM4"
```

RESULT 190

Query Match   1.7%;   Score 52; DB 8; Length 204917;
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy       3071 CAAGATGTGTGCCACTCGCACTCCAGCCTCGGGCAACAGAGCAAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     160446 CAAGATGTGTGCCACTCGCACTCCAGCCTCGGGCAACAGAGCAAGACTCTGTCTC 160395
```

LOCUS   AC073916   205283 bp   DNA   linear   PRI 27-MAR-2003
DEFINITION Homo sapiens 12 BAC RP11-408I18 (Roswell Park Cancer Institute
            Human BAC Library) complete sequence.
ACCESSION   AC073916
VERSION   AC073916.41 GI:29293998
KEYWORDS   HTG.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 205283)
  AUTHORS   Muzny,D.M., Adams,C., Adio-Oduola,B., Ali-osman,F.R., Allen,C.,
            Albrooks,S.L., Amaratunge,H.C., Are,J.R., Ayele,M., Banks,T.,
            Barbaria,J., Benton,J., Bimage,K., Blankenburg,K., Bonnin,D.,
            Bouck,J., Bowie,S., Brieva,M., Brown,B., Brown,M., Bryant,N.P.,
            Buhay,C., Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C.,
            Carron,T.F., Carter,M., Cavazos,S.R., Chacko,J., Chavez,D.,
            Chen,G., Chen,R., Chen,Z., Chiu,D., Chowdhry,I., Christopoulos,C.,
            Cleveland,C.D., Cox,C., Coyle,M.D., Dathorne,S.R., David,R.,
            Davila,M.L., Davis,C., Davy-Carroll,L., Dederich,D.A.,
            Delaney,K.R., Delgado,O., Denn,A.L., Ding,Y., Dinh,H.H.,
            Douthwaite,K.J., Draper,H., Dugan-Rocha,S., Durbin,K.J.,
            Earnhart,C., Edgar,D., Edwards,C.C., Elhaj,C., Emerling,S.,
            Escotto,M., Falls,T., Ferraguto,D., Flagg,N., Ford,J., Foster,P.,
            Frantz,P., Gabisi,A., Gao,J., Garcia,A., Garner,T., Garza,N.,
            Gill,R., Gorrell,J.H., Guevara,W., Gunaratne,P., Hale,S.,
            Hamilton,K., Han,J., Harris,C., Harris,K., Hart,M., Havlak,P.,
            Hawes,A., Hernandez,J., Hernandez,O., Hodgson,A., Hogues,M.,
            Holloway,C., Hollins,B., Homsi,F., Howard,S., Huber,J., Hulyk,S.,
            Hume,J., Ioshikhes,I., Jackson,L.R., Jacobson,B., Jia,Y.,
            Johnson,R., Jolivet,S., Joudah,S., Karlsson,E., Kelly,S., Khan,U.,
            King,L., Korvai,J., Kovar,C., Kracovic,J., Kureshi,N., Landry,N.,
            Leal,B., Lee,E., Lewis,L.C., Lewis,L., Li,J., Li,Z., Lichtarge,O.,
            Liu,C., Liu,J., Liu,W., Louisseged,H., Lozado,R.J., Lu,X.,
            Lucier,A., Lucier,R., Luna,R., Ma,J., Maheshwari,M., Mapua,P.,
            Marondel,I., Martin,R., Martindale,A., Martinez,E., Massey,E.,
            Mawhiney,B., McLeod,M.P., Meador,M., Mei,G., Mercher,S.,
            Metzker,M., Miller,A., Miner,G., Miner,Z., Mitchell,T.,
            Mohabbat,K., Montgomery,K.T., Morgan,M., Morris,S., Moser,M.,
            Neal,D., Nelson,D., Newton,J., Nguyen,N., Nguyen,N.,
            Nguyen,N., Nickerson,E., Nwokenkwo,S., Oguh,M., Okwuonu,G.,
            Oragunye,N., Oviedo,R., Pace,A., Payton,B., Peery,J., Perez,L.,
            Peters,L., Pickens,R., Primus,E., Pu,L.L., Quiles,M., Ren,Y.,
            Rives,M., Rojas,A., Rojubokan,I., Rolfe,M., Ruiz,S., Savery,G.,
            Scherer,S., Scott,G., Shen,H., Shim,C., Shoobhtari,N., Sisson,I.,
            Sodergren,E., Sonaike,T., Sparks,A., Stanley,H., Stone,H.,
            Sutton,A., Svatek,A., Tabor,P., Tamerisa,K., Tang,H.,
            Tansey,J., Taylor,C., Taylor,T., Telford,B., Thomas,N., Thomas,S.,
            Usmani,K., Vasquez,L., Vera,V., Villalon,D., Vinson,R., Wang,Q.,
            Wang,S., Ward-Moore,S., Warren,R., Washington,C., Watlington,S.,
            Williams,G., Williamson,A., Wleczyk,R., Wooden,S., Worley,K.,
            Wu,C., Wu,Y., Wu,Y.F., Zhou,J., Zorrilla,S., Kucherlapati,R.,
            Weinstock,G. and Gibbs,R.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 205283)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (01-AUG-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   3 (bases 1 to 205283)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (31-JUL-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   4 (bases 1 to 205283)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (05-JUL-2000) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   5 (bases 1 to 205283)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (06-MAR-2003) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   6 (bases 1 to 205283)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (15-MAR-2003) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   7 (bases 1 to 205283)
  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (27-MAR-2003) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
COMMENT   On Mar 27, 2003 this sequence version replaced gi:22038291.
            INFORMATION: http://www.hgsc.bcm.tmc.edu/ or email
            gc-help@bcm.tmc.edu

            CLONE LENGTH: This sequence does not necessarily represent the
            entire insert of this clone. Overlapping regions of clones are only
            sequenced and submitted once, so the sequence for the remainder of
            the insert may be found in the record for the adjacent clones.
            Overlapping clones are noted at the beginning and end of the
            Features listing.

            ANNOTATION OF FEATURES:
            STSs are identified using ePCR (Genome Res. 7:541-550) searches
            of a local database that includes entries from dbSTS, GDB, and
            local mapping efforts.
            Repeats are identified using RepeatMasker (A. Smit and P. Green,
            unpublished.) for Human and Mouse sequences.
            Genes and Region of sequence similarity are identified by BLAST
            (Nuc. Acids Res. 25:3389-3402) similarity (expect < 1e-34) to the
            EST and cDNA sequences. Genes demonstrate at least two exons
            flanked by consensus splice sites that maintained sequence
            continuity across the splice junctions. Sequences that are not
            identical matches are annotated as similar.

            SEQUENCING READ COVERAGE: Sequencing is completed to a minimum
            standard of double strand coverage with a minimum of 2 clones and 2
            reads with no ambiguities or 2 chemistries with a minimum of 2
            clones and 3 reads with no ambiguities. If the sequence quality for
            a region does not meet this standard, it will be indicated in the
            annotation as Low Coverage.
```

QUALITY OF INDIVIDUAL BASES:This sequence meets stringent quality
standards - estimated error rate less than 1 per 10,000 bases.
Reports of lowest quality individual bases and measures of base
quality are listed below. Description of the metrics can be found
at URL:
http://www.hgsc.bcm.tmc.edu:8088/quality.info/genbank.annotation.ht
ml.

```
FEATURES          Location/Qualifiers
source            1..205283
                  /organism="Homo sapiens"
                  /mol_type="genomic DNA"
                  /db_xref="taxon:9606"
                  /chromosome="12"
                  /clone="RP11-408I18"
repeat_region     complement(1..116)
                  /rpt_family="MLT1J2"
repeat_region     complement(185..545)
                  /rpt_family="MLT1A0"
STS               482..856
                  /standard_name="D12S820"
repeat_region     548..569
                  /rpt_family="AT_rich"
repeat_region     710..845
                  /rpt_family="TCCA)n"
repeat_region     complement(846..980)
                  /rpt_family="L2"
repeat_region     1320..1681
                  /rpt_family="L2"
repeat_region     2124..2158
                  /rpt_family="L2"
repeat_region     2327..2353
                  /rpt_family="AT_rich"
repeat_region     complement(2835..2914)
                  /rpt_family="(T)n"
repeat_region     3015..3377
                  /rpt_family="MER58B"
repeat_region     complement(3384..3882)
                  /rpt_family="L1MC4"
repeat_region     3908..3944
                  /rpt_family="LTR40a"
repeat_region     3983..4182
                  /rpt_family="U2"
repeat_region     4217..4256
                  /rpt_family="L1MC4"
repeat_region     5472..5647
                  /rpt_family="(GA)n"
repeat_region     5698..5870
                  /rpt_family="(TG)n"
repeat_region     complement(6009..6188)
                  /rpt_family="MIR"
repeat_region     6410..6484
                  /rpt_family="MIRb"
repeat_region     complement(6501..6815)
                  /rpt_family="AluSx"
repeat_region     7401..7603
                  /rpt_family="L2"
repeat_region     8096..8186
                  /rpt_family="MER96B"
repeat_region     complement(8187..8485)
                  /rpt_family="AluSx"
repeat_region     8486..8515
                  /rpt_family="MER96B"
repeat_region     9052..9174
                  /rpt_family="L2"
repeat_region     10287..10476
                  /rpt_family="(CGGGG)n"
repeat_region     10415..10551
                  /rpt_family="G-rich"
repeat_region     10602..10631
                  /rpt_family="GC_rich"
repeat_region     10658..10684
                  /rpt_family="GC_rich"
repeat_region     10781..10801
                  /rpt_family="GC_rich"
```

```
Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     82961 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 82910
```

```
Query Match      1.7%;   Score 52;  DB 8;  Length 205283;
Best Local Similarity  100.0%;  Pred. No. 5.7e-16;
Matches   52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

repeat_region   /rpt_family="(CCCCAG)n"
   10835..10859
repeat_region   /rpt_family="GC_rich"
   11332..11465
```

```
RESULT 191
LOCUS       AC023560               205736 bp    DNA     linear   HTG 12-MAR-2000
DEFINITION  Homo sapiens chromosome 17 clone RP11-85I20 map 17, WORKING DRAFT
            SEQUENCE, 34 unordered pieces.
ACCESSION   AC023560
VERSION     AC023560.2  GI:7229913
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 205736)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens chromosome 17, clone RP11-85I20
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 205736)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,M., Beda,F., Boguslavkiy,L.,
            Boukgalter,B., Brown,A., Burkett,G., Campopiano,A., Castle,A.,
            Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cooke,P.,
            DeArellano,K., Dewar,K., Dodge,S., Domino,M., Doyle,M.,
            Fenestor,J., Ferreira,P., FitzHugh,W., Forrest,C., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grandi-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Illev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., Landers,T., Largocque,K., Lehoczky,J., Levine,R.,
            Lieu,C., Liu,G., Locke,D., Macdonald,P., Marquis,M., McCarthy,M.,
            McEwan,P., McGurk,A., McKernan,K., McPheeters,R., Meldrim,J.,
            Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J., Naylor,J.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,T.M.,
            Peterson,K., Pierre,N., Pisani,C., Pollara,V., Raymond,C.,
            Riley,R., Rogov,P., Rothman,D., Roy,A., Santos,R., Schauer,S.,
            Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
            Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J., Tirrell,A.,
            Travers,M., Trigilio,J., Vassiliev,H., Viel,R., Vo,A., Wilson,B.,
            Wu,X., Wyman,D., Ye,W.J., Young,G., Zainoun,J., Zimmer,A. and
            Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (15-FEB-2000) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Mar 12, 2000 this sequence version replaced gi:6978256.
            All repeats were identified using RepeatMasker:
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            ------------------- Genome Center
                Center: Whitehead Institute/ MIT Center for Genome Research
                Center code: WIBR
                Web site: http://www-seq.wi.mit.edu
                Contact: sequence_submissions@genome.wi.mit.edu
            ------------------- Project Information
                Center project name: L6741
                Center clone name: 85_I_20
            ------------------- Summary Statistics
                Sequencing vector: M13; M77815; 100% of reads
                Chemistry: Dye-terminator Big Dye; 100% of reads
                Assembly program: Phrap; version 0.960731
                Consensus quality: 178666 bases at least Q40
```

Consensus quality: 190940 bases at least Q30
Consensus quality: 197088 bases at least Q20
Insert size: 194000; agarose-fp
Insert size: 202436; sum-of-contigs
Quality coverage: 4.2 in Q20 bases; agarose-fp
Quality coverage: 4.0 in Q20 bases; sum-of-contigs
.....;

NOTE: This is a 'working draft' sequence. It currently
consists of 34 contigs. The true order of the pieces
is not known and their order in this sequence record is
arbitrary. Gaps between the contigs are represented as
runs of N, but the exact sizes of the gaps are unknown.
This record will be updated with the finished sequence
as soon as it is available and the accession number will
be preserved.

```
       1     1267: contig of 1267 bp in length
    1268     1367: gap of 100 bp
    1368     2402: contig of 1035 bp in length
    2403     2502: gap of 100 bp
    2503     3524: contig of 1022 bp in length
    3525     3624: gap of 100 bp
    3625     4913: contig of 1289 bp in length
    4914     5013: gap of 100 bp
    5014     6289: contig of 1276 bp in length
    6290     6389: gap of 100 bp
    6390     7655: contig of 1266 bp in length
    7656     7755: gap of 100 bp
    7756     9267: contig of 1512 bp in length
    9268     9367: gap of 100 bp
    9368    11138: contig of 1771 bp in length
   11139    11238: gap of 100 bp
   11239    13822: contig of 2584 bp in length
   13823    13922: gap of 100 bp
   13923    16968: contig of 3046 bp in length
   16969    17068: gap of 100 bp
   17069    20185: contig of 3117 bp in length
   20186    20285: gap of 100 bp
   20286    22634: contig of 2349 bp in length
   22635    22734: gap of 100 bp
   22735    27012: contig of 4278 bp in length
   27013    27112: gap of 100 bp
   27113    29342: contig of 2230 bp in length
   29343    29442: gap of 100 bp
   29443    33381: contig of 3939 bp in length
   33382    33481: gap of 100 bp
   33482    36562: contig of 3081 bp in length
   36563    36662: gap of 100 bp
   36663    40982: contig of 4320 bp in length
   40983    41082: gap of 100 bp
   41083    45520: contig of 4438 bp in length
   45521    45620: gap of 100 bp
   45621    50623: contig of 5003 bp in length
   50624    50723: gap of 100 bp
   50724    55610: contig of 4887 bp in length
   55611    55710: gap of 100 bp
   55711    61038: contig of 5328 bp in length
   61039    61138: gap of 100 bp
   61139    66159: contig of 5021 bp in length
   66160    66259: gap of 100 bp
   66260    73479: contig of 7220 bp in length
   73480    73579: gap of 100 bp
   73580    80554: contig of 6975 bp in length
   80555    80654: gap of 100 bp
   80655    89313: contig of 8659 bp in length
   89314    89413: gap of 100 bp
   89414    98132: contig of 8719 bp in length
   98133    98232: gap of 100 bp
   98233   107469: contig of 9237 bp in length
  107470   107569: gap of 100 bp
  107570   117873: contig of 10304 bp in length
  117874   117973: gap of 100 bp
  117974   130973: contig of 13000 bp in length
  130974   131073: gap of 100 bp
  131074   143236: contig of 12163 bp in length
  143237   143336: gap of 100 bp
  143337   154478: contig of 11142 bp in length
  154479   154578: gap of 100 bp
  154579   169967: contig of 15389 bp in length
  169968   170067: gap of 100 bp
  170068   187347: contig of 17280 bp in length
  187348   187447: gap of 100 bp
  187448   205736: contig of 18289 bp in length
```

```
FEATURES             Location/Qualifiers
     source          1..205736
                     /organism="Homo sapiens"
                     /clone="RP11-85I20"
                     /clone_lib="RPCI-11 Human Male BAC"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /map="17"
     misc_feature    1..1267
                     /note="assembly_fragment"
     gap             1268..1367
                     /estimated_length=100
     misc_feature    1368..2402
                     /note="assembly_fragment"
     gap             2403..2502
                     /estimated_length=100
     misc_feature    2503..3524
                     /note="assembly_fragment"
     gap             3525..3624
                     /estimated_length=100
     misc_feature    3625..4913
                     /note="assembly_fragment"
     gap             4914..5013
                     /estimated_length=100
     misc_feature    5014..6289
                     /note="assembly_fragment"
     gap             6290..6389
                     /estimated_length=100
     misc_feature    6390..7655
                     /note="assembly_fragment"
     gap             7656..7755
                     /estimated_length=100
     misc_feature    7756..9267
                     /note="assembly_fragment"
     gap             9268..9367
                     /estimated_length=100
     misc_feature    9368..11138
                     /note="assembly_fragment"
     gap             11139..11238
                     /estimated_length=100
     misc_feature    11239..13822
                     /note="assembly_fragment"
     gap             13823..13922
                     /estimated_length=100
     misc_feature    13923..16968
                     /note="assembly_fragment"
     gap             16969..17068
                     /estimated_length=100
     misc_feature    17069..20185
                     /note="assembly_fragment"
     gap             20186..20285
                     /estimated_length=100
     misc_feature    20286..22634
                     /note="assembly_fragment"
     gap             22635..22734
                     /estimated_length=100
     misc_feature    22735..27012
                     /note="assembly_fragment"
     gap             27013..27112
                     /estimated_length=100
```

Query Match   1.7%;   Score 52;   DB 14;   Length 205736;
Best Local Similarity 100.0%;   Pred. No. 5.7e-16;

```
RESULT 192

Matches     52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy      3071 CAAGATGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    115864 CAAGATGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 115915

LOCUS       AC015884              207661 bp    DNA     linear   PRI 27-OCT-2002
DEFINITION  Homo sapiens chromosome 17, clone RP11-216P6, complete sequence.
ACCESSION   AC015884
VERSION     AC015884.15  GI:24415419
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 207661)
  AUTHORS   Birren,B., Nusbaum,C. and Lander,E.
  TITLE     Unpublished
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 207661)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,M.,
            Baldwin,J., Barna,M., Beckerly,R., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Castle,A., Colangelo,M., Collins,S., Collymore,A.,
            Cooke,P., DeArellano,K., Dewar,K., Domino,M., Donelan,L., Doyle,M.,
            Ferreira,P., FitzHugh,W., Forrest,C., Funke,R., Gage,D.,
            Galagan,J., Gardyna,S., Grant,G., Jones,C., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Johnson,R., Jones,C., Kann,L., Karatas,A., Klein,J.,
            Lehoczky,J., Lieu,C., Locke,D., Macdonald,P., Marquis,M.,
            McEwan,P., McGurk,A., McKernan,K., McLaughlin,J., Meldrim,J.,
            Morrow,J., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            Peterson,K., Pollara,V., Riley,R., Roy,A., Santos,R., Severy,P.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Tirrell,A., Vassiliev,H., Vo,A., Wheeler,J., Wu,X.,
            Wyman,D., Ye,W.J., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (17-NOV-1999) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 207661)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hagos,B.,
            Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C., Kamat,A.,
            Karatas,A., Kells,C., Landers,T., Levine,R., Lindblad-Toh,K.,
            Liu,G., MacLean,C., Macdonald,P., Major,J., Matthews,C.,
            McCarthy,M., Meldrim,J., Meneus,L., Mihova,T., Mlenga,V.,
            Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C., Norman,C.H.,
            O'Connor,T., O'Donnell,P., Oliver,J., Peterson,K.,
            Phunkhang,P., Pierre,N., Raymond,C., Retta,R., Rise,C., Rogov,P.,
            Roman,J., Roy,A., Schauer,S., Schupback,R., Seaman,S., Severy,P.,
            Smith,C., Spencer,B., Stange-Thomann,N., Stojanovic,N., Talamas,J.,
            Tesfaye,S., Theodore,J., Topham,K., Travers,M., Vassiliev,H.,
            Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Young,G., Zainoun,J.,
            Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (19-AUG-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   4  (bases 1 to 207661)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,M.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
            Matthews,C., McCarthy,M., Meldrim,J., Naylor,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
            Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
            Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (27-OCT-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Oct 27, 2002 this sequence version replaced gi:22297427.
            All repeats were identified using RepeatMasker.
            Contact: sequence_submissions@genome.wi.mit.edu
            Web site: http://www-seq.wi.mit.edu
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            -------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            -------------- Project Information
            Center project name: L731
            Center clone name: 216_P_6
FEATURES             Location/Qualifiers
     source          1..207661
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="17"
                     /clone="RP11-216P6"
                     /map="17"
                     /clone_lib="RPCI-11 Human Male BAC"
     unsure          721
                     /note="probably C"
     repeat_region   2666..2923
                     /rpt_family="AluSx"
     repeat_region   3206..3412
                     /rpt_family="AluJo"
     repeat_region   3591..3888
                     /rpt_family="AluSx"
     repeat_region   complement(4652..4964)
                     /rpt_family="AluSx"
     repeat_region   5067..5109
                     /rpt_family="Alu"
     unsure          5106..5112
                     /note="<30 qual SNGL region"
     repeat_region   5110..5424
                     /rpt_family="AluY"
     repeat_region   5487..5582
                     /rpt_family="MIR3"
     repeat_region   complement(5846..5901)
                     /rpt_family="MIR"
     repeat_region   complement(5902..6209)
                     /rpt_family="AluY"
     repeat_region   complement(6210..6373)
                     /rpt_family="MIR"
     repeat_region   6847..7140
                     /rpt_family="AluJo"
     repeat_region   7860..7997
                     /rpt_family="AluSg"
     repeat_region   7998..8278
                     /rpt_family="AluSg"
     repeat_region   8279..8435
                     /rpt_family="AluJo"
     repeat_region   8436..8467
                     /rpt_family="(CA)n"
     repeat_region   9011..9302
                     /rpt_family="AluY"
     repeat_region   9306..9597
                     /rpt_family="AluSq"
     repeat_region   complement(9849..10138)
                     /rpt_family="AluSx"
```

```
RESULT 193
LOCUS       AC027205          211812 bp    DNA    linear    HTG 24-AUG-2002
ACCESSION   AC027205/c
DEFINITION  Homo sapiens chromosome 1 clone RP11-130F6 map 1, WORKING DRAFT
            SEQUENCE, 51 unordered pieces.
ACCESSION   AC027205
VERSION     AC027205.2  GI:7652003
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 211812)
AUTHORS     Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,F.,
            Boguslavkiy,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., LaRocque,K., Lamazares,B., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McGurk,A., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,T.M., Oliver,J., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
TITLE       Direct Submission
JOURNAL     Submitted (28-MAR-2000) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   2  (bases 1 to 211812)
AUTHORS     Birren,B., Linton,L., Nusbaum,C., Lander,E.
TITLE       Homo sapiens chromosome 1, clone RP11-130F6
JOURNAL     Unpublished
REFERENCE   3  (bases 1 to 211812)
AUTHORS     Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
            Anderson,S., Baldwin,J., Barna,N., Bastien,V., Beda,F.,
            Boguslavkiy,L., Boukhgalter,B., Brown,A., Burkett,G.,
            Campopiano,A., Castle,A., Choepel,Y., Colangelo,M., Collins,S.,
            Collymore,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S.,
            Dodge,S., Domino,M., Doyle,M., Ferreira,P., FitzHugh,W., Gage,D.,
            Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
            Grand-Pierre,N., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Iliev,I., Johnson,R., Jones,C., Kann,L., Karatas,A.,
            Klein,J., LaRocque,K., Lamazares,B., Landers,T., Lehoczky,J.,
            Levine,R., Lieu,C., Liu,G., Locke,K., Macdonald,P., Marquis,N.,
            McCarthy,M., McEwan,P., McGurk,A., McKernan,K., McPheeters,R.,
            Meldrim,J., Meneus,L., Mihova,T., Miranda,C., Mlenga,V., Morrow,J.,
            Murphy,T., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            O'Neil,D., Oliver,T.M., Oliver,J., Peterson,K., Pierre,N.,
            Pisani,C., Pollara,V., Raymond,C., Riley,R., Rogov,P., Rothman,D.,
            Roy,A., Santos,R., Schauer,S., Severy,P., Spencer,B.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Theodore,J., Tirrell,A., Travers,M., Trigilio,J.,
            Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J.,
            Young,G., Zainoun,J., Zimmer,A. and Zody,M.
TITLE       Direct Submission
JOURNAL     Submitted (24-AUG-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Apr 27, 2000 this sequence version replaced gi:7331532.
            All repeats were identified using RepeatMasker:
            Smit, A.F.A. & Green, P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            -----------------Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
```

```
repeat_region   complement(10139..10273)
                /rpt_family="AluJb"
repeat_region   complement(10285..10579)
                /rpt_family="AluJo"
unsure          complement(10584..10591)
                /note="<30 qual SNGL region"
repeat_region   10608..10905
                /rpt_family="AluY"
repeat_region   11349..11651
                /rpt_family="AluSx"
repeat_region   11882..12022
                /rpt_family="AluJb"
repeat_region   12040..12072
                /rpt_family="AT_rich"
repeat_region   12711..12736
                /rpt_family="(CA)n"
repeat_region   12817..13121
                /rpt_family="AluSx"
repeat_region   13292..13590
                /rpt_family="AluY"
repeat_region   14769..15274
                /rpt_family="L3"
repeat_region   15275..15322
                /rpt_family="AluYb8"
repeat_region   15335..15636
                /rpt_family="AluSq"
repeat_region   complement(15692..15846)
                /rpt_family="MER30"
repeat_region   complement(15847..16142)
                /rpt_family="AluSp"
repeat_region   complement(16143..16218)
                /rpt_family="MER30"
repeat_region   16220..16432
                /rpt_family="L3"
repeat_region   16559..16962
                /rpt_family="MLT1K"
repeat_region   complement(17094..17207)
                /rpt_family="L1MC5"
repeat_region   17208..17482
                /rpt_family="AluY"
repeat_region   17483..17545
                /rpt_family="L1MC5"
repeat_region   17906..18082
                /rpt_family="AluJb"
repeat_region   18152..18462
                /rpt_family="AluSx"
repeat_region   complement(18647..18889)
                /rpt_family="MIR"
repeat_region   complement(20440..20741)
                /rpt_family="AluSp"
repeat_region   20925..21221
                /rpt_family="AluY"
repeat_region   21382..21514
                /rpt_family="AluSx"
repeat_region   21515..21822
                /rpt_family="AluSp"
repeat_region   21823..21998
                /rpt_family="AluSx"
repeat_region   22246..22543
                /rpt_family="AluY"
repeat_region   complement(23168..23474)
                /rpt_family="AluSx"
```

```
Query Match     1.7%;  Score 52;  DB 8;  Length 207661;
Best Local Similarity  100.0%;
Matches   52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 116276 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 116225
```

```
Center code: WIBR
Web site: http://www-seq.wi.mit.edu
Contact: sequence_submissions@genome.wi.mit.edu
-------- Project Information
Center project name: L7762
Center clone name: 130_P_6
-------- Summary Statistics
Sequencing vector: M13; M77815; 100% of reads
Chemistry: Dye-terminator Big Dye; 100% of reads
Assembly program: Phrap; version 0.960731
Consensus quality: 183012 bases at Q40
Consensus quality: 197888 bases at least Q30
Consensus quality: 203091 bases at least Q20
Insert size: 206812; sum-of-contigs
Quality coverage: 3.6 in Q20 bases; sum-of-contigs
--------
* NOTE: This is a 'working draft' sequence. It currently
* consists of 51 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
*
*        1: contig of 1012 bp in length
*     1012: gap of 100 bp
*     1112: contig of 1249 bp in length
*     2361: gap of 100 bp
*     2362: contig of 100 bp in length
*     2461: gap of 100 bp
*     2462: contig of 1204 bp in length
*     3665: gap of 100 bp
*     3666: contig of 100 bp in length
*     3765: gap of 100 bp
*     3766: contig of 1248 bp in length
*     5013: gap of 100 bp
*     5014: contig of 1572 bp in length
*     5113: gap of 100 bp
*     5114: contig of 1572 bp in length
*     6685: gap of 100 bp
*     6686: contig of 100 bp in length
*     6785: gap of 100 bp
*     6786: contig of 1203 bp in length
*     7988: gap of 100 bp
*     7989: contig of 100 bp in length
*     8088: gap of 100 bp
*     8089: contig of 1423 bp in length
*     9511: gap of 100 bp
*     9512: contig of 100 bp in length
*     9611: gap of 100 bp
*     9612: contig of 1273 bp in length
*    10884: gap of 100 bp
*    10885: contig of 100 bp in length
*    10984: gap of 100 bp
*    10985: contig of 1238 bp in length
*    12222: gap of 100 bp
*    12223: contig of 100 bp in length
*    12322: gap of 100 bp
*    12323: contig of 1113 bp in length
*    13435: gap of 100 bp
*    13436: contig of 100 bp in length
*    13535: gap of 100 bp
*    13536: contig of 1258 bp in length
*    14793: gap of 100 bp
*    14794: contig of 100 bp in length
*    14893: gap of 100 bp
*    14894: contig of 1181 bp in length
*    16074: gap of 100 bp
*    16075: contig of 100 bp in length
*    16174: gap of 100 bp
*    16175: contig of 1168 bp in length
*    17342: gap of 100 bp
*    17343: contig of 100 bp in length
*    17442: gap of 100 bp
*    17443: contig of 1069 bp in length
*    18511: gap of 100 bp
*    18512: contig of 100 bp in length
*    18611: gap of 100 bp
*    18612: contig of 1540 bp in length
*    20151: gap of 100 bp
*    20152: contig of 100 bp in length
*    20251: gap of 100 bp
*    20252: contig of 1350 bp in length
*    21601: gap of 100 bp
*    21602: contig of 100 bp in length
*    21701: gap of 100 bp
*    21702: contig of 1935 bp in length
*    23636: gap of 100 bp
*    23637: contig of 100 bp in length
*    23736: gap of 100 bp
*    23737: contig of 1669 bp in length
*    25405: gap of 100 bp
*    25406: contig of 100 bp in length
*    25505: gap of 100 bp
*    25506: contig of 1148 bp in length
*    26653: gap of 100 bp
*    26654: contig of 100 bp in length
*    26753: gap of 100 bp
*    26754: contig of 1249 bp in length
*    28002: gap of 100 bp
*    28003: contig of 100 bp in length
*    28102: gap of 100 bp
*    28103: contig of 1559 bp in length
*    29661: gap of 100 bp
*    29662: contig of 100 bp in length
*    29761: gap of 100 bp
*    29762: contig of 1259 bp in length
*    31020: gap of 100 bp
*    31021: contig of 100 bp in length
*    31120: gap of 100 bp
*    31121: contig of 1638 bp in length
*    32758: gap of 100 bp
*    32759: contig of 1575 bp in length
*    34333: gap of 100 bp
*    34434: contig of 100 bp in length
*    34533: gap of 100 bp
*    34534: contig of 2266 bp in length
*    36799: gap of 100 bp
*    36800: contig of 100 bp in length
*    36900: gap of 100 bp
*    36899: contig of 1889 bp in length
*    38788: gap of 100 bp
*    38789: contig of 100 bp in length
*    38888: gap of 100 bp
*    41490: contig of 2602 bp in length
*    41491: gap of 100 bp
*    41590: contig of 100 bp in length
*    41591: gap of 100 bp
*    43768: contig of 2178 bp in length
*    43769: gap of 100 bp
*    43868: contig of 100 bp in length
*    43869: gap of 100 bp
*    45634: contig of 1766 bp in length
*    45635: gap of 100 bp
*    45734: contig of 100 bp in length
*    45735: gap of 100 bp
*    46330: contig of 596 bp in length
*    46331: gap of 100 bp
*    46430: contig of 100 bp in length
*    46431: gap of 100 bp
*    48111: contig of 1681 bp in length
*    48112: gap of 100 bp
*    48211: contig of 100 bp in length
*    48212: gap of 100 bp
*    50798: contig of 2587 bp in length
*    50799: gap of 100 bp
*    50898: contig of 100 bp in length
*    50899: gap of 100 bp
*    51541: contig of 643 bp in length
*    51542: gap of 100 bp
*    51641: contig of 100 bp in length
*    51642: gap of 100 bp
*    54229: contig of 2588 bp in length
*    54230: gap of 100 bp
*    54329: contig of 100 bp in length
*    54330: gap of 100 bp
*    57592: contig of 3263 bp in length
*    57593: gap of 100 bp
*    57692: contig of 100 bp in length
*    57693: gap of 100 bp
*    60380: contig of 2688 bp in length
*    60381: gap of 100 bp
*    60480: contig of 100 bp in length
*    60481: gap of 100 bp
*    64861: contig of 4381 bp in length
*    64862: gap of 100 bp
*    64961: contig of 100 bp in length
*    64962: gap of 100 bp
*    67169: contig of 2208 bp in length
*    67170: gap of 100 bp
*    67269: contig of 100 bp in length
*    67270: gap of 100 bp
*    70318: contig of 3049 bp in length
*    70319: gap of 100 bp
*    70418: contig of 100 bp in length
*    70419: gap of 100 bp
*    74740: contig of 4322 bp in length
*    74741: gap of 100 bp
*    74840: contig of 100 bp in length
*    74841: gap of 100 bp
*    79050: contig of 4210 bp in length
*    79051: gap of 100 bp
*    79150: contig of 100 bp in length
*    79151: gap of 100 bp
*    84593: contig of 5443 bp in length
*    84594: gap of 100 bp
*    84693: contig of 100 bp in length
*    84694: gap of 100 bp
*    94483: contig of 9790 bp in length
*    94484: gap of 100 bp
*    94583: contig of 100 bp in length
*    94584: gap of 100 bp
*   105653: contig of 11070 bp in length
*   105654: gap of 100 bp
*   105753: contig of 100 bp in length
*   105754: gap of 100 bp
*   116723: contig of 10970 bp in length
*   116724: gap of 100 bp
*   116823: contig of 100 bp in length
*   116824: gap of 100 bp
*   129473: contig of 12650 bp in length
*   129474: gap of 100 bp
*   129573: contig of 100 bp in length
*   129574: gap of 100 bp
*   146634: contig of 17061 bp in length
*   146635: gap of 100 bp
*   146734: contig of 100 bp in length
*   146735: gap of 100 bp
*   162693: contig of 15959 bp in length
*   162694: gap of 100 bp
*   162793: contig of 100 bp in length
*   162794: gap of 100 bp
*   178165: contig of 15372 bp in length
*   178166: gap of 100 bp
*   178265: contig of 100 bp in length
*   178266: gap of 100 bp
*   196145: contig of 17880 bp in length
*   196146: gap of 100 bp
*   196245: contig of 100 bp in length
*   196246: gap of 100 bp
*   211812: contig of 15567 bp in length.
```

```
FEATURES             Location/Qualifiers
     source          1..211812
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
```

```
RESULT 194
AC135988/c
LOCUS      AC135988

Query Match     1.7%;  Score 52;  DB 14;  Length 211812;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches   52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy      3071 CAAGATTGTTGTGCCACTGCACTCCCAGCCTTGGGCAACAGAGCGAAGACTTCGTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    211005 CAAGATTGTTGTGCCACTGCACTCCCAGCCTTGGGCAACAGAGCGAAGACTTCGTGTCTC 210954
```

KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 213947)
AUTHORS   Birren,B. and Lander,E.
TITLE   Homo sapiens chromosome 15, clone RP11-701021
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 213947)
AUTHORS   Birren,B., Nusbaum,C., Lander,E. Ali,A., Allen,N., Anderson,S.,
             Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
             Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
             Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
             Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
             Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
             Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
             Kanat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
             Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
             Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
             Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
             Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
             Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
             Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
             Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
             Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
             Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
             Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE   Direct Submission
JOURNAL   Submitted (26-OCT-2002) Whitehead Institute/MIT Center for Genome
             Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3 (bases 1 to 213947)
AUTHORS   Birren,B., Nusbaum,C. Lander,E. Ali,A., Allen,N., Anderson,S.,
             Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
             Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
             Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
             Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
             Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
             Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,R., Jones,C.,
             Kanat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
             Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
             Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
             Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
             Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
             Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
             Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
             Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
             Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
             Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
             Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
TITLE   Direct Submission
JOURNAL   Submitted (21-NOV-2002) Whitehead Institute/MIT Center for Genome
             Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT   On Nov 21, 2002 this sequence version replaced gi:24415413.
             All repeats were identified using RepeatMasker:
             http://ftp.genome.washington.edu/RM/RepeatMasker.html
             ----
             Smit, A.F.A. & Green, P. (1996-1997)

             Center: Whitehead Institute/ MIT Center for Genome Research
             Center code: WIBR
             Web site: http://www-seq.wi.mit.edu
             Contact: sequence_submissions@genome.wi.mit.edu

             Center Project Information
             Center project name: L28438
             Center clone name: 701_0_21

             Project name: 701_0_21

             Summary Statistics
             Sequencing vector: plasmid; n/a; 100% of reads
             Chemistry: Dye-terminator Big Dye; 100% of reads
             Assembly program: Phrap; version 0.960731
             Consensus quality: 213175 bases at least Q40
             Consensus quality: 213476 bases at least Q30
             Consensus quality: 213580 bases at least Q20

             Insert size: 211000; agarose-fp
             Insert size: 213647; sum-of-contigs
             Quality coverage: 13.0 in Q20 bases; agarose-fp
             Quality coverage: 12.8 in Q20 bases; sum-of-contigs
             ----
             * NOTE: This is a 'working draft' sequence. It currently
             * consists of 4 contigs. The true order of the pieces
             * is not known and their order in this sequence record is
             * arbitrary. Gaps between the contigs are represented as
             * runs of N, but the exact sizes of the gaps are unknown.
             * This record will be updated with the finished sequence
             * as soon as it is available and the accession number will
             * be preserved.
             *
             *   1   11215: contig of 11215 bp in length
             * 11216   11315: gap of 100 bp
             * 11316   44385: contig of 33070 bp in length
             * 44386   44485: gap of 100 bp
             * 44486   112030: contig of 67545 bp in length
             * 112031   112130: gap of 100 bp
             * 112131   213947: contig of 101817 bp in length.
FEATURES   Location/Qualifiers
     source   1..213947
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="15"
                     /map="15"
                     /clone="RP11-701021"
                     /clone_lib="RPCI-11 Human Male BAC"
     misc_feature   1..11215
                     /note="assembly_fragment
                     clone_end:SP6
                     vector_side:left"
     gap   11216..11315
                     /estimated_length=100
     misc_feature   11316..44385
                     /note="assembly_fragment"
     gap   44386..44485
                     /estimated_length=100
     misc_feature   44486..112030
                     /note="assembly_fragment"
     gap   112031..112130
                     /estimated_length=100
     misc_feature   112131..213947
                     /note="assembly_fragment"
ORIGIN

RESULT 195
LOCUS   AC135989
DEFINITION Homo sapiens chromosome 15 clone RP11-800012 map 15, WORKING DRAFT
            SEQUENCE, 4 unordered pieces.
ACCESSION   AC135989
VERSION   AC135989.2 GI:25141063
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 215780)
AUTHORS   Birren,B. Nusbaum,C. and Lander,E.
TITLE   Unpublished
JOURNAL   Homo sapiens chromosome 15, clone RP11-800012

AC135989   215780 bp   DNA   linear   HTG 21-NOV-2002

Query Match   1.7%;   Score 52; DB 14; Length 213947;
Best Local Similarity   100.0%; Pred. No. 5.7e-16;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2889 GAGGCAGGTGGGATCACCCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT   2940
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   97995 GAGGCAGGTGGGATCACCCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 97944

```
REFERENCE   2  (bases 1 to 215780)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cooke,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,E., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
            Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
            Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
            Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (26-OCT-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
REFERENCE   3  (bases 1 to 215780)
  AUTHORS   Birren,B., Nusbaum,C., Lander,E., Ali,A., Allen,N., Anderson,S.,
            Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L., Boukhgalter,B.,
            Camarata,J., Chang,J., Chazaro,B., Choepel,Y., Collymore,A.,
            Cooke,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
            Faro,S., Ferreira,P., FitzGerald,M., Gage,D., Galagan,J.,
            Gardyna,S., Gord,S., Graham,L., Grand-Pierre,N., Hafez,N.,
            Hagos,B., Horton,L., Hulme,W., Iliev,I., Johnson,E., Jones,C.,
            Kamat,A., Karatas,A., Kells,C., Landers,T., Levine,R.,
            Lindblad-Toh,K., Liu,G., MacLean,C., Macdonald,P., Major,J.,
            Matthews,C., McCarthy,M., Meldrim,J., Meneus,L., Mihova,T.,
            Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Nicol,R., Norbu,C.,
            Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D., Oliver,J.,
            Peterson,K., Phunkhang,P., Pierre,N., Raymond,C., Retta,R.,
            Rise,C., Rogov,P., Roman,J., Roy,A., Schauer,S., Schupback,R.,
            Seaman,S., Severy,P., Smith,C., Spencer,B., Stange-Thomann,N.,
            Stojanovic,N., Talamas,J., Tesfaye,S., Theodore,J., Topham,K.,
            Travers,M., Vassiliev,H., Viel,R., Vo,A., Wilson,B., Wu,X.,
            Wyman,D., Young,G., Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (21-NOV-2002) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Nov 21, 2002 this sequence version replaced gi:24414514.
            All repeats were identified using RepeatMasker:
            Smit,A.F.A. & Green,P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            --------------------
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            --------------------
            Project Information
            Center project name: L28440
            Center clone name: 800_O_12
            --------------------
            Summary Statistics
            Sequencing vector: Plasmid; n/a; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Assembly program: Phrap; version 0.960731
            Assembly quality: 215088 bases at least Q40
            Consensus quality: 215264 bases at least Q30
            Consensus quality: 215336 bases at least Q20
            Insert size: 215000; agarose-fp
            Insert size: 215480; sum-of-contigs
            Quality coverage: 15.5 in Q20 bases; agarose-fp
            Quality coverage: 15.5 in Q20 bases; sum-of-contigs
            --------------------
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 4 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
```

```
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *
            * 60439: contig of 60439 bp in length
            * 60440..60539: gap of 100 bp
            * 60540..61230: contig of 691 bp in length
            * 61231..61330: gap of 100 bp
            * 61331..61917: contig of 587 bp in length
            * 61918..62017: gap of 100 bp
            * 62018..215780: contig of 153763 bp in length.
FEATURES             Location/Qualifiers
     source          1..215780
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="RP11-800O12"
                     /chromosome="15"
                     /map="15"
                     /clone_lib="RPCI-11 Human Male BAC"
     misc_feature    1..60439
                     /note="assembly_fragment
                     clone_end:SP6
                     vector_side:left"
     gap             60440..60539
                     /estimated_length=100
     misc_feature    60540..61230
                     /note="assembly_fragment"
     gap             61231..61330
                     /estimated_length=100
     misc_feature    61331..61917
                     /note="assembly_fragment"
     gap             61918..62017
                     /estimated_length=100
     misc_feature    62018..215780
                     /note="assembly_fragment"
ORIGIN
Qy    2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    6909 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 6960
```

```
RESULT 196
AC024429/c

Query Match             1.7%;  Score 52;  DB 14;  Length 215780;
Best Local Similarity   100.0%;
Matches   52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

LOCUS       AC024429    234053 bp    DNA    linear    PRI 03-OCT-2003
DEFINITION  Homo sapiens BAC clone GS1-200K5 from 7, complete sequence.
ACCESSION   AC024429
VERSION     AC024429.1  GI:2335067
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 234053)
  AUTHORS   Sulston,J.E. and Wilson,R.
  TITLE     Toward a complete human genome sequence
  JOURNAL   Genome Res. 8 (11), 1097-1108 (1998)
   PUBMED   9847074
REFERENCE   2  (bases 1 to 234053)
  AUTHORS   Duckel5,G., Graves,T. and Hawkins,M.
  TITLE     The sequence of Homo sapiens BAC clone GS1-200K5
  JOURNAL   Unpublished (2001)
REFERENCE   3  (bases 1 to 234053)
  AUTHORS   Waterston,R.
  TITLE     Direct Submission
  JOURNAL   Submitted (19-AUG-1997) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   4  (bases 1 to 234053)
```

```
AUTHORS     Waterston,R.
TITLE       Direct Submission
JOURNAL     Submitted (03-FEB-2000) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   5 (bases 1 to 234053)
AUTHORS     Waterston,R.
TITLE       Direct Submission
JOURNAL     Submitted (04-FEB-2000) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   6 (bases 1 to 234053)
AUTHORS     Waterston,R.
TITLE       Direct Submission
JOURNAL     Submitted (26-APR-2003) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
REFERENCE   7 (bases 1 to 234053)
AUTHORS     Wilson,R.
TITLE       Direct Submission
JOURNAL     Submitted (03-OCT-2003) Department of Genetics, Washington
            University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
COMMENT     -------------- Genome Center
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu
            Contact: sapiens@watson.wustl.edu
            --------------- Summary Statistics
            Center project name: H_GS200K05
            ---------------

NOTICE: This sequence may not represent the entire insert of this
clone. It may be shorter because we only sequence overlapping
clone sections once, or longer because we provide a small overlap
between neighboring data submissions.

This sequence was finished as follows unless otherwise noted:
all regions were double stranded, sequenced with an alternate
chemistry, or covered by high quality data (i.e., phred quality >=
30); an attempt was made to resolve all sequencing problems, such
as compressions and repeats; all regions were covered by sequence
from more than one subclone; and the assembly was confirmed by
restriction digest.

MAPPING INFORMATION:
The sequence of this clone was established as part of a mapping and
sequencing collaboration between the NHGRI Chromosome 7 Mapping
Project (Eric D. Green, Director), John D. McPherson in the
Department of Genetics (Washington University), and the Washington
University Genome Sequencing Center. For additional information
about the map position of this sequence, see
http://www.nhgri.nih.gov/DIR/GTB/CHR7, send
mailto:egreen@nhgri.nih.gov , or see http://genome.wustl.edu

SOURCE INFORMATION:
This clone is from the first BAC library from Genome Systems, Inc.
(http://www.genomesystems.com).
Cell line:    lymphoblastoid
Haplotypes:   two
VECTOR:       pBeloBAC
Selection:    chloramphenicol.
```

```
FEATURES             Location/Qualifiers
     source          1..234053
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="7"
                     /map="7"
                     /clone="GS1-200K5"
                     /clone_lib="GSBAC1"
     repeat_region   31..81
                     /rpt_family="CT-rich"
     repeat_region   477..628
                     /rpt_family="MIR"
     repeat_region   2145..2168
                     /rpt_family="AT_rich"
```

```
     repeat_region   3013..3036
                     /rpt_family="AT_rich"
     repeat_region   3230..3538
                     /rpt_family="L1l"
     repeat_region   3539..3625
                     /rpt_family="L1l"
     repeat_region   3636..4018
                     /rpt_family="MER2_type"
     repeat_region   4040..4191
                     /rpt_family="L1l"
     repeat_region   7520..7597
                     /rpt_family="Alu"
     repeat_region   7598..8047
                     /rpt_family="L1l"
     repeat_region   8048..8335
                     /rpt_family="Alu"
     misc_feature    8073..8336
                     /note="CpG island (%GC=60.6, o/e=0.88, #CpGs=21)"
     repeat_region   8336..8580
                     /rpt_family="L1l"
     repeat_region   10511..10654
                     /rpt_family="Alu"
     repeat_region   10869..10970
                     /rpt_family="L2"
     repeat_region   13585..13894
                     /rpt_family="Alu"
     repeat_region   14043..14102
                     /rpt_family="MER1_type"
     repeat_region   15225..15261
                     /rpt_family="(T)n"
     repeat_region   16102..16139
                     /rpt_family="AT_rich"
     repeat_region   16215..16474
                     /rpt_family="Alu"
     repeat_region   16669..16826
                     /rpt_family="L2"
     repeat_region   16838..17493
                     /rpt_family="L2"
     repeat_region   17533..17630
                     /rpt_family="L2"
     repeat_region   17631..17938
                     /rpt_family="Alu"
     repeat_region   17939..18058
                     /rpt_family="L2"
     repeat_region   18676..18974
                     /rpt_family="Alu"
     repeat_region   19969..20188
                     /rpt_family="MER1_type"
     repeat_region   20255..20328
                     /rpt_family="MER1_type"
     repeat_region   20349..20503
                     /rpt_family="Alu"
     repeat_region   20506..20572
                     /rpt_family="MER1_type"
     repeat_region   20764..20907
                     /rpt_family="L2"
     repeat_region   21114..21414
                     /rpt_family="Alu"
     repeat_region   25771..25861
                     /rpt_family="CR1"
     repeat_region   26146..26170
                     /rpt_family="AT_rich"
     repeat_region   26220..26642
                     /rpt_family="L1l"
     repeat_region   27343..27555
                     /rpt_family="L1l"
     repeat_region   28645..28672
                     /rpt_family="(CATATA)n"
     repeat_region   28916..29059
                     /rpt_family="MER1_type"
     repeat_region   29080..29472
                     /rpt_family="ERV1"
     repeat_region   29524..29577
                     /rpt_family="AT_rich"
```

```
repeat_region   30140..30236
                /rpt_family="MER1_type"
repeat_region   30312..31450
                /rpt_family="MIR"
repeat_region   31525..31829
                /rpt_family="L1"
repeat_region   31873..32741
                /rpt_family="Alu"
repeat_region   32761..33823
                /rpt_family="L1"
repeat_region   33825..34218
                /rpt_family="L1"
repeat_region   34230..34299
                /rpt_family="ERV1"
repeat_region   34304..34494
                /rpt_family="ERV1"
repeat_region   34495..34789
                /rpt_family="Alu"
repeat_region   34790..35979
                /rpt_family="Alu"
repeat_region   35977..36335
                /rpt_family="L1"
repeat_region   36342..36677
                /rpt_family="L1"
repeat_region   36678..36981
                /rpt_family="L1"
repeat_region   36982..37759
                /rpt_family="Alu"
                /rpt_family="L1"
```

```
Qy      3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      223398 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGCAAGACTCTGTCTC 223347
```

```
Query Match        1.7%;  Score 52;  DB 8;  Length 234053;
Best Local Similarity  100.0%;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;
                Pred. No. 5.7e-16;
```

```
RESULT 197
AC145896/c
LOCUS       AC145896            256000 bp    DNA     linear   HTG 13-AUG-2003
DEFINITION  Pan troglodytes chromosome UNK clone RP43-8H23, *** SEQUENCING IN
            PROGRESS ***, 48 unordered pieces.
ACCESSION   AC145896
VERSION     AC145896.1  GI:33386828
KEYWORDS    HTG; HTGS_PHASE1.
SOURCE      Pan troglodytes (chimpanzee)
ORGANISM    Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 256000)
  AUTHORS   Wilson,R.K.
  TITLE     The sequence of Pan troglodytes clone
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 256000)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-AUG-2003) Genetics, Genome Sequencing Center, 4444
            Forest Park Parkway, St. Louis, MO 63108, USA
REFERENCE   3  (bases 1 to 256000)
  AUTHORS   Wilson,R.K.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-AUG-2003) Genetics, Genome Sequencing Center, 4444
            Forest Park Parkway, St. Louis, MO 63108, USA
COMMENT     ----------------- Genome Center -----------------
            Center: Washington University Genome Sequencing Center
            Center code: WUGSC
            Web site: http://genome.wustl.edu/gsc/index.shtml
            ----------------- Project Information -----------------
            Center project name: C_PT008H23
```

```
                  ----------------- Summary Statistics -----------------
Sequencing vector: M13; 0%
Sequencing vector: plasmid; 100%
Chemistry: Dye-primer ET; 0% of reads
Chemistry: Dye-terminator Big Dye; 100% of reads
Assembly program: Phrap; version 0.990319
Consensus quality: 237274 bases at least Q40
Consensus quality: 240505 bases at least Q30
Consensus quality: 242221 bases at least Q20

* NOTE: This is a 'working draft' sequence. It currently
* consists of 48 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
*
*         1        1185: contig of 1185 bp in length
*      1186        1285: gap of unknown length
*      1286        2469: contig of 1184 bp in length
*      2470        2569: gap of unknown length
*      2570        3979: contig of 1410 bp in length
*      3980        4079: gap of unknown length
*      4080        5295: contig of 1216 bp in length
*      5296        5395: gap of unknown length
*      5396        6630: contig of 1235 bp in length
*      6631        6730: gap of unknown length
*      6731        7920: contig of 1190 bp in length
*      7921        8020: gap of unknown length
*      8021        9452: contig of 1432 bp in length
*      9453        9552: gap of unknown length
*      9553       10805: contig of 1253 bp in length
*     10806       10905: gap of unknown length
*     10906       12145: contig of 1240 bp in length
*     12146       12245: gap of unknown length
*     12246       13423: contig of 1178 bp in length
*     13424       13523: gap of unknown length
*     13524       15026: contig of 1503 bp in length
*     15027       15126: gap of unknown length
*     15127       16408: contig of 1282 bp in length
*     16409       16508: gap of unknown length
*     16509       17900: contig of 1392 bp in length
*     17901       18000: gap of unknown length
*     18001       19931: contig of 1931 bp in length
*     19932       20031: gap of unknown length
*     20032       21219: contig of 1188 bp in length
*     21220       21319: gap of unknown length
*     21320       23430: contig of 2111 bp in length
*     23431       23530: gap of unknown length
*     23531       25074: contig of 1544 bp in length
*     25075       25174: gap of unknown length
*     25175       26544: contig of 1370 bp in length
*     26545       26644: gap of unknown length
*     26645       28429: contig of 1785 bp in length
*     28430       28529: gap of unknown length
*     28530       29909: contig of 1380 bp in length
*     29910       30009: gap of unknown length
*     30010       31609: contig of 1600 bp in length
*     31610       31709: gap of unknown length
*     31710       34226: contig of 2517 bp in length
*     34227       34326: gap of unknown length
*     34327       35499: contig of 1173 bp in length
*     35500       35599: gap of unknown length
*     35600       36828: contig of 1229 bp in length
*     36829       36928: gap of unknown length
*     36929       39530: contig of 2602 bp in length
*     39531       39630: gap of unknown length
*     39631       40715: contig of 1085 bp in length
*     40716       40815: gap of unknown length
*     40816       42410: contig of 1595 bp in length
*     42411       42510: gap of unknown length
```

```
RESULT 198
LOCUS       AC145065              279430 bp    DNA     linear   HTG 06-JUL-2005
DEFINITION  Pan troglodytes clone rp43-47k21, WORKING DRAFT SEQUENCE, 19
            unordered pieces.
ACCESSION   AC145065
VERSION     AC145065.23  GI:68989303
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      Pan troglodytes (chimpanzee)
  ORGANISM  Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 279430)
  AUTHORS   Yu,J., Do,T., and Roe,B.A.
  TITLE     Pan troglodytes BAC Clone rp43-47k21
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 279430)
  AUTHORS   Yu,J., Do,T., and Roe,B.A.
  TITLE     Direct Submission
  JOURNAL   Submitted (05-JUN-2003) Department Of Chemistry And Biochemistry,
            The University Of Oklahoma, 620 Parrington Oval, Room 208, Norman,
            OK 73019, USA
REFERENCE   3  (bases 1 to 279430)
  AUTHORS   Yu,J., Do,T., and Roe,B.A.
  TITLE     Direct Submission
  JOURNAL   Submitted (06-JUL-2005) Department Of Chemistry And Biochemistry,
            The University Of Oklahoma, 620 Parrington Oval, Room 208, Norman,
            OK 73019, USA
            On Jul 6, 2005 this sequence version replaced gi:68342157.
COMMENT     -------------- Genome Center
            Center: Department Of Chemistry And Biochemistry
            The Univesity Of Oklahoma
            Center code:UOKNOR
            --------------
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 19 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
```

```
Qy      2889  GAGGCAGGTGGGATCACCTGAGGCCAGGGAGTTCGAGACCAGCCCTGGCCAACAT  2940
              ||||||||||| |||||||||||||||||||||||||||||||||||||||||
Db    175847  GAGGCAGGTGGATCACCTGAGGCCAGGGAGTTCGAGACCAGCCCTGGCCAACAT  175796
```

```
Query Match       1.7%;  Score 52;  DB 14;  Length 256000;
Best Local Similarity   100.0%;  Pred. No. 5.7e-16;
Matches  52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;
```

```
FEATURES             Location/Qualifiers
     source          1..256000
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /chromosome="UNK"
                     /clone="RP43-8H23"
     misc_feature    1..1185
                     /note="assembly_name:Contig23"
     gap             1186..1285
                     /estimated_length=unknown
     misc_feature    1286..2469
                     /note="assembly_name:Contig25"
     gap             2470..2569
                     /estimated_length=unknown
     misc_feature    2570..3979
                     /note="assembly_name:Contig31"
     gap             3980..4079
                     /estimated_length=unknown
     misc_feature    4080..5295
                     /note="assembly_name:Contig33"
     gap             5296..5395
                     /estimated_length=unknown
     misc_feature    5396..6630
                     /note="assembly_name:Contig37"
     gap             6631..6730
                     /estimated_length=unknown
     misc_feature    6731..7920
                     /note="assembly_name:Contig38"
     gap             7921..8020
                     /estimated_length=unknown
     misc_feature    8021..9452
                     /note="assembly_name:Contig39"
     gap             9453..9552
                     /estimated_length=unknown
     misc_feature    9553..10805
                     /note="assembly_name:Contig41"
     gap             10806..10905
                     /estimated_length=unknown
     misc_feature    10906..12145
                     /note="assembly_name:Contig43"
     gap             12146..12245
                     /estimated_length=unknown
     misc_feature    12246..13423
                     /note="assembly_name:Contig44"
     gap             13424..13523
                     /estimated_length=unknown
     misc_feature    13524..15026
                     /note="assembly_name:Contig51"
     gap             15027..15126
                     /estimated_length=unknown
     misc_feature    15127..16408
                     /note="assembly_name:Contig52"
     gap             16409..16508
                     /estimated_length=unknown
```

```
     *    42511    43677: contig of 1167 bp in length
     *    43678    43777: gap of unknown length
     *    43778    44933: contig of 1156 bp in length
     *    44934    45033: gap of unknown length
     *    45034    46566: contig of 1533 bp in length
     *    46567    46666: gap of unknown length
     *    46667    48332: contig of 1666 bp in length
     *    48333    48432: gap of unknown length
     *    48433    50446: contig of 2014 bp in length
     *    50447    50546: gap of unknown length
     *    50547    51956: contig of 1410 bp in length
     *    51957    52056: gap of unknown length
     *    52057    54338: contig of 2282 bp in length
     *    54339    54438: gap of unknown length
     *    54439    56408: contig of 1970 bp in length
     *    56409    56508: gap of unknown length
     *    56509    60179: contig of 3671 bp in length
     *    60180    60279: gap of unknown length
     *    60280    64269: contig of 3990 bp in length
     *    64270    64369: gap of unknown length
     *    64370    65819: contig of 1450 bp in length
     *    65820    65919: gap of unknown length
     *    65920    70603: contig of 4684 bp in length
     *    70604    70703: gap of unknown length
     *    70704    74447: contig of 3744 bp in length
     *    74448    74547: gap of unknown length
     *    74548    80301: contig of 5754 bp in length
     *    80302    80401: gap of unknown length
     *    80402    93561: contig of 13160 bp in length
     *    93562    93661: gap of unknown length
     *    93662   107828: contig of 14167 bp in length
     *   107829   107928: gap of unknown length
     *   107929   129690: contig of 21762 bp in length
     *   129691   129790: gap of unknown length
     *   129791   150182: contig of 20392 bp in length
     *   150183   150282: gap of unknown length
     *   150283   181315: contig of 31033 bp in length
     *   181316   181415: gap of unknown length
     *   181416   207034: contig of 25619 bp in length
     *   207035   207134: gap of unknown length
     *   207135   256000: contig of 48866 bp in length.
```

* as soon as it is available and the accession number will
* be preserved.

```
*        1    2054: contig of 2054 bp in length
*     2055    2154: gap of unknown length
*     5485    5585: gap of unknown length
*     5486    5585: contig of 3331 bp in length
*     5586    8523: contig of 2938 bp in length
*     8524    8623: gap of unknown length
*     8624   11066: contig of 2443 bp in length
*    11067   11166: gap of unknown length
*    11167   14580: contig of 3414 bp in length
*    14581   14680: gap of unknown length
*    14581   17963: contig of 3283 bp in length
*    17964   18063: gap of unknown length
*    18064   21381: contig of 3318 bp in length
*    21382   21481: gap of unknown length
*    21382   25967: contig of 4486 bp in length
*    25968   26067: gap of unknown length
*    26068   30350: contig of 4283 bp in length
*    30351   30450: gap of unknown length
*    30351   37058: contig of 6608 bp in length
*    37059   37158: gap of unknown length
*    37059   44120: contig of 6962 bp in length
*    44121   44220: gap of unknown length
*    44121   56124: contig of 11904 bp in length
*    56125   56224: gap of unknown length
*    56125   70495: contig of 14271 bp in length
*    70496   70595: gap of unknown length
*    70496   88931: contig of 18336 bp in length
*    88932   89031: gap of unknown length
*    88932  106819: contig of 17788 bp in length
*   106820  106919: gap of unknown length
*   106820  140897: contig of 33978 bp in length
*   140898  140997: gap of unknown length
*   140898  178266: contig of 37269 bp in length
*   178267  178366: gap of unknown length
*   178267  215146: contig of 36780 bp in length
*   215147  215246: gap of unknown length
*   215247  279430: contig of 64184 bp in length.
```

FEATURES   Location/Qualifiers
     source   1..279430
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone_lib="RPCI - 43 Male Chimpanzee BAC Library"
                     /clone="rp43-47k21"

```
     gap          2055..2154
                     /estimated_length=unknown
     gap          5486..5585
                     /estimated_length=unknown
     gap          8524..8623
                     /estimated_length=unknown
     gap          11067..11166
                     /estimated_length=unknown
     gap          14581..14680
                     /estimated_length=unknown
     gap          17964..18063
                     /estimated_length=unknown
     gap          21382..21481
                     /estimated_length=unknown
     gap          25968..26067
                     /estimated_length=unknown
     gap          30351..30450
                     /estimated_length=unknown
     gap          37059..37158
                     /estimated_length=unknown
     gap          44121..44220
                     /estimated_length=unknown
     gap          56125..56224
                     /estimated_length=unknown
     gap          70496..70595
                     /estimated_length=unknown
     gap          88932..89031
                     /estimated_length=unknown
     gap          106820..106919
                     /estimated_length=unknown
     gap          140898..140997
                     /estimated_length=unknown
     gap          178267..178366
                     /estimated_length=unknown
     gap          215147..215246
                     /estimated_length=unknown
```

ORIGIN

Query Match   1.7%;   Score 52; DB 14; Length 279430;
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 204125 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 204176
```

```
RESULT 199
CS039416
LOCUS       CS039416                 226 bp    DNA     linear   PAT 22-MAR-2005
DEFINITION  Sequence 226 from Patent WO2005019477.
ACCESSION   CS039416
VERSION     CS039416.1  GI:61847423
KEYWORDS    .
SOURCE      Homo sapiens
  ORGANISM  Homo sapiens (human)
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Lewin,J., Berlin,K., Hildmann,T., Olek,A., Beck,S. and Novik,K.
  TITLE     Methods and compositions for differentiating tissues or cell types
            using epigenetic markers
  JOURNAL   Patent: WO 200501947-A 226 03-MAR-2005;
            Epigenomics AG (DE)
FEATURES             Location/Qualifiers
     source          1..349980
                     /organism="Homo sapiens"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:9606"
                     /note="unknown base
                     seq 205 to long, 4.267.840
                     replaced by
```

```
                     new seq 205, from 0.000.001  to  0.349.980
                     new seq 222, from 0.300.001  to  0.649.980
                     new seq 223, from 0.600.001  to  0.949.980
                     new seq 224, from 0.900.001  to  1.249.980
                     new seq 225, from 1.200.001  to  1.549.980
                     new seq 226, from 1.500.001  to  1.849.980
                     new seq 227, from 1.800.001  to  2.149.980
                     new seq 228, from 2.100.001  to  2.449.980
                     new seq 229, from 2.400.001  to  2.749.980
                     new seq 230, from 2.700.001  to  3.049.980
                     new seq 231, from 3.000.001  to  3.349.980
                     new seq 232, from 3.300.001  to  3.649.980
                     new seq 233, from 3.600.001  to  3.949.980
                     new seq 234, from 3.900.001  to  4.249.980
                     new seq 235, from 4.200.001  to  4.549.980
                     new seq 236, from 4.500.001  to  4.647.455"
```

ORIGIN

Query Match   1.7%;   Score 52; DB 6; Length 349980;
Best Local Similarity   100.0%;   Pred. No. 5.7e-16;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 273885 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 273936
```

RESULT 200
BV634964/c

```
LOCUS       BV634964       715 bp    DNA    linear   STS 15-APR-2005
DEFINITION  S217P6621FB7.T0 Noemie Pan troglodytes troglodytes STS genomic,
            sequence tagged site.
ACCESSION   BV634964
VERSION     BV634964.1  GI:62625142
KEYWORDS    STS.
SOURCE      Pan troglodytes troglodytes
  ORGANISM  Pan troglodytes troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 715)
  AUTHORS   Mikkelsen,T.S., Hillier,W.L., Bichler,E.E., Zody,M.C. and
            Jaffe,D.B.
  TITLE     Initial Sequence of the Chimpanzee Genome and Comparison with the
            Human Genome
  JOURNAL   Unpublished (2005)
COMMENT     Contact: Michael C. Zody
            Broad Institute of MIT and Harvard
            320 Charles Street, Cambridge, MA 02141, USA
            Tel: 6172580933
            Fax: 6172580903
            Email: mczody@broad.mit.edu
            Primer A: No sequence submitted
            Primer B: No sequence submitted
            STS size: 715
            Protocol:
            23,021,928 chimpanzee whole genome shotgun reads were aligned to
            the Human genome NCBI
            Build 34 (hg16,July 2003). Chimp WGS reads were from 9 donors,
            including Clint (Pan
            troglodytes verus), 3 other Pan troglodytes verus chimps
            (Donald,Karlien,Yvonne), 3 Pan
            troglodytes troglodytes chimps (Noemie,Masuku,Clara) and 2 chimps
            of unknown origin
            (Gon,Unknown Chimp). Common names: Pan troglodytes verus is the
            western chimp and Pan
            troglodytes troglodytes is the central chimp. To be included in
            chimpanzee SNP discovery, a
            read must be at least 500bp in length, at least 50% of its base
            calls must have Phred
            score >= 20, at least 30% of its base calls must satisfy
            SNQS(30,25)(single strand NQS, the
            base in question has Phred score >= 30, the surrounding 10 bases in
            the read have Phred
            score >= 25), and the read must have at least 200 bp SNQS(30,25)
            bases. Reads not uniquely
            placed in the genome and read pairs whose two ends were not
            consistently placed were
            discarded. After above filtering, NQS(30,25) standard was applied
            to all pairs of
            overlapping reads to call NQS bases and SNPs. Alignments (between
            two reads) with less
            than 100 NQS bases or with SNP rate > 0.01 were discarded. To
            exclude alignment between two
            copies of a single read, comparisons between two reads that share
            95% of their genome
            alignments (>=95% bases of read A and >=95% bases of read B were
            placed at the same locus
            of human genome) were discarded.
FEATURES             Location/Qualifiers
     source          1..715
                     /organism="Pan troglodytes troglodytes"
                     /mol_type="genomic DNA"
                     /sub_species="troglodytes"
                     /db_xref="taxon:37011"
                     /clone_lib="Noemie"
     STS             <1..>715
ORIGIN
```

Query Match   1.6%;   Score 51; DB 10;   Length 715;
Best Local Similarity 100.0%; Pred. No. 1.8e-15;
Matches 51; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3072 AAGATTGTGCCACTGCACTTCCAGCCTGGGCCAACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     480 AAGATTGTGCCACTGCACTTCCAGCCTGGGCCAACAGAGCAAGACTCTGTCTC 430
```

Search completed: May 11, 2006, 08:43:47
Job time : 15448 secs

THIS PAGE BLANK (USPTO)

```
                        GenCore version 5.1.8
                Copyright (c) 1993 - 2006 Bioacceleration Ltd.

OM nucleic - nucleic search, using sw model

Run on:       May 11, 2006, 04:27:18 ; Search time 11817 Seconds
                                        (without alignments)
                                        12360.944 Million cell updates/sec

Title:        US-10-760-320A-102
Perfect score: 3122
Sequence:     1 actagaggtgggtagcgc.........acagagcaagactctgtctc 3122
Scoring table: OLIGO_NUC
              Gapop 60.0 , Gapext 60.0
Searched:     41078325 seqs, 2339541228 residues
Word size :   1

Total number of hits satisfying chosen parameters:     82156240

Maximum DB seq length: 2000000000
Minimum DB seq length: 0

Post-processing: Listing first 500 summaries

Database :    EST:*
              1: gb_est1:*
              2: gb_est2:*
              3: gb_est3:*
              4: gb_htc:*
              5: gb_est4:*
              6: gb_est5:*
              7: gb_est6:*
              8: gb_est7:*
              9: gb_gss1:*
             10: gb_gss2:*
             11: gb_gss3:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

SUMMARIES

	Result No.	Score	% Query Match	Length	DB	ID	Description
c	1	646	20.7	660	5	BX116028	BX116028 BX116028
c	2	613	19.6	670	6	CF145408	CF145408 UI-HP-CB0
c	3	598	19.2	677	6	CF145448	CF145448 UI-HP-CB0
c	4	531	17.0	685	3	BM671616	BM671616 UI-E-CQ1-
c	5	519	16.6	578	3	BM707056	BM707056 UI-E-CR1-
c	6	500	16.0	500	3	BM710194	BM710194 UI-E-CQ1-
c	7	450	14.4	655	3	BQ187216	BQ187216 UI-E-EJ1-
c	8	427	13.7	476	1	AW302149	AW302149 xs01f06.x
c	9	413	13.2	455	1	AI375213	AI375213 tc10f06.x
c	10	413	13.2	480	1	BM673230	BM673230 UI-E-CR1-
c	11	412	13.2	972	5	BQ682843	BQ682843 AGENCOURT
	12	395	12.7	1376	3	BM562937	BM562937 AGENCOURT
c	13	348	11.1	595	8	W81663	W81663 zd85e06.r1
c	14	333	10.7	605	5	BI458731	BI458731 603199879
c	15	290	9.3	728	5	BX645932	BX645932 DKFZp781B
c	16	180	5.8	449	8	W81222	W81222 zd85e06.s1
c	17	144	4.6	709	10	AG013685	AG013685 Homo sapi
c	18	53	1.7	709	10	AG013687	AG013687 Homo sapi
c	19	53	1.7	718	10	AG013686	AG013686 Homo sapi
c	20	52	1.7	354	1	AA679936	AA679936 ac85g01.s
c	21	52	1.7	441	1	AI732120	AI732120 ac86a01.x
c	22	52	1.7	441	1	AI732180	AI732180 ac85g01.x
c	23	52	1.7	520	7	CN277748	CN277748 170006001
c	24	52	1.7	529	9	AA680243	AA680243 ac86a01.s
c	25	52	1.7	553	7	CK825142	CK825142 ig44h08.y
c	26	52	1.7	555	7	CK825141	CK825141 ig44h08.x
c	27	52	1.7	568	9	AQ526715	AQ526715 HS_5216_A
c	28	51	1.6	373	9	BZ606000	BZ606000 WHAAS80TR
c	29	50	1.6	350	7	CR545224	CR545224 DKFZp459B
c	30	50	1.6	471	6	CB140816	CB140816 K-EST0194
c	31	50	1.6	572	9	AQ487295	AQ487295 RPCI-11-2
c	32	50	1.6	634	9	B47416	B47416 CT978SK-16
c	33	50	1.6	656	10	AG145253	AG145253 Pan trogl
	34	50	1.6	694	7	AV734315	AV734315 AV734315
	35	50	1.6	706	7	CN413517	CN413517 170005326
	36	49	1.6	770	6	CD357076	CD357076 AGENCOURT
	37	49	1.6	797	9	AY758761	AY758761 RP43-99b9
c	38	48	1.5	452	9	AW006453	AW006453 wr16h01.x
c	39	48	1.5	457	9	AQ757333	AQ757333 HS_5484_A
c	40	47	1.5	470	9	AQ121008	AQ121008 HS_3073_A
c	41	47	1.5	566	9	AQ029209	AQ029209 RPCI11-41
c	42	47	1.5	847	2	AQ508783	AQ508783 RPCI-11-2
c	43	47	1.5	216	2	BF526343	BF526343 602070608
c	44	47	1.5	255	1	AA078268	AA078268 7H48E05_C
c	45	47	1.5	313	9	AI393360	AI393360 tb51c03.x
c	46	46	1.5	314	1	BX475355	BX475355 DKFZp686M
c	47	46	1.5	319	1	AW841960	AW841960 IL5-CN002
c	48	46	1.5	329	1	CD514740	CD514740 AGENCOURT
c	49	46	1.5	341	6	AA661680	AA661680 nu87b06.s
c	50	46	1.5	372	2	BE061760	BE061760 RC1-BT025
c	51	46	1.5	387	9	BF767274	BF767274 RC2-CN008
c	52	46	1.5	389	9	CR960770	CR960770 Homo sapi
c	53	46	1.5	405	9	CN265832	CN265832 170004248
c	54	46	1.5	406	1	B95171	B95171 CIT-HSP-217
c	55	46	1.5	445	1	AQ017813	AQ017813 CIT-HSP-2
c	56	46	1.5	462	9	BX956845	BX956845 DKFZp781H
c	57	46	1.5	464	1	BX641474	BX641474 DKFZp686I
c	58	46	1.5	482	9	CA430010	CA430010 UI-H-FH1-
c	59	46	1.5	507	9	BU564032	BU564032 AGENCOURT
c	60	46	1.5	527	9	BX933709	BX933709 DKFZ781C
c	61	46	1.5	550	5	AQ485964	AQ485964 ax57a12.x
c	62	46	1.5	564	9	AQ381523	AQ381523 RPCI-11-16
c	63	46	1.5	574	9	AQ495959	AQ495959 RPCI-11-2
c	64	45	1.4	587	9	BU951869	BU951869 in74a04.x
c	65	45	1.4	309	9	AQ065412	AQ065412 HS_2224_B
c	66	45	1.4	352	9	AA085683	AA085683 zn53d01.s
c	67	45	1.4	408	9	CB132267	CB132267 K-EST0182
c	68	45	1.4	415	9	AQ009550	AQ009550 CIT-HSP-2
c	69	45	1.4	417	9	AQ054616	AQ054616 CIT-HSP-1
c	70	45	1.4	424	9	AQ170811	AQ170811 HS_3071_A
c	71	45	1.4	436	9	BG944968	BG944968 ax57a12.x
c	72	45	1.4	439	9	H63465	H63465 ys53e06.r1
c	73	45	1.4	447	9	BX954324	BX954324 DKFZp781B
c	74	45	1.4	452	9	AQ038737	AQ038737 CIT-HSP-2
c	75	45	1.4	469	2	CB142858	CB142858 K-EST0196
c	76	45	1.4	472	8	AQ333702	AQ333702 HS_5013_A
c	77	45	1.4	494	5	AU158612	AU158612 AU158612
c	78	45	1.4	503	9	BP872324	BP872324 BP872324
c	79	45	1.4	529	6	AG071092	AG071092 Pan trogl
c	80	45	1.4	529	5	AG116078	AG116078 Pan trogl
c	81	45	1.4	568	1	AQ540193	AQ540193 RPCI-11-3
c	82	45	1.4	599	9	AG174909	AG174909 Pan trogl
c	83	45	1.4	627	10	CN274316	CN274316 170006000
c	84	45	1.4	640	10	AQ349458	AQ349458 RPCI11-11

	#					Accession	Description
c	96	45	1.4	726	10	AG009127	AG009127 Homo sapi
c	97	45	1.4	731	10	AG009138	AG009138 Homo sapi
	98	45	1.4	741	10	AG009129	AG009129 Homo sapi
c	99	45	1.4	754	5	BX457023	BX457023
c	100	45	1.4	768	2	BG260049	BG260049 602371633
c	101	45	1.4	781	6	BX411269	BX411269
c	102	45	1.4	830	6	CD242479	CD242479 AGENCOURT
c	103	45	1.4	856	9	BU959380	BU959380 AGENCOURT
c	104	45	1.4	874	5	BZ771376	BZ771376 mcs76c11.
c	105	45	1.4	948	5	CF596843	CF596843 mcp87g05.
c	106	45	1.4	988	5	BQ896885	BQ896885 AGENCOURT
c	107	45	1.4	1123	2	BX404721	BX404721
	108	45	1.4	203	2	BG959135	BG959135 PM4-CT080
c	109	44	1.4	219	2	BG010132	BG010132 MR3-MT012
c	110	44	1.4	281	2	BF893386	BF893386 QV3-MT012
c	111	44	1.4	281	9	BH609712	BH609712 HIV18E03
c	112	44	1.4	294	1	AA938894	AA938894 nh07b12.x
c	113	44	1.4	301	1	AI382825	AI382825 ta72h10.x
c	114	44	1.4	301	2	BF879334	BF879334 IL3-UT011
c	115	44	1.4	325	2	BF914587	BF914587 IL3-UT011
c	116	44	1.4	337	9	AQ059204	AQ059204 CIT-HSP-2
c	117	44	1.4	338	8	N63149	N63149 yz37e10.s1
c	118	44	1.4	352	9	AQ092587	AQ092587 HS_3003._B
c	119	44	1.4	352	6	AI367551	AI367551 qv99e05.x
c	120	44	1.4	353	1	AA654781	AA654781 nt73g04.s
c	121	44	1.4	365	1	AQ061311	AQ061311 CIT-HSP-2
c	122	44	1.4	377	9	AA659316	AA659316 nt80a05.s
c	123	44	1.4	378	1	AQ239365	AQ239365 CIT-HSP-2
c	124	44	1.4	381	9	BU561388	BU561388 AGENCOURT
c	125	44	1.4	382	5	AA728990	AA728990 nw2g06.s
c	126	44	1.4	389	1	H44630	H44630 yp19g10.s1
c	127	44	1.4	409	8	AQ605062	AQ605062 HS_2119._B
c	128	44	1.4	412	9	CR769029	CR769029 DKFZp468I
c	129	44	1.4	421	7	N20066	N20066 yx28g04.s1
c	130	44	1.4	426	8	CR546695	CR546695 DKFZp470L
c	131	44	1.4	435	7	B60059	B60059 DKFZp686C
c	132	44	1.4	438	9	AL713064	AL713064 tj89c03.x
c	133	44	1.4	447	1	AQ705037	AQ705037 HS_5521._B
c	134	44	1.4	448	1	AI469968	AI469968 AU157238
c	135	44	1.4	448	9	AU157238	AU157238 BX111733
c	136	44	1.4	466	1	BX111733	BX111733 BE674703
c	137	44	1.4	466	2	BE674703	BE674703 7e9ae04.x
c	138	44	1.4	468	2	T84449	T84449 yd32d04.r1
c	139	44	1.4	472	8	BM983814	BM983814 UI-CF-DU1
c	140	44	1.4	473	3	BM314257	BM314257 ig5c03.x
c	141	44	1.4	483	3	BQ432539	BQ432539 CITBI-E1-
c	142	44	1.4	484	9	N35896	N35896 yy28c08.s1
c	143	44	1.4	485	5	AI908381	AI908381 RC-BT170-
c	144	44	1.4	486	8	R86218	R86218 yp88a10.r1
c	145	44	1.4	494	8	BB146359	BB146359 MRO-HT020
c	146	44	1.4	495	8	AI888752	AI888752 wn36a07.x
c	147	44	1.4	512	2	BE940436	BE940436 RC3-UT006
. c	148	44	1.4	516	2	AQ026637	AQ026637 CIT-HSP-2
c	149	44	1.4	517	2	CN389220	CN389220 17000600e
c	150	44	1.4	527	9	CD691041	CD691041 EST7564 N
c	151	44	1.4	530	7	CV418654	CV418654 RC3-UT006
c	152	44	1.4	538	7	B55060	B55060 CIT-HSP-385
c	153	44	1.4	540	7	AQ713671	AQ713671 HS_5399._B
c	154	44	1.4	543	9	AA715817	AA715817 nw25c05.s
c	155	44	1.4	551	1	CB129216	CB129216 K-EST0178
c	156	44	1.4	551	7	CV703188	CV703188 TgESTzys3
c	157	44	1.4	558	7	AW877914	AW877914 MR3-OT000
c	158	44	1.4	563	1	AQ591303	AQ591303 HS_2122_B
c	159	44	1.4	569	6	CD723228	CD723228 oj1e04.y
c	160	44	1.4	581	9	CB218356	CB218356 NISC_nb08
c	161	44	1.4	582	6	AA206418	AA206418 zg51a05.s
c	162	44	1.4	590	1	B70450	B70450 CIT-HSP-205
c	163	44	1.4	602	9	AL691931	AL691931 DKFZp313B
c	164	44	1.4	602	1	CL246302	CL246302 HSC_01025
c	165	44	1.4	614	1	AL120523	AL120523 DKFZp7010
c	166	44	1.4	614	10	CN267712	CN267712 17000531e
c	167	44	1.4	621	7	AQ542374	AQ542374 RPCI-11-3
c	168	44	1.4	627	7		
				633	9		

	#					Accession	Description
c	169	44	1.4	637	5	BX482192	BX482192 DKFZp686H
c	170	44	1.4	638	9	AQ697816	AQ697816 HS_5536._B
c	171	44	1.4	641	9	AV733586	AV733586 AV733586
c	172	44	1.4	649	10	AG025905	AG025905 Homo sapi
c	173	44	1.4	650	10	AG080818	AG080818 AG080818
c	174	44	1.4	652	1	AV722027	AV722027 Pan trog1
c	175	44	1.4	654	10	AQ106557	AQ106557 Pan trog1
c	176	44	1.4	655	1	AW959999	AW959999 EST372070
c	177	44	1.4	694	9	AQ740363	AQ740363 HS_5501._A
c	178	44	1.4	696	9	BU616112	BU616112 UI-H-DFO-
c	179	44	1.4	706	9	AQ262202	AQ262202 CITBI-E1-
c	180	44	1.4	715	9	BX504396	BX504396 DKFZp686O
c	181	44	1.4	715	5	BX098422	BX098422
c	182	44	1.4	745	10	AG175100	AG175100 Pan trog1
c	183	44	1.4	781	9	CB308313	CB308313 AGENCOURT
c	184	44	1.4	803	7	BZ610701	BZ610701 WHAAJ70TR
c	185	44	1.4	828	1	CA442440	CA442440 UI-H-DPO-
c	186	44	1.4	830	9	CB307968	CB307968 AGENCOURT
c	187	44	1.4	830	6	AQ781442	AQ781442 HS_3117._A
c	188	44	1.4	834	9	BZ612098	BZ612098 WHADP72TR
c	189	44	1.4	847	9	AQ781550	AQ781550 HS_3176._A
c	190	44	1.4	867	2	BF573285	BF573285 602079678
c	191	44	1.4	903	9	AQ749032	AQ749032 HS_5575._A
c	192	44	1.4	982	1	AL570050	AL570050 HS_5570._A
c	193	44	1.4	15227	1	CR622010	CR622010 full-leng
c	194	44	1.4	108	2	AA728876	AA728876 nv3jc08.r
c	195	43	1.4	132	9	BG012771	BG012771 IL5-GN023
c	196	43	1.4	132	8	CR543084	CR543084 DKFZp470G
c	197	43	1.4	151	8	N73376	N73376 za61h08.s1
c	198	43	1.4	154	8	AI611895	AI611895 tt59f11.x
c	199	43	1.4	157	1	AA018823	AA018823 ze57e09.r
c	200	43	1.4	168	1	AA478297	AA478297 zu45d06.r
c	201	43	1.4	196	1	F17774	F17774 HSPD02335 H
c	202	43	1.4	207	1	BG616769	BG616769 602614995
c	203	43	1.4	213	7	CN278030	CN278030 17000600e
c	204	43	1.4	224	7	AW818514	AW818514 RC1-ST027
c	205	43	1.4	238	9	AI886467	AI886467 wn39c10.x
c	206	43	1.4	246	9	AQ286384	AQ286384 RPCI11-79
c	207	43	1.4	252	9	AA501777	AA501777 ng05d09.s
c	208	43	1.4	254	9	BG151598	BG151598 nag61h12.
c	209	43	1.4	261	1	AA478355	AA478355 zu45d06.r
c	210	43	1.4	265	1	AW048108	AW048108 IL1-CT021
c	211	43	1.4	277	9	AQ378964	AQ378964 RPCI11-16
c	212	43	1.4	282	9	B98981	B98981 CIT-HSP-228
c	213	43	1.4	294	1	AI873852	AI873852 wm42e07.x
c	214	43	1.4	308	1	CN263688	CN263688 17000424I
c	215	43	1.4	329	2	BF184537	BF184537 601842843
c	216	43	1.4	339	2	AA714110	AA714110 nw05p09.s
c	217	43	1.4	341	1	BM709383	BM709383 UI-E-CQ1-
c	218	43	1.4	341	7	CK816152	CK816152 AGENCOURT
c	219	43	1.4	342	7	AI359986	AI359986 qy51g05.x
c	220	43	1.4	345	1	R76463	R76463 yi63h04.s1
c	221	43	1.4	347	9	BU732762	BU732762 UI-E-CQ1-
c	222	43	1.4	348	9	AV734149	AV734149 AV734149
c	223	43	1.4	350	9	AQ263477	AQ263477 CITBI-E1-
c	224	43	1.4	356	1	AA834798	AA834798 cd9bh01.s
c	225	43	1.4	356	1	BM667130	BM667130 UI-E-DXO-
c	226	43	1.4	368	1	T80208	T80208 yd03a02.r1
c	227	43	1.4	368	7	CV326131	CV326131 CM4-NN000
c	228	43	1.4	370	1	AV688904	AV688904 AV688904
c	229	43	1.4	374	7	AA600335	AA600335 ag04e01.s
c	230	43	1.4	378	1	CR737743	CR737743 CR737743
c	231	43	1.4	381	9	AQ062686	AQ062686 CIT-HSP-2
c	232	43	1.4	381	7	AI633479	AI633479 th62el1.x
c	233	43	1.4	383	9	AI336758	AI336758 qw93c01.x
c	234	43	1.4	383	9	AI312641	AI312641 nq09d08.x
c	235	43	1.4	391	9	AA633017	AA633017 nq09d08.x
c	236	43	1.4	397	9	CD640343	CD640343 AGENCOURT
c	237	43	1.4	399	1	F01045	F01045 HSB96B042 S
c	238	43	1.4	400	6	AA202847	AA202847 RPCI11-43
c	239	43	1.4	400	9	AA962276	AA962276 oo53a02.x
c	240	43	1.4	407	9	AI828710	AI828710 tr12d11.x
c	241	43	1.4	412	8		
				412	1		

C	#	Score	Ratio	Len	N	Accession	Accession	Description
c	242	43	1.4	420	5	BU074474	BU074474	1m76c02.x
c	243	43	1.4	423	2	AW819125	AW819125	RC3-ST028
c	244	43	1.4	426	8	R20234	R20234	yg18h12.r1
c	245	43	1.4	428	1	AA829110	AA829110	od78al1.s
c	246	43	1.4	447	1	AA706628	AA706628	ah26gd10.s
c	247	43	1.4	450	2	BE145089	BE145089	CM3-HT019
c	248	43	1.4	459	1	BE298219	BE298219	601118037
c	249	43	1.4	459	1	AL121207	AL121207	DKFZp7762F
c	250	43	1.4	462	6	CD370252	CD370252	UI-H-FT1-
c	251	43	1.4	465	1	AW675725	AW675725	ba53e09.x
c	252	43	1.4	478	1	AI627168	AI627168	ty60a05.x
c	253	43	1.4	479	8	H14566	H14566	yl25h12.r1
c	254	43	1.4	483	11	CR959520	CR959520	Homo sapi
c	255	43	1.4	489	1	AL119649	AL119649	DKFZp761K
c	256	43	1.4	493	2	BF854090	BF854090	MR2-EN009
c	257	43	1.4	501	7	CR546841	CR546841	DKFZp470B
c	258	43	1.4	502	9	AQ726636	AQ726636	HS_5411_B
c	259	43	1.4	504	9	AQ135921	AQ135921	HS_3060_A
c	260	43	1.4	505	9	AQ183779	AQ183779	HS_3199_B
c	261	43	1.4	510	2	BG613206	BG613206	602640756
c	262	43	1.4	511	5	BX953870	BX953870	DKFZp781A
c	263	43	1.4	524	3	AQ734876	AQ734876	HS_3051_A
c	264	43	1.4	527	3	BM770275	BM770275	K-EST0053
c	265	43	1.4	528	9	AQ472287	AQ472287	CITB1-E1-
c	266	43	1.4	529	7	CN388806	CN388806	170060001
c	267	43	1.4	529	9	AQ460087	AQ460087	HS_5123_B
c	268	43	1.4	532	1	AL698441	AL698441	DKFZp686K
c	269	43	1.4	543	2	BG254818	BG254818	602369246
c	270	43	1.4	544	5	BU076635	BU076635	1m50d01.y
c	271	43	1.4	547	7	CV571317	CV571317	oe1le07.y
c	272	43	1.4	550	1	AU152518	AU152518	AU152518
c	273	43	1.4	550	5	AW003867	AW003867	ws61d02.x
c	274	43	1.4	550	5	BX501587	BX501587	DKFZp779N
c	275	43	1.4	551	5	BU074758	BU074758	1m76c02.y
c	276	43	1.4	553	5	AL699840	AL699840	DKFZp686M
c	277	43	1.4	554	2	AW979058	AW979058	EST391168
c	278	43	1.4	574	2	BB395458	BB395458	601309981
c	279	43	1.4	576	1	AA601216	AA601216	no14d11.s
c	280	43	1.4	581	1	AW605171	AW605171	QVO-DT002
c	281	43	1.4	583	7	CN263464	CN263464	170004240
c	282	43	1.4	583	7	AZ519883	AZ519883	RPCI-11-7
c	283	43	1.4	585	6	CD700137	CD700137	EST16661
c	284	43	1.4	590	3	BM751907	BM751907	K-EST0028
c	285	43	1.4	596	5	BQ010300	BQ010300	UI-H-ED0-
c	286	43	1.4	606	5	BX486604	BX486604	DKFZp686K
c	287	43	1.4	607	2	BG924293	BG924293	HNC26-1-C
c	288	43	1.4	614	5	BX643423	BX643423	DKFZp781K
c	289	43	1.4	617	5	BX506068	BX506068	DKFZp686D
c	290	43	1.4	620	2	BB867617	BB867617	601443133
c	291	43	1.4	625	5	BX507175	BX507175	DKFZp779C
c	292	43	1.4	629	6	CD640871	CD640871	AGENCOURT
c	293	43	1.4	630	1	AI064786	AI064786	HA0564 Hu
c	294	43	1.4	636	10	AG174345	AG174345	Pan trogl
c	295	43	1.4	638	10	AG102516	AG102516	Pan trogl
c	296	43	1.4	639	9	AQ377619	AQ377619	RPCI11-16
c	297	43	1.4	640	3	AA012964	AA012964	ze27c03.r
c	298	43	1.4	646	10	AG007923	AG007923	Homo sapi
c	299	43	1.4	647	3	BQ019639	BQ019639	UI-H-ED0-
c	300	43	1.4	650	10	AG007924	AG007924	Homo sapi
c	301	43	1.4	653	10	AG061520	AG061520	Pan trogl
c	302	43	1.4	656	3	BI334807	BI334807	603391746
c	303	43	1.4	659	3	BI858506	BI858506	603998923
c	304	43	1.4	660	3	BM742097	BM742097	K-EST0014
c	305	43	1.4	668	3	BM771614	BM771614	K-EST0055
c	306	43	1.4	669	6	CD368504	CD368504	UI-H-FT1-
c	307	43	1.4	672	9	AQ348932	AQ348932	RPCI11-12
c	308	43	1.4	677	10	AG158069	AG158069	Pan trogl
c	309	43	1.4	683	10	AG155728	AG155728	Pan trogl
c	310	43	1.4	689	3	BM040803	BM040803	603614269
c	311	43	1.4	691	3	BM990097	BM990097	UI-H-DI0-
c	312	43	1.4	692	9	AQ491216	AQ491216	RPCI-11-2
c	313	43	1.4	692	10	AG141656	AG141656	Pan trogl
c	314	43	1.4	701	3	BI333819	BI333819	602993239
c	315	43	1.4	702	9	AQ391927	AQ391927	CITB1-E1-
c	316	43	1.4	704	3	BI603876	BI603876	603249768
c	317	43	1.4	705	1	AU139904	AU139904	AU139904
c	318	43	1.4	705	6	CA447891	CA447891	UI-H-BI0-
c	319	43	1.4	711	8	CX751218	CX751218	AGENCOURT
c	320	43	1.4	718	8	CD640244	CD640244	AGENCOURT
c	321	43	1.4	719	8	BE298219	BE298219	601118037
c	322	43	1.4	719	2	CX758818	CX758818	AGENCOURT
c	323	43	1.4	727	6	CA440514	CA440514	UI-H-ED0-
c	324	43	1.4	733	6	CD640273	CD640273	AGENCOURT
c	325	43	1.4	746	2	BE789473	BE789473	601482146
c	326	43	1.4	757	2	BG496744	BG496744	602538714
c	327	43	1.4	758	5	BX503885	BX503885	DKFZp686K
c	328	43	1.4	762	5	BG776280	BG776280	602663348
c	329	43	1.4	763	5	BU170732	BU170732	AGENCOURT
c	330	43	1.4	765	9	BZ600717	BZ600717	WHADG45TR
c	331	43	1.4	769	6	BE787623	BE787623	601481733
c	332	43	1.4	771	6	AQ491214	AQ491214	RPCI-11-2
c	333	43	1.4	779	9	CD110463	CD110463	AGENCOURT
c	334	43	1.4	815	6	CD521923	CD521923	AGENCOURT
c	335	43	1.4	838	5	CF597287	CF597287	AGENCOURT
c	336	43	1.4	850	8	BU502279	BU502279	AGENCOURT
c	337	43	1.4	858	2	DR763029	DR763029	HESC4_147
c	338	43	1.4	872	5	BE908331	BE908331	601503133
c	339	43	1.4	879	5	CD512236	CD512236	AGENCOURT
c	340	43	1.4	882	7	CB987766	CB987766	AGENCOURT
c	341	43	1.4	892	3	BQ230118	BQ230118	AGENCOURT
c	342	43	1.4	897	2	BE787623	BE787623	AGENCOURT
c	343	43	1.4	899	5	BM555408	BM555408	AGENCOURT
c	344	43	1.4	909	5	CD555035	CD555035	AGENCOURT
c	345	43	1.4	918	5	BQ881589	BQ881589	AGENCOURT
c	346	43	1.4	935	2	BX348401	BX348401	AGENCOURT
c	347	43	1.4	940	5	BG432843	BG432843	AGENCOURT
c	348	43	1.4	966	5	CD519390	CD519390	AGENCOURT
c	349	43	1.4	970	5	BQ691900	BQ691900	AGENCOURT
c	350	43	1.4	973	5	BU161423	BU161423	AGENCOURT
c	351	43	1.4	987	5	BQ718493	BQ718493	AGENCOURT
c	352	43	1.4	990	3	BX437681	BX437681	AGENCOURT
c	353	43	1.4	994	1	BM469408	BM469408	AGENCOURT
c	354	43	1.4	1015	3	AL541554	AL541554	AGENCOURT
c	355	43	1.4	1023	3	AL541554	AL541554	AGENCOURT
c	356	43	1.4	1026	3	BM915472	BM915472	AGENCOURT
c	357	43	1.4	1029	3	BM471041	BM471041	AGENCOURT
c	358	43	1.4	1031	5	AL534375	AL534375	AGENCOURT
c	359	43	1.4	1044	3	BX404687	BX404687	AGENCOURT
c	360	43	1.4	1052	1	AL540730	AL540730	AGENCOURT
c	361	43	1.4	1058	5	BX435528	BX435528	AGENCOURT
c	362	43	1.4	1060	3	BM913019	BM913019	AGENCOURT
c	363	43	1.4	1063	3	BM807930	BM807930	AGENCOURT
c	364	43	1.4	1093	1	AL534375	AL534375	AGENCOURT
c	365	43	1.4	1096	5	BX404833	BX404833	AGENCOURT
c	366	43	1.4	1099	5	AL568568	AL568568	AGENCOURT
c	367	43	1.4	1139	1	BM556405	BM556405	AGENCOURT
c	368	43	1.4	1232	3	BC032375	BC032375	full-leng
c	369	43	1.4	1294	4	CR623963	CR623963	full-leng
c	370	43	1.4	1706	4	CR619443	CR619443	full-leng
c	371	43	1.4	1706	4	CR620867	CR620867	full-leng
c	372	43	1.4	1793	4	AP461901	AP461901	Homo sapi
c	373	43	1.4	2263	4	CR749233	CR749233	Homo sapi
c	374	43	1.4	5797	4	HSM005983	HSM005983	HSM005983
c	375	43	1.4	6345	4	AQ422284	AQ422284	Pongo pyg
c	376	43	1.4	7316	9	CR857086	CR857086	RPCI-11-1
c	377	42	1.3	121	9	AQ422284	AQ422284	Pongo pyg
c	378	42	1.3	144	2	AQ422284	AQ422284	RPCI-11-1
c	379	42	1.3	145	1	AI492587	AI492587	t129i11.x
c	380	42	1.3	151	6	CD642086	CD642086	AGENCOURT
c	381	42	1.3	183	2	BF858167	BF858167	QV1-PT020
c	382	42	1.3	230	8	AW196615	AW196615	xo25a02.x
c	383	42	1.3	236	2	W20344	W20344	zd44f01.r1
c	384	42	1.3	263	2	BE023241	BE023241	IL2-BT073
c	385	42	1.3	264	1	AW207358	AW207358	UI-H-BI1-
c	386	42	1.3	271	1	AI049508	AI049508	an21b12.x
c	387	42	1.3	300	9	AZ518434	AZ518434	RPCI-11-4

RESULT 1
BX116028
BX116028

```
LOCUS       BX116028     660 bp    mRNA    linear   EST 07-FEB-2003
DEFINITION  BX116028 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone
            IMAGp998C11795 ; IMAGE:3474458, mRNA sequence.
ACCESSION   BX116028
VERSION     BX116028.1  GI:27880354
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 660)
  AUTHORS   Ebert,L., Heil,O., Hennig,S., Neubert,P., Partsch,E., Peters,M.,
            Radelof,U., Schneider,D. and Korn,B.
  TITLE     Human UniGeneSet - RZPD3
  JOURNAL   Unpublished (2003)
  COMMENT   Contact: Ina Rolfs
            RZPD Deutsches Ressourcenzentrum fuer Genomforschung GmbH
            Im Neuenheimer Feld 580, D-69120 Heidelberg, Germany
            RZPDj IMAGp998C11795.
            RZPDLIB; I.M.A.G.E. cDNA Clone Collection;
            Human UniGeneSet - RZPD3 (RZPDLIB No.972)
            http://www.rzpd.de/clonecards/cgi-
            bin/showlib.pl.cgi/response?libNo=972 Contact: Ina Rolfs
            RZPD Deutsches Ressourcenzentrum fuer Genomforschung GmbH
            Heubnerweg 6, D-14059 Berlin, Germany
```

ALIGNMENTS

Tel: +49 30 32639 101
Fax: +49 30 32639 111
www.rzpd.de
This clone is available royalty-free from RZPD;
contact RZPD (clone@rzpd.de) for further information. Seq primer:
M13r, Primer sequence:TTTCACAGGAAAACAGCTATGAC.

FEATURES   Location/Qualifiers
source   1..660
          /organism="Homo sapiens"
          /mol_type="mRNA"
          /clone="IMAGp998C11795 ; IMAGE:347458"
          /sex="unknown"
          /dev_stage="19 weeks"
          /lab_host="DH10B (ampicillin resistant)"
          /clone_lib="Soares_fetal heart NbHH19W"
          /note="Organ: heart; Vector: pT7T3D (Pharmacia) with a
          modified polylinker; Site_1: Not I; Site_2: Eco RI; 1st
          strand cDNA was primed with a Not I - oligo(dT) primer [5'
          TGTTACCAATCAGAGGTCGGACGGCCGCGCCATCTTTTTTTTTTTTTTTTT 3'],
          double-stranded cDNA was size selected, ligated to Eco RI
          adapters (Pharmacia), digested with Not I and cloned into
          the Not I and Eco RI sites of a modified pT7T3 vector
          (Pharmacia). Library went through one round of
          normalization to a Cot = 5. Library was constructed by
          M.Fatima Bonaldo. This library was constructed from the
          same fetus as the fetal lung library, Soares fetal lung
          NbHL19W."

ORIGIN
Query Match   20.7%;   Score 646;   DB 5;   Length 660;
Best Local Similarity   100.0%;   Pred. No. 8e-303;
Matches 646;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   2129 CTAAGACGCGCTACAGCCCCTTCCTTAGCACAGAGTTTATCCAATTCGTTCCCCAAGAGCAGCTAG 2188
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 CTAAGACGCGCTACAGCCCCTTCCTTAGCACAGAGTTTATCCAATTCGTTCCCCAAGAGCAGCTAG 60

Qy   2189 AAGAGATTTGAGGTCATGACCTCCCACTCGCCGCTCACTGCCCTGCGCCTCCCCACTTATTAGGAAACC 2248
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 AAGAGATTTGAGGTCATGACCTCCCACTCGCCGCTCACTGCCCTGCGCCTCCCCACTTATTAGGAAACC 120

Qy   2249 AAAGAGGGGTGGGGTTGGGTTGAACCTTACTTCTTCACGGACTTGGATCCCAGTCGCGCACTTCCCTGCG 2308
               |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 AAAGAGGGGTGGGGTTGAACCTTACTTCTCACGGACTTGGATCCCAGTGCGCACTTGCCTGCG 180

Qy   2309 GAAAAAGGGGCTCTCCCCAGCCACCCGGAGATGGGGTAAGGAAGCAAGAGGGCTTGGGG 2368
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 GAAAAAGGGGCTCTCCCCAGCCACCCGGAGATGGGGTAAGGAAGCAAGAGGGCTTGGGG 240

Qy   2369 TAGGGCCACCTGGTGTGTTTAAACAGGCACACTTTCTCCCTTCTCCTTGGGGCCTTATTTTGTTCAG 2428
               |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 TAGGGCCACCTGGTGTGTTTAAACAGGCACTTTCTCCTTCTCCTTGGGGCCTTATTTTGTTCAG 300

Qy   2429 AACTAGACCAGAGTGTTTGAACCTCCTTTGCAGAGGAGGGCTTGGGGAATCCTCTTCTTTAGAGCAC 2488
               |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 AACTAGACCAGAGTGTTTGAACCTCCTTTGCAGAGGAGGGCTTGGGGAATCCTCTTTAGAGCAC 360

Qy   2489 TTAATCCTATTTATTCCCCTTGGAAATGTGCCTTGGCCTGGTAGGAGGAGGCTTTGGGCAG 2548
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 TTAATCCTATTTATTCCCCTTGGAAATGTGCCTTGGCCTGGTAGGAGGAGGCTTTGGGCAG 420

Qy   2549 CTCCCTGACCCCCCGCGCCGCCCTCCCGGGGTAATGTGCCCACAGAG 2608
               |||||||||||||||||||||||||||||||||||||||||||||||
Db   421 CTCCCTGACCCCCGCGCCGCCCTCCCGGGGTAATGTGCCCACAGAG 480

Qy   2609 GTTTTTGAGCCAATCAGCCTCTGAGACTGGGGTTAGNATGTNAACAGCTTTAACTTGGGATTTA 2668
               |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481 GTTTTTGAGCCAATCAGCTCTGAGACTGGGTTAGNATGTNAACAGCTTTAACTTGGGATTTA 540

Qy   2669 AGRAGCTTTTAAAAGGTAATAATCCTTCTGAAAGAAAAAAATGACGTAACCACAGCGTGTACT 2728
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541 AGRAGCTTTTAAAAGGTAATAATCCTTCTGAAAGAAAAAAATGACGTAACCACAGCGTGTACT 600

RESULT 2

Qy   2729 ATGAAAAGCTGTTATTTTTAATTAAAGGAACAGCCTCTGGGCGCCCATGAACTCATCATA 2774
               |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   601 ATGAAAAGCTGTTATTTTTAATTAAAGGAACAGCCTGGGCGCCCATGAACTCATCATA 646

CF145408
LOCUS   CF145408   670 bp   mRNA   linear   EST 06-AUG-2003
DEFINITION   UI-HF-CB0-aeo-e-10-0-UI.r1 NIH_MGC_210 Homo sapiens cDNA clone
          IMAGE:30569145 5', mRNA sequence.
ACCESSION   CF145408
VERSION   CF145408.1   GI:33260852
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
          Hominidae; Homo.
REFERENCE   1 (bases 1 to 670)
AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
TITLE   Normalization and subtraction: two approaches to facilitate gene
          discovery
JOURNAL   Genome Res. 6 (9), 791-806 (1996)
PUBMED   8889548
COMMENT   Contact: Soares, MB
          Coordinated Laboratory for Computational Genomics
          University of Iowa
          375 Newton Road, 4156 MEBRF, Iowa City, IA 52242, USA
          Tel: 319 335 8250
          Fax: 319 335 9565
          Email: bento-soares@uiowa.edu
          Tissue Procurement: Tim Ratliff
          cDNA Library Preparation: Dr. M. Bento Soares, University of Iowa
          cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
          DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
          Clone Distribution: Distribution information can be found at
          http://genome.uiowa.edu/distribution/humanfl.html
          The following repetitive elements were found in this cDNA
          sequence: 129-236, >MIR#SINE/MIR
          Seq primer: PYX-5,

FEATURES   Location/Qualifiers
source   1..670
          /organism="Homo sapiens"
          /mol_type="mRNA"
          /db_xref="taxon:9606"
          /clone="IMAGE:30569145"
          /tissue_type="CNCAP(3)T-225 cell line"
          /lab_host="DH10B (T1 phage resistant)"
          /clone_lib="NIH_MGC_210"
          /note="Organ: Prostate; Vector: pT7T3 Pac; Site_1: EcoR I;
          Site_2: Not I; The library was constructed according
          Bonaldo, Lennon and Soares, Genome Research, 6:791-806,
          1996. Denatured RNA was size fractionated on a 1% agarose
          gel. First strand cDNA synthesis was primed with oligo-dT
          primer containing a Not I site. Double strand cDNA was
          size selected according to mRNA size fraction, ligated
          with EcoR I adaptor, digested with Not I and then cloned
          directionally into pT7T3 Pac vector. The library tag
          sequence located between the Not I site and the polyA tail
          is CCCAC. Tissue was provided by Tim Ratliff."

ORIGIN
Query Match   19.6%;   Score 613;   DB 6;   Length 670;
Best Local Similarity   99.8%;   Pred. No. 9.6e-287;
Matches 663;   Conservative 0;   Mismatches 1;   Indels 0;   Gaps 0;

Qy   43 GCGCAACGCGCGCAGGGACACACCTGACCCCCGCGCCCTGGGATTGCCAGTCAC 102
               ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   7 GCGCAACGCGCGCAGGGACACCTGACCCCCGCGCCCTGGGATTGCCAGTCAC 66

Qy   103 TGCTCGGCTTTGGGGCCACGGAGGTGCCCCAGTCCTGCGGGGGCACCGGACGTCGCCGTGTCGCCGA 162
               |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   103 TGCTCGGCTTTGGGGCCACGGAGGTGCCCCAGTCCTGCGGGGGCACCGGACGTCGCCGTGTCGCCGA 162

```
Db   67  TGCTCGCTTTGGGGCACGGAGGTGCCAGTGCCTGCGCGGGGGCACCCGACGTCCTGTGCGCCGA
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   163 CAGGGGTCCGGGAGTCAGTATAGCTGGGGTTCTAGTCCCATCACAGGCAAAAACTTCCGCGGG 222

Db   127 CAGGGTCCGGGAGTCAGTATAGCTGGGGTTCTAGTCCCATCACACAGGCAAAAACTTCCGCGGG 186

Qy   223 AGCCTGGGCCCGCGCTTTTTACCTGGGCCCTCAGTTTCCCCATCCGTAAAAATAGAACGGGTTGG 282

Db   187 AGCCTGGGCCCGCGCTTTTTACCTGGGCCCTCAGTTTCCCCATCCGTAAAAATAGAACGGGTTGG 246

Qy   283 ATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGCGAAGGGGGAGGGGAGGGGATGGGGCC 342

Db   247 ATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGCGAAGGGGGAGGGGAGGGGATGGGGCC 306

Qy   343 ACCCACACGTGACCTCCCCGCGTGGAGCCCCGCCTTACCACTGATCCAGGGGGGTGGCAGCT 402

Db   307 ACCCACACGTGACCTCCCCGCGTGGAGCCCCGCCTTACCACTGATCCAGGGGGGTGGCAGCT 366

Qy   403 CCCGGCCGGGACGGAGCGGCGGGGGTGGCGGGGGTCCTAGGAAAACCCTACCCGGCGCCCCTTGGCCAG 462

Db   367 CCCGGCCGGGACGGAGCGGCGGGGGTGGCGGGGGTCCTAGGAAAACCCTACCCGGCGCCCCTTGGCCAG 426

Qy   463 CGCCTAAGGCGGAGCGGCGCGGGGCGCTCGTTGCCGCCGCTGCTTGCCCCTGGGCCACCCACGGGAG 522

Db   427 CGCCTAAGGCGGAGCGGCGCGGGGCGCTCGTTGCCGCCGCTGCTTGCCCCTGGGCCACCCACGGGAG 486

Qy   523 GATGGGGACCGCACCCTCAGCTTCGCAGGGAGCGGCCACCGTGGAGGCCCAGGGGGGTGGCAGAG 582

Db   487 GATGGGGACCGCACCCTCAGCTTCGCAGGGAGCGGCCACCGTGGAGGCCCAGGGGGGTGGCAGAG 546

Qy   583 ACACGGACGTGTGACTCGGAGTGCGCCCTGGGGAGGGGGAGGGGGGGGGAGGGGGGGGGACCGGCTA 642

Db   547 ACACGGACGTGTGACTCGGAGTGCGCCCTGGGGAGGGGGAGGGGGGGGGAGGGGGGGGGACCGGCTA 606

Qy   643 ACGGGGGCTCCCTCTTGCGCGCCCGTCCCCGCAGAGGGCGCACGTCGAGGGGTC 702

Db   607 ACGGGGGCTCCCTCTTGCGCGCCCGTCCCCGCAGAGGGCGCACGTCGAGGGGTCCGA 666

Qy   703 CCGT 706

Db   667 CCGT 670
```

```
RESULT 3
CF145448
LOCUS       CF145448                677 bp    mRNA    linear    EST 06-AUG-2003
DEFINITION  UI-HF-CB0-asp-a-08-0-UI.r1 NIH_MGC_210 Homo sapiens cDNA clone
            IMAGE:30569191 5', mRNA sequence.
ACCESSION   CF145448
VERSION     CF145448.1  GI:33260892
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 677)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE     Normalization and subtraction: two approaches to facilitate gene
            discovery
  JOURNAL   Genome Res. 6 (9), 791-806 (1996)
   PUBMED   8889548
COMMENT     Contact: Soares, MB
            Coordinated Laboratory for Computational Genomics
            University of Iowa
            375 Newton Road, 4156 MBRF, Iowa City, IA 52242, USA
            Tel: 319 335 8850
            Fax: 319 335 9555
            Email: bento-soares@uiowa.edu
            Tissue Procurement: Tim Ratlift
            cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
            cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
            DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
```

```
            Clone Distribution: Distribution information can be found at
            http://genome.uiowa.edu/distribution/humanfl.html
            The following repetitive elements were found in this cDNA
            sequence: 129-236, >MIR#SINE/MIR
            Seq primer: PYX-5.
FEATURES             Location/Qualifiers
     source          1..677
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:30569191"
                     /tissue_type="CNCAP(3)T-225 cell line"
                     /clone_lib="NIH_MGC_210"
                     /note="Organ: Prostate; Vector: pT7T3 Pac; Site 1: EcoR I;
                     Site 2: Not I; The library was constructed according
                     Bonaldo, Lennon and Soares, Genome Research, 6:791-806,
                     1996. Denatured RNA was size fractionated on a 1% agarose
                     gel. First strand cDNA synthesis was primed with oligo-dT
                     primer containing a Not I site. Double strand cDNA was
                     size selected according to mRNA size fraction, ligated
                     with EcoR I adaptor, digested with Not I and then cloned
                     directionally into pT7T3 Pac vector. The library tag
                     sequence located between the Not I site and the polyA tail
                     is CCCAC. Tissue was provided by Tim Ratlift."
ORIGIN
```

```
Query Match       19.2%;   Score 598;   DB 6;   Length 677;
Best Local Similarity   99.8%;   Pred. No. 2e-279;
Matches  648;  Conservative  0;  Mismatches  1;  Indels  0;  Gaps  0;
```

```
Qy   43  GCGCAAACGCGCAGGGACCACCTGACCCCCCGGCGGGGGGGCCCCTTCGGATTGCCAGTCAC 102
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   7   GCGCAAACGCGCAGGGACCACCTGACCCCCCGGCGGGGGGGCCCCTTCGGATTGCCAGTCAC 66

Qy   103 TGCTCGCTTTGGGGCACGGAGGTGCCCAGTGCCTGGGGGGCACCCGACGTCCTGTGCGCCGA 162
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   67  TGCTCGCTTTGGGGCACGGAGGTGCCCAGTGCCTGGGGGGCACCCGACGTCCTGTGCGCCGA 126

Qy   163 CAGGGGTCCGGGAGTCAGTATAGCTGGGGTTCTAGTCCCATCACAGGCAAAAACTTCCGCGGG 222
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   127 CAGGGTCCGGGAGTCAGTATAGCTGGGGTTCTAGTCCCATCACACAGGCAAAAACTTCCGCGGG 186

Qy   223 AGCCTGGGCCCGCGCTTTTTACCTGGGCCCTCAGTTTCCCCATCCGTAAAAATAGAACGGGTTGG 282
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   187 AGCCTGGGCCCGCGCTTTTTACCTGGGCCCTCAGTTTCCCCATCCGTAAAAATAGAACGGGTTGG 246

Qy   283 ATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGCGAAGGGGGAGGGGAGGGGATGGGGCC 342
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   247 ATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGCGAAGGGGGAGGGGAGGGGATGGGGCC 306

Qy   343 ACCCACACGTGACCTCCCCGCGTGGAGCCCCGCCTTACCACTGATCCAGGGGGGTGGCAGCT 402
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   307 ACCCACACGTGACCTCCCCGCGTGGAGCCCCGCCTTACCACTGATCCAGGGGGGTGGCAGCT 366

Qy   403 CCCGGCCGGGACGGAGCGGCGGGGGTGGCGGGGGTCCTAGGAAAACCCTACCCGGCGCCCCTTGGCCAG 462
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   367 CCCGGCCGGGACGGAGCGGCGGGGGTGGCGGGGGTCCTAGGAAAACCCTACCCGGCGCCCCTTGGCCAG 426

Qy   463 CGCCTAAGGCGGAGCGGCGCGGGGCGCTCGTTGCCGCCGCTGCTTGCCCCTGGGCCACCCACGGGAG 522
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   427 CGCCTAAGGCGGAGCGGCGCGGGGCGCTCGTTGCCGCCGCTGCTTGCCCCTGGGCCACCCACGGGAG 486

Qy   523 GATGGGGACCGCACCCTCAGCTTCGCAGGGAGCGGCCACCGTGGAGGCCCAGGGGGGTGGCAGAG 582
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   487 GATGGGGACCGCACCCTCAGCTTCGCAGGGAGCGGCCACCGTGGAGGCCCAGGGGGGTGGCAGAG 546

Qy   583 ACACGGACGTGTGACTCGGAGTGCGCCCTGGGGAGGGGGAGGGGGGGGGAGGGGGGGGGACCGGCTA 642
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   547 ACACGGACGTGTGACTCGGAGTGCGCCCTGGGGAGGGGGAGGGGGGGGGAGGGGGGGGGACCGGCTA 606

Qy   643 ACGGGGGCTCCCTCTTGCGCGCCCGTCCCCGCAGAGGGCGCACGTCGAGGGGTC 691
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||
```

RESULT 4

```
Db          607 ACGGGGTCTCCCTCTCGCGCCCCTCCGCAGAGCGCGCACGTCGAGGGTC 655
```

LOCUS   BM671616/c   685 bp   mRNA   linear   EST 27-FEB-2002
DEFINITION   UI-E-CQ1-agc-1-04-0-UI.s1 UI-E-CQ1 Homo sapiens cDNA clone
             UI-E-CQ1-agc-1-04-0-UI 3', mRNA sequence.
ACCESSION   BM671616
VERSION   BM671616.1 GI:18981514
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 685)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE   Normalization and subtraction: two approaches to facilitate gene
             discovery
  JOURNAL   Genome Res. 6 (9), 791-806 (1996)
  PUBMED   8889548
COMMENT   Contact: Soares, MB
             Coordinated Laboratory for Computational Genomics
             University of Iowa
             375 Newton Road, 4156 MEBRF, Iowa City, IA 52242, USA
             Tel: 319 335 8250
             Fax: 319 335 9565
             Email: bento-soares@uiowa.edu
             Tissue Procurement: Dr. Gregg Hageman
             cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
             DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
             Clone Distribution: Researchers may obtain clones from Research
             Genetics (www.resgen.com).
             Seq primer: M13 Forward
             POLYA=Yes.
FEATURES   Location/Qualifiers
     source   1..685
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-E-CQ1-agc-1-04-0-UI"
                     /tissue_type="optic nerve"
                     /dev_stage="adult"
                     /lab_host="DH10B (Life Technologies) (T1 phage resistant)"
                     /clone_lib="UI-E-CQ1"
                     /note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a
                     modified polylinker; Site_1: EcoR I; Site_2: Not I;
                     UI-E-CQ1 is a normalized cDNA library containing the
                     following tissue(s): optic nerve. The library was
                     constructed according to Bonaldo, Lennon and Soares,
                     Genome Research, 6:791-806, 1996. First strand cDNA
                     synthesis was primed with an oligo-dT primer containing a
                     Not I site. Double stranded cDNA was ligated to an EcoR I
                     adaptor, digested with Not I, and cloned directionally
                     into pT7T3-Pac vector. The oligonucleotide used to prime
                     the synthesis of first-strand cDNA contains a library tag
                     sequence that is located between the Not I site and the
                     (dT)18 tail. The sequence tag for this library is
                     CCATTAAGTG. This library was created for the program, Gene
                     Discovery in the Visual System, supported by National Eye
                     Institute (NEI)."
                     TAG_TISSUE=human optic nerve
                     TAG_LIB=UI-E-CQ1
                     TAG_SEQ=CCATTAAGTG"
ORIGIN
```

Query Match   17.0%;   Score 531;   DB 3;   Length 685;
Best Local Similarity   99.8%;   Pred. No. 8.7e-247;
Matches 651;   Conservative   0;   Mismatches   0;   Indels   1;   Gaps   1;

```
Qy    2121 GGCTTTCTCTAAGACGCGCTACACGCCCTTCCTAGCAGAGAGTTTATCCATTCGTCCCCAAGA 2180
                ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     668 GGCTTTCTCTAAGACGCGCTACACAGCCCTTCCTAGCAGAGAGTTTATCCATTCGTCCCCAAGA 609

Qy    2181 GCAGCTAGAGAGAGATTGAGGTCATGACCTCCCCACTGCCCTCAGGGGTCGACCCTATTT 2240
                ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     608 GCAGCTAGAGAGAGATTGAGGTCATGACCTCCCCACTGCCCTCAGGGGTCGACCCTATTT 549

Qy    2241 AGGAAACCAAAGAGAGGGGTGGGTTGAACCTACTCTCACGGACTTGGATCCAGTGCCGCACACT 2300
                |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     548 AGGAAACCAAAGAGAGGGGTGGG-TGAACCTACTCTCACGGACTTGGATCCAGTGCCGCACACT 490

Qy    2301 TGCCTGCGGAAAAGGGCTCTCCCCAGCCACCCGGAGGATGGGGGGTAAGAGAGGAAGAGCAGAG 2360
                |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     489 TGCCTGCGGAAAAGGGCTCTCCCCAGCCACCCGGAGGATGGGGGGTAAGAGAGGAAGAGCAGAG 430

Qy    2361 GCTTGGGGGTAGGGCCCACCTGGGTGTTGTTTAAAACAGGGCACTTCCTTCTCTTCTGGGGCTTATT 2420
                ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     429 GCTTGGGGGTAGGGCCCACCTGGGTGTTGTTTAAAACAGGGCACTTCCTTCTCTTCTGGGGCTTATT 370

Qy    2421 TTGTTCAGGAACTAGACCAGAGTGTTTGAACCTCCTTTTGCAGGAGGGGGTGAATCCTCTT 2480
                ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     369 TTGTTCAGGAACTAGACCAGAGTGTTTGAACCTCCTTTTGCAGGAGGGGGTGAATCCTCTT 310

Qy    2481 TAGAGCACTTAAATCCTATTTATTCCCCTGGAAATGTCGGTGGCCAGTAGGAGGAGGGCTGGC 2540
                ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     309 TAGAGCACTTAAATCCTATTTATTCCCCTGGAAATGTCGGTGGCCAGTAGGAGGAGGGCTGGC 250

Qy    2541 TTTGGCAGCTCCCTGACCCCCGCCCCGCCCCTCCGGGGTTAATGTGCCATTTACTGGC 2600
                |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     249 TTTGGCAGCTCCCTGACCCCCGCCCCGCCCCTCCGGGGTTAATGTGCCATTTACTGGC 190

Qy    2601 CCACAGAGAGGTTTTGGAGCCAATCAGCTCTCGAGACTGGGGTTAGAAGTAACAGCTTTAACTT 2660
                ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     189 CCACAGAGAGGTTTTGGAGCCAATCAGCTCTCGAGACTGGGGTTAGAAGTAACAGCTTTAACTT 130

Qy    2661 GGGATTTAAGAAGCTTTTAAAAGGTAATAAATCCTCTGAAAGAAAAATGAGGTAACCACAG 2720
                ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     129 GGGATTTAAGAAGCTTTTAAAAGGTAATAAATCCTCTGAAAGAAAAATGAGGTAACCACAG 70

Qy    2721 CGTGTACTATGAAAAGCTGTTATTTTATTTTAATAAAGACGCTGGGCCATGAACTCA 2772
                |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      69 CGTGTACTATGAAAAGCTGTTATTTTATTTTAATAAAGACGCTGGGCCATGAACTCA 18
```

RESULT 5

LOCUS   BM707056   578 bp   mRNA   linear   EST 28-FEB-2002
DEFINITION   UI-E-CR1-adx-b-12-0-UI.r1 UI-E-CR1 Homo sapiens cDNA clone
             UI-E-CR1-adx-b-12-0-UI 5', mRNA sequence.
ACCESSION   BM707056
VERSION   BM707056.1 GI:19020314
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 578)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE   Normalization and subtraction: two approaches to facilitate gene
             discovery
  JOURNAL   Genome Res. 6 (9), 791-806 (1996)
  PUBMED   8889548
COMMENT   Contact: Soares, MB
             Coordinated Laboratory for Computational Genomics
             University of Iowa
             375 Newton Road, 4156 MEBRF, Iowa City, IA 52242, USA
             Tel: 319 335 8250
             Fax: 319 335 9565
             Email: bento-soares@uiowa.edu
             Tissue Procurement: Dr. Gregg Hageman
             cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
             cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa

DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
Clone Distribution: Researchers may obtain clones from Research
Genetics (www.resgen.com).
Seq primer: M13 Reverse.

```
FEATURES          Location/Qualifiers
  source          1..578
                  /organism="Homo sapiens"
                  /mol_type="mRNA"
                  /db_xref="taxon:9606"
                  /clone="UI-E-CR1-adx-b-12-0-UI"
                  /tissue_type="eye anterior segment"
                  /dev_stage=adult"
                  /clone_lib="UI-E-CR1"
                  /lab_host="DH10B (Life Technologies) (T1 phage resistant)"
                  /note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a
                  modified polylinker; Site_1: EcoR I; Site_2: Not I;
                  UI-E-CR1 is a normalized cDNA library containing the
                  following tissue(s): eye anterior segment. The library was
                  constructed according to Bonaldo, Lennon and Soares,
                  Genome Research, 6:791-806, 1996. First strand cDNA
                  synthesis was primed with an oligo-dT primer containing a
                  Not I site. Double stranded cDNA was ligated to an EcoR I
                  adaptor, digested with Not I, and cloned directionally
                  into pT7T3-Pac vector. The oligonucleotide used to prime
                  the synthesis of first-strand cDNA contains a library tag
                  sequence that is located between the Not I site and the
                  (dT)18 tail. The sequence tag for this library is
                  AATGCGCAT. This library was created for the program, Gene
                  Discovery in the Visual System, supported by National Eye
                  Institute (NEI)."
ORIGIN
```

Query Match   16.6%; Score 519; DB 3; Length 578;
Best Local Similarity   100.0%; Pred. No. 6.2e-241;
Matches 519; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy   1964 GGGTGGGAGTGAAGTTTGGAGGAGGGGACGCGTGTTTGGTTGGTTGGTTGGTTCGTTTTCCG 2023
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     18 GGGTGGGAGTGAAGTTTGGAGGAGGGGACGCGTGTTTGGTTGGTTGGTTGGTTCGTTTTCCG   77

Qy   2024 GACAAGAAAAATTGCAATCAAATGTCAGCCAGCTTTATTACCTTAATCTTTCAGGGGCCTA 2083
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     78 GACAAGAAAAATTGCAATCAAATGTCAGCCAGCTTTATTACCTTAATCTTTCAGGGGCCTA  137

Qy   2084 AATTTAGGAGAGTGTCCTGAGAGCAGTTCATACAAAAGGGCTTTCTCTAAGACGCGCTACA 2143
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    138 AATTTAGGAGAGTGTCCTGAGAGCAGTTCATACAAAAGGGCTTTCTCTAAGACGCGCTACA  197

Qy   2144 GCCCTTCCTAGCAGAGAGTTTATCCATTCGTCCCCAAGAGCGCTAGAAGCAGATTTGAGGTC 2203
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    198 GCCCTTCCTAGCAGAGAGTTTATCCATTCGTCCCCAAGAGCGCTAGAAGCAGATTTGAGGTC  257

Qy   2204 ATGACCTTCCCACTGCGCGCTCAGCGGGCTGACCCTATTTAGGAAAACCAAAGAGAGGGTTG 2263
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    258 ATGACCTTCCCACTGCGCGCTCAGCGGGCTGACCCTATTTAGGAAAACCAAAGAGAGGGTTG  317

Qy   2264 AACCTACTCTCACGGATCCAGTGCGGACTCGCACACTTGCCCTGCGGGAAAAGGGCTCTCCC 2323
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    318 AACCTACTCTCACGGATCCAGTGCGGACTCGCACACTTGCCCTGCGGGAAAAGGGCTCTCCC  377

Qy   2324 CAGCCACCCGGAGAATGGGGGGTAAGAGAGAGAGAGAGCGCTTAGGGCGCTAGGGCCACCCTGGTG 2383
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    378 CAGCCACCCGGAGATGGGGGGTAAGAGAGAGAGAGAGCGCTTAGGGCGCTAGGGCCACCCTGGTG  437

Qy   2384 TTTAAAACAGGGCACTTCTCCCTTCTCTCGGGGCTTATTTTGTTCAGAACTAGACCAGAGTG 2443
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    438 TTTAAAACAGGGCACTTCTCCCTTCTCTCGGGGCTTATTTTGTTCAGAACTAGACCAGAGTG  497

Qy   2444 TTTGAACCTTCCTTTGCAGAGGGGCTGGGGAATCCTCTTTTA 2482
          ||||||||||||||||||||||||||||||||||||||||||
Db    498 TTTGAACCTTCCTTTGCAGAGGGGCTGGGGAATCCTCTTTTA  536
```

RESULT 6
BM710194

```
LOCUS       BM710194                 500 bp    mRNA    linear   EST 28-FEB-2002
DEFINITION  UI-E-CQ1-agc-l-04-0-UI.r1 UI-E-CQ1 Homo sapiens cDNA clone
            UI-E-CQ1-agc-l-04-0-UI 5', mRNA sequence.
ACCESSION   BM710194
VERSION     BM710194.1  GI:19023452
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 500)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE     Normalization and subtraction: two approaches to facilitate gene
            discovery
  JOURNAL   Genome Res. 6 (9), 791-806 (1996)
  PUBMED    8889548
COMMENT     Contact: Soares, MB
            Coordinated Laboratory for Computational Genomics
            University of Iowa
            375 Newton Road, 4156 MBBRF, Iowa City, IA 52242, USA
            Tel: 319 335 8250
            Fax: 319 335 9565
            Email: bento-soares@uiowa.edu
            Tissue Procurement: Dr. Gregg Hageman
            cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
            cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
            DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
            Clone Distribution: Researchers may obtain clones from Research
            Genetics (www.resgen.com).
FEATURES          Location/Qualifiers
  source          1..500
                  /organism="Homo sapiens"
                  /mol_type="mRNA"
                  /db_xref="taxon:9606"
                  /clone="UI-E-CQ1-agc-l-04-0-UI"
                  /tissue_type="optic nerve"
                  /dev_stage="adult"
                  /lab_host="DH10B (Life Technologies) (T1 phage resistant)"
                  /clone_lib="UI-E-CQ1"
                  /note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a
                  modified polylinker; Site_1: EcoR I; Site_2: Not I;
                  UI-E-CQ1 is a normalized cDNA library containing the
                  following tissue(s): optic nerve. The library was
                  constructed according to Bonaldo, Lennon and Soares,
                  Genome Research, 6:791-806, 1996. First strand cDNA
                  synthesis was primed with an oligo-dT primer containing a
                  Not I site. Double stranded cDNA was ligated to an EcoR I
                  adaptor, digested with Not I, and cloned directionally
                  into pT7T3-Pac vector. The oligonucleotide used to prime
                  the synthesis of first-strand cDNA contains a library tag
                  sequence that is located between the Not I site and the
                  (dT)18 tail. The sequence tag for this library is
                  CCATTAAGTG. This library was created for the program, Gene
                  Discovery in the Visual System, supported by National Eye
                  Institute (NEI)."
ORIGIN
```

Seq primer: M13 Reverse.

Query Match   16.0%; Score 500; DB 3; Length 500;
Best Local Similarity   100.0%; Pred. No. 1.1e-231;
Matches 500; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy   2022 CGGACAAGAAAAATTGCAATCAAATGTCAGCCAGCTTTATTACCTTAATCTTTCAGGGGCC 2081
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 CGGACAAGAAAAATTGCAATCAAATGTCAGCCAGCTTTATTACCTTAATCTTTCAGGGGCC   60

Qy   2082 TAAATTTAGGAGAGTGTCCTGAGAGCAGTTCATACAAAAGGGCTTTCTCTAAGACGCGCTA 2141
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 TAAATTTAGGAGAGTGTCCTGAGAGCAGTTCATACAAAAGGGCTTTCTCTAAGACGCGCTA  120
```

```
Qy  2142 CAGCCCTTCCTAGCAGAGTTTATCCATTCGTTCCCCAAGAGCAGCTAGAGAGATTGAGG 2201
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 CAGCCCTTCCTAGCAGAGTTTATCCATTCGTTCCCCAAGAGCAGCTAGAGAGATTGAGG 180

Qy  2202 TCATGAGCTTCCCACTGCCCGCCTCAGGGGGTCGACCCTTATTTAGGAAACCAAAGAGGGTGGGT 2261
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 TCATGAGCTTCCCACTGCCCGCCTCAGGGGGTCGACCCTTATTTAGGAAACCAAAGAGGGTGGGT 240

Qy  2262 TGAACCTACTCTCACGGACTTGGANTCCAGTGCGCACACTTGCCCTGCCGGAAAAGGGCTCTC 2321
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 TGAACCTACTCTCACGGACTTGGATCCAGTGCGCACACTTGCCCTGCCGGAAAAGGGCTCTC 300

Qy  2322 CCCAGCCACCCGGAGATGGGGGGTRAGAGGAAGAGACCGAGGCTTGGGGTGGGGGCCACCTGG 2381
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 CCCAGCCACCCGGAGATGGGGGGTAAGAGGAAGAGACCGAGGCTTGGGGTGGGGGCCACCTGG 360

Qy  2382 TGTTTAAACAGGGCACTTTCTCCTTCTCTCTGGGCGTTATTTTTGTTCAGATTGAGGACCAGAG 2441
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 TGTTTAAACAGGGCACTTTCTCCTTCTCTCTGGGCGTTATTTTTGTTCAGATTGAGGACCAGAG 420

Qy  2442 TGTTTGAACCTCCTTTGCAGGAGGGCTGGGAGAATCCTCTTTAGAGCCACTTAATCCTATTTA 2501
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421 TGTTTGAACCTCCTTTGCAGGAGGGCTGGGAGAATCCTCTTTAGAGCCACTTAATCCTATTTA 480

Qy  2502 TCCCCTGGAAATGTGCGTGCT 2521
         |||||||||||||||||||||
Db   481 TCCCCTGGAAATGTGCGTGCT 500
```

·RESULT 7

```
LOCUS       BQ187216                655 bp    mRNA    linear   EST 30-APR-2002
DEFINITION  UI-E-EJ1-ajz-e-14-0-UI.r1 UI-E-EJ1 Homo sapiens cDNA clone
            UI-E-EJ1-ajz-e-14-0-UI 5', mRNA sequence.
ACCESSION   BQ187216
VERSION     BQ187216.1  GI:20362767
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 655)
AUTHORS     Bonaldo,M.F., Lennon,G. and Soares,M.B.
TITLE       Normalization and subtraction: two approaches to facilitate gene
            discovery
JOURNAL     Genome Res. 6 (9), 791-806 (1996)
PUBMED      8889548
COMMENT     Contact: Soares, MB
            Coordinated Laboratory for Computational Genomics
            University of Iowa
            375 Newton Road, 4156 MEBRF, Iowa City, IA 52242, USA
            Tel: 319 335 8250
            Fax: 319 335 9565
            Email: bento-soares@uiowa.edu
            Tissue Procurement: Dr. Gregg Hageman
            cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
            cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
            DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
            Clone Distribution: Researchers may obtain clones from Research
            Genetics (www.resgen.com).
            The following repetitive elements were found in this cDNA
            sequence: 296-333, >GC_rich#Low_complexity (matched compliment)
            Seq primer: M13 REVERSE.
FEATURES             Location/Qualifiers
     source          1..655
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-E-EJ1-ajz-e-14-0-UI"
                     /tissue_type="fetal eyes, lens, eye anterior segment,
                     optic nerve, retina, Retina Foveal and Macular, RPE and
                     Choroid"
                     /dev_stage="fetal and adult"
                     /lab_host="DH10B (Life Technologies) (T1 phage resistant)"
                     /clone_lib="UI-E-EJ1"
                     /note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a
                     modified polylinker; Site_1: EcoR I; Site_2: Not I;
                     UI-E-EJ1 is a subtracted cDNA library constructed
                     according to Bonaldo, Lennon and Soares, Genome Research,
                     6:791-806, 1996. First strand cDNA synthesis was primed
                     with an oligo-dT primer containing a Not I site. Double
                     stranded cDNA was ligated to an EcoR I adaptor, digested
                     with Not I, and cloned directionally into pT7T3-Pac
                     vector. The oligonucleotide used to prime the synthesis of
                     first-strand cDNA contains a library tag sequence that is
                     located between the Not I site and the (dT)18 tail. The
                     sequence tags for this library are: fetal eyes,
                     AGAATCAAGA; optic nerve, CCATTAAGTG; retina, CCCCG; Retina
                     Foveal and Macular, GTCC; RPE and Choroid, ACCTA. This
                     library was created for the program, Gene Discovery in the
                     Visual System, supported by National Eye Institute (NEI)."
ORIGIN
```

```
Query Match         14.4%;  Score 450;  DB 3;  Length 655;
Best Local Similarity 99.4%;  Pred. No. 2.6e-207;
Matches  650;  Conservative   0;  Mismatches   4;  Indels   0;  Gaps   0;
```

```
Qy   526 GGGGGACCGCACCCTCAGCTTCGCAGGGAGGCCACCGTGGAGGCCAGGGGGTGCAGAGACA 585
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     2 GGGGGACCGCACCCTCAGCTTCGCAGGGAGGCCACCGTGGAGGCCAGGGGGTGCANAGACA 61

Qy   586 CGACGTGTGACTCGGAGTCGCGCCTGGGGGAGGATGGACGGAGGGACCGGGGGCCTAACG 645
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    62 CGACGTGTGACTCGGAGTCGCGCCTGGGGGAGGATGGACGGAGGGACCGGGGGCCTAACG 121

Qy   646 GGGGCTCCCTTCTGCGGCCCCCCGTCCCGCAGGAGGCCGACGTCGAGGGTCCCGGGCGGCTCCG 705
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   122 GGGCTCCCTTCTGCGGCCCCCCGTCCCGCAGGAGGCCGACGTCGAGGGTCCCGGGCGGCTCCG 181

Qy   706 TGGACGTTGGCGGTRAGCGCCGAGCCGAGGTCACGGACCATGAAGAGCGGTTCGTGCCGCGCGG 765
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   182 TGGACGTTGGCGGTAGGCGCCGAGCCGAGGTCACGGACCATGAAGAGCGGTTCGTGCCGCGCGG 241

Qy   766 CCCAAGGCCCGGGATGGGGGTTAGGCCACATCCTGCGCGCGTGCAGGAGGCTAACGGGCG 825
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   242 CCCAAGGCCCGGGATGGGGGTTAGGCCACATCCTGCGCGCGTGCAGGAGGCTAACGGGCG 301

Qy   826 CGGGCGCCGGCGGCCCAGCGGAGCCCACCGGCGATGGCGGAGGAGTGCAAGGGCGCTGC 885
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   302 CGGGCGCCGGCGGCCCAGCGGAGCCCACCGGCGATGGCGNAGGAGTGCAAGGGCGCTTC 361

Qy   886 TGGACGGGCTCAACAAGACGACTCGTGCTACCACCACCTGGTGCTGACCGTCGGTGGCT 945
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   362 TGGACGGGCTCAACAAGACGACTCGTGCTACCACCACCTGGTGCTGACCGTCGGTGGCT 421

Qy   946 CGGCGGGACTCGCGAAACCTGCGCGCAGGAGCTGCAAAAGACGCGCGCCAGAGAGCCCAGGAGC 1005
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   422 CGGCGGGACTCGCANAACCTGCGGCAGGAGCTGCAAAAGACGCGCGCCAGAGAGCCCAGGAGC 481

Qy  1006 TGGCGCGGTGTTCCACCTGCCGCCCGGCTGACTGCTCGTTGCTGCGCTGGCCGGACCGGGCCG 1065
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   482 TGGCGGGTGTCCACCTGCCGCCCGCTGACTGCTGTGCTGCGCTGGCCGGACGCGGGCCG 541

Qy  1066 ACGAGCGCGCCGAGTTCGAGCGGCTCTCGGGTGGCCTTCGGGGCCTGGACCTGCTGG 1125
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   542 ACGAGCGCGCCGAGTTCGAGCGGCTCTCGGGTGGCCTTCGGGGCCTGGACCTGCTGG 601

Qy  1126 AAGCGGACACATGCCACGCTCGCTGAGCTGAGCCGCGGCCGGTTCCCGGCTGCACGCGC 1179
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   602 AAGCGGACACATGCGACGCGCCGAGTTCGGACGGCGCCGGTTCCCGCTGCACGCGGC 655
```

RESULT 8
AW302149/c

```
LOCUS       AW302149        476 bp    mRNA    linear    EST 18-JAN-2000
DEFINITION  xs01f06.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2768387 3',
            similar to contains TAR1 repetitive element ;, mRNA sequence.
ACCESSION   AW302149
VERSION     AW302149.1  GI:6711826
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 476)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Christopher Moskaluk, M.D., Ph.D., Michael R.
            Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: M. Bento Soares, Ph.D.
            cDNA Library Arrayed by: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www.bio.llnl.gov/bbrp/image/image.html
            Possible reversed clone: polyT not found
            Seq primer: -40UP from Gibco
            High quality sequence stop: 457.
FEATURES             Location/Qualifiers
     source          1..476
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:2768387"
                     /lab_host="DH10B"
                     /clone_lib="NCI_CGAP_Kid11"
                     /note="Organ: kidney; Vector: pT7T3D-Pac (Pharmacia) with
                     a modified polylinker; Site_1: Not I; Site_2: Eco RI;
                     Plasmid DNA from the normalized library NCI_CGAP_Kid3 was
                     prepared, and ss circles were made in vitro. Following HAP
                     purification, this DNA was used as tracer in a subtractive
                     hybridization reaction. The driver was PCR-amplified cDNAs
                     from a pool of 5,000 clones made from the same library
                     (cloneIDs 1322376-1323911, 1456007-1456775, and
                     1500052-1502855). Subtraction by Bento Soares and M.
                     Fatima Bonaldo."
ORIGIN
```

Qy   Query Match   13.7%;   Score 427;   DB 1;   Length 476;
Best Local Similarity   100.0%;   Pred. No. 4.2e-196;
Matches 427;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy   716  CGGTAGCCCGCGACGAGTCACGGACCATGAAGAGCGTTCGTGCGCCAAGGCCG  775
          ||||||||||||| ||||||||||||||||||||||||||||||||||||||
Db   476  CGGTAGCCCGCGAGGAGTCACGGACCATGAAGAGCGTTCGTGCGCCAAGGCCG  417

Qy   776  GGATGGGGGGTTAGCCACATCCTCCGCGCGGCGGCTGAGGGGGAGGGGGCCG  835
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   416  GGATGGGGGTTAGCCACATCCTCCGCGCGGCGGCTAACGGCGGAGGGGGCCG  357

Qy   836  GGCGCCAGCCGGAGCCCACCCGGATGGGGGGAGGGAGTGCAAGGCGGCGGCT  895
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   356  GGCCCAGCCGGGAGCCCACCCGGATGGGGGGAGGGAGTGCAAGGCGGCGGCT  297

Qy   896  CAACAAGACGACTGCGTGCTACCACCACCACCTGGTCGGTGGGGGACTC  955
          |||||||||||| ||||||||||||||||||||||||||||||||||||
Db   296  CACAAGACGACTCGTGCTACCACCACCTGGTCGGTGGGGGACTC  237

Qy   956  GCAGGAACCTGCGCGCGAGCCGCAAAAGAGCGCGCCCAGGAGGAGCTGCGGGTC  1015
          ||||||||||||||| ||||||||||||||||||||||||||||||||||||||
Db   236  GCAGGAACCTGCGCGGAGCCGCAAAAGAGCGCGCCCAGGAGGAGCTGCGGGTC  177

Qy  1016  CACCTGGCGCGCCGGCGCTGACTGCTGGTGCTGCTGCGGCGGACCGGGGGCGCGC  1075
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   176  CACCTGGCGCGCCGGCGCTGACTGCTGGTGCTGCTGCGGCGGACCGGGGGCGCGC  117

Qy  1076  CGAGTTCGAGCGGCGGCCTCTGGGGTGGCCTTCTCGGGCGCGGGAAGCGGACAT  1135
          |||||||||||||||||||||||||||||||||||||||||||||| ||| |||
Db   116  CGAGTTCGAGCGGCGGCCTCTGGGGTGGCCTTCTCGGGCGGAAGCGGACAT  57

Qy  1136  GCCGACGC  1142
          ||||||||
Db    56  GCCGACGC  50
```

```
RESULT 9
AI375213/c
LOCUS       AI375213        455 bp    mRNA    linear    EST 18-MAR-1999
DEFINITION  tc10f06.x1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:2063459
            3', mRNA sequence.
ACCESSION   AI375213
VERSION     AI375213.1  GI:4175203
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 455)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            This clone is available royalty-free through LLNL; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Insert Length: 587    Std Error: 0.00
            Seq primer: -40UP from Gibco
            High quality sequence stop: 454.
FEATURES             Location/Qualifiers
     source          1..455
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:2063459"
                     /tissue_type="Pooled human melanocyte, fetal heart, and
                     pregnant uterus"
                     /lab_host="DH10B"
                     /clone_lib="Soares_NhHMPu_S1"
                     /note="Organ: mixed (see below); Vector: pT7T3D-Pac
                     (Pharmacia) with a modified polylinker; Site_1: Not I;
                     Site_2: Eco RI; Equal amounts of plasmid DNA from three
                     normalized libraries (melanocyte 2NbHM, pregnant uterus
                     NbHPU, and fetal heart NbHH19W) were mixed, and ss circles
                     were made in vitro. Following HAP purification, this DNA
                     was used as tracer in a subtractive hybridization
                     reaction. The driver was PCR-amplified cDNAs from pools
                     5,000 clones made from the same 3 libraries. The pools
                     consisted of I.M.A.G.E. clones 260232-265223,
                     340488-345479, and 484488-489479."
ORIGIN
```

Qy   Query Match   13.2%;   Score 413;   DB 1;   Length 455;
Best Local Similarity   100.0%;   Pred. No. 2.8e-189;
Matches 413;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  2362  CTTGGGGGTAGGGGCCACCCTGGTGTTGTTTAAACAGGCACTTTGTCTTATTT  2421
          |||||||||||| |||||| |||||||||||||||||||||||||||||||||
Db   415  CTTGGGGGTAGGGCCCACCTGGTGTTGTTTAAACAGGCACTTTGTCTTATTT  356

Qy  2422  TGTTCAGGAACTAGACCAGAGTGTTTGAACCTTCCTTTGCAGGAGGAATCCTCTTT  2481
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   355  TGTTCAGGAACTAGACCAGAGTGTTTGAACCTTCCTTTGCAGGAGGAATCCTCTTT  296
```

```
Qy      2482 AGAGCACTAAATCCTATTTATTATCCCTGGAATGTGCGGTGCTGGCGTAGGAGGAGGGCTGGCT
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       295 AGAGCACTAAATCCTATTTATTATCCCTGGAATGTGCGGTGCTGGCGTAGGAGGAGGGCTGGCT 236

Qy      2542 TTGGCAGCTCCCTGACCCCCGCGGCGCTGCCCGGCGCCCCCTCCGGGGTAANTGGCATTACTGGCC
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       235 TTGGCAGCTCCCTGACCCCCGCGGCGCTGCCCGGCGCCCCCTCCGGGGTAANTGGCATTACTGGCC 176

Qy      2602 CACAGAGGGTTTTGAGCCAATCACGTCTTGAGACTGGGGTTAGAATGTAACAGCTTTAACTTG
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       175 CACAGAGGGTTTTGAGCCAATCACGTCTTGAGACTGGGGTTAGAATGTAACAGCTTTAACTTG 116

Qy      2662 GGGATTTAAGGAGCGTTTTAAAAGGTAATAATAATCCCTGAAAGAAAAAATGACGTAACCACAGC
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       115 GGGATTTAAGGAGCGTTTTAAAAGGTAATAATAATCCCTGAAAGAAAAAATGACGTAACCACAGC 56

Qy      2722 GTGTACTATGAAAAGCTGTTATTTAATTAAAGAACGCGCTGGGCCCCATGAACTCATA
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        55 GTGTACTATGAAAAGCTGTTATTTAATTAAAGAACGCGCTGGGCCCCATGAACTCATA 3
```

RESULT 10
BM673230/c

LOCUS   BM673230   480 bp   mRNA   linear   EST 27-FEB-2002
DEFINITION UI-B-CR1-adx-b-12-0-UI.s1 UI-B-CR1 Homo sapiens cDNA clone
            UI-B-CR1-adx-b-12-0-UI 3', mRNA sequence.
ACCESSION   BM673230
VERSION   BM673230.1 GI:18983128
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 480)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE   Normalization and subtraction: two approaches to facilitate gene
            discovery
  JOURNAL   Genome Res. 6 (9), 791-806 (1996)
   PUBMED   8889548
COMMENT   Contact: Soares, MB
            Coordinated Laboratory for Computational Genomics
            University of Iowa
            375 Newton Road, 4156 MEBRF, Iowa City, IA 52242, USA
            Tel: 319 335 8250
            Fax: 319 335 9555
            Email: bento-soares@uiowa.edu
            Tissue Procurement: Dr. Gregg Hageman
            cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
            DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
            Clone Distribution: Researchers may obtain clones from Research
            Genetics (www.resgen.com).
            Seq_primer: M13 Forward
            PolyA=Yes.
FEATURES   Location/Qualifiers
     source   1..480
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-B-CR1-adx-b-12-0-UI"
                     /tissue_type="eye anterior segment"
                     /dev_stage="adult"
                     /lab_host="DH10B (Life Technologies) (T1 phage resistant)"
                     /clone_lib=UI-B-CR1"
                     /note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a
                     modified polylinker; Site 1: EcoR I; Site 2: Not I;
                     UI-B-CR1 is a normalized cDNA library containing the
                     following tissue(s): eye anterior segment. The library was
                     constructed according to Bonaldo, Lennon and Soares,
                     Genome Research, 6:791-806, 1996. First strand cDNA
                     synthesis was primed with an oligo-dT primer containing a

ORIGIN
        Query Match   13.2%; Score 412; DB 3; Length 480;
        Best Local Similarity 99.8%; Pred. No. 8.7e-189;
        Matches   462; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
```
Qy      2310 AAAAAGGGGCTCTCCCCAGCCACCCCGGAGGATGGGGGGGTAAGAAGAGCAGAGGGCTGGGGGT
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       480 AAAAAGGGGCTCTCCCCAGCCACCCCGGAGGATGGGGGGGTAAGAAGAGCAGAGGGCTGGGGGT 421

Qy      2370 AGGGCCACCTGGGTGTTAAACAGGCCACTTTCTCCTTCTCCTCTGGGGGCTTATTTTGTTCAGA
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       420 AGGGCCACCTGGGTGTTAAACAGGCCACTTTCTCCTTCTCCTCTGGGGGCTTATTTTGTTCAGA 361

Qy      2430 ACTAGACCAGAGTGTTTGAACCTCCTTTGCGAGGAGGGCTGGGAATCCTCTTCTTAGAGCACT
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       360 ACTAGACCAGAGTGTTTGAACCTCCTTTGCGAGGAGGGCTGGGAATCCTCTTCTTAGAGCACT 301

Qy      2490 TAATCCTATTTATCCCCTGGAATGTGCGTGCTGCCCAGTAGGAGGAGGGCTGGCTTGGCAGC
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       300 TAATCCTATTTATCCCCTGGAATGTGCGTGCTGCCCAGTAGGAGGAGGGCTGGCTTGGCAGC 241

Qy      2550 TCCCTGACCCCCGCGGCGCTGCCCGGCGCCCCCTCCGGGGTAANTGCATTACTGGCCCACAGAGG
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       240 TCCCTGACCCCCGCGGCGCTGCCCGGCGCCCCCTCCGGGGTAANTGCATTACTGGCCCACAGAGG 181

Qy      2610 TTTTGAGCCAATCAGCTCTGAGACTGGGGTTAGAAGTGAAGTAACAGCTTAACTTAGGGGATTTAA
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       180 TTTTGAGCCAATCAGCTCTGAGACTGGGGTTAGAAGTGAAGTAACAGCTTAACTTAGGGGATTTAA 121

Qy      2670 GAAGCTTTTAAAAGGTAATAATCCTCTGAAAGAAAAAATGACGTAACCACAGGCGTGTACTA
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       120 GAAGCTTTTAAAAGGTAATAATCCTCTGAAAGAAAAAATGACGTAACCACAGGCGTGTACTA 61

Qy      2730 TGAAAGCTGTTATTTAATTTAATTAAAGAACGCGCTGGGCCCCATGAACTCA
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db        60 TGAAAGCTGTTATTTAATTTAATTAAAGAACGCGCTGGGCCCCATGAACTCA 18
```

RESULT 11
BQ682843

LOCUS   BQ682843   972 bp   mRNA   linear   EST 15-JUL-2002
DEFINITION AGENCOURT_8495014 NIH_MGC_112 Homo sapiens cDNA clone IMAGE:6295149
            5', mRNA sequence.
ACCESSION   BQ682843
VERSION   BQ682843.1 GI:21795522
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 972)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: DCTD/DTP
            cDNA Library Preparation: Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
```

Not I site. Double stranded cDNA was ligated to an EcoR I
adaptor, digested with Not I, and cloned directionally
into pT7T3-Pac vector. The oligonucleotide used to prime
the synthesis of first-strand cDNA contains a library tag
sequence that is located between the Not I site and the
(dT)18 tail. The sequence tag for this library is
AATGCGCCAT. This library was created for the program, Gene
Discovery in the Visual System, supported by National Eye
Institute (NEI).
TAG_TISSUE=human eye anterior segment
TAG_LIB=UI-B-CR1
TAG_SEQ=AATGCGCCAT"

DNA Sequencing by: Agencourt Bioscience Corporation
Clone distribution. MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLCM2500 row: o column: 22
High quality sequence stop: 463.

```
FEATURES             Location/Qualifiers
     source          1. .972
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:6295149"
                     /tissue_type="melanotic melanoma, cell line"
                     /lab_host="DH10B (phage-resistant)"
                     /clone_lib="NIH_MGC_112"
                     /note="Organ: skin; Vector: pOTB7; Site 1: XhoI; Site 2:
                     EcoRI; cDNA made by oligo-dT priming. Directionally cloned
                     into EcoRI/XhoI sites using the following 5' adaptor:
                     GGCACGAG(G). Library constructed by Ling Hong in the
                     laboratory of Gerald M. Rubin (University of California,
                     Berkeley) using ZAP-cDNA synthesis kit (Stratagene) and
                     Superscript II RT (Life Technologies). Note: this is a
                     NIH_MGC Library."
```

ORIGIN
Query Match   12.7%; Score 395; DB 5; Length 972;
Best Local Similarity 100.0%; Pred. No. 1.6e-180;
Matches 395; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy 1899 AGTTCGGTGCCCACCCCTGCCCAGCGTGCCCCCCCCTTTCTGCGTGGGACAGTTGAAAAGGT 1958
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1 AGTTCGGTGCCCACCCCTGCCCAGCGTGCCCCCCCCTTTCTGCGTGGGACAGTTGAAAAGGT 60

Qy 1959 GGGTGGGGTGGGAGTGAGTTGGAGAGGAGGGGACACGCTGTTGTTGGTTCTTCTTATGTTGGTTCGTTT 2018
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 GGGTGGGGTGGGAGTGAGTTGGAGAGGAGGGGACACGCTGTTGTTGGTTCTTCTTATGTTGGTTCGTTT 120

Qy 2019 TCCCGGACAAGAGAAAATGCAATCAAATGTCAGCAGCTTTTATTACCTTAATCTTTCAGG 2078
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121 TCCCGGACAAGAGAAAATGCAATCAAATGTCAGCAGCTTTTATTACCTTAATCTTTCAGG 180

Qy 2079 GCCTAAATTAGGAGAGTGTCCTGAGAGCAGTTCATCATACAAAAGGGCTTTCTCTAAGACCCG 2138
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 GCCTAAATTAGGAGAGTGTCCTGAGAGCAGTTCATCATACAAAAGGGCTTTCTCTAAGACCCG 240

Qy 2139 CTACAGCCCCTTCCTAGCAGAGTTTATCCATTCGTCCCAAGAGCAGCTAGAGAGAGATTTG 2198
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241 CTACAGCCCCTTCCTAGCAGAGTTTATCCATTCGTCCCAAGAGCAGCTAGAGAGAGATTTG 300

Qy 2199 AGGTCATGACCTCCCACTGCCCGCTCAGGGGCTGACCTTATTTAGGAAAACAAAGAGAGGGTG 2258
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301 AGGTCATGACCTCCCACTGCCCGCTCAGGGGCTGACCTTATTTAGGAAAACAAAGAGAGGGTG 360

Qy 2259 GGTTGAACCTACTCTCACGGACTTGGATCCAGTGC 2293
        |||||||||||||||||||||||||||||||||||
Db  361 GGTTGAACCTACTCTCACGGACTTGGATCCAGTGC 395
```

RESULT 12
BM562937
```
LOCUS       BM562937                1376 bp    mRNA    linear   EST 20-FEB-2002
DEFINITION  AGENCOURT_6566935 NIH_MGC_88 Homo sapiens cDNA clone IMAGE:5736787
            5', mRNA sequence.
ACCESSION   BM562937
VERSION     BM562937.1  GI:18809436
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 1376)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
```

TITLE
JOURNAL   National Institutes of Health, Mammalian Gene Collection (MGC)
COMMENT   Unpublished (1999)
            Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Agencourt Bioscience Corporation
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLAM12745 row: n column: 20
            High quality sequence stop: 425.

```
FEATURES             Location/Qualifiers
     source          1. .1376
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:5736787"
                     /tissue_type="duodenal adenocarcinoma, cell line"
                     /lab_host="DH10B (phage-resistant)"
                     /clone_lib="NIH_MGC_88"
                     /note="Organ: small intestine; Vector: pCMV-SPORT6;
                     Site 1: NotI; Site 2: SalI; Cloned unidirectionally;
                     oligo-dT primed. Average insert size 1.767 kb. Library
                     enriched for full-length clones and constructed by Life
                     Technologies. Note: this is a NIH_MGC Library."
```

ORIGIN
Query Match   11.1%; Score 348; DB 3; Length 1376;
Best Local Similarity 100.0%; Pred. No. 1.3e-157;
Matches 348; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy 453 CCCTTGCCAGCCGCCTAAGGCGGCAGAGCGGCGGCGGCTCTGCAGCGCTTGCTTGCCCGGAGTTGGC 512
       |||||| |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 CCCTTGGCAGCCGCCTAAGGCGGCAGAGCGGCGGCGGCTCTGCAGCGCTTGCTTGCCCGGAGTTGGC 60

Qy 513 ACCCACGGAGGATGGGGGGGACCGCACCCTCAGCTTCGCAGGAGCCACCGTGGGAGGAGGCCAGG 572
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  61 ACCCACGGAGGATGGGGGGGACCGCACCCTCAGCTTCGCAGGAGCCACCGTGGGAGGAGGCCAGG 120

Qy 573 CGGTGCAGAGACACGACGTGTGACTCGGAGTGGGCCTGGGGAGGATGGACGAGAGCGCG 632
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121 CGGTGCAGAGACACGACGTGTGACTCGGAGTGGGCCTGGGGAGGATGGACGAGAGCGCG 180

Qy 633 GGGACCGCTAACGGGGGCTCCTCCTCTGCGCCCCGGGCGTCCCAGAGGAGGCACGTCGAGGGTCC 692
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 181 GGGACCGCTAACGGGGGCTCCTCCTCTGCGCCCCGGGCGTCCCAGAGGAGGCACGTCGAGGGTCC 240

Qy 693 CGGGCGGGCTCCCTGGACGTTGGCGGGTAGGCGCCGAGCGAGTCACGGACCATGAAGAGGCT 752
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 241 CGGGCGGGCTCCCTGGACGTTGGCGGGTAGGCGCCGAGCGAGTCACGGACCATGAAGAGGCT 300

Qy 753 TCGTGCCGCGGCGGGGGCCCAAGGCCGGGATGGGGGGTTAGCCCACATCCTGCC 800
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 301 TCGTGCCGCGGCGGGGGCCCAAGGCCGGGATGGGGGGTTAGCCCACATCCTGCC 348
```

RESULT 13
W81663
```
LOCUS       W81663                   595 bp    mRNA    linear   EST 17-OCT-1996
DEFINITION  zd85e06.r1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone
            IMAGE:347458 5', mRNA sequence.
ACCESSION   W81663
VERSION     W81663.1  GI:1392291
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 595)
  AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
```

```
                    Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
                    Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,P.,
                    Trevaskis,B., Waterston,R., Williamson,A., Wohldmann,P. and
                    Wilson,R.
  TITLE             The WashU-Merck EST Project
  JOURNAL           Unpublished (1995)
  COMMENT           Contact: Wilson RK
                    Washington University School of Medicine
                    4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
                    Tel: 314 286 1800
                    Fax: 314 286 1810
                    Email: est@watson.wustl.edu
                    This clone is available royalty-free through LLNL; contact the
                    IMAGE Consortium (info@image.llnl.gov) for further information.
                    Insert Length: 584    Std Error: 0.00
                    Seq primer: mob.REGA+ET
                    High quality sequence stop: 431.
  FEATURES             Location/Qualifiers
       source          1..595
                       /organism="Homo sapiens"
                       /mol_type="mRNA"
                       /db_xref="GDB:1272833"
                       /db_xref="taxon:9606"
                       /clone="IMAGE:347458"
                       /sex="unknown"
                       /dev_stage="19 weeks"
                       /lab_host="DH10B (ampicillin resistant)"
                       /clone_lib="Soares_fetal_heart_NbHH19W"
                       /note="Organ: heart; Vector: pT7T3D (Pharmacia) with a
                       modified polylinker; Site 1: Not I; Site 2: Eco RI; 1st
                       strand cDNA was primed with a Not I - oligo(dT) primer [5'
                       TGTTACCAATCTGAAGTGGGAGGAGCGGCGCCATCTTTTTTTTTTTTTTTTT 3'],
                       double-stranded cDNA was size selected, ligated to Eco RI
                       adapters (Pharmacia), digested with Not I and cloned into
                       the Not I and Eco RI sites of a modified pT7T3 vector
                       (Pharmacia). Library went through one round of
                       normalization to a Cot = 5. Library was constructed by
                       M.Fatima Bonaldo. This library was constructed from the
                       same fetus as the fetal lung library, Soares fetal lung
                       NbHL19W."
  ORIGIN

  Query Match             453; Conservative    0; Mismatches    0; Indels    1; Gaps    1;
  Best Local Similarity   99.8%; Pred. No. 2.7e-150;
  Matches  453; Conservative    0;

  Qy  2129 CTAAGACGCGCTACAGCCCCTTCCTAGCAGAGTTATCCATTCGTCCCCAAGAGCAGCTAG 2188
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
  Db     1 CTAAGACGCGCTACAGCCCCTTCCTAGCAGAGTTATCCATTCGTCCCCAAGAGCAGCTAG 60

  Qy  2189 AAGAGATTTGAGGTCATGACCTCCCACTGCCCGCTCAGGGGCTGACCCTATTTAGGAAACC 2248
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
  Db    61 AAGAGATTTGAGGTCATGACCTCCCACTGCCCGCTCAGGGGCTGACCCTATTTAGGAAACC 120

  Qy  2249 AAAGAGGGTGGGGTTGAACCTACTCTCACGGACTTGGATCCAGTGCCGCACACTTGCCTGCG 2308
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
  Db   121 AAAGAGGGTGGGGTTGAACCTACTCTCACGGACTTGGATCCAGTGCCGCACTTGCCTCG 180

  Qy  2309 GAAAAGGGGCTCTCCCCAGCCACCCGGAGGATGGGGGGTAAGGAGGAAGAGCGAGGCAGCTAG 2368
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
  Db   181 GAAAAGGGGCTCTCCCCAGCCACCCGGAGGATGGGGGGTAAGGAGGAAGAGCGAGGCTTGGG 240

  Qy  2369 TAGGGCCACCTCGGTGTTAAACA--GGCACTTTCCTTCTCTCTGGGGCTTATTTTTGTTCA 2427
           |||||||||||||||||||||     ||||||||||||||||||||||||||||||||||||
  Db   241 TAGGGCCACCTCGGTGTTAAACACGGGCACTTTCCTTCTCTCTGGGGCTTATTTTTGTTCA 300

  Qy  2428 GAAACTAGACCAGAGTGTTTGAACCTCCTTTGCAGGAGGGGAATCCTCTTCTTTAGAGCA 2487
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
  Db   301 GAAACTAGACCAGAGTGTTTGAACCTCCTTTGCAGGAGGGGAATCCTCTTCTTTAGAGCA 360

  Qy  2488 CTTAATCCTATTTATCCCCTGGAAATGTCGGTCGTCTGGCCAGTAGGAGGGGCTTTCGGCA 2547
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
  Db   361 CTTAATCCTATTTATCCCCTGGAAATGTCGGTCGTCTGGCCAGTAGGAGGGGCTTTCGGCA 420
```

```
  Qy  2548 GCTCCCCTGACCCCGCCGCGTGCCCCCGCCCCTTCCGGG 2581
           |||||||||||||||||||||||||||||||||||||||
  Db   421 GCTCCCCTGACCCCGCCGCGTGCCCCCGCCCCTTCCGGG 454

  RESULT 14
  BI458731/c
  LOCUS       BI458731/c              605 bp    mRNA    linear    EST 21-AUG-2001
  DEFINITION  6031998079P1 NIH_MGC_97 Homo sapiens cDNA clone IMAGE:5265979 5',
              mRNA sequence.
  ACCESSION   BI458731
  VERSION     BI458731.1  GI:15249387
  KEYWORDS    EST.
  SOURCE      Homo sapiens (human)
  ORGANISM    Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
  REFERENCE   1  (bases 1 to 605)
    AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
    TITLE     National Institutes of Health, Mammalian Gene Collection (MGC)
    JOURNAL   Unpublished (1999)
  COMMENT     Contact: Robert Strausberg, Ph.D.
              Email: cgapbs-r@mail.nih.gov
              Tissue Procurement: Miklos Palkovits, M.D., Ph.D.
              cDNA Library Preparation: Michael J. Brownstein (NHGRI), Shiraki
              Toshiyuki and Piero Carninci (RIKEN)
              cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
              DNA Sequencing by: Incyte Genomics, Inc.
              Clone distribution: MGC clone distribution information can be
              found through the I.M.A.G.E. Consortium/LLNL at:
              http://image.llnl.gov
              Plate: LLAM11670  row: m  column: 20
              High quality sequence stop: 591.
  FEATURES             Location/Qualifiers
       source          1..605
                       /organism="Homo sapiens"
                       /mol_type="mRNA"
                       /db_xref="taxon:9606"
                       /clone="IMAGE:5265979"
                       /lab_host="DH10B"
                       /clone_lib="NIH_MGC_97"
                       /note="Organ: testis; Vector: pBluescriptR (modified
                       pBluescript KS+/; Site 1: BamHI; Site 2: SalI-XhoI
                       5'-TTTTTTTTTTTTTTTVN-3', size-selected for average
                       insert size 2.2 kb and normalized to ROT 5. This is a
                       primary library enriched for full-length clones and
                       constructed using the Cap-trapper method (Carninci, in
                       preparation). Library constructed by M. Brownstein
                       (NIMH/NHGRI, National Institutes of Health). Note: this is
                       a NIH_MGC Library."
  ORIGIN

  Query Match             290; Conservative    0; Mismatches    0; Indels    0; Gaps    0;
  Best Local Similarity   100.0%; Pred. No. 2.4e-129;
  Matches  290; Conservative    0;

  Qy   422 TGGGCGGGGTCCTAGGAAACCCTACCCCGGGGCCCGCCCTTTGGGGCAGCCTAAGCGGAGCGCGC 481
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
  Db   300 TGGGCGGGGTCCTAGGAAACCCTACCCCGGGGCCCCTTTGGGCAGCCTAAGCGGAGCGCGC 241

  Qy   482 GGCTCTTGCAGCCTGCTTGCCCCCGGAGTTGGCACCCACCGGAGGATGGGGGGGACCCCTCA 541
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
  Db   240 GGCCTCTGCAGCCTGCTTGCCCCCGGAGTTGGCACCCACCGGAGGATGGGGGGGACCCCTCA 181

  Qy   542 GCTTCGCAGGGAGCCCACCCGTGAGGCCCAGGGCCGTCAGAGACACGACGACCTGTGACTCCGGA 601
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
  Db   180 GCTTCGCAGGGAGCCCACCCGTGAGGCCCAGGGCCGTGCAGAGACACGACGACCTGTGACTCCGGA 121

  Qy   602 GTGGCGCCTGGGGAGGATGGACGAGGAGGGGGGAGGGGGCGG 661
           ||||||||||||||||||||||||||||||||||||||||||
  Db         GTGGCGCCTGGGGAGGATGGACGAGGAGGGGGGAGGGGGCGG
```

Db 120 GTGCGCCTGGGGGACGAGGGGACGAGGGAGGACGGCTAACGGGGCGCTCCCTCTCGCGCG 61
    |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy 662 CCCCGTCGCAGAGGCGCACGTCGAGGGTCCCGGGGCGGGGCGTCCGTGCGACG 711

Db 60 CCCCGTCGCAGAGGCGCACGTCGAGGGTCCCGGGGCGGGGCGTCCGTGCGACG 11

RESULT 15
LOCUS BX645932 728 bp mRNA linear EST 04-SEP-2003
DEFINITION DKFZp781B1952_r1 781 (synonym: hlcc4) Homo sapiens cDNA clone
    DKFZp781B1952 5', mRNA sequence.
ACCESSION BX645932
VERSION BX645932.1 GI:34480265
KEYWORDS EST.
SOURCE Homo sapiens (human)
 ORGANISM Homo sapiens
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
    Hominidae; Homo.
REFERENCE 1 (bases 1 to 728)
 AUTHORS Poustka,A., Albert,R., Moosmayer,P., Schupp,I., Wellenreuther,R.,
    Mewes,H.W., Weil,B., Amid,C., Osanger,A., Fobo,G., Han,M. and
    Wiemann,S.
 TITLE EST (Poustka,A., Albert,R., Moosmayer,P., Schupp,I.,
    Wellenreuther,R., et al.)
 JOURNAL Unpublished (2003)
COMMENT Contact: MIPS
    MIPS
    Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
    This is the 5' sequence of the clone insert.
    Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
    Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de;
    sequenced by DKFZ (German Cancer Research Center,
    Heidelberg/Germany) within the cDNA sequencing consortium of the
    German Genome Project.
    No 81 sequence available.
    This clone (DKFZp781B1952) is available at the RZPD in Berlin.
    Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
    Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.
FEATURES Location/Qualifiers
  source 1..728
    /organism="Homo sapiens"
    /mol_type="mRNA"
    /db_xref="taxon:9606"
    /clone="DKFZp781B1952"
    /dev_stage="adult"
    /lab_host="DH10B"
    /clone_lib="781 (synonym: hlcc4)"
    /note="Vector: pSport1_Sfi; Site_1: SfiIA; Site_2: SfiIB;
    cDNA-collection"
ORIGIN

Query Match 5.8%; Score 180; DB 5; Length 728;
Best Local Similarity 100.0%; Pred. No. 9.8e-76;
Matches 180; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2693 CTCTGAAAGAAAAAATGACGTAACCACCAGCGTGTACATGAAGAAAGCTGTGTTGAGAAAG 2752
    ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 21 CTCTGAAAGAAAAAATGACGTAACCACCAGCGTGTACATGAAGAAAGCTGTGTTGAGAAAG 80

Qy 2753 AAGGCTGGGCCATGAACTCATACCTGCCAATGAGTCAAACACATAGTATCTTTATGTAGATA 2812
    ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 81 AACGCTGGGCCATGAACTCATACCTGCCAATGAGTCAAACACATAGTATCTTTATGTAGATA 140

Qy 2813 CTTAGATTACTAAATATATATATTTCATCTACTTCTTCTGAAGTTGATAGTCTTCCCCCCCC 2872
    |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 141 CTTAGATTACTAAATATATATATTTCATCTACTTCTTCTGAAGTTGATAGTCTTCCCCCCCC 200

RESULT 16
LOCUS W81222 449 bp mRNA linear EST 17-OCT-1996

DEFINITION zd85e06.s1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone
    IMAGE:347458 3', mRNA sequence.
ACCESSION W81222
VERSION W81222.1 GI:1392242
KEYWORDS EST.
SOURCE Homo sapiens (human)
 ORGANISM Homo sapiens
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
    Hominidae; Homo.
REFERENCE 1 (bases 1 to 449)
 AUTHORS Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
    Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
    Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F., and
    Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
    Wilson,R.
 TITLE The WashU-Merck EST Project
 JOURNAL Unpublished (1995)
COMMENT Contact: Wilson RK
    Washington University School of Medicine
    4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
    Tel: 314 286 1800
    Fax: 314 286 1810
    Email: est@watson.wustl.edu
    This clone is available royalty-free through LLNL ; contact the
    IMAGE Consortium (info@image.llnl.gov) for further information.
    Insert Length: 584 Std Error: 0.00
    Seq primer: mob.REGA+ET
    High quality sequence stop: 76.
FEATURES Location/Qualifiers
  source 1..449
    /organism="Homo sapiens"
    /mol_type="mRNA"
    /db_xref="GDB:1272833"
    /db_xref="taxon:9606"
    /clone="IMAGE:347458"
    /sex="unknown"
    /dev_stage="19 weeks"
    /lab_host="DH10B (ampicillin resistant)"
    /clone_lib="Soares_fetal_heart_NbHH19W"
    /note="Organ: heart; Vector: pT7T3D (Pharmacia) with a
    modified polylinker; Site_1: Not I; Site_2: Eco RI; 1st
    strand cDNA was primed with a Not I - oligo(dT) primer [5'
    TGTTACCAATCGAACGTGGGAGACGGCGGCGCGCCAATCTTTTTTTTTTTTTTTT 3'],
    double-stranded cDNA was size selected, ligated to Eco RI
    adapters (Pharmacia), digested with Not I and cloned into
    the Not I and Eco RI sites of a modified pT7T3 vector
    (Pharmacia). Library went through one round of
    normalization to a Cot = 5. Library was constructed by
    M.Fatima Bonaldo. This library was constructed from the
    same fetus as the fetal lung library; Soares fetal lung
    NbHL19W."
ORIGIN

Query Match 4.6%; Score 144; DB 8; Length 449;
Best Local Similarity 100.0%; Pred. No. 3.5e-58;
Matches 144; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2631 GACTGGGGTTAGRATGTAACAGCTTTAACTTGGGATTTAAGAGACGCTTTTTAAAAGGTAATA 2690
    |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 145 GACTGGGGTTAGRATGTAACAGCTTTAACTTGGGATTTAAGAGACGCTTTTTAAAAGGTAATA 86

Qy 2691 TCCTTCTGAAAGAAAAAATGACGTAACCACCAGCGTGTACTATGAAGAGCTGTTATTTTAATTA 2750
    |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 85 TCCTTCTGAAAGAAAAAATGACGTAACCACCAGCGTGTACTATGAAGAGCTGTTATTTTAATTA 26

Qy 2751 AGAACGCTGGGGCCATGAACTCATA 2774
    |||||||||||||||||||||||
Db 25 AGAACGCTGGGGCCATGAACTCATA 2

RESULT 17
LOCUS AG013685

```
LOCUS       AG013685              709 bp    DNA     linear   GSS 16-FEB-2005
DEFINITION  Homo sapiens genomic DNA, 21q region, clone: B137B7N13, genomic
            survey sequence.
ACCESSION   AG013685
VERSION     AG013685.2  GI:55788901
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE     Homo sapiens genomic DNA, chromosome 21q
  JOURNAL   Published Only in Database (1998)
REFERENCE   2  (bases 1 to 709)
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE     Direct Submission
  JOURNAL   Submitted (09-SEP-1998) Masahira Hattori, RIKEN Genomic Sciences
            Center, RIKEN Yokohama Institute, Yokohama Research Promotion
            Division; 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa,
            230-0045, Japan (E-mail:hattori@gsc.riken.jp, Tel:81-45-503-9111,
            Fax:81-45-503-9113)
COMMENT     On Nov 16, 2004 this sequence version replaced gi:3551633.
FEATURES             Location/Qualifiers
     source          1..709
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="21"
                     /map="21q"
                     /clone="B137B7N13"
ORIGIN

Qy          2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           393 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 445


RESULT 18
AG013687
LOCUS       AG013687
DEFINITION  Homo sapiens genomic DNA, 21q region, clone: B137B7N13, genomic
            survey sequence.
Matches 53; Conservative  0; Mismatches  0; Indels  0; Gaps  0;
.

Query Match       1.7%;  Score 53;  DB 10;  Length 709;
Best Local Similarity  100.0%;  Pred. No. 7.6e-14;

ACCESSION   AG013687
VERSION     AG013687.1  GI:3551635
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE     Homo sapiens genomic DNA, chromosome 21q
  JOURNAL   Published Only in Database (1998)
REFERENCE   2  (bases 1 to 709)
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE     Direct Submission
  JOURNAL   Submitted (09-SEP-1998) Masahira Hattori, RIKEN Genomic Sciences
            Center, RIKEN Yokohama Institute, Yokohama Research Promotion
            Division; 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa,
            230-0045, Japan (E-mail:hattori@gsc.riken.jp, Tel:81-45-503-9111,
            Fax:81-45-503-9113)
FEATURES             Location/Qualifiers
     source          1..709
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="21"
                     /map="21q"
                     /clone="B137B7N13"
ORIGIN

Qy          2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           336 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 388


RESULT 19
AG013686
LOCUS       AG013686              718 bp    DNA     linear   GSS 16-FEB-2005
DEFINITION  Homo sapiens genomic DNA, 21q region, clone: B137B7N13, genomic
            survey sequence.
ACCESSION   AG013686
VERSION     AG013686.1  GI:3551634
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE     Homo sapiens genomic DNA, chromosome 21q
  JOURNAL   Published Only in Database (1998)
REFERENCE   2  (bases 1 to 718)
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE     Direct Submission
  JOURNAL   Submitted (09-SEP-1998) Masahira Hattori, RIKEN Genomic Sciences
            Center, RIKEN Yokohama Institute, Yokohama Research Promotion
            Division; 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa,
            230-0045, Japan (E-mail:hattori@gsc.riken.jp, Tel:81-45-503-9111,
            Fax:81-45-503-9113)
FEATURES             Location/Qualifiers
     source          1..718
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="21"
                     /map="21q"
                     /clone="B137B7N13"
ORIGIN

Query Match       1.7%;  Score 53;  DB 10;  Length 718;
Best Local Similarity  100.0%;  Pred. No. 7.6e-14;
Matches 53; Conservative  0; Mismatches  0; Indels  0; Gaps  0;

Qy          2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           396 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 448


RESULT 20
AA679936/c
AA679936/c
LOCUS       AA679936              354 bp    mRNA    linear   EST 02-DEC-1997
DEFINITION  ac85g01.s1 Stratagene ovary (#937217) Homo sapiens cDNA clone
            IMAGE:869424 3' similar to contains Alu repetitive element;contains
            element TAR1 repetitive element ;, mRNA sequence.
ACCESSION   AA679936
VERSION     AA679936.1  GI:2656403
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 354)
```

RESULT 21

AI732120/c

```
LOCUS       AI732120    441 bp    mRNA    linear    EST 24-OCT-2000
DEFINITION  ac86a01.x5 Stratagene ovary (#937217) Homo sapiens cDNA clone
            IMAGE:869448 3' similar to contains Alu repetitive element;, mRNA
            sequence.
ACCESSION   AI732120
VERSION     AI732120.1  GI:5053255
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 441)
  AUTHORS   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
  TITLE     Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
            National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            This read is a RESEQUENCE of a previously sequenced human clone
            Original clone citation: WashU-NCI human EST Project
            This read has been verified (found to hit its original self in the
            correct orientation)
            Insert Length: 1252     Std Error: 0.00
            Seq primer: -40UP from Gibco
            High quality sequence stop: 437.
FEATURES             Location/Qualifiers
     source          1..354
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:869424"
                     /sex="female"
                     /dev_stage="49 year old"
                     /lab_host="SOLR cells (kanamycin resistant)"
                     /note="Organ: ovary; Vector: Bluescript SK; Site 1: EcoRI;
                     /clone_lib="Stratagene ovary (#937217)"
                     Site 2: XhoI; Cloned unidirectionally. Primer: Oligo dT.
                     Total ovary tissue, normal, caucasian. Average insert
                     size: 0.8 kb; Uni-ZAP XR Vector; ~5' adaptor sequence: 5'
                     GAATTCGGCACGAG 3' ~3' adaptor sequence: 5'
                     CTCGAGTTTTTTTTTTTTTTTTTTT 3'"
ORIGIN

Qy  Query Match
    Best Local Similarity  1.7%;   Score 52;   DB 1;   Length 354;
    Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  3071  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAGACTCTGTCTC  3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   217  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAGACTCTGTCTC   166
```

RESULT 22

AI732180/c

```
LOCUS       AI732180    441 bp    mRNA    linear    EST 24-OCT-2000
DEFINITION  ac85g01.x5 Stratagene ovary (#937217) Homo sapiens cDNA clone
            IMAGE:869424 3' similar to contains Alu repetitive element;, mRNA
            sequence.
ACCESSION   AI732180
VERSION     AI732180.1  GI:5053293
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 441)
  AUTHORS   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
  TITLE     Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
            National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            This read is a RESEQUENCE of a previously sequenced human clone
            Original clone citation: WashU-NCI human EST Project
            This read has been verified (found to hit its original self in the
            correct orientation)
            Insert Length: 1299     Std Error: 0.00
            Seq primer: -40UP from Gibco
            High quality sequence stop: 431.
FEATURES             Location/Qualifiers
     source          1..441
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:869424"
                     /sex="female"
                     /dev_stage="49 year old"
                     /lab_host="SOLR cells (kanamycin resistant)"
                     /note="Organ: ovary; Vector: Bluescript SK; Site 1: EcoRI;
                     /clone_lib="Stratagene ovary (#937217)"
                     Site 2: XhoI; Cloned unidirectionally. Primer: Oligo dT.
                     Total ovary tissue, normal, caucasian. Average insert
                     size: 0.8 kb; Uni-ZAP XR Vector; ~5' adaptor sequence: 5'
                     GAATTCGGCACGAG 3' ~3' adaptor sequence: 5'
                     CTCGAGTTTTTTTTTTTTTTTTTTT 3'"
ORIGIN

Qy  Query Match
    Best Local Similarity  1.7%;   Score 52;   DB 1;   Length 441;
    Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  3071  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAGACTCTGTCTC  3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   217  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAGACTCTGTCTC   166
```

```
AUTHORS  Hillier,L., Allen,M., Bowles,L., Dubuque,T., Geisel,G., Jost,S.,
         Kirsman,D., Kucaba,T., Lacy,M., Le,N., Lennon,G., Marra,M.,
         Martin,J., Moore,B., Schellenberg,K., Steptoe,M., Tan,F.,
         Theising,B., White,Y., Wylie,T., Waterston,R. and Wilson,R.
TITLE    WashU-NCI human EST Project
JOURNAL  Unpublished (1997)
COMMENT  Contact: Wilson RK
         Washington University School of Medicine
         4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
         Tel: 314 286 1800
         Fax: 314 286 1810
         Email: est@watson.wustl.edu
         This clone is available royalty-free through LLNL ; contact the
         IMAGE Consortium (info@image.llnl.gov) for further information.
         Seq primer: -40m13 fwd. ET from Amersham
         High quality sequence stop: 285.
```

ORIGIN

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACGAAGACTCTGTCTC 3122
                   ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   217 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACGAAGACTCTGTCTC 166

RESULT 23
LOCUS   CN277748   520 bp   mRNA   linear   EST 16-MAY-2004
DEFINITION   17006000183571 GRN_PREHEP Homo sapiens cDNA 5', mRNA sequence.
ACCESSION   CN277748
VERSION   CN277748.1   GI:47294162
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
           Hominidae; Homo.
REFERENCE   1 (bases 1 to 520)
  AUTHORS   Brandenberger,R., Wei,H., Zhang,S., Lei,S., Murage,J., Fisk,G.J.,
           Li,Y., Xu,C., Fang,R., Guegler,K., Rao,M.S., Mandalam,R.,
           Lebkowski,J and Stanton,L.W.
  TITLE   Transcriptome characterization elucidates signaling networks that
           control human ES cell growth and differentiation
  JOURNAL   Nat. Biotechnol. 22 (6), 707-716 (2004)
  PUBMED   15146197
COMMENT   Contact: Brandenberger R
           Regenerative Medicine
           Geron Corporation
           230 Constitution Drive, Menlo Park, CA 94025, USA
           Tel: 650 473 8658
           Fax: 650 473 7760
           Email: rbrandenberger@geron.com
           Insert Length: 520   Std Error: 0.00.
FEATURES   Location/Qualifiers
     source   1..520
           /organism="Homo sapiens"
           /mol_type="mRNA"
           /db_xref="taxon:9606"
           /tissue_type="embryonic stem cells, DMSO-treated H9 cell
           line"
           /clone_lib="GRN_PREHEP"
           /note="oligo dT primed, full-length enriched cDNA library
           from DMSO-treated hES cell line H9 (p22) maintained in
           feeder-free conditions"

ORIGIN

Query Match   1.7%;   Score 52;   DB 7;   Length 520;
Best Local Similarity   100.0%;   Pred. No. 2.4e-13;
Matches   52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACGAAGACTCTGTCTC 3122
                   ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   467 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACGAAGACTCTGTCTC 518

RESULT 24
LOCUS   AA680243   529 bp   mRNA   linear   EST 02-DEC-1997
DEFINITION   ac86a01.s1 Stratagene ovary (#937217) Homo sapiens cDNA clone
           IMAGE:869448 3' similar to contains Alu repetitive element;contains
           element L1 repetitive element ;, mRNA sequence.
ACCESSION   AA680243
VERSION   AA680243.1   GI:2656211
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

           Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
           Hominidae; Homo.
REFERENCE   1 (bases 1 to 529)
  AUTHORS   Hillier,L., Allen,M., Bowles,L., Dubuque,T., Geisel,G., Jost,S.,
           Krizman,D., Kucaba,T., Lacy,M., Le,N., Lennon,G., Marra,M.,
           Martin,J., Moore,B., Schellenberg,K., Steptoe,M., Tan,F.,
           Theising,B., White,Y., Wylie,T., Waterston,R. and Wilson,R.
  TITLE   WashU-NCI human EST Project
  JOURNAL   Unpublished (1997)
COMMENT   Contact: Wilson RK
           Washington University School of Medicine
           4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
           Tel: 314 286 1800
           Fax: 314 286 1810
           Email: est@watson.wustl.edu
           This clone is available royalty-free through LLNL ; contact the
           IMAGE Consortium (info@image.llnl.gov) for further information.
           Seq primer: -40m13 fwd. ET from Amersham
           High quality sequence stop: 359.
FEATURES   Location/Qualifiers
     source   1..529
           /organism="Homo sapiens"
           /mol_type="mRNA"
           /db_xref="taxon:9606"
           /clone="IMAGE:869448"
           /sex="female"
           /dev_stage="49 year old"
           /lab_host="SOLR cells (kanamycin resistant)"
           /clone_lib="Stratagene ovary (#937217)"
           /note="Organ: ovary; Vector: Bluescript SK; Site 1: EcoRI;
           Site 2: XhoI; Cloned unidirectionally. Average insert
           size: 0.8 kb; Uni-ZAP XR Vector; ~5' adaptor sequence: 5'
           Total ovary tissue, normal, caucasian. Average insert
           GAATTCGGCACGAG 3' ~3' adaptor sequence: 5'
           CTCGAGTTTTTTTTTTTTTTTTTTT 3."

ORIGIN

Query Match   1.7%;   Score 52;   DB 1;   Length 529;
Best Local Similarity   100.0%;   Pred. No. 2.4e-13;
Matches   52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGTGCCACTCCCAGCCTGGGCAACAGAGACGAAGACTCTGTCTC 3122
                   ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   243 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACGAAGACTCTGTCTC 192

RESULT 25
CK825142/c
LOCUS   CK825142   553 bp   mRNA   linear   EST 11-MAR-2004
DEFINITION   Ig44h08.y5 HR85 islet Homo sapiens cDNA clone IMAGE:5594343 5',
           mRNA sequence.
ACCESSION   CK825142
VERSION   CK825142.1   GI:44842067
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
           Hominidae; Homo.
REFERENCE   1 (bases 1 to 553)
  AUTHORS   Melton,D., Meadows,A., Clifton,S., Hillier,L., Marra,M., Pape,D.,
           Wylie,T., Martin,J., Blistain,A., Schmitt,A., Theising,B.,
           Ritter,E., Ronko,I., Bennett,J., Cardenas,M., Gibbons,M.,
           McCann,R., Cole,R., Tsagareishvili,R., Williams,T., Jackson,Y. and
           Bowers,Y.
  TITLE   WashU-Harvard Pancreas EST Project
  JOURNAL   Unpublished (2000)
COMMENT   Contact: Douglas Melton, Klaus H. Kaestner, & Hiroshi Inoue
           Endocrine Pancreas Consortium
           Harvard University, Howard Hughes Medical Institute
           Dept of Molecular and Cellular Biology, 7 Divinity Ave, Cambridge,
           MA 02138
           Tel: 617-495-1812

(Left column)

```
          Fax: 617-495-8557
          Email: dmelton@biohp.harvard.edu
          This read is a 5' RESEQUENCE of a previously sequenced pancreas
          clone
          Good hit to opposite strand read. . .wrong orientation BUT PASSED FOR
          MOUSE-PANCREAS VERIFICATION
          Seq primer: -40UP from Gibco
          High quality sequence stop: 553.
FEATURES
     source          Location/Qualifiers
                     1..553
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:5594343"
                     /tissue_type="Purified pancreatic islet"
                     /clone_lib="DH10B"
                     /lab_host="HR85 islet"
                     /note="Organ: Pancreas; Vector: pBluescript SK(-); Site_1:
                     NotI; Site_2: XhoI; cDNA made by oligo-dT priming.
                     Size-selected on agarose gel. Average insert size ~1kb. 5'
                     XhoI site was destroyed after directional cloning.
                     Amplified once. Contact information: Hiroshi Inoue, MD,
                     Metabolism Div. (Alan Permutt Lab), Washington University
                     School of Medicine, Box 8127, 660 South Euclid Ave, St.
                     Louis, MO 63110, E-mail: hinoue@imgate.wustl.edu, Tel:
                     314-362-1916, Fax: 314-747-2692."
ORIGIN

Query Match
Best Local Similarity  100.0%;  Score 52;  DB 7;  Length 553;
Matches 52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     540 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAGACTCTGTCTC 489

RESULT 26
CK825141
LOCUS         CK825141                   555 bp    mRNA    linear    EST 11-MAR-2004
DEFINITION    1g44h08.x5 HR85 islet Homo sapiens cDNA clone IMAGE:5594343 3',
              mRNA sequence.
ACCESSION     CK825141
VERSION       CK825141.1  GI:44842066
KEYWORDS      EST.
SOURCE        Homo sapiens (human)
  ORGANISM    Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
REFERENCE    1  (bases 1 to 555)
  AUTHORS     Melton,D., Meadows,A., Clifton,S., Hillier,L., Marra,M., Pape,D.,
              Wylie,T., Martin,J., Bistein,A., Schmitt,A., Theising,B.,
              Ritter,B., Ronko,I., Bennett,J., Cardenas,M., Gibbons,M.,
              McCann,R., Cole,R., Tsagareishvili,R., Williams,T., Jackson,Y. and
              Bowers,Y.
  TITLE       WashU-Harvard Pancreas EST Project
  JOURNAL     Unpublished (2000)
COMMENT       Other ESTs: 1g44h08.y1
              Contact: Douglas Melton, Klaus H. Kaestner, & Hiroshi Inoue
              Endocrine Pancreas Consortium
              Harvard University, Howard Hughes Medical Institute
              Dept of Molecular and Cellular Biology, 7 Divinity Ave, Cambridge,
              MA 02138
              Tel: 617-495-1812
              Fax: 617-495-8557
              Email: dmelton@biohp.harvard.edu
              This read is a 3' RESEQUENCE of a previously sequenced read. . .wrong orientation BUT PASSED FOR
              MOUSE-PANCREAS VERIFICATION
              Seq primer: -40RP from Gibco.
FEATURES
     source          Location/Qualifiers
```

(Right column)

```
     source          1..555
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:5594343"
                     /tissue_type="Purified pancreatic islet"
                     /clone_lib="DH10B"
                     /lab_host="HR85 islet"
                     /note="Organ: Pancreas; Vector: pBluescript SK(-); Site_1:
                     NotI; Site_2: XhoI; cDNA made by oligo-dT priming.
                     Size-selected on agarose gel. Average insert size ~1kb. 5'
                     XhoI site was destroyed after directional cloning.
                     Amplified once. Contact information: Hiroshi Inoue, MD,
                     Metabolism Div. (Alan Permutt Lab), Washington University
                     School of Medicine, Box 8127, 660 South Euclid Ave, St.
                     Louis, MO 63110, E-mail: hinoue@imgate.wustl.edu, Tel:
                     314-362-1916, Fax: 314-747-2692."
ORIGIN

Query Match
Best Local Similarity  100.0%;  Score 52;  DB 7;  Length 555;
Matches 52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     440 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGAGACTCTGTCTC 491

RESULT 27
AQ526715
LOCUS         AQ526715                   568 bp    DNA    linear    GSS 11-MAY-1999
DEFINITION    HS_5216_A2_C08_T7A RPCI-11 Human Male BAC Library Homo sapiens
              genomic clone Plate=792 Col=16 Row=E, genomic survey sequence.
ACCESSION     AQ526715
VERSION       AQ526715.1  GI:4769865
KEYWORDS      GSS.
SOURCE        Homo sapiens (human)
  ORGANISM    Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
REFERENCE    1  (bases 1 to 568)
  AUTHORS     Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
              Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
              Hood,L.
  TITLE       Sequence-tagged connectors: A sequence approach to mapping and
              scanning the human genome
  JOURNAL     Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
   PUBMED     10447764
COMMENT       Contact: Mahairas GG, Wallace JC, Hood L
              High Throughput Sequencing Center
              University of Washington
              401 Queen Anne Avenue North, Seattle, WA 98109, USA
              Tel: (206) 616-3618
              Fax: (206) 616-3887
              Email: jwallace@u.washington.edu
              Clones are derived from the human BAC library RPCI-11. For BAC
              library availability, please contact Pieter de Jong
              (pieter@dejong.med.buffalo.edu). Clones may be purchased from
              BACPAC Resources (http://bacpac.med.buffalo.edu/ordering_bac.htm)
              or from Resear h Genetics (info@reggen.com). BAC end Web Server:
              http://www.htsc.washington.edu
              Plate: 792    row: E    column: 16
              Seq primer: T7
              Class: BAC ends
              High quality sequence stop: 568.
FEATURES
     source          Location/Qualifiers
                     1..568
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=792 Col=16 Row=E"
                     /sex="male"
```

RESULT 28

BZ606000/c

```
ORIGIN
Query Match
Best Local Similarity 1.7%;        Score 52; DB 9; Length 568;
Matches 52;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy  2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         ||||||||||||||||| ||||||||||||||||||||||||||||||||||
Db   154 GAGGCAGGTGGATCACTTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 205
```

```
                /clone_lib="RPCI-11 Human Male BAC Library"
                /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                Male blood DNA was isolated from one randomly chosen donor
                and partially digested with a combination of EcoRI and
                EcoRI Methylase. Size selected DNA was cloned into the
                pBACe3.6 vector at EcoRI sites"

LOCUS       BZ606000               373 bp    DNA     linear   GSS 08-JUN-2003
DEFINITION  WHAAS80TR Human MCF7 breast cancer cell line library (MCF7_1) Homo
            sapiens genomic clone MCF7_1-5N15, genomic survey sequence.
ACCESSION   BZ606000
VERSION     BZ606000.1  GI:31514561
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 373)
  AUTHORS   Volik,S., Zhao,S., Chin,K., Brebner,J.H., Herndon,D.R., Tao,Q.,
            Kowbel,D., Huang,G., Lapuk,A., Kuo,W.-L., Magrane,G., de Jong,P.,
            Gray,J.W. and Collins,C.
  TITLE     End-sequence profiling: Sequence-based analysis of aberrant genomes
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 100 (13), 7696-7701 (2003)
   PUBMED   12788976
COMMENT     Contact: Volik SV
            Colin Collins' lab
            UCSF Comprehensive Cancer Center
            UCSF Box 0808, San Francisco, CA 94143-0808, USA
            Tel: 415 502 7066
            Fax: 415 502 5665
            Email: svolik@cc.ucsf.edu
            This clone is available from Amplicon Express
            http://www.genomex.com
            Class: BAC ends.
FEATURES             Location/Qualifiers
     source          1..373
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /sex="female"
                     /clone="MCF7_1-5N15"
                     /clone_lib="Human MCF7 breast cancer cell line library
                     (MCF7_1)"
                     /note="Vector: pBCBAC1; Site_1: HindIII; This library was
                     constructed from MCF7 breast cancer cell line by Amplicon
                     Express (http://www.genomex.com) using their standard
                     procedure."
ORIGIN
```

RESULT 29

CR545224

```
Query Match
Best Local Similarity 100.0%;      Score 51; DB 9; Length 373;
Matches 51;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGAGACTCTGTCT 3121
         |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   185 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGAGACTCTGTCT 135
```

LOCUS CR545224

```
LOCUS       CR545224               350 bp    mRNA    linear   EST 07-JUL-2004
DEFINITION  DKFZp459E1025_r1 459 (synonym: pcor1) Pongo pygmaeus cDNA clone
            DKFZp459E1025_5', mRNA sequence.
ACCESSION   CR545224
VERSION     CR545224.1  GI:49897049
KEYWORDS    EST.
SOURCE      Pongo pygmaeus (orangutan)
  ORGANISM  Pongo pygmaeus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pongo.
REFERENCE   1  (bases 1 to 350)
  AUTHORS   Koehrer,K., Beyer,A., Mewes,H.W., Weil,B., Amid,C., Osanger,A.,
            Fobo,G., Han,M. and Wiemann,S.
  TITLE     Pongo pygmaeus mRNA (Koehrer,K., Beyer,A., Mewes,H.W., et al.)
  JOURNAL   Unpublished (2004)
COMMENT     Contact: MIPS
            MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert clone from S. Wiemann,
            Molecular Genome Analysis, German Cancer Research Center (DKFZ);
            Email s.wiemann@dkfz-heidelberg.de; sequenced by BMFZ (Biomedical
            Research Center at the Heinrich-Heine-University,
            Duesseldorf/Germany) within the cDNA sequencing consortium of the
            German Genome Project. This clone (DKFZp459E1025) is available at
            the RZPD in Berlin. Please contact the RZPD: Ressourcenzentrum,
            Heubnerweg 6, 14059 Berlin-Charlottenburg, GERMANY; Email:
            clone@rzpd.de Further information about the clone and the
            sequencing project is available at
            http://mips.gsf.de/projects/cdna/.
FEATURES             Location/Qualifiers
     source          1..350
                     /organism="Pongo pygmaeus"
                     /mol_type="mRNA"
                     /db_xref="taxon:9600"
                     /clone="DKFZp459E1025"
                     /tissue_type="cortex"
                     /dev_stage="adult"
                     /lab_host="DH10B"
                     /clone_lib="459 (synonym: pcor1)"
                     /note="Vector: pSport1_Sfi; Site_1: SfiIA; Site_2: SfiIB"
ORIGIN
```

```
Qy  3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    98 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 147
```

RESULT 30

CB140816

```
Query Match
Best Local Similarity 100.0%;      Score 50; DB 7; Length 350;
Matches 50;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;
```

```
LOCUS       CB140816               471 bp    mRNA    linear   EST 29-JAN-2003
DEFINITION  K-EST0194308 L15CKK1 Homo sapiens cDNA clone L15CKK1-33-C11 5',
            mRNA sequence.
ACCESSION   CB140816
VERSION     CB140816.1  GI:28115050
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 471)
  AUTHORS   Kim,N.S., Hahn,Y., Oh,J.H., Lee,J.Y., Ahn,H.Y., Chu,M.Y., Kim,M.R.,
            Oh,K.J., Cheong,J.E., Sohn,H.Y., Kim,J.M., Park,H.S., Kim,S. and
            Kim,Y.S.
  TITLE     Frontier Korean EST Project 2001
  JOURNAL   Unpublished (2002)
COMMENT     Contact: Kim YS
            Genome Research Center
```

RESULT 31

```
Qy    2973 AARTTGGGCCGGGGCCATGGGTGGGCGGCATGCCTTCGGCGCTACTTCGGGGAGG 3022
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     145 AARTTGGGCCGGGGCCATGGGTGGGCGGCATGCCTTCGGCGCTACTTCGGGGAGG 194
```

Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Best Local Similarity 100.0%; Pred. No. 2.2e-12;

Query Match 1.6%; Score 50; DB 6; Length 471;

ORIGIN

DEFINITION RPCI-11-245E13.TV RPCI-11 Homo sapiens genomic clone RPCI-11-245E13, genomic survey sequence.

LOCUS   AQ487295   572 bp   DNA   linear   GSS 24-APR-1999

ACCESSION   AQ487295

VERSION   AQ487295.1 GI:4673169

DB   GSS.

SOURCE   Homo sapiens (human)

  ORGANISM Homo sapiens

            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.

REFERENCE   1 (bases 1 to 572)

  AUTHORS   Zhao,S., Adams,M.D., Nierman,W., Malek,J., de Jong,P. and
            Venter,J.C.

  TITLE   Use of BAC End Sequences from Library RPCI-11 for Sequence-Ready
            Map Building

  JOURNAL   Unpublished (1997)

COMMENT   Other GSSs: RPCI-11-245E13.TJ
            Contact: Shaying Zhao, William Nierman, Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: hbe@tigr.org
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong

FEATURES   Location/Qualifiers
     source   1..572
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:7593804"
                     /db_xref="taxon:9606"
                     /clone="RPCI-11-245E13"
                     /sex="Male"
                     /cell_type="Lymphocytes"
                     /clone_lib="RPCI-11"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     RPCI11 Human Male BAC Library"

RESULT 32

```
Qy    3073 AGARTTGTGCCACTTGCACTTCCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     572 AGARTTGTGCCACTTGCACTTCCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 523
```

Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Best Local Similarity 100.0%; Pred. No. 2.2e-12;

Query Match 1.6%; Score 50; DB 9; Length 572;

ORIGIN

DEFINITION CIT978SK-161J21.TR CIT978SK Homo sapiens genomic clone 161J21, genomic survey sequence.

LOCUS   B47416   634 bp   DNA   linear   GSS 18-JUN-1998

ACCESSION   B47416

VERSION   B47416.1 GI:2599822

DB   GSS.

SOURCE   Homo sapiens (human)

  ORGANISM Homo sapiens

            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.

REFERENCE   1 (bases 1 to 634)

  AUTHORS   Adams,M.D., Rounsley,S.D., Field,C.B., Bass,S., Linher,K.,
            Golden,K., Berry,K., Granger,D., Suh,E., Wible,C., Kim,U.-J.,
            Shizuya,H., Simon,M. and Venter,J.C.

  TITLE   Use of a human BAC End Sequence Database for Sequence-Ready Map
            Building

  JOURNAL   Unpublished (1997)

COMMENT   Other GSSs: CIT978SK-161J21.TVB
            Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: mdadams@tigr.org
            Clones are available from Research Genetics (info@resgen.com). BAC
            end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html

FEATURES   Location/Qualifiers
     source   1..634
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:5283048"
                     /db_xref="taxon:9606"
                     /clone="161J21"
                     /sex="Female"
                     /cell_type="Fibroblast"
                     /clone_lib="CIT978SK"
                     /note="Vector: pBAC108L; Site_1: HindIII; Site_2: HindIII;
```

FEATURES   Location/Qualifiers
     source   1..471
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="L15CKK1-33-C11"
                     /sex="M"
                     /cell_line="CK-K1"
                     /lab_host="TOP10F'"
                     /clone_lib="L15CKK1"
                     /note="Organ: Liver; Vector: pCNS-D2; Site_1: EcoRI;
                     Site_2: NotI; The poly (A)+ RNA was dephosphorylated with
                     bacterial alkaline phosphatase (BAP) and then decapped
                     with tabacco acid pyrophosphatase (TAP). The decapped
                     intact mRNA was ligated with DNA-RNA linker including
                     EcoRI site by treatment of T4 RNA ligase and the first
                     strand cDNA was synthesized from oligo dT-selected mRNA by
                     priming with dT-tailed vector. The dT-tailed vector was
                     adjusted to have about 60nt. The cDNA vector was
                     circularized with E.coli DNA ligase after digestion of
                     EcoRI which site is also included in vector. An RNA strand
                     converted to a DNA strand by Okayama-Berg method. The
                     obtained cDNA vectors were used for transformation of
                     competent cells E. coli Top10F' by electroporation method.
                     The cDNA libraries constructed by this method are
                     full-length enriched cDNA library."

ORIGIN

Korea Research Institute of Bioscience & Biotechnology
52 Eoeun-dong Yuseong-gu, Daejeon 305-333, South Korea
Tel: +82-42-860-4470
Fax: +82-42-860-4409
Email: yongsung@mail.kribb.re.kr
Plate: 33 row: C column: 11

High quality sequence stop: 471.

Seq primer: T7

Class: BAC ends.

ORIGIN

CalTech Human BAC Library A"

Qy Query Match 1.6%; Score 50; DB 9; Length 634;
  Best Local Similarity 100.0%; Pred. No. 2.2e-12;
  Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

  3073 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
     ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 586 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 537

RESULT 33
LOCUS AG145253   656 bp DNA linear GSS 08-JAN-2002
DEFINITION Pan troglodytes DNA, clone: RP43-006H23.T7, genomic survey
     sequence.
ACCESSION AG145253
VERSION AG145253.1 GI:16674931
KEYWORDS GSS.
SOURCE Pan troglodytes (chimpanzee)
 ORGANISM Pan troglodytes
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
    Hominidae; Pan.
REFERENCE 1 (bases 1 to 656)
 AUTHORS Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
    Totoki,Y., Watanabe,H. and Sakaki,Y.
 TITLE   BAC end sequences of Library RPCI-43
 JOURNAL Unpublished
REFERENCE 2 (bases 1 to 656)
 AUTHORS Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
    Totoki,Y., Watanabe,H. and Sakaki,Y.
 TITLE   Direct Submission
 JOURNAL Submitted (02-AUG-2001) Asao Fujiyama, The Institute of Physical
    and Chemical Research (RIKEN), Genomic Sciences Center (GSC);
    1-7-22 Suehiro-chou,Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
    (E-mail:chimpbes@gsc.riken.go.jp, URL:http://hgp.gsc.riken.go.jp/,
    Tel:81-45-503-9111, Fax:81-45-503-9170)
COMMENT Clones are derived from the chimpanzee BAC library RPCI-43 This BAC
    end was generated during the R&D process and may have higher chance
    of clone tracking errors.
    PRIMERS
     Sequencing: T7
    LIBRARY
     Vector   : pBACe3.6
     R.Site 1 : EcoRI
     R.Site 2 : EcoRI.
FEATURES   Location/Qualifiers
 source   1..656
     /organism="Pan troglodytes"
     /mol_type="genomic DNA"
     /db_xref="taxon:9598"
     /clone="RP43-006H23.T7"
     /sex="male"
     /cell_type="lymphocytes"
     /clone_lib="RPCI-43 Chimpanzee Male BAC Library"
ORIGIN

Qy Query Match 1.6%; Score 50; DB 10; Length 656;
  Best Local Similarity 100.0%; Pred. No. 2.2e-12;
  Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

  3073 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
     ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 394 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 443

RESULT 34
LOCUS AV734315   694 bp mRNA linear EST 17-OCT-2000
DEFINITION AV734315 cdA Homo sapiens cDNA clone cdAANC05 5', mRNA sequence.
ACCESSION AV734315

VERSION AV734315.1 GI:10851860
KEYWORDS EST.
SOURCE Homo sapiens (human)
 ORGANISM Homo sapiens
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
    Hominidae; Homo.
REFERENCE 1 (bases 1 to 694)
 AUTHORS Yang,Y., Song,H., Peng,Y., Gu,Y., Gao,G., Xiao,H., Xu,X., Li,N.,
    Qian,B., Liu,F., Qu,J., Gao,X., Cheng,Z., Xu,Z., Zeng,L., Xu,S.,
    Gu,W., Tu,Y., Jia,J., Fu,G., Ren,S., Zhong,M., Lu,G., Hu,R.,
    Chen,J., Chen,Z. and Han,Z.
 TITLE   Homo sapiens cDNA cdA clones
 JOURNAL Unpublished (2000)
COMMENT Contact: Zeguang Han
    Chinese National Human Genome Center at Shanghai
    351 Guo Shoujing Road, Zhangjiang Hi-Tech Park, Pudong, Shanghai
    201203, P. R. China
    Tel: 86-21-50801919(ex.45)
    Fax: 86-21-50801922
    Email: hanzg@chgc.sh.cn
    This clone is available at CHGC in Shanghai.
FEATURES   Location/Qualifiers
 source   1..694
     /organism="Homo sapiens"
     /mol_type="mRNA"
     /db_xref="taxon:9606"
     /clone="cdAANC05"
     /tissue_type="pheochromocytoma"
     /dev_stage="adult"
     /lab_host="BM25.8"
     /clone_lib="cdA"
     /note="Vector: pTriplEx2; Site_1: sfiIA; Site_2: sfiIB"
ORIGIN

Qy Query Match 1.6%; Score 50; DB 1; Length 694;
  Best Local Similarity 100.0%; Pred. No. 2.2e-12;
  Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

  3073 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
     ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 397 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 446

RESULT 35
LOCUS CN413517   706 bp mRNA linear EST 16-MAY-2004
DEFINITION 17000532630078 GRN_EB Homo sapiens cDNA 5', mRNA sequence.
ACCESSION CN413517
VERSION CN413517.1 GI:47401111
KEYWORDS EST.
SOURCE Homo sapiens (human)
 ORGANISM Homo sapiens
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
    Hominidae; Homo.
REFERENCE 1 (bases 1 to 706)
 AUTHORS Brandenberger,R., Wei,H., Zhang,S., Lei,S., Murage,J., Fisk,G.J.,
    Li,Y., Xu,C., Fang,R., Guegler,K., Rao,M.S., Mandalam,R.,
    Lebkowski,J and Stanton,L.W.
 TITLE   Transcriptome characterization eluidates signaling networks that
    control human ES cell growth and differentiation
 JOURNAL Nat. Biotechnol. 22 (6), 707-716 (2004)
 PUBMED 15146197
COMMENT Contact: Brandenberger R
    Regenerative Medicine
    Geron Corporation
    230 Constitution Drive, Menlo Park, CA 94025, USA
    Tel: 650 473 8658
    Fax: 650 473 7760
    Email: rbrandenberger@geron.com
    Insert Length: 706 Std Error: 0.00.
FEATURES   Location/Qualifiers

ORIGIN
```
source          1..706
                /organism="Homo sapiens"
                /mol_type="mRNA"
                /db_xref="taxon:9606"
                /tissue_type="embryonic stem cells, embryoid bodies
                derived from H1, H7 and H9 cells"
                /clone_lib="GRN_EB"
                /note="oligo_dT primed, full-length enriched cDNA library
                from embryoid body outgrowths derived from hES cell lines
                H1 (p32), H7 (p29), and H9 (p26) maintained in feeder-free
                conditions."
```

RESULT 36

```
Qy          3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db           134 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACTCTGTCTC 183
```

LOCUS   CD357076   770 bp   mRNA   linear   EST 29-MAY-2003
DEFINITION AGENCOURT_14249993 NIH_MGC_187 Homo sapiens cDNA clone
            IMAGE:30401040 5', mRNA sequence.
ACCESSION   CD357076
VERSION   CD357076.1 GI:31128487
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 770)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
COMMENT   Contact: Daniela S. Gerhard, Ph.D.
            Office of Cancer Genomics
            National Cancer Institute / NIH
            Bldg. 31 Rm10A07 Bethesda, MD 20892
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Dr. Michael Brownstein and Dr. Miklos Palkovits
            cDNA Library Preparation: CLONTECH Laboratories, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Agencourt Bioscience Corporation
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: NDCM181 row: C column: 01
            High quality sequence stop: 538.

FEATURES   Location/Qualifiers
     source   1..770
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:30401040"
                     /clone_lib="NIH_MGC_187"
                     /note="Organ: Blood vessels - aorta, basilar and artery;
                     Vector: pDNR-LIB; Site 1: SfiI (ggccattatggcc); Site 2:
                     SfiI (ggccgcctsggcc); 5' and 3' adaptors were used in
                     cloning as follows: 5' adaptor sequence:
                     5'-CACGGCCATTATGGCC-3' and 3' adaptor sequence:
                     5'-ATTCTAGAGGCCGAGGCGGCCGACATG-dT(30)BN-3' (where B = A,
                     C, or G and N = A, C, G, or T). Average insert size 1.4 kb
                     (range 0.5-4.0 kb). 14/15 colonies contained inserts by
                     PCR. This library was enriched for full-length clones and
                     was constructed by Clontech Laboratories (Palo Alto, CA).
                     Note: this is a NIH_MGC library."
ORIGIN
```

Query Match   1.6%;   Score 50;  DB 7;  Length 706;
Best Local Similarity  100.0%;   Pred. No. 2.2e-12;
Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

---

RESULT 37

```
Qy          3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGAGCAAGAGACTCTGTC 3120
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           382 CAAGATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGAGCAAGAGACTCTGTC 431
```

LOCUS   AY758761   797 bp   DNA   linear   GSS 14-APR-2005
DEFINITION RP43-99b9 TV Pan troglodytes genomic DNA Pan troglodytes genomic
            clone RP43-99b9 TV, genomic survey sequence.
ACCESSION   AY758761
VERSION   AY758761.1 GI:62544847
KEYWORDS   GSS.
SOURCE   Pan troglodytes (chimpanzee)
  ORGANISM Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1 (bases 1 to 797)
  AUTHORS   Yohn,C.T., Jiang,Z., McGrath,S.D., Hayden,K.E., Khaitovich,P.,
            Johnson,M.E., Eichler,M.Y., McPherson,J.D., Zhao,S., and
            Eichler,E.E.
  TITLE   Lineage-specific expansions of retroviral insertions within the
            genomes of African great apes but not humans and orangutans
  JOURNAL   PLoS Biol. 3 (4), e110 (2005)
   PUBMED   15737067
COMMENT   Contact: Evan Eichler
            Department of Genetics
            Case Western Reserve University
            2109 Adelbert Rd., BRB 720, Cleveland, OH 44106, USA
            Tel: 216 368 4883
            Fax: 216 368 3432
            Email: eee@po.cwru.edu
            TJ forward and TV reverse
            Class: BAC ends.
FEATURES   Location/Qualifiers
     source   1..797
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone="RP43-99b9 TV"
                     /clone_lib="Pan troglodytes genomic DNA"
ORIGIN
```

Query Match   1.6%;   Score 50; DB 6; Length 770;
Best Local Similarity 100.0%;   Pred. No. 2.2e-12;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 38

```
Qy          3073 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGAGCAAGAGACTCTGTCT 3121
                 |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           404 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGAGCAAGAGACTCTGTCT 452
```

LOCUS   AW006453   452 bp   mRNA   linear   EST 10-SEP-1999
DEFINITION wr16h01.x1 NCI_CGAP_Pr22 Homo sapiens cDNA clone IMAGE:2481745 3'
            similar to contains Alu repetitive element;, mRNA sequence.
ACCESSION   AW006453
VERSION   AW006453.1 GI:5855231
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 452)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.

LOCUS   AW006453/c
ACCESSION   AW006453/c

Query Match   1.6%;   Score 49; DB 9; Length 797;
Best Local Similarity 100.0%;   Pred. No. 6.7e-12;
Matches   49; Conservative   0; Mismatches   0; Indels   0; Gaps   0;
```

TITLE       National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL     Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Michael J. Brownstein, M.D., Ph.D., Michael R.
            Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: M. Bento Soares, Ph.D.
            cDNA Library Arrayed by: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Seq primer: -40UP from Gibco
            High quality sequence stop: 423.
FEATURES             Location/Qualifiers
     source          1..452
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:2481745"
                     /sex="male"
                     /tissue_type="normal prostate"
                     /lab_host="DH10B"
                     /clone_lib="NCI_CGAP_Pr22"
                     /note="Organ: prostate; Vector: pT7T3D-Pac (Pharmacia)
                     with a modified polylinker; 1st strand cDNA was prepared
                     from normal prostate bulk tissue, and was then primed with
                     a Not I - oligo(dT) primer. Double-stranded cDNA was
                     ligated to Eco RI adaptors (Pharmacia), digested with Not
                     I and cloned into the Not I and Eco RI sites of the
                     modified pT7T3 vector. Library is normalized, and was
                     constructed by Bento Soares and M. Fatima Bonaldo. "
ORIGIN

RESULT 39

Query Match             1.5%;  Score 48;  DB 1;  Length 452;
Best Local Similarity   100.0%;  Pred. No. 2.1e-11;
Matches   48;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGAGCAAGACTCTGTC 3120
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db      73 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGAGCAAGACTCTGTC 26

LOCUS       AQ757333                 548 bp    DNA    linear    GSS 27-JUL-1999
AQ757333/c
DEFINITION  HS_5484_A1_H10_T7A RPCI-11 Human Male BAC Library Homo sapiens
            genomic clone Plate=1060 Col=19 Row=O, genomic survey sequence.
ACCESSION   AQ757333
VERSION     AQ757333.1  GI:5622184
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 548)
AUTHORS     Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
TITLE       Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
JOURNAL     Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
PUBMED      10049764
COMMENT     Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Clones are derived from the human BAC library RPCI-11. For BAC

library availability, please contact Pieter de Jong
(pieter@dejong.med.buffalo.edu). Clones may be purchased from
BACPAC Resources (http://bacpac.med.buffalo.edu/ordering_bac.htm)
or from Researc h Genetics (info@resgen.com). BAC end Web Server:
http://www.htsc.washington.edu
Plate: 1060  row: O  column: 19
Seq primer: T7
Class: BAC ends
High quality sequence stop: 548.
FEATURES             Location/Qualifiers
     source          1..548
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=1060 Col=19 Row=O"
                     /sex="male"
                     /clone_lib="RPCI-11 Human Male BAC Library"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     Male blood DNA was isolated from one randomly chosen donor
                     and partially digested with a combination of EcoRI and
                     EcoRI Methylase. Size selected DNA was cloned into the
                     pBACe3.6 vector at EcoRI sites"
ORIGIN

RESULT 40

Query Match             1.5%;  Score 48;  DB 9;  Length 548;
Best Local Similarity   100.0%;  Pred. No. 2.1e-11;
Matches   48;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3075 ATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db     446 ATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGAGCAAGACTCTGTCTC 399

LOCUS       AQ121008                 457 bp    DNA    linear    GSS 22-SEP-1998
AQ121008/c
DEFINITION  HS_3073_A2_C01_MF CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=3073 Col=2 Row=E, genomic survey
            sequence.
ACCESSION   AQ121008
VERSION     AQ121008.1  GI:3498174
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 457)
AUTHORS     Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
TITLE       Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
JOURNAL     Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
PUBMED      10049764
COMMENT     Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Sequence-tagged Connector
            Plate: 3073  row: E  column: 2
            Class: BAC ends
            High quality sequence stop: 457.
FEATURES             Location/Qualifiers
     source          1..457
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=3073 Col=2 Row=E"
                     /sex="male"

```
RESULT 41

   Qy      Query Match
           Best Local Similarity    1.5%;   Score 47;   DB 9;   Length 457;
           Matches   47;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

   Db      3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGAGACTCT 3117
                ||||||||||||||||||||||||||||||||||||||||||||||||||
           197  CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACACAGAGCAAGAGACTCT 151

ORIGIN
           /clone_lib="CIT Approved Human Genomic Sperm Library D"
           /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
           E-Coli DH10B"

LOCUS         AQ029209              470 bp       DNA      linear   GSS 14-APR-1999
DEFINITION    RPCI11-41A14.TP RPCI-11 Homo sapiens genomic clone RPCI-11-41A14,
              genomic survey sequence.
ACCESSION     AQ029209
VERSION       AQ029209.1  GI:3274340
KEYWORDS      GSS.
SOURCE        Homo sapiens (human)
  ORGANISM    Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
REFERENCE   1  (bases 1 to 470)
  AUTHORS     Adams,M.D., Rounsley,S.D., Zhao,S., Field,C.B., Bass,S., Linher,K.,
              Golden,K., Berry,K., Granger,D., Suh,E., Wible,C., de Jong,P. and
              Venter,J.C.
  TITLE       Use of BAC End Sequences for Sequence-Ready Map Building
  JOURNAL     Unpublished (1998)
COMMENT       Contact: Mark Adams
              The Institute for Genomic Research
              Department of Eukaryotic Genomics
              9712 Medical Center Dr., Rockville, MD 20850, USA
              Tel: 301 838 0200
              Fax: 301 838 0208
              Email: mdadams@tigr.org
              Clones are derived from the human BAC library RPCI-11. For BAC
              library availability, please contact Pieter de Jong
              (pieter@bacpac.med.buffalo.edu). Clones may be purchased from
              BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
              Research Genetics (info@resgen.com). BAC end search page:
              http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
              Seq primer: SP6
              Class: BAC ends.
FEATURES             Location/Qualifiers
     source          1..470
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:7515373"
                     /db_xref="taxon:9606"
                     /clone="RPCI-11-41A14"
                     /sex="Male"
                     /cell_type="Lymphocytes"
                     /clone_lib="RPCI-11"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     RPCI11 Human Male BAC Library"

RESULT 42

   Qy      Query Match
           Best Local Similarity    1.5%;   Score 47;   DB 9;   Length 470;
           Matches   47;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

   Db      3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGAGACTCT 3117
                ||||||||||||||||||||||||||||||||||||||||||||||||||
           150  CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACACAGAGCAAGAGACTCT 104

ORIGIN

LOCUS         AQ508783              566 bp       DNA      linear   GSS 29-APR-1999
DEFINITION    RPCI-11-280C7.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-280C7,
              genomic survey sequence.
ACCESSION     AQ508783
VERSION       AQ508783.1  GI:4713530
KEYWORDS      GSS.
SOURCE        Homo sapiens (human)
  ORGANISM    Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
REFERENCE   1  (bases 1 to 566)
  AUTHORS     Zhao,S., Adams,M.D., Nierman,W., Malek,J., de Jong,P. and
              Venter,J.C.
  TITLE       Use of BAC End Sequences from library RPCI-11 for Sequence-Ready
              Map Building
  JOURNAL     Unpublished (1997)
COMMENT       Other GSSs: RPCI-11-280C7.TV
              Contact: Shaying Zhao, William Nierman, Mark Adams
              The Institute for Genomic Research
              Department of Eukaryotic Genomics
              9712 Medical Center Dr., Rockville, MD 20850
              Tel: 301 838 0200
              Fax: 301 838 0208
              Email: hbe@tigr.org
              Clones are derived from the human BAC library RPCI-11. For BAC
              library availability, please contact Pieter de Jong
              (pieter@dejong.med.buffalo.edu). Clones may be purchased from
              BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
              Research Genet cs (info@resgen.com). BAC end search page:
              http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
              Seq primer: SP6
              Class: BAC ends.
FEATURES             Location/Qualifiers
     source          1..566
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:7607190"
                     /db_xref="taxon:9606"
                     /clone="RPCI-11-280C7"
                     /sex="Male"
                     /cell_type="Lymphocytes"
                     /clone_lib="RPCI-11"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     RPCI11 Human Male BAC Library"

RESULT 43

   Qy      Query Match
           Best Local Similarity    1.5%;   Score 47;   DB 9;   Length 566;
           Matches   47;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

   Db      3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGAGACTCT 3117
                ||||||||||||||||||||||||||||||||||||||||||||||||||
           165  CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACACAGAGCAAGAGACTCT 119

LOCUS         BF526343              847 bp       mRNA     linear   EST 11-DEC-2000
DEFINITION    602070608F1 NCI_CGAP_Brn64 Homo sapiens cDNA clone IMAGE:4213848
              5', mRNA sequence.
ACCESSION     BF526343
VERSION       BF526343.1  GI:11613706
KEYWORDS      EST.
SOURCE        Homo sapiens (human)
  ORGANISM    Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
REFERENCE   1  (bases 1 to 847)
  AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
  TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL     Unpublished (1999)
```

```
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: David N. Louis, M.D.
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLAM9786 row: o column: 01
            High quality sequence stop: 734.
FEATURES             Location/Qualifiers
     source          1..847
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:4213848"
                     /tissue_type="glioblastoma with EGFR amplification"
                     /lab_host="DH10B (T1 phage-resistant)"
                     /clone_lib="NCI_CGAP_Brn64"
                     /note="Organ: brain; Vector: pCMV-SPORT6; Site 1: NotI;
                     Site 2: SalI; Cloned unidirectionally. Primer: Oligo dT.
                     Average insert size 1.57 kb. Constructed by Life
                     Technologies. Note: this is a NCI_CGAP Library."
ORIGIN

Query Match             1.5%;  Score 47;  DB 2;  Length 847;
Best Local Similarity   100.0%;  Pred. No. 6.4e-11;
Matches  47;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2888 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGAGTTCGAGACCAGCCTGGC 2934
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db     128 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGAGTTCGAGACCAGCCTGGC 82


RESULT 44
AA078268/c
AA078268
LOCUS       AA078268                 216 bp    mRNA    linear    EST 24-SEP-1999
DEFINITION  7H48B05 Chromosome 7 HeLa cDNA Library Homo sapiens cDNA clone
            7H48B05, mRNA sequence.
ACCESSION   AA078268
VERSION     AA078268.1  GI:1837742
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 216)
  AUTHORS   Touchman,J.W., Bouffard,G.G., Weintraub,L.A., Idol,J.R., Wang,L.,
            Robbins,C.M., Nussbaum,J.C., Lovett,M. and Green,E.D.
  TITLE     2006 expressed-sequence tags derived from human chromosome
            7-enriched cDNA libraries
  JOURNAL   Genome Res. 7 (3), 281-292 (1997)
   PUBMED   9074931
COMMENT     Contact: Eric D. Green
            Genome Technology Branch
            National Human Genome Research Institute/NIH
            49 Convent Dr., MSC4431, Building 49, Room 2A08, Bethesda, MD 20892
            Tel: 301020201
            Fax: 301024735
            Email: egreen@hgri.nih.gov
            Plate: 48 row: E column: 05
            Seq primer: -21M13 (ABI)
FEATURES             Location/Qualifiers
     source          1..216
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="7H48B05"
                     /sex="female"
                     /cell_line="HeLa cell line; ATCC"
                     /lab_host="E. coli strain DH5 alpha"
                     /clone_lib="Chromosome 7 HeLa cDNA Library"
                     /note="Vector: pAMP10; cDNA was generated from cytoplasmic
                     RNA using a mixture of random DNA hexamers and oligo(dT).
                     From this pool of cDNA, human chromosome 7-enriched cDNA
                     was isolated by direct cDNA selection using chromosome 7
                     genomic DNA (cosmids). The resulting direct-selected cDNA
                     was cloned into a plasmid vector using a non-directional
                     uracil DNA glycosylase (UDG)-mediated cloning strategy."
ORIGIN

Query Match             1.5%;  Score 46;  DB 1;  Length 216;
Best Local Similarity   100.0%;  Pred. No. 2e-10;
Matches  46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2888 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGAGTTCGAGACCAGCCTGG 2933
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db      82 TGAGGCAGGTGGATCACCTGAGGCCCAGGAGAGTTCGAGACCAGCCTGG 37


RESULT 45
AI309360
AI309360
LOCUS       AI309360                 255 bp    mRNA    linear    EST 08-APR-1999
DEFINITION  tb51c03.x1 NCI_CGAP_Br15 Homo sapiens cDNA clone IMAGE:2057860 3'
            similar to contains Alu repetitive element;, mRNA sequence.
ACCESSION   AI309360
VERSION     AI309360.1  GI:4004231
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 255)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Dennis Sgroi, M.D., Kristina Cole, M.D., Ph.D.
            student, Michael R. Emmett-Buck, M.D., Ph.D.
            cDNA Library Preparation: David B. Krizman, Ph.D.
            cDNA Library Arrayed by: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 317   Std Error: 0.00
            Seq primer: -40UP from Gibco.
FEATURES             Location/Qualifiers
     source          1..255
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:2057860"
                     /sex="female"
                     /tissue_type="adenocarcinoma"
                     /dev_stage="adult"
                     /lab_host="DH10B"
                     /clone_lib="NCI_CGAP_Br15"
                     /note="Organ: breast; Vector: pAMP1; mRNA made from breast
                     adenocarcinoma tissue, cDNA made by oligo-dT priming.
                     Directionally cloned. Size-selected on agarose gel,
                     average insert size 400 bp. Primary library,
                     non-amplified."
ORIGIN

Query Match             1.5%;  Score 46;  DB 1;  Length 255;
Best Local Similarity   100.0%;  Pred. No. 2e-10;
Matches  46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2895 GGTGGATCACCTGAGGCCAGGAGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||
```

Db   166 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGCCTGGCCAACAT 211

RESULT 46
LOCUS   BX475355   313 bp   mRNA   linear   EST 04-SEP-2003
DEFINITION BX475355 DKFZp686M14176_r1 686 (synonym: hlcc3) Homo sapiens cDNA clone
            DKFZp686M14176 5', mRNA sequence.
ACCESSION   BX475355
VERSION   BX475355.1 GI:31672638
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 313)
  AUTHORS   Bahr,A., Lauber,J., Mewes,H.W., Weil,B., Amid,C., Osanger,A.,
            Fobo,G., Han,M. and Wiemann,S.
  TITLE   EST (Bahr,A., Lauber,J., Mewes,H.W., Weil,B., et al.)
  JOURNAL   Unpublished (2003)
COMMENT   Contact: MIPS
            MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert.
            Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
            Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de;
            sequenced by Qiagen (Hilden/Germany) within the cDNA sequencing
            consortium of the German Genome Project.
            No s1 sequence available.
            This clone (DKFZp686M14176) is available at the RZPD in Berlin.
            Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
            Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.
FEATURES   Location/Qualifiers
     source   1..313
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="DKFZp686M14176"
                     /dev_stage="adult"
                     /clone_lib="686 (synonym: hlcc3)"
                     /lab_host="DH10B"
                     /note="Vector: pTriplEx2; Site_1: SfiIA; Site_2: SfiIB;
                     cDNA-collection"

ORIGIN
Query Match   1.5%; Score 46; DB 5; Length 313;
Best Local Similarity 100.0%; Pred. No. 2e-10;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   47 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGCCTGGCCAACAT 92

RESULT 47
LOCUS   AW841960   314 bp   mRNA   linear   EST 18-MAY-2000
DEFINITION IL5-CN0024-100300-030-H12 CN0024 Homo sapiens cDNA, mRNA sequence.
ACCESSION   AW841960
VERSION   AW841960.1 GI:7935943
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 314)
  AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and

  TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
  AUTHORS   Simpson,A.J.
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
   PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
            Laboratory of Cancer Genetics
            Ludwig Institute for Cancer Research
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/scripts/getthtml2.pl?ti=tt2=IL5-CN0024-100
            300-030-H12&t3=2000-03-10&t4=1)
            Seq primer: puc 18 forward
            High quality sequence stop: 297.
FEATURES   Location/Qualifiers
     source   1..314
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /dev_stage="Adult"
                     /clone_lib="CN0024"
                     /note="Organ: colon, normal; Vector: puc18; Site_1: SmaI;
                     Site_2: SmaI; A mini-library was made by cloning products
                     derived from ORESTES PCR (U.S. Letters Patent application
                     No. 196,716 - Ludwig Institute for Cancer Research)
                     profiles into the pUC 18 vector. Reverse transcription of
                     tissue mRNA and cDNA amplification were performed under
                     low stringency conditions."

ORIGIN
Query Match   1.5%; Score 46; DB 1; Length 314;
Best Local Similarity 100.0%; Pred. No. 2e-10;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   173 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGCCTGGCCAACAT 218

RESULT 48
CD514740/c
LOCUS   CD514740   319 bp   mRNA   linear   EST 06-JUN-2003
DEFINITION AGENCOURT_14394439 NIH_MGC_181 Homo sapiens cDNA clone
            IMAGE:30408431 5', mRNA sequence.
ACCESSION   CD514740
VERSION   CD514740.1 GI:31446458
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 319)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
COMMENT   Contact: Daniela S. Gerhard, Ph.D.
            Office of Cancer Genomics
            National Cancer Institute / NIH
            Bldg. 31 Rm10A07 Bethesda, MD 20892
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Dr. Michael Brownstein
            cDNA Library Preparation: Invitrogen Corp
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Agencourt Bioscience Corporation
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov

Plate: NDAM491 row: f column: 24
High quality sequence stop: 319.
FEATURES   Location/Qualifiers
     source   1..319
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:30408431"
                     /tissue_type="White Matter"
                     /dev_stage="Unknown"
                     /lab_host="DH10B-Ton A (T1 and T5 phage resistances)"
                     /clone_lib="NIH_MGC_181"
                     /note="Vector: pCMV-SPORT6.1; Site_1: NotI; Site_2: EcoRV
                     (destroyed); Library is oligo-dT primed and directionally
                     cloned (EcoRV site is destroyed upon cloning). Average
                     insert size 1.42 kb. Library was constructed by
                     Invitrogen). Note: this is a NIH_MGC Library."
ORIGIN

Query Match   1.5%; Score 46; DB 6; Length 319;
Best Local Similarity   100.0%;   Pred. No. 2e-10;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGCCTGGCCAACAT 2940
         |||||||||||||||||||||||||||||||||||||||||||||||
Db   116 GGTGGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 71

RESULT 49
AA661680/c
LOCUS   AA661680   329 bp   mRNA   linear   EST 12-NOV-1997
DEFINITION nu87b06.s1 NCI_CGAP_Alv1 Homo sapiens cDNA clone IMAGE:1217651
            similar to contains Alu repetitive element.; mRNA sequence.
ACCESSION   AA661680
VERSION   AA661680.1 GI:2615771
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 329)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Lee Helman, M.D., Michael R. Emmert-Buck, M.D.,
            Ph.D.
            cDNA Library Preparation: David B. Krizman, Ph.D.
            cDNA Library Arrayed by: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome
            Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Seq primer: -40m13 fwd. ET from Amersham
            High quality sequence stop: 309.
FEATURES   Location/Qualifiers
     source   1..329
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:1217651"
                     /tissue_type="alveolar rhabdomyosarcoma"
                     /clone_lib="NCI_CGAP_Alv1"
                     /note="Vector: pAMP10; mRNA made from alveolar
                     rhabdomyosarcoma, cDNA made by oligo-dT priming.
                     Non-directionally cloned. Size-selected on agarose gel,
                     average insert size 600 bp. Reference: Krizman et al.
                     (1996) Cancer Research 56:5380-5383."
ORIGIN

Query Match   1.5%; Score 46; DB 1; Length 329;
Best Local Similarity   100.0%;   Pred. No. 2e-10;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGCCTGGCCAACAT 2940
         |||||||||||||||||||||||||||||||||||||||||||||||
Db   241 GGTGGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 196

RESULT 50
BB061760/c
LOCUS   BB061760   341 bp   mRNA   linear   EST 09-JUN-2000
DEFINITION RC1-BT0254-111099-012-a10 BT0254 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BB061760
VERSION   BB061760.1 GI:8406410
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 341)
  AUTHORS   Dias Neto, E., Garcia Correa, R., Verjovski-Almeida, S., Briones, M.R.,
            Nagai, M.A., da Silva, W. Jr., Zago, M.A., Bordin, S., Costa, F.F.,
            Goldman, G.H., Carvalho, A.F., Matsukuma, A., Baia, G.S., Simpson, D.H.,
            Brunstein, A., deOliveira, P.S., Bucher, P., Jongeneel, C.V.,
            O'Hare, M.J., Soares, F., Brentani, R.R., Reis, L.F., de Souza, S.J. and
            Simpson, A.J.
  TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
   PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
            Ludwig Institute for Cancer Research
            Laboratory of Cancer Genetics
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/scripts/gethtml2.pl?cl=RC1-BT0254-111
            099-012-a10&t3=1999-10-11&t4=1)
            Seq primer: puc 18 forward
            High quality sequence start: 83
            High quality sequence stop: 139.
FEATURES   Location/Qualifiers
     source   1..341
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /dev_stage="Adult"
                     /clone_lib="BT0254"
                     /note="Organ: breast; Vector: puc18; Site_1: SmaI; Site_2:
                     SmaI; A mini-library was made by cloning products derived
                     from ORESTES PCR (U.S. Letters Patent application No.
                     196,716 - Ludwig Institute for Cancer Research) into
                     the pUC 18 vector. Reverse transcription of tissue
                     mRNA and cDNA amplification were performed under low
                     stringency conditions."
ORIGIN

Query Match   1.5%; Score 46; DB 2; Length 341;
Best Local Similarity   100.0%;   Pred. No. 2e-10;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
         |||||||||||||||||||||||||||||||||||||||||||||||
Db   166 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 121

RESULT 51
LOCUS   BF767274   372 bp   mRNA   linear   EST 12-JAN-2001
DEFINITION RC2-CN0084-091200-011-c12 CN0084 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BF767274
VERSION   BF767274.1 GI:12115174
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 372)
  AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
  TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
  PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
            Laboratory of Cancer Genetics
            Ludwig Institute for Cancer Research
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/scripts/gethtml2.pl?tl=RC2&t2=RC2-CN0084-
            09l200-011-cl2&t3=2000-12-09&t4=1)
            Seq primer: puc 18 forward
            High quality sequence stop: 372.
FEATURES   Location/Qualifiers
     source   1..372
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone_lib="Adult"
                     /dev_stage="Adult"
                     /clone_lib="CN0084"
                     /note="Organ: colon normal; Vector: puc18; Site 1: SmaI;
                     Site 2: SmaI; A mini-library was made by cloning products
                     derived from ORESTES PCR (U.S. Letters Patent application
                     No. 196,716 - Ludwig Institute for Cancer Research)
                     profiles into the pUC 18 vector. Reverse transcription of
                     tissue mRNA and cDNA amplification were performed under
                     low stringency conditions."
ORIGIN

Query Match   1.5%; Score 46; DB 2; Length 372;
Best Local Similarity   100.0%; Pred. No. 2e-10;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
             |||||||||||||||||||||||||||||||||||||||||||||||
Db   181 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 226

RESULT 52
LOCUS   AQ201612/c   387 bp   DNA   linear   GSS 20-APR-1999
DEFINITION RPCI11-59M4.TK RPCI11-59M4 Homo sapiens genomic clone RPCI-11-59M4,
            genomic survey sequence.
ACCESSION   AQ201612
VERSION   AQ201612.1 GI:3609083
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

REFERENCE   1 (bases 1 to 387)
  AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Bass,S., Linher,K., Golden,K.,
            Berry,K., Granger,D., Suh,E., Wible,C., de Jong,P. and Venter,J.C.
  TITLE   Use of human BAC End Sequences for Sequence-Ready Map Building
  JOURNAL   Unpublished (1998)
COMMENT   Other_GSS8: RPCI11-59M4.TJ
            Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: mdadams@tigr.org
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@dejong.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
            Research Genetics (info@resgen.com). BAC end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
            Class: BAC ends.
FEATURES   Location/Qualifiers
     source   1..387
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:752563"
                     /db_xref="taxon:9606"
                     /clones="RPCI-11-59M4"
                     /sex="Male"
                     /cell_type="Lymphocytes"
                     /clone_lib="RPCI-11"
                     /note="Vector: pBACe3.6; Site 1: EcoRI; Site 2: EcoRI;
                     RPCI11 Human Male BAC Library"
ORIGIN

Query Match   1.5%; Score 46; DB 9; Length 387;
Best Local Similarity   100.0%; Pred. No. 2e-10;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
             ||||||||||||||||||||||||||||||||||||||||||||||
Db   289 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 244

RESULT 53
LOCUS   AQ134220/c   389 bp   DNA   linear   GSS 23-SEP-1998
DEFINITION HS_3047_B1_A12_MF CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=3047 Col=23 Row=B, genomic survey
            sequence.
ACCESSION   AQ134220
VERSION   AQ134220.1 GI:3525586
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 389)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
  TITLE   Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
  PUBMED   10449764
COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887

Email: jwallace@u.washington.edu
Sequence Tagged Connector
Plate: 3047 row: B column: 23
Class: BAC ends
High quality sequence stop: 389.

FEATURES   Location/Qualifiers
     source   1..389
                   /organism="Homo sapiens"
                   /mol_type="genomic DNA"
                   /clone_lib="CIT Approved Human Genomic Sperm Library D"
                   /sex="male"
                   /db_xref="taxon:9606"
                   /clone="Plate=3047 Col=23 Row=B"
                   /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                   E-Coli DH10B"

ORIGIN

Qy   Query Match   1.5%;   Score 46;   DB 9;   Length 389;
Best Local Similarity   100.0%;   Pred. No. 2e-10;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCCAACAGAGCAAGAGCTC 3116
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   266 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 221

RESULT 54
LOCUS   AA503019/c
AA503019/c
DEFINITION ng20d04.s1 NCI_CGAP_Ov2 Homo sapiens cDNA clone IMAGE:929959
            similar to contains Alu repetitive element;, mRNA sequence.
ACCESSION   AA503019
VERSION   AA503019.1 GI:2237986
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 405)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Christopher A. Moskaluk, M.D., Michael R.
            Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: David B. Krizman, Ph.D.
            cDNA Library Arrayed by: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 1127   Std Error: 0.00
            Seq primer: -40m13 fwd. Er from Amersham
            High quality sequence stop: 392.

FEATURES   Location/Qualifiers
     source   1..405
                   /organism="Homo sapiens"
                   /mol_type="mRNA"
                   /db_xref="taxon:9606"
                   /clone="IMAGE:929959"
                   /sex="female"
                   /tissue_type="ovary"
                   /lab_host="DH10B"
                   /clone_lib="NCI_CGAP_Ov2"
                   /note="Vector: pAMP10; mRNA made from invasive ovarian
                   tumor, cDNA made by oligo-dT priming. Non-directionally
                   cloned. Size-selected on agarose gel, average insert size
                   600 bp. Reference: Krizman et al. (1996) Cancer Research

ORIGIN

Qy   Query Match   1.5%;   Score 46;   DB 1;   Length 405;
Best Local Similarity   100.0%;   Pred. No. 2e-10;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCCAACAGAGCAAGAGACTC 3116
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db   106 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCTC 61

RESULT 55
LOCUS   AQ284177
AQ284177
DEFINITION RPCI11-80L20.TV RPCI-11 Homo sapiens genomic clone RPCI-11-80L20,
            genomic survey sequence.
ACCESSION   AQ284177
VERSION   AQ284177.1 GI:3910495
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 406)
AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Bass,S., Linher,K., Golden,K.,
            Berry,K., Granger,D., Suh,E., Wible,C., de Jong,P. and Venter,J.C.
            Use of human BAC End Sequences for Sequence-Ready Map Building
TITLE   Unpublished (1998)
JOURNAL   Unpublished (1998)
COMMENT   Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: mdadams@tigr.org
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@deJong.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
            Research Genetics (info@resgen.com). BAC end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
            Seq primer: T7
            Class: BAC ends.

FEATURES   Location/Qualifiers
     source   1..406
                   /organism="Homo sapiens"
                   /mol_type="genomic DNA"
                   /db_xref="GDB:7530619"
                   /db_xref="taxon:9606"
                   /clone="RPCI-11-80L20"
                   /sex="Male"
                   /cell_type="Lymphocytes"
                   /clone_lib="RPCI-11"
                   /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                   RPCI11 Human Male BAC Library"

ORIGIN

Qy   Query Match   1.5%;   Score 46;   DB 9;   Length 406;
Best Local Similarity   100.0%;   Pred. No. 2e-10;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          |||||||||||||||||||||||||||||||||||||||||||||||
Db   25 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 70

RESULT 56
LOCUS   AW815323
AW815323/c
DEFINITION QV0-ST0215-060100-083-d08 ST0215 Homo sapiens cDNA, mRNA sequence.
ACCESSION   AW815323
VERSION   AW815323.1 GI:7908317
KEYWORDS   EST.

```
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 445)
  AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
  TITLE     Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
  PUBMED    10737800
COMMENT     Contact: Simpson A.J.G.
            Laboratory of Cancer Genetics
            Ludwig Institute for Cancer Research
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/scripts/gethtml2.pl?ti=&t2=QV0-ST0215-060
            100-083-008&t3=2000-01-06&t4=1)
            Seq primer: puc 18 forward
            High quality sequence start: 13
            High quality sequence stop: 445.
FEATURES             Location/Qualifiers
     source          1..445
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /dev_stage="Adult"
                     /clone_lib="ST0215"
                     /note="Organ: stomach; Vector: puc18; Site 1: SmaI;
                     Site_2: SmaI; A mini-library was made by cloning products
                     derived from ORESTES PCR (U.S. Letters Patent application
                     No. 196,716 - Ludwig Institute for Cancer Research)
                     profiles into the pUC 18 vector. Reverse transcription of
                     tissue mRNA and cDNA amplification were performed under
                     low stringency conditions."
ORIGIN

Query Match             1.5%;  Score 46;  DB 1;  Length 445;
  Best Local Similarity   100.0%;  Pred. No. 2e-10;
  Matches    46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy       3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
              ||||||||||||||||||||||||||||||||||||||||||||||
Db        247 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 202


RESULT 57
LOCUS       AA504863     462 bp    mRNA    linear   EST 12-AUG-1997
DEFINITION  ab03b02.s1 Stratagene fetal retina 937202 Homo sapiens cDNA clone
            IMAGE:839691 3' similar to contains Alu repetitive element;contains
            L1.t3 L1 repetitive element ;, mRNA sequence.
ACCESSION   AA504863
VERSION     AA504863.1  GI:2241023
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 462)
  AUTHORS   Hillier,L., Allen,M., Bowles,L., Dubuque,T., Geisel,G., Jost,S.,
            Kucaba,T., Lacy,M., Le,N., Lennon,G., Marra,M., Martin,J.,
            Moore,B., Schellenberg,K., Steptoe,M., Tan,F., Theising,B.,
            White,Y., Wylie,T., Waterston,R. and Wilson,R.
  TITLE     The WashU-Merck EST Project 1997
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Wilson RK
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Possible reversed clone: polyT not found
            Seq primer: -40m13 fwd. ET from Amersham
            High quality sequence stop: 399.
FEATURES             Location/Qualifiers
     source          1..462
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:839691"
                     /sex="mixed"
                     /lab_host="SOLR (kanamycin resistant)"
                     /clone_lib="Stratagene fetal retina 937202"
                     /note="Vector: pBluescript SK-; Site_1: EcoRI; Site_2:
                     XhoI; Cloned unidirectionally. Primer: Oligo dT. Pooled
                     retinal tissue. Average insert size: 1.0 kb; Uni-ZAP XR
                     Vector: -5' adaptor sequence: 5' GAATTCGGCACGAG 3' -3'
                     adaptor sequence: 5' CTCGAGTTTTTTTTTTTTTTTT 3',"
                     High quality sequence stop: 399.
ORIGIN

Query Match             1.5%;  Score 46;  DB 1;  Length 462;
  Best Local Similarity   100.0%;  Pred. No. 2e-10;
  Matches    46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy       3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
              ||||||||||||||||||||||||||||||||||||||||||||||
Db         14 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 59


RESULT 58
LOCUS       AA128941     464 bp    mRNA    linear   EST 23-DEC-1997
DEFINITION  zo11c09.s1 Stratagene neuroepithelium NT2RAM1 937234 Homo sapiens
            cDNA clone IMAGE:567376 3' similar to contains Alu repetitive
            element;contains element MER22 repetitive element ;, mRNA sequence.
ACCESSION   AA128941
VERSION     AA128941.1  GI:1688804
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 464)
  AUTHORS   Hillier,L., Lennon,G., Becker,M., Bonaldo,M.F., Chiapelli,B.,
            Chissoe,S., Dietrich,N., DuBuque,T., Favello,A., Gish,W.,
            Hawkins,M., Hultman,M., Kucaba,T., Lacy,M., Le,M., Le,N.,
            Mardis,E., Moore,B., Morris,M., Parsons,J., Prange,C., Rifkin,L.,
            Rohlfing,T., Schellenberg,K., Soares,M.B., Tan,F., Thierry-Meg,J.,
            Trevaskis,E., Underwood,K., Wohldmann,P., Waterston,R., Wilson,R.
            and Marra,M.
  TITLE     Generation and analysis of 280,000 human expressed sequence tags
  JOURNAL   Genome Res. 6 (9), 807-828 (1996)
  PUBMED    8889549
COMMENT     Contact: Wilson RK
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            WARNING: There is evidence that suggests that the 384-well parent
            plate of this clone contains both human and mouse derived clones.
```

Thus, the origin of this clone is uncertain. This caution should be
kept in mind should you use this clone.

This clone is available royalty-free through LLNL ; contact the
IMAGE Consortium (info@image.llnl.gov) for further information.

Insert Length: 706 Std Error: 0.00
Seq primer: -40M13 fwd. from Amersham
High quality sequence stop: 317.

```
FEATURES             Location/Qualifiers
     source          1..464
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:4591775"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:567376"
                     /dev_stage="Ntera-2/RA+MI neuroepithelial cells"
                     /lab_host="SOLR (kanamycin resistant)"
                     /clone_lib="Stratagene neuroepithelium NT2RAMI 937234"
                     /note="Vector: pBluescript SK-; Site 1: EcoRI; Site 2:
                     XhoI; Cloned unidirectionally.  Primer: Oligo dT, NT2
                     (Ntera-2/c1.D1)  precursor cells induced with Retinoic
                     Acid for 1 week, followed by 3 weeks in mitotic inhibitors
                     (Replate #2). Average insert size: 1.1 kb; Uni-ZAP XR
                     Vector; 5' adaptor sequence: 5' GAATTCGGCACGAG 3', -3'
                     adaptor sequence: 5' CTCGAGTTTTTTTTTTTTTTTTTTT 3'."
ORIGIN
```

Query Match 1.5%; Score 46; DB 1; Length 464;
Best Local Similarity 100.0%; Pred. No. 2e-10;
. Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
     |||||||||||||||||||||||||||||||||||||||||||||||
Db 206 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 161

```
RESULT 59
AQ383997
LOCUS       AQ383997             482 bp    DNA      linear    GSS 21-MAY-1999
DEFINITION  RPCI11-152K20.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-152K20,
            genomic survey sequence.
ACCESSION   AQ383997
VERSION     AQ383997.1  GI:4355020
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 482)
  AUTHORS   Zhao,S., Adams,M.D., Nierman,W., Malek,J., de Jong,P. and
            Venter,J.C.
  TITLE     Use of BAC End Sequences from Library RPCI-11 for Sequence-Ready
            Map Building
  JOURNAL   Unpublished (1997)
COMMENT     Other_GSS: RPCI11-152K20.TV
            Contact: Shaying Zhao, William Nierman, Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: hbe@tigr.org
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@dejong.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
            Research Genetics (info@resgen.com). BAC end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
            Seq primer: SP6
            Class: BAC ends.
FEATURES             Location/Qualifiers
     source          1..482
```

Query Match 1.5%; Score 46; DB 9; Length 482;
Best Local Similarity 100.0%; Pred. No. 2e-10;
. Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
     |||||||||||||||||||||||||||||||||||||||||||||||
Db 420 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 465

```
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:7558243"
                     /db_xref="taxon:9606"
                     /clone="RPCI-11-152K20"
                     /sex="Male"
                     /cell_type="Lymphocytes"
                     /clone_lib="RPCI-11"
                     /note="Vector: pBACe3.6; Site 1: EcoRI; Site 2: EcoRI;
                     RPCI11 Human Male BAC Library"
ORIGIN
```

```
RESULT 60
AQ132449
LOCUS       AQ132449             507 bp    DNA      linear    GSS 23-SEP-1998
DEFINITION  HS_3003_A2_A08_MR CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=3003 Col=16 Row=A, genomic survey
            sequence.
ACCESSION   AQ132449
VERSION     AQ132449.1  GI:3509615
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 507)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
  TITLE     Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
   PUBMED   10449764
COMMENT     Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Sequence Tagged Connector
            Plate: 3003 row: A column: 16
            Class: BAC ends
            High quality sequence stop: 507.
FEATURES             Location/Qualifiers
     source          1..507
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=3003 Col=16 Row=A"
                     /sex="male"
                     /clone_lib="CIT Approved Human Genomic Sperm Library D"
                     /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                     E-Coli DH10B"
ORIGIN
```

Query Match 1.5%; Score 46; DB 9; Length 507;
Best Local Similarity 100.0%; Pred. No. 2e-10;
. Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
     |||||||||||||||||||||||||||||||||||||||||||||||
Db 125 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 170

```
RESULT 61
LOCUS       BX641230/c
DEFINITION  BX641230          527 bp    mRNA    linear    EST 04-SEP-2003
            DKFZp686D19134_r1 686 (synonym: hlcc3) Homo sapiens cDNA clone
            DKFZp686D19134 5', mRNA sequence.
ACCESSION   BX641230
VERSION     BX641230.1  GI:34475549
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 527)
  AUTHORS   Poustka,A., Albert,R., Moosmayer,P., Schupp,I., Wellenreuther,R.,
            Mewes,H.W., Weil,B., Amid,C., Osanger,A., Fobo,G., Han,M. and
            Wiemann,S.
  TITLE     EST (Poustka,A., Albert,R., Moosmayer,P., Schupp,I.,
            Wellenreuther,R., et al.)
  JOURNAL   Unpublished (2003)
COMMENT     Contact: MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert.
            Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
            Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de;
            sequenced by DKFZ (German Cancer Research Center,
            Heidelberg/Germany) within the cDNA sequencing consortium of the
            German Genome Project.
            No s1 sequence available.
            This clone (DKFZp686D19134) is available at the RZPD in Berlin.
            Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
            Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.
FEATURES             Location/Qualifiers
     source          1..527
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="DKFZp686D19134"
                     /dev_stage="adult"
                     /lab_host="DH10B"
                     /clone_lib="686 (synonym: hlcc3)"
                     /note="Vector: pTriplEx2; Site_1: SfiIA; Site_2: SfiIB;
                     cDNA-collection"
ORIGIN

Qy   2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGGAGACCAGCCTGGCCAACAT 2940
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db    502 GGTGGGATCACCTGAGGGCCAGGAGTTCGGAGACCAGCCTGGCCAACAT 457

Query Match             1.5%;  Score 46;  DB 5;  Length 527;
Best Local Similarity   100.0%;  Pred. No. 2e-10;
Matches   46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
RESULT 62
LOCUS       BU960416          550 bp    mRNA    linear    EST 21-OCT-2002
DEFINITION  BU960416 AGENCOURT 10620034 NIH_MGC_141 Homo sapiens cDNA clone
            IMAGE:6739149 5', mRNA sequence.
ACCESSION   BU960416
VERSION     BU960416.1  GI:24189988
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 550)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE     National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: NCI
            cDNA Library Preparation: Michael Brownstein Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Agencourt Bioscience Corporation
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM3071 row: o column: 20
            High quality sequence stop: 436.
FEATURES             Location/Qualifiers
     source          1..550
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:6739149"
                     /tissue_type="mixed (pool of 40 RNAs)"
                     /clone_lib="NIH_MGC_141"
                     /lab_host="DH10B (T1-phage-resistant)"
                     /note="Vector: pDNR-LIB; Site_1: SfiI (ggccattaggggc);
                     Site_2: SfiI (ggccgcctcggcc)_Double-stranded cDNA was
                     prepared from a pool of 40 cell line polyA+ RNAs (bladder
                     - 2%, blood - 33.4%, brain - 5.6%, breast - 12.5%, colon -
                     4%, connective tissue - 1.4%, eye - 1%, intestine - 2.6%,
                     kidney - 2.2%, liver - 5.7%, lung - 10.8%, NK-cell - 5.2%,
                     ovary - 4%, pharynx - 2.5%, prostate - 4.3%, salivary
                     gland - 1.3%, and skin - 2.3%). 5' and 3' adaptors were
                     used in cloning as follows:
                     5'-AAGCAGTGGTATCAACGCAGAGTGGCCATTACGGCCGGG-3' and
                     5'-ATTCTAGAGGCCGAGGCGGCCGACATG-dT(30)NN-3'. Full-length
                     enriched library was constructed using the Clontech
                     Creator SMART kit and size-selected to contain the 0.2-0.5
                     kb size fraction (other fractions present in NIH_MGC 142).
                     library created in the laboratory of M. Brownstein (NIMH,
                     NIH). Note: this is a NIH_MGC Library."
ORIGIN

Qy   2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGGAGACCAGCCTGGCCAACAT 2940
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db    297 GGTGGGATCACCTGAGGGCCAGGAGTTCGGAGACCAGCCTGGCCAACAT 342

Query Match             1.5%;  Score 46;  DB 5;  Length 550;
Best Local Similarity   100.0%;  Pred. No. 2e-10;
Matches   46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
RESULT 63
LOCUS       CR960770/c
DEFINITION  CR960770          564 bp    DNA    linear    GSS 06-JUN-2005
            Homo sapiens BAC end sequence of RZPDB737F0220222D from genomic
            library (orig. Pieter J. de Jong library RPCI-11), genomic survey
            sequence.
ACCESSION   CR960770
VERSION     CR960770.1  GI:66991336
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 564)
  AUTHORS   Schwarz,F., Neubert,P., Schneider,D., Peters,M. and Korn,B.
  TITLE     Direct Submission
  JOURNAL   Submitted (05-JUN-2005) RZPD Deutsches Ressourcenzentrum fuer
            Genomforschung GmbH, Im Neuenheimer Feld 515, D-69120 Heidelberg,
            Germany
COMMENT     RZPD; RZPDB737F0220222D; RP11-59M4;
            derived from Pieter J. de Jong library RPCI-11;
            http://www.rzpd.de/cgi-bin/products/cl.cgi?CloneID=RZPDB737F0220222D
            RZPDLIB; (Human Genomic Set - RZPD 1.0) RZPD LIB No. 737
            http://www.rzpd.de/cgi-bin/products/set.cgi?libNo=737

Qy   2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGGAGACCAGCCTGGCCAACAT 2940
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db    297 GGTGGGATCACCTGAGGGCCAGGAGTTCGGAGACCAGCCTGGCCAACAT 342

Query Match             1.5%;  Score 46;  DB 5;  Length 564;
Best Local Similarity   100.0%;  Pred. No. 2e-10;
Matches   46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
                    http://www.rzpd.de/products/genomicset/

                    Contact: Inge Arlart
                    RZPD Deutsches Ressourcenzentrum fuer Genomforschung GmbH,
                    Heubnerweg 6, D-14059 Berlin, Germany
                    Tel: +49 30 3269 100
                    Fax: +49 30 3269 111
                    www.rzpd.de
                    This clone is available from RZPD;
                    Contact RZPD (customer.service@rzpd.de) for further information.
                    Clone distribution: http://www.rzpd.de/products/genomicset/
                    Seq-primer: T7 (TAA-TAC-GAC-TCA-CTA-TAG-GG)
                    Class: BAC ends.
FEATURES            Location/Qualifiers
     source         1..564
                    /organism="Homo sapiens"
                    /mol_type="genomic DNA"
                    /db_xref="taxon:9606"
                    /clone="RZPDB737P0202022D"
                    /sex="Male"
                    /clone_lib="RPCI-11"
                    /note="Vector: pBACe3.6; RPCI-11 Human Male BAC Library"
ORIGIN

Query Match
Best Local Similarity   100.0%;   Score   46;   DB   11;   Length   564;
                        Pred. No.   2e-10;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    221 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 176

RESULT 64
 CN265832
LOCUS       CN265832    574 bp    mRNA    linear    EST 16-MAY-2004
DEFINITION  17000424824545 GRN_EB Homo sapiens cDNA 5', mRNA sequence.
ACCESSION   CN265832
VERSION     CN265832.1  GI:47282246
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 574)
  AUTHORS   Brandenberger,R., Wei,H., Zhang,S., Lei,S., Murage,J., Fisk,G.J.,
            Li,Y., Xu,C., Fang,R., Guegler,K., Rao,M.S., Mandalam,R.,
            Lebkowski,J and Stanton,L.W.
  TITLE     Transcriptome characterization elucidates signaling networks that
            control human ES cell growth and differentiation
  JOURNAL   Nat. Biotechnol. 22 (6), 707-716 (2004)
   PUBMED   15161197
COMMENT     Contact: Brandenberger R
            Regenerative Medicine
            Geron Corporation
            230 Constitution Drive, Menlo Park, CA 94025, USA
            Tel: 650 473 8658
            Fax: 650 473 7760
            Email: rbrandenberger@geron.com
            Insert Length: 574   Std Error: 0.00.
FEATURES            Location/Qualifiers
     source         1..574
                    /organism="Homo sapiens"
                    /mol_type="mRNA"
                    /db_xref="taxon:9606"
                    /tissue_type="embryonic stem cells, embryoid bodies
                    derived from H1, H7 and H9 cells"
                    /clone_lib="GRN_EB"
                    /note="Oligo dT primed, full-length enriched cDNA library
                    from embryoid body outgrowths derived from hES cell lines
                    H1 (p32), H7 (p29), and H9 (p26) maintained in feeder-free
                    conditions."
ORIGIN

Query Match
Best Local Similarity   100.0%;   Score   46;   DB   7;   Length   574;
                        Pred. No.   2e-10;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    169 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 214

RESULT 65
 B95171
LOCUS       B95171    587 bp    DNA    linear    GSS 26-JUN-1998
DEFINITION  CIT-HSP-2172H8.TF CIT-HSP Homo sapiens genomic clone 2172H8,
            genomic survey sequence.
ACCESSION   B95171
VERSION     B95171.1  GI:2977508
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 587)
  AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Field,C.E., Bass,S., Linher,K.,
            Golden,K., Berry,K., Granger,D., Suh,B., Wible,C., Shizuya,H.,
            Simon,M. and Venter,J.C.
  TITLE     Use of a random BAC End Sequence Database for Sequence-Ready Map
            Building (1998)
  JOURNAL   Unpublished (1998)
COMMENT     Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: mdadams@tigr.org
            Clones are available from Research Genetics (info@resgen.com). BAC
            end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
            Seq-primer: M13-21;
            Class: BAC ends.
FEATURES            Location/Qualifiers
     source         1..587
                    /organism="Homo sapiens"
                    /mol_type="genomic DNA"
                    /db_xref="GDB:7103850"
                    /db_xref="taxon:9606"
                    /clone="2172H8"
                    /sex="Male"
                    /cell_type="Sperm"
                    /clone_lib="CIT-HSP"
                    /note="Vector: pBeloBAC11; Site_1: HindIII; Site_2:
                    HindIII"
ORIGIN

Query Match
Best Local Similarity   100.0%;   Score   46;   DB   9;   Length   587;
                        Pred. No.   2e-10;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    564 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 519

RESULT 66
 AQ017813
LOCUS       AQ017813    638 bp    DNA    linear    GSS 09-JUN-1998
DEFINITION  CIT-HSP-2307L15.TR CIT-HSP Homo sapiens genomic clone 2307L15,
            genomic survey sequence.
ACCESSION   AQ017813
VERSION     AQ017813.1  GI:3196549
KEYWORDS    GSS.
```

SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 638)
  AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Field,C.E., Bass,S., Linher,K.,
            Golden,K., Berry,K., Granger,D., Suh,E., Wible,C., Shizuya,H.,
            Simon,M. and Venter,J.C.
  TITLE   Unpublished (1998)
  JOURNAL   Use of a random BAC End Sequence Database for Sequence-Ready Map
            Building (1998)
  COMMENT   Contact: Mark Adams
            Other_GSSs: CIT-HSP-2307L15.TP
            The Institute for Genomic Genomics
            Clones are available from Research Genetics (info@resgen.com). BAC
            end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: mdadams@tigr.org
            Department of Eukaryotic Genomics
            Contact: Mark Adams
            Seq primer: M13 Reverse
            Class: BAC ends.
FEATURES   Location/Qualifiers
     source   1..638
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="2307L15"
                     /sex="Male"
                     /cell_type="Sperm"
                     /clone_lib="CIT-HSP"
                     /note="Vector: pBeloBAC11; Site_1: HindIII; Site_2:
                     HindIII"

ORIGIN

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGCACAGACCAAGACTC 3116
            |||||||||||||||||||||||||||||||||||||||||||||||
Db   551 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 506

RESULT 67
LOCUS   BX956845   648 bp   mRNA   linear   EST 01-MAR-2004
DEFINITION DKFZp781H1492_r1 781 (synonym: hlcc4) Homo sapiens cDNA clone
            DKFZp781H1492 5', mRNA sequence.
ACCESSION   BX956845
VERSION   BX956845.1 GI:43442084
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 648)
  AUTHORS   Poustka,A., Albert,R., Moosmayer,P., Schupp,I., Wellenreuther,R.,
            Mewes,H.W., Weil,B., Amid,C., Osanger,A., Fobo,G., Han,M. and
            Wiemann,S.
  TITLE   EST (Poustka,A., Albert,R., Moosmayer,P., Schupp,I.,
            Wellenreuther,R., et al.)
  JOURNAL   Unpublished (2003)
  COMMENT   Contact: MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert
            Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
            Research Center (DKFZ); Email s.wiemann@dkfz- heidelberg.de;

Query Match   1.5%; Score 46; DB 9; Length 638;
Best Local Similarity 100.0%; Pred. No. 2e-10;
Matches 46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

FEATURES   Location/Qualifiers
     source   1..638
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="DKFZp781H1492"
                     /clone_lib="781"
                     /lab_host="DH10B"
                     /dev_stage="adult"
                     /note="Vector: pSport1_Sf1; Site_1: Sf1IA; Site_2: Sf1IB;
                     cDNA-collection"

            sequenced by DKFZ (German Cancer Research Center,
            Heidelberg/Germany) within the cDNA sequencing consortium of the
            German Genome Project.
            No s1 sequence available.
            This clone (DKFZp781H1492) is available at the RZPD in Berlin.
            Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
            Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.

ORIGIN

Qy   2890 AGGCCAGGTGGATCACCTGAGGCCCAGGAGGCCCAGGAGACGTTCGAGACCAGCGTGGCC 2935
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   47 AGGCCAGGTGGATCACCTGAGGCCCAGGAGGCCCAGGAGTTCGAGACCAGCCTGGCC 92

RESULT 68
LOCUS   BX641474   657 bp   mRNA   linear   EST 04-SEP-2003
DEFINITION DKFZp686I14135_r1 686 (synonym: hlcc3) Homo sapiens cDNA clone
            DKFZp686I14135 5', mRNA sequence.
ACCESSION   BX641474
VERSION   BX641474.1 GI:34475793
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 657)
  AUTHORS   Poustka,A., Albert,R., Moosmayer,P., Schupp,I., Wellenreuther,R.,
            Mewes,H.W., Weil,B., Amid,C., Osanger,A., Fobo,G., Han,M. and
            Wiemann,S.
  TITLE   EST (Poustka,A., Albert,R., Moosmayer,P., Schupp,I.,
            Wellenreuther,R., et al.)
  JOURNAL   Unpublished (2003)
  COMMENT   Contact: MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert
            Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
            Research Center (DKFZ); Email s.wiemann@dkfz- heidelberg.de;
            sequenced by DKFZ (German Cancer Research Center,
            Heidelberg/Germany) within the cDNA sequencing consortium of the
            German Genome Project.
            No s1 sequence available.
            This clone (DKFZp686I14135) is available at the RZPD in Berlin.
            Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
            Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.

Query Match   1.5%; Score 46; DB 5; Length 648;
Best Local Similarity 100.0%; Pred. No. 2e-10;
Matches 46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

FEATURES   Location/Qualifiers
     source   1..657
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="DKFZp686I14135"
                     /clone_lib="686"
                     /lab_host="DH10B"
                     /dev_stage="adult"
                     /note="Vector: pTriplEx2; Site_1: Sf1IA; Site_2: Sf1IB;
                     cDNA-collection"

RESULT 69

```
Qy          Query Match                1.5%;    Score 46;   DB 5;   Length 657;
            Best Local Similarity     100.0%;   Pred. No. 2e-10;
            Matches  46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

      2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||
-Db    502 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 457
```

```
ORIGIN
LOCUS         CA430010                 687 bp    mRNA    linear    EST 07-NOV-2002
DEFINITION    UI-H-FH1-bfp-j-24-0-UI.s1 NCI_CGAP_FH1 Homo sapiens cDNA clone
              UI-H-FH1-bfp-j-24-0-UI 3', mRNA sequence.
ACCESSION     CA430010
VERSION       CA430010.1  GI:24792736
KEYWORDS      EST.
SOURCE        Homo sapiens (human)
  ORGANISM    Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
REFERENCE     1  (bases 1 to 687)
  AUTHORS     NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE       National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
              Tumor Gene Index
  JOURNAL     Unpublished (1997)
COMMENT       Contact: Robert Strausberg, Ph.D.
              Email: cgapbs-r@mail.nih.gov
              Tissue Procurement: James Martin
              cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
              cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
              DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
              Clone Distribution: Clone distribution information can be obtained
              from Dr. M. Bento Soares, bento-soares@uiowa.edu
              The following repetitive elements were found in this cDNA
              sequence: 1-36, >AT_rich#Low complexity (matched compliment)
              285-317, >AT_rich#Low complexity (matched compliment) 369-658, >ALU
              Seq_primer: M13 FORWARD
              PolyA=Yes.
FEATURES             Location/Qualifiers
     source          1..687
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-H-FH1-bfp-j-24-0-UI"
                     /tissue_type="Cell Line"
                     /dev_stage="Adult"
                     /lab_host="DH10B (life Technologies)"
                     /clone_lib="NCI_CGAP_FH1"
                     /note="Organ: Chondrosarcoma; Vector: pT7T3-Pac
                     (Pharmacia) with a modified polylinker; Site 1: EcoR I;
                     Site 2: Not I; NCI_CGAP_FH1 is a normalized cDNA library
                     obtained from a cell line derived from grade I
                     chondrosarcoma tissue. The library was constructed and
                     normalized according to Bonaldo, Lennon and Soares, Genome
                     Research, 6:791-806, 1996. First strand cDNA synthesis was
                     primed with an oligo-dT primer containing a Not I site.
                     Double stranded cDNA was ligated to an EcoR I adaptor,
                     digested with Not I, and cloned directionally into the
                     pT7T3-Pac vector. The oligonucleotide used to prime the
                     synthesis of first-strand cDNA contains a library tag
                     sequence that is located between the Not I site and the
                     (dT)18 tail. The sequence tag for this library is
                     AGAATCCGGC. The cell line was provided by Dr. James Martin
                     from the University of Iowa.
                     TAG_TISSUE=Human Chondrosarcoma Cell Line CS8 - Grade 1
                     Chondrosarcoma
                     TAG_LIB=UI-H-FH1
                     TAG_SEQ=AGAATCCGGC"
```

ORIGIN

RESULT 70

```
Qy          Query Match                1.5%;    Score 46;   DB 6;   Length 687;
            Best Local Similarity     100.0%;   Pred. No. 2e-10;
            Matches  46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

      2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||
Db     424 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 469
```

```
ORIGIN
LOCUS         BU564032                 258 bp    mRNA    linear    EST 16-SEP-2002
DEFINITION    AGENCOURT_10371369 NIH_MGC_141 Homo sapiens cDNA clone
              IMAGE:6601889 5', mRNA sequence.
ACCESSION     BU564032
VERSION       BU564032.1  GI:22914332
KEYWORDS      EST.
SOURCE        Homo sapiens (human)
  ORGANISM    Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
REFERENCE     1  (bases 1 to 258)
  AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
  TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL     Unpublished (1999)
COMMENT       Contact: Robert Strausberg, Ph.D.
              Email: cgapbs-r@mail.nih.gov
              Tissue Procurement: NCI
              cDNA Library Preparation: Michael Brownstein Laboratory
              cDNA Library Arrayed by: Agencourt Bioscience Corporation
              DNA Sequencing by: Agencourt Bioscience Corporation
              Clone distribution: MGC clone distribution information can be
              found through the I.M.A.G.E. Consortium/LLNL at:
              http://image.llnl.gov
              Plate: LLCM2840 row: d column: 17
              High quality sequence stop: 171.
FEATURES             Location/Qualifiers
     source          1..258
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:6601889"
                     /tissue_type="mixed (pool of 40 RNAs)"
                     /lab_host="DH10B (T1-phage-resistant)"
                     /clone_lib="NIH_MGC_141"
                     /note="Vector: pDNR-LIB; Site 1: SfiI (ggccattatggcc);
                     Site 2: SfiI (ggccgcctcggcc); Double-stranded cDNA was
                     prepared from a pool of 40 cell line polyA+ RNAs (bladder
                     - 2%, blood - 33.4%, brain - 5.6%, breast - 12.5%, colon -
                     4%, connective tissue - 1.4%, eye - 1%, intestine - 2.6%,
                     kidney - 2.2%, liver - 5.7%, lung - 10.8%, NK-cell - 5.2%,
                     ovary - 4%, pharynx - 2.5%, prostate - 4.3%, salivary
                     gland - 1.3%, and skin - 2.3%). 5' and 3' adaptors were
                     used in cloning as follows:
                     5'-AAGCAGTGGTATCAACGCAGAGTGGCCATTACGGCCGGGG-3' and
                     5'-ATTCTAGAGGCCGAGGCGGCCGACATG-dT(30)NN-3'. Full-length
                     enriched library was constructed using the Clontech
                     Creator SMART kit and size-selected to contain the 0.2-0.5
                     kb size fraction (other fractions present in NIH_MGC 142).
                     Library created in the laboratory of M. Brownstein (NIMH,
                     NIH). Note: this is a NIH_MGC Library."
```

```
ORIGIN
Qy          Query Match                1.4%;    Score 45;   DB 5;   Length 258;
            Best Local Similarity     100.0%;   Pred. No. 6.2e-10;
            Matches  45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

      3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAAGACT 3115
           |||||||||||||||||||||||||||||||||||||||||||||
Db     174 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAAGACT 218
```

```
RESULT 71
LOCUS       BX953709                 287 bp    mRNA    linear    EST 01-MAR-2004
DEFINITION  DKFZp781C034_r1 781 (synonym: h1cc4) Homo sapiens cDNA clone
            DKFZp781C034 5', mRNA sequence.
ACCESSION   BX953709
VERSION     BX953709.1  GI:43433046
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 287)
  AUTHORS   Ansorge,W., Krieger,S., Regiert,T., Rittmueller,C., Schwager,B.,
            Mewes,H.W., Weil,B., Amid,C., Osanger,A., Fobo,G., Han,M. and
            Wiemann,S.
  TITLE     EST (Ansorge,W., Krieger,S., Regiert,T., Rittmueller,C., et al.)
  JOURNAL   Unpublished (2003)
COMMENT     Contact: MIPS
            MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert.
            Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
            Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de;
            sequenced by EMBL (European Molecular Biology Laboratories,
            Heidelberg/Germany) within the cDNA sequencing consortium of the
            German Genome Project.
            No s1 sequence available.
            This clone (DKFZp781C034) is available at the RZPD in Berlin.
            Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
            Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.
FEATURES             Location/Qualifiers
     source          1..287
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="DKFZp781C034"
                     /dev_stage="adult"
                     /lab_host="DH10B"
                     /clone_lib=781 (synonym: h1cc4)"
                     /note="Vector: pSport1_Sfi; Site_1: SfiIA; Site_2: SfiIB;
                     cDNA-collection"
ORIGIN

Query Match             1.4%;  Score 45;  DB 5;  Length 287;
Best Local Similarity   100.0%;
Matches    45;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy  2898 GGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCCAACATAG 2942
         ||||||||||||||||||||||||||||||||||||||||||||||
Db   241 GGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCCAACATAG 285


RESULT 72
LOCUS       AQ485964/c               309 bp    DNA     linear    GSS 24-APR-1999
DEFINITION  RPCI-11-23519.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-23519,
            genomic survey sequence.
ACCESSION   AQ485964
VERSION     AQ485964.1  GI:4668012
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 309)
  AUTHORS   Zhao,S., Adams,M.D., Nierman,W., Malek,J., de Jong,P. and
            Venter,J.C.
  TITLE     Use of BAC End Sequences from library RPCI-11 for Sequence-Ready
            Map Building
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Shaying Zhao, William Nierman, Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: hbe@tigr.org
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@dejong.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
            Research Genet cs (info@resgen.com). BAC end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
            Seq primer: SP6
            Class: BAC ends.
FEATURES             Location/Qualifiers
     source          1..309
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:7590056"
                     /db_xref="taxon:9606"
                     /clone="RPCI-11-23519"
                     /sex="Male"
                     /cell_type="Lymphocytes"
                     /clone_lib="RPCI-11"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     RPCI11 Human Male BAC Library"
ORIGIN

Query Match             1.4%;  Score 45;  DB 9;  Length 309;
Best Local Similarity   100.0%;
Matches    45;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy  2898 GGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCCAACATAG 2942
         ||||||||||||||||||||||||||||||||||||||||||||||
Db   209 GGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCCAACATAG 165


RESULT 73
LOCUS       AQ381523                 352 bp    DNA     linear    GSS 21-MAY-1999
DEFINITION  RPCI11-164A21.TV RPCI-11 Homo sapiens genomic clone RPCI-11-164A21,
            genomic survey sequence.
ACCESSION   AQ381523
VERSION     AQ381523.1  GI:4352546
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 352)
  AUTHORS   Zhao,S., Adams,M.D., Nierman,W., Malek,J., de Jong,P. and
            Venter,J.C.
  TITLE     Use of BAC End Sequences from the human BAC library RPCI-11. For BAC
            Map Building
  JOURNAL   Unpublished (1997)
COMMENT     Other GSSs: RPCI11-164A21.TJ
            Contact: Shaying Zhao, William Nierman, Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: hbe@tigr.org
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@dejong.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
            Research Genetics (info@resgen.com). BAC end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
            Seq primer: T7
```

FEATURES
  source   Class: BAC ends.
                  Location/Qualifiers
                  1..352
                  /organism="Homo sapiens"
                  /mol_type="genomic DNA"
                  /db_xref="GDB:7562612"
                  /db_xref="taxon:9606"
                  /clone="RPCI-11-164A21"
                  /sex="Male"
                  /cell_type="Lymphocytes"
                  /clone_lib="RPCI-11"
                  /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                  RPCI11 Human Male BAC Library"

ORIGIN

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACCAAGACT 3115
              |||||||||||||||||||||||||||||||||||||||||||||||
Db   145 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACCAAGACT 189

RESULT 74
AQ485959/c
LOCUS   AQ485959   408 bp   DNA   linear   GSS 24-APR-1999
DEFINITION RPCI-11-23515.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-23515,
            genomic survey sequence.
ACCESSION   AQ485959
VERSION   AQ485959.1 GI:4668007
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 408)
  AUTHORS   Zhao,S., Adams,M.D., Nierman,W., Malek,J., de Jong,P. and
            Venter,J.C.
  TITLE   Use of BAC End Sequences from Library RPCI-11 for Sequence-Ready
            Map Building
  JOURNAL   Unpublished (1997)
COMMENT   Other_GSSs: RPCI-11-23515.TV
            Contact: Shaying Zhao, William Nierman, Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: hbe@tigr.org
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@bacpac.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
            Research Genet cs (info@resgen.com). BAC end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
            Seq primer: SP6

FEATURES
  source   Class: BAC ends.
                  Location/Qualifiers
                  1..408
                  /organism="Homo sapiens"
                  /mol_type="genomic DNA"
                  /db_xref="GDB:7590052"
                  /db_xref="taxon:9606"
                  /clone="RPCI-11-23515"
                  /sex="Male"
                  /cell_type="Lymphocytes"
                  /clone_lib="RPCI-11"
                  /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                  RPCI11 Human Male BAC Library"

ORIGIN

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACCAAGACT 3115
              |||||||||||||||||||||||||||||||||||||||||||||||
Db   51 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACCAAGACT 7

Query Match   1.4%;   Score 45;   DB 9;   Length 352;
Best Local Similarity   100.0%;   Pred. No. 6.1e-10;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Query Match   1.4%;   Score 45;   DB 9;   Length 408;
Best Local Similarity   100.0%;   Pred. No. 6.1e-10;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 75
BU951869/c
LOCUS   BU951869   415 bp   mRNA   linear   EST 21-OCT-2002
DEFINITION hr74a04.x1 HR85 islet Homo sapiens cDNA clone IMAGE:6127759 3',
            mRNA sequence.
ACCESSION   BU951869
VERSION   BU951869.1 GI:24203621
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 415)
  AUTHORS   Melton,D., Brown,J., Kenty,G., Permutt,A., Lee,C., Kaestner,K.,
            Lemishka,I., Searce,M., Brestelli,J., Gradwohl,G., Clifton,S.,
            Hillier,L., Marra,M., Pape,D., Wylie,T., Martin,J., Blistain,A.,
            Schmitt,A., Theising,B., Ritter,B., Ronko,I., Bennett,J.,
            Cardenas,M., Gibbons,M., McCann,R., Cole,R., Tsagareishvili,R.,
            Williams,T., Jackson,Y. and Bowers,Y.
  TITLE   Endocrine Pancreas Consortium
  JOURNAL   Unpublished (2000)
COMMENT   Contact: Douglas Melton, Klaus H. Kaestner, & Hiroshi Inoue
            Endocrine Pancreas Consortium
            Harvard University, Howard Hughes Medical Institute
            Dept of Molecular and Cellular Biology, 7 Divinity Ave, Cambridge,
            MA 02138
            Tel: 617-495-1812
            Fax: 617-495-8557
            Email: dmelton@biohp.harvard.edu
            Library was constructed by Dr. Hiroshi Inoue DNA sequencing by:
            Washington University Genome Sequencing Center For information on
            obtaining a clone please contact: Dr. Hiroshi Inoue
            (hinoue@im.wustl.edu)
            Seq primer: -40UP from Gibco
            High quality sequence stop: 337.

FEATURES
  source   Location/Qualifiers
                  1..415
                  /organism="Homo sapiens"
                  /mol_type="mRNA"
                  /db_xref="taxon:9606"
                  /clone="IMAGE:6127759"
                  /tissue_type="Organ; Pancreas; Vector: pBluescript SK(-); Site_1:
                  /clone_lib="HR85 islet"
                  /lab_host="DH10B"
                  /note="Organ; Pancreas; Vector: pBluescript SK(-); Site_1:
                  NotI; Site_2: XhoI; cDNA made by oligo-dT priming.
                  Size-selected on agarose gel. Average insert size ~1kb. 5'
                  XhoI site was destroyed after directional cloning.
                  Amplified once. Contact information: Hiroshi Inoue, MD,
                  Metabolism Div. (Alan Permutt Lab), Washington University
                  School of Medicine, Box 8127, 660 South Euclid Ave., St.
                  Louis, MO 63110, E-mail: hinoue@imgate.wustl.edu, Tel:
                  314-362-1916, Fax: 314-747-2692."

ORIGIN

Qy   2898 GGATCACCTGAGGCGCCAGGAGTTCGAGACCAGCCTGGGCCAACATAG 2942
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   306 GGATCACCTGAGGCGCCAGGAGTTCGAGACCAGCCTGGGCCAACATAG 262

Query Match   1.4%;   Score 45;   DB 5;   Length 415;
Best Local Similarity   100.0%;   Pred. No. 6.1e-10;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 76

LOCUS   AQ065412   417 bp   DNA   linear   GSS 04-AUG-1998
DEFINITION HS_2224_B1_F05_MR CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=2224 Col=9 Row=L, genomic survey
            sequence.
ACCESSION   AQ065412
VERSION   AQ065412.1 GI:3380930
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 417)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
  TITLE   Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
  PUBMED   10449764
COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Sequence Tagged Connector
            Plate: 2224 row: L column: 9
            Class: BAC ends
            High quality sequence stop: 417.
FEATURES   Location/Qualifiers
     source   1..417
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=2224 Col=9 Row=L"
                     /sex="male"
                     /clone_lib="CIT Approved Human Genomic Sperm Library D"
                     /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                     E-Coli DH10B"

ORIGIN

Query Match   1.4%; Score 45; DB 9; Length 417;
Best Local Similarity   100.0%; Pred. No. 6.1e-10;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGCAGCAAGAGACTTCGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||
Db   414 GTCCCACTGCACTCCAGCCTGGGCGCAACAGCAGCAAGAGACTTCGTCTC 370

RESULT 77

LOCUS   AA085683   424 bp   mRNA   linear   EST 01-DEC-1996
DEFINITION zn53d01.s1 Stratagene muscle 937209 Homo sapiens cDNA clone
            IMAGE:561889 3' similar to contains Alu repetitive element;, mRNA
            sequence.
ACCESSION   AA085683
VERSION   AA085683.1 GI:1629145
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 424)
  AUTHORS   Hillier,L., Lennon,G., Becker,M., Bonaldo,M.F., Chiapelli,B.,
            Chissoe,S., Dietrich,N., DuBuque,T., Favello,A., Gish,W.,
            Hawkins,M., Hultman,M., Kucaba,T., Lacy,M., Le,M., Le,N.,

COMMENT   This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Insert Length: 2224   Std Error: 0.00
            Seq primer: -40M13 fwd. from Amersham
            High quality sequence stop: 393.
FEATURES   Location/Qualifiers
     source   1..424
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:4595179"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:561889"
                     /tissue_type="muscle"
                     /dev_stage="adult"
                     /lab_host="SOLR (kanamycin resistant)"
                     /clone_lib="Stratagene muscle 937209"
                     /note="Organ: skeletal muscle; Vector: pBluescript SK-;
                     Site 1: EcoRI; Site 2: XhoI; Cloned unidirectionally.
                     Primer: Oligo dT. Skeletal muscle from patient with
                     malignant hyperthermia. Average insert size: 1.0 kb;
                     Uni-ZAP XR Vector; -5' adaptor sequence: 5' GAATTCGGCACGAG
                     3' -3' adaptor sequence: 5' CTCGAGTTTTTTTTTTTTTTTTTTT 3'"

ORIGIN

Query Match   1.4%; Score 45; DB 1; Length 424;
Best Local Similarity   100.0%; Pred. No. 6.1e-10;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2888 TGAGGCAGGTGGGATCACCTGAGGCCGCAGGAGAGTTCGAGACCAGCCTG 2932
              ||||||||||||||||||||||||||||||||||||||||||||||
Db   222 TGAGGCAGGTGGGATCACCTGAGGCCGCAGGAGAGTTCGAGACCAGCCTG 178

RESULT 78

LOCUS   CB132267   436 bp   mRNA   linear   EST 29-JAN-2003
DEFINITION K-EST0182497 L11SNU35481 Homo sapiens cDNA clone L11SNU35481-1-E08
            5', mRNA sequence.
ACCESSION   CB132267
VERSION   CB132267.1 GI:28097454
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 436)
  AUTHORS   Kim,N.S., Hahn,Y., Oh,J.H., Lee,J.Y., Ahn,H.Y., Chu,M.Y., Kim,M.R.,
            Oh,K.J., Cheong,J.E., Sohn,H.Y., Kim,J.M., Park,H.S., Kim,S. and
            Kim,Y.S.
  TITLE   21C Frontier Korean EST Project 2001
  JOURNAL   Unpublished (2002)
COMMENT   Contact: Kim YS
            Genome Research Center
            Korea Research Institute of Bioscience & Biotechnology
            52 Eoeun-dong Yuseong-gu, Daejeon 305-333, South Korea
            Tel: +82-42-860-4470
            Fax: +82-42-860-4409
            Email: yongseung@mail.kribb.re.kr
            Plate: 1 row: E column: 08

REFERENCE

TITLE   Generation and analysis of 280,000 human expressed sequence tags
  JOURNAL   Genome Res. 6 (9), 807-828 (1996)
  PUBMED   8889549
  AUTHORS   Marra,M.
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
  AUTHORS   Mardis,E., Moore,B., Morris,M., Parsons,J., Prange,C., Rifkin,L.,
            Rohling,T., Schellenberg,K., Soares,M.B., Tan,F., Thierry-Mieg,J.,
            Trevaskis,E., Underwood,K., Wohldmann,P., Waterston,R., Wilson,R.
  TITLE   Contact: Wilson RK

```
FEATURES          Location/Qualifiers
     source       1..436
                  /organism="Homo sapiens"
                  /mol_type="mRNA"
                  /db_xref="taxon:9606"
                  /clone="L11SNU354s1-1-E08"
                  /sex="M"
                  /tissue_type="Liver"
                  /cell_type="Polygonal"
                  /cell_line="SNU-354"
                  /lab_host="Top10F'"
                  /clone_lib="L11SNU354s1"
                  /note="Organ: Liver; Vector: pCNS-D2; Site_1: EcoRI;
                  Site_2: NotI; The poly(A)+ RNA was dephosphorylated with
                  bacterial alkaline phosphatase (BAP) and then decapped
                  with tobacco acid pyrophosphatase (TAP). The decapped
                  intact mRNA was ligated with DNA-RNA linker including
                  EcoRI site by treatment of T4 RNA ligase and the first
                  strand cDNA was synthesized from oligo dT-selected mRNA by
                  priming with dT-tailed vector. The dT-tailed vector was
                  adjusted to have about 60nt. The cDNA vector was
                  circularized with E. coli DNA ligase after digestion of
                  EcoRI which site is also included in vector. An RNA strand
                  converted to a DNA strand by Okayama-Berg method. The
                  obtained cDNA vectors were used for transformation of
                  competent cells E. coli Top10F' by electroporation method.
                  The cDNA libraries constructed by this method are
                  full-length enriched cDNA library. After analyzing and
                  sequencing about 2,000 - 3,000 colonies in original cDNA
                  library, the abundant cDNAs were selected and amplified by
                  PCR reaction using vector region primer including T7
                  promoter as 5' primer and N(dT)14 as 3' primer. The PCR
                  products were used as template for synthesis of
                  biotinylated single stranded RNA by in vitro transcription
                  reaction. The synthesized RNA probes were hybridized with
                  antisense single stranded cDNAs prepared from original
                  liberary and incubated with avidin-gel. After removing
                  DNA-RNA hybrids by centrifuge, the subtracted cDNA
                  libraries were constructed by transformation of the
                  remaining DNA into competent cells E. coli Top10F' with
                  electroporation method."
ORIGIN

RESULT 79
Best Local Similarity   100.0%;
Matches    45;  Conservative    0;
```

Query Match   1.4%; Score 45; DB 6; Length 436;
Pred. No. 6.1e-10;
Mismatches   0; Indels   0; Gaps   0;

```
Qy   2895 GGTGGGATCACCTGAGGGCCCAGGAGTTCGAGACCAGCCCTGGCCAACA 2939
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db    233 GGTGGGATCACCTGAGGGCCCAGGAGTTCGAGACCAGCCCTGGCCAACA 189

LOCUS       AQ009550              439 bp    DNA     linear   GSS 27-JUN-1998
DEFINITION  CIT-HSP-2285K1.TRB CIT-HSP Homo sapiens genomic clone 2285K1,
            genomic survey sequence.
ACCESSION   AQ009550
VERSION     AQ009550.1  GI:3128935
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 439)
  AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Field,C.E., Bass,S., Linher,K.,
            Golden,K., Berry,K., Granger,D., Suh,B., Wible,C., Shizuya,H.,
            Simon,M. and Venter,J.C.
  TITLE     Use of a random BAC End Sequence Database for Sequence-Ready Map
            Building (1998)
  JOURNAL   Unpublished (1998)
COMMENT     Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: mdadams@tigr.org
            Clones are available from Research Genetics (info@resgen.com). BAC
            end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
            Seq primer: M13 Reverse
            Class: BAC ends.
FEATURES          Location/Qualifiers
     source       1..439
                  /organism="Homo sapiens"
                  /mol_type="genomic DNA"
                  /db_xref="GDB:7148812"
                  /db_xref="taxon:9606"
                  /clone="2285K1"
                  /sex="Male"
                  /cell_type="Sperm"
                  /clone_lib="CIT-HSP"
                  /note="Vector: pBeloBAC11; Site_1: HindIII; Site_2:
                  HindIII"
ORIGIN

RESULT 80
Best Local Similarity   100.0%;
Matches    45;  Conservative    0;
```

Query Match   1.4%; Score 45; DB 9; Length 439;
Pred. No. 6.1e-10;
Mismatches   0; Indels   0; Gaps   0;

```
Qy   3073 AGATTGTGCCACTGCCACTCCAGCTCTGGGCGAACAGAGCAAGACTCT 3117
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db    282 AGATTGTGCCACTGCCACTCCAGCTCTGGGCGAACAGAGCAAGACTCT 326

LOCUS       AQ554616              447 bp    DNA     linear   GSS 28-MAY-1999
DEFINITION  RPCI-11-409A7.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-409A7,
            genomic survey sequence.
ACCESSION   AQ554616
VERSION     AQ554616.1  GI:4913793
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 447)
  AUTHORS   Zhao,S., Adams,M.D., Nierman,W., Malek,J., de Jong,P. and
            Venter,J.C.
  TITLE     Use of BAC End Sequences from Library RPCI-11 for Sequence-Ready
            Map Building
  JOURNAL   Unpublished (1997)
COMMENT     Other GSSs: RPCI-11-409A7.TV
            Contact: Shaying Zhao, William Nierman, Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: hbe@tigr.org
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@dejong.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
            Research Genet cs (info@resgen.com). BAC end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
            Seq primer: SP6
            Class: BAC ends.
FEATURES          Location/Qualifiers
     source       1..447
                  /organism="Homo sapiens"
```

```
                              /mol_type="genomic DNA"
                              /db_xref="GDB:7656678"
                              /db_xref="taxon:9606"
                              /clone="RPCI-11-409A7"
                              /sex="Male"
                              /cell_type="Lymphocytes"
                              /clone_lib="RPCI-11"
                              /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                              RPCI11 Human Male BAC Library"
ORIGIN

Query Match             1.4%;  Score 45;  DB 9;  Length 447;
Best Local Similarity   100.0%;  Pred. No. 6.1e-10;
Matches  45;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db     182 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 138


RESULT 81
AQ170811
LOCUS         AQ170811              452 bp    DNA    linear   GSS 16-OCT-1998
DEFINITION    HS_3071_A1_H09_MR CIT Approved Human Genomic Sperm Library D Homo
              sapiens genomic clone Plate=3071 Col=17 Row=O, genomic survey
              sequence.
ACCESSION     AQ170811
VERSION       AQ170811.1  GI:3568178
KEYWORDS      GSS.
SOURCE        Homo sapiens (human)
ORGANISM      Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
REFERENCE     1  (bases 1 to 452)
AUTHORS       Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
              Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
              Hood,L.
TITLE         Sequence-tagged connectors: A sequence approach to mapping and
              scanning the human genome
JOURNAL       Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
PUBMED        10449764
COMMENT       Contact: Mahairas GG, Wallace JC, Hood L
              High Throughput Sequencing Center
              University of Washington
              401 Queen Anne Avenue North, Seattle, WA 98109, USA
              Tel: (206) 616-3618
              Fax: (206) 616-3887
              Email: jwallace@u.washington.edu
              Sequence Tagged Connector
              Plate: 3071 row: O column: 17
              Class: BAC ends
              Clone_lib="CIT Approved Human Genomic Sperm Library D"
              /sex="male"
              /clone="plate=3071 Col=17 Row=O"
              /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
              E-Coli DH10B"
FEATURES             Location/Qualifiers
     source          1..452
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     High quality sequence stop: 452.

ORIGIN

Query Match             1.4%;  Score 45;  DB 9;  Length 452;
Best Local Similarity   100.0%;  Pred. No. 6.1e-10;
Matches  45;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2896 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||
Db     201 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 245
```

```
RESULT 82
BG944968
LOCUS         BG944968              469 bp    mRNA    linear   EST 15-JAN-2003
DEFINITION    ax57a12.x1 Hembase; Erythroid Progenitor Cells (LCB:ax library)
              Homo sapiens cDNA clone ax57a12 random, mRNA sequence.
ACCESSION     BG944968
VERSION       BG944968.1  GI:14344340
KEYWORDS      EST.
SOURCE        Homo sapiens (human)
ORGANISM      Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
              Hominidae; Homo.
REFERENCE     1  (bases 1 to 469)
AUTHORS       Gubin,A.N., Njoroge,J.M., Bouffard,G.G. and Miller,J.L.
TITLE         Gene expression in proliferating human erythroid cells
JOURNAL       Genomics 59 (2), 168-177 (1999)
PUBMED        10409428
COMMENT       Contact: Jeffery L. Miller
              Laboratory of Chemical Biology
              National Institute of Diabetes and Digestive and Kidney Diseases
              Building 10, Room 9B17, National Institutes of Health, Bethesda, MD
              20892, USA
              Tel: 301 402 2373
              Fax: 301 435 5148
              Email: jm7f@nih.gov
              DNA Sequencing and analyses by National Institutes of Health
              Intramural Sequencing Center (NISC).
              Plate: 57 row: a column: 12
              Seq primer: -21M13 forward primer (ABI).
FEATURES             Location/Qualifiers
     source          1..469
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="ax57a12"
                     /sex="unknown"
                     /tissue_type="blood"
                     /cell_type="Erythroid Cells"
                     /cell_line="Primary Culture of Peripheral Blood
                     Mononuclear Cells"
                     /dev_stage="Progenitor; EPO responsive CD71++++"
                     /lab_host="SOLR"
                     /clone_lib=Hembase; Erythroid Progenitor Cells (LCB:ax
                     library)"
                     /note="Organ: blood; Vector: Lambda ZAP II; Site_1: EcoRI;
                     Site_2: EcoRI; 65,000 proliferating erythroid cells from
                     the buffy coat of a blood donation were obtained by flow
                     cytometric separation after a 5-day culture period in the
                     presence of erythropoietin. Total RNA was purified from
                     the sorted cell population using TRIzol reagent. RNA (0.3
                     ug) was converted into double stranded cDNA using
                     Clontech's CapFinder cDNA Library Construction Kit
                     (Clontech) according to the manufacturer's protocol and
                     cloned into EcoRI digested lambda Zap II vector
                     (Stratagene). The phage library was amplified once prior
                     to in vivo excision in SOLR cells. Individual colonies
                     were grown, and the cDNA inserts were sequenced in high
                     throughput (NIH intramural sequencing center
                     http://www.nisc.nih.gov/)."

ORIGIN

Query Match             1.4%;  Score 45;  DB 2;  Length 469;
Best Local Similarity   100.0%;  Pred. No. 6.1e-10;
Matches  45;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db     132 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 176


RESULT 83
```

LOCUS   H63465/c
DEFINITION H63465 yr53e06.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:209026 5' similar to contains Alu repetitive element;, mRNA sequence.
            H63465   472 bp   mRNA   linear   EST 11-OCT-1995
ACCESSION   H63465
VERSION   H63465.1 GI:1018266
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 472)
AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
            Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
            Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
            Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P., and
            Wilson,R.
TITLE   The WashU-Merck EST Project
JOURNAL   Unpublished (1995)
COMMENT   Contact: Wilson RK
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            High quality sequence stops: 426.
            Insert Size: 1442
            Source: IMAGE Consortium, LLNL
            clone="IMAGE:209026"
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Insert Length: 1442   Std Error: 0.00
            Seq primer: M13RP1
            High quality sequence stop: 426.
FEATURES   Location/Qualifiers
     source   1..472
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:3781867"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:209026"
                     /sex="male"
                     /dev_stage="20 week-post conception fetus"
                     /lab_host="DH10B (ampicillin resistant)"
                     /clone_lib="Soares fetal liver spleen INFLS"
                     /note="Organ: Liver and Spleen; Vector: pT7T3D (Pharmacia)
                     with a modified polylinker; Site 1: Pac I; Site 2: Eco RI;
                     1st strand cDNA was primed with a Pac I - oligo(dT) primer
                     [5' AACTGGAAGAATTAATTAAGACTCTTTTTTTTTTTTTTTTT 3'],
                     double-stranded cDNA was ligated to Eco RI adaptors
                     (Pharmacia), digested with Pac I and cloned into the Pac I
                     and Eco RI sites of the modified pT7T3 vector. Library
                     went through one round of normalization. Library
                     constructed by Bento Soares and M.Fatima Bonaldo."
ORIGIN

RESULT 84
Query Match   1.4%; Score 45; DB 8; Length 472;
Best Local Similarity   100.0%; Pred. No. 6.1e-10;
Matches   45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGGCCAACAGAGCAAGAGACTCTGTCTC 3122
               |||||||||||||||||||||||||||||||||||||||||||||||||
Db   282 GTGCCACTGCACTCCAGCCTGGGGCCAACAGAGCAAGAGACTCTGTCTC 238

RESULT 84
BX954324
LOCUS   BX954324
DEFINITION DKFZp781B2254_r1 781 (synonym: hlcc4) Homo sapiens
            DKFZp781B2254_5', mRNA sequence.
            BX954324   494 bp   mRNA   linear   EST 01-MAR-2004
ACCESSION   BX954324
VERSION   BX954324.1 GI:43434818

KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 494)
AUTHORS   Koehrer,K., Beyer,A., Mewes,H.W., Well,B., Amid,C., Osanger,A.,
            Fobo,G., Han,M. and Wiemann,S.
            EST (Koehrer,K., Beyer,A., Mewes,H.W., Well,B., Amid,C., et al.)
TITLE   Unpublished (2003)
JOURNAL   Contact: MIPS
COMMENT   MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert
            Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
            Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de;
            sequenced by BMFZ (Biomedical Research Center at the Heinrich-
            Heine-University, Duesseldorf/Germany) within the cDNA sequencing
            consortium of the German Genome Project. No s1 sequence available.
            This clone (DKFZp781B2254) is available at the RZPD in Berlin.
            Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
            Berlin-Charlottenburg,GERMANY; Email: clone@rzpd.de.
FEATURES   Location/Qualifiers
     source   1..494
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="DKFZp781B2254"
                     /dev_stage="adult"
                     /lab_host="DH10B"
                     /clone_lib="781 (synonym: hlcc4)"
                     /note="Vector: pSport1_Sfi; Site_1: SfiIA; Site_2: SfiIB;
                     cDNA-collection"
ORIGIN

RESULT 85
AQ038737/c
Query Match   1.4%; Score 45; DB 5; Length 494;
Best Local Similarity   100.0%; Pred. No. 6.1e-10;
Matches   45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGGCCAACAGAGCAAGAGACTCTGTCTC 3122
               |||||||||||||||||||||||||||||||||||||||||||||||||
Db   56 GTGCCACTGCACTCCAGCCTGGGGCCAACAGAGCAAGAGACTCTGTCTC 100

LOCUS   AQ038737
DEFINITION AQ038737 CIT-HSP-232509.TV CIT-HSP Homo sapiens genomic clone 232509,
            genomic survey sequence.
            AQ038737   503 bp   DNA   linear   GSS 11-JUL-1998
ACCESSION   AQ038737
VERSION   AQ038737.1 GI:3304569
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 503)
AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Field,C.B., Bass,S., Linher,K.,
            Golden,K., Berry,K., Granger,D., Suh,B., Wible,C., Shizuya,H.,
            Simon,M. and Venter,J.C.
TITLE   Use of a random BAC End Sequence Database for Sequence-Ready Map
            Building (1998)
JOURNAL   Unpublished (1998)
COMMENT   Other GSSs: CIT-HSP-232509.TRB
            Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: mdadams@tigr.org

Clones are available from Research Genetics (info@resgen.com). BAC
end search page:
http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.

RESULT 86

CB142858
CB142858/c

LOCUS   CB142858   529 bp   mRNA   linear   EST 29-JAN-2003
DEFINITION K-EST0196755 L11SNU35481 Homo sapiens cDNA clone L11SNU35481-22-H11
            5', mRNA sequence.
ACCESSION   CB142858
VERSION   CB142858.1 GI:28119424
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 529)
AUTHORS   Kim,N.S., Hahn,Y., Oh,J.H., Lee,J.Y., Ahn,H.Y., Chu,M.Y., Kim,M.R.,
            Kim,Y.S., Cheong,J.E., Sohn,H.Y., Kim,J.M., Park,H.S., Kim,S. and
            Kim,Y.S.
TITLE   21C Frontier Korean EST Project 2001
JOURNAL   Unpublished (2002)
COMMENT   Contact: Kim YS
            Genome Research Center
            Korea Research Institute of Bioscience & Biotechnology
            52 Eoeun-dong Yuseong-gu, Daejeon 305-333, South Korea
            Tel: +82-42-860-4470
            Fax: +82-42-860-4409
            Email: yongsung@mail.kribb.re.kr
            Plate: 22 row: H column: 11
            High quality sequence stop: 529.
FEATURES   Location/Qualifiers
     source   1..529
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="L11SNU35481-22-H11"
                     /sex="M"
                     /tissue_type="Liver"
                     /cell_type="Polygonal"
                     /cell_line="SNU-354"
                     /lab_host="Top10F'"
                     /clone_lib="L11SNU35481"
                     /note="Organ: Liver; Vector: pCNS-D2; Site_1: EcoRI;
                     Site_2: NotI; The poly(A)+ RNA was dephosphorylated with
                     bacterial alkaline phosphatase (BAP) and then decapped
                     with tobacco acid pyrophosphatase (TAP). The decapped
                     intact mRNA was ligated with DNA-RNA linker including
                     EcoRI site by treatment of T4 RNA ligase and the first

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   268 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 224

Query Match 1.4%;   Score 45;   DB 9;   Length 503;
Best Local Similarity 100.0%;   Pred. No. 6.1e-10;
Matches 45;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

ORIGIN

FEATURES   Location/Qualifiers
     source   1..503
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="223509"
                     /sex="Male"
                     /cell_type="Sperm"
                     /clone_lib="CIT-HSP"
                     /note="Vector: pBeloBAC11; Site_1: HindIII; Site_2:
                     HindIII"

Seq primer: T7
Class: BAC ends

RESULT 87

AQ333702
AQ333702/c

LOCUS   AQ333702   529 bp   DNA   linear   GSS 06-MAR-1999
DEFINITION HS_5013_A2_F10 T7 RPCI11 Human Male BAC Library Homo sapiens
            genomic clone Plate=589 Col=20 Row=K, genomic survey sequence.
ACCESSION   AQ333702
VERSION   AQ333702.1 GI:4131189
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 529)
AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
TITLE   Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
PUBMED   10449764
COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Clones may be purchased from Research Genetics (info@resgen.com).
            BAC end Web Server: http://www.htsc.washington.edu
            Plate: 589 row: K column: 20
            Seq primer: T7
            Class: BAC ends
            High quality sequence stop: 529.
FEATURES   Location/Qualifiers
     source   1..529
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"

Qy   2895 GGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCGTGGCCAACA 2939
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   233 GGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCGTGGCCAACA 189

Query Match 1.4%;   Score 45;   DB 6;   Length 529;
Best Local Similarity 100.0%;   Pred. No. 6.1e-10;
Matches 45;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

ORIGIN

strand cDNA was synthesized from oligo dT-selected mRNA by
priming with dT-tailed vector. The dT-tailed vector was
adjusted to have about 60nt. The cDNA vector was
circularized with E. coli DNA ligase after digestion of
EcoRI which site is also included in vector. An RNA strand
converted to a DNA strand by Okayama-Berg method. The
obtained cDNA vectors were used for transformation of
competent cells E. coli Top10F' by electroporation method.
The cDNA libraries constructed by this method are
full-length enriched cDNA library. After analyzing and
sequencing about 2,000 - 3,000 colonies in original cDNA
library, the abundant cDNAs were selected and amplified by
PCR reaction using vector region primer including T7
promotor as 5' primer and N(dT)14 as 3' primer. The PCR
products were used as template for synthesis of
biotinylated single stranded RNA by in vitro transcription
reaction. The synthesized RNA probes were hybridized with
antisense single stranded cDNAs prepared from original
liberary and incubated with avidin-gel. After removing
DNA-RNA hybrids by centrifuge, the subtracted cDNA
libraries were constructed by transformation of the
remaining DNA into competent cells E. coli Top10F' with
electroporation method."

ORIGIN
                     /clone="Plate=589 Col=20 Row=K"
                     /sex="Male"
                     /cell_type="Lymphocytes"
                     /clone_lib="RPCI11 Human Male BAC Library"
                     /note="Vector: pBACe3.6; RPCI11 Human Male BAC Library"

Query Match   1.4%; Score 45; DB 9; Length 529;
Best Local Similarity 100.0%; Pred. No. 6.1e-10;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2906 TGAGGCCAGGAGTTCGAGACCAGCCTGGSCCAACATAGCGAAACCC 2950
         |||||||||||||||||||||||||||| |||||||||||||||||
Db   214 TGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACCC 170

RESULT 88
AU158612/c
LOCUS   AU158612   568 bp   mRNA   linear   EST 05-AUG-2002
DEFINITION AU158612 PLACE3 Homo sapiens cDNA clone PLACE3000425 3', mRNA
            sequence.
ACCESSION   AU158612
VERSION   AU158612.1 GI:11020133
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 568)
AUTHORS   Ota,T., Suzuki,Y., Saito,K., Ishii,S., Yamamoto,J., Sugiyama,T.,
            Nishikawa,T., Nakamura,Y., Sugano,S., Masuho,Y. and Isogai,T.
TITLE   HRI human cDNA project (Ota,T., Suzuki,Y., Saito,K., Ishii,S.,
            Yamamoto,J., Sugiyama,T., Nishikawa,T., Nakamura,Y., Sugano,S.,
            Masuho,Y., Isogai,T.)
JOURNAL   Unpublished (2000)
COMMENT   Contact: Takao Isogai
            Helix Research Institute
            Genomics Laboratory
            1532-3 Yana, Kisarazu, Chiba 292-0812, Japan
            Tel: 81-438-52-3975
            Fax: 81-438-52-3986
            Email: genomics@hri.co.jp
            HRI human cDNA project; 5'- & 3'-end one pass sequencing: Helix
            Research Institute; cDNA library construction: Department of
            Virology, Institute of Medical Science, University of Tokyo, and
            Helix Research Institute.
FEATURES   Location/Qualifiers
     source   1..568
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="PLACE3000425"
                     /tissue_type="placenta"
                     /clone_lib="PLACE3"
                     /note="Vector: pME18SFL3"
ORIGIN

Query Match   1.4%; Score 45; DB 1; Length 568;
Best Local Similarity 100.0%; Pred. No. 6.1e-10;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3078 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
         |||||||||||||||||||||||| |||||||||||||||||||||||
Db   47 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3

RESULT 89
BP872324/c
LOCUS   BP872324   599 bp   mRNA   linear   EST 27-JUL-2004
DEFINITION BP872324 Sugano cDNA library, embryonal kidney Homo sapiens cDNA
            clone HKR06243, mRNA sequence.
ACCESSION   BP872324

VERSION   BP872324.1 GI:50717491
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 599)
AUTHORS   Suzuki,Y., Yamashita,R., Shirota,M., Sakakibara,Y., Chiba,J.,
            Nakai,K. and Sugano,S.
TITLE   Database of Transcriptional Start Sites (DBTSS) for Comparative
            Studies of the Promoters of Human and Mouse Genes
JOURNAL   Unpublished (2004)
COMMENT   Contact: Yutaka Suzuki
            Department of Virology
            Institute of Medical Science, University of Tokyo
            4-6-1, Shirokanedai, Minatoku, Tokyo 108-8639, Japan
            Email: ysuzuki@ims.u-tokyo.ac.jp.
FEATURES   Location/Qualifiers
     source   1..599
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="HKR06243"
                     /tissue_type="embryonal kidney"
                     /cell_line="293"
                     /clone_lib="Sugano cDNA library, embryonal kidney"
ORIGIN

Query Match   1.4%; Score 45; DB 3; Length 599;
Best Local Similarity 100.0%; Pred. No. 6e-10;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACA 2939
         |||||||||||||||||||||||||||||||||||||||||||||
Db   233 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACA 189

RESULT 90
AG071092
LOCUS   AG071092   627 bp   DNA   linear   GSS 03-NOV-2001
DEFINITION Pan troglodytes DNA, clone: PTB-062C22.R, genomic survey sequence.
ACCESSION   AG071092
VERSION   AG071092.1 GI:16622894
KEYWORDS   GSS.
SOURCE   Pan troglodytes (chimpanzee)
ORGANISM   Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1 (bases 1 to 627)
AUTHORS   Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
            Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE   BAC end sequences of library PTB
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 627)
AUTHORS   Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
            Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE   Direct Submission
JOURNAL   Submitted (02-AUG-2001) Asao Fujiyama, The Institute of Physical
            and Chemical Research (RIKEN), Genomic Sciences Center (GSC);
            1-7-22 Suehiro-chou,Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
            (E-mail:chimpbee@gsc.riken.go.jp, URL:http://hgp.gsc.riken.go.jp/,
            Tel:81-45-503-9111, Fax:81-45-503-9170)
COMMENT   Clones are derived from the chimpanzee BAC library PTB This BAC end
            was generated during the R&D process and may have higher chance of
            clone tracking errors.
            PRIMERS
                   Sequencing: M13Rev
            LIBRARY
                   Vector   : pKS145
                   R.Site 1   : SacI
                   R.Site 2   : SacI.

```
FEATURES
     source          Location/Qualifiers
                     1..627
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /clone="PTB-062C22.R"
                     /db_xref="taxon:9598"
                     /sex="male"
                     /cell_type="lymphoblast"
                     /clone_lib="PTB Chimpanzee Male BAC Library"
ORIGIN

Query Match     1.4%;  Score 45;  DB 10;  Length 627;
Best Local Similarity   100.0%;  Pred. No. 6e-10;
Matches  45;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  3078 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGAGAGAGACTTCTGTCTC 3122
         |||||||||||||||||||||||||||||||||||||||||||||||||
Db   225 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGAGAGAGACTTCTGTCTC 269

RESULT 91
LOCUS       AG116078                 640 bp    DNA     linear   GSS 03-NOV-2001
DEFINITION  Pan troglodytes DNA, clone: PTB-123103.R, genomic survey sequence.
ACCESSION   AG116078
VERSION     AG116078.1  GI:16736597
KEYWORDS    GSS.
SOURCE      Pan troglodytes (chimpanzee)
ORGANISM    Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 640)
AUTHORS     Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
            Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE       BAC end sequences of library PTB
JOURNAL     Unpublished
REFERENCE   2  (bases 1 to 640)
AUTHORS     Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
            Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE       Direct Submission
JOURNAL     Submitted (02-AUG-2001) Asao Fujiyama, The Institute of Physical
            and Chemical Research (RIKEN), Genomic Sciences Center (GSC);
            1-7-22 Suehiro-chou,Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
            (E-mail:chimpbes@gsc.riken.go.jp, URL:http://hgp.gsc.riken.go.jp/,
            Tel:81-45-503-9111, Fax:81-45-503-9170)
COMMENT     Clones are derived from the chimpanzee BAC library PTB This BAC end
            was generated during the R&D process and may have higher chance of
            clone tracking errors.
            PRIMERS
              Sequencing: M13Rev
            LIBRARY
              Vector     : pKS145
              R.Site 1   : SacI
              R.Site 2   : SacI
FEATURES
     source          Location/Qualifiers
                     1..640
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone="PTB-123103.R"
                     /sex="male"
                     /cell_type="lymphoblast"
                     /clone_lib="PTB Chimpanzee Male BAC Library"
ORIGIN

Query Match     1.4%;  Score 45;  DB 10;  Length 640;
Best Local Similarity   100.0%;  Pred. No. 6e-10;
Matches  45;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  3071 CAAGATTCGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACT 3115
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db   386 CAAGATTCGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACT 342


RESULT 92
LOCUS       AQ540193                 641 bp    DNA     linear   GSS 19-MAY-1999
DEFINITION  RPCI-11-345P21.TJ RPCI-11 Homo sapiens genomic clone
            RPCI-11-345P21, genomic survey sequence.
ACCESSION   AQ540193
VERSION     AQ540193.1  GI:4870723
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 641)
AUTHORS     Zhao,S., Adams,M.D., Nierman,W., Malek,J., de Jong,P. and
            Venter,J.C.
TITLE       Use of BAC End Sequences from Library RPCI-11 for Sequence-Ready
            Map Building
JOURNAL     Unpublished (1997)
COMMENT     Other GSSs: RPCI-11-345P21.TV
            Contact: Shaying Zhao, William Nierman, Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: hbe@tigr.org
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@dejong.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
            Research Genet cs (info@resgen.com). BAC end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
            Seq primer: SP6
            Class: BAC ends.
FEATURES
     source          Location/Qualifiers
                     1..641
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:7632476"
                     /db_xref="taxon:9606"
                     /clone="RPCI-11-345P21"
                     /sex="male"
                     /cell_type="Lymphocytes"
                     /clone_lib="RPCI-11"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     RPCI11 Human Male BAC Library"
ORIGIN

Query Match     1.4%;  Score 45;  DB 9;  Length 641;
Best Local Similarity   100.0%;  Pred. No. 6e-10;
Matches  45;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  3078 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGAGAGAGACTTCTGTCTC 3122
         |||||||||||||||||||||||||||||||||||||||||||||||||
Db   492 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGAGAGAGACTTCTGTCTC 448


RESULT 93
LOCUS       AG174909                 680 bp    DNA     linear   GSS 09-JAN-2002
DEFINITION  Pan troglodytes DNA, clone: RP43-045K01.T7, genomic survey
            sequence.
ACCESSION   AG174909
VERSION     AG174909.1  GI:16704589
KEYWORDS    GSS.
SOURCE      Pan troglodytes (chimpanzee)
ORGANISM    Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
```

REFERENCE   1
AUTHORS   Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
            Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE   BAC end sequences of library RPCI-43
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 680)
AUTHORS   Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
            Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE   Direct Submission
JOURNAL   Submitted (02-AUG-2001) Asao Fujiyama, The Institute of Physical
            and Chemical Research (RIKEN), Genomic Sciences Center (GSC),
            1-7-22 Suehiro-chou,Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
            (E-mail:chimpbes@gsc.riken.go.jp, URL:http://hgp.gsc.riken.go.jp/,
            Tel:81-45-503-9111, Fax:81-45-503-9170)
COMMENT   Clones are derived from the chimpanzee BAC library RPCI-43 This BAC
            end was generated during the R&D process and may have higher chance
            of clone tracking errors.
            LIBRARY
              Vector   : pBACe3.6
              R.Site 1   : EcoRI
              R.Site 2   : EcoRI.
              Sequencing: T7
            PRIMERS
FEATURES   Location/Qualifiers
     source   1..680
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone="RP43-045K01.T7"
                     /sex="male"
                     /cell_type="lymphocytes"
                     /clone_lib="RPCI-43 Chimpanzee Male BAC Library"
.ORIGIN

Query Match
Best Local Similarity   100.0%;   Score 45; DB 10; Length 680;
Matches   45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy 3078 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db  118 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC   74
```

RESULT 94
LOCUS   CN274316   712 bp   mRNA   linear   EST 16-MAY-2004
DEFINITION 1700060023281_GRN_PREHEP Homo sapiens cDNA 5', mRNA sequence.
ACCESSION   CN274316
VERSION   CN274316.1 GI:47290730
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 712)
AUTHORS   Brandenberger,R., Wei,H., Zhang,S., Lei,S., Murage,J., Fisk,G.J.,
            Li,Y., Xu,C., Fang,R., Guegler,K., Rao,M.S., Mandalam,R.,
            Lebkowski,J and Stanton,L.W.
TITLE   Transcriptome characterization elucidates signaling networks that
            control human ES cell growth and differentiation
JOURNAL   Nat. Biotechnol. 22 (6), 707-716 (2004)
PUBMED   15146197
COMMENT   Contact: Brandenberger R
            Regenerative Medicine
            Geron Corporation
            230 Constitution Drive, Menlo Park, CA 94025, USA
            Tel: 650 473 8658
            Fax: 650 473 7760
            Email: rbrandenberger@geron.com
            Insert Length: 712   Std Error: 0.00.
FEATURES   Location/Qualifiers
     source   1..712
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone_lib="GRN_PREHEP"
                     /note="oligo dT primed, full-length enriched cDNA library
                     from DMSO-treated hES cell line H9 (p22) maintained in
                     feeder-free conditions"
                     /tissue_type="embryonic stem cells, DMSO-treated H9 cell
                     line"
ORIGIN

Query Match
Best Local Similarity   100.0%;   Score 45; DB 7; Length 712;
Matches   45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy 2896 GTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
        |||||||||||||||||||||||||||||||||||||||||||||||
Db  319 GTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT  363
```

RESULT 95
LOCUS   AQ349458   722 bp   DNA   linear   GSS 07-MAY-1999
DEFINITION RPCI11-118J16.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-118J16,
            genomic survey sequence.
ACCESSION   AQ349458
VERSION   AQ349458.1 GI:4174354
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 722)
AUTHORS   Zhao,S., Adams,M.D., Nierman,W., Malek,J., de Jong,P. and
            Venter,J.C.
TITLE   Use of BAC End Sequences from Library RPCI-11 for Sequence-Ready
            Map Building
JOURNAL   Unpublished (1997)
COMMENT   Other GSSs: RPCI11-118J16.TJ
            Contact: Shaying Zhao, William Nierman, Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: hbe@tigr.org
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@dejong.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
            Research Genetics (info@resgen.com). BAC end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
            Seq primer: SP6
            Class: BAC ends.
FEATURES   Location/Qualifiers
     source   1..722
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /db_xref="GDB:7545159"
                     /clone="RPCI-11-118J16"
                     /sex="Male"
                     /cell_type="Lymphocytes"
                     /clone_lib="RPCI-11"
                     /note="vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     RPCI11 Human Male BAC Library"
                     Class: BAC ends.
ORIGIN

Query Match
Best Local Similarity   100.0%;   Score 45; DB 9; Length 722;
Matches   45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3071 CAAGAATTGTGCCACTGCACTCCAGCCTGTGGGCAAGAGAGCAAGACT 3115
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   516 CAAGAATTGTGCCACTGCACTCCAGCCTGTGGGCAACAGAGCAAGACT 560

RESULT 96
LOCUS   AG009127   726 bp   DNA   linear   GSS 16-FEB-2005
DEFINITION   Homo sapiens genomic DNA, 21q region, clone: T172XN, genomic survey
             sequence.
ACCESSION   AG009127 AG003036
VERSION   AG009127.1 GI:3289113
KEYWORDS   GSS.
SOURCE   Homo sapiens
  ORGANISM   Homo sapiens (human)
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE   Homo sapiens genomic DNA, chromosome 21q
  JOURNAL   Published Only in Database (1998)
REFERENCE   2 (bases 1 to 726)
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE   Direct Submission
  JOURNAL   Submitted (06-JUL-1998) Masahira Hattori, RIKEN Genomic Sciences
             Center, RIKEN Yokohama Institute, Yokohama Research Promotion
             Division; 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa,
             230-0045, Japan (E-mail:hattori@gsc.riken.jp, Tel:81-45-503-9111,
             Fax:81-45-503-9113)
COMMENT   On Feb 5, 1999 this sequence version replaced gi:2665425.
             AG003036: Submitted (06-Dec-1997).
FEATURES   Location/Qualifiers
     source   1..726
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="21"
                     /map="21q"
                     /clone="T172XN"
ORIGIN

Qy   2906 TGAGGCCAGGAGTTCGAGGACCAGCCTGGCCAACATAGCGAAACC 2950
           |||||||||||||||||||||||||||||||||||||||||||||
Db   179 TGAGGCCAGGAGTTCGAGGACCACCGCCTGGCCAACATAGCGAAACC 223

Query Match   1.4%;   Score 45;   DB 10;   Length 726;
Best Local Similarity 100.0%;   Pred. No. 6e-10;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 97
LOCUS   AG009138/c   731 bp   DNA   linear   GSS 16-FEB-2005
DEFINITION   Homo sapiens genomic DNA, 21q region, clone: T172XN, genomic survey
             sequence.
ACCESSION   AG009138 AG003047
VERSION   AG009138.1 GI:3289124
KEYWORDS   GSS.
SOURCE   Homo sapiens
  ORGANISM   Homo sapiens (human)
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE   Homo sapiens genomic DNA, chromosome 21q
  JOURNAL   Published Only in Database (1998)
REFERENCE   2 (bases 1 to 731)
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE   Direct Submission
  JOURNAL   Submitted (06-JUL-1998) Masahira Hattori, RIKEN Genomic Sciences
             Center, RIKEN Yokohama Institute, Yokohama Research Promotion

COMMENT   Division: 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa,
             230-0045, Japan (E-mail:hattori@gsc.riken.jp, Tel:81-45-503-9111,
             Fax:81-45-503-9113)
             On Feb 5, 1999 this sequence version replaced gi:2665436.
             AG003047: Submitted (06-Dec-1997).
FEATURES   Location/Qualifiers
     source   1..731
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="21"
                     /map="21q"
                     /clone="T172XN"
ORIGIN

Qy   2906 TGAGGCCAGGAGTTCGAGGACCAGCCTGGCCAACATAGCGAAACC 2950
           |||||||||||||||||||||||||||||||||||||||||||||
Db   274 TGAGGCCAGGAGTTCGAGGACCAGCCTGGCCAACATAGCGAAACC 230

Query Match   1.4%;   Score 45;   DB 10;   Length 731;
Best Local Similarity 100.0%;   Pred. No. 6e-10;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 98
LOCUS   AG009129   741 bp   DNA   linear   GSS 16-FEB-2005
DEFINITION   Homo sapiens genomic DNA, 21q region, clone: T172XN, genomic survey
             sequence.
ACCESSION   AG009129 AG003038
VERSION   AG009129.1 GI:3289115
KEYWORDS   GSS.
SOURCE   Homo sapiens
  ORGANISM   Homo sapiens (human)
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE   Homo sapiens genomic DNA, chromosome 21q
  JOURNAL   Published Only in Database (1998)
REFERENCE   2 (bases 1 to 741)
  AUTHORS   Hattori,M., Ishii,K., Toyoda,A., Shiba,T. and Sakaki,Y.
  TITLE   Direct Submission
  JOURNAL   Submitted (06-JUL-1998) Masahira Hattori, RIKEN Genomic Sciences
             Center, RIKEN Yokohama Institute, Yokohama Research Promotion
             Division: 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa,
             230-0045, Japan (E-mail:hattori@gsc.riken.jp, Tel:81-45-503-9111,
             Fax:81-45-503-9113)
COMMENT   On Feb 5, 1999 this sequence version replaced gi:2665427.
             AG003038: Submitted (06-Dec-1997).
FEATURES   Location/Qualifiers
     source   1..741
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="21"
                     /map="21q"
                     /clone="T172XN"
ORIGIN

Qy   2906 TGAGGCCAGGAGTTCGAGGACCAGCCTGGCCAACATAGCGAAACC 2950
           |||||||||||||||||||||||||||||||||||||||||||||
Db   381 TGAGGCCAGGAGTTCGAGGACCACCAGCCTGGCCAACATAGCGAAACC 425

Query Match   1.4%;   Score 45;   DB 10;   Length 741;
Best Local Similarity 100.0%;   Pred. No. 6e-10;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 99
BX457023
LOCUS   BX457023   754 bp   mRNA   linear   EST 06-MAY-2004

DEFINITION BX457023 Homo sapiens THYMUS Homo sapiens cDNA clone CS0CAP005YD12
5-PRIME, mRNA sequence.
ACCESSION BX457023
VERSION BX457023.2 GI:47069656
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
Hominidae; Homo.
REFERENCE 1 (bases 1 to 754)
AUTHORS Li,W.B., Gruber,C., Jessee,J. and Polayes,D.
TITLE Full-length cDNA libraries and normalization
JOURNAL Unpublished (2001)
COMMENT On May 22, 2003 this sequence version replaced gi:31032820.
Contact: Genoscope
Genoscope - Centre National de Sequencage
2 rue Gaston Cremieux, CP 5706 - 91057 EVRY cedex - FRANCE
Email: segref@genoscope.cns.fr, Web : www.genoscope.cns.fr
1st strand cDNA was primed with a NotI-oligo(dT) primer. Five prime
end enriched, double-strand cDNA was digested with Not I and cloned
into the Not I and EcoRV sites of the pCMVSPORT 6 vector. Library
was not normalized. Library was constructed by Life Technologies, a
division of Invitrogen.
This sequence belongs to sequence cluster 5067.r
For more information about this cluster, see
http://www.genoscope.cns.fr/cdna?s=CS0CAP005B06QP1&c=5067.r

FEATURES Location/Qualifiers
source 1..754
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="CS0CAP005YD12"
/tissue_type="THYMUS"
/clone_lib="Homo sapiens THYMUS"
/note="Vector: pCMVSPORT 6; 1st strand cDNA was primed
with a NotI-oligo(dT) primer. Five prime end enriched,
double-strand cDNA was digested with Not I and cloned into
the Not I and EcoRV sites of the pCMVSPORT 6 vector.
Library was not normalized."

ORIGIN

Qy 1.4%; Score 45; DB 5; Length 754;
Query Match 100.0%; Pred. No. 6e-10;
Best Local Similarity 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Matches

Qy 3078 GTGGCCACTGCACTTCCAGCCTGGGCCAACAGAGAGCAAGACTCTGTCTC 3122
||||||||||||||||||||||||||||||||||||||||||||||||||
Db 622 GTGGCCACTGCACTTCCAGCCTGGGCCAACAGAGAGCAAGACTCTGTCTC 666

RESULT 100
LOCUS BG260049 768 bp mRNA linear EST 13-FEB-2001
BG260049/c
DEFINITION 603716337P1 NIH_MGC_93 Homo sapiens cDNA clone IMAGE:4479632 5',
mRNA sequence.
ACCESSION BG260049
VERSION BG260049.1 GI:12769865
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
Hominidae; Homo.
REFERENCE 1 (bases 1 to 768)
AUTHORS NIH-MGC http://mgc.nci.nih.gov/.
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Robert Strausberg, Ph.D.
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: Life Technologies, Inc.
cDNA Library Preparation: ATCC
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)

FEATURES Location/Qualifiers
source 1..768
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:4479632"
/tissue_type="transitional cell papilloma, cell line"
/lab_host="DH10B (phage-resistant)"
/clone_lib="NIH_MGC_93"
/note="Organ: bladder; Vector: pCMV-SPORT6; Site 1: NotI;
Site 2: SalI; Cloned unidirectionally; oligo-dT primed.
Average insert size 1.7 kb. Library enriched for
full-length clones and constructed by Life Technologies.
Note: this is a NIH_MGC Library."

ORIGIN

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCGTGACCAACA 2939
||||||||||||||||||||||||||||||||||||||||||||||
Db 219 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCAACA 175

FEATURES Location/Qualifiers
source 1..768
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:4479632"
High quality sequence stop: 700.
DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLAMI0312 row: a column: 09

RESULT 101
LOCUS BX411269 781 bp mRNA linear EST 03-MAY-2004
BX411269/c
DEFINITION BX411269 Homo sapiens FETAL BRAIN Homo sapiens cDNA clone
CS0DF021YC03 3-PRIME, mRNA sequence.
ACCESSION BX411269
VERSION BX411269.2 GI:46955683
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
Hominidae; Homo.
REFERENCE 1 (bases 1 to 781)
AUTHORS Li,W.B., Gruber,C., Jessee,J. and Polayes,D.
TITLE Full-length cDNA libraries and normalization
JOURNAL Unpublished (2001)
COMMENT On May 15, 2003 this sequence version replaced gi:30767155.
Contact: Genoscope
Genoscope - Centre National de Sequencage
2 rue Gaston Cremieux, CP 5706 - 91057 EVRY cedex - FRANCE
Email: segref@genoscope.cns.fr, Web : www.genoscope.cns.fr
1st strand cDNA was primed with a NotI-oligo(dT) primer. Five prime
end enriched, double-strand cDNA was digested with Not I and cloned
into the Not I and EcoRV sites of the pCMVSPORT 6 vector. Library
was not normalized. Library was constructed by Life Technologies, a
division of Invitrogen.
This sequence belongs to sequence cluster 8085.r
For more information about this cluster, see
http://www.genoscope.cns.fr/cdna?s=CS0BAI011ZB10_CS01034_2&c=8085.r

FEATURES Location/Qualifiers
source 1..781
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="CS0DF021YC03"
/tissue_type="FETAL BRAIN"
/clone_lib="Homo sapiens FETAL BRAIN"
/dev_stage="fetal"
/note="Organ: brain; Vector: pCMVSPORT_6; 1st strand cDNA
was primed with a NotI-oligo(dT) primer. Five prime end

ORIGIN

enriched, double-strand cDNA was digested with Not I and
cloned into the Not I and EcoRV sites of the pCMVSPORT 6
vector. Library was not normalized."

Qy   2898 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
             |||||||||||||||||||||||||||||||||||||||||||||
Db   723 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 679

RESULT 102
CD242479

Query Match   1.4%;   Score 45;   DB 5;   Length 781;
Best Local Similarity   100.0%;   Pred. No. 6e-10;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

LOCUS   CD242479   830 bp   mRNA   linear   EST 22-MAY-2003
DEFINITION   AGENCOURT 14120572 NIH_MGC_179 Homo sapiens cDNA clone
           IMAGE:30384600 5', mRNA sequence.
ACCESSION   CD242479
VERSION   CD242479.1   GI:31002943
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
           Hominidae; Homo.
REFERENCE   1 (bases 1 to 830)
AUTHORS   NIH-MGC http://mgc.ncl.nih.gov/.
TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL   Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: Dr Michael Brownstein
           cDNA Library Preparation: Invitrogen Corp
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Agencourt Bioscience Corporation
           Clone distribution: MGC clone distribution information can be
           found through the I.M.A.G.E. Consortium/LLNL at:
           http://image.llnl.gov
           Plate: NDAM450   row: f   column: 01
           High quality sequence stop: 493.
FEATURES   Location/Qualifiers
      source   1..830
                   /organism="Homo sapiens"
                   /mol_type="mRNA"
                   /db_xref="taxon:9606"
                   /clone="IMAGE:30384600"
                   /tissue_type="pituitary"
                   /lab_host="DH10B-Ton A (T1 and T5 phage resistances)"
                   /clone_lib="NIH_MGC_179"
                   /note="Organ: brain; Vector: pCMV-SPORT6.1; Site_1: EcoRV
                   (destroyed); Site_2: NotI; Library is oligo-dT primed and
                   directionally cloned (EcoRV site is destroyed upon
                   cloning). Average insert size 1.1 kb. Library was
                   constructed by (Invitrogen). Note: this is a NIH_MGC
                   Library."

ORIGIN

Qy   2896 GTTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||
Db   496 GTTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 540

RESULT 103
BU959380/c

Query Match   1.4%;   Score 45;   DB 6;   Length 830;
Best Local Similarity   100.0%;   Pred. No. 6e-10;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

LOCUS   BU959380   856 bp   mRNA   linear   EST 21-OCT-2002
DEFINITION   AGENCOURT 10622545 NIH_MGC_127 Homo sapiens cDNA clone
           IMAGE:6737609 5', mRNA sequence.

ACCESSION   BU959380
VERSION   BU959380.1   GI:24188952
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
           Hominidae; Homo.
REFERENCE   1 (bases 1 to 856)
AUTHORS   NIH-MGC http://mgc.ncl.nih.gov/.
TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL   Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: NCI
           cDNA Library Preparation: Michael Brownstein Laboratory
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Agencourt Bioscience Corporation
           Clone distribution: MGC clone distribution information can be
           found through the I.M.A.G.E. Consortium/LLNL at:
           http://image.llnl.gov
           Plate: LLCM3067   row: o   column: 16
           High quality sequence stop: 431.
FEATURES   Location/Qualifiers
      source   1..856
                   /organism="Homo sapiens"
                   /mol_type="mRNA"
                   /db_xref="taxon:9606"
                   /clone="IMAGE:6737609"
                   /tissue_type="mixed (pool of 40 RNAs)"
                   /lab_host="DH10B (T1-phage-resistant)"
                   /clone_lib="NIH_MGC_127"
                   /note="Vector: pDNR-LIB; Site_1: SfiI (ggccattatggcc);
                   Site_2: SfiI (ggccgctccgcc); Double-stranded cDNA was
                   prepared from a pool of 40 cell line poly A+ RNAs (bladder
                   - 2%, blood - 33.4%, brain - 5.6%, breast - 12.5%, colon -
                   2%, connective tissue - 1.4%, eye - 1%, intestine - 2.6%,
                   kidney - 2.2%, liver - 5.7%, lung - 10.8%, NK-cell -
                   5.2%, ovary - 4%, pharynx - 5.7%, prostate - 4.3%,
                   salivary gland - 1.3% and skin - 2.3%). 5', and 3',
                   adaptors were used in cloning as follows:
                   5'-AAGCAGTGGTATCAACGCAGAGTGGCCATTACGGCCGGG-3' and
                   5'-ATTCTAGAGGCCGAGGCGGCCGACATG-dT(30)NN-3', Full-length
                   enriched library was constructed using the Clontech
                   Creator SMART kit and size-selected to contain the 1-2 kb
                   size fraction (other fractions present in NIH_MGC_126 and
                   NIH_MGC_128). Library created in the laboratory of T.
                   Usdin, M.D., Ph.D. (NIMH, NIH). Note: this is a NIH_MGC
                   Library."

ORIGIN

Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTG 2932
             |||||||||||||||||||||||||||||||||||||||||||||
Db   203 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTG 159

RESULT 104
BZ771376/c

Query Match   1.4%;   Score 45;   DB 5;   Length 856;
Best Local Similarity   100.0%;   Pred. No. 6e-10;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

LOCUS   BZ771376   874 bp   DNA   linear   GSS 13-MAR-2003
DEFINITION   mcs76c11.g10 HROSMID005 Homo sapiens genomic, genomic survey
           sequence.
ACCESSION   BZ771376
VERSION   BZ771376.1   GI:28945045
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
           Hominidae; Homo.

REFERENCE   1   (bases 1 to 874)
  AUTHORS   Cook,L., Delehaunty,K., Fewell,G., Fulton,L., Magrini,V.,
           Mardis,E., Miner,T., Nash,W., Williams,D. and Wilson,R.K.
  TITLE   Homo sapiens Fosmid End Reads
  JOURNAL   Unpublished (2003)
  COMMENT   Contact: Richard K. Wilson
           Washington University School of Medicine
           Genome Sequencing Center
           Email: submissions@watson.wustl.edu
           Plate: mcs76 row: c column: 11
           Class: fosmid ends
           High quality sequence start: 11
           High quality sequence stop: 518.
FEATURES   Location/Qualifiers
     source   1..874
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone_lib="HFOSMID005"
                     /note="Vector: pcc01fos; Site 1: Eco72i; Human whole
                     genome fosmid library was prepared at Washington
                     University Genome Sequencing Center. DNA was sheared for
                     blunt-ended ligation into pcc01fos inducible vector. DNA
                     was ordered from Coriell Cell Repository's DNA
                     polymorphism discovery resource."
ORIGIN

RESULT 105
LOCUS   CF596843/c
DEFINITION CF596843
ACCESSION   CF596843
VERSION   CF596843.1   GI:36353710
KEYWORDS   EST.
SOURCE   Homo sapiens
  ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
           Hominidae; Homo.
REFERENCE   1   (bases 1 to 948)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
  COMMENT   Contact: Daniela S. Gerhard, Ph.D.
           Office of Cancer Genomics
           National Cancer Institute / NIH
           Bldg. 31 Rm10A07 Bethesda, MD 20892
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: Gregory F. Erickson, Ph.D.
           cDNA Library Preparation: Invitrogen Corp
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Agencourt Bioscience Corporation
           Clone distribution: MGC clone distribution information can be
           found through the I.M.A.G.E. Consortium/LLNL at:
           http://image.llnl.gov
           Plate: NDCM254 row: p column: 08
           High quality sequence stop: 432.
FEATURES   Location/Qualifiers
     source   1..948
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:30705007"

LOCUS   AGENCOURT_15687331 NICHD_Hs_Ov1 Homo sapiens cDNA clone
            IMAGE:30705007 5', mRNA sequence.

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTCT 3117
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   137 AGATTGTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTCT 93

Query Match   1.4%; Score 45; DB 9; Length 874;
Best Local Similarity 100.0%; Pred. No. 6e-10;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

ORIGIN

RESULT 106
LOCUS   BQ896885/c
DEFINITION BQ896885
ACCESSION   BQ896885
VERSION   BQ896885.1   GI:22288899
KEYWORDS   EST.
SOURCE   Homo sapiens
  ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
           Hominidae; Homo.
REFERENCE   1   (bases 1 to 988)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
  COMMENT   Contact: Robert Strausberg, Ph.D.
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: Rubin Laboratory
           cDNA Library Preparation: Rubin Laboratory
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Agencourt Bioscience Corporation
           Clone distribution: MGC clone distribution information can be
           found through the I.M.A.G.E. Consortium/LLNL at:
           http://image.llnl.gov
           Plate: LICM2323 row: a column: 10
           High quality sequence stop: 595.
FEATURES   Location/Qualifiers
     source   1..988
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:6087057"
                     /tissue_type="epidermoid carcinoma, cell line"
                     /lab_host="DH10B (phage-resistant)"
                     /clone_lib="NIH_MGC_102"
                     /note="Organ: salivary gland; Vector: pOTB7; Site_1: XhoI;
                     Site_2: EcoRI; cDNA made by oligo-dT priming.
                     Directionally cloned into EcoRI/XhoI sites using the
                     following 5' adaptor: GGCACGAG(G). Library constructed
                     by Ling Hong in the laboratory of Gerald M. Rubin
                     (University of California, Berkeley) using ZAP-cDNA
                     synthesis kit (Stratagene) and Superscript II RT (Life
                     Technologies). Note: this is a NIH_MGC Library."

LOCUS   BQ896885   988 bp   mRNA   linear   EST 16-AUG-2002
DEFINITION AGENCOURT_8073985 NIH_MGC_102 Homo sapiens cDNA clone IMAGE:6087057
            5', mRNA sequence.

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACA 2939
           |||||||||||||||||||||||||||||||||||||||||||||||
Db   440 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACA 396

Query Match   1.4%; Score 45; DB 6; Length 948;
Best Local Similarity 100.0%; Pred. No. 6e-10;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

ORIGIN

REFERENCE   1   (bases 1 to 948)
  AUTHORS   Cook,L., Delehaunty,K., Fewell,G., Fulton,L., Magrini,V.,
           Mardis,E., Miner,T., Nash,W., Williams,D. and Wilson,R.K.
  TITLE   Homo sapiens Fosmid End Reads
  JOURNAL   Unpublished (2003)
  COMMENT   Contact: Richard K. Wilson
           Washington University School of Medicine
           Genome Sequencing Center
           Email: submissions@watson.wustl.edu
           Plate: mcs76 row: c column: 11
           Class: fosmid ends
           High quality sequence start: 11
           High quality sequence stop: 518.
FEATURES   Location/Qualifiers
     source   1..874
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone_lib="HFOSMID005"
                     /note="Vector: pcc01fos; Site 1: Eco72i; Human whole
                     genome fosmid library was prepared at Washington
                     University Genome Sequencing Center. DNA was sheared for
                     blunt-ended ligation into pcc01fos inducible vector. DNA
                     was ordered from Coriell Cell Repository's DNA
                     polymorphism discovery resource."

LOCUS   CF596843   948 bp   mRNA   linear   EST 26-SEP-2003
DEFINITION IMAGE:30705007 5', mRNA sequence.

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACA 2939
           |||||||||||||||||||||||||||||||||||||||||||||||
Db   440 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACA 396

(Additional annotation text including:)
/tissue_type="Ovary"
/lab_host="DH10B (T1 phage-resistant)"
/clone_lib="NICHD_Hs_Ov1"
/note="Vector: pDNR-LIB; Site_1: SfiI (ggccattaggtcc);
Site_2: SfiI (ggccgcctcggcc); Library is oligo-dT primed
and directionally cloned. Granulosa lutein cells aspirated
from preovulatory follicles of normal cycling women
undergoing ovulation induction for infertility due to male
factor and normal donors. The cells were from follicles
stimulated with Lupron, FSH and hCG. 5' and 3' adaptors
were used in cloning as follows: 5' adaptor sequence:
5'-CACGGCCATTATGGCC-3' and 3' adaptor sequence:
5'-ATTCTAGAGAGGCCGAGGCGGCCGACATG-dT(30)BN-3' (where B = A,
C, or G and N = A, C, G, or T). Average insert size 2.23
kb (range 1.0-4.5 kb). 14/15 colonies contained inserts by
PCR. This library was enriched for full-length clones and
was constructed by Clontech Laboratories (Palo Alto, CA)."

ORIGIN

Query Match   1.4%;   Score 45; DB 5; Length 988;
Best Local Similarity   100.0%; Pred. No. 6e-10;
Matches 45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTTGGGCCAACA 2939
Db   53 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTTGGGCCAACA 9

RESULT 107
LOCUS   BX404721   1123 bp   mRNA   linear   EST 01-MAY-2004
DEFINITION BX404721 Homo sapiens THYMUS Homo sapiens cDNA clone CS0CAP005YD12
            5-PRIME, mRNA sequence.
ACCESSION   BX404721
VERSION   BX404721.2 GI:46925367
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 1123)
  AUTHORS   Li,W.P., Gruber,C., Jessee,J. and Polyaes,D.
  TITLE   Full-length cDNA libraries and normalization
  JOURNAL   Unpublished (2001)
COMMENT   On May 13, 2003 this sequence version replaced gi:30639134.
            Contact: Genoscope
            Genoscope - Centre National de Sequencage
            2 rue Gaston Cremieux, CP 5706 - 91057 EVRY cedex - FRANCE
            Email: segref@genoscope.cns.fr, Web : www.genoscope.cns.fr
            1st strand cDNA was primed with a NotI-oligo(dT) primer. Five prime
            end enriched, double-strand cDNA was digested with Not I and cloned
            into the Not I and EcoRV sites of the pCMVSPORT 6 vector. Library
            was not normalized. Library was constructed by Life Technologies, a
            division of Invitrogen.
            This sequence belongs to sequence cluster 5067.r
            For more information about this cluster, see
            http://www.genoscope.cns.fr/cdna?s=CS0AAW13Z04QP1&c=5067.r.
FEATURES   Location/Qualifiers
     source   1..1123
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="CS0CAP005YD12"
                     /tissue_type="THYMUS"
                     /clone_lib="Homo sapiens THYMUS"
                     /note="Vector: pCMVSPORT 6; 1st strand cDNA was primed
                     with a NotI-oligo(dT) primer. Five prime end enriched,
                     double-strand cDNA was digested with Not I and cloned into
                     the Not I and EcoRV sites of the pCMVSPORT 6 vector.
                     Library was not normalized."
ORIGIN

Query Match   1.4%;   Score 45; DB 5; Length 1123;
Best Local Similarity   100.0%; Pred. No. 5.9e-10;
Matches 45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCGGCCAAGAGCAAGACTTCTGTCTC 3122
Db   622 GTGCCACTGCACTCCAGCCTGGGCGGCCAAGAGCAAGACTTCTGTCTC 666

RESULT 108
LOCUS   BG959135   203 bp   mRNA   linear   EST 12-JUN-2001
DEFINITION PM4-CT0806-180301-003-g01 CT0806 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BG959135
VERSION   BG959135.1 GI:14377306
KEYWORDS   EST.
SOURCE   Homo sapiens (human)

ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 203)
  AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
  TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
  PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
            Ludwig Institute for Cancer Research
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/scripts/gethtml2.pl?ti=PM4&t2=PM4-CT0806-
            180301-003-g01&t3=2001-03-18&t4=1)
            Seq primer: puc 18 forward
            High quality sequence start: 17
            High quality sequence stop: 127.
FEATURES   Location/Qualifiers
     source   1..203
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /dev_stage="Adult"
                     /clone_lib="CT0806"
                     /note="Organ: colon; Vector: puc18; Site_1: SmaI; Site_2:
                     SmaI; A mini-library was made by cloning products derived
                     from ORESTES PCR (U.S. Letters Patent application No.
                     196,716 - Ludwig Institute for Cancer Research) profiles
                     into the pUC 18 vector. Reverse transcription of tissue
                     mRNA and cDNA amplification were performed under low
                     stringency conditions."
ORIGIN

Query Match   1.4%;   Score 44; DB 2; Length 203;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2897 TGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTTGGGCCAACAT 2940
Db   61 TGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTTGGGCCAACAT 104

RESULT 109
LOCUS   BG010132   219 bp   mRNA   linear   EST 24-JAN-2001
DEFINITION MR3-GN0185-041200-015-f11 GN0185 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BG010132
VERSION   BG010132.1 GI:12457017
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 219)
  AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and

· TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
             sequence tags
· JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
    PUBMED   10737800
  COMMENT   Contact: Simpson A.J.G.
             Laboratory of Cancer Genetics
             Ludwig Institute for Cancer Research
             Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
             Brazil
             Tel: +55-11-2704922
             Fax: +55-11-2707001
             Email: asimpson@ludwig.org.br
             This sequence was derived from the FAPESP/LICR Human Cancer Genome
             Project. This entry can be seen in the following URL
             (http://www.ludwig.org.br/scripts/gethtml2.pl?ti=MR3&t2=GN0185-
             041200-015-f11&t3=2000-12-04&t4=1)
             Seq primer: puc 18 forward
             High quality sequence start: 10
             High quality sequence stop: 219.
  FEATURES   Location/Qualifiers
       source   1..219
                       /organism="Homo sapiens"
                       /mol_type="mRNA"
                       /db_xref="taxon:9606"
                       /clone_lib="GN0185"
                       /dev_stage="Adult"
                       /note="Organ: placenta normal; Vector: puc18; Site 1:
                       Smal; Site 2: Smal; A mini-library was made by cloning
                       products derived from ORESTES PCR (U.S. Letters Patent
                       application No. 196,716 - Ludwig Institute for Cancer
                       Research) profiles into the pUC 18 vector. Reverse
                       transcription of tissue mRNA and cDNA amplification were
                       performed under low stringency conditions."
  ORIGIN

  Query Match   1.4%; Score 44; DB 2; Length 219;
  Best Local Similarity   100.0%; Pred. No. 1.9e-09;
  Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy   2897 TGGATCACCTGAGGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          |||||||||||||||||||||||||||||||||||||||||||||
Db    218 TGGATCACCTGAGGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 175
```

RESULT 110
BF893386
LOCUS   BF893386   281 bp   mRNA   linear   EST 18-JAN-2001
DEFINITION QV3-MT0129-111100-427-h11 MT0129 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BF893386
VERSION   BF893386.1 GI:12284845
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 281)
  AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
  TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
   PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
            Laboratory of Cancer Genetics
            Ludwig Institute for Cancer Research
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/scripts/gethtml2.pl?ti=MR3&t2=QV3-MT0129-
            111100-427-h11&t3=2000-11-11&t4=1)
            Seq primer: puc 18 forward
            High quality sequence start: 5
            High quality sequence stop: 281.
FEATURES   Location/Qualifiers
     source   1..281
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone_lib="MT0129"
                     /dev_stage="Adult"
                     /note="Organ: marrow; Vector: puc18; Site 1: Smal; Site 2:
                     Smal; A mini-library was made by cloning products derived
                     from ORESTES PCR (U.S. Letters Patent application No.
                     196,716 - Ludwig Institute for Cancer Research) profiles
                     into the pUC 18 vector. Reverse transcription of tissue
                     mRNA and cDNA amplification were performed under low
                     stringency conditions."
ORIGIN

Query Match   1.4%; Score 44; DB 2; Length 281;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy   3078 GTGCCACTGCACTCCCAGCCTGGGCAACAAGAGCAAGACTCTGTCT 3121
          |||||||||||||||||||||||||||||||||||||||||||||
Db     67 GTGCCACTGCACTCCCAGCCTGGGCAACACAGAGCAAGACTCTGTCT 110
```

RESULT 111
BH609712
LOCUS   BH609712   281 bp   DNA   linear   GSS 18-DEC-2001
DEFINITION HIV18E03 SupT1 HIV-I in vivo integration lines Homo sapiens genomic
            clone HIV18E03, genomic survey sequence.
ACCESSION   BH609712
VERSION   BH609712.1 GI:17922321
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 281)
  AUTHORS   Schroder,A.R.W., Shinn,P., Chen,H., Berry, C., Ecker,J.R. and
            Bushman,F.
  TITLE   Favored Sites for HIV-1 Integration in the Human Genome
  JOURNAL   Unpublished (2002)
COMMENT   Contact: Frederic Bushman
            Salk Institute for Infectious Disease Laboratory
            The Salk Institute for Biological Studies
            10010 N. Torrey Pines Road, La Jolla, CA 92037, USA
            Tel: 858 453 4100 x1630
            Fax: 858 554 0341
            Email: bushmand@salk.edu
            Class: PCR with specific primers.
FEATURES   Location/Qualifiers
     source   1..281
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="HIV18E03"
                     /cell_line="SupT1"
                     /note="A human T-cell line (SupT1) was infected with an
                     HIV-based vector. DNA was isolated and cleaved with
                     restriction enzymes; linkers were ligated onto the cleaved
                     DNA and DNAs were amplified using one primer that bound to

ORIGIN
```
          the linker DNA and one that bound to the HIV cDNA.
          Junctions between integrated HIV proviruses and cellular
          DNA were cloned and sequenced."

Query Match
Best Local Similarity   1.4%;  Score 44;  DB 9;  Length 281;
Matches    44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3078 GTGCCACTGCCACTCCAGCCTGGGCGACAACAGAGACTCTGTCT 3121
          |||||||||||||||||||||||||||| |||||||||||||||
Db    148 GTGCCACTGCCACTCCAGCCTGGGCAACAGAGACTCTGTCT 191
```

RESULT 112
AA493894/c

```
LOCUS       AA493894      294 bp    mRNA    linear    EST 20-AUG-1997
DEFINITION  nh07b12.s1 NCI_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943583
            similar to contains Alu repetitive element;contains element PTR5
            repetitive element !; mRNA sequence.
ACCESSION   AA493894
VERSION     AA493894.1   GI:2223735
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 294)
AUTHORS     NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE       National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL     Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: L. Jeffrey Medeiros, M.D., Michael R.
            Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: David B. Krizman, Ph.D.
            cDNA Library Arrayed by: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 679   Std Error: 0.00
            Seq primer: -40m13 fwd. ET from Amersham
            High quality sequence stop: 256.
FEATURES             Location/Qualifiers
     source          1..294
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:943583"
                     /clone_lib="NCI_CGAP_Thy1"
                     /note="Vector: pAMP10; mRNA made from invasive thyroid
                     tumor; cDNA made by oligo-dT priming. Non-directionally
                     cloned. Size-selected on agarose gel, average insert size
                     600 bp. Reference: Krizman et al. (1996) Cancer Research
                     56:5380-5383."

ORIGIN

Query Match
Best Local Similarity   1.4%;  Score 44;  DB 1;  Length 294;
Matches    44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3079 TGCCACTGCCACTCCAGCCTGGGCAACAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||
Db     74 TGCCACTGCCACTCCAGCCTGGGCAACAGAGACTCTGTCTC 31
```

RESULT 113
AI382825/c

```
LOCUS       AI382825      301 bp    mRNA    linear    EST 18-MAR-1999
DEFINITION  ta72h10.x1 Soares_total_fetus Nd2HF8_9w Homo sapiens cDNA clone
            IMAGE:2049667 3' similar to contains Alu repetitive
            element;contains element MSR1 repetitive element !; mRNA sequence.
ACCESSION   AI382825
VERSION     AI382825.1   GI:4195606
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 301)
AUTHORS     NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE       National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL     Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Insert Length: 923   Std Error: 0.00
            Seq primer: -40UP from Gibco
            High quality sequence stop: 287.
FEATURES             Location/Qualifiers
     source          1..301
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:2049667"
                     /clone_lib="Soares_total_fetus Nd2HF8_9w"
                     /note="Vector: pT7T3D-Pac (Pharmacia) with a modified
                     polylinker; Site_1: Not I; Site_2: Eco RI; 1st strand cDNA
                     was prepared from mRNA obtained from pooled 8-9 week
                     (total) fetus material with a Not I - oligo(dT) primer [5'
                     TGTTACCAATCTGAAGTGGGAGGCGGCGCGGCCGCTAATTTTTTTTTTTTTTTTTT 3'].
                     Double-stranded cDNA was ligated to Eco RI adaptors
                     (Pharmacia), digested with Not I and cloned into the Not I
                     and Eco RI sites of the modified pT7T3 vector. Library
                     went through one round of normalization, and was
                     constructed by Bento Soares and M. Fatima Bonaldo."

ORIGIN

Query Match
Best Local Similarity   1.4%;  Score 44;  DB 1;  Length 301;
Matches    44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3073 AGATTGTGCCACTGCCACTCCAGCCTGGGCGACAACAGAGACTCTGTCTC 3116
          |||||||||||||||||||||||||||||||| ||||||||||||||||
Db     94 AGATTGTGCCACTGCCACTCCAGCCTGGGCAACAGAGACTCTGTCTC 51
```

RESULT 114
BF879334

```
LOCUS       BF879334      301 bp    mRNA    linear    EST 17-JAN-2001
DEFINITION  IL3-ET0111-231100-337-C04 ET0111 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BF879334
VERSION     BF879334.1   GI:12269464
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 301)
AUTHORS     Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
```

TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
           sequence tags
JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
           Laboratory of Cancer Genetics
           Ludwig Institute for Cancer Research
           Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
           Brazil
           Tel: +55-11-2704922
           Fax: +55-11-2707001
           Email: asimpson@ludwig.org.br
           This sequence was derived from the FAPESP/LICR Human Cancer Genome
           Project. This entry can be seen in the following URL
           (http://www.ludwig.org.br/scripts/gethtml2.pl?ti=IL3&t2=IL3-ETO111-
           23100-337-C04&t3=2000-11-23&t4=1)
           Seq primer: puc 18 forward
           High quality sequence stop: 301.

FEATURES   Location/Qualifiers
     source   1..301
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /dev_stage="Adult"
                     /clone_lib="ET0111"
                     /note="Organ: lung tumor; Vector: puc18; Site_1: SmaI;
                     Site_2: SmaI; A mini-library was made by cloning products
                     derived from ORESTES PCR (U.S. Letters Patent application
                     No. 196,716 - Ludwig Institute for Cancer Research)
                     profiles into the pUC 18 vector. Reverse transcription of
                     tissue mRNA and cDNA amplification were performed under
                     low stringency conditions."

ORIGIN
Query Match   1.4%; Score 44; DB 2; Length 301;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGGCCAACAGAGCAAGAGACTC 3116
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   183 AGATTGTGCCACTGCACTCCAGCCTGGGCGGCCAACAGAGCAAGAGACTC 226

RESULT 115
BF914587/c
LOCUS   BF914587   325 bp   mRNA   linear   EST 18-JAN-2001
DEFINITION IL3-UT0114-011200-362-C02 UT0114 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BF914587
VERSION   BF914587.1 GI:12306045
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 325)
  AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,A.F.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
  TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
   PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
            Laboratory of Cancer Genetics
            Ludwig Institute for Cancer Research
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/scripts/gethtml2.pl?ti=IL3-UT0114-
            011200-362-C02&t3=2000-12-01&t4=1)
            Seq primer: puc 18 forward
            High quality sequence stop: 325.

FEATURES   Location/Qualifiers
     source   1..325
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /dev_stage="Adult"
                     /clone_lib="UT0114"
                     /note="Organ: uterus tumor; Vector: puc18; Site_1: SmaI;
                     Site_2: SmaI; A mini-library was made by cloning products
                     derived from ORESTES PCR (U.S. Letters Patent application
                     No. 196,716 - Ludwig Institute for Cancer Research)
                     profiles into the pUC 18 vector. Reverse transcription of
                     tissue mRNA and cDNA amplification were performed under
                     low stringency conditions."

ORIGIN
Query Match   1.4%; Score 44; DB 2; Length 325;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTCGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||
Db   224 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTCGTCTC 181

RESULT 116
AQ059204/c
LOCUS   AQ059204   337 bp   DNA   linear   GSS 31-JUL-1998
DEFINITION CIT-HSP-2349B18.TR CIT-HSP Homo sapiens genomic clone 2349B18,
            genomic survey sequence.
ACCESSION   AQ059204
VERSION   AQ059204.1 GI:3361541
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 337)
  AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Field,C.E., Bass,S., Linher,K.,
            Golden,K., Berry,K., Granger,D., Suh,E., Wible,C., Shizuya,H.,
            Simon,M. and Venter,J.C.
  TITLE   Use of a random BAC End Sequence Database for Sequence-Ready Map
            Building (1998)
  JOURNAL   Unpublished (1998)
COMMENT   Other GSSs: CIT-HSP-2349B18.TF
            Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: mdadams@tigr.org
            Clones are available from Research Genetics (info@resgen.com). BAC
            end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
            Seq primer: M13 Reverse
            Class: BAC ends.

FEATURES   Location/Qualifiers
     source   1..337
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="2349B18"
                     /sex="Male"
                     /cell_type="Sperm"

ORIGIN

Query Match   1.4%; Score 44; DB 9; Length 337;
Best Local Similarity 100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

                     /clone_lib="CIT-HSP"
                     /notes="Vector: pBeloBAC11; Site_1: HindIII; Site_2:
                     HindIII"

```
Qy  3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
         |||||||||||||||||||||||||||||||||||||||||||||
Db   192 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 149
```

RESULT 117
LOCUS   N63149/c
DEFINITION N63149   338 bp   mRNA   linear   EST 01-MAR-1996
            yz37e10.s1 Morton Fetal Cochlea Homo sapiens cDNA clone
            IMAGE:285258 3' similar to contains Alu repetitive element., mRNA
            sequence.
ACCESSION   N63149
VERSION   N63149.1 GI:1210978
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 338)
AUTHORS   Hillier,L., Lennon,G., Becker,M., Bonaldo,M.F., Chiapelli,B.,
            Chissoe,S., Dietrich,N., DuBuque,T., Favello,A., Gish,W.,
            Hawkins,M., Hultman,M., Kucaba,T., Lacy,M., Le,M., Le,N.,
            Mardis,E., Moore,B., Morris,M., Parsons,J., Prange,C., Rifkin,L.,
            Rohlfing,T., Schellenberg,K., Soares,M.B., Tan,F., Thierry-Meg,J.,
            Trevaskis,E., Underwood,K., Wohldmann,P., Waterston,R., Wilson,R.,
            and Marra,M.
TITLE   Generation and analysis of 280,000 human expressed sequence tags
JOURNAL   Genome Res. 6 (9), 807-828 (1996)
PUBMED   8889549
COMMENT   Contact: Wilson RK
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Seq primer: m13 -40 forward
            High quality sequence stop: 382.
FEATURES   Location/Qualifiers
     source   1..338
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:3892375"
                     /clone="IMAGE:285258"
                     /tissue_type="cochlea"
                     /dev_stage="16-22 week fetus"
                     /lab_host="SOLR cells (kanamycin resistant)"
                     /clone_lib="Morton Fetal Cochlea"
                     /note="Organ: ear; Vector: pBluescript SK-; Site 1: EcoRI;
                     Site 2: XhoI; Reference: Genomics 23, 42-50 (1994) Cloned
                     unidirectionally. Primer: Oligo dT. Fetal cochlea, normal.
                     37% of inserts <0.5 kb, 56% 0.5-1.0 kb, 7% >1 kb. Uni-ZAP
                     XR Vector. Library constructed by N. Robertson, C. Morton.
                     ~5' adaptor sequence: 5' GAATTCGGCACGAG 3' ~3' adaptor
                     sequence: 5' CTCGAGTTTTTTTTTTTTTTTTTT 3'."
ORIGIN

Query Match   1.4%; Score 44; DB 8; Length 338;
Best Local Similarity 100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy  3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
         |||||||||||||||||||||||||||||||||||||||||||||
Db    44 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 1
```

RESULT 118
LOCUS   AQ092587/c
DEFINITION AQ092587   352 bp   DNA   linear   GSS 27-AUG-1998
            HS_3003_B2_A09_MR CIT Approved Human Genomic Sperm Library D Homo
            sapiens_genomic clone Plate=3003 Col=18 Row=B, genomic survey
            sequence.
ACCESSION   AQ092587
VERSION   AQ092587.1 GI:3464034
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 352)
AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
TITLE   Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
PUBMED   10449764
COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Sequence Tagged Connector
            Plate: 3003 row: B column: 18
            Class: BAC ends
            B-Coli DH10B"
FEATURES   Location/Qualifiers
     source   1..352
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=3003 Col=18 Row=B"
                     /sex="male"
                     /clone_lib="CIT Approved Human Genomic Sperm Library D"
                     /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                     E-Coli DH10B"
            High quality sequence stop: 352.
ORIGIN

Query Match   1.4%; Score 44; DB 9; Length 352;
Best Local Similarity 100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy  3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
         |||||||||||||||||||||||||||||||||||||||||||||
Db   165 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 122
```

RESULT 119
LOCUS   AI367551/c
DEFINITION AI367551   353 bp   mRNA   linear   EST 15-FEB-1999
            qv99e05.x1 NCI_CGAP_Ut2 Homo sapiens cDNA clone IMAGE:1989728 3'
            similar to contains Alu repetitive element;contains element PTR5
            repetitive element ;, mRNA sequence.
ACCESSION   AI367551
VERSION   AI367551.1 GI:4137296
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.

REFERENCE   1 (bases 1 to 353)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
  COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Christopher Moskaluk, M.D., Ph.D., Michael R.
            Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: Life Technologies, Inc.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 1947   Std Error: 0.00
            Seq primer: -40UP from Gibco
            High quality sequence stop: 352.
FEATURES   Location/Qualifiers
     source   1..353
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:1989728"
                     /clone_lib="NCI_CGAP_Ut2"
                     /note="Organ: uterus; Vector: pCMV.SPORT6; Site_1: SalI;
                     Site_2: NotI; Cloned unidirectionally. Primer: Oligo dT.
                     Average insert size 1.85 kb. Life Technologies catalog #:
                     11539-012"
                     /tissue_type="moderately-differentiated endometrial
                     adenocarcinoma, 3 pooled tumors"
                     /lab_host="DH10B"
ORIGIN

RESULT 120
AA654781

Query Match   1.4%; Score 44; DB 1; Length 353;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||
Db     45 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 2
```

LOCUS   AA654781   365 bp   mRNA   linear   EST 04-NOV-1997
DEFINITION nt73g04.s1 NCI_CGAP_Pr3 Homo sapiens cDNA clone IMAGE:1204182
            similar to contains Alu repetitive element ;, mRNA sequence.
            MER4 repetitive element ;, mRNA sequence.
            contains element PTR5
ACCESSION   AA654781
VERSION   AA654781.1 GI:2590935
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 365)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CCAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
  COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: W. Marston Linehan, M.D., Rodrigo Chuaqui,
            M.D., Michael Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: David B. Krizman, Ph.D.
            DNA Sequencing by: Genome Systems Inc., Greg Lennon, Ph.D.
            cDNA Library Arrayed by: Genome Sequencing Center
            Clone Distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Seq primer: -40m13 fwd. ET from Amersham

            High quality sequence stop: 321.
FEATURES   Location/Qualifiers
     source   1..365
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /sex="Male"
                     /dev_stage="45 years old"
                     /clone="IMAGE:1204182"
                     /lab_host="DH10B"
                     /clone_lib="NCI_CGAP_Pr3"
                     /note="Vector: pAMP10; Site_1: NotI; Site_2: EcoRI; 1st
                     strand cDNA was primed with oligo(dT)17 on 50 ng of
                     DNAse-treated, total cellular RNA obtained from
                     5,000-10,000 microdissected cells
                     histologically-determined to be fully malignant prostate
                     cancer cells. Double-stranded cDNA was ligated to EcoRI
                     adaptor, 5 cycles of PCR applied to the cDNA with an
                     adaptor-specific primer, and the resulting PCR product
                     subcloned into pAMP10 by the UDG-cloning method (Life
                     Technologies). Average insert size is 600 bp. NOTE: Not
                     directionally cloned. This library was constructed by
                     David Krizman."
ORIGIN

RESULT 121
AQ061311

Query Match   1.4%; Score 44; DB 1; Length 365;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||
Db     74 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 31
```

LOCUS   AQ061311   377 bp   DNA   linear   GSS 31-JUL-1998
DEFINITION CIT-HSP-2349M9.TF CIT-HSP Homo sapiens genomic clone 2349M9,
            genomic survey sequence.
ACCESSION   AQ061311
VERSION   AQ061311.1 GI:3363223
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 377)
  AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Field,C.E., Bass,S., Linher,K.,
            Golden,K., Berry,K., Granger,D., Suh,E., Wible,C., Shizuya,H.,
            Simon,M. and Venter,J.C.
  TITLE   Use of a random BAC End Sequence Database for Sequence-Ready Map
            Building
  JOURNAL   Unpublished (1998)
  COMMENT   Other GSSs: CIT-HSP-2349M9.TR
            Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: madams@tigr.org
            Clones are available from Research Genetics (info@resgen.com). BAC
            end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
            Seq primer: M13-21
            Class: BAC ends.
FEATURES   Location/Qualifiers
     source   1..377
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="2349M9"

RESULT 122

```
Qy    2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTG 2932
           ||||||||||||||||||||||||||||||||||||||||||||
Db     209 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTG 252
```

AA653916/c
```
LOCUS       AA653916                378 bp    mRNA    linear   EST 04-NOV-1997
DEFINITION  nt80o05.s1 NCI_CGAP_Pr3 Homo sapiens cDNA clone IMAGE:1204784
            similar to contains Alu repetitive element;contains element MSR1
            repetitive element ;, mRNA sequence.
ACCESSION   AA653916
VERSION     AA653916.1  GI:2590070
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 378)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: W. Marston Linehan, M.D., Rodrigo Chuaqui,
            M.D., Michael Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: David B. Krizman, Ph.D.
            cDNA Library Arrayed by: Genome Systems Inc., Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone Distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Seq primer: -40m13 fwd. ET from Amersham.
FEATURES             Location/Qualifiers
     source          1..378
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:1204784"
                     /sex="Male"
                     /dev_stage="45 years old"
                     /lab_host="DH10B"
                     /clone_lib="NCI_CGAP_Pr3"
                     /note="Vector: pAMP10; Site_1: NotI; Site_2: EcoRI; 1st
                     strand cDNA was primed with oligo(dT)17 on 50 ng of
                     DNAse-treated, total cellular RNA obtained from
                     5,000-10,000 microdissected cells
                     histologically-determined to be fully malignant prostate
                     cancer cells. Double-stranded cDNA was ligated to EcoRI
                     adaptors, 5 cycles of PCR applied to the cDNA with an
                     adaptor-specific primer, and the resulting PCR product
                     subcloned into pAMP10 by the UDG-cloning method (Life
                     Technologies). Average insert size is 600 bp. NOTE: Not
                     directionally cloned. This library was constructed by
                     David Krizman."
ORIGIN
```

Query Match   1.4%;   Score 44;   DB 1;   Length 378;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 123

```
Qy    3079 TGCCACTGCACTCCAGCCTGGGCGGCAACAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db      50 TGCCACTGCACTCCAGCCTGGGCGGCAACAGAGCAAGAGACTCTGTCTC 7
```

AQ239365/c
```
LOCUS       AQ239365                381 bp    DNA     linear   GSS 30-SEP-1998
DEFINITION  CIT-HSP-2383D24.TR.1 CIT-HSP Homo sapiens genomic clone 2383D24,
            genomic survey sequence.
ACCESSION   AQ239365
VERSION     AQ239365.1  GI:3671656
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 381)
  AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Bass,S., Linher,K., Golden,K.,
            Berry,K., Granger,D., Suh,E., Wible,C., Shizuya,H., Simon,M. and
            Venter,J.C.
  TITLE     Use of a random human BAC End Sequence Database for Sequence-Ready
            Map Building
  JOURNAL   Unpublished (1998)
COMMENT     Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: madams@tigr.org
            Clones are available from Research Genetics (info@resgen.com). BAC
            end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
            Seq primer: M13 Reverse
            Class: BAC ends.
FEATURES             Location/Qualifiers
     source          1..381
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="2383D24"
                     /sex="Male"
                     /cell_type="Sperm"
                     /clone_lib="CIT-HSP"
                     /note="Vector: pBeloBAC11; Site_1: HindIII; Site_2:
                     HindIII"
ORIGIN
```

Query Match   1.4%;   Score 44;   DB 9;   Length 381;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 124

```
Qy    3078 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCT 3121
           |||||||||||||||||||||||||||||||||||||||||||||||
Db     211 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCT 168
```

BU561388
```
LOCUS       BU561388                382 bp    mRNA    linear   EST 16-SEP-2002
DEFINITION  AGENCOURT_10278700 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:6592405
            5', mRNA sequence.
ACCESSION   BU561388
VERSION     BU561388.1  GI:22911684
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
```

REFERENCE   1 (bases 1 to 382)
AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL   Unpublished (1999)
COMMENT   Tissue Procurement: CLONTECH
             Contact: Robert Strausberg, Ph.D.
             Email: cgapbs-r@mail.nih.gov
             cDNA Library Preparation: The I.M.A.G.E. Consortium, Inc.
             DNA Sequencing by: Agencourt Bioscience Corporation
             Clone distribution: MGC clone distribution information can be
             found through the I.M.A.G.E. Consortium/LLNL at:
             http://image.llnl.gov
             Plate: LLCM2815 row: i column: 13
             High quality sequence stop: 381.

FEATURES   Location/Qualifiers
     source   1..382
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:6592405"
                     /lab_host="DH10B (T1 phage-resistant)"
                     /clone_lib="NIH_MGC_82"
                     /note="Organ: testis; Vector: pDNR-LIB (clontech); Site_1:
                     SfiI (ggccgcctggcc); Site_2: SfiI (ggccattaggcc); 5' and
                     3' adaptors were used in cloning as follows: 5' adaptor
                     sequence: 5'-CACGGCGCCATTATGGCC-3', and 3' adaptor sequence:
                     5'-ATTCTAGAGGCCGAGGCGGCCGACATG-dT(30)BN-3' (where B = A,
                     C, or G and N = A, C, G, or T) Average insert size
                     1.35 kb (range 0.9-4.0 kb). 14/15 colonies contained
                     inserts by PCR. This library was enriched for full-length
                     clones and was constructed by Clontech Laboratories (Palo
                     Alto, CA)."
ORIGIN

RESULT 125
AA728990/c
Query Match   1.4%;   Score 44; DB 5; Length 382;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
            |||||||||||||||||||||||||||||||||||||||||||||||
Db   233 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 276

LOCUS   AA728990   389 bp   mRNA   linear   EST 06-JAN-1998
DEFINITION nw2zg06.s1 NCI_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241242 3'
            similar to contains Alu repetitive element;, mRNA sequence.
ACCESSION   AA728990
VERSION   AA728990.1 GI:2750349
KEYWORDS   EST.
SOURCE   Homo sapiens
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 389)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Louis M. Staudt, M.D., Ph.D., David Allman,
            Ph.D., Gerald Marti, M.D.
            cDNA Library Preparation: Louis M. Staudt, M.D., Ph.D.
            cDNA Sequencing by: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html

FEATURES   Location/Qualifiers
     source   1..389
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:1241242"
                     /tissue_type="germinal center B-cells"
                     /lab_host="SOLR (kanamycin resistant)"
                     /clone_lib="NCI_CGAP_GCB0"
                     /note="Organ: tonsil; Vector: Bluescript SK-; Site_1:
                     EcoRI; Site 2: XhoI; Cloned unidirectionally. Primer:
                     Oligo dT; Germinal center B-cells Library constructed by
                     Dr. L. Staudt (NCI). 5' adaptor sequence: 5'
                     GAATTCGGCACGAG 3'/3' adaptor sequence: 5'
                     CTCGAGTTTTTTTTTTTTTTTTTTT 3' Average insert size: 1.1 kb."

ORIGIN

FEATURES   Location/Qualifiers
     source   1..389
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"

Seq primer: -40m13 fwd. ET from Amersham
High quality sequence stop: 367.

RESULT 126
H44630
H44630
Query Match   1.4%;   Score 44; DB 1; Length 389;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
            |||||||||||||||||||||||||||||||||||||||||||||||
Db   58 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 15

LOCUS   H44630   409 bp   mRNA   linear   EST 31-JUL-1995
DEFINITION yp19g10.s1 Soares breast 3NbHBst Homo sapiens cDNA clone
            IMAGE:187938 3' similar to contains Alu repetitive element;, mRNA
            sequence.
ACCESSION   H44630
VERSION   H44630.1 GI:920682
KEYWORDS   EST.
SOURCE   Homo sapiens
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 409)
AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
            Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
            Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
            Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
            Wilson,R.
TITLE   The WashU-Merck EST Project
JOURNAL   Unpublished (1995)
COMMENT   Contact: Wilson RK
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            Insert Size: 1706
            High quality sequence stops: 345
            Source: IMAGE Consortium, LLNL
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Insert Length: 1706 Std Error: 0.00
            Seq primer: Promega -21m13
            High quality sequence stop: 345.

FEATURES   Location/Qualifiers
     source   1..409
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:3818835"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:187938"
                     /sex="female"
                     /dev_stage="adult"

RESULT 127

Query Match   1.4%;   Score 44;   DB 8;   Length 409;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTC 3116
          |||||||||||||||||||||||||||||||||||||||||||||
Db   314 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTC 357

ACCESSION   AQ605062
VERSION   AQ605062.1   GI:5065056
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
DEFINITION HS_2119_B1_G05_T7C CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=2119 Col=9 Row=N, genomic survey
            sequence.
LOCUS   AQ605062   412 bp   DNA   linear   GSS 10-JUN-1999
RESULT 127
AQ605062/c

ORIGIN
        /lab_host="DH10B (ampicillin resistant)"
        /clone_lib="Soares breast 3NbHBst"
        /note="Organ: breast; Vector: pT7T3D (Pharmacia) with a
        modified polylinker; Site_1: Not I; Site_2: Eco RI; 1st
        strand cDNA was primed with a Not I - oligo(dT) primer [5'
        TGTTACCAATCTGAAGTGGGAGGCGGCCGCCCTTTTTTTTTTTTTTTTTTT 3'],
        double-stranded cDNA was ligated to Eco RI adaptors
        (Pharmacia), digested with Not I and cloned into the Not I
        and Eco RI sites of a modified pT7T3 vector (Pharmacia).
        Library went through one round of normalization to a Cot =
        20. Library constructed by Bento Soares and M.Fatima
        Bonaldo."

REFERENCE   1 (bases 1 to 412)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
  TITLE   Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
   PUBMED   10449764
  COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Clones may be purchased from Research Genetics (info@resgen.com).
            BAC end Web Server: http://www.htsc.washington.edu
            Plate: 2119 row: N column: 9
            Seq primer: T7
            Class: BAC ends
            High quality sequence stop: 412.

FEATURES   Location/Qualifiers
     source   1..412
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=2119 Col=9 Row=N"
                     /sex="male"
                     /clone_lib="CIT Approved Human Genomic Sperm Library D"
                     /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                     E-Coli DH10B"

ORIGIN

Query Match   1.4%;   Score 44;   DB 9;   Length 412;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 128

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTC 3116
          |||||||||||||||||||||||||| ||||||||||||||||||
Db   88 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTC 45

ACCESSION   CR769029
VERSION   CR769029.1   GI:52612739
KEYWORDS   EST.
SOURCE   Pongo pygmaeus (orangutan)
  ORGANISM Pongo pygmaeus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pongo.
DEFINITION DKFZp469I1312 r1 468 (synonym: phrt1) Pongo pygmaeus cDNA clone
            DKFZp469I1312 5', mRNA sequence.
LOCUS   CR769029   421 bp   mRNA   linear   EST 23-SEP-2004
RESULT 128
CR769029/c

REFERENCE   1 (bases 1 to 421)
  AUTHORS   Poustka,A., Albert,R., Moosmayer,P., Schupp,I., Wellenreuther,R.,
            Mewes,H.W., Weil,B., Amid,C., Osanger,A., Fobo,G., Han,M. and
            Wiemann,S.
  TITLE   Pongo pygmaeus mRNA (Poustka,A., Albert,R., Moosmayer,P., et al.)
  JOURNAL   Unpublished (2004)
  COMMENT   Contact: MIPS
            MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert. Clone from S. Wiemann,
            Molecular Genome Analysis, German Cancer Research Center (DKFZ);
            Email s.wiemann@dkfz-heidelberg.de; any. Please contact RZPD for
            ordering:
            http://www.rzpd.de/cgi-bin/products/cl.cgi?CloneID=DKFZp469I1312
            Further information about the clone and the sequencing project is
            available at http://mips.gsf.de/projects/cdna/.

FEATURES   Location/Qualifiers
     source   1..421
                     /organism="Pongo pygmaeus"
                     /mol_type="mRNA"
                     /db_xref="taxon:9600"
                     /clone="DKFZp469I1312"
                     /tissue_type="heart"
                     /dev_stage="adult"
                     /lab_host="DH10B"
                     /clone_lib="468 (synonym: phrt1)"
                     /note="Vector: pSport1_Sf1; Site_1: Sfi1A; Site_2: Sfi1B"

ORIGIN

Query Match   1.4%;   Score 44;   DB 7;   Length 421;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 129

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTC 3116
          |||||||||||||||||||||||||||||||||||||||||||||
Db   145 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTC 102

ACCESSION   N20066
VERSION   N20066.1   GI:1124733
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
DEFINITION yx28g04.s1 Soares melanocyte 2NbHM Homo sapiens cDNA clone
            IMAGE:263094 3' similar to contains Alu repetitive element; mRNA
            sequence.
LOCUS   N20066   426 bp   mRNA   linear   EST 15-DEC-1995
RESULT 129
N20066

REFERENCE   1 (bases 1 to 426)
  AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,

TITLE   The WashU-Merck EST Project
JOURNAL   Unpublished (1995)
COMMENT   Contact: Wilson RK
          Washington University School of Medicine
          4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
          Tel: 314 286 1800
          Fax: 314 286 1810
          Email: est@watson.wustl.edu
          High quality sequence stops: 404
          Source: IMAGE Consortium LLNL
          This clone is available royalty-free through LLNL ; contact the
          IMAGE Consortium (info@image.llnl.gov) for further information.
          Insert Length: 2002   Std Error: 0.00
          Seq primer: m13 -40 forward
          High quality sequence stop: 404.

FEATURES   Location/Qualifiers
     source   1. .426
                   /organism="Homo sapiens"
                   /mol_type="mRNA"
                   /db_xref="GDB:3872736"
                   /db_xref="taxon:9606"
                   /clone="IMAGE:263094"
                   /sex="Male"
                   /tissue_type="melanocyte"
                   /lab_host="DH10B (ampicillin resistant)"
                   /clone_lib="Soares melanocyte 2NbHM"
                   /note="Vector: pT7T3D (Pharmacia) with a modified
                   polylinker; Site_1: Not I; Site_2: Eco RI; 1st strand cDNA
                   was primed with a Not I - oligo(dT) primer [5'
                   TGTTACCAATCGAAGTGGGAGGCGGCCGCAGTTTTTTTTTTTTTTTTTTT 3'],
                   double-stranded cDNA was size selected, ligated to Eco RI
                   adapters (Pharmacia), digested with Not I and cloned into
                   the Not I and Eco RI sites of a modified pT7T3 vector
                   (Pharmacia). Library constructed by Bento Soares and
                   M.Fatima Bonaldo. RNA from normal foreskin melanocytes and
                   (FS374) was kindly provided by Dr. Anthony P. Albino."

ORIGIN

Query Match   1.4%;   Score 44;   DB 8;   Length 426;
Best Local Similarity 100.0%;   Pred. No. 1.9e-09;
Matches 44;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy 3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGACTC 3116
          |||||||||||||||||||||||||||||||||||||||||||||
Db   380 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGACTC 423

RESULT 130
LOCUS   CR546695   435 bp   mRNA   linear   EST 07-JUL-2004
DEFINITION DKFZp470L1324_r1 470 (synonym: plivl) Pongo pygmaeus cDNA clone
            DKFZp470L1324_5', mRNA sequence.
ACCESSION   CR546695
VERSION   CR546695.1 GI:49899216
Db   EST.
SOURCE   Pongo pygmaeus (orangutan)
ORGANISM   Pongo pygmaeus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pongo.
REFERENCE   1 (bases 1 to 435)
AUTHORS   Wambutt,R., Heubner,D., Mewes,H.W., Weil,B., Amid,C., Osanger,A.,
            Fobo,G., Han,M. and Wiemann,S.
TITLE   Pongo pygmaeus mRNA (Wambutt,R., Heubner,D., Mewes,H.W., et al.)
JOURNAL   Unpublished (2004)
COMMENT   Contact: MIPS
            MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert Clone from S. Wiemann,

Molecular Genome Analysis, German Cancer Research Center (DKFZ);
Email: s.wiemann@dkfz-heidelberg.de; sequenced by Agowa
(Berlin/Germany) within the cDNA sequencing consortium of the
German Genome Project. This clone (DKFZp470L1324) is available at
the RZPD in Berlin. Please contact the RZPD: Ressourcenzentrum,
Heubnerweg 6, 14059 Berlin-Charlottenburg, GERMANY; Email:
clone@rzpd.de Further information about the clone and the
sequencing project is available at
http://mips.gsf.de/projects/cdna/.

FEATURES   Location/Qualifiers
     source   1. .435
                   /organism="Pongo pygmaeus"
                   /mol_type="mRNA"
                   /db_xref="taxon:9600"
                   /clone="DKFZp470L1324"
                   /tissue_type="liver"
                   /dev_stage="adult"
                   /lab_host="DH10B"
                   /clone_lib="470 (synonym: plivl)"
                   /note="Vector: pSport1_Sfi; Site_1: Sfi1A; Site_2: Sfi1B"

ORIGIN

Query Match   1.4%;   Score 44;   DB 7;   Length 435;
Best Local Similarity 100.0%;   Pred. No. 1.9e-09;
Matches 44;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy 3079 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGACTCTCGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||
Db   178 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGACTCTCGTCTC 135

RESULT 131
LOCUS   B60059   438 bp   DNA   linear   GSS 21-JUN-1998
DEFINITION CIT-HSP-385O15.TFB CIT-HSP Homo sapiens genomic clone 385O15,
            genomic survey sequence.
ACCESSION   B60059
VERSION   B60059.1 GI:2614777
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 438)
AUTHORS   Adams,M.D., Rounsley,S.D., Field,C.R., Bass,S., Linher,K.,
            Golden,K., Berry,K., Granger,D., Suh,E., Wible,C., Shizuya,H.,
            Simon,M. and Venter,J.C.
TITLE   Use of a random BAC End Sequence Database for Sequence-Ready Map
            Building
JOURNAL   Unpublished (1997)
COMMENT   Other GSSs: CIT-HSP-385O15.TRB
            Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: mdadams@tigr.org
            Clones are available from Research Genetics (info@resgen.com). BAC
            end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
            Seq primer: M13-21
            Class: BAC ends.

FEATURES   Location/Qualifiers
     source   1. .438
                   /organism="Homo sapiens"
                   /mol_type="genomic DNA"
                   /db_xref="GDB:5378896"
                   /db_xref="taxon:9606"
                   /clone="385O15"
                   /sex="Male"
                   /cell_type="Sperm"

RESULT 132

```
LOCUS       AL713064                447 bp    mRNA    linear   EST 04-SEP-2003
DEFINITION  DKFZp686C1395_r1 686 (synonym: hlcc3) Homo sapiens cDNA clone
            DKFZp686C1395 5', mRNA sequence.
ACCESSION   AL713064
VERSION     AL713064.1  GI:19696420
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 447)
  AUTHORS   Bloecker,H., Boecher,M., Brandt,P., Mewes,W., Weil,B. and
            Wiemann,S.
  TITLE     EST (Bloecker,H., Boecher,M., Brandt,P., Mewes,H.W., Weil,B. and
            Wiemann,S.)
  JOURNAL   Unpublished (1999)
COMMENT     Contact: MIPS
            MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert.
            Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
            Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de;
            sequenced by GBF (National Research Centre for Biotechnology Ltd.,
            Braunschweig/Germany) within the cDNA sequencing consortium of the
            German Genome Project.
            No s1 sequence available.
            This clone (DKFZp686C1395) is available at the RZPD in Berlin.
            Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
            Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.
FEATURES             Location/Qualifiers
     source          1..447
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="DKFZp686C1395"
                     /clone_lib="686 (synonym: hlcc3)"
                     /note="Vector: pTriplEx2; Site_1: SfiIA; Site_2: SfiIB;
                     cDNA-collection"
ORIGIN

Query Match             1.4%;  Score 44;  DB 1;  Length 447;
  Best Local Similarity   100.0%;  Pred. No. 1.9e-09;
  Matches    44;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||
Db    264 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 307
```

RESULT 133

```
LOCUS       AI469968                448 bp    mRNA    linear   EST 14-APR-1999
DEFINITION  tj89c03.x1 Soares NSF F8 9W OT PA P S1 Homo sapiens cDNA clone
            IMAGE:2148676 3' similar to contains Alu repetitive element;, mRNA
            sequence.
ACCESSION   AI469968
VERSION     AI469968.1  GI:4332058
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 448)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Insert Length: 710   Std Error: 0.00
            Seq primer: -40UP from Gibco
            High quality sequence stop: 447.
FEATURES             Location/Qualifiers
     source          1..448
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:2148676"
                     /clone_lib="Soares NSF F8 9W OT PA P S1"
                     /note="Organ: pooled; Vector: pT7T3D-Pac (Pharmacia) with
                     a modified polylinker; Site_1: Not I; Site_2: Eco RI;
                     Equal amounts of plasmid DNA from five normalized
                     libraries were mixed, and ss circles were made in vitro.
                     Following HAP purification, this DNA was used as tracer in
                     a subtractive hybridization reaction. The driver was
                     PCR-amplified cDNAs from pools of 5,000 clones made from
                     the same 5 libraries. The pools consisted of the following
                     libraries and cloneIDs: Soares NbHSF pool 1:
                     309384-310919, 323208-325895 Soares NbHP pool 1:
                     145032-147335, 147720-148103, 148872-149255, 15002 -
                     150407, 151176-152327 Soares Nb2HF8-9W pool 1:
                     758280-760583, 772104-774407 Soares NbHPA pool 1:
                     304776-306311, 320136-322823, 326280-326663 Soares NbHOT
                     pool 1: 723720-726407, 739080-740999 Subtraction by Bento
                     Soares and M. Fatima Bonaldo."
ORIGIN

Query Match             1.4%;  Score 44;  DB 1;  Length 448;
  Best Local Similarity   100.0%;  Pred. No. 1.9e-09;
  Matches    44;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
          |||||||| ||||||||||||||||||||||||||||||||||||
Db    381 AGATTGTG-CCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 424
```

RESULT 134

```
LOCUS       AQ705037                448 bp    DNA    linear   GSS 07-JUL-1999
DEFINITION  HS_5521_B2_H07_T7A RPCI-11 Human Male BAC Library Homo sapiens
            genomic clone Plate=1097 Col=14 Row=P, genomic survey sequence.
ACCESSION   AQ705037
VERSION     AQ705037.1  GI:5414463
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 448)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
```

TITLE Sequence-tagged connectors: A sequence approach to mapping and
  scanning the human genome
JOURNAL Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
PUBMED 10449764
COMMENT Contact: Mahairas GG, Wallace JC, Hood L
  High Throughput Sequencing Center
  University of Washington
  401 Queen Anne Avenue North, Seattle, WA 98109, USA
  Tel: (206) 616-3618
  Fax: (206) 616-3887
  Email: jwallace@u.washington.edu
  Clones are derived from the human BAC library RPCI-11. For BAC
  library availability, please contact Pieter de Jong
  (pieter@dejong.med.buffalo.edu)
  BACPAC Resources (http://bacpac.med.buffalo.edu). Clones may be
  or from Resear h Genetics (info@resgen.com). Clones may be purchased from
  http://www.htsc.washington.edu
  Seq primer: T7
  Plate: 1097 row: P column: 14
  Class: BAC ends
  High quality sequence stop: 448.
FEATURES Location/Qualifiers
 source 1..448
  /organism="Homo sapiens"
  /mol_type="genomic DNA"
  /db_xref="taxon:9606"
  /sex="male"
  /clone="Plate=1097 Col=14 Row=P"
  /clone_lib="RPCI-11 Human Male BAC Library"
  /note="vector: pBAce3.6; Site_1: EcoRI; Site_2: EcoRI;
  Male blood DNA was isolated from one randomly chosen donor
  and partially digested with a combination of EcoRI and
  EcoRI Methylase. Size selected DNA was cloned into the
  pBACe3.6 vector at EcoRI sites"
ORIGIN

Qy 3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTCTC 3122
   ||||||||||||||||||||||||||||||||||||||||||||||||
Db 391 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTCTC 348

Query Match 1.4%; Score 44; DB 9; Length 448;
Best Local Similarity 100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 135
AU157238/c
LOCUS AU157238 466 bp mRNA linear EST 05-AUG-2002
DEFINITION AU157238 PLACE1 Homo sapiens cDNA clone PLACE1006883 3', mRNA
  sequence.
ACCESSION AU157238
VERSION AU157238.1 GI:11018759
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
  Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
  Hominidae; Homo.
REFERENCE 1 (bases 1 to 466)
AUTHORS Ota,T., Nishikawa,T., Suzuki,Y., Ishii,S., Saito,K., Kawai,Y.,
  Yamamoto,J., Wakamatsu,A., Ozawa,M., Nakamura,Y., Nagai,T.,
  Sugano,S. and Isogai,T.)
TITLE HRI human cDNA project (Ota,T., Nishikawa,T., Suzuki,Y., Ishii,S.,
  Saito,K., Kawai,Y., Yamamoto,J., Wakamatsu,A., Ozawa,M.,
  Nakamura,Y., Nagai,T., Sugano,S., Isogai,T.)
JOURNAL Unpublished (2000)
COMMENT Contact: Takao Isogai
  Genomics Laboratory
  Helix Research Institute
  1532-3 Yana, Kisarazu, Chiba 292-0812, Japan
  Tel: 81-438-52-3975
  Fax: 81-438-52-3986
  Email: genomics@hri.co.jp

HRI human cDNA project; 5'- & 3'-end one pass sequencing: Helix
  Research Institute; cDNA library construction: Department of
  Virology, Institute of Medical Science, University of Tokyo, and
  Helix Research Institute.
FEATURES Location/Qualifiers
 source 1..466
  /organism="Homo sapiens"
  /mol_type="mRNA"
  /db_xref="taxon:9606"
  /clone="PLACE1006883"
  /tissue_type="placenta"
  /clone_lib="PLACE1"
  /note="vector: pME18SFL3"
ORIGIN

Qy 3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTCTC 3122
   ||||||||||||||||||||||||||||||||||||||||||||||||
Db 44 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTCTC 1

Query Match 1.4%; Score 44; DB 1; Length 466;
Best Local Similarity 100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 136
BX111733
LOCUS BX111733 466 bp mRNA linear EST 07-FEB-2003
DEFINITION BX111733 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGp998D133381 ;
  IMAGE:1340508, mRNA sequence.
ACCESSION BX111733
VERSION BX111733.1 GI:27837211
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
  Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
  Hominidae; Homo.
REFERENCE 1 (bases 1 to 466)
AUTHORS Ebert,L., Heil,O., Hennig,S., Neubert,P., Partsch,E., Peters,M.,
  Radelof,U., Schneider,D. and Korn,B.
TITLE Human UnigeneSet - RZPD3
JOURNAL Unpublished (2003)
COMMENT Contact: Ina Rolfs
  RZPD Deutsches Ressourcenzentrum fuer Genomforschung GmbH
  Im Neuenheimer Feld 580, D-69120 Heidelberg, Germany
  RZPD; IMAGp998D133381.
  RZPDLib; I.M.A.G.E. cDNA Clone Collection;
  Human UnigeneSet - RZPD3 (RZPDLIB No.972)
  http://www.rzpd.de/CloneCards/cgi-
  bin/showLib.pl.cgi/response?libNo=972 Contact: Ina Rolfs
  RZPD Deutsches Ressourcenzentrum fuer Genomforschung GmbH
  Heubnerweg 6, D-14059 Berlin, Germany
  Tel: +49 30 32639 101
  Fax: +49 30 32639 111
  www.rzpd.de
  This clone is available royalty-free from RZPD;
  contact RZPD (clone@rzpd.de) for further information. Seq primer:
  M13r, Primer sequence: TTTCACAGGAAACAGCTATGAC.
FEATURES Location/Qualifiers
 source 1..466
  /organism="Homo sapiens"
  /mol_type="mRNA"
  /db_xref="taxon:9606"
  /clone="IMAGp998D133381 ; IMAGE:1340508"
  /tissue_type="germinal center B cell"
  /clone_lib="NCI_CGAP_GCB1"
  /lab_host="DH10B"
  /note="Vector: pT7T3D-Pac (Pharmacia) with a modified
  polylinker; Site_1: Not I; Site_2: Eco RI; 1st strand cDNA
  was prepared from human tonsillar cells enriched for
  germinal center B cells by flow sorting (CD20+, IgD-),
  provided by Dr. Louis M. Staudt (NCI), Dr. David Allman
  (NCI) and Dr. Gerald Marti (CBER). cDNA synthesis was

primed with a Not I - oligo(dT) primer
[5'-TGTTACCAATCTGAAGTGGGAGGGAGGCGGCGCCCTCAATTTTTTTTTTTTTTTTT-3'
]. Double-stranded cDNA was ligated to Eco RI adaptors
(Pharmacia), digested with Not I and cloned into the Not I
and Eco RI sites of the modified pT7T3 vector. Library
went through one round of normalization, and was
constructed by Bento Soares and M. Fatima Bonaldo."

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTC 3116
            ||||||||||||||||||||||||||||||||||||||||||||
Db   83 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 126

ORIGIN

Query Match   1.4%; Score 44; DB 5; Length 466;
Best Local Similarity 100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 137
LOCUS   BE674703   468 bp   mRNA   linear   EST 08-SEP-2000
BE674703/c
DEFINITION 7e94e04.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3292830 3'
           similar to contains Alu repetitive element; contains element MIR
           repetitive element ;, mRNA sequence.
ACCESSION BE674703
VERSION   BE674703.1 GI:10035325
KEYWORDS   EST.
SOURCE   Homo sapiens
  ORGANISM Homo sapiens (human)
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
           Hominidae; Homo.
REFERENCE 1 (bases 1 to 468)
  AUTHORS NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
           Tumor Gene Index
  JOURNAL Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: Ash Alizadeh, John Byrd, M.D., Mike Grever,
           M.D., Louis M. Staudt, M.D., Ph.D.
           cDNA Library Preparation: M. Bento Soares, Ph.D.
           cDNA Library Arrayed by: Greg Lennon, Ph.D.
           DNA Sequencing by: Washington University Genome Sequencing Center
           Clone distribution: NCI-CGAP clone distribution information can be
           found through the I.M.A.G.E. Consortium/LLNL, send email to:
           info@image.llnl.gov
           Seq primer: -400P from Gibco
           High quality sequence stop: 454.
FEATURES   Location/Qualifiers
     source   1..468
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:3292830"
                     /tissue_type="B-cell, chronic lymphotic leukemia"
                     /lab_host="DH10B"
                     /clone_lib="NCI_CGAP_CLL1"
                     /note="Vector: pT7T3D-Pac (Pharmacia) with a modified
                     polylinker; Site 1: Not I; Site 2: Eco RI; 1st strand cDNA
                     was primed with a Not I - oligo(dT) primer [5'
                     TGTTACCAATCTGAAGTGGGAGGGAGGCGGCGCCCGCCATTGCTTTTTTTTTTTTTTTTTT
                     T3']; double-stranded cDNA was ligated to Eco RI
                     adaptors (Pharmacia), digested with Not I and cloned into
                     the Not I and Eco RI sites of the modified pT7T3 vector.
                     Library is normalized, and was constructed by Bento
                     Soares and M.Fatima Bonaldo."

ORIGIN

Query Match   1.4%; Score 44; DB 2; Length 468;
Best Local Similarity 100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2899 GATCACCTGAGGCCAGGAGTTCGAGAGCCAGCAGCCTGGCCAACATAG 2942
            ||||||||||||||||||||||||||||||||||||||||||||
Db   241 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 198

RESULT 138
LOCUS   T84449   472 bp   mRNA   linear   EST 16-MAR-1995
T84449/c
DEFINITION yd32d04.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone
           IMAGE:109927 5' similar to contains Alu repetitive element; mRNA
           sequence.
ACCESSION T84449
VERSION   T84449.1 GI:712737
KEYWORDS   EST.
SOURCE   Homo sapiens
  ORGANISM Homo sapiens (human)
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
           Hominidae; Homo.
REFERENCE 1 (bases 1 to 472)
  AUTHORS Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
           Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
           Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
           Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
           Wilson,R.
  TITLE   The WashU-Merck EST Project
  JOURNAL Unpublished (1995)
COMMENT   Contact: Wilson RK
           Washington University School of Medicine
           4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
           Tel: 314 286 1800
           Fax: 314 286 1810
           Email: est@watson.wustl.edu
           Insert Size: 862
           High quality sequence stops: 363 Source: IMAGE Consortium, LLNL
           This clone is available royalty-free through LLNL ; contact the
           IMAGE Consortium (info@image.llnl.gov) for further information.
           Insert Length: 862 Std Error: 0.00
           Seq primer: M13RPI
           High quality sequence stop: 363.
FEATURES   Location/Qualifiers
     source   1..472
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:465544"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:109927"
                     /sex="male"
                     /dev_stage="20 week-post conception fetus"
                     /lab_host="DH10B (ampicillin resistant)"
                     /clone_lib="Soares fetal liver spleen 1NFLS"
                     /note="Organ: liver and Spleen; Vector: pT7T3D (Pharmacia)
                     with a modified polylinker; Site 1: Pac I; Site 2: Eco RI;
                     1st strand cDNA was primed with a Pac I - oligo7(dr) primer
                     [5' AACTGGAAGAATTAAATTAAAGAGCTTTTTTTTTTTTTTTTTT 3'],
                     double-stranded cDNA was ligated to Eco RI adaptors
                     (Pharmacia), digested with Pac I and cloned into the Eco RI
                     and Eco RI sites of the modified pT7T3 vector. Library
                     went through one round of normalization. Library
                     constructed by Bento Soares and M.Fatima Bonaldo."

ORIGIN

Query Match   1.4%; Score 44; DB 8; Length 472;
Best Local Similarity 100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGCAAGACTCTGTCTC 3122
            |||||||||||||||||||||||||||||||||||||||||||||
Db   138 TGCCACTGCACTCCAGCCTGGGCAACAGAGACCAAGAGACTCTGTCTC 95

RESULT 139
BM983814/c

```
LOCUS       BM983814      473 bp    mRNA    linear    EST 20-FEB-2003
DEFINITION  UI-CP-DU1-aay-c-24-0-UI.s1 UI-CP-DU1 Homo sapiens cDNA clone
            UI-CP-DU1-aay-c-24-0-UI 3', mRNA sequence.
ACCESSION   BM983814
VERSION     BM983814.1  GI:19608703
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 473)
AUTHORS     Bonaldo,M.F., Lennon,G. and Soares,M.B.
TITLE       Normalization and subtraction: two approaches to facilitate gene
            discovery
JOURNAL     Genome Res. 6 (9), 791-806 (1996)
PUBMED      8889548
COMMENT     Contact: McCray, PB
            McCray Lab
            University of Iowa
            2024 University of Iowa Med Labs, Iowa City, IA 52242, USA
            Tel: 319 356 4866
            Fax: 319 356 7171
            Email: paul-mccray@uiowa.edu
            Tissue Procurement: Dr. M.J. Welsh, University of Iowa
            cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
            cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
            DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
            Clone Distribution: Researchers may obtain clones from Research
            Genetics (www.resgen.com) or from Open Biosystems
            (www.openbiosystems.com).
            The following repetitive elements were found in this cDNA
            sequence: 11-219, >ALU (matched compliment) 226-461, >LINE2
            PolyA=Yes.
FEATURES             Location/Qualifiers
     source          1..473
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-CP-DU1-aay-c-24-0-UI"
                     /tissue_type="Primary Lung Epithelial Cells"
                     /dev_stage="Adult"
                     /clone_lib="UI-CP-DU1"
                     /lab_host="DH10B (Life Technologies) (T1 phage resistant)"
                     /note="Organ: Lung; Vector: pT7T3-Pac (Pharmacia) with a
                     modified polylinker; Site_1: EcoR I; Site_2: Not I;
                     UI-CP-DU1 is a normalized cDNA library containing the
                     following tissue(s): Primary Lung Epithelial Cells The
                     library was constructed according to Bonaldo, Lennon and
                     Soares, Genome Research, 6:791-806, 1996. First strand
                     cDNA synthesis was primed with an oligo-dT primer
                     containing a Not I site. Double stranded cDNA was ligated
                     to an EcoR I adaptor, digested with Not I, and cloned
                     directionally into pT7T3-Pac vector. The oligonucleotide
                     used to prime the synthesis of first-strand cDNA contains
                     a library tag sequence that is located between the Not I
                     site and the (dt)18 tail. The sequence tag for this
                     library is GGCTGTAGGC.
                     TAG_TISSUE=Lung Epithelial Cells Tissue nos 359-368
                     TAG_LIB=UI-CP-DU1
                     TAG_SEQ=GGCTGTAGGC"
ORIGIN

Query Match        1.4%;  Score 44;  DB 3;  Length 473;
Best Local Similarity  100.0%;  Pred. No. 1.9e-09;
Matches   44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||
Db     62 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 19
```

```
RESULT 140
BM314257
LOCUS       BM314257      483 bp    mRNA    linear    EST 03-JAN-2002
DEFINITION  ig52c03.x1 HR85 islet Homo sapiens cDNA clone
ACCESSION   BM314257
VERSION     BM314257.1  GI:18048602
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 483)
AUTHORS     Melton,D., Brown,J., Kenty,G., Permutt,A., Lee,C., Kaestner,K.,
            Lemishka,I., Scearce,M., Brestelli,J., Gradwohl,G., Clifton,S.,
            Hillier,L., Marra,M., Pape,D., Wylie,T., Martin,J., Blistain,A.,
            Schmitt,A., Theising,B., Ritter,E., Ronko,I., Bennett,J.,
            Cardenas,M., Gibbons,M., McCann,R., Cole,R., Tsagareishvili,R.,
            Williams,T., Jackson,Y. and Bowers,Y.
TITLE       Unpublished (2000)
JOURNAL     Contact: Douglas Melton, Klaus H. Kaestner, & Hiroshi Inoue
COMMENT     Endocrine Pancreas Consortium
            Harvard University, Howard Hughes Medical Institute
            Dept of Molecular and Cellular Biology, 7 Divinity Ave, Cambridge,
            MA 02138
            Tel: 617-495-1812
            Fax: 617-495-8557
            Email: dmelton@biohp.harvard.edu
            Library was constructed by Dr. Hiroshi Inoue DNA sequencing by:
            Washington University Genome Sequencing Center For Information on
            obtaining a clone please contact: Dr. Hiroshi Inoue
            (hinoue@im.wustl.edu)
            Seq primer: -40UP from Gibco
            High quality sequence stop: 442.
FEATURES             Location/Qualifiers
     source          1..483
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /tissue_type="Purified pancreatic islet"
                     /clone_lib="HR85 islet"
                     /lab_host="DH10B"
                     /note="Organ: Pancreas; Vector: pBluescript SK(-); Site_1:
                     NotI; Site_2: XhoI; cDNA made by oligo-dT priming.
                     Size-selected on agarose gel. Average insert size: ~1kb.
                     XhoI site was destroyed after directional cloning.
                     Amplified once. Contact information: Hiroshi Inoue, MD,
                     Metabolism Div. (Alan Permutt Lab), Washington University
                     School of Medicine, Box 8127, 660 South Euclid Ave, St.
                     Louis, MO 63110, E-mail: hinoue@mgate.wustl.edu, Tel.:
                     314-362-1916, Fax: 314-747-2692."
ORIGIN

Query Match        1.4%;  Score 44;  DB 3;  Length 483;
Best Local Similarity  100.0%;  Pred. No. 1.9e-09;
Matches   44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
          ||||||||||||||||||||||||||||||||||||||||||||
Db    377 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 420
```

```
RESULT 141
AQ276534/c
LOCUS       AQ276534      484 bp    DNA    linear    GSS 22-NOV-1998
DEFINITION  CITB1-2521J15.TR CITB1-E1 Homo sapiens genomic clone 2521J15,
            genomic survey sequence.
ACCESSION   AQ276534
VERSION     AQ276534.1  GI:3902730
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
```

REFERENCE 1 (bases 1 to 484)
AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Bass,S., Linher,K., Golden,K.,
           Berry,K., Granger,D., Suh,E., Wible,C., Shizuya,H., Simon,M. and
           Venter,J.C.
TITLE   Use of a random human BAC End Sequence Database for Sequence-Ready
           Map Building
JOURNAL   Unpublished (1998)
COMMENT   Contact: Mark Adams
           Department of Eukaryotic Genomics
           The Institute for Genomic Research
           9712 Medical Center Dr., Rockville, MD 20850, USA
           Tel: 301 838 0200
           Fax: 301 838 0208
           Email: mdadams@tigr.org
           Clones are available from Research Genetics (info@resgen.com). BAC
           end search page:
           http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
           Seq primer: M13 Reverse
           Class: BAC ends.
FEATURES   Location/Qualifiers
     source   1..484
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="252iJ15"
                     /sex="male"
                     /cell_type="sperm"
                     /clone_lib="CITB1-B1"
                     /note="Vector:pBeloBAC11; Site_1: EcoRI; Site_2: EcoRI;
                     CalTech Human BAC Library D"
ORIGIN

RESULT 142
LOCUS   BQ432539
DEFINITION AGENCOURT_7905807 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:6104737
            5', mRNA sequence.
ACCESSION   BQ432539
VERSION   BQ432539.1 GI:21171615
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.

Query Match   1.4%; Score 44; DB 9; Length 484;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 3116
            ||||||||||||||||||||||||||||||||||||||||||||||
Db   267 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 224

REFERENCE 1 (bases 1 to 485)
AUTHORS   NIH-MGC http://mgc.nci.nih.gov/,
           National Institutes of Health, Mammalian Gene Collection (MGC)
TITLE   Generation and initial analysis of more than 15,000 full-length
JOURNAL   Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: CLONTECH
           cDNA Library Preparation: CLONTECH Laboratories, Inc.
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Agencourt Bioscience Corporation
           Clone distribution: MGC clone distribution information can be
           found through the I.M.A.G.E. Consortium/LLNL at:
           http://image.llnl.gov
           Plate: LLCM2343 row: b column: 02
           High quality sequence stop: 463.
FEATURES   Location/Qualifiers
     source   1..485
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:6104737"
                     /clone_lib="NIH_MGC_82"
                     /sex="male"
                     /note="Organ: testis; Vector: pDNR-LIB (Clontech); Site_1:
                     SfiI (ggccgcctcggcc); Site_2: SfiI (ggccattaggcc); 5' and
                     3' adaptors were used in cloning as follows: 5' adaptor
                     sequence: 5'-CACGGCCATTATGGCC-3', and 3' adaptor sequence:
                     5'-ATTCTAGAGGCCGAGGCGGCCGACGCGTGCC-3', and 3' adaptor
                     C, or G and N = A, C, G, or T). Average insert size
                     1.35 kb (range 0.9-4.0 kb). 14/15 colonies contained
                     inserts by PCR. This library was enriched for full-length
                     clones and was constructed by Clontech Laboratories (Palo
                     Alto, CA)."
ORIGIN

RESULT 143
LOCUS   N35896
DEFINITION YY28C08.s1 Soares melanocyte 2NbHM Homo sapiens cDNA clone
            IMAGE:272558 3' similar to contains Alu repetitive element; mRNA
            sequence.
ACCESSION   N35896
VERSION   N35896.1 GI:1157038
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE 1 (bases 1 to 486)
AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
           Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
           Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
           Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
           Wilson,R.
TITLE   The WashU-Merck EST Project
JOURNAL   Unpublished (1995)
COMMENT   Contact: Wilson RK
           Washington University School of Medicine
           4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
           Tel: 314 286 1800
           Fax: 314 286 1810
           Email: est@watson.wustl.edu
           High quality sequence stop: 440.
           Source: IMAGE Consortium, LLNL
           This clone is available royalty-free through LLNL / contact the
           IMAGE Consortium (info@image.llnl.gov) for further information.
           Seq primer: m13 -40 forward
           High quality sequence stop: 440.
FEATURES   Location/Qualifiers
     source   1..486
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:3882200"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:272558"
                     /sex="Male"
                     /tissue_type="melanocyte"
                     /lab_host="DH10B (ampicillin resistant)"
                     /clone_lib="Soares melanocyte 2NbHM"

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||
Db   371 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 414

LOCUS   BQ432539   485 bp   mRNA   linear   EST 24-MAY-2002

DEFINITION 486 bp   mRNA   linear   EST 16-JAN-1996

Query Match   1.4%; Score 44; DB 5; Length 485;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

FEATURES   Location/Qualifiers
     source

REFERENCE
AUTHORS
ORIGIN

Db   371

source   1..485
                /organism="Homo sapiens"
                /mol_type="mRNA"
                /db_xref="taxon:9606"
                /clone="IMAGE:6104737"
                /clone_lib="DH10B (T1 phage-resistant)"

ORIGIN
         /note="Vector: pT7T3D (Pharmacia) with a modified
         polylinker; Site 1: Not I; Site 2: Eco RI; 1st strand cDNA
         was primed with a Not I - oligo(dT) primer [5'
         TGTACCAATCTGAAGTGGGAGAGCGGCCGCAGTTTTTTTTTTTTTTTT 3'],
         double-stranded cDNA was size selected, ligated to Eco RI
         adapters (Pharmacia), digested with Not I and cloned into
         the Not I and Eco RI sites of a modified pT7T3 vector
         (Pharmacia). Library constructed by Bento Soares and
         M.Fatima Bonaldo. RNA from normal foreskin melanocytes
         (FS374) was kindly provided by Dr. Anthony P. Albino."

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCGCCTGGGCAACAGAGCGAAGAGACTC 3116
            |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   380 AGATTGTGTGCCACTGCACTCCAGCGCCTGGGCAACAGAGCGAAGAGACTC 423

RESULT 144
Query Match
Best Local Similarity   1.4%;   Score 44;   DB 8;   Length 486;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

LOCUS   AI908381   494 bp   mRNA   linear   EST 30-MAR-2000
DEFINITION RC-BT170-280399-015 BT170 Homo sapiens cDNA, mRNA
            sequence.
ACCESSION   AI908381
VERSION   AI908381.1 GI:6499061
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 494)
AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
            Laboratory of Cancer Genetics
            Ludwig Institute for Cancer Research
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/seq/gethtml.pl?ti=RC&t2=RC-BT170-015.html
            &t3=280399&t4=1)
            Seq primer: puc 18 forward.
FEATURES   Location/Qualifiers
     source   1..494
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /sex="female"
                     /dev_stage="Adult"
                     /clone_lib="BT170"
                     /note="Organ: breast; Vector: puc18; Site 1: SmaI; Site 2:
                     SmaI; A mini-library was made by cloning products derived
                     from ORESTES PCR (U.S. Letters Patent Application No:
                     196,716 - Ludwig Institute for Cancer Research) profiles
                     into the pUC 18 vector. Reverse transcription of tissue
                     mRNA and cDNA amplification were performed under low
                     stringency conditions."
ORIGIN

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCGCCTGGGCAACAGAGCGAAGAGACTC 3116
            |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   378 AGATTGTGTGCCACTGCACTCCAGCGCCTGGGCAACAGAGCGAAGAGACTC 421

RESULT 145
Query Match
Best Local Similarity   1.4%;   Score 44;   DB 1;   Length 494;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

LOCUS   R86218   495 bp   mRNA   linear   EST 14-AUG-1995
R86218/c
DEFINITION yp88a10.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone
            IMAGE:194490 5' similar to contains Alu repetitive element;, mRNA
            sequence.
ACCESSION   R86218
VERSION   R86218.1 GI:944624
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 495)
AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
            Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
            Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
            Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
            Wilson,R.
TITLE   The WashU-Merck EST Project
JOURNAL   Unpublished (1995)
COMMENT   Contact: Wilson RK
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            Insert Size: 963
            High quality sequence stops: 379
            Source: IMAGE Consortium, LLNL
            This clone is available royalty-free through LLNL; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Insert Length: 963   Std Error: 0.00
            Seq primer: M13RP1
            High quality sequence stop: 379.
FEATURES   Location/Qualifiers
     source   1..495
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:3763540"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:194490"
                     /sex="male"
                     /dev_stage="20 week-post conception fetus"
                     /lab_host="DH10B (ampicillin resistant)"
                     /clone_lib="Soares fetal liver spleen 1NFLS"
                     /note="Organ: Liver and Spleen; Vector: pT7T3D (Pharmacia)
                     with a modified polylinker; Site 1: Pac I; Site 2: Eco RI;
                     1st strand cDNA was primed with a Pac I - oligo(dT) primer
                     [5' AACTGGAAGAATTAATTAAAGATCTTTTTTTTTTTTTTTTT 3'],
                     double-stranded cDNA was ligated to Eco RI adaptors
                     (Pharmacia), digested with Pac I and cloned into the Pac I
                     and Eco RI sites of the modified pT7T3 vector. Library
                     constructed by Bento Soares and M.Fatima Bonaldo.
                     went through one round of normalization. Library
                     constructed by Bento Soares and M.Fatima Bonaldo."
ORIGIN

Qy   3079 TGCCACTGCACTCCAGCGCCTGGGCAACAGAGCGAAGAGACTCTGTCTC 3122

Db   255 TGCCACTGCACTCCAGCCTGGGGCAAACAGAGCAAGAGACTCTGTCTC 212
               |||||||||||||||||||||||||||||||||||||||||||||||||

RESULT 146
LOCUS   BE146359   512 bp   mRNA   linear   EST 21-JUN-2000
DEFINITION   MR0-HT0209-010500-110-e11 HT0209 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BE146359
VERSION   BE146359.1 GI:8609083
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 512)
AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
             Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
             Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
             Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
             O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
             Simpson,A.J.
TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
             sequence tags
JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
             Laboratory of Cancer Genetics
             Ludwig Institute for Cancer Research
             Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
             Brazil
             Tel: +55-11-2704922
             Fax: +55-11-2707001
             Email: asimpson@ludwig.org.br
             This sequence was derived from the FAPESP/LICR Human Cancer Genome
             Project. This entry can be seen in the following URL
             (http://www.ludwig.org.br/scripts/gethtml2.pl?tl=&t2=MR0-HT0209-010
             500-110-e11&t3=2000-05-01&t4=1)
             Seq primer: puc 18 forward
             High quality sequence start: 126
             High quality sequence stop: 512.
FEATURES   Location/Qualifiers
     source   1..512
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /dev_stage="Adult"
                     /clone_lib="HT0209"
                     /note="Organ: head neck; Vector: puc18; Site_1: SmaI;
                     Site_2: SmaI; A mini-library was made by cloning products
                     derived from ORESTES PCR (U.S. Letters Patent application
                     No. 196,716 - Ludwig Institute for Cancer Research)
                     profiles into the pUC 18 vector. Reverse transcription of
                     tissue mRNA and cDNA amplification were performed under
                     low stringency conditions."
ORIGIN

Qy   2979 CCGGGCATGGTGGGCGCATGGCCTGTGGTCCGGGGAGG 3022
             |||||||||||||||||||||||||||||||||||||||
Db   400 CCGGGCATGGTGGGCGCATGGCCTGTGGTCCCAGCTACTCTCGGGAGG 443

RESULT 147
LOCUS   AI888752   516 bp   mRNA   linear   EST 08-MAR-2000
DEFINITION   wn36a07.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2447508 3',
             mRNA sequence.
ACCESSION   AI888752

Query Match   1.4%;   Score 44; DB 2; Length 512;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

VERSION   AI888752.1 GI:5593916
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 516)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
             Tumor Gene Index
JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
             Email: cgapbs-r@mail.nih.gov
             Tissue Procurement: Christopher Moskaluk, M.D., Ph.D., Michael R.
             Emmert-Buck, M.D., Ph.D.
             cDNA Library Preparation: Life Technologies, Inc.
             cDNA Library Arrayed by: Greg Lennon, Ph.D.
             DNA Sequencing by: Washington University Genome Sequencing Center
             Clone distribution: NCI-CGAP clone distribution information can be
             found through the I.M.A.G.E. Consortium/LLNL at:
             www-bio.llnl.gov/bbrp/image/image.html
             Insert Length: 1881   Std Error: 0.00
             Seq primer: -40UP from Gibco
             High quality sequence stop: 413.
FEATURES   Location/Qualifiers
     source   1..516
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:2447508"
                     /tissue_type="poorly differentiated adenocarcinoma with
                     signet ring cell features"
                     /clone_lib="NCI_CGAP_Gas4"
                     /note="Organ: stomach; Vector: pCMV-SPORT6; Site_1: SalI;
                     Site_2: NotI; Cloned unidirectionally. Primer: Oligo dT;
                     Average insert size 1.69 kb. Life Technologies catalog #:
                     11549-011"
ORIGIN

Qy   3073 AGATTGTGCCACTCCAGCCTGCACTCCAGCCTGGGGCAAACAGAGCAAGAGACTC 3116
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   395 AGATTGTGCCACTCCAGCCTGCACTCCAGCCTGGGGCAAACAGAGCAAGAGACTC 438

RESULT 148
LOCUS   BE940436/c   517 bp   mRNA   linear   EST 02-OCT-2000
DEFINITION   RC3-UT0062-210800-021-c05 UT0062 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BE940436
VERSION   BE940436.1 GI:10469931
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 517)
AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
             Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
             Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
             Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
             O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
             Simpson,A.J.
TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
             sequence tags
JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
PUBMED   10737800

Query Match   1.4%;   Score 44; DB 1; Length 516;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

COMMENT   Contact: Simpson A.J.G.
            Laboratory of Cancer Genetics
            Ludwig Institute for Cancer Research
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/scripts/gethtml2.pl?tl=&t2=RC3-UT0062-210
            800-021-c05&t3=2000-08-21&t4=1)
            Seq primer: puc 18 forward
            High quality sequence start: 9
            High quality sequence stop: 517.
FEATURES   Location/Qualifiers
     source   1..517
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /dev_stage="Adult"
                     /clone_lib="UT0062"
                     /note="Organ: uterus tumor; Vector: puc18; Site_1: SmaI;
                     Site_2: SmaI; A mini-library was made by cloning products
                     derived from ORESTES PCR (U.S. Letters Patent application
                     No. 196,716 - Ludwig Institute for Cancer Research)
                     profiles into the pUC 18 vector. Reverse transcription of
                     tissue mRNA and cDNA amplification were performed under
                     low stringency conditions."
ORIGIN

Query Match   1.4%; Score 44; DB 2; Length 517;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACACTCTGTCTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   354 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACACTCTGTCTC 311

RESULT 149
AQ026637
LOCUS   AQ026637   527 bp   DNA   linear   GSS 30-JUN-1998
DEFINITION CIT-HSP-2314017.TR CIT-HSP Homo sapiens genomic clone 2314017,
            genomic survey sequence.
ACCESSION   AQ026637
VERSION   AQ026637.1 GI:3266859
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 527)
  AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Field,C.E., Bass,S., Linher,K.,
            Golden,K., Berry,K., Granger,D., Suh,B., Wible,C., Shizuya,H.,
            Simon,M. and Venter,J.C.
  TITLE   Use of a random BAC End Sequence Database for Sequence-Ready Map
            Building (1998)
  JOURNAL   Unpublished (1998)
COMMENT   Other GSSs: CIT-HSP-2314017.TF
            Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: mdadams@tigr.org
            Clones are available from Research Genetics (info@resgen.com). BAC
            end search Page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
            Seq primer: M13 Reverse
            Class: BAC ends.

FEATURES   Location/Qualifiers
     source   1..527
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="2314017"
                     /sex="Male"
                     /cell_type="Sperm"
                     /clone_lib="CIT-HSP"
                     /note="Vector: pBeloBAC11; Site_1: HindIII; Site_2:
                     HindIII"
ORIGIN

Query Match   1.4%; Score 44; DB 9; Length 527;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTG 2932
           |||||||||||||||||||||||||||||||||||||||||||||
Db   215 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTG 258

RESULT 150
CN389220/c
CN389220
LOCUS   CN389220   530 bp   mRNA   linear   EST 16-MAY-2004
DEFINITION 17000600337068 GRN_PRENEU Homo sapiens cDNA 5', mRNA sequence.
ACCESSION   CN389220
VERSION   CN389220.1 GI:47376815
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 530)
  AUTHORS   Brandenberger,R., Wei,H., Zhang,S., Lei,S., Murage,J., Fisk,G.J.,
            Li,Y., Xu,C., Fang,R., Guegler,K., Rao,M.S., Mandalam,R.,
            Lebkowski,J and Stanton,L.W.
  TITLE   Transcriptome characterization elucidates signaling networks that
            control human ES cell growth and differentiation
  JOURNAL   Nat. Biotechnol. 22 (6), 707-716 (2004)
  PUBMED   15146197
COMMENT   Contact: Brandenberger R
            Regenerative Medicine
            Geron Corporation
            230 Constitution Drive, Menlo Park, CA 94025, USA
            Tel: 650 473 8658
            Fax: 650 473 7760
            Email: rbrandenberger@geron.com
            Insert Length: 530   Std Error: 0.00.
FEATURES   Location/Qualifiers
     source   1..530
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /tissue_type="embryonic stem cell, retinoic acid and
                     mitogen-treated hES cell line H7"
                     /clone_lib="GRN_PRENEU"
                     /note="Oligo dT primed, full-length enriched cDNA library
                     from hES cell line H7 (p29) maintained in feeder-free
                     conditions. Embryoid bodies were generated in the presence
                     of all-trans retinoic and mitogens."
ORIGIN

Query Match   1.4%; Score 44; DB 7; Length 530;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   416 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACACTC 373

```
RESULT 151
LOCUS       CD691041     538 bp    mRNA    linear   EST 25-JUN-2003
DEFINITION  CD691041 human nasopharynx Homo sapiens cDNA, mRNA sequence.
ACCESSION   CD691041
VERSION     CD691041.1  GI:32212370
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 538)
  AUTHORS   Liu,X.-Q., Zhou,Y., Zhang,L.-J., Xu,H., Chen,H.-K., Pan,Z.-G. and
            Zeng,Y.-X.
  TITLE     Transcriptional Gene Expression Profile of Human Nasopharynx
  JOURNAL   Unpublished (2003)
COMMENT     Contact: Yixin Zeng
            Cancer Center
            Sun Yat-sen University
            651 DongFeng Road East, Guangzhou 510060, China
            Tel: 86-1380-9770-743
            Fax: 86-20-8775-4506
            Email: yxzeng@gzsums.edu.cn.
FEATURES             Location/Qualifiers
     source          1..538
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /tissue_type="normal nasopharynx"
                     /clone_lib="human nasopharynx"
                     /note="ESTs generated from a normal nasopharynx cDNA
                     library from southern Chinese"
ORIGIN

Query Match             1.4%;  Score 44;  DB 6;  Length 538;
Best Local Similarity   100.0%;  Pred. No. 1.9e-09;
Matches   44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||
Db    326 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 369
```

```
RESULT 152
LOCUS       CV418654     540 bp    mRNA    linear   EST 28-SEP-2004
DEFINITION  RC3-UT0062-210800-021-b11 UT0062 Homo sapiens cDNA, mRNA sequence.
ACCESSION   CV418654
VERSION     CV418654.1  GI:52814157
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 540)
  AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W.Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
  TITLE     Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
   PUBMED   10737800
COMMENT     Contact: Simpson A.J.G.
            Laboratory of Cancer Genetics
            Ludwig Institute for Cancer Research
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
FEATURES             Location/Qualifiers
     source          1..540
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone_lib="UT0062"
                     /dev_stage="Adult"
                     /note="Organ: uterus_tumor; Vector: puc18; Site_1: SmaI;
                     Site_2: SmaI; A mini-library was made by cloning products
                     derived from ORESTES PCR (U.S. Letters Patent Application
                     No. 196,716 - Ludwig Institute for Cancer Research)
                     profiles into the pUC 18 vector. Reverse transcription of
                     tissue mRNA and cDNA amplification were performed under
                     low stringency conditions."
ORIGIN

Query Match             1.4%;  Score 44;  DB 7;  Length 540;
Best Local Similarity   100.0%;  Pred. No. 1.9e-09;
Matches   44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||
Db    367 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 324
```

```
RESULT 153
LOCUS       B55060       543 bp    DNA     linear   GSS 20-JUN-1998
DEFINITION  CIT-HSP-385P14.TF CIT-HSP Homo sapiens genomic clone 385P14,
            genomic survey sequence.
ACCESSION   B55060
VERSION     B55060.1  GI:2609394
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 543)
  AUTHORS   Adams,M.D., Rounsley,S.D., Field,C.E., Bass,S., Linher,K.,
            Golden,K., Berry,K., Granger,D., Suh,B., Wible,C., Shizuya,H.,
            Simon,M. and Venter,J.C.
  TITLE     Use of a random BAC End Sequence Database for Sequence-Ready Map
            Building
  JOURNAL   Unpublished (1997)
COMMENT     Other GSSs: CIT-HSP-385P14.TR
            Contact: Mark Adams
            Department of Eukaryotic Genomics
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 0200
            Fax: 301 838 0208
            Email: madams@tigr.org
            Clones are available from Research Genetics (info@resgen.com). BAC
            end search page:
            http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
            Seq primer: M13-21
            Class: BAC ends.
FEATURES             Location/Qualifiers
     source          1..543
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:5378919"
                     /db_xref="taxon:9606"
                     /clone="385P14"
                     /sex="Male"
                     /cell_type="Sperm"
                     /clone_lib="CIT-HSP"
                     /note="Vector: pBeloBAC11; Site_1: HindIII; Site_2:

Query Match             1.4%;  Score 44;  DB 7;  Length 543;
Best Local Similarity   100.0%;  Pred. No. 1.9e-09;
Matches   44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||
Db    367 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 324
```

Fax: +55-11-2707001
Email: asimpson@ludwig.org.br
This sequence was derived from the FAPESP/LICR Human Cancer Genome
Project. http://www.ludwig.org.br.

ORIGIN

                    HindIII"

```
Qy        3073  AGATTGTGTGCCACTGCACTCCAGCCTTGGGCAACAGAGCAAGAACTC  3116
               |||||||||||||||||||||||||||||||||||||||||||||||||
Db         436  AGAATTGTGCCACTGCACTCCAGCCTTGGGCAACAGAGCAAGACTC    393
```

RESULT 154

Query Match   1.4%;   Score 44; DB 9; Length 543;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

LOCUS   AQ713671 543 bp   DNA   linear   GSS 13-JUL-1999
AQ713671/c
DEFINITION HS_5399_B1_D03_SP6E RPCI-11 Human Male BAC Library Homo sapiens
            genomic_clone Plate=975 Col=5 Row=H, genomic survey sequence.
ACCESSION   AQ713671
VERSION   AQ713671.1 GI:5562987
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 543)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
  TITLE   Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
   PUBMED   10449764
COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@dejong.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering_bac.htm)
            or from Resear h Genetics (info@resgen.com). BAC end Web Server:
            http://www.htsc.washington.edu
            Plate: 975 row: H column: 5
            Seq primer: SP6
            Class: BAC ends
            High quality sequence stop: 543.
FEATURES   Location/Qualifiers
     source   1..543
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=975 Col=5 Row=H"
                     /sex="male"
                     /clone_lib="RPCI-11 Human Male BAC Library"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     Male blood DNA was isolated from one randomly chosen donor
                     and partially digested with a combination of EcoRI and
                     EcoRI Methylase. Size selected DNA was cloned into the
                     pBACe3.6 vector at EcoRI sites"

ORIGIN

```
Qy        3079  TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTGTCTC  3122
               |||||||||||||||||||||||||||||||||||||||||||||||
Db         391  TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTGTCTC  348
```

RESULT 155

LOCUS   AA715817 551 bp   mRNA   linear   EST 22-JAN-1998
AA715817/c
DEFINITION nw25c05.s1 NCI_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241480 3'
            similar to gb:K01144 HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, GAMMA
            CHAIN PRECURSOR (HUMAN);contains Alu repetitive element;contains
            element PTR5 repetitive element ;, mRNA sequence.
ACCESSION   AA715817
VERSION   AA715817.1 GI:2728091
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 551)
  AUTHORS   Gerald Marti, M.D.
  TITLE   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
            National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
            Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Louis M. Staudt, M.D., Ph.D., David Allman,
            Ph.D., Gerald Marti, M.D.
            cDNA Library Preparation: Louis M. Staudt, M.D., Ph.D.
            cDNA Library Arrayed by: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 1083   Std Error: 0.00
            Seq primer: -40m13 fwd. ET from Amersham
            High quality sequence stop: 352.
FEATURES   Location/Qualifiers
     source   1..551
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:1241480"
                     /tissue_type="germinal center B-cells"
                     /lab_host="SOLR (kanamycin resistant)"
                     /clone_lib="NCI_CGAP_GCB0"
                     /note="Organi_tonsil; Vector: Bluescript SK-; Site_1:
                     EcoRI; Site_2: XhoI; Cloned unidirectionally. Primer:
                     Oligo dT; Germinal center B-cells Library constructed by
                     Dr. L. Staudt (NCI); 5' adaptor sequence: 5'
                     GAATTCGGCACGAG 3'; 3' adaptor sequence: 5'
                     CTCGAGTTTTTTTTTTTTTTTTTTT 3' Average insert size: 1.1 kb."

ORIGIN

Query Match   1.4%;   Score 44; DB 1; Length 551;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy        2899  GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG  2942
               ||||||||||||||||||||||||||||||||||||||||||||
Db         248  GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG  205
```

RESULT 156

LOCUS   CB129216 558 bp   mRNA   linear   EST 29-JAN-2003
CB129216/c
DEFINITION K-EST0178834 L15CKK1 Homo sapiens cDNA clone L15CKK1-1-B09 5', mRNA
            sequence.
ACCESSION   CB129216
VERSION   CB129216.1 GI:28092697
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
```

REFERENCE   1 (bases 1 to 558)
AUTHORS   Kim,N.S., Hahn,J.H., Lee,J.Y., Ahn,H.Y., Chu,M.Y., Kim,M.R.,
            Oh,K.J., Cheong,J.E., Sohn,H.Y., Kim,J.M., Park,H.S., Kim,S. and
            Kim,Y.S.
TITLE   21C Frontier Korean EST Project 2001
JOURNAL   Unpublished (2002)
COMMENT   Contact: Kim YS
            Genome Research Center
            Korea Research Institute of Bioscience & Biotechnology
            52 Eoeun-dong Yuseong-gu, Daejeon 305-333, South Korea
            Tel: +82-42-860-4470
            Fax: +82-42-860-4409
            Email: yongsung@mail.kribb.re.kr
            Plate: 1 row: B column: 09
            High quality sequence stop: 558.

FEATURES   Location/Qualifiers
     source   1..558
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="L15CKK1-1-B09"
                     /sex="M"
                     /cell_line="CK-K1"
                     /lab_host="Top10F'"
                     /clone_lib="L15CKK1"
                     /note="Organ: Liver; Vector: pCNS-D2; Site 1: EcoRI;
                     Site 2: NotI; The poly (A)+ RNA was dephosphorylated with
                     bacterial alkaline phosphatase (BAP) and then decapped
                     with tabacco acid pyrophosphatase (TAP). The decapped
                     intact mRNA was ligated with DNA-RNA linker including
                     EcoRI site by treatment of T4 RNA ligase and the first
                     strand cDNA was synthesized from oligo dT-selected mRNA by
                     priming with dT-tailed vector. The dT-tailed vector was
                     adjusted to have about 60nt. The cDNA vector was
                     circularized with E. coli DNA ligase after digestion of
                     EcoRI which site is also included in vector. An RNA strand
                     converted to a DNA strand by Okayama-Berg method. The
                     obtained cDNA vectors were used for transformation. Of
                     competent cells E. coli Top10F' by electroporation method.
                     The cDNA libraries constructed by this method are
                     full-length enriched cDNA library."

ORIGIN

RESULT 157
Query Match   1.4%;   Score 44; DB 6;   Length 558;
Best Local Similarity 100.0%;   Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
              |||||||||||||||||||||||||||||||||||||||||||
Db   310 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACACAGAGACTC 267

RESULT 157
LOCUS   CV703188   558 bp   mRNA   linear   EST 03-NOV-2004
DEFINITION TgESTzys36b01.y1 Tg COUG Tachyzoite cDNA Library Toxoplasma gondii
            cDNA clone TgESTzys36b01.y1 5' similar to SW:ALU7_HUMAN P39194 ALU
            SUBFAMILY SQ SEQUENCE CONTAMINATION WARNING ENTRY. [1] ;, mRNA
            sequence.
ACCESSION   CV703188
VERSION   CV703188.1 GI:55285556
KEYWORDS   EST.
SOURCE   Toxoplasma gondii
  ORGANISM Toxoplasma gondii
            Eukaryota; Alveolata; Apicomplexa; Coccidia; Eimeriida;
            Sarcocystidae; Toxoplasma.
REFERENCE   1 (bases 1 to 558)
AUTHORS   Tang,K., Cole,R., Fogarty,S., Sibley,L.D., Ajioka,J.A., White,M.,
            Clifton,S., Pape,D., Martin,J., Wylie,T., Dante,M., Marra,M.,
            Hiller,L., Kucaba,T., Theising,B., Bowers,Y., Gibbons,M.,
            Ritter,E., Bennett,J., Franklin,C., Tsagareishvili,R., Ronko,I.,
            Kennedy,S., Maguire,L., Waterston,R. and Wilson,R.
TITLE   Toxoplasma EST Project

JOURNAL   Unpublished (2001)
COMMENT   Contact: Clifton, S.
            Toxoplasma EST Project
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108, USA
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: toxo@watson.wustl.edu
            Contact David Sibley (toxoest@borcim.wustl.edu) for further
            information relating to organism, libraries, or clone availability.
            Seq primer: T7 from Gibco
            High quality sequence stop: 558.

FEATURES   Location/Qualifiers
     source   1..558
                     /organism="Toxoplasma gondii"
                     /mol_type="mRNA"
                     /db_xref="taxon:5811"
                     /clone="TgESTzys36b01.y1"
                     /dev_stage="Tachyzoite"
                     /lab_host="GC10 Competent Cells(PGC)"
                     /note="Vector: pDNR-LIB; Site 1: SfiI; Site 2: SfiI; The
                     cDNA library was constructed by Kellang Tang, and Robert
                     Cole at Washington University. Total RNA was converted to
                     cDNA using the template-switching PCR method. (Creator
                     SMART cDNA, Clontech Inc.). First strand was PCR amplified
                     using the same primer set and the fragments were digested
                     with SfiI. The fragments were size selected, ligated into
                     vector pDNR_LIB containing directional SfiI sites, and
                     electroporated into GC10 competent cells. WARNING: the
                     library contains a small percentage of cDNAs derived from
                     the human host cells."

ORIGIN

RESULT 158
Query Match   1.4%;   Score 44; DB 7;   Length 558;
Best Local Similarity 100.0%;   Pred. No. 1.9e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
              |||||||||||||||||||||||||||||||||||||||||||
Db   349 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACACAGAGACTC 392

RESULT 158
LOCUS   AW877914   563 bp   mRNA   linear   EST 23-MAY-2000
DEFINITION MR3-OT0005-170200-101-c01 OT0005 Homo sapiens cDNA, mRNA sequence.
ACCESSION   AW877914
VERSION   AW877914.1 GI:8039833
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 563)
AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
            Ludwig Institute for Cancer Research
            Laboratory of Cancer Genetics
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001

```
                              Email: asimpson@ludwig.org.br
                              This sequence was derived from the FAPESP/LICR Human Cancer Genome
                              Project. This entry can be seen in the following URL
                              (http://www.ludwig.org.br/scripts/gethtml2.pl?t1=&t2=MR3-OT0005-170
                              200-101-c01&t3=2000-02-17&t4=1)
                              Seq primer: puc 18 forward
                              High quality sequence stop: 337.
FEATURES
     source          1..563
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /dev_stage="Adult"
                     /clone_lib="OT0005"
                     /note="Organ: ovary; Vector: puc18; Site_1: SmaI; Site_2:
                     SmaI; A mini-library was made by cloning products derived
                     from ORESTES PCR (U.S. Letters Patent application No.
                     196,716 - Ludwig Institute for Cancer Research) profiles
                     into the pUC 18 vector. Reverse transcription of tissue
                     mRNA and cDNA amplification were performed under low
                     stringency conditions."
ORIGIN

Qy          3079 TGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACAAGACTCGTCTC 3122
                 |||||||||||||||||||||||||||||||||||||||||||||||||
Db           263 TGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACAAGACTCGTCTC 306

RESULT 159
LOCUS       AQ591303               569 bp    DNA     linear   GSS 08-JUN-1999
DEFINITION  HS_2122_B1_G04_MR CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=2122 Col=7 Row=N, genomic survey
            sequence.
ACCESSION   AQ591303
VERSION     AQ591303.1  GI:5022955
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 569)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
  TITLE     Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
   PUBMED   10449764
COMMENT     Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Clones may be purchased from Research Genetics (info@resgen.com).
            BAC end Web Server: http://www.htsc.washington.edu
            Plate: 2122 row: N column: 7
            Seq primer: M13 Reverse
            Class: BAC ends
            High quality sequence stop: 569.
FEATURES
     source          1..569
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=2122 Col=7 Row=N"
```

```
ORIGIN

Qy          2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTG 2932
                 ||||||||||||||||||||||||||||||||||||||||||||
Db           266 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTG 309
```

```
RESULT 160
LOCUS       CD723228               581 bp    mRNA    linear   EST 26-JUN-2003
DEFINITION  oj19e04.y1 Human lacrimal gland, unamplified; oj Homo sapiens cDNA
            clone oj19e04 5', mRNA sequence.
ACCESSION   CD723228
VERSION     CD723228.1  GI:32274076
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 581)
  AUTHORS   Ozyildirim,A.M., Wistow,G.J., Gao,J., Wang,J., Dickinson,D.P.,
            Frierson,H.F. Jr and Laurie,G.W.
  TITLE     The lacrimal gland transcriptome is an unusually rich source of
            rare and poorly characterized gene transcripts
  JOURNAL   Invest. Ophthalmol. Vis. Sci. 46 (5), 1572-1580 (2005)
   PUBMED   15851553
COMMENT     Contact: Wistow G
            Section on Molecular Structure and Function
            National Eye Institute
            6/331, NIH, Bethesda, MD 20892-2740, USA
            Tel: 301 402 3452
            Fax: 301 496 0078
            Email: graeme@helix.nih.gov
            Plate: 19 row: e column: 04
            Seq primer: M13RP1 reverse primer (ABI).
FEATURES
     source          1..581
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="oj19e04"
                     /tissue_type="lacrimal gland"
                     /dev_stage="Adult"
                     /lab_host="EMDH10B"
                     /clone_lib="Human lacrimal gland, unamplified; oj"
                     /note="Organ: Eye; Vector: pCMVSport6; RNA was extracted
                     from 2 human lacrimal glands. A directionally cloned cDNA
                     library in the pCMVSPORT6 vector(Life Technologies) was
                     constructed at Bioserve Biotechnology (Laurel MD)
                     essentially following the protocols of the SuperScript
                     plasmid System full details of which are contained in the
                     manufacturer's Instruction manual
                     (http://www.lifetech.com/). First strand synthesis was
                     carried out using a Not I primer-adapter
                     [5'-pGACTAGTTCTAGATCCGAGGCGGCCGCCCC(T)15-3']. EST analysis
                     was performed on the unamplified library at the NIH
                     Intramural Sequencing Center (NISC)."
ORIGIN

Qy          3073 AGATTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACACTC 3116
```

```
ORIGIN

Qy    Query Match             1.4%;  Score 44;  DB 9;  Length 569;
      Best Local Similarity   100.0%;  Pred. No. 1.9e-09;
      Matches    44;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

                     /sex="male"
                     /clone_lib="CIT Approved Human Genomic Sperm Library D"
                     /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                     E-Coli DH10B"
```

```
Qy    Query Match             1.4%;  Score 44;  DB 1;  Length 563;
      Best Local Similarity   100.0%;  Pred. No. 1.9e-09;
      Matches    44;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;
```

```
Qy    Query Match             1.4%;  Score 44;  DB 6;  Length 581;
      Best Local Similarity   100.0%;  Pred. No. 1.9e-09;
      Matches    44;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;
```

RESULT 161

```
Db    138 AGAATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC  95
              ||||||||||||||||||||||||||||||||||||||||||||||
```

LOCUS   CB218356   582 bp   mRNA   linear   EST 06-FEB-2003
DEFINITION   NISC_nb08c01.x1 COGENE 6E MAN Homo sapiens cDNA clone IMAGE:5795329
             3', mRNA sequence.
ACCESSION   CB218356
VERSION   CB218356.1 GI:28266548
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1 (bases 1 to 582)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
             Tumor Gene Index.
  JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
             Email: cgapbs-r@mail.nih.gov
             Tissue distribution: NCI-CGAP clone distribution information can be
             found through the I.M.A.G.E. Consortium/LLNL at:
             Plate: LLAM12898 row: F column: 2
             Seq primer: -21M13 forward primer (ABI).
FEATURES   Location/Qualifiers
     source   1..582
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:5795329"
                     /tissue_type="mandible, pooled"
                     /dev_stage="embryo, 6 weeks postconception"
                     /lab_host="DH10B"
                     /clone_lib="COGENE 6E MAN"
                     /note="Vector: pAMP1; cDNA primed using oligo-dT primer,
                     directionally cloned into UDG sites of pAMP1. Size
                     selected for insert sizes ranging from 0.2-2.0 kb.
                     Normalized to Cot5. Primary library, non-amplified.
                     library constructed by M. Lovett. For more information on
                     this library, please contact R. Tidwell (Washington
                     University) or visit the COGENE website at
                     http://hg.wustl.edu/COGENE/."
ORIGIN

Query Match   1.4%; Score 44; DB 6; Length 582;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGAATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
              |||||||||||||||||||||||||||||||||||||||||||||
Db   93 AGAATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 50
```

RESULT 162

LOCUS        AA206418                  590 bp    mRNA     linear   EST 12-MAR-1998
DEFINITION   zq51a05.s1 Stratagene neuroepithelium (#937231) Homo sapiens cDNA
             clone IMAGE:645104 3' similar to contains Alu repetitive
             element;contains repetitive element MER6 repetitive element ;, mRNA sequence.
ACCESSION    AA206418
VERSION      AA206418.1  GI:1801856
KEYWORDS     EST.
SOURCE       Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE    1  (bases 1 to 590)
  AUTHORS    Hillier,L., Allen,M., Bowles,L., Dubuque,T., Geisel,G., Jost,S.,
             Krizman,D., Kucaba,T., Lacy,M., Le,N., Lennon,G., Marra,M.,
             Martin,J., Moore,B., Schellenberg,K., Steptoe,M., Tan,F.,
             Theising,B., White,Y., Wylie,T., Waterston,R. and Wilson,R.
  TITLE      WashU-NCI human EST Project
  JOURNAL    Unpublished (1997)
COMMENT      Contact: Wilson RK
             Washington University School of Medicine
             4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
             Tel: 314 286 1800
             Fax: 314 286 1810
             Email: est@watson.wustl.edu
             This clone is available royalty-free through LLNL ; contact the
             IMAGE Consortium (info@image.llnl.gov) for further information.
             Insert Length: 1252   Std Error: 0.00
             Seq primer: -40M13 fwd. from Amersham
             High quality sequence stop: 319.
FEATURES             Location/Qualifiers
     source          1..590
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:5215355"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:645104"
                     /dev_stage="Ntera-2/RA neuroepithelial cells"
                     /lab_host="SOLR (kanamycin resistant)"
                     /clone_lib="Stratagene neuroepithelium (#937231)"
                     /note="Vector: pBluescript SK-; Site_1: EcoRI; Site_2:
                     XhoI; Cloned unidirectionally. Primer: Oligo dT, NT2
                     cells (Ntera-2/c1.D1) induced with Retinoic Acid for 24
                     hours. Average insert size: 1.5 kb; Uni-ZAP XR Vector; ~5'
                     adaptor sequence: 5' GAATTCGGCACGAG 3' ~3' adaptor
                     sequence: 5' CTCGAGTTTTTTTTTTTTTTTTTT 3'."
ORIGIN

Query Match             1.4%;  Score 44;  DB 1;  Length 590;
Best Local Similarity   100.0%;  Pred. No. 1.9e-09;
Matches    44;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy       3073 AGAATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
              ||||||||||||||||||||||||||||||||||||||||||||
Db         68 AGAATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 25

RESULT 163

LOCUS        B70450                    602 bp    DNA      linear   GSS 21-JUN-1998
DEFINITION   CIT-HSP-2059C13.TF CIT-HSP Homo sapiens genomic clone 2059C13,
             genomic survey sequence.
ACCESSION    B70450
VERSION      B70450.1  GI:2709674
KEYWORDS     GSS.
SOURCE       Homo sapiens (human)
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE    1  (bases 1 to 602)
  AUTHORS    Adams,M.D., Rounsley,S.D., Field,C.E., Bass,S., Linher,K.,
             Golden,K., Berry,K., Granger,D., Suh,E., Wible,C., Shizuya,H.,
             Simon,M. and Venter,J.C.
  TITLE      Use of a random BAC End Sequence Database for Sequence-Ready Map
             Building
  JOURNAL    Unpublished (1997)
COMMENT      Contact: Mark Adams
             Department of Eukaryotic Genomics
             The Institute for Genomic Research
             9712 Medical Center Dr., Rockville, MD 20850, USA
             Tel: 301 838 0200

```
FEATURES
     source          1..602
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:7059904"
                     /db_xref="taxon:9606"
                     /clone="205C13"
                     /sex="Male"
                     /cell_type="Sperm"
                     /clone_lib="CIT-HSP"
                     /note="Vector: pBeloBAC11; Site_1: HindIII; Site_2:
                     HindIII"
ORIGIN
```

Email: mdadams@tigr.org
Clones are available from Research Genetics (info@resgen.com). BAC
end search page:
http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
Seq primer: M13-21
Class: BAC ends.

```
Qy       3073 AGATTGTGCCACTCGACTCCAGCCTGGGGCAACGAGAGCAAGACTC 3116
              ||||||||||||||||||||||||||||||||||||||||||||||
Db         11 AGATTGTGCCACTCGACTCCAGCCTGGGGCAACGAGAGCAAGACTC 54
```

```
RESULT 164
LOCUS       AL691931              614 bp    mRNA    linear    EST 04-SEP-2003
DEFINITION  DKFZp313B1436_r1 313 (synonym: h1cc2) Homo sapiens cDNA clone
            DKFZp313B1436 5', mRNA sequence.
ACCESSION   AL691931
VERSION     AL691931.1  GI:19617508
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 614)
  AUTHORS   Koehler,K., Beyer,A., Mewes,W., Weil,B. and Wiemann,S.
  TITLE     EST (Koehler,K., Beyer,A., Mewes,H.W., Weil,B. and Wiemann,S.)
  JOURNAL   Unpublished (1999)
COMMENT     Contact: MIPS
            MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert.
            Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
            Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de;
            sequenced by BMFZ (Biomedical Research Center at the Charite,
            Berlin/Germany) within the cDNA sequencing consortium of the German
            Genome Project.
            No s1 sequence available.
            This clone (DKFZp313B1436) is available at the RZPD in Berlin.
            Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
            Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.
FEATURES
     source          1..614
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="DKFZp313B1436"
                     /dev_stage="adult"
                     /lab_host="DH10B"
                     /clone_lib="313 (synonym: h1cc2)"
                     /note="Vector: pTriplEx2; Site_1: SfiIA; Site_2: SfiIB;
                     cDNA-collection"
ORIGIN
```

```
Query Match   1.4%;    Score 44;    DB 9;    Length 602;
Best Local Similarity  100.0%;   Pred. No. 1.9e-09;
Matches 44;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;
```

```
Query Match   1.4%;    Score 44;    DB 1;    Length 614;
Best Local Similarity  100.0%;   Pred. No. 1.9e-09;
Matches 44;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy       3079 TGCCACTGCACTCCAGCCTGGGGCAACGAGAGCAAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||
Db        304 TGCCACTGCACTCCAGCCTGGGGCAACGAGAGCAAGACTCTGTCTC 347
```

```
RESULT 165
LOCUS       CL246302              614 bp    DNA    linear    GSS 22-JAN-2004
DEFINITION  HSC 01025 RPCI-11 Human Male BAC Library Homo sapiens genomic clone
            RP11-441N19, genomic survey sequence.
ACCESSION   CL246302
VERSION     CL246302.1  GI:41102792
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 614)
  AUTHORS   Scherer,S.W.; Rommens,J.M. and Tsui,L.C.
  TITLE     Gene Identification on Human Chromosome 7 (Jan 05/04)
  JOURNAL   Unpublished (2003)
COMMENT     Contact: Scherer, S.W.; Rommens, J.M.; Tsui, L.C.
            The Human Chromosome 7 Project
            Department of Genetics, The Hospital for Sick Children
            555 University Avenue, Toronto, Ontario M5G 1X8, Canada
            Tel: 416 813 7613
            Fax: 416 813 8319
            Email: steve@genet.sickkids.on.ca
            Maps to human chromosome 7q11.23
            Seq primer: T7
            Class: BAC ends
            High quality sequence stop: 614.
FEATURES
     source          1..614
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="RP11-441N19"
                     /sex="male"
                     /clone_lib="RPCI-11 Human Male BAC Library"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     Male blood DNA was isolated from one randomly chosen donor
                     and partially digested with a combination of EcoRI and
                     EcoRI Methylase. Size selected DNA was cloned into the
                     pBACe3.6 vector at EcoRI sites"
ORIGIN
```

```
Query Match   1.4%;    Score 44;    DB 10;    Length 614;
Best Local Similarity  100.0%;   Pred. No. 1.9e-09;
Matches 44;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy       3057 GAGGTTGCAATGAGCAAGAGATTGTGCCACTCGACTCCAGCCTGGG 3100
              ||||||||||||||||||||||||||||||||||||||||||||||
Db        546 GAGGTTGCAATGAGCAAGAGATTGTGCCACTCGACTCCAGCCTGGG 589
```

```
RESULT 166
LOCUS       AL120523              621 bp    mRNA    linear    EST 04-SEP-2003
DEFINITION  DKFZp76lo0048_s1 761 (synonym: hamy2) Homo sapiens cDNA clone
            DKFZp76lo0048 3', mRNA sequence.
ACCESSION   AL120523
VERSION     AL120523.1  GI:5926422
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
```

Hominidae; Homo.
REFERENCE   1 (bases 1 to 621)
AUTHORS   Koehrer,K., Beyer,A., Mewes,H.W., Gassenhuber,J. and Wiemann,S.
TITLE   EST (Koehrer, et al.)
JOURNAL   Unpublished (1999)
COMMENT   Contact: MIPS
           MIPS
           Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
           This is the 3' sequence of the clone insert.
           Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
           Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de;
           sequenced by BMFZ (Biomedical Research Center at the Charite,
           Berlin/Germany) within the cDNA sequencing consortium of the German
           Genome Project.
           rl sequence also available.
           This clone (DKFZp7610048) is available at the RZPD in Berlin.
           Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
           Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.

FEATURES   Location/Qualifiers
     source   1..621
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="DKFZp7610048"
                     /tissue_type="amygdala"
                     /dev_stage="adult"
                     /lab_host="DH10B"
                     /clone_lib="761 (synonym: hamy2)"
                     /note="Vector: pSport1; Site_1: NotI; Site_2: SalI"
ORIGIN

Query Match   1.4%; Score 44; DB 1; Length 621;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCCACTCCAGCCTGGGCAACAGAGAGCAAGAC 3114
          |||||||||||||||||||||||||||||||||||||||||||||||
Db   151 CAAGATTGTGCCACTGCCACTCCAGCCTGGGCAACAGAGAGCAAGAC 108

RESULT 167
CN267712
LOCUS   CN267712   627 bp   mRNA   linear   EST 16-MAY-2004
DEFINITION 1700053162977_GRN_EB Homo sapiens cDNA 5', mRNA sequence.
ACCESSION   CN267712
VERSION   CN267712.1 GI:47284126
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 627)
AUTHORS   Brandenberger,R., Wei,H., Zhang,S., Lei,S., Murage,J., Fisk,G.J.,
           Li,Y., Xu,C., Fang,R., Guegler,K., Rao,M.S., Mandalam,R.,
           Lebkowski,J and Stanton,L.W.
TITLE   Transcriptome characterization elucidates signaling networks that
           control human ES cell growth and differentiation
JOURNAL   Nat. Biotechnol. 22 (6), 707-716 (2004)
PUBMED   15146197
COMMENT   Contact: Brandenberger R
           Regenerative Medicine
           Geron Corporation
           230 Constitution Drive, Menlo Park, CA 94025, USA
           Tel: 650 473 8658
           Fax: 650 473 7760
           Email: rbrandenberger@geron.com
           Insert Length: 627   Std Error: 0.00.

FEATURES   Location/Qualifiers
     source   1..627
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"

ORIGIN
                     /tissue_type="embryonic stem cells, embryoid bodies
                     derived from H1, H7 and H9 cells"
                     /clone_lib="GRN_EB"
                     /note="oligo dT primed, full-length enriched cDNA library
                     from embryoid body outgrowths derived from hES cell lines
                     H1 (p32), H7 (p29), and H9 (p26) maintained in feeder-free
                     conditions."

Query Match   1.4%; Score 44; DB 7; Length 627;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
          |||||||||||||||||||||||||||||||||||||||||||||||
Db   583 AGATTGTGCCACTGCCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 626

RESULT 168
AQ542374/c
LOCUS   AQ542374   633 bp   DNA   linear   GSS 19-MAY-1999
DEFINITION RPCI-11-346I12.TJ RPCI-11 Homo sapiens genomic clone
            RPCI-11-346I12, genomic survey sequence.
ACCESSION   AQ542374
VERSION   AQ542374.1 GI:4872830
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 633)
AUTHORS   Zhao,S., Adams,M.D., Nierman,W., Malek,J., de Jong,P. and
           Venter,J.C.
TITLE   Use of BAC End Sequences from library RPCI-11 for Sequence-Ready
           Map Building
JOURNAL   Unpublished (1997)
COMMENT   Other GSSs: RPCI-11-346I12.TV
           Contact: Shaying Zhao, William Nierman, Mark Adams
           Department of Eukaryotic Genomics
           The Institute for Genomic Research
           9712 Medical Center Dr., Rockville, MD 20850
           Tel: 301 838 0200
           Fax: 301 838 0208
           Email: hbe@tigr.org
           Clones are derived from the human BAC library RPCI-11. For BAC
           library availability, please contact Pieter de Jong
           (pieter@dejong.med.buffalo.edu). Clones may be purchased from
           BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
           Research Genet cs (info@resgen.com). BAC end search page:
           http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
           Seq primer: SP6
           Class: BAC ends.

FEATURES   Location/Qualifiers
     source   1..633
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:7632683"
                     /db_xref="taxon:9606"
                     /clones="RPCI-11-346I12"
                     /sex="Male"
                     /cell_type="lymphocytes"
                     /clone_lib="RPCI-11"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     RPCI11 Human Male BAC Library"
ORIGIN

Query Match   1.4%; Score 44; DB 9; Length 633;
Best Local Similarity   100.0%; Pred. No. 1.9e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCT 3121
          |||||||||||||||||||||||||||||||||||||||||||||||

RESULT 169

Db　　　　507　GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCT　464

BX482192

LOCUS　　　　　BX482192　　　　　637 bp　　　mRNA　　　linear　　EST 04-SEP-2003
DEFINITION　DKFZp686H14229_r1 686 (synonym: hlcc3) Homo sapiens cDNA clone
　　　　　　　　DKFZp686H14229_5', mRNA sequence.
ACCESSION　　BX482192
VERSION　　　　BX482192.1　GI:31941851
KEYWORDS　　　EST.
SOURCE　　　　Homo sapiens (human)
　ORGANISM　　Homo sapiens
　　　　　　　　Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
　　　　　　　　Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
　　　　　　　　Hominidae; Homo.
REFERENCE　　1　(bases 1 to 637)
　AUTHORS　　Bloecker,H., Boecker,M., Mewes,H.W., Weil,B., Amid,C., Osanger,A.,
　　　　　　　　Fobo,G., Han,M. and Wiemann,S.
　TITLE　　　　EST (Bloecker,H., Boecker,M., Mewes,H.W., Weil,B., Amid,C., et al.)
　JOURNAL　　Unpublished (2003)
COMMENT　　　Contact: MIPS
　　　　　　　　MIPS
　　　　　　　　Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
　　　　　　　　This is the 5' sequence of the clone insert.
　　　　　　　　Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
　　　　　　　　Research Center (DKFZ), Email s.wiemann@dkfz-heidelberg.de;
　　　　　　　　sequenced by GBF (National Research Centre for Biotechnology Ltd.,
　　　　　　　　Braunschweig/Germany) within the cDNA sequencing consortium of the
　　　　　　　　German Genome Project.
　　　　　　　　No s1 sequence available.
　　　　　　　　This clone (DKFZp686H14229) is available at the RZPD in Berlin.
　　　　　　　　Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
　　　　　　　　Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.
FEATURES　　　　　　　　　Location/Qualifiers
　　source　　　　　　1..637
　　　　　　　　　　　/organism="Homo sapiens"
　　　　　　　　　　　/mol_type="mRNA"
　　　　　　　　　　　/db_xref="taxon:9606"
　　　　　　　　　　　/clone="DKFZp686H14229"
　　　　　　　　　　　/dev_stage="adult"
　　　　　　　　　　　/lab_host="DH10B"
　　　　　　　　　　　/clone_lib="686"
　　　　　　　　　　　/note="Vector: pTriplEx2; Site_1: SfiIA; Site_2: SfiIB;
　　　　　　　　　　　cDNA-collection"
ORIGIN

Qy　　　　3079　TGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC　3122
　　　　　　　　　||||||||||||||||||||||||||||||||||||||||||||||
Db　　　　389　TGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC　432

Query Match　　　1.4%;　Score 44;　DB 5;　Length 637;
Best Local Similarity　　100.0%;　Pred. No. 1.9e-09;
Matches　　44;　Conservative　　0;　Mismatches　　0;　Indels　　0;　Gaps　　0;

RESULT 170

AQ697816/c

LOCUS　　　　AQ697816　　　　638 bp　　　DNA　　　linear　　GSS 06-JUL-1999
DEFINITION　HS_5536_B1_B10_T7A RPCI-11 Human Male BAC Library Homo sapiens
　　　　　　　　genomic_clone Plate=1112 Col=19 Row=D, genomic survey sequence.
ACCESSION　　AQ697816
VERSION　　　　AQ697816.1　GI:5388064
KEYWORDS　　　GSS.
SOURCE　　　　Homo sapiens (human)
　ORGANISM　　Homo sapiens
　　　　　　　　Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
　　　　　　　　Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
　　　　　　　　Hominidae; Homo.
REFERENCE　　1　(bases 1 to 638)
　AUTHORS　　Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
　　　　　　　　Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
　　　　　　　　Hood,L.
　TITLE　　　　Sequence-tagged connectors: A sequence approach to mapping and
　　　　　　　　scanning the human genome
　JOURNAL　　Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
　　PUBMED　　10449764
COMMENT　　　Contact: Mahairas GG, Wallace JC, Hood L
　　　　　　　　High Throughput Sequencing Center
　　　　　　　　University of Washington
　　　　　　　　401 Queen Anne Avenue North, Seattle, WA 98109, USA
　　　　　　　　Tel: (206) 616-3618
　　　　　　　　Fax: (206) 616-3887
　　　　　　　　Email: jwallace@u.washington.edu
　　　　　　　　Clones are derived from the human BAC library RPCI-11. For BAC
　　　　　　　　library availability, please contact Pieter de Jong
　　　　　　　　(pieter@dejong.med.buffalo.edu). Clones may be purchased from
　　　　　　　　BACPAC Resources (http://bacpac.med.buffalo.edu/ordering_bac.htm)
　　　　　　　　or from Resear h Genetics (info@resgen.com). BAC end Web Server:
　　　　　　　　http://www.htsc.washington.edu
　　　　　　　　Plate: 1112 row: D column: 19
　　　　　　　　Seq primer: T7
　　　　　　　　Class: BAC ends
　　　　　　　　High quality sequence stop: 638.
FEATURES　　　　　　　　　Location/Qualifiers
　　source　　　　　　1..638
　　　　　　　　　　　/organism="Homo sapiens"
　　　　　　　　　　　/mol_type="genomic DNA"
　　　　　　　　　　　/db_xref="taxon:9606"
　　　　　　　　　　　/clone="Plate=1112 Col=19 Row=D"
　　　　　　　　　　　/sex="male"
　　　　　　　　　　　/clone_lib="RPCI-11 Human Male BAC Library"
　　　　　　　　　　　/note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
　　　　　　　　　　　Male blood DNA was isolated from one randomly chosen donor
　　　　　　　　　　　and partially digested with a combination of EcoRI and
　　　　　　　　　　　EcoRI Methylase. Size selected DNA was cloned into the
　　　　　　　　　　　pBACe3.6 vector at EcoRI sites"
ORIGIN

Qy　　　　3079　TGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC　3122
　　　　　　　　　||||||||||||||||||||||||||||||||||||||||||||||
Db　　　　353　TGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC　310

Query Match　　　1.4%;　Score 44;　DB 9;　Length 638;
Best Local Similarity　　100.0%;　Pred. No. 1.9e-09;
Matches　　44;　Conservative　　0;　Mismatches　　0;　Indels　　0;　Gaps　　0;

RESULT 171

AV733586

LOCUS　　　　AV733586　　　　641 bp　　　mRNA　　　linear　　EST 17-OCT-2000
DEFINITION　AV733586 cdA Homo sapiens cDNA clone cdAACG10 5', mRNA sequence.
ACCESSION　　AV733586
VERSION　　　　AV733586.1　GI:10851131
KEYWORDS　　　EST.
SOURCE　　　　Homo sapiens (human)
　ORGANISM　　Homo sapiens
　　　　　　　　Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
　　　　　　　　Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
　　　　　　　　Hominidae; Homo.
REFERENCE　　1　(bases 1 to 641)
　AUTHORS　　Yang,Y., Song,H., Peng,Y., Gu,Y., Gao,G., Xiao,H., Xu,X., Li,N.,
　　　　　　　　Qian,B., Liu,F., Qu,J., Gao,X., Cheng,Z., Xu,Z., Zeng,L., Xu,S.,
　　　　　　　　Gu,W., Tu,Y., Jia,J., Fu,G., Ren,S., Zhong,M., Lu,G., Hu,R.,
　　　　　　　　Chen,J., Chen,Z. and Han,Z.
　TITLE　　　　Homo sapiens cDNA cdA clones
　JOURNAL　　Unpublished (2000)
COMMENT　　　Contact: Zeguang Han
　　　　　　　　Chinese National Human Genome Center at Shanghai
　　　　　　　　351 Guo Shoujing Road, Zhangjiang Hi-Tech Park, Pudong, Shanghai
　　　　　　　　201203, P. R. China
　　　　　　　　Tel: 86-21-50801919(ex.45)
　　　　　　　　Fax: 86-21-50801922
　　　　　　　　Email: hanzg@chgc.sh.cn
　　　　　　　　This clone is available at CHGC in Shanghai.
FEATURES　　　　　　　　　Location/Qualifiers

```
ORIGIN
          1 .641
source             /organism="Homo sapiens"
                   /mol_type="mRNA"
                   /db_xref="taxon:9606"
                   /clone="cdAACG10"
                   /tissue_type="pheochromocytoma"
                   /dev_stage="Adult"
                   /lab_host="BM25.8"
                   /clone_lib="cdA"
                   /note="Vector: pTriplEx2; Site_1: sfiIA; Site_2: sfiIB"

RESULT 172
LOCUS           AG025905/c
DEFINITION
Query Match        1.4%;   Score 44;   DB 1;   Length 641;
Best Local Similarity 100.0%;   Pred. No. 1.9e-09;
Matches 44;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy  3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
         ||||||||||||||||||||||||||||||||||||||||||||
Db   406 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 449

LOCUS           AG025905           649 bp     DNA      linear   GSS 16-FEB-2005
DEFINITION      Homo sapiens genomic DNA, 21q region, clone: B335N5 A043(Fw),
                genomic survey sequence.
ACCESSION       AG025905
VERSION         AG025905.1   GI:6594369
KEYWORDS        GSS.
SOURCE          Homo sapiens (human)
ORGANISM        Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                Hominidae; Homo.
REFERENCE       1  (bases 1 to 649)
AUTHORS         Hattori,M., Fujiyama,A., Ishii,K., Toyoda,A., Taylor,T.,
                Park,H.-S., Yada,T., Watanabe,H. and Sakaki,Y.
TITLE           Homo sapiens genomic DNA, chromosome 21q
JOURNAL         Published Only in Database (1999)
REFERENCE       2  (bases 1 to 649)
AUTHORS         Hattori,M., Fujiyama,A., Ishii,K., Toyoda,A., Taylor,T.,
                Park,H.-S., Yada,T., Watanabe,H. and Sakaki,Y.
TITLE           Direct Submission
JOURNAL         Submitted (17-DEC-1999) Masahira Hattori, RIKEN Genomic Sciences
                Center, RIKEN Yokohama Institute, Yokohama Research Promotion
                Division; 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa,
                230-0045, Japan (E-mail:hattori@gsc.riken.jp, Tel:81-45-503-9111,
                Fax:81-45-503-9113)
FEATURES        Location/Qualifiers
source          1..649
                /organism="Homo sapiens"
                /mol_type="genomic DNA"
                /db_xref="taxon:9606"
                /chromosome="21"
                /map="21q"
                /clone="B335N5 A043(Fw)"

RESULT 173
LOCUS           AG080818
DEFINITION
Query Match        1.4%;   Score 44;   DB 10;   Length 649;
Best Local Similarity 100.0%;   Pred. No. 1.9e-09;
Matches 44;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy  2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTG 2932
         ||||||||||||||||||||||||||||||||||||||||||||
Db   389 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTG 346

LOCUS           AG080818           650 bp     DNA      linear   GSS 03-NOV-2001
DEFINITION      Pan troglodytes DNA, clone: PTB-077B13.R, genomic survey sequence.
ACCESSION       AG080818
VERSION         AG080818.1   GI:16632620
```

```
KEYWORDS        GSS.
SOURCE          Pan troglodytes (chimpanzee)
ORGANISM        Pan troglodytes
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                Hominidae; Pan.
REFERENCE       1  (bases 1 to 650)
AUTHORS         Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
                Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE           Direct Submission
JOURNAL         Submitted (02-AUG-2001) Asao Fujiyama, The Institute of Physical
                and Chemical Research (RIKEN), Genomic Sciences Center (GSC);
                1-7-22 Suehiro-chou, Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
                (E-mail:chimpbes@gsc.riken.go.jp, URL:http://hgp.gsc.riken.go.jp/,
                Tel:81-45-503-9111, Fax:81-45-503-9170)
                BAC end sequences of Library PTB
                Unpublished
REFERENCE       2  (bases 1 to 650)
AUTHORS         Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
                Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE           BAC end sequences of Library PTB
JOURNAL         Unpublished
COMMENT         Clones are derived from the chimpanzee BAC library PTB This BAC end
                clone was generated during the R&D process and may have higher chance of
                clone tracking errors.
PRIMERS         Sequencing: M13Rev
LIBRARY         Vector       : pKS145
                R.Site 1     : SacI
                R.Site 2     : SacI
FEATURES        Location/Qualifiers
source          1.. 650
                /organism="Pan troglodytes"
                /mol_type="genomic DNA"
                /db_xref="taxon:9598"
                /clone="PTB-077B13.R"
                /sex="male"
                /cell_type="lymphoblast"
                /clone_lib="PTB Chimpanzee Male BAC Library"

RESULT 174
LOCUS           AV722027
DEFINITION
Query Match        1.4%;   Score 44;   DB 10;   Length 650;
Best Local Similarity 100.0%;   Pred. No. 1.9e-09;
Matches 44;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy  3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
         ||||||||||||||||||||||||||||||||||||||||||||
Db   221 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 264

LOCUS           AV722027           652 bp     mRNA     linear   EST 16-OCT-2000
DEFINITION      HTB Homo sapiens cDNA clone HTBB2D11 5', mRNA sequence.
ACCESSION       AV722027
VERSION         AV722027.1   GI:10824105
KEYWORDS        EST.
SOURCE          Homo sapiens (human)
ORGANISM        Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
                Hominidae; Homo.
REFERENCE       1  (bases 1 to 652)
AUTHORS         Gu,Y., Peng,Y., Song,H., Huang,Q., Yang,Y., Gao,G., Xiao,H., Xu,X.,
                Li,N., Qian,B., Liu,F., Qu,J., Gao,X., Cheng,Z., Xu,Z., Zeng,I.,
                Xu,S., Gu,W., Tu,Y., Jia,J., Fu,G., Ren,S., Zhong,M., Lu,G., Hu,R.,
                Chen,J., Chen,Z. and Han,Z.
TITLE           Homo sapiens cDNA HTB clones
JOURNAL         Unpublished (2000)
COMMENT         Contact: Zeguang Han
                Chinese National Human Genome Center at Shanghai
                351 Guo Shoujing Road, Zhangjiang Hi-Tech Park, Pudong, Shanghai
                201203, P. R. China
                Tel: 86-21-50801919(ex.45)
```

```
·        Fax: 86-21-50801922
         Email: hanzg@chgc.sh.cn
         This clone is available at CHGC in Shanghai.

FEATURES             Location/Qualifiers
    source           1..652
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="HTBB2D11"
                     /tissue_type="Hypothalamus"
                     /dev_stage="Adult"
                     /lab_host="SOLR"
                     /clone_lib="HTB"
                     /note="Vector: pBluescript sk(-); Site_1: EcoRI; Site_2:
                     XhoI"
ORIGIN

Query Match     1.4%;    Score 44;   DB 1;  Length 652;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches 44;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||
Db     25 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 68

RESULT 175
LOCUS       AG106557                  654 bp    DNA     linear   GSS 03-NOV-2001
DEFINITION  Pan troglodytes DNA, clone: PTB-111B19.F, genomic survey sequence.
ACCESSION   AG106557
VERSION     AG106557.1  GI:16727075
GSS.
KEYWORDS    GSS.
SOURCE      Pan troglodytes (chimpanzee)
ORGANISM    Pan troglodytes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pan.
REFERENCE   1  (bases 1 to 654)
AUTHORS     Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
            Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE       BAC end sequences of library PTB
JOURNAL     Unpublished
REFERENCE   2  (bases 1 to 654)
AUTHORS     Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
            Totoki,Y., Watanabe,H. and Sakaki,Y.
TITLE       Direct Submission
JOURNAL     Submitted (02-AUG-2001) Asao Fujiyama, The Institute of Physical
            and Chemical Research (RIKEN), Genomic Sciences Center (GSC);
            1-7-22 Suehiro-chou,Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
            (E-mail:chimpbes@gsc.riken.go.jp, URL:http://hgp.gsc.riken.go.jp/,
            Tel:81-45-503-9111, Fax:81-45-503-9170)
COMMENT     Clones are derived from the chimpanzee BAC library PTB This BAC end
            was generated during the R&D process and may have higher chance of
            clone tracking errors.
PRIMERS
            Sequencing: -21M13
LIBRARY
            Vector      : pKS145
            R.Site 1    : SacI
            R.Site 2    : SacI
FEATURES             Location/Qualifiers
    source           1..654
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone="PTB-111B19.F"
                     /sex="male"
                     /cell_type="lymphoblast"
                     /clone_lib="PTB Chimpanzee Male BAC Library"
ORIGIN

Query Match     1.4%;    Score 44;   DB 10;  Length 654;
```

```
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches 44;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
          ||||||||||||||||||||||||||||||||||||||||||||
Db    370 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 327

RESULT 176
LOCUS       AW959999                  655 bp    mRNA    linear   EST 01-JUN-2000
DEFINITION  EST372070 MAGE resequences, MAGE Homo sapiens cDNA, mRNA sequence.
ACCESSION   AW959999
VERSION     AW959999.1  GI:8149683
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 655)
AUTHORS     Hegde,P., Qi,R., Abernathy,K., Dharap,S., Gaspard,R., Gay,C.,
            Holt,I.B., Saeed,A.I., Sharov,V., Lee,N.H., Yeatman,T.J. and
            Quackenbush,J.
TITLE       Assessment of gene expression patterns in a model of colon tumor
            metastasis using a 19,200 element cDNA microarray
JOURNAL     Unpublished (2000)
COMMENT     Contact: John Quackenbush
            The Institute for Genomic Research
            9712 Medical Center Dr., Rockville, MD 20850, USA
            Tel: 301 838 3528
            Fax: 301 838 0208
            Email: johnq@tigr.org
            Seq primer: Reverse.
            Plate: 140
FEATURES             Location/Qualifiers
    source           1..655
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone_lib="MAGE resequences, MAGF"
                     /note="Vector: pBluescriptSKn"
ORIGIN

Query Match     1.4%;    Score 44;   DB 1;  Length 655;
Best Local Similarity   100.0%;   Pred. No. 1.9e-09;
Matches 44;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||
Db    187 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 230

RESULT 177
LOCUS       AQ740363                  694 bp    DNA     linear   GSS 16-JUL-1999
DEFINITION  HS_5501_A1_G11_SP6 RPCI-11 Human Male BAC Library Homo sapiens
            genomic clone Plate=1077 Col=21 Row=M, genomic survey sequence.
ACCESSION   AQ740363
VERSION     AQ740363.1  GI:5517885
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 694)
AUTHORS     Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
TITLE       Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
JOURNAL     Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
```

PUBMED   10449764
COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
          High Throughput Sequencing Center
          University of Washington
          401 Queen Anne Avenue North, Seattle, WA 98109, USA
          Tel: (206) 616-3618
          Fax: (206) 616-3887
          Email: jwallace@u.washington.edu
          Clones are derived from the human BAC library RPCI-11. For BAC
          library availability, please contact Pieter de Jong
          (pieter@dejong.med.buffalo.edu). Clones may be purchased from
          BACPAC Resources (http://bacpac.med.buffalo.edu/ordering_bac.htm)
          or from Resear h Genetics (http://bacpac.med.buffalo.edu/ordering_bac.htm)
          or from Resear h Genetics (info@resgen.com). BAC end Web Server:
          http://www.htgc.washington.edu
          Plate: 1077 row: M column: 21
          Seq primer: SP6
          Class: BAC ends
          High quality sequence stop: 694.
FEATURES
   source   1 .694
             /organism="Homo sapiens"
             /mol_type="genomic DNA"
             /db_xref="taxon:9606"
             /clone="Plate=1077 Col=21 Row=M"
             /sex="male"
             /clone_lib="RPCI-11 Human Male BAC Library"
             /note="Vector: pBACe3.6; Site 1: EcoRI; Site 2: EcoRI;
             Male blood DNA was isolated from one randomly chosen donor
             and partially digested with a combination of EcoRI and
             EcoRI Methylase. Size selected DNA was cloned into the
             pBACe3.6 vector at EcoRI sites"

ORIGIN

Query Match   1.4%;   Score 44; DB 9; Length 694;
Best Local Similarity   100.0%;   Pred. No. 1.8e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGGCAACAAGACGAAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||
Db   156 TGCCACTGCACTCCAGCCTGGGCAACAAGACAGAGCAAGAGACTCTGTCTC 199

RESULT 178
LOCUS   BU616112   696 bp   mRNA   linear   EST 23-SEP-2002
DEFINITION   UI-H-DF0-bex-m-18-0-UI.s1 NCI_CGAP_DF0 Homo sapiens cDNA clone
             UI-H-DF0-bex-m-18-0-UI 3', mRNA sequence.
ACCESSION   BU616112
VERSION   BU616112.1   GI:23282320
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
   ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1   (bases 1 to 696)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
         Tumor Gene Index
JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: Dr. Jose Mercuende
           cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
           cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
           DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
           Clone Distribution: Clone distribution information can be obtained
           from Dr. M. Bento Soares, bento-soares@uiowa.edu
           The following repetitive elements were found in this cDNA
           sequence: 11-299, >ALU
           Seq primer: M13 FORWARD
           POLYA=Yes.
FEATURES
                Location/Qualifiers

---

source   1 .696
          /organism="Homo sapiens"
          /mol_type="mRNA"
          /db_xref="taxon:9606"
          /clone="UI-H-DF0-bex-m-18-0-UI"
          /tissue_type="Subchondral Bone"
          /dev_stage="Adult"
          /lab_host="DH10B (Life Technologies)"
          /clone_lib="NCI_CGAP_DF0"
          /note="Organ: Bone; Vector: pT7T3-Pac (Pharmacia) with a
          modified polylinker; Site_1: EcoR I; Site_2: Not I;
          NCI_CGAP_DF0 is a cDNA library containing the following
          tissue(s): Subchondral Bone. The library was constructed
          according to Bonaldo, Lennon and Soares, Genome Research,
          6:791-806, 1996. First strand cDNA synthesis was primed
          with an oligo-dT primer containing a Not I site. Double
          stranded cDNA was ligated to an EcoR I adaptor, digested
          with Not I, and cloned directionally into pT7T3-Pac
          vector. The oligonucleotide used to prime the synthesis of
          first-strand cDNA contains a library tag sequence that is
          located between the Not I site and the (dt)18 tail. The
          sequence tag for this library is GTTAAGCGTC.
          TAG_TISSUE=subchondral bone
          TAG_LIB=UI-H-DF0
          TAG_SEQ=GTTAAGCGTC"

ORIGIN

Query Match   1.4%;   Score 44; DB 5; Length 696;
Best Local Similarity   100.0%;   Pred. No. 1.8e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACAAGACGAAGCAAGAGACTC 3116
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db   68 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGACAGAGCAAGAGACTC 25

RESULT 179
LOCUS   AQ262202   706 bp   DNA   linear   GSS 24-OCT-1998
DEFINITION   AQ262202 CITBI-E1-2509J18.TF CITBI-E1 Homo sapiens genomic clone 2509J18,
             genomic survey sequence.
ACCESSION   AQ262202
VERSION   AQ262202.1   GI:3788682
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
   ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
             Hominidae; Homo.
REFERENCE   1   (bases 1 to 706)
AUTHORS   Adams,M.D., Rounsley,S.D., Zhao,S., Bass,S., Linher,K., Golden,K.,
           Berry,K., Granger,D., Suh,E., Wible,C., Shizuya,H., Simon,M. and
           Venter,J.C.
TITLE   Use of a random human BAC End Sequence Database for Sequence-Ready
         Map Building
JOURNAL   Unpublished (1998)
COMMENT   Other GSSs: CITBI-E1-2509J18.TR
           Contact: Mark Adams
           Department of Eukaryotic Genomics
           The Institute for Genomic Research
           9712 Medical Center Dr., Rockville, MD 20850, USA
           Tel: 301 838 0200
           Fax: 301 838 0208
           Email: mdadams@tigr.org
           Clones are available from Research Genetics (info@resgen.com). BAC
           end search page:
           http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html.
           Seq primer: M13-21
           Class: BAC ends.
FEATURES
   source   1 .706
             Location/Qualifiers
             /organism="Homo sapiens"
             /mol_type="genomic DNA"

ORIGIN

        /db_xref="taxon:9606"
        /clone="2509J18"
        /sex="male"
        /cell_type="sperm"
        /clone_lib="CITB1-E1"
        /note="Vector: pBeloBAC11; Site_1: EcoRI; Site_2: EcoRI;
        CalTech Human BAC Library D"

Qy   3073 AGAATTGTGCCACTGCACTCCAGCCTCGGGCCAACAGAGCAAGACTC 3116
             |||||||||||||||||||||||||||||||||||||||||||||||
Db   538 AGAATTGTGCCACTGCACTCCAGCCTCGGGCCAACAGAGCAAGACTC 581

RESULT 180
LOCUS   BX504396   715 bp   mRNA   linear   EST 04-SEP-2003
DEFINITION BX504396 DKFZp686022133_r1 686 (synonym: hlcc3) Homo sapiens cDNA clone
            DKFZp686022133 5', mRNA sequence.
ACCESSION   BX504396
VERSION   BX504396.1 GI:32031347
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 715)
  AUTHORS   Poustka,A., Albert,R., Moosmayer,P., Schupp,I., Wellenreuther,R.,
            Mewes,H.W., Weil,B., Amid,C., Osanger,A., Fobo,G., Han,M. and
            Wiemann,S.
  TITLE   EST (Poustka,A., Albert,R., Moosmayer,P., Schupp,I.,
            Wellenreuther,R., et al.)
  JOURNAL   Unpublished (2003)
COMMENT   Contact: MIPS
            MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert.
            Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
            Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de;
            sequenced by DKFZ (German Cancer Research Center,
            Heidelberg/Germany) within the cDNA sequencing consortium of the
            German Genome Project.
            No s1 sequence available.
            This clone (DKFZp686022133) is available at the RZPD in Berlin.
            Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
            Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.
FEATURES   Location/Qualifiers
     source   1..715
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="DKFZp686022133"
                     /dev_stage="adult"
                     /lab_host="DH10B"
                     /clone_lib="686 (synonym: hlcc3)"
                     /note="Vector: pTriplEx2; Site_1: SfiIA; Site_2: SfiIB;
                     cDNA-collection"

ORIGIN

Query Match   1.4%; Score 44; DB 5; Length 715;
Best Local Similarity 100.0%; Pred. No. 1.8e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3072 AAGAATTGTGCCACTGCACTCCAGCCTCGGGCCAACAGAGCAAGACT 3115
             |||||||||||||||||||||||||||||||||||||||||||||||
Db   255 AAGAATTGTGCCACTGCACTCCAGCCTCGGGCCAACAGAGCAAGACT 298

RESULT 181
LOCUS   BX098422   716 bp   mRNA   linear   EST 04-FEB-2003
            BX098422/c
DEFINITION BX098422 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone
            IMAGp998J0883 ; IMAGE:109927, mRNA sequence.
ACCESSION   BX098422
VERSION   BX098422.1 GI:27829399
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 716)
  AUTHORS   Ebert,L., Heil,O., Hennig,S., Neubert,P., Partsch,E., Peters,M.,
            Radelof,U., Schneider,D. and Korn,B.
  TITLE   Human UnigeneSet - R2PD3
  JOURNAL   Unpublished (2003)
COMMENT   Contact: Ina Rolfs
            RZPD Deutsches Ressourcenzentrum fuer Genomforschung GmbH
            Im Neuenheimer Feld 580, D-69120 Heidelberg, Germany
            RZPDj IMAGp998J0883.
            RZPDLIB; I.M.A.G.E. cDNA Clone Collection;
            Human UnigeneSet - R2PD3 (RZPDLIB No.972)
            http://www.rzpd.de/Clonecards/cgi-
            bin/showlib.pl/response?libNo=972 Contact: Ina Rolfs
            RZPD Deutsches Ressourcenzentrum fuer Genomforschung GmbH
            Heubnerweg 6, D-14059 Berlin, Germany
            Tel: +49 30 32639 101
            Fax: +49 30 32639 111
            www.rzpd.de
            This clone is available royalty-free from R2PD;
            contact RZPD (clone@rzpd.de) for further information. Seq primer:
            M13r, Primer sequence: TTTCACAGGAAACAGCTATGAC.
FEATURES   Location/Qualifiers
     source   1..716
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGp998J0883 ; IMAGE:109927"
                     /sex="male"
                     /dev_stage="20 week-post conception fetus"
                     /lab_host="DH10B (ampicillin resistant)"
                     /clone_lib="Soares fetal liver spleen 1NFLS"
                     /note="Organ: Liver and Spleen; Vector: pT7T3D (Pharmacia)
                     with a modified polylinker; Site_1: Pac I; Site_2: Eco RI;
                     1st strand cDNA was primed with a Pac I - oligo(dT) primer
                     [5' AACTGGAAGAATTAATTAAAGATCTTTTTTTTTTTTTTTTT 3'],
                     double-stranded cDNA was ligated to Eco RI adaptors
                     (Pharmacia), digested with Pac I and cloned into the Pac I
                     and Eco RI sites of the modified pT7T3 vector. Library
                     went through one round of normalization. Library
                     constructed by Bento Soares and M.Fatima Bonaldo."

ORIGIN

Query Match   1.4%; Score 44; DB 5; Length 716;
Best Local Similarity 100.0%; Pred. No. 1.8e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTCGGGCCAACAGAGCAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||
Db   140 TGCCACTGCACTCCAGCCTCGGGCCAACAGAGCAAGACTCTGTCTC 97

RESULT 182
LOCUS   AGI75100   745 bp   DNA   linear   GSS 09-JAN-2002
            AGI75100/c
DEFINITION Pan troglodytes DNA, clone: RP43-045024.TJ, genomic survey
            sequence.
ACCESSION   AGI75100
VERSION   AGI75100.1 GI:16704780
KEYWORDS   GSS.
SOURCE   Pan troglodytes (chimpanzee)

ORGANISM Pan troglodytes
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
          Hominidae; Pan.
REFERENCE 1
  AUTHORS Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
          Totoki,Y., Watanabe,H. and Sakaki,Y.
  TITLE   BAC end sequences of Library RPCI-43
  JOURNAL Unpublished
REFERENCE 2 (bases 1 to 745)
  AUTHORS Fujiyama,A., Hattori,M., Toyoda,A., Taylor,T.D., Yada,T.,
          Totoki,Y., Watanabe,H. and Sakaki,Y.
  TITLE   Direct Submission
  JOURNAL Submitted (02-AUG-2001) Asao Fujiyama, The Institute of Physical
          and Chemical Research (RIKEN), Genomic Sciences Center (GSC);
          1-7-22 Suehiro-chou,Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
          (E-mail:chimpbes@gsc.riken.go.jp, URL:http://hgp.gsc.riken.go.jp/,
          Tel:81-45-503-9111, Fax:81-45-503-9170)
COMMENT   Clones are derived from the chimpanzee BAC library RPCI-43 This BAC
          end was generated during the R&D process and may have higher chance
          of clone tracking errors.
          PRIMERS
          Sequencing: TJ

FEATURES   Location/Qualifiers
     source   1..745
                     /organism="Pan troglodytes"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9598"
                     /clone="RP43-045024.TJ"
                     /sex="male"
                     /cell_type="lymphocytes"
                     /clone_lib="RPCI-43 Chimpanzee Male BAC Library"

          LIBRARY
          Vector   : pBACe3.6
          R.Site 1 : EcoRI
          R.Site 2 : EcoRI.

ORIGIN

Query Match   1.4%; Score 44; DB 10; Length 745;
Best Local Similarity   100.0%; Pred. No. 1.8e-09;
Matches 44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTGTCT 3121
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db   478 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTGTCT 435

RESULT 183
CB308313
LOCUS   CB308313   781 bp   mRNA   linear   EST 04-MAR-2003
DEFINITION AGENCOURT_11818308 NICHD_Rh_Ovl Macaca mulatta cDNA clone
            IMAGE:6882307 5', mRNA sequence.
ACCESSION   CB308313
VERSION   CB308313.1 GI:28831023
KEYWORDS   EST.
SOURCE   Macaca mulatta (rhesus monkey)
  ORGANISM Macaca mulatta
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Cercopithecidae; Cercopithecinae; Macaca.
REFERENCE   1 (bases 1 to 781)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Dr Eliot Spindel
            cDNA Library Preparation: CLONTECH
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Agencourt Bioscience Corporation
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:

http://image.llnl.gov
Plate: LLCM3128 row: 1 column: 18
High quality sequence stop: 544.

FEATURES   Location/Qualifiers
     source   1..781
                     /organism="Macaca mulatta"
                     /mol_type="mRNA"
                     /db_xref="taxon:9544"
                     /clone="IMAGE:6882307"
                     /tissue_type="Ovary"
                     /lab_host="DH10B (phage-resistant)"
                     /clone_lib="NICHD_Rh_Ovl"
                     /note="Organ: ovary; Vector: pDNR-LIB; Site_1: Sfi I;
                     Site_2: Sfi I; Cloned unidirectionally. Primer: Oligo dT.
                     Average insert size 1.0-4.0 kb. Tissue pooled from
                     pre-pubertal, post pubertal an menopausal monkeys.
                     Constructed by Clontech. Note: this is a NICHD Library."

ORIGIN

Query Match   1.4%; Score 44; DB 6; Length 781;
Best Local Similarity   100.0%; Pred. No. 1.8e-09;
Matches 44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db   205 TGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTGTCTC 248

RESULT 184
BZ610701/c
LOCUS   BZ610701   803 bp   DNA   linear   GSS 08-JUN-2003
DEFINITION WHAAJ70TR Human MCF7 breast cancer cell line library (MCF7_1) Homo
            sapiens genomic clone MCF7_1-3K20, genomic survey sequence.
ACCESSION   BZ610701
VERSION   BZ610701.1 GI:31519262
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 803)
  AUTHORS   Volik,S., Zhao,S., Chin,K., Brebner,J.H., Herndon,D.R., Tao,Q.,
            Kowbel,D., Huang,G., Lapuk,A., Kuo,W.-L., Magrane,G., de Jong,P.,
            Gray,J.W. and Collins,C.
  TITLE   End-sequence profiling: Sequence-based analysis of aberrant genomes
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 100 (13), 7696-7701 (2003)
  PUBMED   12788976
COMMENT   Contact: Volik SV
            Colin Collins' lab
            UCSF Comprehensive Cancer Center
            UCSF Box 0808, San Francisco, CA 94143-0808, USA
            Tel: 415 502 7066
            Fax: 415 502 5665
            Email: svolik@cc.ucsf.edu
            This clone is available from Amplicon Express
            http://www.genomex.com
            End ends.

FEATURES   Location/Qualifiers
     source   1..803
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="MCF7_1-3K20"
                     /sex="female"
                     /clone_lib="Human MCF7 breast cancer cell line library
                     (MCF7_1)"
                     /note="Vector: pECBAC1; Site_1: HindIII; This library was
                     constructed from MCF7 breast cancer cell line by Amplicon
                     Express (http://www.genomex.com) using their standard
                     procedure."
            Class: BAC ends.

ORIGIN

```
Query Match        1.4%;   Score 44;   DB 9;   Length 803;
Best Local Similarity  100.0%;  Pred. No. 1.8e-09;
Matches   44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||
Db     221 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 178
```

```
RESULT 185
LOCUS       CA442440                 828 bp    mRNA    linear   EST 08-NOV-2002
DEFINITION  UI-H-DP0-ave-m-01-0-UI.s1 NCI_CGAP_Ps1 Homo sapiens cDNA clone
            UI-H-DP0-ave-m-01-0-UI 3', mRNA sequence.
ACCESSION   CA442440
VERSION     CA442440.1  GI:24806860
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 828)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Dr. Mary Hendrix
            cDNA Library Preparation: Dr. M. Bento Soares, University of Iowa
            cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
            DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
            Clone Distribution: Clone distribution information can be obtained
            from Dr. M. Bento Soares, bento-soares@uiowa.edu
            The following repetitive elements were found in this cDNA
            sequence: 163-455, >ALU 416-466, >ALU
            Seq_primer: M13 FORWARD
            PolyA=Yes.
FEATURES             Location/Qualifiers
     source          1..828
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="UI-H-DP0-ave-m-01-0-UI"
                     /tissue_type="Fibrosarcoma"
                     /lab_host="DH10B (Life Technologies)"
                     /clone_lib="NCI_CGAP_Ps1"
                     /vector="pT7T3-Pac (Pharmacia) with a modified
                     polylinker; Site_1: EcoR I; Site_2: Not I; NCI_CGAP_Ps1 is
                     a cDNA library containing the following tissue(s):
                     Fibrosarcoma Cell line HT-1088 (ATCC number CCl-121). The
                     library was constructed according to Bonaldo, Lennon and
                     Soares, Genome Research, 6:791-806, 1996. First strand
                     cDNA synthesis was primed with an oligo-dT primer
                     containing a Not I site. Double stranded cDNA was ligated
                     to an EcoR I adaptor, digested with Not I, and cloned
                     directionally into pT7T3-Pac vector. The oligonucleotide
                     used to prime the synthesis of first-strand cDNA contains
                     a library tag sequence that is located between the Not I
                     site and the (dT)18 tail. The sequence tag for this
                     library is GTTCTACGAG.
                     TAG_TISSUE=fibrosarcoma
                     TAG_LIB=UI-H-DP0
                     TAG_SEQ=GTTCTACGAG"
ORIGIN
```

```
Query Match        1.4%;   Score 44;   DB 6;   Length 828;
Best Local Similarity  100.0%;  Pred. No. 1.8e-09;
Matches   44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||
Db    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
```

```
Db     398 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 441

RESULT 186
LOCUS       CB307968/c               830 bp    mRNA    linear   EST 04-MAR-2003
DEFINITION  AGENCOURT 11771960 NICHD_Rh_Ov1 Macaca mulatta cDNA clone
            IMAGE:6882266 5', mRNA sequence.
ACCESSION   CB307968
VERSION     CB307968.1  GI:28830678
KEYWORDS    EST.
SOURCE      Macaca mulatta (rhesus monkey)
  ORGANISM  Macaca mulatta
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Cercopithecidae; Cercopithecinae; Macaca.
REFERENCE   1  (bases 1 to 830)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Dr. Eliot Spindel
            cDNA Library Preparation: CLONTECH
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Agencourt Bioscience Corporation
            Clone Distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM3128 row: k column: 01
            High quality sequence stop: 499.
FEATURES             Location/Qualifiers
     source          1..830
                     /organism="Macaca mulatta"
                     /mol_type="mRNA"
                     /db_xref="taxon:9544"
                     /clone="IMAGE:6882266"
                     /tissue_type="Ovary"
                     /clone_lib="NICHD_Rh_Ov1"
                     /lab_host="DH10B (phage-resistant)"
                     /note="Organ: ovary; Vector: pDNR-LIB; Site_1: Sfi I;
                     Site_2: Sfi I; Cloned unidirectionally. Primer: Oligo dT.
                     Average insert size 1.0-4.0 Kb. Tissue pooled from
                     pre-pubertal, post pubertal an menopausal monkeys.
                     Constructed by Clontech. Note: this is a NICHD Library."
ORIGIN
```

```
Query Match        1.4%;   Score 44;   DB 6;   Length 830;
Best Local Similarity  100.0%;  Pred. No. 1.8e-09;
Matches   44;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||
Db     365 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 322
```

```
RESULT 187
LOCUS       AQ781442/c               830 bp    DNA     linear   GSS 02-AUG-1999
DEFINITION  HS_3117_A2_G10_T7C CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=3117 Col=20 Row=M, genomic survey
            sequence.
ACCESSION   AQ781442
VERSION     AQ781442.1  GI:5684402
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 830)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
```

TITLE   Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
PUBMED   10449764
COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Clones may be purchased from Research Genetics (info@resgen.com).
            BAC end Web Server: http://www.htsc.washington.edu
            Plate: 3117 row: M column: 20
            Seq primer: T7
            Class: BAC ends
            High quality sequence stop: 830.
FEATURES   Location/Qualifiers
     source   1..830
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=3117 Col=20 Row=M"
                     /sex="male"
                     /clone_lib="CIT Approved Human Genomic Sperm Library D"
                     /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                     E-Coli DH10B"
ORIGIN

Query Match   1.4%;   Score 44; DB 9; Length 830;
Best Local Similarity   100.0%;   Pred. No. 1.8e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3072 AAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACT 3115
           ||||||||||||||||||||||||||||||||||||||||||||
Db   454 AAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACT 411

RESULT 188
BZ612098/c
LOCUS   BZ612098   834 bp   DNA   linear   GSS 08-JUN-2003
DEFINITION WHAD972TR Human MCF7 breast cancer cell line library (MCF7_1) Homo
            sapiens genomic clone MCF7_1-22L24, genomic survey sequence.
ACCESSION   BZ612098
VERSION   BZ612098.1 GI:31520659
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 834)
  AUTHORS   Volik,S., Zhao,S., Chin,K., Brebner,J.H., Herndon,D.R., Tao,Q.,
            Kowbel,D., Huang,G., Lapuk,A., Kuo,W.-L., Magrane,G., de Jong,P.,
            Gray,J.W. and Collins,C.
  TITLE   End-sequence profiling: Sequence-based analysis of aberrant genomes
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 100 (13), 7696-7701 (2003)
  PUBMED   12788976
COMMENT   Contact: Volik SV
            Collin Collins' lab
            UCSF Comprehensive Cancer Center
            UCSF Box 0808, San Francisco, CA 94143-0808, USA
            Tel: 415 502 7066
            Fax: 415 502 5665
            Email: svolik@cc.ucsf.edu
            This clone is available from Amplicon Express
            http://www.genomex.com
            Class: BAC ends.
FEATURES   Location/Qualifiers
     source   1..834
                     /organism="Homo sapiens"

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||
Db   204 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 161

                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="MCF7_1-22L24"
                     /sex="female"
                     /clone_lib="Human MCF7 breast cancer cell line library
                     (MCF7_1)"
                     /note="Vector: pBCBAC1; Site 1: HindIII; This library was
                     constructed from MCF7 breast cancer cell line by Amplicon
                     Express (http://www.genomex.com) using their standard
                     procedure."
ORIGIN

Query Match   1.4%;   Score 44; DB 9; Length 834;
Best Local Similarity   100.0%;   Pred. No. 1.8e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 189
AQ781550/c
LOCUS   AQ781550   847 bp   DNA   linear   GSS 02-AUG-1999
DEFINITION HS_3176_A2_A08_T7C CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=3176 Col=16 Row=A, genomic survey
            sequence.
ACCESSION   AQ781550
VERSION   AQ781550.1 GI:5684510
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 847)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
  TITLE   Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
  PUBMED   10449764
COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Clones may be purchased from Research Genetics (info@resgen.com).
            BAC end Web Server: http://www.htsc.washington.edu
            Plate: 3176 row: A column: 16
            Seq primer: T7
            Class: BAC ends
            High quality sequence stop: 847.
FEATURES   Location/Qualifiers
     source   1..847
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=3176 Col=16 Row=A"
                     /sex="male"
                     /clone_lib="CIT Approved Human Genomic Sperm Library D"
                     /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                     E-Coli DH10B"
ORIGIN

Query Match   1.4%;   Score 44; DB 9; Length 847;
Best Local Similarity   100.0%;   Pred. No. 1.8e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCACCCTGGCCAAC 2938

Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
Hood,L.

RESULT 190

Db   322 GGTGGGATCACCTGAGGCCCAGGGCCAGGAGTTCGAGACCAGCGCTGGCCAAC 279

```
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
```

LOCUS   BF573285   867 bp   mRNA   linear   EST 12-DEC-2000
DEFINITION 602079670F2 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4254115 5',
            mRNA sequence.
ACCESSION   BF573285
VERSION   BF573285.1 GI:11646997
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 867)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC/DCTD/DTP
            cDNA Library Preparation: CLONETECH Laboratories, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM1081 row: 1 column: 20
            High quality sequence stop: 290.
FEATURES   Location/Qualifiers
     source   1..867
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:4254115"
                     /tissue_type="melanotic melanoma, high MDR"
                     /lab_host="DH10B (T1 phage-resistant)"
                     /clone_lib="NIH_MGC_62"
                     /note="Organ: Skin; Vector: pDNR-LIB (Clontech); Site_1:
                     SfiI (ggccgcctcggcc); Site_2: SfiI (ggccattatggcc);
                     Double-stranded cDNA was prepared from cell line RNA. 5'
                     and 3' adaptors were used in cloning as follows: 5'
                     adaptor sequence: 5'-CACGGCCATTATGGCC-3' and 3' adaptor
                     sequence: 5'-ATTCTAGAGGCCGAGGCGGCCGACATG-dT(30)BN-3'
                     (where B = A, C, or G and N = A, C, G, or T). Average
                     insert size 1.75 kb (range 0.9-4.0 kb). 15/15 colonies
                     contained inserts by PCR. This library was enriched for
                     full-length clones and was constructed by Clontech
                     Laboratories (Palo Alto, CA)."

ORIGIN

Qy   3073 AGATTGTGCCACTCGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
```
           |||||||||||||||||||||||||||||||||||||||||||||||
```
Db   228 AGATTGTGCCACTCGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 271

RESULT 191

LOCUS   AQ749032   903 bp   DNA   linear   GSS 19-JUL-1999
DEFINITION HS_5575_A2_E04_T7A RPCI-11 Human Male BAC Library Homo sapiens
            genomic_clone Plate=1151 Col=8 Row=I, genomic survey sequence.
ACCESSION   AQ749032
VERSION   AQ749032.1 GI:5536190
KEYWORDS   GSS.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens

Query Match   1.4%; Score 44; DB 2; Length 867;
Best Local Similarity   100.0%; Pred. No. 1.8e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

REFERENCE   1 (bases 1 to 903)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
  TITLE   Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
   PUBMED   10449764
COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Clones are derived from the human BAC library RPCI-11. For BAC
            library availability, please contact Pieter de Jong
            (pieter@dejong.med.buffalo.edu). Clones may be purchased from
            BACPAC Resources (http://bacpac.med.buffalo.edu/ordering.bac.htm)
            or from Resear h Genetics (info@resgen.com). BAC end Web Server:
            http://www.htsc.washington.edu
FEATURES   Location/Qualifiers
     source   1..903
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=1151 Col=8 Row=I"
                     /sex="male"
                     /clone_lib="RPCI-11 Human Male BAC Library"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     Male blood DNA was isolated from one randomly chosen donor
                     and partially digested with a combination of EcoRI and
                     EcoRI Methylase. Size selected DNA was cloned into the
                     pBACe3.6 vector at EcoRI sites"
            Seq primer: T7
            Class: BAC ends
            Plate: 1151 row: I column: 8
            High quality sequence stop: 903.

ORIGIN

Qy   3073 AGATTGTGCCACTCGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
```
           |||||||||||||||||||||||||||||||||||||||||||||||
```
Db   359 AGATTGTGCCACTCGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 316

RESULT 192

LOCUS   AL570050   982 bp   mRNA   linear   EST 05-APR-2004
DEFINITION AL570050 Homo sapiens PLACENTA COT 25-NORMALIZED Homo sapiens cDNA
            clone CS0DI006YK15 3-PRIME, mRNA sequence.
ACCESSION   AL570050
VERSION   AL570050.3 GI:46236290
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1 (bases 1 to 982)
  AUTHORS   Li,W.B., Gruber,C., Jessee,J. and Polayes,D.
  TITLE   Full-length cDNA libraries and normalization
  JOURNAL   Unpublished (2001)
COMMENT   On Feb 16, 2001 this sequence version replaced gi:31291480.
            Contact: Genoscope
            Genoscope - Centre National de Sequencage
            2 rue Gaston Cremieux, CP 5706 - 91057 EVRY cedex - FRANCE

Query Match   1.4%; Score 44; DB 9; Length 903;
Best Local Similarity   100.0%; Pred. No. 1.8e-09;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
Hominidae; Homo.

FEATURES
  source
        Email: segref@genoscope.cns.fr, Web : www.genoscope.cns.fr
        1st strand cDNA was primed with a NotI-oligo(dT) primer. Five prime
        end enriched, double-strand cDNA was digested with Not I and cloned
        into the Not I and EcoR V sites of the pCMVSPORT 6 vector. Library
        was normalized. Library was constructed by Life Technologies, a
        division of Invitrogen. This sequence belongs to sequence cluster
        6704.f.
        For more information about this cluster, see
        http://www.genoscope.cns.fr/cdna?s=CS0DI006AF08NP1&c=6704.f.
        /organism="Homo sapiens"
        /mol_type="mRNA"
        /db_xref="taxon:9606"
        /clone="CS0DI006YK15"
        /tissue_type="PLACENTA COT 25-NORMALIZED"
        /clone_lib="Homo sapiens PLACENTA COT 25-NORMALIZED"
        /note="1st strand cDNA was primed with a NotI-oligo(dT)
        primer. Five prime end enriched, double-strand cDNA was
        digested with Not I and cloned into the Not I and EcoR V
        sites of the pCMVSPORT 6 vector. Library was normalized."

ORIGIN

Query Match   1.4%;   Score 44; DB 1; Length 982;
Best Local Similarity   100.0%; Pred. No. 1.8e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCACCCTGGGGCAACAGAGAGCAAGAGACTC 3116
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db   351 AGATTGTGCCACTGCACTCCACCCTGGGGCAACAGAGAGCAAGAGACTC 394

RESULT 193
LOCUS   CR622010/c
DEFINITION   CR622010   1527 bp   mRNA   linear   HTC 21-JUL-2004
      full-length cDNA clone CS0DI006YK15 of Placenta Cot 25-normalized
      of Homo sapiens (human).
ACCESSION   CR622010
VERSION   CR622010.1   GI:50502817
KEYWORDS   HTC; CNSLT_cDNA.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
      Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
      Hominidae; Homo.
REFERENCE   1 (bases 1 to 1527)
  AUTHORS   Li,W.B.,Gruber,C.,Jessee,J. and Polayes,D.
  TITLE   Full-length cDNA libraries and normalization
  JOURNAL   Unpublished
  REMARK   Contact : Peng Liang Email : fliang@lifetech.com URL :
      http://fullength.invitrogen.com/ Invitrogen Corporation 1600
      Faraday Avenue
REFERENCE   2 (bases 1 to 1527)
  AUTHORS   Genoscope.
  TITLE   Direct Submission
  JOURNAL   Submitted (20-JUL-2004) Genoscope - Centre National de Sequencage :
      BP 191 91006 EVRY cedex - FRANCE (E-mail : segref@genoscope.cns.fr
      - Web : www.genoscope.cns.fr)
COMMENT   1st strand cDNA was primed with a NotI-oligo(dT) primer. Five prime
      end enriched, double-strand cDNA was digested with Not I and cloned
      into the Not I and EcoR V sites of the pCMVSPORT 6 vector. Library
      was normalized. Library was constructed by Life Technologies, a
      division of Invitrogen.
FEATURES
  source   1..1527
      Location/Qualifiers
      /organism="Homo sapiens"
      /mol_type="mRNA"
      /db_xref="taxon:9606"
      /clone="CS0DI006YK15"
      /tissue_type="Placenta Cot 25-normalized"
      /plasmid="pCMVSPORT_6"
ORIGIN

Query Match   1.4%;   Score 44; DB 4; Length 1527;
Best Local Similarity   100.0%; Pred. No. 1.8e-09;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCACCCTGGGGCAACAGAGAGCAAGAGACTC 3116
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db   1296 AGATTGTGCCACTGCACTCCACCCTGGGGCAACAGAGAGCAAGAGACTC 1253

RESULT 194
LOCUS   BE141837/c
DEFINITION   IL5-HT0117-170999-004-A02 HT0117 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BE141837
VERSION   BE141837.1   GI:8604558
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM   Homo sapiens
      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
      Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
      Hominidae; Homo.
REFERENCE   1 (bases 1 to 108)
  AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
      Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
      Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
      Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
      O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
      Simpson,A.J.
  TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
      sequence tags
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
  PUBMED   10737800
COMMENT   Contact: Simpson A.J.G.
      Laboratory of Cancer Genetics
      Ludwig Institute for Cancer Research
      Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
      Brazil
      Tel: +55-11-2704922
      Fax: +55-11-2707001
      Email: asimpson@ludwig.org.br
      This sequence was derived from the FAPESP/LICR Human Cancer Genome
      Project. This entry can be seen in the following URL
      (http://www.ludwig.org.br/scripts/getthml2.pl?ti=&t2=IL5-HT0117-170
      999-004-A02&t3=1999-09-17&t4=1)
      Seq primer: puc 18 forward
      Seq primer: puc18 forward
      High quality sequence stop: 108.
FEATURES
  source   1..108
      Location/Qualifiers
      /organism="Homo sapiens"
      /mol_type="mRNA"
      /db_xref="taxon:9606"
      /clone_lib="HT0117"
      /dev_stage="Adult"
      /note="Organ: head neck; Vector: puc18; Site_1: SmaI;
      Site_2: SmaI; A mini-library was made by cloning products
      derived from ORESTES PCR (U.S. Letters Patent application
      No. 196,716 - Ludwig Institute for Cancer Research)
      profiles into the pUC 18 vector. Reverse transcription of
      tissue mRNA and cDNA amplification were performed under
      low stringency conditions."
ORIGIN

Query Match   1.4%;   Score 44; DB 2; Length 108;
Best Local Similarity   100.0%; Pred. No. 6e-09;
Matches 43; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3080 GCCACTGCACTCCAGCCTGGGGCAACACAGAGCAAGAGACTCTGTCTC 3122
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db   60 GCCACTGCACTCCAGCCTGGGGCAACAGAGAGCAAGAGACTCTGTCTC 18

RESULT 195
AA728876

```
LOCUS       AA728876                 132 bp    mRNA    linear   EST 22-JAN-1998
DEFINITION  nv37c08.r1 NCI_CGAP_Br5 Homo sapiens cDNA clone IMAGE:1222382
            similar to contains Alu repetitive element ;, mRNA sequence.
ACCESSION   AA728876
VERSION     AA728876.1  GI:2750235
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 132)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Ilan Kirsch, M.D., Kristina A. Cole, M.D.,
            Ph.D., student, Rodrigo F. Chuaqui, M.D., Michael R. Emmert-Buck,
            M.D., Ph.D.
            cDNA Library Preparation: David B. Krizman, Ph.D.
            cDNA Library Arrayed by: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 180    Std Error: 0.00
            Seq primer: -28m13 revl ET from Amersham.
FEATURES             Location/Qualifiers
     source          1..132
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:1222382"
                     /sex="female"
                     /tissue_type="infiltrating ductal carcinoma"
                     /lab_host="DH10B"
                     /clone_lib="NCI_CGAP_Br5"
                     /note="Organ: breast; Vector: pAMP10; mRNA made from
                     infiltrating ductal carcinoma, cDNA made by oligo-dT
                     priming. Non-directionally cloned. Size-selected on
                     agarose gel, average insert size 600 bp."
ORIGIN      .

RESULT 196
Best Local Similarity   100.0%;
Query Match             Score 43;  DB 1;  Length 132;
Matches  43;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTCGGCGCAACAGAGCAAGACT 3115
          |||||||||||||||||||||||||||||||||||||||||||||
Db     67 AGATTGTGCCACTGCACTCCAGCCTCGGCGCAACAGAGCAAGACT 109


LOCUS       BG012771                 132 bp    mRNA    linear   EST 24-JAN-2001
DEFINITION  IL5-GN0239-141200-341-d03 GN0239 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BG012771
VERSION     BG012771.1  GI:12462298
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 132)
  AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V.,
            O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
  TITLE     Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
   PUBMED   10737800
COMMENT     Contact: Simpson A.J.G.
            Ludwig Institute for Cancer Research
            Laboratory of Cancer Genetics
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/scripts/gethtml12.pl?ti=IL5&t2=IL5-GN0239-
            141200-341-d03&t3=2000-12-14&t4=1)
            Seq primer: puc 18 forward
            High quality sequence start: 14
            High quality sequence stop: 132.
FEATURES             Location/Qualifiers
     source          1..132
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="taxon:9606"
                     /clone="GN0239"
                     /dev_stage="Adult"
                     /clone_lib="GN0239"
                     /note="Organ: placenta normal; Vector: puc18; Site 1:
                     SmaI; Site_2: SmaI; A mini-library was made by cloning
                     products derived from ORESTES PCR (U.S. Letters Patent
                     application No. 196,716 - Ludwig Institute for Cancer
                     Research) profiles into the pUC 18 vector. Reverse
                     transcription of tissue mRNA and cDNA amplification were
                     performed under low stringency conditions."
ORIGIN

RESULT 197
Best Local Similarity   100.0%;
Query Match             Score 43;  DB 2;  Length 132;
Matches  43;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   2898 GGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTCGGCCAACAT 2940
          |||||||||||||||||||||||||||||||||||||||||||||
Db    127 GGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTCGGCCAACAT 85


LOCUS       CR543084                 151 bp    mRNA    linear   EST 07-JUL-2004
DEFINITION  DKFZp470G0412 r1 470 (synonym: plivl) Pongo pygmaeus cDNA clone
            DKFZp470G0412_5', mRNA sequence.
ACCESSION   CR543084
VERSION     CR543084.1  GI:49894295
KEYWORDS    EST.
SOURCE      Pongo pygmaeus (orangutan)
  ORGANISM  Pongo pygmaeus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Pongo.
REFERENCE   1  (bases 1 to 151)
  AUTHORS   Wambutt,R., Heubner,D., Mewes,H.W., Weil,B., Amid,C., Osanger,A.,
            Fobo,G., Han,M. and Wiemann,S.
  TITLE     Pongo pygmaeus mRNA (Wambutt,R., Heubner,D., Mewes,H.W., et al.)
  JOURNAL   Unpublished (2004)
COMMENT     Contact: MIPS
            Ingolstaedter Landstr.1, D-85764 Neuherberg, Germany
            This is the 5' sequence of the clone insert from S. Wiemann,
            Molecular Genome Analysis, German Cancer Research Center (DKFZ);
            Email s.wiemann@dkfz-heidelberg.de; sequenced by Agowa
            (Berlin/Germany) within the cDNA sequencing consortium of the
            German Genome Project. This clone (DKFZp470G0412) is available at
            the RZPD in Berlin. Please contact the RZPD: Ressourcenzentrum,
            German Genome Project. Email:
            Heubnerweg 6, 14059 Berlin-Charlottenburg, GERMANY; Email:
```

FEATURES
　　source　　1..151
　　　　　　/organism="Pongo pygmaeus"
　　　　　　/mol_type="mRNA"
　　　　　　/db_xref="taxon:9600"
　　　　　　/clone="DKFZp470G0412"
　　　　　　/tissue_type="liver"
　　　　　　/dev_stage="adult"
　　　　　　/lab_host="DH10B"
　　　　　　/clone_lib="470 (synonym: pliv1)"
　　　　　　/note="Vector: pSport1_Sfi; Site_1: SfiIA; Site_2: SfiIB"
ORIGIN

clone@rpd.de Further information about the clone and the
sequencing project is available at
http://mips.gsf.de/projects/cdna/.
Location/Qualifiers

Qy　　3080 GCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
　　　　　　|||||||||||||||||||||||||||||||||||||||||||
Db　　　63 GCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 21

RESULT 198
N73776/c
LOCUS　　N73776　　　　154 bp　　mRNA　　linear　　EST 19-MAR-1996
DEFINITION　za61h08.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone
　　　　　　IMAGE:297087 3' similar to contains Alu repetitive element;, mRNA
　　　　　　sequence.
ACCESSION　N73776
VERSION　　N73776.1　GI:1231061
KEYWORDS　EST.
SOURCE　　Homo sapiens (human)
　ORGANISM　Homo sapiens
　　　　　　Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
　　　　　　Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
　　　　　　Hominidae; Homo.
REFERENCE　1　(bases 1 to 154)
　AUTHORS　Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
　　　　　　Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
　　　　　　Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
　　　　　　Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
　　　　　　Wilson,R.
　TITLE　The WashU-Merck EST Project
　JOURNAL　Unpublished (1995)
COMMENT　Contact: Wilson RK
　　　　　　Washington University School of Medicine
　　　　　　4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
　　　　　　Tel: 314 286 1800
　　　　　　Fax: 314 286 1810
　　　　　　Email: est@watson.wustl.edu
　　　　　　This clone is available royalty-free through LLNL ; contact the
　　　　　　IMAGE Consortium (info@image.llnl.gov) for further information.
　　　　　　Seq primer: m13 -40 forward
　　　　　　High quality sequence stop: 131.
FEATURES　Location/Qualifiers
　　source　　1..154
　　　　　　/organism="Homo sapiens"
　　　　　　/mol_type="mRNA"
　　　　　　/lab_host="DH10B (ampicillin resistant)"
　　　　　　/clone_lib="Soares fetal liver spleen 1NFLS"
　　　　　　/db_xref="GDB:1242008"
　　　　　　/db_xref="taxon:9606"
　　　　　　/clone="IMAGE:297087"
　　　　　　/dev_stage="20 week-post conception fetus"
　　　　　　/sex="male"
Location/Qualifiers

　　•

ORIGIN

Query Match　　1.4%;　Score 43;　DB 7;　Length 151;
Best Local Similarity　100.0%;　Pred. No. 5.9e-09;
Matches　43;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　　3080 GCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
　　　　　　|||||||||||||||||||||||||||||||||||||||||||
Db　　　75 GCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 117

(Pharmacia), digested with Pac I and cloned into the Pac I
and Eco RI sites of the modified pT7T3 vector. Library
went through one round of normalization. Library
constructed by Bento Soares and M.Fatima Bonaldo."

ORIGIN

Query Match　　1.4%;　Score 43;　DB 8;　Length 154;
Best Local Similarity　100.0%;　Pred. No. 5.9e-09;
Matches　43;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　　3080 GCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
　　　　　　|||||||||||||||||||||||||||||||||||||||||||
Db　　　43 GCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 1

RESULT 199
AI611895
AI611895
LOCUS　　AI611895　　　157 bp　　mRNA　　linear　　EST 14-DEC-1999
DEFINITION　tt59f11.x1 NCI_CGAP_HSC4 Homo sapiens cDNA clone IMAGE:2245101 3'
　　　　　　similar to contains Alu repetitive element;contains element TAR1
　　　　　　repetitive element ;, mRNA sequence.
ACCESSION　AI611895
VERSION　　AI611895.1　GI:4621062
KEYWORDS　EST.
SOURCE　　Homo sapiens (human)
　ORGANISM　Homo sapiens
　　　　　　Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
　　　　　　Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
　　　　　　Hominidae; Homo.
REFERENCE　1　(bases 1 to 157)
　AUTHORS　NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
　TITLE　National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
　　　　　　Tumor Gene Index
　JOURNAL　Unpublished (1997)
COMMENT　Contact: Robert Strausberg, Ph.D.
　　　　　　Email: cgapbs-r@mail.nih.gov
　　　　　　Tissue Procurement: Herbert Morse, M.D., Michael R. Emmert-Buck,
　　　　　　M.D., Ph.D.
　　　　　　cDNA Library Preparation: David B. Krizman, Ph.D.
　　　　　　cDNA Library Arrayed by: Greg Lennon, Ph.D.
　　　　　　DNA Sequencing by: Washington University Genome Sequencing Center
　　　　　　Clone distribution: NCI-CGAP clone distribution information can be
　　　　　　found through the I.M.A.G.E. Consortium/LLNL at:
　　　　　　www-bio.llnl.gov/bbrp/image/image.html
　　　　　　Insert Length: 215　Std Error: 0.00
　　　　　　Seq primer: -40UP from Gibco
　　　　　　POLYA=No.
FEATURES　Location/Qualifiers
　　source　　1..157
　　　　　　/organism="Homo sapiens"
　　　　　　/mol_type="mRNA"
　　　　　　/db_xref="taxon:9606"
　　　　　　/clone="IMAGE:2245101"
　　　　　　/tissue_type="CD34+, CD38- from normal bone marrow donor"
　　　　　　/lab_host="DH10B"
　　　　　　/clone_lib="NCI_CGAP_HSC4"
　　　　　　/note="Organ: bone marrow; Vector: pAMP1; mRNA made from
　　　　　　lymphoid tissue, cDNA made by oligo-dT priming.
　　　　　　Directionally cloned. Size-selected on agarose gel,
　　　　　　average insert size 500 bp. Primary library,
　　　　　　non-amplified. cDNA Library Preparation: David B.
　　　　　　Krizman, Ph.D. Reference: Krizman et al. (1996) Cancer
　　　　　　Research 56:5380-5383."
ORIGIN

Query Match　　1.4%;　Score 43;　DB 1;　Length 157;
Best Local Similarity　100.0%;　Pred. No. 5.9e-09;
Matches　43;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　　3080 GCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
　　　　　　|||||||||||||||||||||||||||||||||||||||||||
Db　　　75 GCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 117

Search completed: May 11, 2006, 12:00:24
Job time : 11860 secs

```
RESULT 200

AA018823

AA018823/c

LOCUS       AA018823           168 bp    mRNA    linear    EST 30-JAN-1997
DEFINITION  ze57e09.r1 Soares retina N2b4HR Homo sapiens cDNA clone
            IMAGE:363112 5' similar to contains Alu repetitive element;, mRNA
            sequence.
ACCESSION   AA018823
VERSION     AA018823.1  GI:1482215
KEYWORDS    EST.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
            Hominidae; Homo.
REFERENCE   1  (bases 1 to 168)
  AUTHORS   Hillier,L., Lennon,G., Becker,M., Bonaldo,M.F., Chiapelli,B.,
            Chissoe,S., Dietrich,N., DuBuque,T., Favello,A., Gish,W.,
            Hawkins,M., Hultman,M., Kucaba,T., Lacy,M., Le,M., Le,N.,
            Mardis,E., Moore,B., Morris,M., Parsons,J., Prange,C., Rifkin,L.,
            Rohlfing,T., Schellenberg,K., Soares,M.B., Tan,F., Thierry-Meg,J.,
            Trevaskis,E., Underwood,K., Wohldmann,P., Waterston,R., Wilson,R.
            and Marra,M.
  TITLE     Generation and analysis of 280,000 human expressed sequence tags
  JOURNAL   Genome Res. 6 (9), 807-828 (1996)
  PUBMED    8889549
COMMENT     Contact: Wilson RK
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Insert Length: 1965   Std Error: 0.00
            Seq primer: -28M13 rev2 from Amersham
            High quality sequence stop: 139.
FEATURES             Location/Qualifiers
     source          1..168
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db_xref="GDB:1279815"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:363112"
                     /sex="male"
                     /tissue_type="retina"
                     /dev_stage="55 year old"
                     /clone_lib="Soares retina N2b4HR"
                     /lab_host="DH10B (ampicillin resistant)"
                     /note="Organ: eye; Vector: pT7T3D (Pharmacia) with a
                     modified polylinker; Site 1: Not I; Site 2: Eco RI; 1st
                     strand cDNA was primed with a Not I - oligo(dt) primer [5'
                     TGTTACCAATCTGAAGTGGGAGGACGGCCGCGTTGGCTTTTTTTTTTTTTTTTTT 3'],
                     double-stranded cDNA was size selected, ligated to Eco RI
                     adapters (Pharmacia), digested with Not I and cloned into
                     the Not I and Eco RI sites of a modified pT7T3 vector
                     (Pharmacia). The retinas were obtained from a 55 year old
                     Caucasian and total cellular poly(A)+ RNA was extracted 6
                     hrs after their removal. The retina RNA was kindly
                     provided by Roderick R. McInnes M.D. Ph.D. from the
                     University of Toronto. Library constructed by Bento
                     Soares and M.Fatima Bonaldo."
ORIGIN

Qy      3080 GCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||
Db       128 GCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 86

Query Match          1.4%;     Score 43;  DB 1;  Length 168;
Best Local Similarity  100.0%;  Pred. No. 5.9e-09;
Matches    43;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;
```

OM nucleic - nucleic search, using sw model

```
                        GenCore version 5.1.8
                Copyright (c) 1993 - 2006  Bioacceleration Ltd.

Run on:           May 11, 2006, 05:27:55 ; Search time 531 Seconds
                                           (without alignments)
                                           10451.125 Million cell updates/sec

Title:            US-10-760-320A-102
Perfect score:    3122
Sequence:         1 actagaggtgggttagcgc.........acagagcaagactctgtctc 3122
Scoring table:    OLIGO_NUC
                  Gapop 60.0 , Gapext 60.0
Searched:         1303057 seqs, 888780828 residues
Word size :       1
Total number of hits satisfying chosen parameters:    2605320
Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing:  Listing first 500 summaries
Database :        Issued Patents NA:*
        1: /cgn2_6/ptodata/1/ina/1_COMB.seq:*
        2: /cgn2_6/ptodata/1/ina/5_COMB.seq:*
        3: /cgn2_6/ptodata/1/ina/6A_COMB.seq:*
        4: /cgn2_6/ptodata/1/ina/6B_COMB.seq:*
        5: /cgn2_6/ptodata/1/ina/H_COMB.seq:*
        6: /cgn2_6/ptodata/1/ina/PCTUS_COMB.seq:*
        7: /cgn2_6/ptodata/1/ina/PP_COMB.seq:*
        8: /cgn2_6/ptodata/1/ina/RE_COMB.seq:*
        9: /cgn2_6/ptodata/1/ina/backfiles1.seq:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	c	Score	% Query Match	Length	DB	ID	Description
1		52	1.7	381	3	US-09-513-999C-3793	Sequence 3793, Ap
2	c	52	1.7	601	3	US-09-949-016-72610	Sequence 72610, A
3	c	52	1.7	601	3	US-09-949-016-75710	Sequence 75710, A
4		52	1.7	601	3	US-09-949-016-75723	Sequence 75723, A
5	c	52	1.7	15415	3	US-09-949-016-13931	Sequence 13931, A
6	c	52	1.7	15415	3	US-09-949-016-13932	Sequence 13932, A
7	c	52	1.7	25969	3	US-09-949-016-13397	Sequence 13397, A
8	c	52	1.7	77586	3	US-09-949-016-13220	Sequence 13220, A
9	c	52	1.7	77586	3	US-09-949-016-13221	Sequence 13221, A
10		52	1.7	92119	3	US-09-918-686-1	Sequence 1, Appl
11	c	52	1.7	120727	3	US-09-949-016-15787	Sequence 15787, A
12	c	52	1.7	120727	3	US-09-949-016-15788	Sequence 15788, A
13		52	1.7	155266	3	US-09-949-016-13870	Sequence 13870, A
14	c	51	1.7	35688	3	US-09-949-016-16873	Sequence 16873, A
15	c	51	1.6	16942	3	US-09-949-016-12227	Sequence 12227, A
16		51	1.6	156950	3	US-09-949-016-15946	Sequence 15946, A
17	c	50	1.6	255	3	US-09-513-999C-28539	Sequence 28539, A
18	c	50	1.6	288	3	US-09-973-278-870	Sequence 870, App
19		50	1.6	601	3	US-09-949-016-47563	Sequence 47563, A
20	c	50	1.6	601	3	US-09-949-016-125579	Sequence 125579,
21	c	50	1.6	601	3	US-09-949-016-125580	Sequence 125580,
22		50	1.6	601	3	US-09-949-016-125581	Sequence 125581,
23		50	1.6	601	3	US-09-949-016-163881	Sequence 163881,
24		50	1.6	8705	3	US-09-544-398B-10	Sequence 10, Appl
25	c	50	1.6	8705	3	US-09-543-771B-10	Sequence 10, Appl
26		50	1.6	36954	3	US-09-949-016-15304	Sequence 15304, A
27		50	1.6	39154	3	US-09-949-016-12384	Sequence 12384, A
28		50	1.6	39154	3	US-09-949-016-12801	Sequence 12801, A
29		50	1.6	39443	3	US-09-949-016-14326	Sequence 14326, A
30		50	1.6	39443	3	US-09-949-016-14327	Sequence 14327, A
31		50	1.6	76401	3	US-09-949-016-17153	Sequence 17153, A
32		50	1.6	87190	3	US-09-949-016-16335	Sequence 16335, A
33	c	50	1.6	95648	3	US-09-949-016-13139	Sequence 13139, A
34		50	1.6	140844	3	US-09-949-016-14199	Sequence 14199, A
35		50	1.6	197337	3	US-09-949-016-12881	Sequence 12881, A
36		50	1.6	197336	3	US-09-949-002-738	Sequence 738, App
37		50	1.6	197337	3	US-09-949-002-687	Sequence 687, App
38		50	1.6	234287	3	US-09-949-016-17272	Sequence 17272, A
39		50	1.6	234288	3	US-09-949-002-841	Sequence 841, App
40		50	1.6	234288	3	US-09-949-016-12583	Sequence 12583, A
41	c	50	1.6	254964	3	US-09-949-016-17392	Sequence 17392, A
42	c	50	1.6	254964	3	US-09-949-016-164699	Sequence 164699,
43		47	1.5	601	3	US-09-949-016-16733	Sequence 16733, A
44		47	1.5	12880	3	US-09-949-016-14330	Sequence 14330, A
45		47	1.5	45833	3	US-09-949-016-14331	Sequence 14331, A
46	c	47	1.5	45833	3	US-09-949-016-14332	Sequence 14332, A
47		47	1.5	45833	3	US-09-949-016-14333	Sequence 14333, A
48		47	1.5	45833	3	US-09-949-016-16519	Sequence 16519, A
49		47	1.5	67386	3	US-09-949-016-16366	Sequence 16366, A
50	c	47	1.5	108310	3	US-09-949-016-17030	Sequence 17030, A
51		47	1.5	139049	3	US-09-949-016-65113	Sequence 65113, A
52		46	1.5	601	3	US-09-949-016-65114	Sequence 65114, A
53		46	1.5	601	3	US-09-949-016-137514	Sequence 137514,
54		46	1.5	601	3	US-09-949-016-155725	Sequence 155725,
55		46	1.5	601	3	US-09-949-016-155726	Sequence 155726,
56		46	1.5	601	3	US-09-949-016-169304	Sequence 169304,
57		46	1.5	601	3	US-09-949-016-169305	Sequence 169305,
58		46	1.5	601	3	US-09-949-016-169306	Sequence 169306,
59		46	1.5	144322	3	US-09-949-016-15316	Sequence 15316, A
60		46	1.5	172293	3	US-09-949-016-16513	Sequence 16513, A
61		46	1.5	240157	3	US-09-949-016-12656	Sequence 12656, A
62		46	1.5	253345	3	US-09-949-016-13639	Sequence 13639, A
63		46	1.5	331814	3	US-09-949-016-12008	Sequence 12008, A
64		46	1.5	331814	3	US-09-949-016-17056	Sequence 17056, A
65		46	1.5	45833	3	US-09-949-016-12147	Sequence 12147, A
66		46	1.5	601	3	US-09-949-016-206262	Sequence 206262,
67		46	1.5	17704	3	US-09-949-016-14878	Sequence 14878, A
68		46	1.5	27600	3	US-09-949-016-15290	Sequence 15290, A
69		46	1.5	29960	3	US-09-949-016-11978	Sequence 11978, A
70		46	1.5	30054	3	US-09-949-016-16100	Sequence 16100, A
71		46	1.5	40905	3	US-09-949-016-16864	Sequence 16864, A
72		46	1.5	60917	3	US-09-949-016-12638	Sequence 12638, A
73		46	1.5	60917	3	US-09-949-016-16057	Sequence 16057, A
74		46	1.5	84916	3	US-09-949-016-14736	Sequence 14736, A
75		46	1.5	96739	3	US-09-949-016-15606	Sequence 15606, A
76		46	1.5	116955	3	US-09-949-016-17565	Sequence 17565, A
77		46	1.5	118136	3	US-09-949-016-12439	Sequence 12439, A
78	c	46	1.5	767677	3	US-09-621-976-15071	Sequence 15071, A
79		46	1.5	601	3	US-09-949-016-30237	Sequence 30237, A
80		46	1.5	601	3	US-09-949-016-30238	Sequence 30238, A
81	c	46	1.5	601	3	US-09-949-016-30239	Sequence 30239, A
82	c	46	1.5	601	3	US-09-949-016-72557	Sequence 72557, A
83	c	46	1.5	601	3	US-09-949-016-72556	Sequence 72556, A
84	c	46	1.5	601	3	US-09-949-016-72555	Sequence 72555, A
85		46	1.5	601	3	US-09-949-016-65461	Sequence 65461, A
86	c	45	1.5	601	3	US-09-949-016-82095	Sequence 82095, A
87	c	45	1.5	601	3	US-09-949-016-82096	Sequence 82096, A
88		45	1.5	601	3	US-09-949-016-82097	Sequence 82097, A
89		45	1.4	601	3	US-09-949-016-17361	Sequence 17361, A
90		45	1.4	601	3	US-09-949-016-30239	Sequence 30239, A
91		45	1.4	601	3	US-09-949-016-72557	Sequence 72557, A
92		45	1.4	601	3	US-09-949-016-72556	Sequence 72556, A
93		45	1.4	601	3	US-09-949-016-72555	Sequence 72555, A
94		45	1.4	601	3	US-09-949-016-65461	Sequence 65461, A
95		45	1.4	601	3	US-09-949-016-82095	Sequence 82095, A
96		45	1.4	601	3	US-09-949-016-82096	Sequence 82096, A
97		45	1.4	601	3	US-09-949-016-145830	Sequence 145830,

c	98	45	1.4	601	3	US-09-949-016-146098	Sequence 146098,
c	99	45	1.4	601	3	US-09-949-016-146366	Sequence 146366,
c	100	45	1.4	601	3	US-09-949-016-166442	Sequence 166442,
c	101	45	1.4	601	3	US-09-949-016-169130	Sequence 169130,
c	102	45	1.4	601	3	US-09-949-016-169131	Sequence 169131,
c	103	45	1.4	601	3	US-09-949-016-203717	Sequence 203717,
c	104	45	1.4	601	3	US-09-949-016-203718	Sequence 203718,
c	105	45	1.4	601	3	US-09-949-016-203719	Sequence 203719,
c	106	45	1.4	601	3	US-09-949-002-4958	Sequence 4958, Ap
c	107	45	1.4	601	3	US-09-949-002-4959	Sequence 4959, Ap
c	108	45	1.4	9370	3	US-09-949-002-9370	Sequence 9370, Ap
c	109	45	1.4	8429	3	US-09-949-016-14483	Sequence 14483, A
c	110	45	1.4	9123	3	US-09-949-016-14852	Sequence 14852, A
c	111	45	1.4	9176	3	US-09-949-016-17432	Sequence 17432, A
c	112	45	1.4	10597	3	US-09-949-016-13766	Sequence 13766, A
c	113	45	1.4	15975	3	US-09-949-016-17469	Sequence 17469, A
c	114	45	1.4	15975	3	US-09-146-053-7	Sequence 7, Appli
c	115	45	1.4	19296	3	US-09-949-016-16393	Sequence 16393, A
c	116	45	1.4	19943	3	US-09-949-016-15920	Sequence 15920, A
c	117	45	1.4	19945	3	US-09-949-016-12553	Sequence 12553, A
c	118	45	1.4	27545	3	US-09-949-016-13069	Sequence 13069, A
c	119	45	1.4	33099	3	US-09-949-016-16094	Sequence 16094, A
c	120	45	1.4	36223	3	US-09-949-016-14417	Sequence 14417, A
c	121	45	1.4	36546	3	US-09-949-016-17543	Sequence 17543, A
c	122	45	1.4	40090	3	US-09-820-004-3	Sequence 3, Appli
c	123	45	1.4	40147	3	US-09-949-016-12374	Sequence 12374, A
c	124	45	1.4	40379	3	US-09-949-016-14128	Sequence 14128, A
c	125	45	1.4	40877	3	US-09-949-016-17495	Sequence 17495, A
c	126	45	1.4	40908	3	US-09-949-002-845	Sequence 845, App
c	127	45	1.4	40944	3	US-09-949-002-603	Sequence 603, App
c	128	45	1.4	47781	3	US-09-949-016-16492	Sequence 16492, A
c	129	45	1.4	47781	3	US-09-949-016-16493	Sequence 16493, A
c	130	45	1.4	47781	3	US-09-949-016-16494	Sequence 16494, A
c	131	45	1.4	49677	3	US-09-949-016-15715	Sequence 15715, A
c	132	45	1.4	64984	3	US-09-949-016-15254	Sequence 15254, A
c	133	45	1.4	66627	3	US-09-949-016-12630	Sequence 12630, A
c	134	45	1.4	66628	3	US-09-949-016-16112	Sequence 16112, A
c	135	45	1.4	70313	3	US-09-949-016-17103	Sequence 17103, A
c	136	45	1.4	72347	3	US-09-949-002-633	Sequence 633, App
c	137	45	1.4	80858	3	US-09-949-016-12659	Sequence 12659, A
c	138	45	1.4	80859	3	US-09-949-016-15715	Sequence 15715, A
c	139	45	1.4	87648	3	US-09-949-016-13655	Sequence 13655, A
c	140	45	1.4	91279	3	US-09-949-016-15146	Sequence 15146, A
c	141	45	1.4	93532	3	US-09-949-016-15944	Sequence 15944, A
c	142	45	1.4	94142	3	US-09-949-016-16553	Sequence 16553, A
c	143	45	1.4	96690	3	US-09-949-016-17103	Sequence 17103, A
c	144	45	1.4	103750	3	US-09-949-016-13319	Sequence 13319, A
c	145	45	1.4	112465	3	US-09-949-016-16424	Sequence 16424, A
c	146	45	1.4	120009	3	US-09-949-016-13915	Sequence 13915, A
c	147	45	1.4	140725	3	US-09-949-016-17074	Sequence 17074, A
c	148	45	1.4	155266	3	US-09-949-016-13870	Sequence 13870, A
c	149	45	1.4	162841	3	US-09-949-016-16509	Sequence 16509, A
c	150	45	1.4	174639	3	US-09-949-016-15851	Sequence 15851, A
c	151	45	1.4	205044	3	US-09-949-016-15852	Sequence 15852, A
c	152	45	1.4	205044	3	US-09-949-016-15853	Sequence 15853, A
c	153	45	1.4	218940	3	US-09-949-016-17539	Sequence 17539, A
c	154	45	1.4	223471	3	US-09-949-016-12387	Sequence 12387, A
c	155	45	1.4	223471	3	US-09-949-016-12724	Sequence 12724, A
c	156	45	1.4	223471	3	US-09-949-016-12725	Sequence 12725, A
c	157	45	1.4	223471	3	US-09-949-016-12017	Sequence 12017, A
c	158	45	1.4	145	3	US-09-513-999C-25910	Sequence 25910, A
c	159	44	1.4	330	3	US-09-513-999C-28305	Sequence 28305, A
c	160	44	1.4	601	3	US-09-949-016-33113	Sequence 33113, A
c	161	44	1.4	601	3	US-09-949-016-36581	Sequence 36581, A
c	162	44	1.4	601	3	US-09-949-016-38281	Sequence 38281, A
c	163	44	1.4	601	3	US-09-949-016-46100	Sequence 46100, A
c	164	44	1.4	601	3	US-09-949-016-46119	Sequence 46119, A
c	165	44	1.4	601	3	US-09-949-016-71064	Sequence 71064, A
c	166	44	1.4	601	3	US-09-949-016-71065	Sequence 71065, A
c	167	44	1.4	601	3	US-09-949-016-71066	Sequence 71066, A
c	168	44	1.4	601	3	US-09-949-016-71067	Sequence 71067, A
c	169	44	1.4	601	3	US-09-949-016-71068	Sequence 71068, A
c	170	44	1.4	601	3	US-09-949-016-71069	Sequence 71069, A

	171	44	1.4	601	3	US-09-949-016-121487	Sequence 121487,
	172	44	1.4	601	3	US-09-949-016-121488	Sequence 121488,
	173	44	1.4	601	3	US-09-949-016-133933	Sequence 133933,
	174	44	1.4	601	3	US-09-949-016-133934	Sequence 133934,
	175	44	1.4	601	3	US-09-949-016-143264	Sequence 143264,
	176	44	1.4	601	3	US-09-949-016-143435	Sequence 143435,
	177	44	1.4	601	3	US-09-949-016-144443	Sequence 144443,
	178	44	1.4	601	3	US-09-949-016-144444	Sequence 144444,
	179	44	1.4	601	3	US-09-949-016-150959	Sequence 150959,
	180	44	1.4	601	3	US-09-949-016-163060	Sequence 163060,
	181	44	1.4	601	3	US-09-949-016-165548	Sequence 165548,
	182	44	1.4	601	3	US-09-949-016-199110	Sequence 199110,
c	183	44	1.4	601	3	US-09-949-016-202729	Sequence 202729,
c	184	44	1.4	601	3	US-09-949-016-204472	Sequence 204472,
c	185	44	1.4	601	3	US-09-949-016-204542	Sequence 204542,
c	186	44	1.4	601	3	US-09-949-016-10588	Sequence 10588, A
	187	44	1.4	956	3	US-09-641-638-56	Sequence 56, Appl
	188	44	1.4	956	3	US-10-170-097-56	Sequence 56, Appl
	189	44	1.4	7480	3	US-09-949-016-11999	Sequence 11999, A
	190	44	1.4	7567	3	US-09-949-016-16486	Sequence 16486, A
	191	44	1.4	7720	3	US-09-318-448-5	Sequence 5, Appli
	192	44	1.4	7720	3	US-09-577-266-5	Sequence 5, Appli
c	193	44	1.4	10720	3	US-09-949-016-17443	Sequence 17443, A
c	194	44	1.4	15116	3	US-09-949-016-12354	Sequence 12354, A
c	195	44	1.4	15117	3	US-09-949-016-12260	Sequence 12260, A
	196	44	1.4	18651	3	US-09-949-016-16471	Sequence 16471, A
	197	44	1.4	18682	3	US-09-949-016-16523	Sequence 16523, A
	198	44	1.4	18891	3	US-09-949-016-15113	Sequence 15113, A
	199	44	1.4	19389	3	US-09-949-016-15267	Sequence 15267, A
	200	44	1.4	19974	3	US-09-949-016-13065	Sequence 13065, A
	201	44	1.4	20674	3	US-09-949-016-13066	Sequence 13066, A
c	202	44	1.4	20674	3	US-10-170-097-651	Sequence 651, App
c	203	44	1.4	22906	3	US-09-949-016-16471	Sequence 16471, A
c	204	44	1.4	25160	3	US-09-949-016-12691	Sequence 12691, A
c	205	44	1.4	25162	3	US-09-949-016-15469	Sequence 15469, A
c	206	44	1.4	25162	3	US-09-949-016-12961	Sequence 12961, A
c	207	44	1.4	26007	3	US-09-949-016-17222	Sequence 17222, A
c	208	44	1.4	28809	3	US-09-949-016-12825	Sequence 12825, A
c	209	44	1.4	29930	3	US-09-949-016-15326	Sequence 15326, A
c	210	44	1.4	31444	3	US-09-949-016-17532	Sequence 17532, A
c	211	44	1.4	33870	3	US-09-949-016-16306	Sequence 16306, A
c	212	44	1.4	34310	3	US-09-949-016-12518	Sequence 12518, A
c	213	44	1.4	34315	3	US-09-949-016-15469	Sequence 15469, A
c	214	44	1.4	36618	3	US-09-949-016-12961	Sequence 12961, A
c	215	44	1.4	38503	3	US-09-949-016-17257	Sequence 17257, A
c	216	44	1.4	38969	3	US-09-949-016-14051	Sequence 14051, A
c	217	44	1.4	39715	3	US-09-949-016-14051	Sequence 14051, A
c	218	44	1.4	48691	3	US-09-949-016-12454	Sequence 12454, A
c	219	44	1.4	54986	3	US-09-949-016-16716	Sequence 16716, A
c	220	44	1.4	58782	3	US-09-949-016-16851	Sequence 16851, A
c	221	44	1.4	60137	3	US-09-949-016-14735	Sequence 14735, A
c	222	44	1.4	60137	3	US-09-949-016-14912	Sequence 14912, A
c	223	44	1.4	64291	3	US-09-949-016-16278	Sequence 16278, A
c	224	44	1.4	64319	3	US-09-949-016-12804	Sequence 12804, A
c	225	44	1.4	65848	3	US-09-949-016-13285	Sequence 13285, A
c	226	44	1.4	68778	3	US-09-949-016-16406	Sequence 16406, A
c	227	44	1.4	78491	3	US-09-949-016-15132	Sequence 15132, A
c	228	44	1.4	82000	3	US-09-949-016-15595	Sequence 15595, A
c	229	44	1.4	85850	3	US-09-949-016-13424	Sequence 13424, A
c	230	44	1.4	85869	3	US-09-949-016-12017	Sequence 12017, A
c	231	44	1.4	85878	3	US-09-949-016-16321	Sequence 16321, A
c	232	44	1.4	88268	3	US-09-949-016-14178	Sequence 14178, A
c	233	44	1.4	89584	3	US-09-949-016-17068	Sequence 17068, A
c	234	44	1.4	92681	3	US-09-949-016-14772	Sequence 14772, A
c	235	44	1.4	93510	3	US-09-949-016-15095	Sequence 15095, A
c	236	44	1.4	97195	3	US-09-949-016-12212	Sequence 12212, A
c	237	44	1.4	97196	3	US-09-949-016-16971	Sequence 16971, A
	238	44	1.4	105001	3	US-09-949-002-627	Sequence 627, App
	239	44	1.4	105002	3	US-09-949-002-821	Sequence 821, App
c	240	44	1.4	107941	3	US-09-949-016-14206	Sequence 14206, A
c	241	44	1.4	109038	3	US-09-949-016-14206	Sequence 14206, A
c	242	44	1.4	109378	3	US-09-949-016-12199	Sequence 12199, A
c	243	44	1.4	112874	3	US-09-949-016-13180	Sequence 13180, A

	#					Patent	Sequence
c	244	44	1.4	114183	3	US-09-949-002-849	Sequence 849, App
c	245	44	1.4	117410	3	US-09-949-016-12262	Sequence 12262, A
c	246	44	1.4	120727	3	US-09-949-016-15787	Sequence 15787, A
c	247	44	1.4	120727	3	US-09-949-016-15788	Sequence 15788, A
	248	44	1.4	127546	3	US-09-949-002-624	Sequence 624, App
	249	44	1.4	133613	3	US-09-949-016-15824	Sequence 15824, A
c	250	44	1.4	134008	3	US-09-949-016-13841	Sequence 13841, A
c	251	44	1.4	134434	3	US-09-949-016-17362	Sequence 17362, A
c	252	44	1.4	139257	3	US-09-920-671-11	Sequence 11, Appl
c	253	44	1.4	139936	3	US-09-949-016-11782	Sequence 11782, A
c	254	44	1.4	139952	3	US-09-949-016-13280	Sequence 13280, A
c	255	44	1.4	146307	3	US-09-949-016-14881	Sequence 14881, A
	256	44	1.4	146307	3	US-09-949-016-14882	Sequence 14882, A
	257	44	1.4	146307	3	US-09-949-016-14883	Sequence 14883, A
	258	44	1.4	146307	3	US-09-949-016-14884	Sequence 14884, A
	259	44	1.4	146307	3	US-09-949-016-14885	Sequence 14885, A
	260	44	1.4	146307	3	US-09-949-016-14886	Sequence 14886, A
	261	44	1.4	146307	3	US-09-949-016-14887	Sequence 14887, A
	262	44	1.4	146307	3	US-09-949-016-14888	Sequence 14888, A
	263	44	1.4	148405	3	US-09-949-016-11747	Sequence 11747, A
	264	44	1.4	148405	3	US-09-949-016-12835	Sequence 12835, A
	265	44	1.4	148405	3	US-09-949-016-12836	Sequence 12836, A
	266	44	1.4	148405	3	US-09-949-016-12837	Sequence 12837, A
	267	44	1.4	152481	3	US-09-949-016-12521	Sequence 12521, A
	268	44	1.4	152798	3	US-09-949-016-12775	Sequence 12775, A
	269	44	1.4	152822	3	US-09-949-016-17518	Sequence 17518, A
	270	44	1.4	152822	3	US-09-949-016-17519	Sequence 17519, A
	271	44	1.4	157822	3	US-09-949-016-16723	Sequence 16723, A
	272	44	1.4	205044	3	US-09-949-016-15851	Sequence 15851, A
	273	44	1.4	205044	3	US-09-949-016-15852	Sequence 15852, A
	274	44	1.4	205044	3	US-09-949-016-15853	Sequence 15853, A
	275	44	1.4	211049	3	US-09-949-016-15770	Sequence 15770, A
	276	44	1.4	221958	3	US-09-949-016-12173	Sequence 12173, A
	277	44	1.4	221966	3	US-09-949-016-15498	Sequence 15498, A
	278	44	1.4	223471	3	US-09-949-016-12387	Sequence 12387, A
	279	44	1.4	223471	3	US-09-949-016-12724	Sequence 12724, A
c	280	44	1.4	223471	3	US-09-949-016-12725	Sequence 12725, A
c	281	44	1.4	237510	3	US-09-949-016-14273	Sequence 14273, A
c	282	44	1.4	239527	3	US-09-949-016-15980	Sequence 15980, A
	283	44	1.4	250352	3	US-09-949-016-14724	Sequence 14724, A
	284	44	1.4	275110	3	US-09-949-016-12706	Sequence 12706, A
	285	44	1.4	275110	3	US-09-949-016-16070	Sequence 16070, A
	286	44	1.4	304533	3	US-09-949-016-15371	Sequence 15371, A
	287	44	1.4	304533	3	US-09-949-016-15372	Sequence 15372, A
	288	44	1.4	385136	3	US-09-949-016-16073	Sequence 16073, A
	289	44	1.4	393753	3	US-09-949-016-14573	Sequence 14573, A
	290	44	1.4	393753	3	US-09-949-016-14574	Sequence 14574, A
	291	44	1.4	784019	3	US-09-949-016-14033	Sequence 14033, A
	292	44	1.4	818128	3	US-09-949-016-14546	Sequence 14546, A
	293	44	1.4	818128	3	US-09-949-016-14547	Sequence 14547, A
	294	44	1.4	818128	3	US-09-949-016-14548	Sequence 14548, A
	295	44	1.4	818128	3	US-09-949-016-14549	Sequence 14549, A
	296	44	1.4	818128	3	US-09-949-016-14550	Sequence 14550, A
	297	44	1.4	818128	3	US-09-949-016-14551	Sequence 14551, A
	298	44	1.4	818128	3	US-09-949-016-14552	Sequence 14552, A
	299	44	1.4	818128	3	US-09-949-016-14553	Sequence 14553, A
	300	44	1.4	818128	3	US-09-949-016-14554	Sequence 14554, A
	301	44	1.4	818128	3	US-09-949-016-14555	Sequence 14555, A
	302	44	1.4	818128	3	US-09-949-016-14556	Sequence 14556, A
	303	44	1.4	818128	3	US-09-949-016-14557	Sequence 14557, A
	304	44	1.4	818128	3	US-09-949-016-14558	Sequence 14558, A
	305	44	1.4	818128	3	US-09-949-016-14559	Sequence 14559, A
	306	44	1.4	818128	3	US-09-949-016-14560	Sequence 14560, A
	307	44	1.4	818128	3	US-09-949-016-14561	Sequence 14561, A
	308	44	1.4	818128	3	US-09-949-016-14562	Sequence 14562, A
	309	44	1.4	818128	3	US-09-949-016-14564	Sequence 14564, A
	310	44	1.4	818128	3	US-09-949-016-14565	Sequence 14565, A
	311	44	1.4	818128	3	US-09-949-016-14566	Sequence 14566, A
	312	44	1.4	818128	3	US-09-949-016-14567	Sequence 14567, A
	313	44	1.4	824152	3	US-09-949-016-12777	Sequence 12777, A
	314	43	1.4	117	3	US-09-513-999C-17724	Sequence 17724, App
	315	43	1.4	354	3	US-09-973-278-811	Sequence 811, App
	316	43	1.4	356	3	US-09-973-278-804	Sequence 804, App

	#					Patent	Sequence
c	317	43	1.4	365	3	US-09-513-999C-21034	Sequence 21034, A
	318	43	1.4	5232	3	US-09-949-016-17714	Sequence 17714, A
	319	43	1.4	5232	3	US-09-949-016-20309	Sequence 20309, A
	320	43	1.4	5232	3	US-09-949-016-20310	Sequence 20310, A
	321	43	1.4	601	3	US-09-949-016-21707	Sequence 21707, A
	322	43	1.4	601	3	US-09-949-016-21708	Sequence 21708, A
	323	43	1.4	601	3	US-09-949-016-21709	Sequence 21709, A
	324	43	1.4	601	3	US-09-949-016-26397	Sequence 26397, A
c	325	43	1.4	601	3	US-09-949-016-35107	Sequence 35107, A
	326	43	1.4	601	3	US-09-949-016-35108	Sequence 35108, A
	327	43	1.4	601	3	US-09-949-016-45237	Sequence 45237, A
	328	43	1.4	601	3	US-09-949-016-48203	Sequence 48203, A
	329	43	1.4	601	3	US-09-949-016-56368	Sequence 56368, A
c	330	43	1.4	601	3	US-09-949-016-56369	Sequence 56369, A
c	331	43	1.4	601	3	US-09-949-016-66550	Sequence 66550, A
c	332	43	1.4	601	3	US-09-949-016-89155	Sequence 89155, A
c	333	43	1.4	601	3	US-09-949-016-103330	Sequence 103330, A
c	334	43	1.4	601	3	US-09-949-016-103331	Sequence 103331, A
c	335	43	1.4	601	3	US-09-949-016-105600	Sequence 105600, A
c	336	43	1.4	601	3	US-09-949-016-132803	Sequence 132803, A
c	337	43	1.4	601	3	US-09-949-016-132804	Sequence 132804, A
c	338	43	1.4	601	3	US-09-949-016-137031	Sequence 137031, A
c	339	43	1.4	601	3	US-09-949-016-137032	Sequence 137032, A
c	340	43	1.4	601	3	US-09-949-016-138675	Sequence 138675, A
c	341	43	1.4	601	3	US-09-949-016-142312	Sequence 142312, A
	342	43	1.4	601	3	US-09-949-016-142313	Sequence 142313, A
	343	43	1.4	601	3	US-09-949-016-144926	Sequence 144926, A
	344	43	1.4	601	3	US-09-949-016-167908	Sequence 167908, A
	345	43	1.4	601	3	US-09-949-016-167909	Sequence 167909, A
c	346	43	1.4	601	3	US-09-949-016-175295	Sequence 175295, A
	347	43	1.4	601	3	US-09-949-016-179586	Sequence 179586, A
	348	43	1.4	601	3	US-09-949-016-179587	Sequence 179587, A
	349	43	1.4	601	3	US-09-949-016-179588	Sequence 179588, A
c	350	43	1.4	601	3	US-09-949-016-183547	Sequence 183547, A
	351	43	1.4	601	3	US-09-949-016-196942	Sequence 196942, A
c	352	43	1.4	5232	3	US-09-212-971-3	Sequence 3, Appli
	353	43	1.4	5232	3	US-08-800-929A-3	Sequence 3, Appli
	354	43	1.4	5372	3	US-09-617-053A-3	Sequence 3, Appli
c	355	43	1.4	5386	3	US-09-949-016-14484	Sequence 14484, A
c	356	43	1.4	5749	3	US-09-949-016-15441	Sequence 15441, A
c	357	43	1.4	5749	3	US-09-949-016-15442	Sequence 15442, A
	358	43	1.4	10013	3	US-09-949-016-16474	Sequence 16474, A
	359	43	1.4	15033	3	US-09-949-016-15916	Sequence 15916, A
c	360	43	1.4	20902	3	US-09-949-016-12684	Sequence 12684, A
	361	43	1.4	20908	3	US-09-949-016-14764	Sequence 14764, A
c	362	43	1.4	23946	3	US-09-949-016-13381	Sequence 13381, A
	363	43	1.4	25370	3	US-09-949-016-11880	Sequence 11880, A
c	364	43	1.4	25375	3	US-09-949-016-12109	Sequence 12109, A
c	365	43	1.4	31229	3	US-09-949-016-12619	Sequence 12619, A
c	366	43	1.4	31231	3	US-09-949-016-15766	Sequence 15766, A
	367	43	1.4	32584	3	US-09-949-016-11885	Sequence 11885, A
	368	43	1.4	33152	3	US-09-949-016-16719	Sequence 16719, A
	369	43	1.4	36816	3	US-09-949-016-16218	Sequence 16218, A
	370	43	1.4	39318	3	US-09-949-016-13798	Sequence 13798, A
	371	43	1.4	42246	3	US-09-949-016-17008	Sequence 17008, A
	372	43	1.4	42574	3	US-09-949-016-17525	Sequence 17525, A
	373	43	1.4	45427	3	US-09-949-016-16243	Sequence 16243, A
	374	43	1.4	48763	3	US-09-916-204-3	Sequence 3, Appl
	375	43	1.4	48763	3	US-10-282-048-3	Sequence 3, Appl
c	376	43	1.4	48763	3	US-09-949-016-12680	Sequence 12680, A
c	377	43	1.4	49309	3	US-09-949-016-13084	Sequence 13084, A
c	378	43	1.4	49309	3	US-09-949-016-12858	Sequence 12858, A
c	379	43	1.4	50775	3	US-09-949-016-15438	Sequence 15438, A
c	380	43	1.4	50776	3	US-09-949-016-16681	Sequence 16681, A
c	381	43	1.4	51508	3	US-09-949-016-11935	Sequence 11935, A
	382	43	1.4	57914	3	US-09-949-016-11921	Sequence 11921, A
	383	43	1.4	57936	3	US-09-949-016-17448	Sequence 17448, A
	384	43	1.4	58014	3	US-09-949-016-12177	Sequence 12177, A
	385	43	1.4	59123	3	US-09-949-016-12177	Sequence 12177, A
	386	43	1.4	59977	3	US-09-949-016-12259	Sequence 12259, A
	387	43	1.4	59978	3	US-09-949-016-15397	Sequence 15397, A
	388	43	1.4	62386	3	US-09-949-016-12823	Sequence 12823, A
	389	43	1.4	75378	3	US-09-949-016-17140	Sequence 17140, A

c	#					Patent	Sequence
c	390	43	1.4	76118	3	US-09-949-016-15593	Sequence 15593, A
c	391	43	1.4	76269	3	US-09-949-016-14603	Sequence 14603, A
c	392	43	1.4	76553	3	US-09-949-016-13432	Sequence 13432, A
	393	43	1.4	83210	3	US-09-949-016-14209	Sequence 14209, A
	394	43	1.4	8752	3	US-09-949-016-16807	Sequence 16807, A
	395	43	1.4	9618	3	US-09-949-016-15964	Sequence 15964, A
	396	43	1.4	91559	3	US-09-949-016-12581	Sequence 12581, A
	397	43	1.4	91559	3	US-09-949-016-13701	Sequence 13701, A
	398	43	1.4	9364	3	US-09-949-016-14890	Sequence 14890, A
	399	43	1.4	9894	3	US-09-949-016-13629	Sequence 13629, A
c	400	43	1.4	9997	3	US-09-949-016-15255	Sequence 15255, A
c	401	43	1.4	106256	3	US-09-949-016-16858	Sequence 16858, A
c	402	43	1.4	109250	3	US-09-949-016-12530	Sequence 12530, A
	403	43	1.4	109251	3	US-09-949-016-17321	Sequence 17321, A
	404	43	1.4	113379	3	US-09-949-016-17561	Sequence 17561, Ap
	405	43	1.4	113379	3	US-09-949-016-17561	Sequence 17561, A
	406	43	1.4	113379	3	US-09-949-016-17562	Sequence 17562, A
	407	43	1.4	113379	3	US-09-949-016-17562	Sequence 17562, A
	408	43	1.4	120213	3	US-09-949-016-13304	Sequence 13304, A
	409	43	1.4	120217	3	US-09-949-016-12260	Sequence 12260, A
	410	43	1.4	122772	3	US-09-949-016-14132	Sequence 14132, A
	411	43	1.4	129999	3	US-09-949-016-14684	Sequence 14684, A
	412	43	1.4	144596	3	US-09-949-016-11749	Sequence 11749, A
	413	43	1.4	144596	3	US-09-949-016-13035	Sequence 13035, A
	414	43	1.4	144156	3	US-09-949-016-11776	Sequence 11776, A
	415	43	1.4	154626	3	US-09-949-016-14000	Sequence 14000, A
	416	43	1.4	160018	3	US-09-949-016-12617	Sequence 12617, A
	417	43	1.4	160018	3	US-09-949-016-15994	Sequence 15994, A
c	418	43	1.4	160552	3	US-09-949-016-13379	Sequence 13379, App
c	419	43	1.4	173992	3	US-09-949-016-13379	Sequence 13379, A
c	420	43	1.4	174493	3	US-09-804-471A-3	Sequence 3, Appli
c	421	43	1.4	174493	3	US-10-724-594-3	Sequence 3, Appli
c	422	43	1.4	174493	3	US-10-238-709-3	Sequence 3, Appli
c	423	43	1.4	177251	3	US-09-949-016-15841	Sequence 15841, A
c	424	43	1.4	194714	3	US-09-949-016-11869	Sequence 11869, A
c	425	43	1.4	194889	3	US-09-949-016-15654	Sequence 15654, A
c	426	43	1.4	196714	3	US-09-949-016-15474	Sequence 15474, A
c	427	43	1.4	237510	3	US-09-949-016-14273	Sequence 14273, A
c	428	43	1.4	346112	3	US-09-385-982-17	Sequence 17, Appl
c	429	43	1.4	336	3	US-09-949-016-19618	Sequence 19618, A
c	430	43	1.3	601	3	US-09-949-016-25518	Sequence 25518, A
c	431	43	1.3	601	3	US-09-949-016-28910	Sequence 28910, A
c	432	43	1.3	601	3	US-09-949-016-31419	Sequence 31419, A
c	433	43	1.3	601	3	US-09-949-016-37684	Sequence 37684, A
c	434	43	1.3	601	3	US-09-949-016-37704	Sequence 37704, A
c	435	43	1.3	601	3	US-09-949-016-39927	Sequence 39927, A
c	436	43	1.3	601	3	US-09-949-016-45798	Sequence 45798, A
c	437	43	1.3	601	3	US-09-949-016-54520	Sequence 54520, A
c	438	43	1.3	601	3	US-09-949-016-57030	Sequence 57030, A
c	439	43	1.3	601	3	US-09-949-016-57821	Sequence 57821, A
c	440	43	1.3	601	3	US-09-949-016-57822	Sequence 57822, A
c	441	43	1.3	601	3	US-09-949-016-59688	Sequence 59688, A
c	442	43	1.3	601	3	US-09-949-016-73696	Sequence 73696, A
c	443	43	1.3	601	3	US-09-949-016-121736	Sequence 121736, A
c	444	43	1.3	601	3	US-09-949-016-125857	Sequence 125857, A
c	445	43	1.3	601	3	US-09-949-016-125964	Sequence 125964, A
c	446	43	1.3	601	3	US-09-949-016-105326	Sequence 105326, A
c	447	43	1.3	601	3	US-09-949-016-86370	Sequence 86370, A
c	448	43	1.3	601	3	US-09-949-016-86369	Sequence 86369, A
c	449	43	1.3	601	3	US-09-949-016-127231	Sequence 127231, A
c	450	43	1.3	601	3	US-09-949-016-127826	Sequence 127826, A
c	451	43	1.3	601	3	US-09-949-016-128163	Sequence 128163, A
c	452	43	1.3	601	3	US-09-949-016-135139	Sequence 135139, A
c	453	43	1.3	601	3	US-09-949-016-139090	Sequence 139090, A
c	454	43	1.3	601	3	US-09-949-016-141088	Sequence 141088, A
c	455	43	1.3	601	3	US-09-949-016-146571	Sequence 146571, A
c	456	43	1.3	601	3	US-09-949-016-147357	Sequence 147357, A
c	457	43	1.3	601	3	US-09-949-016-147357	Sequence 147357, A
c	458	43	1.3	601	3	US-09-949-016-169230	Sequence 169230, A
c	459	43	1.3	601	3	US-09-949-016-171811	Sequence 171811, A
c	460	42	1.3	601	3	US-09-949-016-171812	Sequence 171812, A
c	461	42	1.3	601	3	US-09-949-016-175700	Sequence 175700, A
c	462	42	1.3	601	3	US-09-949-016-176743	Sequence 176743, A
c	463	42	1.3	601	3	US-09-949-016-177625	Sequence 177625, A
c	464	42	1.3	601	3	US-09-949-016-180839	Sequence 180839, A
c	465	42	1.3	601	3	US-09-949-016-186854	Sequence 186854, A
	466	42	1.3	601	3	US-09-949-016-188045	Sequence 188045, A
	467	42	1.3	601	3	US-09-949-016-188074	Sequence 188074, A
	468	42	1.3	601	3	US-09-949-016-188551	Sequence 188551, A
	469	42	1.3	601	3	US-09-949-016-199254	Sequence 199254, A
	470	42	1.3	601	3	US-09-949-016-199255	Sequence 199255, A
	471	42	1.3	601	3	US-09-949-002-1276	Sequence 1276, Ap
	472	42	1.3	601	3	US-09-949-002-1277	Sequence 1277, Ap
	473	42	1.3	601	3	US-09-949-002-10408	Sequence 10408, A
	474	42	1.3	601	3	US-09-949-002-10409	Sequence 10409, A
c	475	42	1.3	5227	3	US-09-973-278-918	Sequence 918, App
c	476	42	1.3	5235	3	US-09-973-278-919	Sequence 919, App
c	477	42	1.3	5969	3	US-09-949-016-1342	Sequence 1342, Ap
c	478	42	1.3	5970	3	US-09-949-016-938	Sequence 938, App
c	479	42	1.3	6328	3	US-09-949-016-14847	Sequence 14847, A
c	480	42	1.3	6831	3	US-09-949-016-12281	Sequence 12281, A
c	481	42	1.3	7584	3	US-09-949-016-11836	Sequence 11836, A
c	482	42	1.3	7585	3	US-09-949-016-16737	Sequence 16737, A
c	483	42	1.3	9900	3	US-09-949-016-13392	Sequence 13392, A
c	484	42	1.3	11022	3	US-09-949-016-15502	Sequence 15502, A
c	485	42	1.3	15661	3	US-09-949-016-13161	Sequence 13161, A
c	486	42	1.3	15664	3	US-09-949-016-14031	Sequence 14031, A
	487	42	1.3	18264	3	US-09-949-016-13030	Sequence 13030, A
	488	42	1.3	18605	3	US-09-949-016-14465	Sequence 14465, A
	489	42	1.3	20059	3	US-09-949-016-12323	Sequence 12323, A
	490	42	1.3	20060	3	US-09-949-016-14716	Sequence 14716, A
	491	42	1.3	20084	3	US-09-949-016-14165	Sequence 14165, A
c	492	42	1.3	23995	3	US-09-949-016-17363	Sequence 17363, A
c	493	42	1.3	24841	3	US-09-949-016-14009	Sequence 14009, A
c	494	42	1.3	24847	3	US-09-949-016-16056	Sequence 16056, A
c	495	42	1.3	27592	3	US-09-949-016-14682	Sequence 14682, A
c	496	42	1.3	27767	3	US-09-949-016-13055	Sequence 13055, A
c	497	42	1.3	27923	3	US-09-949-016-13371	Sequence 13371, A
c	498	42	1.3	28791	3	US-09-949-016-15396	Sequence 15396, A
c	499	42	1.3	28823	3	US-09-949-016-12437	Sequence 12437, A
c	500	42	1.3	28823	3	US-09-949-016-15879	Sequence 15879, A

ALIGNMENTS

RESULT 1
US-09-513-999C-3793/c
Sequence 3793, Application US/09513999C
; Patent No. 6783961
; GENERAL INFORMATION:
; APPLICANT: Dumas Milne Edwards, J.B.
; APPLICANT: Duclert, A.
; APPLICANT: Giordano, J.Y.
; TITLE OF INVENTION: Expressed Sequence Tags and Encoded Human Proteins.
; Patent No. 6783961
; FILE REFERENCE: 59.US2.REG
; CURRENT APPLICATION NUMBER: US/09/513,999C
; CURRENT FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/122,487
; PRIOR FILING DATE: 1999-02-26
; NUMBER OF SEQ ID NOS: 36681
; SOFTWARE: Patent-In
; SEQ ID NO 3793
; LENGTH: 381
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 12..347
; FEATURE:
; NAME/KEY: sig_peptide
; LOCATION: 12..158
; OTHER INFORMATION: score 7.7
; OTHER INFORMATION: seq LCILGSSDSPASA/SQ
; FEATURE:

```
;  NAME/KEY: misc_feature
;  LOCATION: 322
;  OTHER INFORMATION: s=g or c
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: 370
;  OTHER INFORMATION: k=g or t
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: 376
;  OTHER INFORMATION: r=a or g
;  FEATURE:
;  NAME/KEY: UNSURE
;  LOCATION: 55
;  OTHER INFORMATION: Xaa=Ser or Thr
   US-09-513-999C-3793

Qy  3071 CAAGATTGTGTGCCACTGCACTCCCAGCCCTGGGGCAACAGAGCCAAGACTCTGTCTC 3122
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   107 CAAGATTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACTCTGTCTC 56

RESULT 2
US-09-949-016-72610/c
Sequence 72610, Application US/0994901б
Patent No. 6812339
GENERAL INFORMATION:
   APPLICANT: VENTER, J. Craig et al.
   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
   FILE REFERENCE: CL001307
   CURRENT APPLICATION NUMBER: US/09/949,016
   CURRENT FILING DATE: 2000-04-14
   PRIOR APPLICATION NUMBER: 60/231,498
   PRIOR FILING DATE: 2000-09-08
   PRIOR APPLICATION NUMBER: 60/241,755
   PRIOR FILING DATE: 2000-10-20
   PRIOR APPLICATION NUMBER: 60/237,768
   PRIOR FILING DATE: 2000-10-03
   PRIOR APPLICATION NUMBER: 60/231,498
   PRIOR FILING DATE: 2000-09-08
   NUMBER OF SEQ ID NOS: 207012
   SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 72610
;  LENGTH: 601
;  TYPE: DNA
;  ORGANISM: Human
   US-09-949-016-72610

Query Match   1.7%; Score 52; DB 3; Length 381;
Best Local Similarity 100.0%; Pred. No. 3.5e-14;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy  3071 CAAGATTGTGTGCCACTGCACTCCCAGCCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    71 CAAGATTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACTCTGTCTC 20

RESULT 3
US-09-949-016-75710
Sequence 75710, Application US/0994901б
Patent No. 6812339
GENERAL INFORMATION:
   APPLICANT: VENTER, J. Craig et al.
   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
   FILE REFERENCE: CL001307
   CURRENT APPLICATION NUMBER: US/09/949,016
   CURRENT FILING DATE: 2000-04-14
   PRIOR APPLICATION NUMBER: 60/241,755
   PRIOR FILING DATE: 2000-10-20
```

```
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 75710
;  LENGTH: 601
;  TYPE: DNA
;  ORGANISM: Human
   US-09-949-016-75710

Query Match   1.7%; Score 52; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 3.4e-14;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy  2889 GAGGCCAGGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   191 GAGGCCAGGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 242

RESULT 4
US-09-949-016-75723
Sequence 75723, Application US/0994901б
Patent No. 6812339
GENERAL INFORMATION:
   APPLICANT: VENTER, J. Craig et al.
   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
   FILE REFERENCE: CL001307
   CURRENT APPLICATION NUMBER: US/09/949,016
   CURRENT FILING DATE: 2000-04-14
   PRIOR APPLICATION NUMBER: 60/241,755
   PRIOR FILING DATE: 2000-10-20
   PRIOR APPLICATION NUMBER: 60/237,768
   PRIOR FILING DATE: 2000-10-03
   PRIOR APPLICATION NUMBER: 60/231,498
   PRIOR FILING DATE: 2000-09-08
   NUMBER OF SEQ ID NOS: 207012
   SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 75723
;  LENGTH: 601
;  TYPE: DNA
;  ORGANISM: Human
   US-09-949-016-75723

Query Match   1.7%; Score 52; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 3.4e-14;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy  2889 GAGGCCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   191 GAGGCCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 242

RESULT 5
US-09-949-016-13931/c
Sequence 13931, Application US/0994901б
Patent No. 6812339
GENERAL INFORMATION:
   APPLICANT: VENTER, J. Craig et al.
   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
   FILE REFERENCE: CL001307
   CURRENT APPLICATION NUMBER: US/09/949,016
   CURRENT FILING DATE: 2000-04-14
   PRIOR APPLICATION NUMBER: 60/241,755
   PRIOR FILING DATE: 2000-10-20
   PRIOR APPLICATION NUMBER: 60/237,768
   PRIOR FILING DATE: 2000-10-03
   PRIOR APPLICATION NUMBER: 60/231,498
   PRIOR FILING DATE: 2000-09-08
   NUMBER OF SEQ ID NOS: 207012
```

```
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13931
; LENGTH: 15415
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-13931

Qy    2889 GAGGCAGGTGGATCACCTGAGGCCCAGAGAGTTCCAGACCAGCCTGGCCAAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   11938 GAGGCAGGTGGATCACCTGAGGCCCAGAGAGTTCCAGACCAGCCTGGCCAAACAT 11887

Query Match       100.0%;  Score 52;  DB 3;  Length 15415;
Best Local Similarity   100.0%;  Pred. No. 3.1e-14;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;


RESULT 6
US-09-949-016-13932/c
Sequence 13932, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 13932
LENGTH: 15415
TYPE: DNA
ORGANISM: Human
US-09-949-016-13932

Qy    2889 GAGGCAGGTGGATCACCTGAGGCCCAGAGAGTTCCAGACCAGCCTGGCCAAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   11938 GAGGCAGGTGGATCACCTGAGGCCCAGAGAGTTCCAGACCAGCCTGGCCAAACAT 11887

Query Match       100.0%;  Score 52;  DB 3;  Length 15415;
Best Local Similarity   100.0%;  Pred. No. 3.1e-14;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;


RESULT 7
US-09-949-016-13397/c
Sequence 13397, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 13397
LENGTH: 25969
TYPE: DNA
ORGANISM: Human
```

```
US-09-949-016-13397

Query Match       100.0%;  Score 52;  DB 3;  Length 25969;
Best Local Similarity   100.0%;  Pred. No. 3e-14;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;


RESULT 8
US-09-949-016-13220/c
Sequence 13220, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 13220
LENGTH: 77586
TYPE: DNA
ORGANISM: Human
US-09-949-016-13220

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   22148 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGCAAGACTCTGTCTC 22097

Query Match       100.0%;  Score 52;  DB 3;  Length 77586;
Best Local Similarity   100.0%;  Pred. No. 2.9e-14;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;


RESULT 9
US-09-949-016-13221/c
Sequence 13221, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 13221
LENGTH: 77586
TYPE: DNA
ORGANISM: Human
US-09-949-016-13221

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   43078 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGCAAGACTCTGTCTC 43027

Query Match       100.0%;  Score 52;  DB 3;  Length 77586;
Best Local Similarity   100.0%;  Pred. No. 2.9e-14;
Matches   52;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
Qy          3071  CAAGATTGTGCCACTCAGCTCCAGCTGGGCCAACACAGAGGCAAGAGACTCTGTCTC  3122
                  ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         43078  CAAGATTGTGCCACTCAGCTCCAGCTGGGCCAACACAGAGGCAAGAGACTCTGTCTC  43027
```

RESULT 10
US-09-918-686-1
; Sequence 1, Application US/09918686
; Patent No. 6475739
; GENERAL INFORMATION:
;   APPLICANT: Brunkow, Mary
;   APPLICANT: Proll, Sean
;   APPLICANT: Paeper, Bryan
;   APPLICANT: Staehling-Hampton, Karen
;   TITLE OF INVENTION: METHODS FOR IDENTIFYING
;   TITLE OF INVENTION: GENOMIC DELETIONS
;   FILE REFERENCE: 240083.515
;   CURRENT APPLICATION NUMBER: US/09/918,686
;   CURRENT FILING DATE: 2001-07-30
;   NUMBER OF SEQ ID NOS: 105
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1
;   LENGTH: 92139
;   TYPE: DNA
;   ORGANISM: Homo sapiens
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: 7043, 8369, 8401
;   OTHER INFORMATION: n = A,T,C or G
US-09-918-686-1

  Query Match   1.7%; Score 52; DB 3; Length 92139;
  Best Local Similarity   100.0%; Pred. No. 2.9e-14;
  Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy          2889  GAGGCAGGTGGGATCACCTGAGGGCCCAGGAGAGTTCGAGACCAGCCTTGGCCAACAT  2940
                  |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         85294  GAGGCAGGTGGGATCACCTGAGGGCCCAGGAGAGTTCGAGACCAGCCTTGGCCAACAT  85345
```

RESULT 11
US-09-949-016-15787
; Sequence 15787, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15787
;   LENGTH: 120727
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)..(120727)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15787

  Query Match   1.7%; Score 52; DB 3; Length 120727;
  Best Local Similarity   100.0%; Pred. No. 2.9e-14;
  Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy          2889  GAGGCAGGTGGGATCACCTGAGGGCCCAGGAGAGTTCGAGACCAGCCTTGGCCAACAT  2940
                  |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         58522  GAGGCAGGTGGGATCACCTGAGGGCCCAGGAGAGTTCGAGACCAGCCTTGGCCAACAT  58573
```

RESULT 12
US-09-949-016-15788
; Sequence 15788, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15788
;   LENGTH: 120727
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)..(120727)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15788

  Query Match   1.7%; Score 52; DB 3; Length 120727;
  Best Local Similarity   100.0%; Pred. No. 2.9e-14;
  Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy          2889  GAGGCAGGTGGGATCACCTGAGGGCCCAGGAGAGTTCGAGACCAGCCTTGGCCAACAT  2940
                  |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         58522  GAGGCAGGTGGGATCACCTGAGGGCCCAGGAGAGTTCGAGACCAGCCTTGGCCAACAT  58573
```

RESULT 13
US-09-949-016-13870
; Sequence 13870, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13870
;   LENGTH: 155266
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-13870

  Query Match   1.7%; Score 52; DB 3; Length 155266;
  Best Local Similarity   100.0%; Pred. No. 2.9e-14;
  Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy          2889  GAGGCAGGTGGGATCACCTGAGGGCCCAGGAGAGTTCGAGACCAGCCTTGGCCAACAT  2940
                  |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         58522  GAGGCAGGTGGGATCACCTGAGGGCCCAGGAGAGTTCGAGACCAGCCTTGGCCAACAT  58573
```

```
Qy         3071 CAAGATTGTGCCACTGCACTCCAGCTCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 3122
                ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       139149 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 139200
```

RESULT 14
US-09-949-016-16873/c
; Sequence 16873, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16873
; LENGTH: 35688
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-16873

Query Match   1.6%; Score 51; DB 3; Length 35688;
Best Local Similarity   100.0%;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy         3071 CAAGATTGTGCCACTGCACTCCAGCTCTGGGCGCAACAGAGCAAGAGACTCTGTCT 3121
                |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         7571 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 7521
```

RESULT 15
US-09-949-016-12227
; Sequence 12227, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12227
; LENGTH: 156942
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(156942)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12227

Query Match   1.6%; Score 51; DB 3; Length 156942;
Best Local Similarity   100.0%;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy         2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
```

```
Db       118483 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 118533
                ||||||||||||||||||||||||||||||||||||||||||||||||||||
```

RESULT 16
US-09-949-016-15946
; Sequence 15946, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15946
; LENGTH: 156950
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(156950)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15946

Query Match   1.6%; Score 51; DB 3; Length 156950;
Best Local Similarity   100.0%;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy         2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
```

```
Db       118483 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 118533
                ||||||||||||||||||||||||||||||||||||||||||||||||||||
```

RESULT 17
US-09-513-999C-28539/c
; Sequence 28539, Application US/09513999C
; Patent No. 6783961
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; APPLICANT: Dumas Milne Edwards, J.B.
; APPLICANT: Duclert, A.
; APPLICANT: Giordano, J.Y.
; TITLE OF INVENTION: Expressed Sequence Tags and Encoded Human Proteins.
; FILE REFERENCE: 59.US2.REG
; CURRENT APPLICATION NUMBER: US/09/513,999C
; CURRENT FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/122,487
; PRIOR FILING DATE: 1999-02-26
; NUMBER OF SEQ ID NOS: 36681
; SOFTWARE: Patent-In
; SEQ ID NO 28539
; LENGTH: 255
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-513-999C-28539

Query Match   1.6%; Score 50; DB 3; Length 255;
Best Local Similarity   100.0%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy         3073 AGATTGTGCCACTGCACTCCAGCTCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 3122
                ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          226 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 177
```

RESULT 18
US-09-973-278-870
Sequence 870, Application US/0997327B
Patent No. 6924354
GENERAL INFORMATION:
; APPLICANT: Fischer et al.
; TITLE OF INVENTION:123 Human Secreted Proteins
; FILE REFERENCE: P201DP2
; CURRENT APPLICATION NUMBER: US/09/973,278
; CURRENT FILING DATE: 2001-10-10
; PRIOR APPLICATION NUMBER: 60/239,899
; PRIOR FILING DATE: 2000-10-13
; PRIOR APPLICATION NUMBER: 09/227,357
; PRIOR FILING DATE: 1999-01-08
; PRIOR APPLICATION NUMBER: PCT/US98/13684
; PRIOR FILING DATE: 1998-07-07
; PRIOR APPLICATION NUMBER: 60/051,926
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/052,793
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,925
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,929
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/052,803
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/052,732
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,931
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,932
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,916
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,930
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,918
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,920
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/052,733
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/052,795
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,919
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,928
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/051,722
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/055,723
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/055,948
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/055,949
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/055,953
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/055,950
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/055,947
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/055,964
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/056,360
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/055,684
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/055,984
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/055,954
; PRIOR FILING DATE: 1997-08-18

; PRIOR APPLICATION NUMBER: 60/058,785
; PRIOR FILING DATE: 1997-09-12
; PRIOR APPLICATION NUMBER: 60/058,664
; PRIOR FILING DATE: 1997-09-12
; PRIOR APPLICATION NUMBER: 60/058,660
; PRIOR FILING DATE: 1997-09-12
; PRIOR APPLICATION NUMBER: 60/058,661
; PRIOR FILING DATE: 1997-09-12
; NUMBER OF SEQ ID NOS: 947
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 870
; LENGTH: 288
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-973-278-870

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   221 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 270

Query Match   1.6%; Score 50; DB 3; Length 288;
Best Local Similarity   100.0%; Pred. No. 3e-13;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 19
US-09-949-016-47563
Sequence 47563, Application US/0994901б
Patent No. 6812339
GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 47563
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-47563

Qy   3073 AGATTGTGCCACTCCAGCCTGGGGCAACAGAGCAAGACAGAGCAAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   531 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 580

RESULT 20
US-09-949-016-125579
Sequence 125579, Application US/0994901б
Patent No. 6812339
GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768

```
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 125579
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-125579

Qy    3073  AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGACTCTGTCTC  3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     221  AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGACTCTGTCTC   270

RESULT 21
US-09-949-016-125580
Sequence 125580, Application US/0949016
Patent No. 6812339
GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 125580
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-125580

Query Match             100.0%;  Score 50;  DB 3;  Length 601;
Best Local Similarity   1.6%;    Pred. No. 3e-13;
Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    3073  AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGACTCTGTCTC  3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     221  AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGACTCTGTCTC   270
```

```
;   SEQ ID NO 125581
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-125581

RESULT 22
US-09-949-016-125581
Sequence 125581, Application US/0949016
Patent No. 6812339
GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 163881
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-163881

RESULT 23
US-09-949-016-163881
Sequence 163881, Application US/0949016
Patent No. 6812339
GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0

Query Match             100.0%;  Score 50;  DB 3;  Length 601;
Best Local Similarity   1.6%;    Pred. No. 3e-13;
Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    3073  AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGACTCTGTCTC  3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      46  AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGACTCTGTCTC    95
```

```
Query Match             100.0%;  Score 50;  DB 3;  Length 601;
Best Local Similarity   1.6%;    Pred. No. 3e-13;
Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    3073  AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGACTCTGTCTC  3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     179  AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGACTCTGTCTC   228

RESULT 24
US-09-544-398B-10
Sequence 10, Application US/09544398B
Patent No. 6770461
GENERAL INFORMATION:
;   APPLICANT: Carulli, John P.
;   APPLICANT: Little, Randall D.
;   APPLICANT: Recker, Robert R.
;   APPLICANT: Johnson, Mark L.
;   TITLE OF INVENTION: High bone mass gene of 11q13.3
;   FILE REFERENCE: 032796-013
;   CURRENT APPLICATION NUMBER: US/09/544,398B
;   CURRENT FILING DATE: 2002-06-10
;   PRIOR APPLICATION NUMBER: US 09/229,319
;   PRIOR FILING DATE: 1999-01-13
;   PRIOR APPLICATION NUMBER: US 60/071,449
;   PRIOR FILING DATE: 1998-01-13
;   PRIOR APPLICATION NUMBER: US 60/105,511
;   PRIOR FILING DATE: 1998-10-23
;   NUMBER OF SEQ ID NOS: 641
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 10
;   LENGTH: 8705
;   TYPE: DNA
```

```
Query Match             100.0%;  Score 50;  DB 3;  Length 601;
Best Local Similarity   1.6%;    Pred. No. 3e-13;
Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    3073  AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGACTCTGTCTC  3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     203  AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGACTCTGTCTC   252
```

RESULT 25
US-09-543-771B-10
; Sequence 10, Application US/09543771B
; Patent No. 6780609
; GENERAL INFORMATION:
; APPLICANT: Carulli, John P.
; APPLICANT: Little, Randall D.
; APPLICANT: Recker, Robert R.
; APPLICANT: Johnson, Mark L.
; TITLE OF INVENTION: High bone mass gene of 11q13.3
; FILE REFERENCE: 032796-014
; CURRENT APPLICATION NUMBER: US/09/543,771B
; CURRENT FILING DATE: 2000-04-05
; PRIOR APPLICATION NUMBER: US 09/229,319
; PRIOR FILING DATE: 1999-01-13
; PRIOR APPLICATION NUMBER: US 60/071,449
; PRIOR FILING DATE: 1998-01-13
; PRIOR APPLICATION NUMBER: US 60/105,511
; PRIOR FILING DATE: 1998-10-23
; NUMBER OF SEQ ID NOS: 641
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 10
; LENGTH: 8705
; TYPE: DNA
; ORGANISM: Homo sapiens

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   6492 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTTCTGTCTC 6541

RESULT 26
US-09-949-016-15304
; Sequence 15304, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15304
; LENGTH: 36954
; TYPE: DNA
; ORGANISM: Human

US-09-949-016-15304

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   27720 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTTCTGTCTC 27769

Query Match   1.6%; Score 50; DB 3; Length 36954;
Best Local Similarity   100.0%;
  Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 27
US-09-949-016-12384
; Sequence 12384, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12384
; LENGTH: 39154
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(39154)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12384

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   38617 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTTCTGTCTC 38666

Query Match   1.6%; Score 50; DB 3; Length 39154;
Best Local Similarity   100.0%;
  Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 28
US-09-949-016-12801
; Sequence 12801, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12801
; LENGTH: 39154
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(39154)

Query Match   1.6%; Score 50; DB 3; Length 8705;
Best Local Similarity   100.0%; Pred. No. 2.7e-13;
  Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;
US-09-543-771B-10
; ORGANISM: Homo sapiens

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   6492 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTTCTGTCTC 6541

Query Match   1.6%; Score 50; DB 3; Length 8705;
Best Local Similarity   100.0%; Pred. No. 2.7e-13;
  Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Query Match   1.6%; Score 50; DB 3; Length 36954;
Best Local Similarity   100.0%; Pred. No. 2.7e-13;
  Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;
US-09-544-398B-10
; ORGANISM: Homo sapiens

Query Match   1.6%; Score 50; DB 3; Length 39154;
Best Local Similarity   100.0%; Pred. No. 2.6e-13;
  Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12801

Query Match   1.6%;   Score 50;   DB 3;   Length 39154;
Best Local Similarity 100.0%;   Pred. No. 2.6e-13;
Matches   50;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   38617 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 38666

RESULT 29
US-09-949-016-14326
; Sequence 14326, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SEQ ID NO 14326
; LENGTH: 39443
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(39443)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-14326

Query Match   1.6%;   Score 50;   DB 3;   Length 39443;
Best Local Similarity 100.0%;   Pred. No. 2.6e-13;
Matches   50;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   38617 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 38666

RESULT 30
US-09-949-016-14327
; Sequence 14327, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SEQ ID NO 14327
; LENGTH: 39443
; TYPE: DNA
; ORGANISM: Human

; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(39443)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-14327

Query Match   1.6%;   Score 50;   DB 3;   Length 39443;
Best Local Similarity 100.0%;   Pred. No. 2.6e-13;
Matches   50;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   38617 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 38666

RESULT 31
US-09-949-016-17153
; Sequence 17153, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SEQ ID NO 17153
; LENGTH: 76401
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
US-09-949-016-17153

Query Match   1.6%;   Score 50;   DB 3;   Length 76401;
Best Local Similarity 100.0%;   Pred. No. 2.5e-13;
Matches   50;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   56563 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 56612

RESULT 32
US-09-949-016-16335
; Sequence 16335, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SEQ ID NO 16335
; LENGTH: 87190
; TYPE: DNA
; ORGANISM: Human
; FEATURE:

```
;  NAME/KEY: misc_feature
;  ORGANISM: Human
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)..(87190)
;  OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16335

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  57590 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 57639

RESULT 33
US-09-949-016-13139/c
;  Sequence 13139, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 13139
;  LENGTH: 95648
;  TYPE: DNA
;  ORGANISM: Human
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)..(95648)
;  OTHER INFORMATION: n = A,T,C or G
US-09-949-016-13139

Query Match        1.6%;  Score 50;  DB 3;  Length 95648;
Best Local Similarity   100.0%;  Pred. No. 2.5e-13;
Matches  50;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  68111 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 68062

RESULT 34
US-09-949-016-14199
;  Sequence 14199, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  LENGTH: 140844
```

```
;  TYPE: DNA
;  ORGANISM: Human
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)..(140844)
;  OTHER INFORMATION: n = A,T,C or G
US-09-949-016-14199

Query Match        1.6%;  Score 50;  DB 3;  Length 140844;
Best Local Similarity   100.0%;  Pred. No. 2.5e-13;
Matches  50;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  140232 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 140281

RESULT 35
US-09-949-016-12881
;  Sequence 12881, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 12881
;  LENGTH: 197336
;  TYPE: DNA
;  ORGANISM: Human
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)..(197336)
;  OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12881

Query Match        1.6%;  Score 50;  DB 3;  Length 197336;
Best Local Similarity   100.0%;  Pred. No. 2.5e-13;
Matches  50;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  189434 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 189483

RESULT 36
US-09-949-016-14376
;  Sequence 14376, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
```

```
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 14376
;  LENGTH: 19737
;  TYPE: DNA
;  ORGANISM: Human
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)...(19737)
;  OTHER INFORMATION: n = A,T,C or G
US-09-949-016-14376

Qy        3073  AGATTGTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC  3122
                |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      189434  AGATTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC  189483
```

```
RESULT 37
US-09-949-002-738
;  Sequence 738, Application US/09949002
;  Patent No. 6900016
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
;  TITLE OF INVENTION: AND USES THEREOF
;  FILE REFERENCE: CL000790
;  CURRENT APPLICATION NUMBER: US/09/949,002
;  CURRENT FILING DATE: 2000-01-28
;  PRIOR APPLICATION NUMBER: 60/231,401
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 10823
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 738
;  LENGTH: 197337
;  TYPE: DNA
;  ORGANISM: Human
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)...(197337)
;  OTHER INFORMATION: n = A,T,C or G
US-09-949-002-738

Query Match           1.6%;  Score 50;  DB 3;  Length 197337;
Best Local Similarity  100.0%;  Pred. No. 2.5e-13;
Matches  50;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy        3073  AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC  3122
                ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      189434  AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC  189483
```

```
RESULT 38
US-09-949-002-687
;  Sequence 687, Application US/09949002
;  Patent No. 6900016
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
;  TITLE OF INVENTION: AND USES THEREOF
;  FILE REFERENCE: CL000790
;  CURRENT APPLICATION NUMBER: US/09/949,002
;  CURRENT FILING DATE: 2000-01-28
;  PRIOR APPLICATION NUMBER: 60/231,401
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 10823
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 687
;  LENGTH: 234287
```

```
;  TYPE: DNA
;  ORGANISM: Human
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)...(234287)
;  OTHER INFORMATION: n = A,T,C or G
US-09-949-002-687

Query Match           1.6%;  Score 50;  DB 3;  Length 234287;
Best Local Similarity  100.0%;  Pred. No. 2.4e-13;
Matches  50;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy        3073  AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC  3122
                ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      189434  AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC  189483
```

```
RESULT 39
US-09-949-016-17272
;  Sequence 17272, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 17272
;  LENGTH: 234288
;  TYPE: DNA
;  ORGANISM: Human
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)...(234288)
;  OTHER INFORMATION: n = A,T,C or G
US-09-949-016-17272

Query Match           1.6%;  Score 50;  DB 3;  Length 234288;
Best Local Similarity  100.0%;  Pred. No. 2.4e-13;
Matches  50;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy        3073  AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC  3122
                ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      189434  AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC  189483
```

```
RESULT 40
US-09-949-002-841
;  Sequence 841, Application US/09949002
;  Patent No. 6900016
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
;  TITLE OF INVENTION: AND USES THEREOF
;  FILE REFERENCE: CL000790
;  CURRENT APPLICATION NUMBER: US/09/949,002
;  CURRENT FILING DATE: 2000-01-28
;  PRIOR APPLICATION NUMBER: 60/231,401
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 10823
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 841
;  LENGTH: 234288

Query Match           1.6%;  Score 50;  DB 3;  Length 234288;
Best Local Similarity  100.0%;  Pred. No. 2.4e-13;
Matches  50;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy        3073  AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC  3122
                ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      189434  AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC  189483
```

```
;        TYPE: DNA
;        ORGANISM: Human
;        FEATURE:
;          NAME/KEY: misc_feature
;          LOCATION: (1)..(234288)
;          OTHER INFORMATION: n = A,T,C or G
US-09-949-002-841

Qy        3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 3122
               |||||||||||||||||||||||||||||||||||||||||||||||||||
Db      189434 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 189483

RESULT 41
US-09-949-016-12583/c
;  Sequence 12583, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 12583
;        LENGTH: 254964
;        TYPE: DNA
;        ORGANISM: Human
;        FEATURE:
;          NAME/KEY: misc_feature
;          LOCATION: (1)..(254964)
;          OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12583

Query Match     1.6%;  Score 50;  DB 3;  Length 254964;
Best Local Similarity  100.0%;
Matches  50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy        2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAA 2937
               ||||||||||||||||||||||||||||||||||||||||||||||||||
Db      108004 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAA 107955

RESULT 42
US-09-949-016-17392/c
;  Sequence 17392, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
```

```
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 17392
;        LENGTH: 254964
;        TYPE: DNA
;        ORGANISM: Human
;        FEATURE:
;          NAME/KEY: misc_feature
;          LOCATION: (1)..(254964)
;          OTHER INFORMATION: n = A,T,C or G
US-09-949-016-17392

Query Match     1.6%;  Score 50;  DB 3;  Length 254964;
Best Local Similarity  100.0%;
Matches  50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy        2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAA 2937
               ||||||||||||||||||||||||||||||||||||||||||||||||||
Db      108004 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAA 107955

RESULT 43
US-09-949-016-164699/c
;  Sequence 164699, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 164699
;        LENGTH: 601
;        TYPE: DNA
;        ORGANISM: Human
US-09-949-016-164699

Query Match     1.5%;  Score 47;  DB 3;  Length 601;
Best Local Similarity  100.0%;
Matches  47;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy        3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGT 3119
               |||||||||||||||||||||||||||||||||||||||||||||||
Db         580 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGT 534

RESULT 44
US-09-949-016-16733
;  Sequence 16733, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
```

```
; SEQ ID NO 16733
; LENGTH: 12880
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-16733

Qy    2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGC 2934
           |||||||||||||||||||||||||||||||||||||||||||||||
Db    5157 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGC 5203

Query Match             1.5%;   Score 47;   DB 3;   Length 12880;
Best Local Similarity  100.0%;  Pred. No. 6.8e-12;
Matches   47;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 45
US-09-949-016-14330/c
Sequence 14330, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 14330
; LENGTH: 45833
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-14330

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGAGCAAGACTCT 3117
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   22968 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGAGCAAGACTCT 22922

Query Match             1.5%;   Score 47;   DB 3;   Length 45833;
Best Local Similarity  100.0%;  Pred. No. 6.5e-12;
Matches   47;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 46
US-09-949-016-14331/c
Sequence 14331, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 14331
; LENGTH: 45833
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-14331
```

```
Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGAGCAAGACTCT 3117
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   22968 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGAGCAAGACTCT 22922

Query Match             1.5%;   Score 47;   DB 3;   Length 45833;
Best Local Similarity  100.0%;  Pred. No. 6.5e-12;
Matches   47;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 47
US-09-949-016-14332/c
Sequence 14332, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 14332
; LENGTH: 45833
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-14332

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGAGCAAGACTCT 3117
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   22968 CAAGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGAGCAAGACTCT 22922

Query Match             1.5%;   Score 47;   DB 3;   Length 45833;
Best Local Similarity  100.0%;  Pred. No. 6.5e-12;
Matches   47;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 48
US-09-949-016-14333/c
Sequence 14333, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 14333
; LENGTH: 45833
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-14333

Query Match             1.5%;   Score 47;   DB 3;   Length 45833;
Best Local Similarity  100.0%;  Pred. No. 6.5e-12;
Matches   47;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
Qy       3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCT 3117
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db      22968 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCT 22922
```

RESULT 49
US-09-949-016-16519
; Sequence 16519, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16519
; LENGTH: 67386
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(67386)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16519

Query Match   100.0%; Score 47; DB 3; Length 67386;
Best Local Similarity 1.5%;
Matches   47; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy       3076 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db      49989 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 50035
```

RESULT 50
US-09-949-016-16366/c
; Sequence 16366, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16366
; LENGTH: 108310
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(108310)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16366

Query Match   1.5%;
Best Local Similarity 100.0%; Score 47; DB 3; Length 108310;

Best Local Similarity 100.0%; Pred. No. 6.4e-12;
Matches   47; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy       3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGT 3119
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db      63285 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGT 63239
```

RESULT 51
US-09-949-016-17030
; Sequence 17030, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17030
; LENGTH: 139049
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(139049)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-17030

Query Match   100.0%; Score 47; DB 3; Length 139049;
Best Local Similarity 1.5%;
Matches   47; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy       3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGT 3119
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db      42519 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGT 42565
```

RESULT 52
US-09-949-016-65112
; Sequence 65112, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 65112
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-65112

Query Match   100.0%; Score 46; DB 3; Length 601;
Best Local Similarity 1.5%;

RESULT 53
US-09-949-016-65113
; Sequence 65113, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 65113
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-65113

  Query Match   1.5%; Score 46; DB 3; Length 601;
  Best Local Similarity   100.0%; Pred. No. 2.2e-11;
  Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCGCTTGGCCAACAT 2940
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db   67 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCGCTTGGCCAACAT 112

RESULT 54
US-09-949-016-65114
; Sequence 65114, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 65114
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-65114

  Query Match   1.5%; Score 46; DB 3; Length 601;
  Best Local Similarity   100.0%; Pred. No. 2.2e-11;
  Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCGCTTGGCCAACAT 2940
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db   395 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCGCTTGGCCAACAT 440

RESULT 55
US-09-949-016-137514
; Sequence 137514, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 137514
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-137514

  Query Match   1.5%; Score 46; DB 3; Length 601;
  Best Local Similarity   100.0%; Pred. No. 2.2e-11;
  Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCGCACTCCAGCCTGGGCACAGAGGACAAGACTC 3116
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db   324 CAAGATTGTGCCACTGCGCACTCCAGCCTGGGCACAGAGGACAAGACTC 369

RESULT 56
US-09-949-016-155725/c
; Sequence 155725, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 155725
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-155725

  Query Match   1.5%; Score 46; DB 3; Length 601;
  Best Local Similarity   100.0%; Pred. No. 2.2e-11;
  Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCGCTTGGCCAACAT 2940
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db   486 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCGCTTGGCCAACAT 441

RESULT 57
US-09-949-016-155726/c
; Sequence 155726, Application US/09949016

```
;
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 155726
;     LENGTH: 601
;     TYPE: DNA
;     ORGANISM: Human
; US-09-949-016-155726

Qy       2895 GGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCAGGCCGACAT 2940
              |||||||||||||||||||||||||||||||||||||||||||||||
Db        477 GGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 432

Query Match              1.5%;     Score 46;  DB 3;  Length 601;
Best Local Similarity   100.0%;    Pred. No. 2.2e-11;
Matches   46;  Conservative   0;  Mismatches  0;  Indels  0;  Gaps  0;

US-09-949-016-169304

RESULT 58
US-09-949-016-169304/c
; Sequence 169304, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 169304
;     LENGTH: 601
;     TYPE: DNA
;     ORGANISM: Human
; US-09-949-016-169304
```

```
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 169305
;     LENGTH: 601
;     TYPE: DNA
;     ORGANISM: Human
; US-09-949-016-169305

Qy       3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTC 3116
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db        353 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 308

Query Match              1.5%;     Score 46;  DB 3;  Length 601;
Best Local Similarity   100.0%;    Pred. No. 2.2e-11;
Matches   46;  Conservative   0;  Mismatches  0;  Indels  0;  Gaps  0;

US-09-949-016-169306

RESULT 60
US-09-949-016-169306/c
; Sequence 169306, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 169306
;     LENGTH: 601
;     TYPE: DNA
;     ORGANISM: Human
; US-09-949-016-169306

Qy       3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTC 3116
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db        211 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTC 166

Query Match              1.5%;     Score 46;  DB 3;  Length 601;
Best Local Similarity   100.0%;    Pred. No. 2.2e-11;
Matches   46;  Conservative   0;  Mismatches  0;  Indels  0;  Gaps  0;

RESULT 61
US-09-949-016-198268
; Sequence 198268, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
```

; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 198268
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-198268

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   322 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 367

Query Match   100.0%; Score 46; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 2.2e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 62
US-09-949-016-198269
; Sequence 198269, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 198269
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-198269

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   250 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 295

Query Match   100.0%; Score 46; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 2.2e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 63
US-09-949-016-198270
; Sequence 198270, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 198270
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-198270

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   60 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 105

Query Match   100.0%; Score 46; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 2.2e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 64
US-09-949-016-206260
; Sequence 206260, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 206260
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-206260

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   102 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 102

Query Match   100.0%; Score 46; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 2.2e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 65
US-09-949-016-206261
; Sequence 206261, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 206261
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human

```
US-09-949-016-206261

Qy    Query Match        1.5%;  Score 46;  DB 3;  Length 601;
      Best Local Similarity 100.0%;  Pred. No. 2.2e-11;
      Matches 46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||
Db      74 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 119
```

RESULT 66
US-09-949-016-206262
; Sequence 206262, Application US/0994016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 206262
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
;
US-09-949-016-206262

```
Query Match        1.5%;  Score 46;  DB 3;  Length 601;
Best Local Similarity 100.0%;  Pred. No. 2.2e-11;
Matches 46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db      90 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 135
```

RESULT 67
US-09-949-016-14878
; Sequence 14878, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 14878
;   LENGTH: 17704
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)...(17704)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-14878

```
Query Match        1.5%;  Score 46;  DB 3;  Length 17704;
Best Local Similarity 100.0%;  Pred. No. 2e-11;
Matches 46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db    8184 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 8229
```

RESULT 68
US-09-949-016-15290/c
; Sequence 15290, Application US/0994016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 15290
;   LENGTH: 27600
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)...(27600)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15290

```
Query Match        1.5%;  Score 46;  DB 3;  Length 27600;
Best Local Similarity 100.0%;  Pred. No. 2e-11;
Matches 46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db    8184 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 8229
```

RESULT 69
US-09-949-016-11978/c
; Sequence 11978, Application US/0994016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 11978
;   LENGTH: 29960
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-11978

```
Query Match        1.5%;  Score 46;  DB 3;  Length 29960;
Best Local Similarity 100.0%;  Pred. No. 2e-11;
Matches 46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db    3783 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 3738
```

Query Match

Best Local Similarity 100.0%; Pred. No. 1.9e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
        |||||||||||||||||||||||||||||||||||||||||||||||
Db 8547 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 8502

RESULT 70
US-09-949-016-16100/c
; Sequence 16100, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16100
; LENGTH: 30054
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-16100

Query Match   1.5%; Score 46; DB 3; Length 29960;

Best Local Similarity 100.0%; Pred. No. 1.9e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
        |||||||||||||||||||||||||||||||||||||||||||||||
Db 8640 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 8595

RESULT 71
US-09-949-016-16864/c
; Sequence 16864, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16864
; LENGTH: 40905
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(40905)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16864

Query Match   1.5%; Score 46; DB 3; Length 40905;

Best Local Similarity 100.0%; Pred. No. 1.9e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
        |||||||||||||||||||||||||||||||||||||||||||||||
Db 22092 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 22047

RESULT 72
US-09-949-016-12638/c
; Sequence 12638, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12638
; LENGTH: 60917
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-12638

Query Match   1.5%; Score 46; DB 3; Length 60917;

Best Local Similarity 100.0%; Pred. No. 1.9e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
        |||||||||||||||||||||||||||||||||||||||||||||||
Db 39793 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 39748

RESULT 73
US-09-949-016-16057/c
; Sequence 16057, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16057
; LENGTH: 60917
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-16057

Query Match   1.5%; Score 46; DB 3; Length 60917;

Qy   3793 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 39748

Db

RESULT 74
US-09-949-016-14736/c
; Sequence 14736, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 14736
; LENGTH: 84916
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(84916)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-14736

Qy   2895 GGTGGATCACCTGAGGGCCAGGAGGAGTTCGAGACCAGCCAGCCTGGCCAACAT 2940

-Db 15607 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 15562

Query Match   1.5%; Score 46; DB 3; Length 84916;
Best Local Similarity 100.0%; Pred. No. 1.9e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 75
US-09-949-016-15606
; Sequence 15606, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15606
; LENGTH: 96739
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(96739)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15606

Query Match   1.5%; Score 46; DB 3; Length 96739;
Best Local Similarity 100.0%; Pred. No. 1.9e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCACAGAGCAAGAGACTC 3116
        |||||||||||||||||||||||||||||||||||||||||||||||||
Db 49090 CAAGATTGTGTGCCACTGCACTCCAGCCTGCCGGGCACAGAGCAAGAGACTC 49135

RESULT 76
US-09-949-016-17565/c
; Sequence 17565, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17565
; LENGTH: 116955
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-17565

Query Match   1.5%; Score 46; DB 3; Length 116955;
Best Local Similarity 100.0%; Pred. No. 1.9e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940

Db 52491 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 52446

RESULT 77
US-09-949-016-12439/c
; Sequence 12439, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12439
; LENGTH: 118136
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(118136)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12439

Query Match   1.5%; Score 46; DB 3; Length 118136;
Best Local Similarity 100.0%; Pred. No. 1.9e-11;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy        2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
               ||||||||||||||||||||||||||||||||||||||||||||||||
Db       15502 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 15457


RESULT 78
US-09-949-016-15316/c
;  Sequence 15316, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 15316
;    LENGTH: 144322
;    TYPE: DNA
;    ORGANISM: Human
;    FEATURE:
;    NAME/KEY: misc_feature
;    LOCATION: (1)..(144322)
;    OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15316

Query Match             1.5%;  Score 46;  DB 3;  Length 144322;
Best Local Similarity   100.0%;  Pred. No. 1.9e-11;
Matches    46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy        3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGCAAGACTC 3116
               |||||||||||||||||||||||||||||||||||||||||||||||
Db       56738 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGCAAGACTC 56693


RESULT 79
US-09-949-016-16513/c
;  Sequence 16513, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 16513
;    LENGTH: 177293
;    TYPE: DNA
;    ORGANISM: Human
US-09-949-016-16513

Query Match             1.5%;  Score 46;  DB 3;  Length 177293;
Best Local Similarity   100.0%;  Pred. No. 1.8e-11;
Matches    46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy        3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGCAAGACTC 3116
```

```
Db       34975 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGCAAGACTC 34930


RESULT 80
US-09-949-016-16264
;  Sequence 16264, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 16264
;    LENGTH: 240157
;    TYPE: DNA
;    ORGANISM: Human
;    FEATURE:
;    NAME/KEY: misc_feature
;    LOCATION: (1)..(240157)
;    OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16264

Query Match             1.5%;  Score 46;  DB 3;  Length 240157;
Best Local Similarity   100.0%;  Pred. No. 1.8e-11;
Matches    46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy        2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
               ||||||||||||||||||||||||||||||||||||||||||||||||
Db      184749 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 184794


RESULT 81
US-09-949-016-12656/c
;  Sequence 12656, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;  APPLICANT: VENTER, J. Craig et al.
;  TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;  TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001307
;  CURRENT APPLICATION NUMBER: US/09/949,016
;  CURRENT FILING DATE: 2000-04-14
;  PRIOR APPLICATION NUMBER: 60/241,755
;  PRIOR FILING DATE: 2000-10-20
;  PRIOR APPLICATION NUMBER: 60/237,768
;  PRIOR FILING DATE: 2000-10-03
;  PRIOR APPLICATION NUMBER: 60/231,498
;  PRIOR FILING DATE: 2000-09-08
;  NUMBER OF SEQ ID NOS: 207012
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 12656
;    LENGTH: 253345
;    TYPE: DNA
;    ORGANISM: Human
US-09-949-016-12656

Query Match             1.5%;  Score 46;  DB 3;  Length 253345;
Best Local Similarity   100.0%;  Pred. No. 1.8e-11;
Matches    46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy        2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
               ||||||||||||||||||||||||||||||||||||||||||||||||
```

Db   62618 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 62573

RESULT 82
US-09-949-016-13639/c
; Sequence 13639, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13639
; LENGTH: 253364
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-13639

  Query Match   1.5%; Score 46; DB 3; Length 253364;
  Best Local Similarity   100.0%; Pred. No. 1.8e-11;
  Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   62618 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 62573

RESULT 83
US-09-949-016-12008/c
; Sequence 12008, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12008
; LENGTH: 331814
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(331814)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12008

  Query Match   1.5%; Score 46; DB 3; Length 331814;
  Best Local Similarity   100.0%; Pred. No. 1.8e-11;
  Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTC 3116
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db   253007 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTC 252962

RESULT 84
US-09-949-016-17056/c
; Sequence 17056, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17056
; LENGTH: 331814
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(331814)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-17056

  Query Match   1.5%; Score 46; DB 3; Length 331814;
  Best Local Similarity   100.0%; Pred. No. 1.8e-11;
  Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTC 3116
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db   253007 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTC 252962

RESULT 85
US-09-949-016-12147/c
; Sequence 12147, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12147
; LENGTH: 767677
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(767677)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12147

  Query Match   1.5%; Score 46; DB 3; Length 767677;
  Best Local Similarity   100.0%; Pred. No. 1.8e-11;
  Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTC 3116
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db   253007 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTC 252962

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db 681106 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 681061

RESULT 86
US-09-949-016-17361/c
; Sequence 17361, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17361
; LENGTH: 767677
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1).-(767677)
; OTHER INFORMATION: n = A,T,C or G

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db 681106 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 681061

Query Match   1.5%;   Score 46;   DB 3;   Length 767677;
Best Local Similarity   100.0%;   Pred. No. 1.8e-11;
Matches 46;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

US-09-621-976-15071

RESULT 87
US-09-621-976-15071
; Sequence 15071, Application US/09621976
; Patent No. 6639063
; GENERAL INFORMATION:
; APPLICANT: Dumas Milne Edwards, J.B.
; APPLICANT: Jobert, S.
; APPLICANT: Giordano, J.Y.
; TITLE OF INVENTION: ESTs and Encoded Human Proteins.
; FILE REFERENCE: GENSET.054PR2
; CURRENT APPLICATION NUMBER: US/09/621,976
; CURRENT FILING DATE: 2000-07-21
; NUMBER OF SEQ ID NOS: 19335
; SOFTWARE: Patent.pm
; SEQ ID NO 15071
; LENGTH: 478
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 250

Qy   2896 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||
Db   163 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 207

RESULT 88
US-09-949-016-30237
; Sequence 30237, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 30237
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-30237

Query Match   1.4%;   Score 45;   DB 3;   Length 601;
Best Local Similarity   100.0%;   Pred. No. 6.5e-11;
Matches 45;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   2896 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||
Db   401 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2896

Qy   2898 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
           |||||||||||||||||||||||||||||||||||||||||||||
Db   535 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 579

RESULT 89
US-09-949-016-30238
; Sequence 30238, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 30238
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-30238

Query Match   1.4%;   Score 45;   DB 3;   Length 601;
Best Local Similarity   100.0%;   Pred. No. 6.5e-11;
Matches 45;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   2898 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
           |||||||||||||||||||||||||||||||||||||||||||||
Db   401 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 445

RESULT 90
US-09-949-016-30239

```
;   Sequence 30239, Application US/09949016
;   Patent No. 6812339
;   GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 30239
;     LENGTH: 601
;     TYPE: DNA
;     ORGANISM: Human
US-09-949-016-30239

Qy   2898 GGATCACCTGAGGCCCAGGAGAGTTGAGACCAGCCTGGGCAACATAG 2942
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db    328 GGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACATAG 372

Query Match          1.4%;    Score 45;   DB 3;   Length 601;
Best Local Similarity   100.0%;    Pred. No. 6.5e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 91
US-09-949-016-65461/c
;   Sequence 65461, Application US/0994016
;   Patent No. 6812339
;   GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 65461
;     LENGTH: 601
;     TYPE: DNA
;     ORGANISM: Human
US-09-949-016-65461
```

```
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 72556
;     LENGTH: 601
;     TYPE: DNA
;     ORGANISM: Human
US-09-949-016-72556

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||
Db     71 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 115

Query Match          1.4%;    Score 45;   DB 3;   Length 601;
Best Local Similarity   100.0%;    Pred. No. 6.5e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 93
US-09-949-016-72557
;   Sequence 72557, Application US/0994016
;   Patent No. 6812339
;   GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 72557
;     LENGTH: 601
;     TYPE: DNA
;     ORGANISM: Human
US-09-949-016-72557
```

```
Query Match          1.4%;    Score 45;   DB 3;   Length 601;
Best Local Similarity   100.0%;    Pred. No. 6.5e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 92
US-09-949-016-72556
;   Sequence 72556, Application US/0994016
;   Patent No. 6812339
;   GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
```

```
Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||
Db    577 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 533
```

```
Query Match          1.4%;    Score 45;   DB 3;   Length 601;
Best Local Similarity   100.0%;    Pred. No. 6.5e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 94
US-09-949-016-82095
;   Sequence 82095, Application US/0994016
;   Patent No. 6812339
;   GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
```

```
Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||
Db    529 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 573
```

```
;    PRIOR FILING DATE: 2000-10-20
;    PRIOR APPLICATION NUMBER: 60/237,768
;    PRIOR FILING DATE: 2000-10-03
;    PRIOR APPLICATION NUMBER: 60/231,498
;    PRIOR FILING DATE: 2000-09-08
;    NUMBER OF SEQ ID NOS: 207012
;    SOFTWARE: FastSEQ for Windows Version 4.0
;
;  SEQ ID NO 82095
;    LENGTH: 601
;    TYPE: DNA
;    ORGANISM: Human
US-09-949-016-82095

Qy     2898 GGATCACCTGAGGCCAGAGAGTTCGAGACCAGCCTGGGCCAACATAG 2942
            |||||||||||||||||||||||||||||||||||||||||||||||
Db      535 GGATCACCTGAGGCCAGAGAGTTCGAGACCAGCCTGGGCCAACATAG 579

Query Match            100.0%;  Score 45;  DB 3;  Length 601;
Best Local Similarity  1.4%;   Pred. No. 6.5e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 95
US-09-949-016-82096
;  Sequence 82096, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;    APPLICANT: VENTER, J. Craig et al.
;    TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;    TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;    FILE REFERENCE: CL001307
;    CURRENT APPLICATION NUMBER: US/09/949,016
;    CURRENT FILING DATE: 2000-04-14
;    PRIOR APPLICATION NUMBER: 60/241,755
;    PRIOR FILING DATE: 2000-10-20
;    PRIOR APPLICATION NUMBER: 60/237,768
;    PRIOR FILING DATE: 2000-10-03
;    PRIOR APPLICATION NUMBER: 60/231,498
;    PRIOR FILING DATE: 2000-09-08
;    NUMBER OF SEQ ID NOS: 207012
;    SOFTWARE: FastSEQ for Windows Version 4.0
;
;  SEQ ID NO 82096
;    LENGTH: 601
;    TYPE: DNA
;    ORGANISM: Human
US-09-949-016-82096

Qy     2898 GGATCACCTGAGGCCAGAGAGTTCGAGACCAGCCTGGGCCAACATAG 2942
            |||||||||||||||||||||||||||||||||||||||||||||||
Db      401 GGATCACCTGAGGCCAGAGAGTTCGAGACCAGCCTGGGCCAACATAG 445

Query Match            100.0%;  Score 45;  DB 3;  Length 601;
Best Local Similarity  1.4%;   Pred. No. 6.5e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 96
US-09-949-016-82097
;  Sequence 82097, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;    APPLICANT: VENTER, J. Craig et al.
;    TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;    TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;    FILE REFERENCE: CL001307
;    CURRENT APPLICATION NUMBER: US/09/949,016
;    CURRENT FILING DATE: 2000-04-14
;    PRIOR APPLICATION NUMBER: 60/241,755
;    PRIOR FILING DATE: 2000-10-20
;    PRIOR APPLICATION NUMBER: 60/237,768
;    PRIOR FILING DATE: 2000-10-03
;    PRIOR APPLICATION NUMBER: 60/231,498
;    PRIOR FILING DATE: 2000-09-08
```

```
;    NUMBER OF SEQ ID NOS: 207012
;    SOFTWARE: FastSEQ for Windows Version 4.0
;
;  SEQ ID NO 82097
;    LENGTH: 601
;    TYPE: DNA
;    ORGANISM: Human
US-09-949-016-82097

Qy     2898 GGATCACCTGAGGCCAGAGAGTTCGAGACCAGCCTGGGCCAACATAG 2942
            |||||||||||||||||||||||||||||||||||||||||||||||
Db      328 GGATCACCTGAGGCCAGAGAGTTCGAGACCAGCCTGGGCCAACATAG 372

Query Match            100.0%;  Score 45;  DB 3;  Length 601;
Best Local Similarity  1.4%;   Pred. No. 6.5e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 97
US-09-949-016-145830/c
;  Sequence 145830, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;    APPLICANT: VENTER, J. Craig et al.
;    TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;    TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;    FILE REFERENCE: CL001307
;    CURRENT APPLICATION NUMBER: US/09/949,016
;    CURRENT FILING DATE: 2000-04-14
;    PRIOR APPLICATION NUMBER: 60/241,755
;    PRIOR FILING DATE: 2000-10-20
;    PRIOR APPLICATION NUMBER: 60/237,768
;    PRIOR FILING DATE: 2000-10-03
;    PRIOR APPLICATION NUMBER: 60/231,498
;    PRIOR FILING DATE: 2000-09-08
;    NUMBER OF SEQ ID NOS: 207012
;    SOFTWARE: FastSEQ for Windows Version 4.0
;
;  SEQ ID NO 145830
;    LENGTH: 601
;    TYPE: DNA
;    ORGANISM: Human
US-09-949-016-145830

Qy     3078 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTTCTGTCTC 3122
            |||||||||||||||||||||||||||||||||||||||||||||||||
Db      502 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTTCTGTCTC 458

Query Match            100.0%;  Score 45;  DB 3;  Length 601;
Best Local Similarity  1.4%;   Pred. No. 6.5e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 98
US-09-949-016-146098/c
;  Sequence 146098, Application US/09949016
;  Patent No. 6812339
;  GENERAL INFORMATION:
;    APPLICANT: VENTER, J. Craig et al.
;    TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;    TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;    FILE REFERENCE: CL001307
;    CURRENT APPLICATION NUMBER: US/09/949,016
;    CURRENT FILING DATE: 2000-04-14
;    PRIOR APPLICATION NUMBER: 60/241,755
;    PRIOR FILING DATE: 2000-10-20
;    PRIOR APPLICATION NUMBER: 60/237,768
;    PRIOR FILING DATE: 2000-10-03
;    PRIOR APPLICATION NUMBER: 60/231,498
;    PRIOR FILING DATE: 2000-09-08
;    NUMBER OF SEQ ID NOS: 207012
;    SOFTWARE: FastSEQ for Windows Version 4.0
;
;  SEQ ID NO 146098
;    LENGTH: 601
;    TYPE: DNA
```

; ORGANISM: Human
US-09-949-016-146098

Qy   Query Match
Best Local Similarity   100.0%;   Score 45;   DB 3;   Length 601;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   502 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGTCTGTCTC 458

RESULT 99
US-09-949-016-146366/c
Sequence 14366, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 146366
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-146366

Qy   Query Match
Best Local Similarity   100.0%;   Score 45;   DB 3;   Length 601;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   502 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGTCTGTCTC 458

RESULT 100
US-09-949-016-166442
Sequence 166442, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 166442
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-166442

Query Match
Best Local Similarity   100.0%;   Score 45;   DB 3;   Length 601;

Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGACT 3115
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db   377 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGACT 421

RESULT 101
US-09-949-016-169130/c
Sequence 169130, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 169130
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-169130

Qy   Query Match
Best Local Similarity   100.0%;   Score 45;   DB 3;   Length 601;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGACT 3115
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db   519 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGACT 475

RESULT 102
US-09-949-016-169131/c
Sequence 169131, Application US/09949016
Patent No. 6812339
GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 169131
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-169131

Qy   Query Match
Best Local Similarity   100.0%;   Score 45;   DB 3;   Length 601;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGACT 3115
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db   236 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGACT 192

RESULT 103
US-09-949-016-203717
; Sequence 203717, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 203717
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-203717

Query Match 1.4%; Score 45; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 6.5e-11;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy   2898 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
          |||||||||||||||||||||||||||||||||||||||||||||
Db    535 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 579
```

RESULT 104
US-09-949-016-203718
; Sequence 203718, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 203718
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-203718

Query Match 1.4%; Score 45; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 6.5e-11;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy   2898 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
          |||||||||||||||||||||||||||||||||||||||||||||
Db    401 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 445
```

RESULT 105
US-09-949-016-203719
; Sequence 203719, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 203719
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-203719

Query Match 1.4%; Score 45; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 6.5e-11;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy   2898 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
          |||||||||||||||||||||||||||||||||||||||||||||
Db    328 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 372
```

RESULT 106
US-09-949-002-4958
; Sequence 4958, Application US/09949002
; Patent No. 6900016
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
; TITLE OF INVENTION: AND USES THEREOF
; FILE REFERENCE: CL000790
; CURRENT APPLICATION NUMBER: US/09/949,002
; CURRENT FILING DATE: 2000-01-28
; PRIOR APPLICATION NUMBER: 60/231,401
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 10823
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 4958
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-002-4958

Query Match 1.4%; Score 45; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 6.5e-11;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy   3078 GTGCCACTGCACTCCAGCCTGGGCCAACAAGAGCAAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||
Db    524 GTGCCACTGCACTCCAGCCTGGGCCAACAAGAGCAAGACTCTGTCTC 568
```

RESULT 107
US-09-949-002-4959
; Sequence 4959, Application US/09949002
; Patent No. 6900016
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
; TITLE OF INVENTION: AND USES THEREOF
; FILE REFERENCE: CL000790
; CURRENT APPLICATION NUMBER: US/09/949,002

; CURRENT FILING DATE: 2000-01-28
; PRIOR APPLICATION NUMBER: 60/231,401
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 10823
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 4959
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-002-4959

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCTGTCTC 3122
; Best Local Similarity   100.0%;   Score 45;   DB 3;   Length 601;
  Matches 45;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;
Db   521 GTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCTGTCTC 565

RESULT 108
US-09-949-002-9370/c
; Sequence 9370, Application US/09949002
; Patent No. 6900016
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
; TITLE OF INVENTION: AND USES THEREOF
; FILE REFERENCE: CL000790
; CURRENT APPLICATION NUMBER: US/09/949,002
; CURRENT FILING DATE: 2000-01-28
; PRIOR APPLICATION NUMBER: 60/231,401
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 10823
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 9370
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-002-9370

Query Match   1.4%;   Score 45;   DB 3;   Length 601;
Best Local Similarity   100.0%;   Pred. No. 6.5e-11;
Matches 45;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCTGTCTC 3122
Db   489 GTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCTGTCTC 445

RESULT 109
US-09-949-016-14483/c
; Sequence 14483, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 14483
; LENGTH: 8429
; TYPE: DNA

; ORGANISM: Human
US-09-949-016-14483

Query Match   1.4%;   Score 45;   DB 3;   Length 8429;
Best Local Similarity   100.0%;   Pred. No. 6e-11;
Matches 45;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCT 3117
Db   4310 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCT 4266

RESULT 110
US-09-949-016-14852/c
; Sequence 14852, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 14852
; LENGTH: 9123
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-14852

Query Match   1.4%;   Score 45;   DB 3;   Length 9123;
Best Local Similarity   100.0%;   Pred. No. 5.9e-11;
Matches 45;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCTGTCTC 3122
Db   664 GTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCTGTCTC 620

RESULT 111
US-09-949-016-17432/c
; Sequence 17432, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17432
; LENGTH: 9176
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-17432

Query Match   1.4%;   Score 45;   DB 3;   Length 9176;
Best Local Similarity   100.0%;   Pred. No. 5.9e-11;

Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db     664 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 620
```

RESULT 112
US-09-949-016-13766
; Sequence 13766, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-09-08
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-04-14
; CURRENT FILING DATE: 2000-04-14
; CURRENT APPLICATION NUMBER: US/09/949,016
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13766
; LENGTH: 10597
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-13766

Query Match 1.4%; Score 45; DB 3; Length 10597;
Best Local Similarity 100.0%; Pred. No. 5.9e-11;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db     952 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 996
```

RESULT 113
US-09-949-016-17469/c
; Sequence 17469, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-09-08
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-04-14
; CURRENT FILING DATE: 2000-04-14
; CURRENT APPLICATION NUMBER: US/09/949,016
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17469
; LENGTH: 15975
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-17469

Query Match 1.4%; Score 45; DB 3; Length 15975;
Best Local Similarity 100.0%; Pred. No. 5.8e-11;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db    8586 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 8542
```

RESULT 114
US-09-146-053-7
; Sequence 7, Application US/09146053A
; Patent No. 6399949
; GENERAL INFORMATION:
; APPLICANT: Ryan, James W.
; APPLICANT: Sprinkle, Terry Joe Curtis
; APPLICANT: Venema, Richard C.
; TITLE OF INVENTION: Human Aminopeptidase P Gene
; FILE REFERENCE: MCG103
; CURRENT APPLICATION NUMBER: US/09/146,053A
; CURRENT FILING DATE: 1998-09-02
; EARLIER APPLICATION NUMBER: 60/057,854
; EARLIER FILING DATE: 1997-09-02
; NUMBER OF SEQ ID NOS: 7
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
; LENGTH: 16595
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-146-053-7

Query Match 1.4%; Score 45; DB 3; Length 16595;
Best Local Similarity 100.0%; Pred. No. 5.8e-11;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db    4301 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 4345
```

RESULT 115
US-09-949-016-16393/c
; Sequence 16393, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-09-08
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-04-14
; CURRENT FILING DATE: 2000-04-14
; CURRENT APPLICATION NUMBER: US/09/949,016
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16393
; LENGTH: 19296
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-16393

Query Match 1.4%; Score 45; DB 3; Length 19296;
Best Local Similarity 100.0%; Pred. No. 5.8e-11;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   14177 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 14133
```

RESULT 116
US-09-949-016-15920/c
; Sequence 15920, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.

; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15920
;   LENGTH: 19943
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-15920

Query Match   100.0%; Score 45; DB 3; Length 19943;
Best Local Similarity   100.0%; Pred. No. 5.8e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2896 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||
Db 18806 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 18762

RESULT 117
US-09-949-016-12553/c
Sequence 12553, Application US/09949016
Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12553
;   LENGTH: 19945
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-12553

Query Match   100.0%; Score 45; DB 3; Length 19945;
Best Local Similarity   100.0%; Pred. No. 5.8e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2896 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||
Db 18806 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 18762

RESULT 118
US-09-949-016-13069/c
Sequence 13069, Application US/09949016
Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755

; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13069
;   LENGTH: 27545
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-13069

Query Match   100.0%; Score 45; DB 3; Length 27545;
Best Local Similarity   100.0%; Pred. No. 5.7e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||
Db 25807 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 25763

RESULT 119
US-09-949-016-16094
Sequence 16094, Application US/09949016
Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16094
;   LENGTH: 33099
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)...(33099)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16094

Query Match   100.0%; Score 45; DB 3; Length 33099;
Best Local Similarity   100.0%; Pred. No. 5.7e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||
Db 32755 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 32799

RESULT 120
US-09-949-016-14417/c
Sequence 14417, Application US/09949016
Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755

; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; OTHER INFORMATION:
US-09-949-016-14417
;
; SEQ ID NO 14417
; LENGTH: 36223
; TYPE: DNA
; ORGANISM: Human
; SOFTWARE: FastSEQ for Windows Version 4.0

Qy　　2978　GCCGGGGCATGGTGGCGCCATGCCTGTGGTCCCAGCTACTCGGGAGG 3022
　　　　　　 ||||||||||||||||||||||||||||||||||||||||||||||||
Db　　8552　GCCGGGGCATGGTGGCGCCATGCCTGTGGTCCCAGCTACTCGGGAGG 8508

Query Match　　　　　　1.4%;　Score 45;　DB 3;　Length 36223;
Best Local Similarity　100.0%;　Pred. No. 5.7e-11;
Matches　45;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

RESULT 121
US-09-949-016-17543/c
; Sequence 17543, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17543
; LENGTH: 36546
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-17543

Qy　　3078　GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 3122
　　　　　　 ||||||||||||||||||||||||||||||||||||||||||||||
Db　27447　GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 27403

Query Match　　　　　　1.4%;　Score 45;　DB 3;　Length 36546;
Best Local Similarity　100.0%;　Pred. No. 5.7e-11;
Matches　45;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

RESULT 122
US-09-820-004-3
; Sequence 3, Application US/09820004
; Patent No. 6649985
; GENERAL INFORMATION:
; APPLICANT: WEI, Ming-Hui et al.
; TITLE OF INVENTION: ISOLATED HUMAN ENZYME PROTEINS, NUCLEIC
; TITLE OF INVENTION: ACID MOLECULES ENCODING HUMAN ENZYME PROTEINS, AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: CL001201
; CURRENT APPLICATION NUMBER: US/09/820,004
; CURRENT FILING DATE: 2001-03-29
; NUMBER OF SEQ ID NOS: 6
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 3
; LENGTH: 40090
; TYPE: DNA

; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(40090)
; OTHER INFORMATION: n = A,T,C or G
US-09-820-004-3

Qy　　2898　GGATCACCTTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
　　　　　　 ||||||||||||||||||||||||||||||||||||||||||||||
Db　25713　GGATCACCTTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 25757

Query Match　　　　　　1.4%;　Score 45;　DB 3;　Length 40090;
Best Local Similarity　100.0%;　Pred. No. 5.7e-11;
Matches　45;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

RESULT 123
US-09-949-016-12374
; Sequence 12374, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12374
; LENGTH: 40147
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-12374

Qy　　2898　GGATCACCTTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
　　　　　　 ||||||||||||||||||||||||||||||||||||||||||||||
Db　25771　GGATCACCTTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 25815

Query Match　　　　　　1.4%;　Score 45;　DB 3;　Length 40147;
Best Local Similarity　100.0%;　Pred. No. 5.7e-11;
Matches　45;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

RESULT 124
US-09-949-016-14128
; Sequence 14128, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 14128
; LENGTH: 40379
; TYPE: DNA
; ORGANISM: Human

US-09-949-016-14128

```
Qy    2898 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACATAG 2942
           |||||||||||||||||||||||||||||||||||||||||||||
Db   26306 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACATAG 26350
```

Query Match   1.4%;   Score 45; DB 3; Length 40379;
Best Local Similarity   100.0%;   Pred. No. 5.7e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 125
US-09-949-016-17495
; Sequence 17495, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17495
; LENGTH: 40877
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-17495

Query Match   1.4%;   Score 45; DB 3; Length 40877;
Best Local Similarity   100.0%;   Pred. No. 5.7e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    2898 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACATAG 2942
           |||||||||||||||||||||||||||||||||||||||||||||
Db   25815 GGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACATAG 25859
```

RESULT 126
US-09-949-002-845
; Sequence 845, Application US/09949002
; Patent No. 6900016
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
; TITLE OF INVENTION: AND USES THEREOF
; FILE REFERENCE: CL000790
; CURRENT APPLICATION NUMBER: US/09/949,002
; CURRENT FILING DATE: 2000-01-28
; PRIOR APPLICATION NUMBER: 60/231,401
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 10823
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 845
; LENGTH: 40908
; TYPE: DNA
; ORGANISM: Human
US-09-949-002-845

Query Match   1.4%;   Score 45; DB 3; Length 40908;
Best Local Similarity   100.0%;   Pred. No. 5.7e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    2906 TGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACATAGCCGAAACCC 2950
           |||||||||||||||||||||||||||||||||||||||||||||
```

```
Db   16225 TGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACATAGCCGAAACCC 16269
```

RESULT 127
US-09-949-002-603
; Sequence 603, Application US/09949002
; Patent No. 6900016
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
; TITLE OF INVENTION: AND USES THEREOF
; FILE REFERENCE: CL000790
; CURRENT APPLICATION NUMBER: US/09/949,002
; CURRENT FILING DATE: 2000-01-28
; PRIOR APPLICATION NUMBER: 60/231,401
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 10823
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 603
; LENGTH: 40944
; TYPE: DNA
; ORGANISM: Human
US-09-949-002-603

Query Match   1.4%;   Score 45; DB 3; Length 40944;
Best Local Similarity   100.0%;   Pred. No. 5.7e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    2906 TGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACATAGCCGAAACCC 2950
           |||||||||||||||||||||||||||||||||||||||||||||
Db   16262 TGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACATAGCCGAAACCC 16306
```

RESULT 128
US-09-949-016-16492
; Sequence 16492, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16492
; LENGTH: 47781
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(47781)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16492

Query Match   1.4%;   Score 45; DB 3; Length 47781;
Best Local Similarity   100.0%;   Pred. No. 5.6e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||
Db   46796 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 46840
```

RESULT 129

US-09-949-016-16493
```
; Sequence 16493, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16493
; LENGTH: 47781
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(47781)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16493
```

```
Query Match             1.4%;  Score 45; DB 3; Length 47781;
Best Local Similarity   100.0%;  Pred. No. 5.6e-11;
Matches   45;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      3078 GTGCCACTGCACTCCACTCCAGCCTGGGCGCAACAGAGCAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||
Db     46796 GTGCCACTGCACTCCACTCCAGCCTGGGCGCAACAGAGCAGAGCAAGAGACTCTGTCTC 46840
```

RESULT 130
US-09-949-016-16494
```
; Sequence 16494, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16494
; LENGTH: 47781
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(47781)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16494
```

```
Query Match             1.4%;  Score 45; DB 3; Length 47781;
Best Local Similarity   100.0%;  Pred. No. 5.6e-11;
Matches   45;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      3078 GTGCCACTGCACTCCACTCCAGCCTGGGCGCAACAGAGCAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||
Db     46796 GTGCCACTGCACTCCACTCCAGCCTGGGCGCAACAGAGCAGAGCAAGAGACTCTGTCTC 46840
```

RESULT 131
US-09-949-002-817/c
```
; Sequence 817, Application US/09949002
; Patent No. 6900016
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
; TITLE OF INVENTION: AND USES THEREOF
; FILE REFERENCE: CL000790
; CURRENT APPLICATION NUMBER: US/09/949,002
; CURRENT FILING DATE: 2000-01-28
; PRIOR APPLICATION NUMBER: 60/231,401
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 10823
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 817
; LENGTH: 49677
; TYPE: DNA
; ORGANISM: Human
US-09-949-002-817
```

```
Query Match             1.4%;  Score 45; DB 3; Length 49677;
Best Local Similarity   100.0%;  Pred. No. 5.6e-11;
Matches   45;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      3078 GTGCCACTGCACTCCACTCCAGCCTGGGCGCAACAGAGCAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||
Db     19485 GTGCCACTGCACTCCACTCCAGCCTGGGCAACAGAGCAGAGCAAGAGACTCTGTCTC 19441
```

RESULT 132
US-09-949-016-15254
```
; Sequence 15254, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15254
; LENGTH: 64984
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(64984)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15254
```

```
Query Match             1.4%;  Score 45; DB 3; Length 64984;
Best Local Similarity   100.0%;  Pred. No. 5.6e-11;
Matches   45;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      3078 GTGCCACTGCACTCCACTCCAGCCTGGGCGCAACAGAGCAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||
Db     35279 GTGCCACTGCACTCCACTCCAGCCTGGGCGCAACAGAGCAGAGCAAGAGACTCTGTCTC 35323
```

RESULT 133
US-09-949-016-12630/c

Sequence 12630, Application US/0949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 12630
LENGTH: 66627
TYPE: DNA
ORGANISM: Human
US-09-949-016-12630

Qy   3078 GTGCCACTGCACTCCAGCCTCCAGCCTGGGCAACAGAGCAAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||| |||||||||||||||||||||||||||||||
Db   12900 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGAGACTCTGTCTC 12856

Query Match   100.0%;   Score 45;   DB 3;   Length 66627;
Best Local Similarity   1.4%;   Pred. No. 5.6e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 134
US-09-949-016-16112/c
Sequence 16112, Application US/0949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 16112
LENGTH: 66628
TYPE: DNA
ORGANISM: Human
US-09-949-016-16112

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   12900 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGAGACTCTGTCTC 12856

Query Match   100.0%;   Score 45;   DB 3;   Length 66628;
Best Local Similarity   1.4%;   Pred. No. 5.6e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 135
US-09-949-002-714
Sequence 714, Application US/0949002
Patent No. 6900016
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED

TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
TITLE OF INVENTION: AND USES THEREOF
FILE REFERENCE: CL000790
CURRENT APPLICATION NUMBER: US/09/949,002
CURRENT FILING DATE: 2000-01-28
PRIOR APPLICATION NUMBER: 60/231,401
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 10823
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 714
LENGTH: 70313
TYPE: DNA
ORGANISM: Human
US-09-949-002-714

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   37513 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGAGACTCTGTCTC 37557

Query Match   100.0%;   Score 45;   DB 3;   Length 70313;
Best Local Similarity   1.4%;   Pred. No. 5.6e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 136
US-09-949-002-633
Sequence 633, Application US/0949002
Patent No. 6900016
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
TITLE OF INVENTION: AND USES THEREOF
FILE REFERENCE: CL000790
CURRENT APPLICATION NUMBER: US/09/949,002
CURRENT FILING DATE: 2000-01-28
PRIOR APPLICATION NUMBER: 60/231,401
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 10823
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 633
LENGTH: 72347
TYPE: DNA
ORGANISM: Human
US-09-949-002-633

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   37513 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGAGACTCTGTCTC 37557

Query Match   100.0%;   Score 45;   DB 3;   Length 72347;
Best Local Similarity   1.4%;   Pred. No. 5.6e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 137
US-09-949-016-12659/c
Sequence 12659, Application US/0949016
Patent No. 6812339
GENERAL INFORMATION:
APPLICANT: VENTER, J. Craig et al.
TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001307
CURRENT APPLICATION NUMBER: US/09/949,016
CURRENT FILING DATE: 2000-04-14
PRIOR APPLICATION NUMBER: 60/241,755
PRIOR FILING DATE: 2000-10-20
PRIOR APPLICATION NUMBER: 60/237,768
PRIOR FILING DATE: 2000-10-03
PRIOR APPLICATION NUMBER: 60/231,498
PRIOR FILING DATE: 2000-09-08
NUMBER OF SEQ ID NOS: 207012

; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12659
; LENGTH: 80858
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-12659

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   11289 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 11245

Query Match   100.0%; Score 45; DB 3; Length 80858;
Best Local Similarity 100.0%; Pred. No. 5.5e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 138
US-09-949-016-15715/c
; Sequence 15715, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15715
; LENGTH: 80859
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-15715

Query Match   100.0%; Score 45; DB 3; Length 80859;
Best Local Similarity 100.0%; Pred. No. 5.5e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   11289 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 11245

RESULT 139
US-09-949-016-13655
; Sequence 13655, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13655
; LENGTH: 87648
; TYPE: DNA
; ORGANISM: Human

; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(87648)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-13655

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   35917 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 35961

Query Match   100.0%; Score 45; DB 3; Length 87648;
Best Local Similarity 100.0%; Pred. No. 5.5e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 140
US-09-949-016-15146
; Sequence 15146, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15146
; LENGTH: 91279
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-15146

Query Match   100.0%; Score 45; DB 3; Length 91279;
Best Local Similarity 100.0%; Pred. No. 5.5e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   68268 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 68312

RESULT 141
US-09-949-016-15944/c
; Sequence 15944, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15944
; LENGTH: 93532
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-15944

```
Query Match         1.4%;    Score 45;  DB 3;  Length 93532;
Best Local Similarity 100.0%;  Pred. No. 5.5e-11;
Matches            45;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy  3078 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db 20699 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 20655
```

RESULT 142
US-09-949-016-16553
; Sequence 16553, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16553
; LENGTH: 94142
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(94142)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16553

```
Query Match         1.4%;    Score 45;  DB 3;  Length 94142;
Best Local Similarity 100.0%;  Pred. No. 5.5e-11;
Matches            45;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGACT 3115
         ||||||||||||||||||||||||||||||||||||||||||||||
Db 19351 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGACT 19395
```

RESULT 143
US-09-949-016-17103
; Sequence 17103, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17103
; LENGTH: 96690
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-17103

```
Query Match         1.4%;    Score 45;  DB 3;  Length 96690;
Best Local Similarity 100.0%;  Pred. No. 5.5e-11;
Matches            45;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy  3078 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db 72113 GTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 72157
```

RESULT 144
US-09-949-016-13319/c
; Sequence 13319, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13319
; LENGTH: 103750
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-13319

```
Query Match         1.4%;    Score 45;  DB 3;  Length 103750;
Best Local Similarity 100.0%;  Pred. No. 5.5e-11;
Matches            45;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy  3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCT 3117
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db 75631 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCT 75587
```

RESULT 145
US-09-949-016-16424
; Sequence 16424, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16424
; LENGTH: 112465
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-16424

```
Query Match         1.4%;    Score 45;  DB 3;  Length 112465;
Best Local Similarity 100.0%;  Pred. No. 5.5e-11;
Matches            45;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGACT 3115
```

Db   35617 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACT 35661
         |||||||||||||||||||||||||||||||||||||||||||||||

RESULT 146
US-09-949-016-13915
; Sequence 13915, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13915
; LENGTH: 120609
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(120609)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-13915

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||
Query Match   1.4%; Score 45; DB 3; Length 120609;
Best Local Similarity   100.0%; Pred. No. 5.5e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Db   83825 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 83869

RESULT 147
US-09-949-016-17074/c
; Sequence 17074, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17074
; LENGTH: 140725
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-17074

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||
Query Match   1.4%; Score 45; DB 3; Length 140725;
Best Local Similarity   100.0%; Pred. No. 5.4e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Db   79976 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 79732

RESULT 148
US-09-949-016-13870/c
; Sequence 13870, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13870
; LENGTH: 155266
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-13870

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||
Query Match   1.4%; Score 45; DB 3; Length 155266;
Best Local Similarity   100.0%; Pred. No. 5.4e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Db   16826 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 16782

RESULT 149
US-09-949-016-13733
; Sequence 13733, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13733
; LENGTH: 162841
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-13733

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||
Query Match   1.4%; Score 45; DB 3; Length 162841;
Best Local Similarity   100.0%; Pred. No. 5.4e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Db   119589 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACT 119633

RESULT 150
US-09-949-016-16509/c

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACT 3115
              |||||||||||||||||||||||||||||||||||||||||||||||

Sequence 16509, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16509
; LENGTH: 174639
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(174639)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16509

Qy   Query Match   1.4%;   Score 45;   DB 3;   Length 174639;
Best Local Similarity   100.0%;   Pred. No. 5.4e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Db   3071 CAAGATTGTGTGCCACTGCGACTCCAGCTCCAGCCTGGGGCAACAGAGCAAGACT 3115
          |||||||||||||||||||||||||||||||||||||||||||||||
  107661 CAAGATTGTGTGCCACTGCGACTCCAGCTCCAGCCTGGGCAACAGAGCAAGACT 107617

RESULT 151
US-09-949-016-15851
Sequence 15851, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15851
; LENGTH: 205044
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(205044)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15851

Qy   Query Match   1.4%;   Score 45;   DB 3;   Length 205044;
Best Local Similarity   100.0%;   Pred. No. 5.4e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Db   3078 GTGCCACTGCACTCCAGCTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||
  161139 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 161183

RESULT 152
US-09-949-016-15852
; Sequence 15852, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15852
; LENGTH: 205044
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(205044)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15852

Qy   Query Match   1.4%;   Score 45;   DB 3;   Length 205044;
Best Local Similarity   100.0%;   Pred. No. 5.4e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Db   161139 GTGCCACTGCGACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 161183

RESULT 153
US-09-949-016-15853
Sequence 15853, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15853
; LENGTH: 205044
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(205044)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15853

Qy   Query Match   1.4%;   Score 45;   DB 3;   Length 205044;
Best Local Similarity   100.0%;   Pred. No. 5.4e-11;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Db   3078 GTGCCACTGCACTCCAGCTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122

Db   161139 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 161183
             |||||||||||||||||||||||||||||||||||||||||||||||

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||

RESULT 154
US-09-949-016-17539/c
Sequence 17539, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17539
;   LENGTH: 218940
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-17539

Query Match   1.4%; Score 45; DB 3; Length 218940;
Best Local Similarity   100.0%; Pred. No. 5.4e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2978 GCCGGGCATGGTGGCGCATGGCCTGTGTGGTCCCAGCTACTCGGGAGG 3022
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   109636 GCCGGGCATGGTGGCGCATGGCCTGTGTGGTCCCAGCTACTCGGGAGG 109592

RESULT 155
US-09-949-016-12387
Sequence 12387, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12387
;   LENGTH: 223471
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)..(223471)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12387

Query Match   1.4%; Score 45; DB 3; Length 223471;
Best Local Similarity   100.0%; Pred. No. 5.4e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||

Db   131566 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 131610

RESULT 156
US-09-949-016-12724
Sequence 12724, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12724
;   LENGTH: 223471
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)..(223471)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12724

Query Match   1.4%; Score 45; DB 3; Length 223471;
Best Local Similarity   100.0%; Pred. No. 5.4e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||

Db   131566 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 131610

RESULT 157
US-09-949-016-12725
Sequence 12725, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12725
;   LENGTH: 223471
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)..(223471)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-12725

Query Match   1.4%; Score 45; DB 3; Length 223471;
Best Local Similarity   100.0%; Pred. No. 5.4e-11;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||
Db   131566 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 131610

RESULT 158
US-09-513-999C-25910/c
; Sequence 25910, Application US/09513999C
; Patent No. 6783961
; GENERAL INFORMATION:
; APPLICANT: Dumas Milne Edwards, J.B.
; APPLICANT: Duclert, A.
; APPLICANT: Giordano, J.Y.
; TITLE OF INVENTION: Expressed Sequence Tags and Encoded Human Proteins.
; Patent No. 6783961
; FILE REFERENCE: 59.US2.REG
; CURRENT APPLICATION NUMBER: US/09/513,999C
; CURRENT FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/122,487
; PRIOR FILING DATE: 1999-02-26
; NUMBER OF SEQ ID NOS: 36681
; SOFTWARE: Patent.pm
; SEQ ID NO 25910
;   LENGTH: 145
;   TYPE: DNA
;   ORGANISM: Homo sapiens
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: 120
;   OTHER INFORMATION: k=g or t
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: 121
;   OTHER INFORMATION: r=a or g
US-09-513-999C-25910

Query Match   1.4%;   Score 44; DB 3; Length 145;
Best Local Similarity 100.0%; Pred. No. 2e-10;
  Matches   44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||
Db   47 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 4

RESULT 159
US-09-513-999C-28305
; Sequence 28305, Application US/09513999C
; Patent No. 6783961
; GENERAL INFORMATION:
; APPLICANT: Dumas Milne Edwards, J.B.
; APPLICANT: Duclert, A.
; APPLICANT: Giordano, J.Y.
; TITLE OF INVENTION: Expressed Sequence Tags and Encoded Human Proteins.
; Patent No. 6783961
; FILE REFERENCE: 59.US2.REG
; CURRENT APPLICATION NUMBER: US/09/513,999C
; CURRENT FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/122,487
; PRIOR FILING DATE: 1999-02-26
; NUMBER OF SEQ ID NOS: 36681
; SOFTWARE: Patent.pm
; SEQ ID NO 28305
;   LENGTH: 330
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-513-999C-28305

Query Match   1.4%;   Score 44; DB 3; Length 330;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
  Matches   44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2899 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGCCAACATAG 2942
              |||||||||||||||||||||||||||||||||||||||||||
Db   65 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGCCAACATAG 108

RESULT 160
US-09-949-016-33113
; Sequence 33113, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 33113
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-33113

Query Match   1.4%;   Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
  Matches   44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||
Db   430 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 473

RESULT 161
US-09-949-016-36581
; Sequence 36581, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 36581
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-36581

Query Match   1.4%;   Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
  Matches   44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 3116
              ||||||||||||||||||||||||||||||||||||||||||||||
Db   154 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 197

RESULT 162
US-09-949-016-38281
; Sequence 38281, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 38281
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-38281

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGCAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   430 TGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGCAAGACTCTGTGTCTC 473

Query Match   1.4%;   Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 163
US-09-949-016-46100
; Sequence 46100, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 46100
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-46100

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 3116
             ||||||||||||||||||||||||||||||||||||||||||||||
Db   154 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 197

Query Match   1.4%;   Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 164
US-09-949-016-46119
; Sequence 46119, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:

; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 46119
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-46119

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGACTC 3116
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   154 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTC 197

Query Match   1.4%;   Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 165
US-09-949-016-71064
; Sequence 71064, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 71064
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-71064

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGACTC 3116
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   154 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTC 197

Query Match   1.4%;   Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 166
US-09-949-016-71065
; Sequence 71065, Application US/0949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016

; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 71065
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-71065

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACACAGAGCAAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   110 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTC 153

Query Match   1.4%;   Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 167
US-09-949-016-71066
; Sequence 71066, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 71066
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-71066

; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 71067
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-71067

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACACAGAGCAAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   326 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACACAGAGCAAGACTC 369

Query Match   1.4%;   Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 168
US-09-949-016-71067
; Sequence 71067, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03

; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 71067
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-71067

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACACAGAGCAAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   359 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACACAGAGCAAGACTC 402

Query Match   1.4%;   Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 169
US-09-949-016-71068
; Sequence 71068, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 71068
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-71068

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACACAGAGCAAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   379 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACACAGAGCAAGACTC 422

Query Match   1.4%;   Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 170
US-09-949-016-71069
; Sequence 71069, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 71069

; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-71069

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGACTC 3116
             |||||||||||||||||||||||||| |||||||||||||||||||
Db   434 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 477

Query Match   1.4%; Score 44; DB 3; Length 601;
Best Local Similarity   100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

US-09-949-016-121487

; SEQ ID NO 121487
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
; SOFTWARE: FastSEQ for Windows Version 4.0
; NUMBER OF SEQ ID NOS: 207012
; PRIOR FILING DATE: 2000-09-08
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-04-14
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-10-03
; FILE REFERENCE: CL001307
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; APPLICANT: VENTER, J. Craig et al.
; GENERAL INFORMATION:
; Patent No. 6812339
; Sequence 121487, Application US/09949016
US-09-949-016-121487/c

RESULT 171

Db   434 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 477

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGACTC 3116

US-09-949-016-121487

Best Local Similarity   100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;
Query Match   1.4%; Score 44; DB 3; Length 601;

; SEQ ID NO 121488
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
; SOFTWARE: FastSEQ for Windows Version 4.0
; NUMBER OF SEQ ID NOS: 207012
; PRIOR FILING DATE: 2000-09-08
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-04-14
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-10-03
; FILE REFERENCE: CL001307
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; APPLICANT: VENTER, J. Craig et al.
; GENERAL INFORMATION:
; Patent No. 6812339
; Sequence 121488, Application US/09949016
US-09-949-016-121488/c

RESULT 172

Db   120 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 77

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGCAAGACTC 3116

Query Match   1.4%; Score 44; DB 3; Length 601;
Best Local Similarity   100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

US-09-949-016-133933

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
             |||||||||||||||||||||||| ||||||||||||||||||||
Db   351 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 308

RESULT 173

US-09-949-016-133933/c
; Sequence 133933, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 133933
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-133933

Query Match   1.4%; Score 44; DB 3; Length 601;
Best Local Similarity   100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
             |||||||||||||||||||||||| ||||||||||||||||||||
Db   370 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 327

RESULT 174

US-09-949-016-133934/c
; Sequence 133934, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 133934
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-133934

Query Match   1.4%; Score 44; DB 3; Length 601;
Best Local Similarity   100.0%; Pred. No. 1.9e-10;
Matches   44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116

Db   368 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 325
            ||||||||||||||||||||||||||||||||||||||||||||

RESULT 175
US-09-949-016-143264
; Sequence 143264, Application US/0994901 6
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 143264
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-143264

Qy   Query Match   1.4%;   Score 44;   DB 3;   Length 601;
        Best Local Similarity 100.0%; Pred. No. 1.9e-10;
        Matches   44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
            ||||||||||||||||||||||||||||||||||||||||||||
Db   233 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 276

RESULT 176
US-09-949-016-143435
; Sequence 143435, Application US/0994901 6
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 143435
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-143435

Qy   Query Match   1.4%;   Score 44;   DB 3;   Length 601;
        Best Local Similarity 100.0%; Pred. No. 1.9e-10;
        Matches   44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
            ||||||||||||||||||||||||||||||||||||||||||||
Db   233 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 276

RESULT 177

US-09-949-016-144443/c
; Sequence 144443, Application US/0994901 6
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 144443
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-144443

Qy   Query Match   1.4%;   Score 44;   DB 3;   Length 601;
        Best Local Similarity 100.0%; Pred. No. 1.9e-10;
        Matches   44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||
Db   158 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 115

RESULT 178
US-09-949-016-144444/c
; Sequence 144444, Application US/0994901 6
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 144444
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-144444

Qy   Query Match   1.4%;   Score 44;   DB 3;   Length 601;
        Best Local Similarity 100.0%; Pred. No. 1.9e-10;
        Matches   44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||
Db   412 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 369

RESULT 179
US-09-949-016-150959
; Sequence 150959, Application US/0994901 6
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.

; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 150959
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-150959

Qy 3073 AGATTGTGCCACTGCACTCCACGCCTGGGCCAACAGAGCAAGACTC 3116
         ||||||||||||||||||||| ||||||||||||||||||||||||
Db   233 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 276

RESULT 180
US-09-949-016-163060
Sequence 163060, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 163060
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-163060

Query Match   1.4%; Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3073 AGATTGTGCCACTGCACTCCACGCCTGGGCCAACAGAGCAAGACTC 3116
         ||||||||||||||||||||| ||||||||||||||||||||||||
Db   233 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 276

RESULT 181
US-09-949-016-165548/c
Sequence 165548, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14

Query Match   1.4%; Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||
Db   158 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTCC 201

; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 165548
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-165548

Qy 3073 AGATTGTGCCACTGCACTCCACGCCTGGGCCAACAGAGCAAGACTC 3116
         ||||||||||||||||||||| ||||||||||||||||||||||||
Db   211 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 168

RESULT 182
US-09-949-016-199110/c
Sequence 199110, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 199110
;   LENGTH: 601
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-199110

Query Match   1.4%; Score 44; DB 3; Length 601;
Best Local Similarity 100.0%; Pred. No. 1.9e-10;
Matches 44; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2889 GAGGCAGGTGGGATCACCTGAGGGGCCAGGAGTTCGAGACCAGCCTG 2932
         |||||||||||||||||||| |||||||||||||||||||||||||
Db   231 GAGGCAGGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTG 188

RESULT 183
US-09-949-016-202729
Sequence 202729, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08

```
;
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 202729
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-202729

Query Match       1.4%;    Score 44;  DB 3;  Length 601;
Best Local Similarity   100.0%;    Pred. No. 1.9e-10;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTC 3116
                |||||||||||||||||||||||||||||||||||||||||||||||
Db     231 AGATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTC 274


RESULT 184
US-09-949-016-204472
; Sequence 204472, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 204472
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-204472

Query Match       1.4%;    Score 44;  DB 3;  Length 601;
Best Local Similarity   100.0%;    Pred. No. 1.9e-10;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy    3079 TGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC 3122
                ||||||||||||||||||||||||||||||||||||||||||||||||
Db     430 TGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC 473


RESULT 185
US-09-949-016-204542
; Sequence 204542, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 204542
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-204542

Query Match       1.4%;    Score 44;  DB 3;  Length 601;
Best Local Similarity   100.0%;    Pred. No. 1.9e-10;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy    3079 TGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC 3122
                ||||||||||||||||||||||||||||||||||||||||||||||||
Db     430 TGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC 473


RESULT 186
US-09-949-002-10588/c
; Sequence 10588, Application US/09949002
; Patent No. 6900016
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
; TITLE OF INVENTION: AND USES THEREOF
; FILE REFERENCE: CL000790
; CURRENT APPLICATION NUMBER: US/09/949,002
; CURRENT FILING DATE: 2000-01-28
; PRIOR APPLICATION NUMBER: 60/231,401
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 10823
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 10588
; LENGTH: 601
; TYPE: DNA
; ORGANISM: Human
US-09-949-002-10588

Query Match       1.4%;    Score 44;  DB 3;  Length 601;
Best Local Similarity   100.0%;    Pred. No. 1.9e-10;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy    3079 TGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC 3122
                ||||||||||||||||||||||||||||||||||||||||||||||||
Db     168 TGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC 125


RESULT 187
US-09-641-638-56
; Sequence 56, Application US/09641638
; Patent No. 6432648
; GENERAL INFORMATION:
; APPLICANT: Blumenfeld, Marta
; APPLICANT: Bougueleret, Lydie
; APPLICANT: Chumakov, Ilya
; APPLICANT: Cohen, Annick
; TITLE OF INVENTION: BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING
; TITLE OF INVENTION: GENES INVOLVED IN ARACHIDONIC ACID METABOLISM
; FILE REFERENCE: GENSET.051CP1
; CURRENT APPLICATION NUMBER: US/09/641,638
; CURRENT FILING DATE: 2000-08-16
; PRIOR APPLICATION NUMBER: US 09/502,330
; PRIOR FILING DATE: 2000-02-11
; PRIOR APPLICATION NUMBER: US 60/133,200
; PRIOR FILING DATE: 1999-05-07
; PRIOR APPLICATION NUMBER: US 09/275,267
; PRIOR FILING DATE: 1999-03-23
; PRIOR APPLICATION NUMBER: US 60/119,917
; PRIOR FILING DATE: 1999-02-12
; NUMBER OF SEQ ID NOS: 1304
; SOFTWARE: Patent.pm
;
; SEQ ID NO 56
; LENGTH: 956
; TYPE: DNA
; ORGANISM: Homo Sapiens
; FEATURE:
```

```
;     NAME/KEY: allele
;       LOCATION: 478
;       OTHER INFORMATION: 12-220-48 : polymorphic base G or A
;     NAME/KEY: misc_binding
;       LOCATION: 458..477
;       OTHER INFORMATION: 12-220-48.mis1, potential
;     NAME/KEY: misc_binding
;       LOCATION: 479..498
;       OTHER INFORMATION: 12-220-48.mis2, potential complement
;     NAME/KEY: primer_bind
;       LOCATION: 505..525
;       OTHER INFORMATION: upstream amplification primer, complement
;     NAME/KEY: primer_bind
;       LOCATION: 76..96
;       OTHER INFORMATION: downstream amplification primer
;     NAME/KEY: misc_binding
;       LOCATION: 466..490
;       OTHER INFORMATION: 12-220-48 potential probe
US-10-641-638-56

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    802 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 845

Query Match        1.4%;  Score 44;  DB 3;  Length 956;
Best Local Similarity  100.0%;  Pred. No. 1.9e-10;
Matches  44;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

RESULT 188
US-10-170-097-56
; Patent No. 6794143
; Sequence 56, Application US/10170097
; GENERAL INFORMATION:
;   APPLICANT: Blumenfeld, Marta
;   APPLICANT: Bougueleret, Lydie
;   APPLICANT: Chumakov, Ilya
;   APPLICANT: Cohen, Annick
;   TITLE OF INVENTION: BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING
;   TITLE OF INVENTION:  GENES INVOLVED IN ARACHIDONIC ACID METABOLISM
;   FILE REFERENCE: GEN-T114XC2D1
;   CURRENT APPLICATION NUMBER: US/10/170,097
;   CURRENT FILING DATE:  2002-06-10
;   PRIOR APPLICATION NUMBER: US 09/641,638
;   PRIOR FILING DATE: 2000-08-16
;   PRIOR APPLICATION NUMBER: US 09/502,330
;   PRIOR FILING DATE: 2000-02-11
;   PRIOR APPLICATION NUMBER: US 09/275,267
;   PRIOR FILING DATE: 1999-03-23
;   PRIOR APPLICATION NUMBER: US 60/119,917
;   PRIOR FILING DATE: 1999-02-12
;   NUMBER OF SEQ ID NOS: 1304
;   SOFTWARE: Patent.pm
; SEQ ID NO 56
;   LENGTH: 956
;   TYPE: DNA
;   ORGANISM: Homo Sapiens
;   FEATURE:
;     NAME/KEY: allele
;       LOCATION: 478
;       OTHER INFORMATION: 12-220-48 : polymorphic base G or A
;   FEATURE:
;     NAME/KEY: misc_binding
;       LOCATION: 458..477
;       OTHER INFORMATION: 12-220-48.mis1, potential
;   FEATURE:
;     NAME/KEY: misc_binding
;       LOCATION: 479..498
;       OTHER INFORMATION: 12-220-48.mis2, potential complement
;   FEATURE:
;     NAME/KEY: primer_bind
```

```
;       LOCATION: 505..525
;       OTHER INFORMATION: upstream amplification primer, complement
;     NAME/KEY: primer_bind
;       LOCATION: 76..96
;       OTHER INFORMATION: downstream amplification primer
;     NAME/KEY: misc_binding
;       LOCATION: 466..490
;       OTHER INFORMATION: 12-220-48 potential probe
US-10-170-097-56

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    802 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 845

Query Match        1.4%;  Score 44;  DB 3;  Length 956;
Best Local Similarity  100.0%;  Pred. No. 1.9e-10;
Matches  44;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

RESULT 189
US-09-949-016-11999
; Patent No. 6812339
; Sequence 11999, Application US/09949016
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 11999
;   LENGTH: 7480
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-11999

Qy   3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    247 TGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 290

Query Match        1.4%;  Score 44;  DB 3;  Length 7480;
Best Local Similarity  100.0%;  Pred. No. 1.8e-10;
Matches  44;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

RESULT 190
US-09-949-016-16486
; Patent No. 6812339
; Sequence 16486, Application US/09949016
; GENERAL INFORMATION:
;   APPLICANT: VENTER, J. Craig et al.
;   TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
;   TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001307
;   CURRENT APPLICATION NUMBER: US/09/949,016
;   CURRENT FILING DATE: 2000-04-14
;   PRIOR APPLICATION NUMBER: 60/241,755
;   PRIOR FILING DATE: 2000-10-20
;   PRIOR APPLICATION NUMBER: 60/237,768
;   PRIOR FILING DATE: 2000-10-03
;   PRIOR APPLICATION NUMBER: 60/231,498
;   PRIOR FILING DATE: 2000-09-08
;   NUMBER OF SEQ ID NOS: 207012
```

```
  SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 16486
; LENGTH: 7567
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-16486

Qy    3079 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||
Db     334 TGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 377

Query Match               1.4%;    Score 44;   DB 3;   Length 7567;
Best Local Similarity   100.0%;    Pred. No. 1.8e-10;
Matches    44;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

RESULT 191
US-09-318-448-5/c
; Sequence 5, Application US/0918448
; Patent No. 6210950
; GENERAL INFORMATION:
; APPLICANT: Johnson, William G.
; APPLICANT: Stenroos, Edward S.
; TITLE OF INVENTION: METHODS FOR DIAGNOSING, PREVENTING, AND TREATING
; TITLE OF INVENTION: DEVELOPMENTAL DISORDERS
; FILE REFERENCE: 601-1-057
; CURRENT APPLICATION NUMBER: US/09/318,448
; CURRENT FILING DATE: 1999-05-25
; NUMBER OF SEQ ID NOS: 46
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 5
; LENGTH: 7720
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-318-448-5

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||
Db     5249 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 5206

Query Match               1.4%;    Score 44;   DB 3;   Length 7720;
Best Local Similarity   100.0%;    Pred. No. 1.8e-10;
Matches    44;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

RESULT 192
US-09-577-266-5/c
; Sequence 5, Application US/09577266
; Patent No. 6912492
; GENERAL INFORMATION:
; APPLICANT: Johnson, William G.
; APPLICANT: Stenroos, Edward S.
; TITLE OF INVENTION: METHODS FOR DIAGNOSING, PREVENTING, AND TREATING
; TITLE OF INVENTION: DEVELOPMENTAL DISORDERS
; FILE REFERENCE: 601-1-057N
; CURRENT APPLICATION NUMBER: US/09/577,266
; CURRENT FILING DATE: 2000-05-23
; PRIOR APPLICATION NUMBER: 60/136,198
; PRIOR FILING DATE: 1999-05-25
; NUMBER OF SEQ ID NOS: 46
; SOFTWARE: Patentin Ver. 2.0

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||
```

```
Db     5249 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 5206

RESULT 193
US-09-949-016-17443/c
; Sequence 17443, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 17443
; LENGTH: 10720
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-17443

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||
Db     3805 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3762

Query Match               1.4%;    Score 44;   DB 3;   Length 10720;
Best Local Similarity   100.0%;    Pred. No. 1.7e-10;
Matches    44;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

RESULT 194
US-09-949-016-12354
; Sequence 12354, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 12354
; LENGTH: 15116
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-12354

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||
Db     3805 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3762
```

```
Query Match               1.4%;    Score 44;   DB 3;   Length 15116;
Best Local Similarity   100.0%;    Pred. No. 1.7e-10;
Matches    44;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

RESULT 195
US-09-949-016-16260

Qy    2899 GATCACCCTCAGGCCAGGAGTTCCGAGACCAGCCTGGCCAACATAG 2942
           ||||||||||||||||||||||||||||||||||||||||||||||
Db     8745 GATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 8788
```

; Sequence 16260, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16260
; LENGTH: 15117
; TYPE: DNA
; ORGANISM: Human
US-09-949-016-16260

Qy   Query Match   1.4%;   Score 44;   DB 3;   Length 15117;
Best Local Similarity   100.0%;   Pred. No. 1.7e-10;
Matches 44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2899 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
            ||||||||||||||||||||||||||||||||||||||||||||
Db   8745 GATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 8788

RESULT 196
US-09-949-002-592
; Sequence 592, Application US/09949002
; Patent No. 6900016
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
; FILE REFERENCE: CL000790
; CURRENT APPLICATION NUMBER: US/09/949,002
; CURRENT FILING DATE: 2000-01-28
; PRIOR APPLICATION NUMBER: 60/231,401
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 10823
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 592
; LENGTH: 18651
; TYPE: DNA
; ORGANISM: Human
US-09-949-002-592

Qy   Query Match   1.4%;   Score 44;   DB 3;   Length 18651;
Best Local Similarity   100.0%;   Pred. No. 1.7e-10;
Matches 44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 3116
            |||||||||||||||||||||||||||||||||||||||||||||
Db   14614 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 14657

RESULT 197
US-09-949-002-786
; Sequence 786, Application US/09949002
; Patent No. 6900016
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH INFLAMMATORY AUTOIMMUNE DISEASE, METHODS OF DETECTION
; TITLE OF INVENTION: AND USES THEREOF
; FILE REFERENCE: CL000790

; CURRENT APPLICATION NUMBER: US/09/949,002
; CURRENT FILING DATE: 2000-01-28
; PRIOR APPLICATION NUMBER: 60/231,401
; PRIOR FILING DATE: 2000-09-08
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 786
; LENGTH: 18682
; TYPE: DNA
; ORGANISM: Human
US-09-949-002-786

Qy   Query Match   1.4%;   Score 44;   DB 3;   Length 18682;
Best Local Similarity   100.0%;   Pred. No. 1.7e-10;
Matches 44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 3116
            |||||||||||||||||||||||||||||||||||||||||||||
Db   14634 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 14677

RESULT 198
US-09-949-016-15523/c
; Sequence 16523, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 16523
; LENGTH: 18891
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(18891)
; OTHER INFORMATION: n = A,T,C or G
US-09-949-016-16523

Qy   Query Match   1.4%;   Score 44;   DB 3;   Length 18891;
Best Local Similarity   100.0%;   Pred. No. 1.7e-10;
Matches 44; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 3116
            |||||||||||||||||||||||||||||||||||||||||||||
Db   14166 AGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 14123

RESULT 199
US-09-949-016-15113
; Sequence 15113, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768

```
;  .            .           .
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 15113
;   LENGTH: 19389
;   TYPE: DNA
;   ORGANISM: Human
US-09-949-016-15113

Qy       3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAAACAGAGCAAGACTC 3116
              |||||||||||||||||||||||||||||||||||||||||||||
Db      14852 AGATTGTGCCACTGCACTCCAGCCTGGGCAAACAGAGCAAGACTC 14895

Query Match            1.4%;   Score 44;  DB 3;  Length 19389;
Best Local Similarity   100.0%;   Pred. No. 1.7e-10;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;


RESULT 200
US-09-949-016-15267
; Sequence 15267, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION:  WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE:  2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 15267
;   LENGTH: 19974
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)..(19974)
;   OTHER INFORMATION: n = A,T,C or G
US-09-949-016-15267

Qy       3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
              ||||||||||||||||||||||||||||||||||||||||||||
Db      15162 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 15205

Query Match            1.4%;   Score 44;  DB 3;  Length 19974;
Best Local Similarity   100.0%;   Pred. No. 1.7e-10;
Matches   44;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;


Search completed: May 11, 2006, 06:00:44
Job time : 560 secs
```

OM nucleic - nucleic search, using sw model

GenCore version 5.1.8
Copyright (c) 1993 - 2006 Bioacceleration Ltd.

Run on: May 11, 2006, 05:51:35 ; Search time 2382 Seconds
                 (without alignments)
                 10838.370 Million cell updates/sec

Title: US-10-760-320A-102
Perfect score: 3122
Sequence: 1 actagaggtcgggttagcgc............acagagcaagactctgtctc 3122

Scoring table: OLIGO NUC
                 Gapop 60.0 , Gapext 60.0

Searched: 9793542 seqs, 413469005 residues

Word size :   1

Total number of hits satisfying chosen parameters: 19584538

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Listing first 500 summaries

Database :   Published_Applications_NA_Main:*
                 1: /cgn2_6/ptodata/1/pubpna/US07_PUBCOMB.seq:*
                 2: /cgn2_6/ptodata/1/pubpna/US08_PUBCOMB.seq:*
                 3: /cgn2_6/ptodata/1/pubpna/US09A_PUBCOMB.seq:*
                 4: /cgn2_6/ptodata/1/pubpna/US09B_PUBCOMB.seq:*
                 5: /cgn2_6/ptodata/1/pubpna/US10A_PUBCOMB.seq:*
                 6: /cgn2_6/ptodata/1/pubpna/US10B_PUBCOMB.seq:*
                 7: /cgn2_6/ptodata/1/pubpna/US10C_PUBCOMB.seq:*
                 8: /cgn2_6/ptodata/1/pubpna/US10D_PUBCOMB.seq:*
                 9: /cgn2_6/ptodata/1/pubpna/US10B_PUBCOMB.seq:*
                 10: /cgn2_6/ptodata/1/pubpna/US11_PUBCOMB.seq:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB ID	Description
1	748	24.0	850	9	US-10-450-763-29532	Sequence 29532, A
2	657	21.0	708	6	US-10-029-386-20699	Sequence 20699, A
3	524	16.8	524,	6	US-10-765-790-22	Sequence 22, Appl
4	509	16.3	560	4	US-09-925-065A-740956	Sequence 740956, Ap
5	506	16.2	557	4	US-09-925-065A-769508	Sequence 769508, A
6	505	16.2	556	4	US-09-925-065A-736351	Sequence 736351, A
7	504	16.1	555	4	US-09-925-065A-737120	Sequence 737120,
8	241	7.7	1349	9	US-10-450-763-8312	Sequence 8312, Ap
9	60	1.9	60	9	US-10-908-975-23330	Sequence 23330, A
10	53	1.7	175737	8	US-10-723-860-1753	Sequence 1753, Ap
11	53	1.7	175737	8	US-10-783-271-34	Sequence 34, Appl
12	52	1.7	428	9	US-10-674-124A-76	Sequence 76, Appl
13	52	1.7	559	4	US-09-925-065A-591947	Sequence 591947,
14	52	1.7	568	5	US-10-027-632-41688	Sequence 41688, A
15	52	1.7	568	5	US-10-027-632-41688	Sequence 41688, A
16	52	1.7	574	4	US-09-925-065A-768118	Sequence 768118,
17	52	1.7	592	4	US-09-925-065A-59682	Sequence 59682, A
18	52	1.7	617	5	US-10-027-632-61988	Sequence 61988, A
19	52	1.7	631	5	US-10-027-632-61988	Sequence 61988, A
20	52	1.7	631	5	US-10-027-632-61988	Sequence 61988, A
21	52	1.7	631	6	US-10-027-632-61989	Sequence 61989, A
22	52	1.7	631	6	US-10-027-632-61987	Sequence 61987, A
23	52	1.7	631	6	US-10-027-632-61988	Sequence 61988, A

c 24	52	1.7	631	6	US-10-027-632-61989	Sequence 61989, A
c 25	52	1.7	695	3	US-09-925-065A-708701	Sequence 708701, A
c 26	52	1.7	1437	9	US-10-450-763-14141	Sequence 14141, A
c 27	52	1.7	9620	3	US-10-764-891-8895	Sequence 8895, Ap
c 28	52	1.7	92139	6	US-09-925-065A-211249	Sequence 50, Appl
29	52	1.7	92139	6	US-10-741-601-5719	Sequence 5719, Ap
30	52	1.7	130320	6	US-10-087-192-652	Sequence 652, App
31	52	1.7	136726	6	US-10-085-117-244	Sequence 244, App
32	52	1.7	150437	9	US-10-981-277-50	Sequence 50, Appl
33	52	1.7	221000	6	US-10-174-014-12	Sequence 12, Appl
34	52	1.7	233380	7	US-10-353-150-1	Sequence 1, Appli
35	52	1.7	398287	7	US-09-925-065A-141833	Sequence 141833,
36	52	1.7	398287	8	US-10-408-168-1	Sequence 1, Appli
37	52	1.7	385	4	US-09-925-065A-54553	Sequence 54553, A
38	52	1.7	561	4	US-10-027-632-55034	Sequence 55034, A
39	51	1.7	622	5	US-10-027-632-56282	Sequence 56282, A
40	51	1.7	622	5	US-10-027-632-56282	Sequence 56282, A
41	51	1.6	622	5	US-10-027-632-56384	Sequence 56384, A
42	51	1.6	622	5	US-10-027-632-180536	Sequence 180536, A
43	51	1.6	622	6	US-10-027-632-180536	Sequence 180536,
44	51	1.6	622	6	US-10-027-632-314485	Sequence 314485, A
45	51	1.6	622	6	US-10-027-632-54553	Sequence 54553, A
46	51	1.6	622	6	US-10-027-632-55034	Sequence 55034, A
47	51	1.6	622	6	US-10-027-632-56282	Sequence 56282, A
48	51	1.6	622	6	US-10-027-632-56384	Sequence 56384, A
49	51	1.6	622	6	US-10-027-632-180536	Sequence 180536,
50	51	1.6	622	6	US-10-027-632-314485	Sequence 314485,

c 51	51	1.6	832	3	US-10-102-806-220	Sequence 220, App
c 52	51	1.6	832	9	US-10-102-806-220	Sequence 220, App
c 53	51	1.6	2791	9	US-10-450-763-29534	Sequence 29534, A
c 54	51	1.6	23139	9	US-10-737-082-22	Sequence 22, Appl
c 55	51	1.6	23139	9	US-10-765-790-22	Sequence 22, Appl
c 56	51	1.6	68200	9	US-10-840-590-3	Sequence 3, Appli
c 57	51	1.6	215221	5	US-09-973-278-870	Sequence 870, App
58	50	1.6	288	9	US-10-450-763-29529	Sequence 29529, A
59	50	1.6	432	7	US-09-925-065A-484883	Sequence 484883,
60	50	1.6	571	4	US-09-925-065A-785967	Sequence 785967,
61	50	1.6	572	4	US-09-925-065A-894777	Sequence 894777,
62	50	1.6	625	4	US-09-925-065A-892664	Sequence 892664,
63	50	1.6	630	4	US-09-925-065A-892405	Sequence 892405,
64	50	1.6	633	4	US-10-027-632-158850	Sequence 220, App
65	50	1.6	633	4	US-09-925-065A-892514	Sequence 892514, A
66	50	1.6	633	4	US-09-925-065A-949927	Sequence 949927,
67	50	1.6	676	4	US-09-925-065A-917225	Sequence 917225,
68	50	1.6	676	4	US-09-925-065A-917226	Sequence 917226,
69	50	1.6	676	4	US-09-925-065A-944569	Sequence 944569,
70	50	1.6	714	4	US-10-027-632-158850	Sequence 158850,
71	50	1.6	714	6	US-10-027-632-158850	Sequence 158850,
72	50	1.6	739	4	US-09-925-065A-934608	Sequence 934608,
73	50	1.6	742	4	US-09-925-065A-941367	Sequence 941367,
74	50	1.6	1986	5	US-10-027-632-265269	Sequence 265269,
75	50	1.6	1986	6	US-10-027-632-265269	Sequence 265269,
76	50	1.6	8705	3	US-10-027-632-265269	Sequence 3, Appli
77	50	1.6	8705	7	US-09-973-278-870	Sequence 870, A
78	50	1.6	8705	8	US-10-450-763-29529	Sequence 29529, A
79	50	1.6	8705	3	US-09-925-065A-484883	Sequence 484883, A
80	50	1.6	8705	8	US-10-477-238A-10	Sequence 377, App
81	50	1.6	8705	9	US-10-680-287A-10	Sequence 10, Appl
82	50	1.6	8705	9	US-10-477-173-10	Sequence 10, Appl
83	50	1.6	31474	3	US-10-834-377-10	Sequence 10, Appl
84	50	1.6	32189	5	US-09-764-891-8149	Sequence 8149, Ap
85	50	1.6	32189	5	US-10-764-878-379	Sequence 379, App
86	50	1.6	32193	3	US-10-079-854-379	Sequence 379, App
87	50	1.6	32193	6	US-09-764-877-2623	Sequence 2623, Ap
88	50	1.6	32193	6	US-09-764-878-377	Sequence 377, App
89	50	1.6	32221	3	US-10-242-515-2623	Sequence 2623, Ap
90	50	1.6	32221	5	US-09-764-878-377	Sequence 377, App
91	50	1.6	33126	6	US-10-741-600-17637	Sequence 1763, A
92	50	1.6	56510	8	US-10-085-117-190	Sequence 190, App
93	50	1.6	56973	5	US-10-087-192-574	Sequence 574, App
94	50	1.6	156843	8	US-10-719-993-1408	Sequence 1408, Ap
95	50	1.6	202814	8	US-10-087-192-5812	Sequence 6812, Ap
96	50	1.6	276820	7	US-10-271-416-9	Sequence 9, Appli

Flag	No.					Accession	Description
c	97	49	1.6	420	4	US-09-925-065A-140670	Sequence 140670,
	98	49	1.6	532	4	US-09-925-065A-140671	Sequence 140671,
c	99	49	1.6	552	4	US-09-925-065A-18609	Sequence 18609, A
c	100	49	1.6	552	4	US-09-925-065A-18610	Sequence 18610, A
c	101	49	1.6	552	4	US-09-925-065A-18611	Sequence 18611, A
c	102	49	1.6	580	5	US-10-027-632-80386	Sequence 80386, A
c	103	49	1.6	580	5	US-10-027-632-80387	Sequence 80387, A
c	104	49	1.6	580	5	US-10-027-632-80386	Sequence 80386, A
c	105	49	1.6	580	6	US-10-027-632-80387	Sequence 80387, A
c	106	49	1.6	580	5	US-10-027-632-80387	Sequence 80387, A
c	107	49	1.6	695	4	US-09-925-065A-708700	Sequence 708700,
c	108	49	1.6	750	4	US-09-925-065A-932036	Sequence 932036,
c	109	49	1.6	750	4	US-09-925-065A-932035	Sequence 932035,
c	110	49	1.6	3170	5	US-10-027-632-113574	Sequence 113574,
c	111	49	1.6	3170	5	US-10-027-632-113573	Sequence 113573,
c	112	48	1.6	3170	6	US-10-027-632-113574	Sequence 113574,
c	113	48	1.6	460	5	US-10-027-632-182264	Sequence 182264,
c	114	48	1.6	460	5	US-10-027-632-319423	Sequence 319423,
c	115	48	1.6	460	5	US-10-027-632-182264	Sequence 182264,
c	116	48	1.6	460	6	US-10-027-632-319423	Sequence 319423,
c	117	48	1.6	716	5	US-10-027-632-132626	Sequence 132626,
c	118	48	1.6	716	5	US-10-027-632-132626	Sequence 132626,
c	119	48	1.6	716	5	US-10-027-632-132626	Sequence 132626,
c	120	48	1.6	52242	7	US-10-052-482-172	Sequence 172, App
c	121	48	1.6	53779	9	US-10-737-082-85	Sequence 85, Appl
c	122	48	1.6	53779	9	US-10-755-799-85	Sequence 85, Appl
c	123	48	1.6	141121	8	US-10-741-600-17651	Sequence 17651,
c	124	48	1.5	181684	5	US-10-087-192-790	Sequence 790, App
c	125	47	1.5	516	8	US-10-357-930-46148	Sequence 46148, A
c	126	47	1.5	534	4	US-09-925-065A-440136	Sequence 440136,
c	127	47	1.5	534	5	US-10-357-930-16322	Sequence 16322, A
c	128	47	1.5	566	4	US-09-925-065A-623360	Sequence 623360,
c	129	47	1.5	3231	5	US-10-027-632-115306	Sequence 115306,
c	130	47	1.5	3231	5	US-10-027-632-115307	Sequence 115307,
c	131	47	1.5	3231	5	US-10-027-632-115308	Sequence 115308,
c	132	47	1.5	3231	6	US-10-027-632-115306	Sequence 115306,
c	133	47	1.5	3231	6	US-10-027-632-115307	Sequence 115307,
c	134	47	1.5	3231	6	US-10-027-632-115308	Sequence 115308,
c	135	47	1.5	201	8	US-10-719-993-51173	Sequence 51173, A
c	136	47	1.5	322	8	US-10-674-124A-25317	Sequence 25317, A
c	137	47	1.5	380	8	US-10-914-037-282	Sequence 282, App
c	138	47	1.5	405	3	US-09-867-701-6376	Sequence 6376, App
c	139	47	1.5	440	8	US-10-674-124A-24232	Sequence 24232, A
c	140	47	1.5	458	3	US-09-814-353-17260	Sequence 17260, A
c	141	47	1.5	482	8	US-10-674-124A-16717	Sequence 16717, A
c	142	47	1.5	497	8	US-10-357-930-60554	Sequence 60554, A
c	143	47	1.5	535	6	US-10-027-632-91304	Sequence 91304, A
c	144	47	1.5	535	5	US-10-027-632-91305	Sequence 91305, A
c	145	47	1.5	535	5	US-10-027-632-91306	Sequence 91306, A
c	146	47	1.5	535	5	US-10-027-632-91304	Sequence 91304, A
c	147	47	1.5	535	6	US-10-027-632-91305	Sequence 91305, A
c	148	47	1.5	535	5	US-10-027-632-91306	Sequence 91306, A
c	149	47	1.5	559	4	US-10-719-993-124249	Sequence 124249,
c	150	47	1.5	606	4	US-09-925-065A-843811	Sequence 843811,
c	151	47	1.5	609	4	US-09-925-065A-801712	Sequence 801712,
c	152	47	1.5	610	4	US-09-925-065A-48663	Sequence 48663, A
c	153	47	1.5	610	5	US-09-925-065A-65044	Sequence 65044, A
c	154	47	1.5	614	4	US-09-925-065A-47410	Sequence 47410, A
c	155	47	1.5	614	5	US-09-925-065A-47411	Sequence 47411, A
c	156	47	1.5	615	4	US-09-925-065A-930543	Sequence 930543,
c	157	47	1.5	615	5	US-09-925-065A-930544	Sequence 930544,
c	158	47	1.5	616	4	US-09-925-065A-870312	Sequence 870312,
c	159	47	1.5	621	5	US-10-027-632-115128	Sequence 115128,
c	160	47	1.5	621	5	US-10-027-632-115129	Sequence 115129,
c	161	47	1.5	621	5	US-10-027-632-115128	Sequence 115128,
c	162	46	1.5	621	6	US-10-027-632-115129	Sequence 115129,
c	163	46	1.5	654	4	US-09-925-065A-554324	Sequence 554324,
c	164	46	1.5	659	4	US-09-925-065A-759345	Sequence 759345,
c	165	46	1.5	659	4	US-09-925-065A-790726	Sequence 790726,
c	166	46	1.5	661	4	US-09-925-065A-790727	Sequence 790727,
c	167	46	1.5	672	4	US-09-925-065A-771454	Sequence 771454,
c	168	46	1.5	661	4	US-09-925-065A-737520	Sequence 737520,
c	169	46	1.5	680	4	US-09-925-065A-737227	Sequence 737227,
c	170	46	1.5	689	4	US-09-925-065A-852555	Sequence 852555,
	171	46	1.5	689	5	US-09-925-065A-852556	Sequence 852556,
c	172	46	1.5	756	4	US-10-027-632-144717	Sequence 144717,
c	173	46	1.5	756	5	US-10-027-632-144718	Sequence 144718,
c	174	46	1.5	756	5	US-10-027-632-144719	Sequence 144719,
c	175	46	1.5	756	6	US-10-027-632-144717	Sequence 144717,
c	176	46	1.5	756	6	US-10-027-632-144718	Sequence 144718,
c	177	46	1.5	756	6	US-10-027-632-144719	Sequence 144719,
c	178	46	1.5	840	4	US-09-925-065A-938958	Sequence 938958,
c	179	46	1.5	840	4	US-09-925-065A-938959	Sequence 938959,
c	180	46	1.5	840	4	US-09-925-065A-938960	Sequence 938960,
c	181	46	1.5	1105	4	US-09-925-065A-711495	Sequence 711495,
c	182	46	1.5	1364	5	US-09-925-065A-678054	Sequence 678054,
c	183	46	1.5	1635	4	US-09-925-065A-689300	Sequence 689300,
c	184	46	1.5	2227	4	US-09-925-065A-677066	Sequence 677066,
c	185	46	1.5	2798	5	US-10-027-632-260094	Sequence 260094,
c	186	46	1.5	2798	6	US-10-027-632-260094	Sequence 260094,
c	187	46	1.5	7001	6	US-10-071-724-10	Sequence 10, Appl
	188	46	1.5	7001	10	US-11-071-724-10	Sequence 10, Appl
c	189	46	1.5	13409	5	US-09-764-891-9601	Sequence 9601, Ap
	190	46	1.5	13409	5	US-09-764-891-9601	Sequence 9601, Ap
	191	46	1.5	18501	5	US-09-764-847-1916	Sequence 1916, Ap
c	192	46	1.5	18501	5	US-09-764-847-1916	Sequence 1916, Ap
	193	46	1.5	18501	6	US-10-092-154-1916	Sequence 1916, Ap
	194	46	1.5	25001	6	US-10-187-659A-11	Sequence 11, Appl
c	195	46	1.5	28616	7	US-10-087-192-1204	Sequence 1204, Ap
	196	46	1.5	57095	8	US-10-719-993-7030	Sequence 7030, Ap
	197	46	1.5	58922	7	US-10-322-281-526	Sequence 526, App
c	198	46	1.5	59914	7	US-10-719-993-5619	Sequence 5619, Ap
	199	46	1.5	93011	9	US-10-719-993-6871	Sequence 6871, Ap
	200	46	1.5	96595	7	US-10-052-482-232	Sequence 232, App
	201	46	1.5	99100	9	US-10-741-601-5661	Sequence 5661, Ap
	202	46	1.5	99250	9	US-10-840-590-4	Sequence 4, Appl
c	203	46	1.5	101782	7	US-10-840-277-54	Sequence 54, Appl
	204	46	1.5	103391	9	US-10-087-192-622	Sequence 622, App
	205	46	1.5	134409	6	US-10-087-192-142	Sequence 142, App
	206	46	1.5	141463	9	US-10-087-192-622	Sequence 622, App
	207	46	1.5	168821	5	US-10-087-192-1204	Sequence 1204, Ap
	208	46	1.5	181259	7	US-10-455-930-2	Sequence 2, Appli
	209	46	1.5	193357	7	US-10-085-117-142	Sequence 142, Ap
	210	46	1.5	256157	5	US-10-087-192-1204	Sequence 1204, Ap
	211	46	1.5	256157	7	US-10-322-281-776	Sequence 776, Ap
	212	46	1.5	276276	7	US-10-322-696-76	Sequence 76, App
	213	46	1.5	347814	9	US-10-481-613-1	Sequence 1, Appli
	214	46	1.5	410846	7	US-10-292-798-1369	Sequence 1369, Ap
	215	46	1.5	717651	8	US-10-719-993-6817	Sequence 6817, Ap
	216	46	1.4	744802	10	US-10-292-798-1369	Sequence 1369, Ap
	217	45	1.4	145	3	US-09-764-868-1298	Sequence 1298, Ap
	218	45	1.4	145	3	US-09-764-875-1230	Sequence 1230, Ap
	219	45	1.4	425	5	US-10-027-632-290871	Sequence 290871,
	220	45	1.4	425	5	US-10-027-632-193288	Sequence 193288,
	221	45	1.4	492	3	US-10-918-995-24329	Sequence 24329, A
	222	45	1.4	541	5	US-10-027-632-193287	Sequence 193287,
	223	45	1.4	541	5	US-10-027-632-193288	Sequence 193288,
	224	45	1.4	541	5	US-10-027-632-193287	Sequence 193287,
	225	45	1.4	541	6	US-10-027-632-193288	Sequence 193288,
	226	45	1.4	545	4	US-09-925-065A-615308	Sequence 615308,
	227	45	1.4	546	4	US-09-925-065A-799095	Sequence 799095,
	228	45	1.4	549	5	US-10-027-632-68940	Sequence 68940, A
	229	45	1.4	552	5	US-10-027-632-294750	Sequence 294750, A
	230	45	1.4	552	6	US-10-027-632-294750	Sequence 294750, A
	231	45	1.4	558	5	US-10-027-632-288369	Sequence 288369,
	232	45	1.4	558	5	US-10-027-632-288369	Sequence 288369,
	233	45	1.4	559	4	US-09-925-065A-765896	Sequence 765896,
	234	45	1.4	563	5	US-10-027-632-591948	Sequence 591948,
	235	45	1.4	568	5	US-10-027-632-12438	Sequence 12438, A
	236	45	1.4	568	6	US-10-027-632-13098	Sequence 13098, A
	237	45	1.4	590	6	US-09-925-065A-338452	Sequence 338452, A
	238	45	1.4	592	5	US-09-925-065A-371064	Sequence 371064,
	239	45	1.4	592	6	US-09-925-065A-927764	Sequence 927764,
	240	45	1.4	592	6	US-09-925-065A-927765	Sequence 927765,
	241	45	1.4	596	4	US-09-925-065A-949474	Sequence 949474,
	242	45	1.4	598	4	US-09-925-065A-695847	Sequence 695847,
		45	1.4	598	4	US-09-925-065A-10892	Sequence 10892, A

c	243	45	1.4	601 9	US-10-893-315-1202	Sequence 1202, Ap
c	244	45	1.4	604 4	US-09-925-065A-160227	Sequence 160227, Ap
c	245	45	1.4	604 4	US-09-925-065A-799096	Sequence 799096, Appl
c	246	45	1.4	605 4	US-09-925-065A-799229	Sequence 799229, Appl
c	247	45	1.4	605 4	US-09-925-065A-795229	Sequence 795229, Appl
c	248	45	1.4	605 4	US-10-027-632-850785	Sequence 850785, Appl
c	249	45	1.4	612 5	US-10-027-632-295528	Sequence 295528, Appl
c	250	45	1.4	612 6	US-10-027-632-295528	Sequence 295528, Appl
c	251	45	1.4	624 5	US-09-925-065A-846491	Sequence 846491, Ap
c	252	45	1.4	627 4	US-09-925-065A-839499	Sequence 839499, Ap
c	253	45	1.4	629 5	US-10-027-632-14053	Sequence 14053, A
c	254	45	1.4	629 5	US-10-027-632-14053	Sequence 14053, A
c	255	45	1.4	642 5	US-10-027-632-105085	Sequence 105085, A
c	256	45	1.4	642 5	US-10-027-632-135498	Sequence 135498,
c	257	45	1.4	642 5	US-10-027-632-135499	Sequence 135499,
c	258	45	1.4	642 5	US-10-027-632-135500	Sequence 135500,
c	259	45	1.4	642 6	US-10-027-632-105085	Sequence 105085,
c	260	45	1.4	642 6	US-10-027-632-135498	Sequence 135498,
c	261	45	1.4	642 6	US-10-027-632-135499	Sequence 135499,
c	262	45	1.4	642 6	US-10-027-632-135500	Sequence 135500,
c	263	45	1.4	652 5	US-10-027-632-184846	Sequence 184846,
c	264	45	1.4	652 5	US-10-027-632-184845	Sequence 184845,
c	265	45	1.4	652 6	US-10-027-632-184846	Sequence 184846,
c	266	45	1.4	652 6	US-10-027-632-184845	Sequence 184845,
c	267	45	1.4	660 5	US-10-027-632-216908	Sequence 216908,
c	268	45	1.4	660 5	US-10-027-632-216907	Sequence 216907,
c	269	45	1.4	660 6	US-10-027-632-216908	Sequence 216908,
c	270	45	1.4	662 6	US-09-925-065A-675355	Sequence 675355,
c	271	45	1.4	662 5	US-09-925-065A-675356	Sequence 675356,
c	272	45	1.4	677 5	US-10-027-632-121998	Sequence 121998,
c	273	45	1.4	677 6	US-10-027-632-121998	Sequence 121998,
c	274	45	1.4	702 5	US-10-027-632-145794	Sequence 145794,
c	275	45	1.4	702 6	US-10-027-632-145794	Sequence 145794, A
c	276	45	1.4	705 5	US-10-027-632-149399	Sequence 149399,
c	277	45	1.4	793 4	US-09-925-065A-149399	Sequence 149399,
c	278	45	1.4	793 4	US-10-027-632-13524	Sequence 13524, A
c	279	45	1.4	794 5	US-09-925-065A-77588	Sequence 77588, A
c	280	45	1.4	794 6	US-10-027-632-36618	Sequence 36618, A
c	281	45	1.4	896 4	US-09-925-065A-88887	Sequence 88887, A
c	282	45	1.4	896 4	US-09-925-065A-88887	Sequence 88887, A
c	283	45	1.4	1027 4	US-09-925-065A-85535	Sequence 85535, A
c	284	45	1.4	1027 4	US-09-925-065A-85536	Sequence 85536, A
c	285	45	1.4	1302 5	US-09-925-065A-553464	Sequence 53464,
c	286	45	1.4	1498 4	US-10-027-632-34751	Sequence 34751, A
c	287	45	1.4	1498 4	US-09-925-065A-71613	Sequence 71613, A
c	288	45	1.4	1792 4	US-09-925-549910	Sequence 549910,
c	289	45	1.4	1869 4	US-09-925-065A-689963	Sequence 689963,
c	290	45	1.4	4513 6	US-10-264-237-2853	Sequence 2853, Ap
c	291	45	1.4	6565 3	US-09-764-891-5729	Sequence 5729, Ap
c	292	45	1.4	6565 3	US-09-764-891-5730	Sequence 5730, Ap
c	293	45	1.4	17581 3	US-09-764-869-2170	Sequence 2170, Ap
c	294	45	1.4	17581 3	US-10-227-577-2170	Sequence 2170, Ap
c	295	45	1.4	17581 3	US-09-764-869-2312	Sequence 2312, Ap
c	296	45	1.4	17946 3	US-10-227-577-2312	Sequence 2312, Ap
c	297	45	1.4	17946 5	US-09-091-504-2312	Sequence 2312, Ap
c	298	45	1.4	17946 5	US-10-227-577-2312	Sequence 2312, Ap
c	299	45	1.4	23694 5	US-10-087-192-1936	Sequence 1936, Ap
c	300	45	1.4	23694 8	US-10-741-600-17761	Sequence 17761, A
c	301	45	1.4	31116 5	US-10-087-192-1760	Sequence 17760,
c	302	45	1.4	32706 5	US-10-087-192-1750	Sequence 1750, Ap
c	303	45	1.4	36534 7	US-10-28-3518-3	Sequence 3, Appli
c	304	45	1.4	36534 9	US-10-240-425-1461	Sequence 1461, App
c	305	45	1.4	38678 9	US-10-893-315-136	Sequence 136, App
c	306	45	1.4	38684 9	US-10-893-315-154	Sequence 154, App
c	307	45	1.4	39566 7	US-10-304-125-11	Sequence 11, App
c	308	45	1.4	40090 3	US-09-820-004-3	Sequence 3, Appli
c	309	45	1.4	40090 9	US-10-64-021A-3	Sequence 3, Appli
c	310	45	1.4	65277 5	US-10-461-862-152	Sequence 152, App
c	311	45	1.4	73995 5	US-10-087-192-208	Sequence 208, App
c	312	45	1.4	89900 9	US-10-722-939-3	Sequence 3, Appli
c	313	45	1.4	103574 9	US-10-756-149-2307	Sequence 2307, App
c	314	45	1.4	107543 7	US-10-322-281-706	Sequence 706, App
c	315	45	1.4	107745 7	US-10-322-281-268	Sequence 268, App

c	316	45	1.4	115755 8	US-10-719-993-6946	Sequence 6946, Ap
c	317	45	1.4	116561 8	US-10-723-860-409	Sequence 409, Appl
c	318	45	1.4	149671 6	US-10-236-031B-53	Sequence 53, Appl
c	319	45	1.4	150573 9	US-10-981-277-56	Sequence 56, Appl
c	320	45	1.4	191584 7	US-10-322-281-800	Sequence 800, App
c	321	45	1.4	191584 7	US-10-262-552-33	Sequence 33, Appl
c	322	45	1.4	300000 9	US-10-262-552-33	Sequence 33, Appl
c	323	45	1.4	300000 7	US-10-703-210-33	Sequence 33, Appl
c	324	45	1.4	366803 9	US-10-719-993-6805	Sequence 6805, Ap
c	325	45	1.4	368004 3	US-10-949-654-3	Sequence 3, Appli
c	326	45	1.4	567564 8	US-09-925-065A-78244	Sequence 78244, A
c	327	45	1.4	7864452	US-10-719-156-3	Sequence 3, Appli
c	328	45	1.4	1691139 7	US-10-719-993-6822	Sequence 6822, Ap
c	329	45	1.4	1691139 7	US-10-419-723-1	Sequence 1, Appli
c	330	45	1.4	1691140 9	US-10-255-120-1	Sequence 1, Appli
c	331	44	1.4	98 9	US-10-868-397-1	Sequence 1, Appli
c	332	44	1.4	116 9	US-10-708-204-6436	Sequence 6436, App
c	333	44	1.4	129 7	US-10-242-335A-52981	Sequence 52981, A
c	334	44	1.4	129 7	US-10-085-783A-52981	Sequence 52981, A
c	335	44	1.4	182 3	US-09-764-887-597	Sequence 597, App
c	336	44	1.4	182 3	US-10-073-961-597	Sequence 597, App
c	337	44	1.4	201 8	US-09-925-065A-12850	Sequence 12850, A
c	338	44	1.4	250 6	US-10-719-993-12850	Sequence 12850, A
c	339	44	1.4	250 6	US-10-027-632-22856	Sequence 22856, A
c	340	44	1.4	293 8	US-10-027-632-23859	Sequence 23859, A
c	341	44	1.4	312 8	US-10-674-124A-932	Sequence 932, App
c	342	44	1.4	423 8	US-09-925-065A-566681	Sequence 566681,
c	343	44	1.4	423 4	US-09-925-065A-566682	Sequence 566682,
c	344	44	1.4	423 6	US-10-027-632-36530	Sequence 36530, A
c	345	44	1.4	423 6	US-10-027-632-36531	Sequence 36531, A
c	346	44	1.4	423 5	US-10-027-632-80045	Sequence 80045, A
c	347	44	1.4	423 5	US-10-027-632-80046	Sequence 80046, A
c	348	44	1.4	423 5	US-10-027-632-109591	Sequence 109591,
c	349	44	1.4	423 5	US-10-027-632-109592	Sequence 109592,
c	350	44	1.4	423 6	US-10-027-632-36530	Sequence 36530, A
c	351	44	1.4	423 6	US-10-027-632-36531	Sequence 36531, A
c	352	44	1.4	423 5	US-10-027-632-80045	Sequence 80045, A
c	353	44	1.4	423 5	US-10-027-632-80046	Sequence 80046, A
c	354	44	1.4	423 5	US-10-027-632-109591	Sequence 109591,
c	355	44	1.4	423 5	US-10-027-632-109592	Sequence 109592, A
c	356	44	1.4	426 3	US-10-954-456-2027	Sequence 2027, Ap
c	357	44	1.4	426 4	US-10-843-641A-5054	Sequence 5054, Ap
c	358	44	1.4	464 4	US-09-925-065A-602339	Sequence 602339,
c	359	44	1.4	470 4	US-09-925-065A-767971	Sequence 767971, A
c	360	44	1.4	470 8	US-10-674-124A-9871	Sequence 9871, Ap
c	361	44	1.4	470 8	US-10-674-124A-20267	Sequence 20267, A
c	362	44	1.4	496 4	US-09-925-065A-876040	Sequence 876040,
c	363	44	1.4	496 4	US-09-925-065A-876041	Sequence 876041,
c	364	44	1.4	496 4	US-09-925-065A-876042	Sequence 876042,
c	365	44	1.4	530 4	US-09-925-065A-905372	Sequence 905372,
c	366	44	1.4	530 4	US-09-925-065A-297221	Sequence 297221,
c	367	44	1.4	537 4	US-09-925-065A-297222	Sequence 297222,
c	368	44	1.4	537 4	US-09-925-065A-448591	Sequence 448591,
c	369	44	1.4	556 4	US-09-925-065A-448592	Sequence 448592,
c	370	44	1.4	557 4	US-09-925-065A-109914	Sequence 109914,
c	371	44	1.4	557 4	US-09-925-065A-870384	Sequence 870384,
c	372	44	1.4	557 4	US-09-925-065A-870385	Sequence 870385,
c	373	44	1.4	562 4	US-09-925-065A-78244	Sequence 78244, A
c	374	44	1.4	565 6	US-10-027-632-127998	Sequence 127998, A
c	375	44	1.4	565 6	US-10-027-632-127998	Sequence 127998,
c	376	44	1.4	577 4	US-09-925-065A-707681	Sequence 707681,
c	377	44	1.4	577 4	US-09-925-065A-707682	Sequence 707682,
c	378	44	1.4	585 5	US-10-027-632-201634	Sequence 201634,
c	379	44	1.4	585 5	US-10-027-632-201634	Sequence 201634,
c	380	44	1.4	588 4	US-09-925-065A-729173	Sequence 729173,
c	381	44	1.4	589 4	US-09-925-065A-914465	Sequence 914465,
c	382	44	1.4	589 4	US-10-027-632-197271	Sequence 197271,
c	383	44	1.4	589 4	US-10-027-632-197272	Sequence 197272,
c	384	44	1.4	589 4	US-10-027-632-197271	Sequence 197271,
c	385	44	1.4	589 4	US-10-027-632-197272	Sequence 197272,
c	386	44	1.4	590 6	US-10-027-632-94737	Sequence 94737, A
c	387	44	1.4	590 6	US-10-027-632-318528	Sequence 318528, A
c	388	44	1.4	590 6	US-10-027-632-94737	Sequence 94737, A

	#					Reference	Sequence
c	389	44	1.4	590	6	US-10-027-632-318528	Sequence 318528,
c	390	44	1.4	591	4	US-09-925-065A-936386	Sequence 936386,
c	391	44	1.4	593	4	US-09-925-065A-237003	Sequence 237003,
c	392	44	1.4	593	4	US-10-027-632-237005	Sequence 237005,
c	393	44	1.4	595	4	US-09-925-065A-685243	Sequence 685243,
c	394	44	1.4	595	4	US-09-925-065A-902996	Sequence 902996,
c	395	44	1.4	599	4	US-10-956-157-7469	Sequence 7469, App
c	396	44	1.4	600	9	US-09-925-065A-491	Sequence 491, App
c	397	44	1.4	611	4	US-10-276-774-491	Sequence 491,
c	398	44	1.4	612	4	US-10-027-632-21972	Sequence 21972, A
c	399	44	1.4	614	5	US-10-027-632-260590	Sequence 260590,
c	400	44	1.4	618	4	US-09-925-065A-697941	Sequence 697941,
c	401	44	1.4	618	4	US-09-925-065A-697942	Sequence 697942,
c	402	44	1.4	618	4	US-09-925-065A-697943	Sequence 697943,
c	403	44	1.4	619	4	US-09-925-065A-789262	Sequence 789262,
c	404	44	1.4	619	4	US-09-925-065A-789263	Sequence 789263,
c	405	44	1.4	619	4	US-09-925-065A-789264	Sequence 789264,
c	406	44	1.4	619	4	US-09-925-065A-847245	Sequence 847245,
c	407	44	1.4	619	4	US-09-925-065A-951338	Sequence 951338,
c	408	44	1.4	623	4	US-09-925-065A-521713	Sequence 521713,
c	409	44	1.4	627	4	US-09-925-065A-545865	Sequence 545865,
c	410	44	1.4	627	4	US-09-925-065A-545866	Sequence 545866,
c	411	44	1.4	627	4	US-09-925-065A-545867	Sequence 545867,
c	412	44	1.4	627	4	US-09-925-065A-923432	Sequence 923432,
c	413	44	1.4	629	4	US-09-925-065A-821309	Sequence 821309,
c	414	44	1.4	637	5	US-10-027-632-187929	Sequence 187929,
c	415	44	1.4	637	5	US-10-027-632-187929	Sequence 187929,
c	416	44	1.4	643	4	US-09-925-065A-692017	Sequence 692017,
c	417	44	1.4	651	4	US-09-925-065A-741517	Sequence 741517,
c	418	44	1.4	659	4	US-09-925-065A-741518	Sequence 741518,
c	419	44	1.4	668	4	US-10-027-632-127024	Sequence 127024,
c	420	44	1.4	673	4	US-09-925-065A-32538	Sequence 32538, A
c	421	44	1.4	698	5	US-10-027-632-252317	Sequence 252317,
c	422	44	1.4	698	5	US-10-027-632-252317	Sequence 252317,
c	423	44	1.4	738	5	US-10-027-632-139602	Sequence 139602,
c	424	44	1.4	738	5	US-10-027-632-172816	Sequence 172816,
c	425	44	1.4	738	5	US-10-027-632-139602	Sequence 139602,
c	426	44	1.4	738	5	US-10-027-632-172816	Sequence 172816,
c	427	44	1.4	748	5	US-10-027-632-146061	Sequence 146061,
c	428	44	1.4	748	5	US-10-027-632-146061	Sequence 146061,
c	429	44	1.4	751	5	US-10-027-632-14193	Sequence 14193,
c	430	44	1.4	751	5	US-10-027-632-14193	Sequence 14193,
c	431	44	1.4	755	5	US-10-027-632-27592	Sequence 27592,
c	432	44	1.4	755	5	US-10-027-632-27592	Sequence 27592,
c	433	44	1.4	755	6	US-10-027-632-27593	Sequence 27593,
c	434	44	1.4	755	5	US-10-027-632-27593	Sequence 27593,
c	435	44	1.4	756	5	US-10-027-632-24620	Sequence 24620,
c	436	44	1.4	756	5	US-10-027-632-149995	Sequence 149995,
c	437	44	1.4	756	6	US-10-027-632-24620	Sequence 24620, A
c	438	44	1.4	784	4	US-10-027-632-149995	Sequence 149995, A
c	439	44	1.4	810	6	US-09-925-065A-927249	Sequence 927249,
c	440	44	1.4	810	6	US-10-027-632-154967	Sequence 154967,
c	441	44	1.4	827	5	US-10-027-632-154967	Sequence 154967,
c	442	44	1.4	827	5	US-10-027-632-148684	Sequence 148684,
c	443	44	1.4	827	5	US-10-027-632-148684	Sequence 148684,
c	444	44	1.4	827	6	US-10-027-632-148685	Sequence 148685,
c	445	44	1.4	873	5	US-10-027-632-148685	Sequence 148685,
c	446	44	1.4	873	6	US-10-027-632-254541	Sequence 254541,
c	447	44	1.4	956	5	US-10-027-632-254541	Sequence 254541,
c	448	44	1.4	956	8	US-10-170-097-56	Sequence 56, Appl
c	449	44	1.4	956	6	US-10-926-684-56	Sequence 56, Appl
c	450	44	1.4	1005	6	US-09-925-065A-726951	Sequence 726951,
c	451	44	1.4	1005	5	US-09-925-065A-726952	Sequence 726952,
c	452	44	1.4	1051	5	US-10-027-632-31546	Sequence 31546, A
c	453	44	1.4	1051	5	US-10-027-632-31547	Sequence 31547, A
c	454	44	1.4	1051	5	US-10-027-632-31548	Sequence 31548, A
c	455	44	1.4	1051	6	US-10-027-632-31548	Sequence 31548, A
c	456	44	1.4	1051	5	US-10-027-632-31547	Sequence 31547, A
c	457	44	1.4	1051	6	US-10-027-632-31548	Sequence 31548, A
c	458	44	1.4	1068	4	US-09-925-065A-716304	Sequence 716304, A
c	459	44	1.4	1068	4	US-09-925-065A-716305	Sequence 716305,
c	460	44	1.4	1068	4	US-09-925-065A-716306	Sequence 716306,
c	460	44	1.4	1068	4	US-09-925-065A-716306	Sequence 716306,
c	461	44	1.4	1068	4	US-09-925-065A-716307	Sequence 716307,
c	462	44	1.4	1068	4	US-09-925-065A-716308	Sequence 716308,
c	463	44	1.4	1103	5	US-10-027-632-257954	Sequence 257954,
c	464	44	1.4	1103	4	US-10-027-632-257955	Sequence 257955,
c	465	44	1.4	1103	5	US-10-027-632-257955	Sequence 257955,
c	466	44	1.4	1122	4	US-09-925-065A-551840	Sequence 551840,
c	467	44	1.4	1122	4	US-09-925-065A-551840	Sequence 551840,
c	468	44	1.4	1240	4	US-10-027-632-263693	Sequence 263693,
c	469	44	1.4	1240	6	US-10-027-632-263693	Sequence 263693,
c	470	44	1.4	1242	4	US-09-925-065A-712795	Sequence 712795,
c	471	44	1.4	1330	4	US-09-925-065A-58322	Sequence 58322, A
c	472	44	1.4	1330	4	US-09-925-065A-58323	Sequence 58323, A
c	473	44	1.4	1330	4	US-09-925-065A-58324	Sequence 58324, A
c	474	44	1.4	1390	4	US-09-925-065A-47642	Sequence 47642, A
c	475	44	1.4	1427	4	US-09-925-065A-77993	Sequence 77993, A
c	476	44	1.4	1734	5	US-10-027-632-100291	Sequence 100291,
c	477	44	1.4	1734	6	US-10-027-632-100291	Sequence 100291,
c	478	44	1.4	1753	4	US-09-925-065A-714611	Sequence 714611,
c	479	44	1.4	1753	4	US-09-925-065A-714612	Sequence 714612,
c	480	44	1.4	1753	4	US-09-925-065A-714613	Sequence 714613,
c	481	44	1.4	1753	5	US-09-925-065A-714614	Sequence 714614,
c	482	44	1.4	1900	5	US-10-027-632-263112	Sequence 263112,
c	483	44	1.4	1900	6	US-10-027-632-263112	Sequence 263112,
c	484	44	1.4	1970	4	US-09-925-065A-721388	Sequence 721388,
c	485	44	1.4	2078	5	US-09-925-065A-16796	Sequence 16796, A
c	486	44	1.4	2184	4	US-09-925-065A-715885	Sequence 715885,
c	487	44	1.4	2184	5	US-09-925-065A-715886	Sequence 715886,
c	488	44	1.4	2184	4	US-09-925-065A-715887	Sequence 715887,
c	489	44	1.4	2184	5	US-09-925-065A-715888	Sequence 715888,
c	490	44	1.4	2725	4	US-09-925-065A-696477	Sequence 696477,
c	491	44	1.4	2725	9	US-09-925-065A-696477	Sequence 696477, Ap
c	492	44	1.4	2845	4	US-10-027-632-2234	Sequence 2234, Ap
c	493	44	1.4	3488	4	US-10-956-157-84868	Sequence 84868, A
c	494	44	1.4	5307	5	US-10-074-045-59	Sequence 59, Appl
c	495	44	1.4	5307	6	US-10-074-045-59	Sequence 59, Appl
c	496	44	1.4	6467	7	US-10-172-118-15	Sequence 15, Appl
c	497	44	1.4	6467	6	US-10-342-887-15	Sequence 15, Appl
c	498	44	1.4	7720	3	US-10-756-149-2274	Sequence 2274, Ap
c	499	44	1.4	7720	3	US-09-954-456-946	Sequence 946, App
c	499	44	1.4	7720	3	US-09-954-456-1589	Sequence 1589, Ap
c	500	44	1.4	7720	3	US-09-968-007A-125	Sequence 125, App

RESULT 1
US-10-450-763-29532
Sequence 29532, Application US/10450763
Publication No. US20050196754A1
GENERAL INFORMATION:
APPLICANT: Hyseq, Inc
TITLE OF INVENTION: NOVEL NUCLEIC ACIDS AND POLYPEPTIDES
FILE REFERENCE: 79CIP3/US
CURRENT APPLICATION NUMBER: US/10/450,763
CURRENT FILING DATE: 2003-06-11
PRIOR APPLICATION NUMBER: PCT/US01/08631
PRIOR FILING DATE: 2001-03-30
PRIOR APPLICATION NUMBER: 09/540,217
PRIOR FILING DATE: 2000-03-31
PRIOR APPLICATION NUMBER: 09/649,167
PRIOR FILING DATE: 2000-08-23
NUMBER OF SEQ ID NOS: 60736
SOFTWARE: Custom
SEQ ID NO 29532
LENGTH: 850
TYPE: DNA
ORGANISM: Homo sapiens
FEATURE:
NAME/KEY: SIMILAR
LOCATION: (241)..(699)
OTHER INFORMATION: 30% homologous to Leishmania major L8453.1, accession number
OTHER INFORMATION: AC008054,Smith-Waterman Score=81.
US-10-450-763-29532

ALIGNMENTS

Left column

```
"RESULT 2
US-10-029-386-20699/c
Sequence 20699, Application US/10029386
Publication No. US20030194704A1
GENERAL INFORMATION:
```

```
;   APPLICANT: Penn, Sharron G.
;   APPLICANT: Rank, David R.
;   APPLICANT: Hanzel, David K.
```

```
Query Match        24.0%;   Score 748;  DB 9;  Length 850;
Best Local Similarity  99.8%;  Pred. No. 0;
Matches  848;  Conservative  0;  Mismatches  2;  Indels  0;  Gaps  0;
```

```
Qy   716  CGGTAGCGCCGACGGGAGTCACGGACCCATGAAAGAGGAGACGGTTCGTCGGCCGGCCCCGGCCCCAAGGCCG  775
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     1  CGGTAGCGCGCGAGTCGCACGGACCCATGAAAGAGGAGACGGTTCGTCGGCCGGCCCCGGCCCCCAAGGCCG   60

Qy   776  GGATGGGGGGTTAGCCACATCCTGCCGCGCGCTGAGGGGGGGGGGGGCGCGGGGCGGCCG  835
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db    61  GGATGGGGGGTTAGCCACATCCTGCCGCGCGCTGAGGGGGGGGGGGGCGCGGGGCGGCCG  120

Qy   836  GGGCCCAGCGCCGGAGCCCACCGCGATGGGCGGAGAGGAGGAGTGTCAAGCGCGCTGCTGACGCGGGGCT  895
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121  GGGCCCAGCCGGAGCCCACCGCGATGGCGAGGAGGAGTGTCAAGGCGCCTGCTGGGACGGGGCT  180

Qy   896  CAACAAGAACGGACTGCGTGCTACCACCACCTGGTCCTGACCGTCCGGTGGGCTCCGCCGGGGGACTC  955
          |||||||||||||||||||||||||||||||||||||||||||
Db   181  CAACAAGACGACTGCGTGTACACCACCTGGTCCTGACCGTCCGGTCGGTGGGCTCCGCCGGGGGACTC  240

Qy   956  GCAGAACCTGCGCGGCAGGAGCTGCAAAAAGACGCGCCCAGGAGGAGCGTGGGGGTGTC  1015
          ||||||||||||||||||||||||||||||||
Db   241  GCAGAACCTGCGGGCAGGAGCTGCAAAAAGACGCGCCCAGGAGGAGCTGGGGTGTC  300

Qy  1016  CACCTGCCGCCCCGGGCCCGGCTTGACTGCTGTGCTGGCGCGGACCGGGGGCTGGGGGACCGGGGC  1075
          |||||||||||||||||||||||||||||||||||||||||||
Db   301  CACCTGCGCCCCGGGCCCGGCTTGACTGCTGTGCTGGCGCGGACCGGGGGCTGGGGGACCGGGGC  360

Qy  1076  CGAGTTCGAGCCGCCTCTGGGTGGCCTTCTCGGGGGTGCGGGCGGGGACAT  1135
          ||||||||||||||||||||||||||||||||||||||
Db   361  CGAGTTCGAGCCGCCTCTGGGTGGCCTTCTCGGGGGTGCGGGCGGGGACAT  420

Qy  1136  GCGACGCTCGCTGGAGCTGGGCGGCGGCGGTTCCCCGCTGCACGCGGCGGACCGCTGGT  1195
          ||||||||||||||||||||||||||||||||
Db   421  GCGACGCGCCTGGAGCTGGGGCGCGGTTCCCCGCTGCACGCGGCGGACCGCTGGT  480

Qy  1196  GGGCACAGTGTGTGGCTGGGCGCGCGCGCGCGCGTGCTGAGCACCCGCAG  1255
          ||||||||||||||||||||||||||||||||
Db   481  GCGGCACAGTGTGGCTGGGCGCGCGCGCGCGCGTGCTGAGCACCCGCAG  540

Qy  1256  CCTGCGCGGCGGTCGGAGCGGGCGGCGACTTCGAGCTGCGGCGGAGCGGCGCA  1315
          ||||||||||||||||||||||||||||||||
Db   541  CCTGCGCGGCGTCGAGCGGCGGGCGACTTCGAGCTGCGGCGGAGCGGCGGCGA  600

Qy  1316  GGTCCTTCAGGTGGGGCGAGATGATCGACAACATGGAAGGTCAAGGTGCCCCGCGTG  1375
          ||||||||||||||||||||||||||||||||
Db   601  GGTCCTTCAGGTGGGGCGAGATGATCGACAACATGGAAGGTCAAGGTGCCCCGCGTG  660

Qy  1376  GACCGTGCAAGCCCGGCCAGGCGGGCGGCCGGCGCGGGGGCGCGGGCGCC  1435
          ||||||||||||||||||||||||||||||||
Db   661  GACCGTGCAAGCCCGGCGGCCGAGCCTCGTCTGCCTCACGGTCAGGCGGCGCC  720

Qy  1436  CTCCTCCGGTTCGTGTCCTTGCACTTCGACTCCAGGAAGGCCCTGGC  1495
          ||||||||||||||||||||||||||||||||
Db   721  CTCCTCGGTTCGTGTCCTTGCAGGAAGGGCCCTGGC  780

Qy  1496  CGCCATCCTTTTCGCGCGTCGCTGCGGCCGCGTGCCGTGCGGCGAA  1555
          ||||||||||||||||||||||||||||||||
Db   781  CGCCATCCTTTTCGCGCGTCGCTGCGGCCGCGTGCCGTGCGGCGAA  840

Qy  1556  GCTGAGCTGA  1565
          ||||||||||
Db   841  GCTGAGCTGA  850
```

Right column

```
Query Match       21.0%;   Score 657;  DB 6;  Length 708;
Best Local Similarity  99.8%;  Pred. No. 0;
Matches  707;  Conservative  0;  Mismatches  1;  Indels  0;  Gaps  0;
```

```
Qy   858  ATGGCGAGGAGGAGGAGTGCAAAGGCGCCTGCTGTGACGCGGCTCAAACAGACGACTGCGTGCTAC  917
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   708  ATGGCGAGGAGGAGTGCAAAGGCGCTGCTGCTGTGACGCGGCGTCAAACAGACGACTGCGTGCTAC  649

Qy   918  CACCACCTGGTCGTGCTGACCGTCGGTGGCTCCGGCGGAACCTGCGGCAGGAGCTG  977
          ||||||||||||||||||||||||||||||||
Db   648  CACCACCTGGTCGTGACCGTCGGTGGCTCCGGCGGAACCTGCGGCAGGAGCTG  589

Qy   978  CAAAAGACGCGCCAGAAGGGCAGGAGCTGGCGGTGTCCACCTGCCCGCTGACTGCT  1037
          ||||||||||||||||||||||||||||||||
Db   648  CAAAAGACGCGCCAGAAGGGCAGGAGCTGGCGGTGTCCACCTGCCCGCTGACTGCT  529

Qy  1038  GTGCTGCGGCGACCGGGGGCCTTGGCCGGCCGAACGACGAGTTCGAGCGGGGTG  1097
          ||||||||||||||||||||||||||||||||
Db   528  GTGCTGCGCGGACACCGGGGCTTGGCCGGCCCCGACACCGGCAGTTCGAGCGGGGTG  469

Qy  1098  GCCTTCTCGGGCGTGGCCTGGACCTTCGCTGGAAGCGACATGGAAGGCTGGGGC  1157
          ||||||||||||||||||||||||||||||||
Db   468  GCCTTCTCGGGCGTCGCCTGGACCTTCGCTGGAAGCGACATCGACGTCGCTGGGGC  409

Qy  1158  GCCGGCGTTCCCGCTGCACGCGGCGGCGGACCGCTGGTGGGCACAGGTGTGGCTGGGCGCC  1217
          ||||||||||||||||||||||||||||||||
Db   408  GCCGCGGTTCCCGCTGCACGCGGCGGCGGACCGCTGGTGGGCACAGGTGTGGCTGGGCGCC  349

Qy  1218  TCCTCCCGGCGGGCGGCGCGGCGGGCGCGCTGACCACCCGCGCAGGAGGCGGGGC  1277
          ||||||||||||||||||||||||||||||||
Db   348  TCCTCCCGGCGGGCGGCGCGGCGGGCGCGCTGACCACCCGCGCAGGAGGGGC  289

Qy  1278  GACTTCGACGTCGGCGGGGAGCTTGGAGGTCTTCAGTTCTTCAGTTGGGAGGATG  1337
          ||||||||||||||||||||||||||||||||
Db   288  GACTTCGACGTCGGGAGCTTGCCGGGAGCTTGGAGGTCTTCAGTTGGGAGGATG  229

Qy  1338  ATCGACAACATGGAGATGAAGGTCAAACGTCCCCCGCTGGACGTGACCGGGAGGCG  1397
          ||||||||||||||||||||||||||||||||
Db   228  ATCGACAACATGGACGATGAAGGTCAAACGTGCCCCGCCTGGACCGTGCAAGCCCGGAGGGG  169

Qy  1398  GCGGGCGCGGAGCTTCCGCTCACGGTCACGCGCGCCGCGCCCTTCCTCGGGTGCGGGCTG  1457
          ||||||||||||||||||||||||||||||||
Db   168  GCGGGCGCCAGCTCCCGTTCCACGGTCAGGCGGCGCCTTCCTCGGGTCGTGTCCTTGCAG  109

Qy  1458  GAGCCGCCGGGGGCGGGGGGTTGCGACCCCAGGAAGGCCCCATCCTTTTCGGCGCGTCG  1517
          ||||||||||||||||||||||||||||||||
Db   108  GAGCGGCCGGGGGGCGGGGGTTGCGACCCCAGGAAGGGCCCTTTGGGGCCGGTG  49

Qy  1518  CTGCGGCCGCGGCTGTGCGGCCCTTAGCCCGTGCGTGGCGAAGCTGAGCTGA  1565
          ||||||||||||||||||||||||||||||||
Db   108  CTGCGGCCGCGGCTGTGCGGCCCTTAGCCCGTGCGTGGCGAAGCTGAGCTGA  1565
```

```
Db   48 CTGCTGGCCGCGTGTGCGGCCCTAGCCGTGCGGTGGCGGGAGAGCTGAGCTGA 1
```

RESULT 3
US-10-029-386-6988/c
Sequence 6988, Application US/10029386
Publication No. US2003019470A1
GENERAL INFORMATION:
;   APPLICANT: Penn, Sharron G.
;   APPLICANT: Rank, David R.
;   APPLICANT: Hanzel, David K.
;   TITLE OF INVENTION: HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES USEFUL FOR G
;   TITLE OF INVENTION: EXPRESSION ANALYSIS TWO
;   FILE REFERENCE: AEOMICA-X-2
;   CURRENT APPLICATION NUMBER: US/10/029,386
;   CURRENT FILING DATE: 2001-12-20
;   NUMBER OF SEQ ID NOS: 34288
;   SOFTWARE: Annomax Sequence Listing Engine vers. 1.1
;   SEQ ID NO 6988
;   LENGTH: 524
;   TYPE: DNA
;   ORGANISM: Homo sapiens
;   FEATURE:
;   OTHER INFORMATION: MAP TO AC010615.5
;   OTHER INFORMATION: EXPRESSED IN HELA, SIGNAL = 0.56
;   OTHER INFORMATION: EXPRESSED IN ADULT LIVER, SIGNAL = 1.3
;   OTHER INFORMATION: EXPRESSED IN HEART, SIGNAL = 1.2
;   OTHER INFORMATION: EXPRESSED IN BRAIN, SIGNAL = 1.1
;   OTHER INFORMATION: EXPRESSED IN FETAL LIVER, SIGNAL = 1.3
;   OTHER INFORMATION: EXPRESSED IN LUNG, SIGNAL = 1.5
;   OTHER INFORMATION: EST HUMAN HIT: AW302149.1, EVALUE 0.00e+00
;   OTHER INFORMATION: SWISSPROT HIT: Q06805, EVALUE 1.90e-01
;   OTHER INFORMATION: NT HIT: gi4507086, EVALUE 7.80e+00

Query Match   16.8%; Score 524; DB 6; Length 524;
Best Local Similarity 100.0%;
Matches 524; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 484 CTCTGCAGCCTTGCTTGCCCCCGGAGTTGCCACCCACCGGAGGATGGGGAGCCCGGTCAGC 543
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 524 CTCTGCAGCCTTGCTTGCCCCCGGAGTTGCCACCCACCGGAGGATGGGGAGCCCGGTCAGC 465

Qy 544 TTCGCAGGGAGCCACCGTGGAGCCCAGGGCCAGCGGCGTGCAGACACGACGTGTGACTCGGAGT 603
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 464 TTCGCAGGGAGCCACCGTGGAGCCCAGGGCCAGCGGCGTGCAGACACGACGTGTGACTCGGAGT 405

Qy 604 GCGCCTGGGGAGGATGGACGGAGGAGCGGGGGGGACCGCTAACGGAGGGCTCTCCTCTCGCGCGCC 663
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 404 GCGCCTGGGGAGGATGGACGGAGGAGCGGGGGGGACCGCTAACGGAGGGCTCTCCTCTCGCGCGCC 345

Qy 664 CCGTTCCGCAGAGCGCGCAGTCGCTCGAGGGTCCCCGGCGGTGGGACGTTGGCGGTGGGGTAGCG 723
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 344 CCGTTCCGCAGAGCGCGCAGTCGCTCGAGGGTCCCCGGCGGTGGGACGTTGGCGGTGGGGTAGCG 285

Qy 724 CCGAGCGAGCTCACGGACCACATGAAGAGAGCGTTCGTCCGCGGGCCCAAGGCCGGGGATGGGG 783
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 284 CCGAGCGAGCTCACGGACCACATGAAGAGAGCGTTCGTCCGCGGGCCCAAGGCCGGGGATGGGG 225

Qy 784 GTTAGCCACATCCTGCCGGCGCGCTGAGGGGGGAGGGCTAACGGGGCGCGGCGGCCGCCCAGC 843
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 224 GTTAGCCACATCCTGCCGGCGCGCTGAGGGGGGAGGGCTAACGGGGCGCGGCGGCCGCCCAGC 165

Qy 844 CGGAGCCCACCGGGATGGGGAGGGAGGGAGCTGCAAGGCGCTCAAGGCGCTCAACAAGA 903
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 164 CGGAGCCCACCGGGATGGGGAGGGAGGGAGCTGCAAGGCGCTCAAGGCGCTCAACAAGA 105

Qy 904 CGACTGCCTTGCTCTACCACCACCCTGCTGCTTCGGCTCGGCCAGAACC 963
       |||||||||||||||||||||||||||||||||||||||||||||||
Db 104 CGACTGCCTTGCTCTACCACCACCCTGCTGCTTCGGCTCGGCCAGAACC 45

Qy 964 TGCGCGCAGGAGCTGCAAAAGACGGCGCCCAGAAGGCGGCAGGAGCTG 1007
       |||||||||||||||||||||||||||||||||||||||||||||||
```

```
Db   44 TGCCGGCAGGAGCTGCAAAAGACGGCGCCCAGAAGGCGGCAGGAGCTG 1
```

RESULT 4
US-09-925-065A-740956/c
Sequence 740956, Application US/09925065A
Publication No. US2005022817A9
GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 09/925,065A
;   PRIOR FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 740956
;   LENGTH: 560
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-740956

Query Match   16.3%; Score 509; DB 4; Length 560;
Best Local Similarity 99.8%;
Matches 559; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 199 CATCACAGGCAAAAACTCCGCGGAGCCTTGGCCGCTGTTTTACTTGGGGGCCTCAGTTTCC 258
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 560 CATCACAGGCAAAAACTCCGCGGAGCCTTGGCCGCTGTTTTACTTGGGGGCCTCAGTTTCC 501

Qy 259 CATCCGTAAAATAGAACGGGGTTGGATCTCCCGGAGCGCTAACATTCCAGAACTCGGATGGG 318
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 500 CATCCGTAAAATAGAACGGGGTTGGATCTCCCGGAGCGCTAACATTCCAGAACTCGGATGGG 441

Qy 319 GCGAGGGAGGGAGGGAGGGGCCACCCACACGTGACCTCCCCGCGGTGGAGCCCCGGCCTA 378
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 440 GCGAGGGAGGGAGGGAGGGGCCACCCACACGTGACCTCCCCGCGGTGGAGCCCCGGCCTA 381

Qy 379 CCACTGATCTCAGGGGTGCAGCTCCGGCGCGACGAGGGGGGTGGGCGGGTCCTAGGGAA 438
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 380 CCACTGATCTCAGGGGTGCAGCTCCGGCGCGACGAGGGGGGTGGGCGGGTCCTAGGGAA 321

Qy 439 ACCCTACCCGGGCGCCCCTTGGGCACGGCCTAAAGGCGGAGGGCGCGCTCTGCAGCCTGCTT 498
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 320 ACCCTACCCGGGCGCCCCTTGGGCACGGCCTAAAGGCGGAGGGCGCGCTCTGCAGCCTGCTT 261

Qy 499 GCCCCGGAGTTGGCACCCAGGGAGGGGACCCGCACCCTCAGCTTCGGCAGGAGGAGCCAC 558
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 260 GCCCCGGAGTTGGCACCCAGGGAGGGGACCCGCACCCTCAGCTTCGGCAGGAGGAGCCAC 201

Qy 559 CGTGGAGGGCCAGGCGCGGTGCAGAGACACCACGTGACTCGGAGTGCGCGCCTCAGTTTCCC 618
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 200 CGTGGAGGGCCAGGCGCGGTGCAGAGACACCACGTGACTCGGAGTGCGCGCCTCAGTTTCCC 141

Qy 619 GGACGGAGGGAGCGCGGGGGACCGGCTAACCGGGGCGCTAACATTCGCTAACGGGG 678
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 140 GGACGGAGGGAGCGCGGGGGACCGGCTAACCGGGGCGCTAACATTCGCTAACGGGG 81

Qy 679 CACGTCGAGGGTCCGGAGGGAGGCTCCGTGGAGGTTAGGGCGGGAGGGAGTCACGG 738
       |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 80 CACGTCGAGGGTCCGGAGGGAGGCTCCGTGGAGGTTAGGGCGGGAGGGAGTCACGG 21

Qy 739 ACCATGAAGAGAGCGTTCGTTCGTGC 758
       ||||||||||||||||||||||||||
```

## RESULT 5

```
Db          |||||||||||||||||||||
      20 ACCATGAAGAGCGTTCGTGC 1
```

US-09-925-065A-769508/c
Sequence 769508, Application US/09925065A
Publication No. US20050228172A9
GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 769508
; LENGTH: 557
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-769508

```
Query Match       16.2%;  Score 506;  DB 4;  Length 557;
Best Local Similarity   99.8%;  Pred. No. 2e-255;
Matches 556;  Conservative 0;  Mismatches 1;  Indels 0;  Gaps 0;

Qy   202 CACAGGCAAAAACTCCGCGCGGAGGAGGCCTGGCCCGCCGCCTTTTTACCTGGGCCTCAGTTTCCCCAT 261
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   557 CACAGGCAAAAACTCCGCGCGGAGGAGGCCTGGCCCGCCGCCTTTTTACCTGGGCCTCAGTTTCCCCAT 498

Qy   262 CCGTAAAATAGAACGGGTTGGATCTCCCGAGCGCGTAACACTCGGATGGGGGGG 321
         |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   497 CCCTAAAATAGAACGGGTTGGATCTCCCGAGCGCGTAACACTCGGATGGGGGGG 438

Qy   322 AAGGGGAGGGAGGGGATGGGGCCACCCACACGTGACCTCCCCGGTGACCCCCCTACCA 381
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   437 AAGGGGAGGGAGGGGATGGGGCCACCCACACGTGACCTCCCCGGTGACCCCCCTACCA 378

Qy   382 CTGATCCAGGGGGTGGCAGCTCCCGGCCCGGGACGAGCGGGGGGTCCTAGGAAACC 441
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   377 CTGATCCAGGGGGTGGCAGCTCCCGGCCCGGGAYGAGCGGGGGGTCCTAGGAAACC 318

Qy   442 CTACCCGCCGCGCCCTTGGCAGCGGCCTAAGGCGGAGGCGGCCGCCGCCTGCTTGCC 501
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   317 CTACCCGCCGCGCCCTTGGCAGCGGCCTAAGGCGGAGGCGGCCGCCGCCTGCTTGCC 258

Qy   502 CCGGAGTTGGCACCCACCGGAGGATGGGGACCGCACCCTCAGCTTCGCAGGCACCGT 561
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   257 CCGGAGTTGGCACCCACCGGAGGATGGGGACCGCACCCTCAGCTTCGCAGGCACCGT 198

Qy   562 GGAGGCCAGGGCGGGTGCAGAGACACGACGGTGTGACTCGGAGTCGGGGGAGGATGGA 621
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   197 GGAGGCCAGGGCGGGTGCAGAGACACGACGGTGTGACTCGGAGTCGGGGGAGGATGGA 138

Qy   622 CGAGGGAGGCGGGGGACCGGCTAACGGGGCGTCCCTCTGCGCGCCCGCAGAGGCGCAC 681
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   137 CGAGGGAGGCGGGGGACCGGCTAACGGGGCGTCCCTCTGCGCGCCCGCAGAGGCGCAC 78

Qy   682 GTCGAGGGGGTCCCGGCGCGGCGGGCTTCCGTGGACGTTGGGCGGTAGCGCCGAGCGAGTCACGGACC 741
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    77 GTCGAGGGGGTCCCGGCGCGGCGGGCTTCCGTGGACGTTGGGCGGTAGCGCCGAGCGAGTCACGGACC 18
```

RESULT 6

```
Qy   742 ATGAAGAGCGTTCGTGC 758
         |||||||||||||||||
Db    17 ATGAAGAGCGTTCGTGC 1
```

US-09-925-065A-736351/c
Sequence 736351, Application US/09925065A
Publication No. US20050228172A9
GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 736351
; LENGTH: 556
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-736351

```
Query Match       16.2%;  Score 505;  DB 4;  Length 556;
Best Local Similarity   99.8%;  Pred. No. 6.8e-255;
Matches 555;  Conservative 0;  Mismatches 1;  Indels 0;  Gaps 0;

Qy   203 ACAGGCAAAAACTCCGCGCGGAGGAGGCCTGGCCCGCCGCCTTTTTACCTGGGCCTCAGTTTCCCCATC 262
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   556 ACAGGCAAAAACTCCGCGCGGAGGAGGCCTGGCCCGCCGCCTTTTTACCTGGGCCTCAGTTTCCCCATC 497

Qy   263 CGTAAAATAGAACGGGTTGGATCTCCCGAGCGCGTAACACTCGGATGGGGGGGA 322
         |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   496 CGTAAAATAGAACGGGTTGGATCTCCCGAGCGCGTAACACTCGGATGGGGGGGA 437

Qy   323 AGGGGAGGGAGGGGATGGGGCCACCCACACGTGACCTCCCCGGTGACCCCCCTACCAC 382
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   436 AGGGGAGGGAGGGGATGGGGCCACCCACACGTGACCTCCCCGGTGACCCCCCTACCAC 377

Qy   383 TGATCCAGGGGGTGGCAGCTCCCGGCCCGGGACGAGCGGGGGGTCCTAGGAAACCC 442
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   376 TGATCCAGGGGGTGGCAGCTCCCGGCCCGGGAYGAGCGGGGGGTCCTAGGAAACCC 317

Qy   443 TACCCGCCGCGCCCTTGGCAGCGGCCTAAGGCGGAGGCGGCCGCCGCCTGCTTGCCC 502
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   316 TACCCGCCGCGCCCTTGGCAGCGGCCTAAGGCGGAGGCGGCCGCCGCCTGCTTGCCC 257

Qy   503 CGGAGTTGGCACCCACCGGAGGATGGGGACCGCACCCTCAGCTTCGCAGGCACCGTG 562
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   256 CGGAGTTGGCACCCACCGGAGGATGGGGACCGCACCCTCAGCTTCGCAGGCACCGTG 197

Qy   563 GAGGCCAGGGCGGGTGCAGAGACACGACGGTGTGACTCGGAGTCGGGGGAGGATGGAC 622
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   196 GAGGCCAGGGCGGGTGCAGAGACACGACGGTGTGACTCGGAGTCGGGGGAGGATGGAC 137

Qy   623 GAGGGAGGCGGGGGACCGGCTAACGGGGCGTCCCTCTGCGCGCCCGCAGAGGCGCACG 682
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   136 GAGGGAGGCGGGGGACCGGCTAACGGGGCGTCCCTCTGCGCGCCCGCAGAGGCGCACG 77

Qy   683 TCGAGGGGGTCCCGGCGCGGCGGGCTTCCGTGGACGTTGGGCGGTAGCGCCGAGCGAGTCACGGACCA 742
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    76 TCGAGGGGGTCCCGGCGCGGCGGGCTTCCGTGGACGTTGGGCGGTAGCGCCGAGCGAGTCACGGACCA 17
```

RESULT 7
US-09-925-065A-737120
Sequence 737120, Application US/0992506SA
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 10827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
US-09-925-065A-737120
; SEQ ID NO 737120
; LENGTH: 555
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-737120

Query Match   16.1%; Score 504; DB 4; Length 555;
Best Local Similarity   99.8%; Pred. No. 2.3e-254;
Matches 554; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```
Qy   204 CAGGCAAAAACTCCGGCGGAGGCCGCCTGGGCCGCCTTTTTACCTGGGGCCTCAGTTTCCCCATCC 263
         ||||||||||||||||| |||||||||||||||||||||||||||||||||||||||||||||||
Db     1 CAGGCAAAAACTCCGCGGAGGCCGCCTGGGCCGCCTTTTTACCTGGGGCCTCAGTTTTCCCCATCC 60

Qy   264 GTAAAATAGAACGGGTTGGATCTCCCGAGCGCGCTAACATTCCAGAAACTCGGATAGGGGCGAA 323
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61 GTAAAATAGAACGGGTTGGATCTCCCGAGCGCGCTAACATTCCAGAAACTCGGATGGGGGCGAA 120

Qy   324 GGGGAGGGAGGAGGATGGGGCCACCCACACGTGACCTTCCCCGCGCGTGGAGCCCGCCTACCACT 383
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 GGGGAGGGAGGAGGATGGGGCCACCCACACGTGACCTTCCCCGCGCGTGGAGCCCGCCTACCACT 180

Qy   384 GATCCAGGGGGTGGCAGCTCCGGCGCCGGAGGGTGGCGCGGGGTGGCGGCGGGGGTGTCCACTG 443
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 GATCCAGGGGGTGGCAGCTCCGGCGCCGGAGGGTGGCGCGGGGTGGCGGCGGGGGTGTCCACTG 240

Qy   444 ACCCGGCGCCGCCCTTGGCACGCGGGCGGAGCGGAGGGGTCCAGGCTGCTTGCCCC 503
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 ACCCGGCGCCGCCCTTGGCACGCGGGCGGAGCGGAGGGGTCCAGGCTGCTTGCCCC 300

Qy   504 GGAGTTGGCACCCACGGAGGATGGGGACCGCACCCTCAGCTTCGGCAGGGGAATGGGACG 563
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 GGAGTTGGCACCCACGGAGGATGGGGACCGCACCCTCAGCTTCGGCAGGGGAATGGGACG 360

Qy   564 AGGCCAGGGGCGGTGCAGAGACACGCGTGACTCGGAGTGCGCGCCTGGGGAGGATGGACG 623
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 AGGCCAGGGGCGGTGCAGAGACACGCGTGACTCGGAGTGCGCGCCTGGGGAGGATGGACG 420

Qy   624 AGGGAGCGGGGGGGGACGCGCTAACGGGGGCTCCCTCTTCGGGGCGGGGCCGAGAGGGCACGT 683
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421 AGGGAGCGGGGGGGACCGCGCTAACGGGGGCTCCCTCTTCGGGGCGGGGCCGAGAGGGCACGT 480

Qy   684 CGAGGGGTCCCGGGGCGGGGGGGGCTCCGTGGGACGTTGGGCGGTAGCCGCCGGAGCGAGTCACGGGACCAT 743
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481 CGAGGGGTCCCGGCGGCGGGGGCTCCGTGGGACGTTGGGCGGTAGCCGCCGGAGCGAGTCACGGGACCAT 540

Qy   743 TGAAGAGGCGTTCGTGC 758
         ||||||||||||||||
Db    16 TGAAGAGCGGTTCGTGC 1
```

RESULT 8
US-10-450-763-8312/c
; Sequence 8312, Application US/10450763
; Publication No. US20050196754A1
; GENERAL INFORMATION:
; APPLICANT: Hyseq, Inc
; TITLE OF INVENTION: NOVEL NUCLEIC ACIDS AND POLYPEPTIDES
; FILE REFERENCE: 790CIP3/US
; CURRENT APPLICATION NUMBER: US/10/450,763
; CURRENT FILING DATE: 2003-06-11
; PRIOR APPLICATION NUMBER: PCT/US01/08631
; PRIOR FILING DATE: 2001-03-30
; PRIOR APPLICATION NUMBER: US 09/540,217
; PRIOR FILING DATE: 2000-03-31
; PRIOR APPLICATION NUMBER: 09/649,167
; PRIOR FILING DATE: 2000-08-23
; NUMBER OF SEQ ID NOS: 60736
; SOFTWARE: Custom
SEQ ID NO 8312
; LENGTH: 1349
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY:
; LOCATION: (17)..(1054)
; OTHER INFORMATION: SIMILAR
; OTHER INFORMATION: 30% homologous to Streptomyces coelicolor A3(2) putative
; OTHER INFORMATION: translation initiation factor IF-2(fragment),accession number
; OTHER INFORMATION: AL355913,Smith-Waterman Score=196.
US-10-450-763-8312

Query Match   7.7%; Score 241; DB 9; Length 1349;
Best Local Similarity 100.0%; Pred. No. 1.1e-115;
Matches 241; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Db   541 GAAGAGCGGTTCGTGC 555
         ||||||||||||||||
Qy   744 GAAGAGCGGTTCGTGC 758

Db   481 CGAGGGGTCCCGGCGGCGGGGGCTCCGTGGGACGTTGGGCGGTAGCCGCCGGAGCGAGTCACGGGACCAT 540

Qy   902 GACGGACTGCGTGCTACCACCACCTGGGTCTGACCGTCGGTGGCTTCGGCGGGACTCGCAGAA 961
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   402 GACGGACTGCGTGCTACCACCACCTGGGTCTGACCGTCGGTGGCTTCGGCGGGACTCGCAGAA 343

Qy   962 CCTGCGGCAGGAGCTGCAAAAAGACGCGCGAGGAAGCGCAGGAGCTGGGCCGGTGTCCACCTG 1021
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   342 CCTGCGGCAGGAGCTGCAAAAAGACGCGCGAGGAAGCGCAGGAGCTGGGCCGGTGTCCACCTG 283

Qy  1022 CGCCCCGGCTTGACTGCTGTTGTCGCGGACCGGGGCGCCCTGGGCGCGCGCCGAGTT 1081
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   282 CGCCCCGGCTTGACTGCTGTTGTCGCGGACCGGGGCGCCCTGGGCGCGCGCCGAGTT 223

Qy  1082 CGAGGGGCTCTGGGGTGGCCCTTCTCGGGGTTCGCCTGGACCTTGCTGGAAGCGGACATGCGACG 1141
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   222 CGAGGGGCTTCTGGGTGGCCGCCTTCTCGGGACCTTGCTGGAAGCGGACATGCGACG 163

Qy  1142 C 1142
         |
Db   162 C 162
```

RESULT 9
US-09-908-975-23330
; Sequence 23330, Application US/09908975
; Publication No. US20030165843A1
; GENERAL INFORMATION:
; APPLICANT: SHOSHAN, Avi
; APPLICANT: WASSERMAN, Alon
; APPLICANT: MINTZ, Eli
; APPLICANT: MINTZ, Liat
; APPLICANT: FAIGLER, Simchon
; TITLE OF INVENTION: OLIGONUCLEOTIDE LIBRARY FOR DETECTING RNA TRANSCRIPTS AND SPLICE

```
;   TITLE OF INVENTION: THAT POPULATE A TRANSCRIPTOME
;   FILE REFERENCE: 36688-0005
;   CURRENT APPLICATION NUMBER: US/09/908,975
;   CURRENT FILING DATE: 2001-07-20
;   PRIOR APPLICATION NUMBER: US 60/287,724
;   PRIOR FILING DATE: 2001-05-02
;   PRIOR APPLICATION NUMBER: US 60/221,607
;   PRIOR FILING DATE: 2000-07-28
;   NUMBER OF SEQ ID NOS: 3237
;   SOFTWARE: Patentin version 3.0
;   SEQ ID NO 23330
;   LENGTH: 60
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-908-975-23330

Qy     2464 GGGGCTGGGGAAATCCTCTTTAGAGACACTTAATCCTATTTATCCCCTGGGAAGTGGGTGGCTGCTGG 2523
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        1 GGGGCTGGGGAAATCCTCTTTAGAGACACTTAATCCTATTTATCCCCTGGGAATGTGGGTGGCTGCTGG 60

RESULT 10
US-10-723-860-1753/c
;   Sequence 1753, Application US/10723860
;   Publication No. US20040253606A1
;   GENERAL INFORMATION:
;   APPLICANT: Aziz, Natasha
;   APPLICANT: Ginsburg, Wendy M.
;   APPLICANT: Zlotnik, Albert
;   TITLE OF INVENTION: Methods of Diagnosis of Soft Tissue Sarcoma, Compositions &
;   TITLE OF INVENTION: Methods for Screening for Soft Tissue Sarcoma Modulators
;   FILE REFERENCE: 05882.0193.NPUS01
;   CURRENT APPLICATION NUMBER: US/10/723,860
;   CURRENT FILING DATE: 2003-11-26
;   PRIOR APPLICATION NUMBER: 60/429,739
;   PRIOR FILING DATE: 2002-11-26
;   NUMBER OF SEQ ID NOS: 8393
;   SOFTWARE: Patentin version 3.2
;   SEQ ID NO 1753
;   LENGTH: 175737
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-10-723-860-1753

Query Match      1.7%;  Score 60;  DB 8;  Length 175737;
Best Local Similarity   100.0%;  Pred. No. 1.3e-16;
Matches   53;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy     2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    47829 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 47777
```

```
;   ORGANISM: human
US-10-783-271-34

Query Match      1.7%;  Score 53;  DB 9;  Length 175737;
Best Local Similarity   100.0%;  Pred. No. 1.3e-16;
Matches   53;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy     2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    47829 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 47777

RESULT 12
US-10-674-124A-76/c
;   Sequence 76, Application US/10674124A
;   Publication No. US20040197797A1
;   GENERAL INFORMATION:
;   APPLICANT: INOKO, Hidetoshi
;   APPLICANT: TAMIYA, Gen
;   TITLE OF INVENTION: GENE MAPPING METHOD USING MICROSATELLITE
;   TITLE OF INVENTION: GENETIC POLYMORPHISM MARKERS
;   FILE REFERENCE: ORIN-003CIP
;   CURRENT APPLICATION NUMBER: US/10/674,124A
;   CURRENT FILING DATE: 2003-09-26
;   PRIOR APPLICATION NUMBER: 10/257,511
;   PRIOR FILING DATE: 2003-03-07
;   PRIOR APPLICATION NUMBER: PCT/JP00/07621
;   PRIOR FILING DATE: 2000-10-30
;   PRIOR APPLICATION NUMBER: JP2000-112699
;   PRIOR FILING DATE: 2000-04-13
;   PRIOR APPLICATION NUMBER: JP2002-327516
;   PRIOR FILING DATE: 2002-09-28
;   PRIOR APPLICATION NUMBER: JP2002-383869
;   PRIOR FILING DATE: 2002-12-09
;   NUMBER OF SEQ ID NOS: 27110
;   SEQ ID NO 76
;   LENGTH: 428
;   TYPE: DNA
;   ORGANISM: Homo sapiens
;   FEATURE:
;   OTHER INFORMATION: AL357552.12_93957
;   FEATURE:
;   OTHER INFORMATION: Located on chromosome 1
;   FEATURE:
;   OTHER INFORMATION: Distance between a terminus base of telomere on
;   OTHER INFORMATION: chromosomal short arm and 5'-terminus of this base
;   FEATURE:
;   OTHER INFORMATION: sequence : 8481068
;   OTHER INFORMATION: Distance between 3'-terminus of neighbour sequence of
;   OTHER INFORMATION: sequence listing upward to telomere on chromosomal short arm and
;   OTHER INFORMATION: 5'-terminus of this base sequence : 60131
US-10-674-124A-76

Query Match      1.7%;  Score 52;  DB 8;  Length 428;
Best Local Similarity   100.0%;  Pred. No. 5e-16;
Matches   52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy     3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 3122
            |||||||||||||||||||||||||||||||||||||||||||||||||||
Db      167 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 116

RESULT 13
US-09-925-065A-591947/c
;   Sequence 591947, Application US/09925065A
;   Publication No. US20050228172A9
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
```

```
RESULT 11
US-10-783-271-34/c
;   Sequence 34, Application US/10783271
;   Publication No. US20050186577A1
;   GENERAL INFORMATION:
;   APPLICANT: Veridex, LLC
;   APPLICANT: Wang, Yixin
;   TITLE OF INVENTION: BREAST CANCER PROGNOSTICS
;   FILE REFERENCE: VDX-5003 USNP
;   CURRENT APPLICATION NUMBER: US/10/783,271
;   CURRENT FILING DATE: 2004-02-20
;   NUMBER OF SEQ ID NOS: 111
;   SOFTWARE: Patentin version 3.2
;   SEQ ID NO 34
;   LENGTH: 175737
;   TYPE: DNA
```

RESULT 14
US-10-027-632-41688
Sequence 41688, Application US10027632
Publication No. US20020198371A1
GENERAL INFORMATION:
  APPLICANT: Wang, David G.
  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
  TITLE OF INVENTION: Polymorphisms in the Human Genome
  FILE REFERENCE: 108827.129
  CURRENT APPLICATION NUMBER: US/10/027,632
  CURRENT FILING DATE: 2002-04-30
  PRIOR APPLICATION NUMBER: US 60/218,006
  PRIOR FILING DATE: 2000-07-12
  PRIOR APPLICATION NUMBER: US 60/193,483
  PRIOR FILING DATE: 2000-04-20
  PRIOR APPLICATION NUMBER: US 60/198,676
  PRIOR FILING DATE: 2000-04-20
  PRIOR APPLICATION NUMBER: US 60/185,218
  PRIOR FILING DATE: 2000-03-29
  PRIOR APPLICATION NUMBER: US 60/167,363
  PRIOR FILING DATE: 1999-11-23
  PRIOR APPLICATION NUMBER: US 60/156,358
  PRIOR FILING DATE: 1999-09-28
  PRIOR APPLICATION NUMBER: US 60/146,002
  PRIOR FILING DATE: 1999-08-09
  NUMBER OF SEQ ID NOS: 325720
  SOFTWARE: FastSEQ for Windows Version 4.0
  SEQ ID NO 41688
  LENGTH: 568
  TYPE: DNA
  ORGANISM: Human
US-10-027-632-41688

Query Match   1.7%; Score 52; DB 4; Length 559;
Best Local Similarity   100.0%;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   164 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 113

RESULT 15
US-10-027-632-41688
Sequence 41688, Application US10027632
Publication No. US20020198371A1
GENERAL INFORMATION:
  APPLICANT: Wang, David G.
  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
  TITLE OF INVENTION: Polymorphisms in the Human Genome
  FILE REFERENCE: 108827.129
  CURRENT APPLICATION NUMBER: US/10/027,632
  CURRENT FILING DATE: 2002-04-30
  PRIOR APPLICATION NUMBER: US 60/218,006
  PRIOR FILING DATE: 2000-07-12
  PRIOR APPLICATION NUMBER: US 60/193,483
  PRIOR FILING DATE: 2000-04-20
  PRIOR APPLICATION NUMBER: US 60/198,676
  PRIOR FILING DATE: 2000-04-20
  PRIOR APPLICATION NUMBER: US 60/185,218
  PRIOR FILING DATE: 2000-03-29
  PRIOR APPLICATION NUMBER: US 60/167,363
  PRIOR FILING DATE: 1999-11-23
  PRIOR APPLICATION NUMBER: US 60/156,358
  PRIOR FILING DATE: 1999-09-28
  PRIOR APPLICATION NUMBER: US 60/146,002
  PRIOR FILING DATE: 1999-08-09
  NUMBER OF SEQ ID NOS: 325720
  SOFTWARE: FastSEQ for Windows Version 4.0
  SEQ ID NO 41688
  LENGTH: 568
  TYPE: DNA
  ORGANISM: Human
US-10-027-632-41688

Query Match   1.7%; Score 52; DB 5; Length 568;
Best Local Similarity   100.0%;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCAAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   328 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCAAACAT 379

RESULT 16
US-09-925-065A-768118
Sequence 768118, Application US09925065A
Publication No. US20050228172A9
GENERAL INFORMATION:
  APPLICANT: Wang, David G.
  TITLE OF INVENTION: Identification and Mapping of Single
  TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
  FILE REFERENCE: 108827.135
  CURRENT APPLICATION NUMBER: US/09/925,065A
  CURRENT FILING DATE: 2001-08-08
  PRIOR APPLICATION NUMBER: US 60/243,096
  PRIOR FILING DATE: 2000-10-24
  PRIOR APPLICATION NUMBER: US 60/252,147
  PRIOR FILING DATE: 2000-11-20
  PRIOR APPLICATION NUMBER: US 60/250,092
  PRIOR FILING DATE: 2000-11-30
  PRIOR APPLICATION NUMBER: US 60/261,766
  PRIOR FILING DATE: 2001-01-16
  PRIOR APPLICATION NUMBER: US 60/289,846
  PRIOR FILING DATE: 2001-05-09
  PRIOR APPLICATION NUMBER: US 60/218,006
  PRIOR FILING DATE: 2000-07-12
  PRIOR APPLICATION NUMBER: US 60/193,483
  PRIOR FILING DATE: 2000-04-20
  PRIOR APPLICATION NUMBER: US 60/198,676
  PRIOR FILING DATE: 2000-04-20
  PRIOR APPLICATION NUMBER: US 60/185,218
  PRIOR FILING DATE: 2000-03-29
  PRIOR APPLICATION NUMBER: US 60/167,363
  PRIOR FILING DATE: 1999-11-23
  PRIOR APPLICATION NUMBER: US 60/156,358
  PRIOR FILING DATE: 1999-09-28
  PRIOR APPLICATION NUMBER: US 60/146,002
  PRIOR FILING DATE: 1999-08-09
  NUMBER OF SEQ ID NOS: 957086
  SOFTWARE: FastSEQ for Windows Version 4.0
  SEQ ID NO 768118
  LENGTH: 574
  TYPE: DNA
  ORGANISM: Homo sapiens
US-09-925-065A-768118

Query Match   1.7%; Score 52; DB 4; Length 574;
Best Local Similarity   100.0%;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCAAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   328 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCAAACAT 379

GENERAL INFORMATION:
  APPLICANT: Wang, David G.
  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
  TITLE OF INVENTION: Polymorphisms in the Human Genome
  FILE REFERENCE: 108827.129
  CURRENT APPLICATION NUMBER: US/10/027,632
  CURRENT FILING DATE: 2002-04-30
  PRIOR APPLICATION NUMBER: US 60/218,006
  PRIOR FILING DATE: 2000-07-12
  PRIOR APPLICATION NUMBER: US 60/193,483
  PRIOR FILING DATE: 2000-04-20
  PRIOR APPLICATION NUMBER: US 60/198,676
  PRIOR FILING DATE: 2000-04-20
  PRIOR APPLICATION NUMBER: US 60/185,218
  PRIOR FILING DATE: 2000-03-29
  PRIOR APPLICATION NUMBER: US 60/167,363
  PRIOR FILING DATE: 1999-11-23
  PRIOR APPLICATION NUMBER: US 60/156,358
  PRIOR FILING DATE: 1999-09-28
  PRIOR APPLICATION NUMBER: US 60/146,002
  PRIOR FILING DATE: 1999-08-09
  NUMBER OF SEQ ID NOS: 325720
  SOFTWARE: FastSEQ for Windows Version 4.0
  SEQ ID NO 41688
  LENGTH: 568
  TYPE: DNA
  ORGANISM: Human
US-10-027-632-41688

Query Match   1.7%; Score 52; DB 6; Length 568;
Best Local Similarity   100.0%;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCAAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   328 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCAAACAT 379

  PRIOR APPLICATION NUMBER: US 60/243,096
  PRIOR FILING DATE: 2000-10-24
  PRIOR APPLICATION NUMBER: US 60/252,147
  PRIOR FILING DATE: 2000-11-20
  PRIOR APPLICATION NUMBER: US 60/250,092
  PRIOR FILING DATE: 2000-11-30
  PRIOR APPLICATION NUMBER: US 60/261,766
  PRIOR FILING DATE: 2001-01-16
  PRIOR APPLICATION NUMBER: US 60/289,846
  PRIOR FILING DATE: 2001-05-09
  NUMBER OF SEQ ID NOS: 957086
  SOFTWARE: FastSEQ for Windows Version 4.0
  SEQ ID NO 559
  LENGTH: 559
  TYPE: DNA
  ORGANISM: Homo sapiens
US-09-925-065A-591947

Query Match   1.7%; Score 52; DB 4; Length 559;
Best Local Similarity   100.0%;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 235 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 286

```
RESULT 17
US-09-925-065A-59682
; Sequence 59682, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SEQ ID NO 59682
;   LENGTH: 592
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-59682
  Query Match    1.7%;  Score 52;  DB 4;  Length 592;
  Best Local Similarity  100.0%;  Pred. No. 5e-16;
  Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

Qy 2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 175 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 124

```
RESULT 18
US-09-925-065A-386361
; Sequence 386361, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SEQ ID NO 386361
;   LENGTH: 617
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-386361
  Query Match    1.7%;  Score 52;  DB 4;  Length 617;
  Best Local Similarity  100.0%;  Pred. No. 5e-16;
  Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 306 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGACTCTGTCTC 255

```
RESULT 19
US-10-027-632-61987
; Sequence 61987, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;   TITLE OF INVENTION: Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.129
;   CURRENT APPLICATION NUMBER: US/10/027,632
;   CURRENT FILING DATE: 2002-04-30
;   PRIOR APPLICATION NUMBER: US 60/218,006
;   PRIOR FILING DATE: 2000-07-12
;   PRIOR APPLICATION NUMBER: US 60/198,676
;   PRIOR FILING DATE: 2000-04-20
;   PRIOR APPLICATION NUMBER: US 60/193,483
;   PRIOR FILING DATE: 2000-03-29
;   PRIOR APPLICATION NUMBER: US 60/185,218
;   PRIOR FILING DATE: 2000-02-24
;   PRIOR APPLICATION NUMBER: US 60/167,363
;   PRIOR FILING DATE: 1999-11-23
;   PRIOR APPLICATION NUMBER: US 60/156,358
;   PRIOR FILING DATE: 1999-09-28
;   PRIOR APPLICATION NUMBER: US 60/146,002
;   PRIOR FILING DATE: 1999-08-09
;   NUMBER OF SEQ ID NOS: 325720
;   SEQ ID NO 61987
;   LENGTH: 631
;   TYPE: DNA
;   ORGANISM: Human
US-10-027-632-61987
  Query Match    1.7%;  Score 52;  DB 5;  Length 631;
  Best Local Similarity  100.0%;  Pred. No. 5e-16;
  Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

Qy 2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 361 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 412

```
RESULT 20
US-10-027-632-61988
; Sequence 61988, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;   TITLE OF INVENTION: Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.129
;   CURRENT APPLICATION NUMBER: US/10/027,632
;   CURRENT FILING DATE: 2002-04-30
;   PRIOR APPLICATION NUMBER: US 60/218,006
;   PRIOR FILING DATE: 2000-07-12
;   PRIOR APPLICATION NUMBER: US 60/198,676
;   PRIOR FILING DATE: 2000-04-20
;   PRIOR APPLICATION NUMBER: US 60/193,483
;   PRIOR FILING DATE: 2000-03-29
;   PRIOR APPLICATION NUMBER: US 60/185,218
;   PRIOR FILING DATE: 2000-02-24
;   PRIOR APPLICATION NUMBER: US 60/167,363
;   PRIOR FILING DATE: 1999-11-23
;   PRIOR APPLICATION NUMBER: US 60/156,358
;   PRIOR FILING DATE: 1999-09-28
;   PRIOR APPLICATION NUMBER: US 60/146,002
;   PRIOR FILING DATE: 1999-08-09
```

; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 61988
; LENGTH: 631
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-61988

Qy   2889 GAGGCCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 GAGGCCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 412

·
RESULT 21
US-10-027-632-61989
; Sequence 61989, Application US/10027632
; Publication No. US20019837lA1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 61989
; LENGTH: 631
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-61989

Query Match   1.7%; Score 52; DB 5; Length 631;
Best Local Similarity 100.0%; Pred. No. 5e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2889 GAGGCCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 GAGGCCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 412

RESULT 22
US-10-027-632-61987
; Sequence 61987, Application US/10027632
; Publication No. US20030240075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676

Query Match   1.7%; Score 52; DB 5; Length 631;
Best Local Similarity 100.0%; Pred. No. 5e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2889 GAGGCCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 GAGGCCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 412

RESULT 23
US-10-027-632-61988
; Sequence 61988, Application US/10027632
; Publication No. US20030240075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 61988
; LENGTH: 631
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-61988

Query Match   1.7%; Score 52; DB 6; Length 631;
Best Local Similarity 100.0%; Pred. No. 5e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2889 GAGGCCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 GAGGCCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 412

RESULT 24
US-10-027-632-61989
; Sequence 61989, Application US/10027632

```
;  Publication No. US20030204075A9
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;  TITLE OF INVENTION: Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.129
;  CURRENT APPLICATION NUMBER: US/10/027,632
;  CURRENT FILING DATE: 2002-04-30
;  PRIOR APPLICATION NUMBER: US 60/218,006
;  PRIOR FILING DATE: 2000-07-12
;  PRIOR APPLICATION NUMBER: US 60/198,676
;  PRIOR FILING DATE: 2000-04-20
;  PRIOR APPLICATION NUMBER: US 60/193,483
;  PRIOR FILING DATE: 2000-03-29
;  PRIOR APPLICATION NUMBER: US 60/185,218
;  PRIOR FILING DATE: 2000-02-24
;  PRIOR APPLICATION NUMBER: US 60/167,363
;  PRIOR FILING DATE: 1999-11-23
;  PRIOR APPLICATION NUMBER: US 60/156,358
;  PRIOR FILING DATE: 1999-09-28
;  PRIOR APPLICATION NUMBER: US 60/146,002
;  PRIOR FILING DATE: 1999-08-09
;  NUMBER OF SEQ ID NOS: 325720
;  SOFTWARE: FastSEQ for Windows Version 4.0
;
;  SEQ ID NO 61989
;  LENGTH: 631
;  TYPE: DNA
;  ORGANISM: Human
US-10-027-632-61989

Qy             1.7%;    Score 52;    DB 6;   Length 631;
Query Match    100.0%;   Pred. No. 5e-16;
Matches    52;  Conservative   0;  Mismatches  0;  Indels   0;  Gaps   0;

2889 GAGGCAGGTGGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
     ||||||||||||||||||||||||||||||||||||||||||||||||||||||
 361 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 412

RESULT 25
US-09-925-065A-708701/c
;  Sequence 708701, Application US20050228172A9
;  Publication No. US20050228172A9
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single
;  TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.135
;  CURRENT APPLICATION NUMBER: US/09/925,065A
;  CURRENT FILING DATE: 2001-08-08
;  PRIOR APPLICATION NUMBER: US 60/243,096
;  PRIOR FILING DATE: 2000-10-24
;  PRIOR APPLICATION NUMBER: US 60/252,147
;  PRIOR FILING DATE: 2000-11-20
;  PRIOR APPLICATION NUMBER: US 60/250,092
;  PRIOR FILING DATE: 2000-11-30
;  PRIOR APPLICATION NUMBER: US 60/261,766
;  PRIOR FILING DATE: 2001-01-16
;  PRIOR APPLICATION NUMBER: US 60/289,846
;  PRIOR FILING DATE: 2001-05-09
;  NUMBER OF SEQ ID NOS: 957086
;  SOFTWARE: FastSEQ for Windows Version 4.0
;
;  SEQ ID NO 708701
;  LENGTH: 695
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-09-925-065A-708701

Qy             1.7%;    Score 52;    DB 4;   Length 695;
Query Match    100.0%;   Pred. No. 4.9e-16;
Matches    52;  Conservative   0;  Mismatches  0;  Indels   0;  Gaps   0;

2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
```

```
Db   490 GAGGCAGGTGGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 439
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||

RESULT 26
US-10-450-763-14141/c
;  Sequence 14141, Application US/10450763
;  Publication No. US20050196754A1
;  GENERAL INFORMATION:
;  APPLICANT: Hyseq, Inc
;  TITLE OF INVENTION: NOVEL NUCLEIC ACIDS AND POLYPEPTIDES
;  FILE REFERENCE: 790CIP3/US
;  CURRENT APPLICATION NUMBER: US/10/450,763
;  CURRENT FILING DATE: 2003-06-11
;  PRIOR APPLICATION NUMBER: PCT/US01/08631
;  PRIOR FILING DATE: 2001-03-30
;  PRIOR APPLICATION NUMBER: 09/540,217
;  PRIOR FILING DATE: 2000-03-31
;  PRIOR APPLICATION NUMBER: 09/649,167
;  PRIOR FILING DATE: 2000-08-23
;  NUMBER OF SEQ ID NOS: 60736
;  SOFTWARE: Custom
;
;  SEQ ID NO 14141
;  LENGTH: 1437
;  TYPE: DNA
;  ORGANISM: Homo sapiens
;  FEATURE:
;  NAME/KEY: SIMILAR
;  LOCATION: (253)..(786)
;  OTHER INFORMATION: 50% homologous to Homo sapiens capping protein alpha subunit
;  OTHER INFORMATION: isoform 1,accession number U56637,Smith-Waterman Score=380.
US-10-450-763-14141

Qy             1.7%;    Score 52;    DB 9;   Length 1437;
Query Match    100.0%;   Pred. No. 4.9e-16;
Matches    52;  Conservative   0;  Mismatches  0;  Indels   0;  Gaps   0;

3071 CAAGATTGTGCCCACTGCACTCCCAGCCTGGGCCAACAGAGCAAGAGACTTCTGTCTC 3122
     |||||||||||||||||||||||||||||||||||||||||||||||||||||||
 243 CAAGATTGTGCCACTGCACTCCCAGCCTGGGCCAACAGAGCAAGAGACTTCTGTCTC 192

RESULT 27
US-09-764-891-8895/c
;  Sequence 8895, Application US/09764891
;  Publication No. US20030077808A1
;  GENERAL INFORMATION:
;  APPLICANT: Rosen et al.
;  TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
;  FILE REFERENCE: PC006
;  CURRENT APPLICATION NUMBER: US/09/764,891
;  CURRENT FILING DATE: 2001-01-17
;  Prior application data removed - consult PALM or file wrapper
;  NUMBER OF SEQ ID NOS: 10231
;  SOFTWARE: Patentin Ver. 2.0
;
;  SEQ ID NO 8895
;  LENGTH: 9620
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-09-764-891-8895

Qy             1.7%;    Score 52;    DB 3;   Length 9620;
Query Match    100.0%;   Pred. No. 4.6e-16;
Matches    52;  Conservative   0;  Mismatches  0;  Indels   0;  Gaps   0;

3071 CAAGATTGTGCCCACTGCACTCCCAGCCTGGGCCAACAGAGCAAGAGACTTCTGTCTC 3122
     |||||||||||||||||||||||||||||||||||||||||||||||||||||||
7058 CAAGATTGTGCCCACTGCACTCCCAGCCTGGGCCAACAGAGCAAGAGACTTCTGTCTC 7007

RESULT 28
US-09-918-686-1
;  Sequence 1, Application US/09918686
```

```
2889 GAGGCAGGTGGGATCACCTGAGGCCGCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
```

```
Db   439 GAGGCAGGTGGGATCACCTGAGGCCGCAGGAGTTCGAGACCAGCCTGGCCAACAT 490
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
```

; Patent No. US20020076720A1
; GENERAL INFORMATION:
; APPLICANT: Brunkow, Mary
; APPLICANT: Proll, Sean
; APPLICANT: Paeper, Bryan
; APPLICANT: Staehling-Hampton, Karen
; TITLE OF INVENTION: METHODS FOR IDENTIFYING
; FILE REFERENCE: 240083.515
; CURRENT APPLICATION NUMBER: US/09/918,686
; CURRENT FILING DATE: 2001-07-30
; NUMBER OF SEQ ID NOS: 105
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 1
; LENGTH: 92139
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 7043, 8369, 8401
; OTHER INFORMATION: n = A,T,C or G
US-09-918-686-1

Query Match   1.7%; Score 52; DB 3; Length 92139;
Best Local Similarity   100.0%; Pred. No. 4.4e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   85294 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 85345

RESULT 29
US-10-353-150-1
; Sequence 1, Application US/10353150
; Publication No. US20030157543A1
; GENERAL INFORMATION:
; APPLICANT: Brunkow, Mary E.
; APPLICANT: Proll, Sean
; APPLICANT: Paeper, Bryan
; APPLICANT: Staehling-Hampton, Karen
; TITLE OF INVENTION: METHODS FOR IDENTIFYING
; TITLE OF INVENTION: GENOMIC DELETIONS
; FILE REFERENCE: 240083.515C1
; CURRENT APPLICATION NUMBER: US/10/353,150
; CURRENT FILING DATE: 2003-01-27
; NUMBER OF SEQ ID NOS: 105
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 1
; LENGTH: 92139
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 7043, 8369, 8401
; OTHER INFORMATION: n = A,T,C or G
US-10-353-150-1

Query Match   1.7%; Score 52; DB 6; Length 92139;
Best Local Similarity   100.0%; Pred. No. 4.4e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   85294 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 85345

RESULT 30
US-10-408-168-1/c
; Sequence 1, Application US/10408168
; Publication No US20030258847A1
; GENERAL INFORMATION:
; APPLICANT: Paeper, Bryan W.

; APPLICANT: Proll, Sean
; APPLICANT: Charmley, Patrick R.
; APPLICANT: Brunkow, Mary E.
; APPLICANT: Ulterlinden, Andreas Gerardus
; TITLE OF INVENTION: ASSOCIATION OF POLYMORPHISMS IN THE SOST
; TITLE OF INVENTION: GENE REGION WITH BONE MINERAL DENSITY
; FILE REFERENCE: 240083.525
; CURRENT APPLICATION NUMBER: US/10/408,168
; CURRENT FILING DATE: 2003-04-03
; NUMBER OF SEQ ID NOS: 34
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 1
; LENGTH: 130320
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 100754, 102080, 117731, 124408, 124532, 124585, 124955,
; LOCATION: 124956, 124963, 124964, 124965, 124967
; OTHER INFORMATION: n = A,T,C or G
US-10-408-168-1

Query Match   1.7%; Score 52; DB 6; Length 130320;
Best Local Similarity   100.0%; Pred. No. 4.3e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   23819 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 23768

RESULT 31
US-10-085-117-244
; Sequence 244, Application US/10085117
; Publication No. US20030232334A1
; GENERAL INFORMATION:
; APPLICANT: Morris, David W.
; APPLICANT: Engelhard, Eric K.
; TITLE OF INVENTION: NOVEL COMPOSITIONS AND METHODS FOR CANCER
; FILE REFERENCE: 529452000121
; CURRENT APPLICATION NUMBER: US/10/085,117
; PRIOR APPLICATION NUMBER: US 09/798,586
; PRIOR FILING DATE: 2001-03-02
; CURRENT FILING DATE: 2002-02-27
; NUMBER OF SEQ ID NOS: 361
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 244
; LENGTH: 136726
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: variation
; LOCATION: (1)..(136726)
; OTHER INFORMATION: n = any nucleotide
US-10-085-117-244

Query Match   1.7%; Score 52; DB 6; Length 136726;
Best Local Similarity   100.0%; Pred. No. 4.3e-16;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   66522 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 66573

RESULT 32
US-10-981-277-50
; Sequence 50, Application US/10981277
; Publication No. US20050181389A1
; GENERAL INFORMATION:
; APPLICANT: Harris, Cole
; APPLICANT: Davis, Lisa
; TITLE OF INVENTION: Compositions and Methods for Glioma Classification

```
;  FILE REFERENCE: 03-968-US
;  CURRENT APPLICATION NUMBER: US/10/981,277
;  CURRENT FILING DATE: 2004-11-03
;  PRIOR APPLICATION NUMBER: US 60/516,817
;  PRIOR FILING DATE: 2003-11-03
;  NUMBER OF SEQ ID NOS: 57
;  SOFTWARE: PatentIn version 3.3
;
;  SEQ ID NO 50
;    LENGTH: 150437
;    TYPE: DNA
;    ORGANISM: Homo sapiens
US-10-981-277-50

Qy        3071  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
                ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      125751  CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 125802

Query Match  1.7%;  Score 52;  DB 9;  Length 150437;
Best Local Similarity  100.0%;  Pred. No. 4.3e-16;
Matches  52;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

RESULT 33
US-10-174-014-12
;  Sequence 12, Application US/10174014
;  Publication No. US20040005292A1
;  GENERAL INFORMATION:
;    APPLICANT: C. Frank Bennett
;    APPLICANT: Susan M. Freier
;    APPLICANT: Kenneth W. Dobie
;    TITLE OF INVENTION: ANTISENSE MODULATION OF SMRT EXPRESSION
;    FILE REFERENCE: PTS-0012
;    CURRENT APPLICATION NUMBER: US/10/174,014
;    CURRENT FILING DATE: 2002-06-17
;    NUMBER OF SEQ ID NOS: 73
;  SEQ ID NO 12
;    LENGTH: 221000
;    TYPE: DNA
;    ORGANISM: H. sapiens
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77967
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77968
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77969
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77970
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77971
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77972
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77973
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77974
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77975
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77976
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77977
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77978
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77979
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77980
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77981
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77982
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77983
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77984
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77985
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77986
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77987
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77988
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77989
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77990
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77991
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77992
;      OTHER INFORMATION: unknown
;    FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 77993
```

```
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 77994
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 77995
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 77996
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 77997
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 77998
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 77999
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78000
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78001
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78002
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78003
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78004
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78005
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78006
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78007
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78008
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78009
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78010
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78011
;   OTHER INFORMATION: unknown
;   FEATURE:
;   NAME/KEY: unsure
;   LOCATION: 78012
;   OTHER INFORMATION: unknown
;   FEATURE:
```

```
Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACTTCGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||
Db  173223 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACTTCGTCTC 173274

RESULT 34
US-10-087-192-652
;   Sequence 652, Application US/10087192
;   Publication No. US20020182586A1
;   GENERAL INFORMATION:
;   APPLICANT: Morris, David W.
;   APPLICANT: Engelhard, Eric K.
;   TITLE OF INVENTION: NOVEL COMPOSITIONS AND METHODS FOR
;   TITLE OF INVENTION: CANCER
;   FILE REFERENCE: 52945200001122
;   CURRENT APPLICATION NUMBER: US/10/087,192
;   CURRENT FILING DATE: 2002-03-01
;   PRIOR APPLICATION NUMBER: US 09/747,377
;   PRIOR FILING DATE: 2000-12-22
;   PRIOR APPLICATION NUMBER: US 09/798,586
;   PRIOR FILING DATE: 2001-03-02
;   NUMBER OF SEQ ID NOS: 2059
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 652
;   LENGTH: 233380
;   TYPE: DNA
;   ORGANISM: Homo sapiens
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)..(233380)
;   OTHER INFORMATION: n = A,T,C or G
US-10-087-192-652

Query Match    1.7%;   Score 52;   DB 5;   Length 233380;
Best Local Similarity    100.0%;   Pred. No. 4.3e-16;
Matches 52;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACTTCGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||
Db  179881 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACTTCGTCTC 179932

RESULT 35
US-10-741-601-5719/c
;   Sequence 5719, Application US/10741601
;   Publication No. US20040166519A1
;   GENERAL INFORMATION:
;   APPLICANT: CARGILL, Michele et al.
;   TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
;   TITLE OF INVENTION: STENOSIS, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001500
;   CURRENT APPLICATION NUMBER: US/10/741,601
;   CURRENT FILING DATE: 2003-12-22
;   NUMBER OF SEQ ID NOS: 26415
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 5719
;   LENGTH: 398287
;   TYPE: DNA
;   ORGANISM: Homo sapiens
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)..(398287)
;   OTHER INFORMATION: n = A,T,C or G, or insertion/deletion polymorphism (see Tables 1
```

US-10-741-601-5719

```
Qy          Query Match
            Best Local Similarity    1.7%;   Score 52;   DB 7;   Length 398287;
            Matches  52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy      3071 CAAGATTCTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    281811 CAAGATTCTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 281760
```

RESULT 36
US-10-741-600-17839/c
; Sequence 17839, Application US/10741600
; Publication No. US20050026169A1
; GENERAL INFORMATION:
; APPLICANT: CARGILL, Michele et al.
; TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
; TITLE OF INVENTION: MYOCARDIAL INFARCTION, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001499
; CURRENT APPLICATION NUMBER: US/10/741,600
; CURRENT FILING DATE: 2003-12-22
; NUMBER OF SEQ ID NOS: 73397
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17839
; LENGTH: 398287
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(398287)
; OTHER INFORMATION: n = A,T,C or G, or insertion/deletion polymorphism (see Tables 1-

```
Qy          Query Match
            Best Local Similarity    1.7%;   Score 52;   DB 8;   Length 398287;
            Matches  52;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy      3071 CAAGATTCTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    281811 CAAGATTCTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 281760
```

RESULT 37
US-09-925-065A-211249/c
; Sequence 211249, Application US/0992506SA
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 211249
; LENGTH: 385
; TYPE: DNA
; ORGANISM: Homo sapiens
;
```
Qy          Query Match                      Score 51;   DB 4;   Length 385;
```

RESULT 38
US-09-925-065A-141833
; Sequence 141833, Application US/0992506SA
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 141833
; LENGTH: 561
; TYPE: DNA
; ORGANISM: Homo sapiens
;

```
Qy          Query Match
            Best Local Similarity    1.7%;   Score 51;   DB 4;   Length 561;
            Matches  51;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy      2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       167 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 117
```

RESULT 39
US-10-027-632-54553
; Sequence 54553, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0

```
Qy          Query Match
            Best Local Similarity    1.6%;   Score 51;   DB 4;   Length 561;
            Matches  51;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy      2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       402 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 452
```

; SEQ ID NO 54553
; LENGTH: 622
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-54553

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCTGGCCAACAT 451

Query Match   1.6%; Score 51; DB 5; Length 622;
Best Local Similarity   100.0%; Pred. No. 1.7e-15;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 40
US-10-027-632-55034
; Sequence 55034, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 55034
; LENGTH: 622
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-55034

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCTGGCCAACAT 451

Query Match   1.6%; Score 51; DB 5; Length 622;
Best Local Similarity   100.0%; Pred. No. 1.7e-15;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 41
US-10-027-632-56282
; Sequence 56282, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483

; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 56282
; LENGTH: 622
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-56282

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCTGGCCAACAT 451

Query Match   1.6%; Score 51; DB 5; Length 622;
Best Local Similarity   100.0%; Pred. No. 1.7e-15;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 42
US-10-027-632-56384
; Sequence 56384, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 56384
; LENGTH: 622
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-56384

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCTGGCCAACAT 451

Query Match   1.6%; Score 51; DB 5; Length 622;
Best Local Similarity   100.0%; Pred. No. 1.7e-15;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 43
US-10-027-632-180536
; Sequence 180536, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:

```
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;  TITLE OF INVENTION: Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.129
;  CURRENT APPLICATION NUMBER: US/10/027,632
;  CURRENT FILING DATE: 2002-04-30
;  PRIOR APPLICATION NUMBER: US 60/218,006
;  PRIOR FILING DATE: 2000-07-12
;  PRIOR APPLICATION NUMBER: US 60/198,676
;  PRIOR FILING DATE: 2000-04-20
;  PRIOR APPLICATION NUMBER: US 60/193,483
;  PRIOR FILING DATE: 2000-03-29
;  PRIOR APPLICATION NUMBER: US 60/185,218
;  PRIOR FILING DATE: 2000-02-24
;  PRIOR APPLICATION NUMBER: US 60/167,363
;  PRIOR FILING DATE: 1999-11-23
;  PRIOR APPLICATION NUMBER: US 60/156,358
;  PRIOR FILING DATE: 1999-09-28
;  PRIOR APPLICATION NUMBER: US 60/146,002
;  PRIOR FILING DATE: 1999-08-09
;  NUMBER OF SEQ ID NOS: 325720
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 180536
;  LENGTH: 622
;  TYPE: DNA
;  ORGANISM: Human
US-10-027-632-180536

Qy    2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
               ||||||||||||||||||||||||||||||||||||||||||||||||||
Db     401 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 451

Query Match             1.6%;  Score 51;  DB 5;  Length 622;
Best Local Similarity   100.0%;  Pred. No. 1.7e-15;
Matches   51;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 44
US-10-027-632-314485
;  Sequence 314485, Application US20020198371A1
;  Publication No. US20020198371A1
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;  TITLE OF INVENTION: Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.129
;  CURRENT APPLICATION NUMBER: US/10/027,632
;  CURRENT FILING DATE: 2002-04-30
;  PRIOR APPLICATION NUMBER: US 60/218,006
;  PRIOR FILING DATE: 2000-07-12
;  PRIOR APPLICATION NUMBER: US 60/198,676
;  PRIOR FILING DATE: 2000-04-20
;  PRIOR APPLICATION NUMBER: US 60/193,483
;  PRIOR FILING DATE: 2000-03-29
;  PRIOR APPLICATION NUMBER: US 60/185,218
;  PRIOR FILING DATE: 2000-02-24
;  PRIOR APPLICATION NUMBER: US 60/167,363
;  PRIOR FILING DATE: 1999-11-23
;  PRIOR APPLICATION NUMBER: US 60/156,358
;  PRIOR FILING DATE: 1999-09-28
;  PRIOR APPLICATION NUMBER: US 60/146,002
;  PRIOR FILING DATE: 1999-08-09
;  NUMBER OF SEQ ID NOS: 325720
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 314485
;  LENGTH: 622
;  TYPE: DNA
;  ORGANISM: Human
US-10-027-632-314485

Query Match             1.6%;  Score 51;  DB 5;  Length 622;
Best Local Similarity   100.0%;  Pred. No. 1.7e-15;
Matches   51;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
Qy    2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
               ||||||||||||||||||||||||||||||||||||||||||||||||||
Db     401 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 451

RESULT 45
US-10-027-632-54553
;  Sequence 54553, Application US/10027632
;  Publication No. US20030240075A9
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;  TITLE OF INVENTION: Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.129
;  CURRENT APPLICATION NUMBER: US/10/027,632
;  CURRENT FILING DATE: 2002-04-30
;  PRIOR APPLICATION NUMBER: US 60/218,006
;  PRIOR FILING DATE: 2000-07-12
;  PRIOR APPLICATION NUMBER: US 60/198,676
;  PRIOR FILING DATE: 2000-04-20
;  PRIOR APPLICATION NUMBER: US 60/193,483
;  PRIOR FILING DATE: 2000-03-29
;  PRIOR APPLICATION NUMBER: US 60/185,218
;  PRIOR FILING DATE: 2000-02-24
;  PRIOR APPLICATION NUMBER: US 60/167,363
;  PRIOR FILING DATE: 1999-11-23
;  PRIOR APPLICATION NUMBER: US 60/156,358
;  PRIOR FILING DATE: 1999-09-28
;  PRIOR APPLICATION NUMBER: US 60/146,002
;  PRIOR FILING DATE: 1999-08-09
;  NUMBER OF SEQ ID NOS: 325720
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 54553
;  LENGTH: 622
;  TYPE: DNA
;  ORGANISM: Human
US-10-027-632-54553

Qy    2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
               ||||||||||||||||||||||||||||||||||||||||||||||||||
Db     401 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 451

Query Match             1.6%;  Score 51;  DB 6;  Length 622;
Best Local Similarity   100.0%;  Pred. No. 1.7e-15;
Matches   51;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 46
US-10-027-632-55034
;  Sequence 55034, Application US/10027632
;  Publication No. US20030240075A9
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;  TITLE OF INVENTION: Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.129
;  CURRENT APPLICATION NUMBER: US/10/027,632
;  CURRENT FILING DATE: 2002-04-30
;  PRIOR APPLICATION NUMBER: US 60/218,006
;  PRIOR FILING DATE: 2000-07-12
;  PRIOR APPLICATION NUMBER: US 60/198,676
;  PRIOR FILING DATE: 2000-04-20
;  PRIOR APPLICATION NUMBER: US 60/193,483
;  PRIOR FILING DATE: 2000-03-29
;  PRIOR APPLICATION NUMBER: US 60/185,218
;  PRIOR FILING DATE: 2000-02-24
;  PRIOR APPLICATION NUMBER: US 60/167,363
;  PRIOR FILING DATE: 1999-11-23
;  PRIOR APPLICATION NUMBER: US 60/156,358
;  PRIOR FILING DATE: 1999-09-28
;  PRIOR APPLICATION NUMBER: US 60/146,002
;  PRIOR FILING DATE: 1999-08-09
```

```
;  NUMBER OF SEQ ID NOS: 325720
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 55034
;    LENGTH: 622
;    TYPE: DNA
;    ORGANISM: Human
US-10-027-632-55034

Qy   2890  AGGCCAGGTGGGATCACCTGAGGGCCAGGAGGAGTTCGAGACACCAGCCTGGGCCAACAT  2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401   AGGCCAGGTGGGATCACCTGAGGGCCAGGAGTTCGAGACACCAGCCTGGGCCAACAT  451


RESULT 47
US-10-027-632-56282
;  Sequence 56282, Application US20030240075A9
;  Publication No. US20030240075A9
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;  TITLE OF INVENTION: Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.129
;  CURRENT APPLICATION NUMBER: US/10,027,632
;  CURRENT FILING DATE: 2002-04-30
;  PRIOR APPLICATION NUMBER: US 60/218,006
;  PRIOR FILING DATE: 2000-07-12
;  PRIOR APPLICATION NUMBER: US 60/198,676
;  PRIOR FILING DATE: 2000-04-20
;  PRIOR APPLICATION NUMBER: US 60/193,483
;  PRIOR FILING DATE: 2000-03-29
;  PRIOR APPLICATION NUMBER: US 60/185,218
;  PRIOR FILING DATE: 2000-02-24
;  PRIOR APPLICATION NUMBER: US 60/167,363
;  PRIOR FILING DATE: 1999-11-23
;  PRIOR APPLICATION NUMBER: US 60/156,358
;  PRIOR FILING DATE: 1999-09-28
;  PRIOR APPLICATION NUMBER: US 60/146,002
;  PRIOR FILING DATE: 1999-08-09
;  NUMBER OF SEQ ID NOS: 325720
;  SEQ ID NO 56282
;  SOFTWARE: FastSEQ for Windows Version 4.0
;    LENGTH: 622
;    TYPE: DNA
;    ORGANISM: Human
US-10-027-632-56282

Query Match          1.6%;  Score 51;  DB 6;  Length 622;
Best Local Similarity 100.0%;  Pred. No. 1.7e-15;
Matches  51;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   2890  AGGCCAGGTGGGATCACCTGAGGGCCAGGAGGAGTTCGAGACACCAGCCTGGGCCAACAT  2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401   AGGCCAGGTGGGATCACCTGAGGGCCAGGAGTTCGAGACACCAGCCTGGGCCAACAT  451


RESULT 48
US-10-027-632-56384
;  Sequence 56384, Application US/10027632
;  Publication No. US20030240075A9
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;  TITLE OF INVENTION: Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.129
;  CURRENT APPLICATION NUMBER: US/10,027,632
;  CURRENT FILING DATE: 2002-04-30
;  PRIOR APPLICATION NUMBER: US 60/218,006
;  PRIOR FILING DATE: 2000-07-12
;  PRIOR APPLICATION NUMBER: US 60/198,676
```

```
;  PRIOR FILING DATE: 2000-04-20
;  PRIOR APPLICATION NUMBER: US 60/193,483
;  PRIOR FILING DATE: 2000-03-29
;  PRIOR APPLICATION NUMBER: US 60/185,218
;  PRIOR FILING DATE: 2000-02-24
;  PRIOR APPLICATION NUMBER: US 60/167,363
;  PRIOR FILING DATE: 1999-11-23
;  PRIOR APPLICATION NUMBER: US 60/156,358
;  PRIOR FILING DATE: 1999-09-28
;  PRIOR APPLICATION NUMBER: US 60/146,002
;  PRIOR FILING DATE: 1999-08-09
;  NUMBER OF SEQ ID NOS: 325720
;  SEQ ID NO 56384
;  SOFTWARE: FastSEQ for Windows Version 4.0
;    LENGTH: 622
;    TYPE: DNA
;    ORGANISM: Human
US-10-027-632-56384

Query Match          1.6%;  Score 51;  DB 6;  Length 622;
Best Local Similarity 100.0%;  Pred. No. 1.7e-15;
Matches  51;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   2890  AGGCCAGGTGGGATCACCTGAGGGCCAGGAGGAGTTCGAGACACCAGCCTGGGCCAACAT  2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401   AGGCCAGGTGGGATCACCTGAGGGCCAGGAGTTCGAGACACCAGCCTGGGCCAACAT  451


RESULT 49
US-10-027-632-180536
;  Sequence 180536, Application US/10027632
;  Publication No. US20030240075A9
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;  TITLE OF INVENTION: Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.129
;  CURRENT APPLICATION NUMBER: US/10,027,632
;  CURRENT FILING DATE: 2002-04-30
;  PRIOR APPLICATION NUMBER: US 60/218,006
;  PRIOR FILING DATE: 2000-07-12
;  PRIOR APPLICATION NUMBER: US 60/198,676
;  PRIOR FILING DATE: 2000-04-20
;  PRIOR APPLICATION NUMBER: US 60/193,483
;  PRIOR FILING DATE: 2000-03-29
;  PRIOR APPLICATION NUMBER: US 60/185,218
;  PRIOR FILING DATE: 2000-02-24
;  PRIOR APPLICATION NUMBER: US 60/167,363
;  PRIOR FILING DATE: 1999-11-23
;  PRIOR APPLICATION NUMBER: US 60/156,358
;  PRIOR FILING DATE: 1999-09-28
;  PRIOR APPLICATION NUMBER: US 60/146,002
;  PRIOR FILING DATE: 1999-08-09
;  NUMBER OF SEQ ID NOS: 325720
;  SEQ ID NO 180536
;  SOFTWARE: FastSEQ for Windows Version 4.0
;    LENGTH: 622
;    TYPE: DNA
;    ORGANISM: Human
US-10-027-632-180536

Query Match          1.6%;  Score 51;  DB 6;  Length 622;
Best Local Similarity 100.0%;  Pred. No. 1.7e-15;
Matches  51;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   2890  AGGCCAGGTGGGATCACCTGAGGGCCAGGAGGAGTTCGAGACACCAGCCTGGGCCAACAT  2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401   AGGCCAGGTGGGATCACCTGAGGGCCAGGAGTTCGAGACACCAGCCTGGGCCAACAT  451


RESULT 50
US-10-027-632-314485
;  Sequence 314485, Application US/10027632
```

; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 314485
; LENGTH: 622
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-314485

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 451

RESULT 51
US-09-925-298-220/c
; Sequence 220, Application US/0925298
; Publication No. US20020039764A1
; GENERAL INFORMATION:
; APPLICANT: Rosen et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins and Antibodies
; FILE REFERENCE: PA103
; CURRENT APPLICATION NUMBER: US/09/925,298
; CURRENT FILING DATE: 2001-08-10
; PRIOR APPLICATION NUMBER: PCT/US00/05881
; PRIOR FILING DATE: 2000-03-08
; PRIOR APPLICATION NUMBER: 60/124,270
; PRIOR FILING DATE: 1999-03-12
; NUMBER OF SEQ ID NOS: 846
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 220
; LENGTH: 832
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-298-220

Query Match   1.6%; Score 51; DB 6; Length 622;
Best Local Similarity 100.0%; Pred. No. 1.7e-15;
Matches 51; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   76 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 26

RESULT 52
US-10-102-806-220/c
; Sequence 220, Application US/10102806

; Publication No. US20030054421A1
; GENERAL INFORMATION:
; APPLICANT: Rosen et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins and Antibodies
; FILE REFERENCE: PA103P1C1
; CURRENT APPLICATION NUMBER: US/10/102,806
; CURRENT FILING DATE: 2002-03-22
; PRIOR APPLICATION NUMBER: 09/925,298
; PRIOR FILING DATE: 2001-08-10
; PRIOR APPLICATION NUMBER: PCT/US00/05881
; PRIOR FILING DATE: 2000-03-08
; PRIOR APPLICATION NUMBER: 60/124,270
; PRIOR FILING DATE: 1999-03-12
; NUMBER OF SEQ ID NOS: 846
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 220
; LENGTH: 832
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-102-806-220

Query Match   1.6%; Score 51; DB 5; Length 832;
Best Local Similarity 100.0%; Pred. No. 1.7e-15;
Matches 51; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   76 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 26

RESULT 53
US-10-450-763-29534
; Sequence 29534, Application US/10450763
; Publication No. US20050196754A1
; GENERAL INFORMATION:
; APPLICANT: Hyseq, Inc
; TITLE OF INVENTION: NOVEL NUCLEIC ACIDS AND POLYPEPTIDES
; FILE REFERENCE: 790CIP3/US
; CURRENT APPLICATION NUMBER: US/10/450,763
; CURRENT FILING DATE: 2003-06-11
; PRIOR APPLICATION NUMBER: PCT/US01/08631
; PRIOR FILING DATE: 2001-03-30
; PRIOR APPLICATION NUMBER: 09/540,217
; PRIOR FILING DATE: 2000-03-31
; PRIOR APPLICATION NUMBER: 09/649,167
; PRIOR FILING DATE: 2000-08-23
; NUMBER OF SEQ ID NOS: 60736
; SOFTWARE: Custom
;
; SEQ ID NO 29534
; LENGTH: 2791
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: SIMILAR
; LOCATION: (18)..(194)
; OTHER INFORMATION: 43% homologous to Trypanoplasma borreli ribosomal protein
; OTHER INFORMATION: S12,accession number U14183,Smith-Waterman Score=95.
US-10-450-763-29534

Query Match   1.6%; Score 51; DB 9; Length 2791;
Best Local Similarity 100.0%; Pred. No. 1.6e-15;
Matches 51; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   465 CCTAAGGCGGAGCGCGCGGCCTCTGCCAGCCTGCGCCCCGGAGTTGGCACC 515
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1538 CCTAAGGCGGAGCGCGCGGCCTCTGCCAGCCTGCGCCCCGGAGTTGGCACC 1588

RESULT 54
US-10-737-082-22/c
; Sequence 22, Application US/10737082
; Publication No. US20050013170A1
; GENERAL INFORMATION:

; APPLICANT: Bayer Healthcare LLC
; APPLICANT: Beard, Chris
; APPLICANT: Burgess, Chris
; APPLICANT: Gannon, Allison
; APPLICANT: Harvey, Jeanne
; APPLICANT: Lechner, John F.
; APPLICANT: Li, Zheng
; TITLE OF INVENTION: Identification and Verification of Methylation Marker Sequences
; FILE REFERENCE: 1657/2032
; CURRENT APPLICATION NUMBER: US/10/737,082
; CURRENT FILING DATE: 2003-12-16
; PRIOR APPLICATION NUMBER: US 10/737,082
; PRIOR FILING DATE: 2003-12-16
; NUMBER OF SEQ ID NOS: 300
; SOFTWARE: Patentin version 3.2
; SEQ ID NO 22
; LENGTH: 23139
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-737-082-22

Query Match   1.6%; Score 51; DB 9; Length 23139;
Best Local Similarity 100.0%; Pred. No. 1.5e-15;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2890 AGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   3783 AGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 3733

RESULT 55
US-10-765-790-22/c
Sequence 22, Application US/10765790
Publication No. US20050130172A1
GENERAL INFORMATION:
; APPLICANT: Bayer Healthcare LLC
; APPLICANT: Beard, Chris
; APPLICANT: Burgess, Chris
; APPLICANT: Gannon, Allison
; APPLICANT: Harvey, Jeanne
; APPLICANT: Lechner, John F.
; APPLICANT: Li, Zheng
; TITLE OF INVENTION: Identification and Verification of Methylation Marker Sequences
; FILE REFERENCE: 1657/2035
; CURRENT APPLICATION NUMBER: US/10/765,790
; CURRENT FILING DATE: 2004-01-27
; PRIOR APPLICATION NUMBER: US 10/737,082
; PRIOR FILING DATE: 2003-12-16
; NUMBER OF SEQ ID NOS: 300
; SOFTWARE: Patentin version 3.2
; SEQ ID NO 22
; LENGTH: 23139
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-765-790-22

Query Match   1.6%; Score 51; DB 9; Length 23139;
Best Local Similarity 100.0%; Pred. No. 1.5e-15;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2890 AGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   3783 AGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 3733

RESULT 56
US-10-840-590-3/c
Sequence 3, Application US/10840590
Publication No. US20050233341A1
GENERAL INFORMATION:
; APPLICANT: ROTH, RICHARD B.
; APPLICANT: NELSON, MATTHEW ROBERTS
; APPLICANT: KAMMERER, STEFAN M.
; APPLICANT: BRAUN, ANDREAS
; APPLICANT: HOYAL-WRIGHTSON, CAROLYN R.
; TITLE OF INVENTION: METHODS FOR IDENTIFYING RISK OF MELANOMA AND TREATMENTS THEREOF
; FILE REFERENCE: SEQ-4061-CP
; CURRENT APPLICATION NUMBER: US/10/840,590
; CURRENT FILING DATE: 2004-05-05
; PRIOR APPLICATION NUMBER: 60/489,703
; PRIOR FILING DATE: 2003-07-23
; NUMBER OF SEQ ID NOS: 1638
; SOFTWARE: Patentin version 3.2
; SEQ ID NO 3
; LENGTH: 68200
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (50036)..(50036)
; OTHER INFORMATION: n is a, c, g, or t
US-10-840-590-3

Query Match   1.6%; Score 51; DB 9; Length 68200;
Best Local Similarity 100.0%; Pred. No. 1.5e-15;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2890 AGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db 63277 AGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 63227

RESULT 57
US-10-087-192-1360/c
Sequence 1360, Application US/10087192
Publication No. US20020182586A1
GENERAL INFORMATION:
; APPLICANT: Morris, David W.
; APPLICANT: Engelhard, Eric K.
; TITLE OF INVENTION: NOVEL COMPOSITIONS AND METHODS FOR
; TITLE OF INVENTION: CANCER
; FILE REFERENCE: 5294S2000122
; CURRENT APPLICATION NUMBER: US/10/087,192
; CURRENT FILING DATE: 2002-03-01
; PRIOR APPLICATION NUMBER: US 09/747,377
; PRIOR FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/798,586
; PRIOR FILING DATE: 2001-03-02
; NUMBER OF SEQ ID NOS: 2059
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1360
; LENGTH: 215221
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-087-192-1360

Query Match   1.6%; Score 51; DB 5; Length 215221;
Best Local Similarity 100.0%; Pred. No. 1.4e-15;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2890 AGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db 63277 AGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 63227

RESULT 58
US-09-973-278-870
Sequence 870, Application US/09973278
Publication No. US20040044191A1
GENERAL INFORMATION:
; APPLICANT: Fischer et al.
; TITLE OF INVENTION: 123 Human Secreted Proteins
; FILE REFERENCE: PZ010P2
; CURRENT APPLICATION NUMBER: US/09/973,278
; CURRENT FILING DATE: 2001-10-10
; PRIOR APPLICATION NUMBER: 60/239,899

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAACTCTGTCT 3121
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db 50858 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAACTCTGTCT 50808

```
;   PRIOR FILING DATE: 2000-10-13
;   PRIOR APPLICATION NUMBER: 09/227,357
;   PRIOR FILING DATE: 1999-01-08
;   PRIOR APPLICATION NUMBER: PCT/US98/13684
;   PRIOR FILING DATE: 1998-07-07
;   PRIOR APPLICATION NUMBER: 60/051,926
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/051,925
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/052,793
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/051,929
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/052,803
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/052,732
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/051,931
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/051,932
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/051,916
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/051,930
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/051,918
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/051,920
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/052,733
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/052,795
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/051,919
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/051,928
;   PRIOR FILING DATE: 1997-07-08
;   PRIOR APPLICATION NUMBER: 60/051,722
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/055,723
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/055,950
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/055,949
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/055,953
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/055,947
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/055,948
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/055,964
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/055,984
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/055,954
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/056,360
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/055,684
;   PRIOR FILING DATE: 1997-08-18
;   PRIOR APPLICATION NUMBER: 60/058,785
;   PRIOR FILING DATE: 1997-09-12
;   PRIOR APPLICATION NUMBER: 60/058,664
;   PRIOR FILING DATE: 1997-09-12
;   PRIOR APPLICATION NUMBER: 60/058,660
;   PRIOR FILING DATE: 1997-09-12
;   PRIOR APPLICATION NUMBER: 60/058,661
;   PRIOR FILING DATE: 1997-09-12
;   NUMBER OF SEQ ID NOS: 947
;   SOFTWARE: PatentIn Ver. 2.0
;
SEQ ID NO 870
  LENGTH: 288
```

```
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-973-278-870

Qy    3073 AGATTGTGCCACTCCGACTCCAGCCTGGGCGAACAGAGCAAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db     221 AGATTGTGCCACTCCGACTCCAGCCTGGGCGAACAGAGCAAGACTCTGTCTC 270

Query Match            1.6%;  Score 50;  DB 3;  Length 288;
Best Local Similarity  100.0%;  Pred. No. 5.7e-15;
Matches  50;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

```
RESULT 59
US-10-450-763-29529
;   Sequence 29529, Application US/10450763
;   Publication No. US20050196754A1
;   GENERAL INFORMATION:
;   APPLICANT: Hyseq, Inc
;   TITLE OF INVENTION: NOVEL NUCLEIC ACIDS AND POLYPEPTIDES
;   FILE REFERENCE: 790CIP3/US
;   CURRENT APPLICATION NUMBER: US/10/450,763
;   CURRENT FILING DATE: 2003-06-11
;   PRIOR APPLICATION NUMBER: PCT/US01/08631
;   PRIOR FILING DATE: 2001-03-30
;   PRIOR APPLICATION NUMBER: 09/540,217
;   PRIOR FILING DATE: 2000-03-31
;   PRIOR APPLICATION NUMBER: 09/649,167
;   PRIOR FILING DATE: 2000-08-23
;   NUMBER OF SEQ ID NOS: 60736
;   SOFTWARE: Custom
;
SEQ ID NO 29529
  LENGTH: 432
;   TYPE: DNA
;   ORGANISM: Homo sapiens
;   FEATURE:
;   NAME/KEY: SIMILAR
;   LOCATION: (413)..(120)
;   OTHER INFORMATION: SIMILAR
;   OTHER INFORMATION: 33% homologous to Human herpesvirus 6 H87, accession number
;   OTHER INFORMATION: U92288, Smith-Waterman Score=105.
US-10-450-763-29529

Qy     888 GACGGGCTCAACAAGACGACTGCGTGCCTACCACCACCACCTGGTGCTTGACCGT 937
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      22 GACGGGCTCAACAAGACGACTGCGTGCTGCTTACCACCACCACCTGGTGCTGACCGT 71

Query Match            1.6%;  Score 50;  DB 9;  Length 432;
Best Local Similarity  100.0%;  Pred. No. 5.7e-15;
Matches  50;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

```
RESULT 60
US-09-925-065A-484883/c
;   Sequence 484883, Application US/09925065A
;   Publication No. US200502817ZA9
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
```

; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 484683
; LENGTH: 571
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-484683

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   271 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 222

Query Match   100.0%; Score 50; DB 4; Length 571;
Best Local Similarity   100.0%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 61
US-09-925-065A-785967/c
; Sequence 785967, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; SOFTWARE: FastSEQ for Windows Version 4.0
; NUMBER OF SEQ ID NOS: 957086
; SEQ ID NO 785967
; LENGTH: 572
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-785967

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   347 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 298

Query Match   100.0%; Score 50; DB 4; Length 572;
Best Local Similarity   100.0%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 62
US-09-925-065A-894777/c
; Sequence 894777, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; SOFTWARE: FastSEQ for Windows Version 4.0
; NUMBER OF SEQ ID NOS: 957086
; SEQ ID NO 894777
; LENGTH: 625
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-894777

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   229 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 180

Query Match   100.0%; Score 50; DB 4; Length 625;
Best Local Similarity   100.0%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 63
US-09-925-065A-892664/c
; Sequence 892664, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; SOFTWARE: FastSEQ for Windows Version 4.0
; NUMBER OF SEQ ID NOS: 957086
; SEQ ID NO 892664
; LENGTH: 630
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-892664

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   234 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 185

Query Match   100.0%; Score 50; DB 4; Length 630;
Best Local Similarity   100.0%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 64
US-09-925-065A-892405/c
; Sequence 892405, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09

RESULT 65
US-09-925-065A-892514/c
; Sequence 892514, Application US/0992506SA
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; SEQ ID NO 892514
; LENGTH: 633
; TYPE: DNA
; ORGANISM: Homo sapiens
; SOFTWARE: FastSEQ for Windows Version 4.0

Query Match　　　1.6%;　Score 50;　DB 4;　Length 633;
Best Local Similarity　100.0%;
Matches　50;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGCAAGAGACTCTGTCTC 3122
　　　　　||||||||||||||||||||||||||||||||||||||||||||||||||
Db　　237 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGCAAGAGACTCTGTCTC 188

RESULT 66
US-09-925-065A-949927
; Sequence 949927, Application US/0992506SA
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24

RESULT 67
US-09-925-065A-917225
; Sequence 917225, Application US/0992506SA
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; SEQ ID NO 917225
; LENGTH: 676
; TYPE: DNA
; ORGANISM: Homo sapiens
; SOFTWARE: FastSEQ for Windows Version 4.0

Query Match　　　1.6%;　Score 50;　DB 4;　Length 676;
Best Local Similarity　100.0%;
Matches　50;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGCAAGAGACTCTGTCTC 3122
　　　　　||||||||||||||||||||||||||||||||||||||||||||||||||
Db　　 29 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGCAAGAGACTCTGTCTC 78

RESULT 68
US-09-925-065A-917226
; Sequence 917226, Application US/0992506SA
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08

Query Match　　　1.6%;　Score 50;　DB 4;　Length 633;
Best Local Similarity　100.0%;
Matches　50;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGCAAGAGACTCTGTCTC 3122
　　　　　||||||||||||||||||||||||||||||||||||||||||||||||||
Db　　448 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGCAAGAGACTCTGTCTC 497

; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; SEQ ID NO 949927
; LENGTH: 633
; TYPE: DNA
; ORGANISM: Homo sapiens
; SOFTWARE: FastSEQ for Windows Version 4.0

Query Match　　　1.6%;　Score 50;　DB 4;　Length 633;
Best Local Similarity　100.0%;
Matches　50;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGCAAGAGACTCTGTCTC 3122
　　　　　||||||||||||||||||||||||||||||||||||||||||||||||||
Db　　237 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGCAAGAGACTCTGTCTC 188

; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 917226
;   LENGTH: 676
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-917226

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   448 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 497

Query Match   1.6%; Score 50; DB 4; Length 676;
Best Local Similarity   100.0%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 69
US-09-925-065A-944569
; Sequence 944569, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US/09/925,065A
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 944569
;   LENGTH: 676
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-944569

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   448 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 497

Query Match   1.6%; Score 50; DB 4; Length 676;
Best Local Similarity   100.0%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 70
US-10-027-632-158850/c
; Sequence 158850, Application US/10027632
; Publication No. US20020183716A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide

; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 158850
;   LENGTH: 714
;   TYPE: DNA
;   ORGANISM: Human
US-10-027-632-158850

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   133 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 84

Query Match   1.6%; Score 50; DB 5; Length 714;
Best Local Similarity   100.0%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 71
US-10-027-632-158850/c
; Sequence 158850, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 158850
;   LENGTH: 714
;   TYPE: DNA
;   ORGANISM: Human
US-10-027-632-158850

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122

Db 133 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCTGTCTC 84
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||

RESULT 72
US-09-925-065A-934608
; Sequence 934608, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 934608
; LENGTH: 739
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-934608

Qy 3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCTGTCTC 3122
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   603 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCTGTCTC 652

Query Match   1.6%; Score 50; DB 4; Length 739;
Best Local Similarity 100.0%; Pred. No. 5.6e-15;
Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 73
US-09-925-065A-941367
; Sequence 941367, Application US/09/925,065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 941367
; LENGTH: 742
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-941367

Query Match   1.6%; Score 50; DB 4; Length 742;
Best Local Similarity 100.0%; Pred. No. 5.6e-15;

Qy 3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCTGTCTC 3122
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   603 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCTGTCTC 652

Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 74
US-10-027-632-265269
; Sequence 265269, Application US/10027632
; Publication No. US20020193871A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO: 265269
; LENGTH: 1986
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-265269

Qy 3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCTGTCTC 3122
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   197 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCTGTCTC 246

Query Match   1.6%; Score 50; DB 5; Length 1986;
Best Local Similarity 100.0%; Pred. No. 5.6e-15;
Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 75
US-10-027-632-265269
; Sequence 265269, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002

; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 265269
; LENGTH: 1986
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-265269

Query Match   1.6%;   Score 50;   DB 6;   Length 1986;
Best Local Similarity   100.0%;   Pred. No. 5.5e-15;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACCAGGAGCAAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    197 AGATTGTGCCACTGCACTCCAGCCTGGGCAACCAGGAGCAAGACTCTGTCTC 246
```

RESULT 76
US-10-374-979-10
; Sequence 10, Application US/10374979
; Publication No. US20030219793A1
; GENERAL INFORMATION:
; APPLICANT: John P. Carulli et al.
; TITLE OF INVENTION: THE HIGH BONE MASS GENE OF 11q13.3
; FILE REFERENCE: 032796-021
; CURRENT APPLICATION NUMBER: US/10/374,979
; CURRENT FILING DATE: 2003-03-04
; PRIOR APPLICATION NUMBER: US 09/544,398
; PRIOR FILING DATE: 2000-04-05
; PRIOR APPLICATION NUMBER: US 09/543,771
; PRIOR FILING DATE: 2000-04-05
; PRIOR APPLICATION NUMBER: US 09/229,319
; PRIOR FILING DATE: 1999-01-13
; PRIOR APPLICATION NUMBER: US 60/071,449
; PRIOR FILING DATE: 1998-01-13
; PRIOR APPLICATION NUMBER: US 60/105,511
; PRIOR FILING DATE: 1998-10-23
; NUMBER OF SEQ ID NOS: 109
; SEQ ID NO 10
; LENGTH: 8705
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-374-979-10

Query Match   1.6%;   Score 50;   DB 6;   Length 8705;
Best Local Similarity   100.0%;   Pred. No. 5.3e-15;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   6492 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 6541
```

RESULT 77
US-10-182-936A-10
; Sequence 10, Application US/10182936A
; Publication No. US20040038860A1
; GENERAL INFORMATION:
; APPLICANT: Allen, Kristina M.
; APPLICANT: Anisowicz, Anthony
; APPLICANT: Bhat, Bheem
; APPLICANT: Damagnez, Veronique
; APPLICANT: Robinson, John
; APPLICANT: Yaworsky, Paul
; TITLE OF INVENTION: Reagents and Method for Modulating DKK-Mediated Interactions
; FILE REFERENCE: 032796-143
; CURRENT APPLICATION NUMBER: US/10/182,936A
; CURRENT FILING DATE: 2002-08-02
; PRIOR APPLICATION NUMBER: PCT/US02/15982
; PRIOR FILING DATE: 2002-05-17
; PRIOR APPLICATION NUMBER: US 60/291,311
; PRIOR FILING DATE: 2001-05-17
; PRIOR APPLICATION NUMBER: US 60/353,058
; PRIOR FILING DATE: 2002-02-01
; PRIOR APPLICATION NUMBER: US 60/361,293
; PRIOR FILING DATE: 2002-03-04
; NUMBER OF SEQ ID NOS: 216
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 10
; LENGTH: 8705
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-182-936A-10

Query Match   1.6%;   Score 50;   DB 7;   Length 8705;
Best Local Similarity   100.0%;   Pred. No. 5.3e-15;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   6492 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 6541
```

RESULT 78
US-10-731-739-10
; Sequence 10, Application US/10731739
; Publication No. US20040176582A1
; GENERAL INFORMATION:
; APPLICANT: Carulli, John P.
; APPLICANT: Little, Randall D.
; APPLICANT: Recker, Robert R.
; APPLICANT: Johnson, Mark L.
; TITLE OF INVENTION: High bone mass gene of 11q13.3
; FILE REFERENCE: 032796-013
; CURRENT APPLICATION NUMBER: US/10/731,739
; CURRENT FILING DATE: 2003-12-10
; PRIOR APPLICATION NUMBER: US/09/544,398B
; PRIOR FILING DATE: 2002-06-10
; PRIOR APPLICATION NUMBER: US 09/229,319
; PRIOR FILING DATE: 1999-01-13
; PRIOR APPLICATION NUMBER: US 60/071,449
; PRIOR FILING DATE: 1998-01-13
; PRIOR APPLICATION NUMBER: US 60/105,511
; PRIOR FILING DATE: 1998-10-23
; NUMBER OF SEQ ID NOS: 641
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 10
; LENGTH: 8705
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-731-739-10

Query Match   1.6%;   Score 50;   DB 8;   Length 8705;
Best Local Similarity   100.0%;   Pred. No. 5.3e-15;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   6492 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGAGACTCTGTCTC 6541
```

RESULT 79
US-10-477-238A-10
; Sequence 10, Application US/10477238A
; Publication No. US20040221326A1
; GENERAL INFORMATION:
; APPLICANT: Babij, Philip
; APPLICANT: Yaworsky, Paul
; APPLICANT: Bex, Frederick J. III
; APPLICANT: Bodine, Peter Van Nest
; TITLE OF INVENTION: Transgenic Animal Model of Bone Mass Modulation
; FILE REFERENCE: 032796-212
; CURRENT APPLICATION NUMBER: US/10/477,238A
; CURRENT FILING DATE: 2003-11-10
; PRIOR APPLICATION NUMBER: US 60/290,071

; PRIOR FILING DATE: 2001-05-11
; PRIOR APPLICATION NUMBER: US 60/291,311
; PRIOR FILING DATE: 2001-05-17
; PRIOR APPLICATION NUMBER: US 60/353,058
; PRIOR FILING DATE: 2002-02-01
; PRIOR APPLICATION NUMBER: US 60/361,293
; PRIOR FILING DATE: 2002-03-04
; NUMBER OF SEQ ID NOS: 812
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 10
; LENGTH: 8705
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-477-238A-10

Query Match   100.0%;   Score 50;   DB 8;   Length 8705;
Best Local Similarity   100.0%;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  3073  AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC  3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  6492  AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC  6541
```

RESULT 80
US-10-680-287A-10
; Sequence 10, Application US/10680287A
; Publication No. US20040244069A1
; GENERAL INFORMATION:
; APPLICANT: Babij, Philip
; APPLICANT: Yaworsky, Paul
; APPLICANT: Bex, Frederick J. III
; APPLICANT: Bodine, Peter Van Nest
; TITLE OF INVENTION: Transgenic Animal Model of Bone Mass Modulation
; FILE REFERENCE: 032796-179
; CURRENT APPLICATION NUMBER: US/10/680,287A
; CURRENT FILING DATE: 2003-10-08
; PRIOR APPLICATION NUMBER: PCT/US02/14876
; PRIOR FILING DATE: 2002-05-13
; PRIOR APPLICATION NUMBER: US 60/290,071
; PRIOR FILING DATE: 2001-05-11
; PRIOR APPLICATION NUMBER: US 60/291,311
; PRIOR FILING DATE: 2001-05-17
; PRIOR APPLICATION NUMBER: US 60/353,058
; PRIOR FILING DATE: 2002-02-01
; PRIOR APPLICATION NUMBER: US 60/361,293
; PRIOR FILING DATE: 2002-03-04
; NUMBER OF SEQ ID NOS: 812
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 10
; LENGTH: 8705
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-680-287A-10

Query Match   100.0%;   Score 50;   DB 8;   Length 8705;
Best Local Similarity   100.0%;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  3073  AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC  3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  6492  AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC  6541
```

RESULT 81
US-10-477-173-10
; Sequence 10, Application US/10477173
; Publication No. US20050070699A1
; GENERAL INFORMATION:
; APPLICANT: Genome Therapeutics Corporation and
; APPLICANT: Allen, Kristina M.
; APPLICANT: Yaworsky, Paul
; APPLICANT: Morales, Arturo J.
; APPLICANT: Graham, James R.
; APPLICANT: Anisowicz, Anthony
; APPLICANT: Liu, Wei
; TITLE OF INVENTION: HBM Variants that Modulate Bone Mass and Lipid Levels
; FILE REFERENCE: 032796-135
; CURRENT APPLICATION NUMBER: US/10/477,173
; CURRENT FILING DATE: 2003-11-10
; PRIOR APPLICATION NUMBER: US 60/290,071
; PRIOR FILING DATE: 2001-05-11
; PRIOR APPLICATION NUMBER: US 60/291,311
; PRIOR FILING DATE: 2001-05-17
; PRIOR APPLICATION NUMBER: US 60/353,058
; PRIOR FILING DATE: 2002-02-01
; PRIOR APPLICATION NUMBER: US 60/361,293
; PRIOR FILING DATE: 2002-03-04
; NUMBER OF SEQ ID NOS: 1086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 10
; LENGTH: 8705
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-477-173-10

Query Match   100.0%;   Score 50;   DB 9;   Length 8705;
Best Local Similarity   100.0%;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  3073  AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC  3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  6492  AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC  6541
```

RESULT 82
US-10-834-377-10
; Sequence 10, Application US/10834377
; Publication No. US20050142617A1
; GENERAL INFORMATION:
; APPLICANT: Carulli, John P.
; APPLICANT: Little, Randall D.
; APPLICANT: Recker, Robert R.
; APPLICANT: Johnson, Mark L.
; TITLE OF INVENTION: High bone mass gene of 11q13.3
; FILE REFERENCE: 032796-014
; CURRENT APPLICATION NUMBER: US/10/834,377
; CURRENT FILING DATE: 2004-04-29
; PRIOR APPLICATION NUMBER: US/09/543,771B
; PRIOR FILING DATE: 2000-04-05
; PRIOR APPLICATION NUMBER: US 09/229,319
; PRIOR FILING DATE: 1999-01-13
; PRIOR APPLICATION NUMBER: US 60/071,449
; PRIOR FILING DATE: 1998-01-13
; PRIOR APPLICATION NUMBER: US 60/105,511
; PRIOR FILING DATE: 1998-10-23
; NUMBER OF SEQ ID NOS: 641
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 10
; LENGTH: 8705
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-834-377-10

Query Match   100.0%;   Score 50;   DB 9;   Length 8705;
Best Local Similarity   100.0%;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  3073  AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC  3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  6492  AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCTC  6541
```

RESULT 83
US-09-764-891-8149/c
; Sequence 8149, Application US/09764891

```
;   Publication No. US20030077808A1
;   GENERAL INFORMATION:
;   APPLICANT: Rosen et al.
;   TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
;   FILE REFERENCE: PC006
;   CURRENT APPLICATION NUMBER: US/09/764,891
;   CURRENT FILING DATE: 2001-01-17
;   Prior application data removed - consult PALM or file wrapper
;   NUMBER OF SEQ ID NOS: 10231
;   SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 8149
;   LENGTH: 31474
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-764-891-8149

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      72 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 23


RESULT 84
US-09-764-878-379/c
;   Sequence 379, Application US/09764878
;   Patent No. US20020060615A1
;   GENERAL INFORMATION:
;   APPLICANT: Rosen et al.
;   TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
;   FILE REFERENCE: PA121
;   CURRENT APPLICATION NUMBER: US/09/764,878
;   CURRENT FILING DATE: 2001-01-17
;   Prior application data removed - consult PALM or file wrapper
;   NUMBER OF SEQ ID NOS: 428
;   SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 379
;   LENGTH: 32189
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-764-878-379

Query Match        1.6%; Score 50; DB 3; Length 32189;
Best Local Similarity   100.0%; Pred. No. 5.1e-15;
Matches  50; Conservative  0; Mismatches  0; Indels  0; Gaps  0;

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   12517 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 12468


RESULT 85
US-10-079-854-379/c
;   Sequence 379, Application US/10079854
;   Publication No. US20030054368A1
;   GENERAL INFORMATION:
;   APPLICANT: Rosen et al.
;   TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
;   FILE REFERENCE: PA121C1
;   CURRENT APPLICATION NUMBER: US/10/079,854
;   CURRENT FILING DATE: 2002-02-22
;   Prior Application removed - See File Wrapper or Palm
;   NUMBER OF SEQ ID NOS: 428
;   SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 379
;   LENGTH: 32189
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-10-079-854-379

Query Match        1.6%; Score 50; DB 5; Length 32189;
```

```
Best Local Similarity   100.0%; Pred. No. 5.1e-15;
Matches  50; Conservative  0; Mismatches  0; Indels  0; Gaps  0;

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   12517 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 12468


RESULT 86
US-09-764-877-2623/c
;   Sequence 2623, Application US/09764877
;   Patent No. US20020147140A1
;   GENERAL INFORMATION:
;   APPLICANT: Rosen et al.
;   TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
;   FILE REFERENCE: PC005
;   CURRENT APPLICATION NUMBER: US/09/764,877
;   CURRENT FILING DATE: 2001-01-17
;   Prior application data removed - refer to PALM or file wrapper
;   NUMBER OF SEQ ID NOS: 4031
;   SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 2623
;   LENGTH: 32193
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-764-877-2623

Query Match        1.6%; Score 50; DB 3; Length 32193;
Best Local Similarity   100.0%; Pred. No. 5.1e-15;
Matches  50; Conservative  0; Mismatches  0; Indels  0; Gaps  0;

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   28855 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 28806


RESULT 87
US-10-216-464-37/c
;   Sequence 37, Application US/10216464
;   Publication No. US20030207285A1
;   GENERAL INFORMATION:
;   APPLICANT: Rosen et al.
;   TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
;   FILE REFERENCE: PT219C1
;   CURRENT APPLICATION NUMBER: US/10/216,464
;   CURRENT FILING DATE: 2002-08-12
;   PRIOR APPLICATION NUMBER: 09/764,883
;   PRIOR FILING DATE: 2001-01-17
;   PRIOR APPLICATION NUMBER: 60/179,065
;   PRIOR FILING DATE: 2000-01-31
;   PRIOR APPLICATION NUMBER: 60/220,963
;   PRIOR FILING DATE: 2000-07-26
;   PRIOR APPLICATION NUMBER: 60/217,496
;   PRIOR FILING DATE: 2000-07-11
;   PRIOR APPLICATION NUMBER: 60/225,447
;   PRIOR FILING DATE: 2000-08-14
;   PRIOR APPLICATION NUMBER: 60/218,290
;   PRIOR FILING DATE: 2000-07-14
;   PRIOR APPLICATION NUMBER: 60/214,886
;   PRIOR FILING DATE: 2000-06-28
;   PRIOR APPLICATION NUMBER: 60/217,487
;   PRIOR FILING DATE: 2000-07-11
;   PRIOR APPLICATION NUMBER: 60/225,758
;   PRIOR FILING DATE: 2000-08-14
;   PRIOR APPLICATION NUMBER: 60/180,628
;   PRIOR FILING DATE: 2000-02-04
;   Remaining Prior Application data removed - See File Wrapper or PALM.
;   NUMBER OF SEQ ID NOS: 38
;   SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 37
;   LENGTH: 32193
;   TYPE: DNA
;   ORGANISM: Homo sapiens
```

US-10-216-464-37

```
Query Match             1.6%;  Score 50;  DB 6;  Length 32193;
Best Local Similarity   100.0%;  Pred. No. 5.1e-15;
Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy       3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      28855 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGAGACTCTGTCTC 28806
```

RESULT 88
US-10-242-515-2623/c
; Sequence 2623, Application US/10242515
; Publication No. US20040009488A1
; GENERAL INFORMATION:
; APPLICANT: Rosen et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
; FILE REFERENCE: PC005C1
; CURRENT APPLICATION NUMBER: US/10/242,515
; CURRENT FILING DATE: 2002-09-13
; PRIOR APPLICATION NUMBER: 09/764,877
; PRIOR FILING DATE: 2001-01-17
; PRIOR APPLICATION NUMBER: 60/179,065
; PRIOR FILING DATE: 2000-01-31
; PRIOR APPLICATION NUMBER: 60/180,628
; PRIOR FILING DATE: 2000-02-04
; PRIOR APPLICATION NUMBER: 60/214,886
; PRIOR FILING DATE: 2000-06-28
; PRIOR APPLICATION NUMBER: 60/217,487
; PRIOR FILING DATE: 2000-07-11
; PRIOR APPLICATION NUMBER: 60/218,290
; PRIOR FILING DATE: 2000-07-14
; PRIOR APPLICATION NUMBER: 60/225,758
; PRIOR FILING DATE: 2000-08-14
; PRIOR APPLICATION NUMBER: 60/220,963
; PRIOR FILING DATE: 2000-07-26
; PRIOR APPLICATION NUMBER: 60/217,496
; PRIOR FILING DATE: 2000-07-11
; PRIOR APPLICATION NUMBER: 60/225,447
; PRIOR FILING DATE: 2000-08-14
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 4031
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 2623
; LENGTH: 32193
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-242-515-2623

```
Query Match             1.6%;  Score 50;  DB 6;  Length 32193;
Best Local Similarity   100.0%;  Pred. No. 5.1e-15;
Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy       3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      28855 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGAGACTCTGTCTC 28806
```

RESULT 89
US-09-764-878-377/c
; Sequence 377, Application US/0976478
; Patent No. US20020906151A1
; GENERAL INFORMATION:
; APPLICANT: Rosen et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
; FILE REFERENCE: PA121
; CURRENT APPLICATION NUMBER: US/09/764,878
; CURRENT FILING DATE: 2001-01-17
; Prior application data removed - consult PALM or file wrapper
; NUMBER OF SEQ ID NOS: 428
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 377
; LENGTH: 32221
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: SITE
; LOCATION: (7464)
; OTHER INFORMATION: n equals a,t,g, or c
US-09-764-878-377

```
Query Match             1.6%;  Score 50;  DB 3;  Length 32221;
Best Local Similarity   100.0%;  Pred. No. 5.1e-15;
Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy       3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      12548 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGAGACTCTGTCTC 12499
```

RESULT 90
US-10-079-854-377/c
; Sequence 377, Application US/10079854
; Publication No. US20030054368A1
; GENERAL INFORMATION:
; APPLICANT: Rosen et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
; FILE REFERENCE: PA121C1
; CURRENT APPLICATION NUMBER: US/10/079,854
; CURRENT FILING DATE: 2002-02-22
; Prior Application removed - See File Wrapper or Palm
; NUMBER OF SEQ ID NOS: 428
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 377
; LENGTH: 32221
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (7464)
; OTHER INFORMATION: n equals a,t,g, or c
US-10-079-854-377

```
Query Match             1.6%;  Score 50;  DB 5;  Length 32221;
Best Local Similarity   100.0%;  Pred. No. 5.1e-15;
Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy       3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGAGACTCTGTCTC 3122
              |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      12548 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAAGAGCAAGAGACTCTGTCTC 12499
```

RESULT 91
US-10-085-117-190
; Sequence 190, Application US/10085117
; Publication No. US20030232334A1
; GENERAL INFORMATION:
; APPLICANT: Morris, David W.
; APPLICANT: Engelhard, Eric K.
; TITLE OF INVENTION: NOVEL COMPOSITIONS AND METHODS FOR CANCER
; FILE REFERENCE: 52945200012121
; CURRENT APPLICATION NUMBER: US/10/085,117
; CURRENT FILING DATE: 2002-02-27
; PRIOR APPLICATION NUMBER: US 09/798,586
; PRIOR FILING DATE: 2001-03-02
; NUMBER OF SEQ ID NOS: 361
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 190
; LENGTH: 33126
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-085-117-190

```
Query Match             1.6%;  Score 50;  DB 6;  Length 33126;
Best Local Similarity   100.0%;  Pred. No. 5.1e-15;
```

Matches 50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   30352 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 30401

RESULT 92
US-10-741-600-17637
; Sequence 17637, Application US/10741600
; Publication No. US20050261694A1
; GENERAL INFORMATION:
; APPLICANT: CARGILL, Michele et al.
; TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
; TITLE OF INVENTION: MYOCARDIAL INFARCTION, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001499
; CURRENT APPLICATION NUMBER: US/10/741,600
; CURRENT FILING DATE: 2003-12-22
; NUMBER OF SEQ ID NOS: 73997
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17637
; LENGTH: 56510
; TYPE: DNA
; ORGANISM: Homo sapiens

Query Match   1.6%; Score 50; DB 8; Length 56510;
Best Local Similarity 100.0%; Pred. No. 5e-15;
Matches 50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2889 GAGGCAGGTGGGATCACTTGAGGCCAGGAGTTTGAGACCAGCAGCCTGGCCAAC 2938
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   4790 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAAC 4839

RESULT 93
US-10-087-192-574/c
; Sequence 574, Application US/10087192
; Publication No. US20020182586A1
; GENERAL INFORMATION:
; APPLICANT: Engelhard, Eric K.
; TITLE OF INVENTION: NOVEL COMPOSITIONS AND METHODS FOR
; TITLE OF INVENTION: CANCER
; FILE REFERENCE: 52945200012Z
; CURRENT APPLICATION NUMBER: US/10/087,192
; CURRENT FILING DATE: 2002-03-01
; PRIOR APPLICATION NUMBER: US 09/747,377
; PRIOR FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/798,586
; PRIOR FILING DATE: 2001-03-02
; NUMBER OF SEQ ID NOS: 2059
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 574
; LENGTH: 66973
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(66973)
; OTHER INFORMATION: n = A,T,C or G
US-10-087-192-574

Query Match   1.6%; Score 50; DB 5; Length 66973;
Best Local Similarity 100.0%; Pred. No. 5e-15;
Matches 50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   29006 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 28957

RESULT 94

US-10-087-192-1408
; Sequence 1408, Application US/10087192
; Publication No. US20020182586A1
; GENERAL INFORMATION:
; APPLICANT: Morris, David W.
; TITLE OF INVENTION: NOVEL COMPOSITIONS AND METHODS FOR
; TITLE OF INVENTION: CANCER
; FILE REFERENCE: 52945200012Z
; CURRENT APPLICATION NUMBER: US/10/087,192
; CURRENT FILING DATE: 2002-03-01
; PRIOR APPLICATION NUMBER: US 09/747,377
; PRIOR FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/798,586
; PRIOR FILING DATE: 2001-03-02
; NUMBER OF SEQ ID NOS: 2059
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1408
; LENGTH: 156843
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(156843)
; OTHER INFORMATION: n = A,T,C or G
US-10-087-192-1408

Query Match   1.6%; Score 50; DB 5; Length 156843;
Best Local Similarity 100.0%; Pred. No. 4.9e-15;
Matches 50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   148232 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 148281

RESULT 95
US-10-719-993-6812
; Sequence 6812, Application US/10719993
; Publication No. US20040265849A1
; GENERAL INFORMATION:
; APPLICANT: CARGILL, Michele et al.
; TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
; TITLE OF INVENTION: ALZHEIMER'S DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001496
; CURRENT APPLICATION NUMBER: US/10/719,993
; CURRENT FILING DATE: 2003-11-24
; NUMBER OF SEQ ID NOS: 55342
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 6812
; LENGTH: 202814
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-719-993-6812

Query Match   1.6%; Score 50; DB 8; Length 202814;
Best Local Similarity 100.0%; Pred. No. 4.9e-15;
Matches 50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   145090 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 145139

RESULT 96
US-10-271-416-9
; Sequence 9, Application US/10271416
; Publication No US20040043021A1
; GENERAL INFORMATION:
; APPLICANT: Keith, Tim
; APPLICANT: Little, Randall D.
; APPLICANT: Van Eerdewegh, Paul
; APPLICANT: Dupuis, Josee
;

```
;  APPLICANT:  Del Mastro, Richard G.
;  APPLICANT:  Allen, Kristina
;  TITLE OF INVENTION:  NUCLEOTIDE AND AMINO ACID SEQUENCES
;  TITLE OF INVENTION:   RELATING TO RESPIRATORY DISEASES AND OBESITY
;  FILE REFERENCE: 2976-4045
;  CURRENT APPLICATION NUMBER: US/10/271,416
;  CURRENT FILING DATE:  2002-10-11
;  PRIOR APPLICATION NUMBER: 60/328,424
;  PRIOR FILING DATE:  2001-10-11
;  NUMBER OF SEQ ID NOS: 9
;  SOFTWARE: FastSEQ for Windows Version 4.0
;
;  SEQ ID NO 9
;  LENGTH: 276820
;  TYPE: DNA
;  ORGANISM: Homo sapien
;  FEATURE:
;  NAME/KEY: conflict
;  LOCATION: (167043)...(167043)
;  OTHER INFORMATION: Y=C or T
US-10-271-416-9

Qy        3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
               |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      194263 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 194312

Query Match            1.6%;  Score 50;  DB 7;  Length 276820;
Best Local Similarity  100.0%;  Pred. No. 4.8e-15;
Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

US-09-925-065A-140670

RESULT 97
US-09-925-065A-140670/c
; Sequence 140670, Application US2005028172A9
; Publication No. US2005028172A9
; GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single
;  TITLE OF INVENTION:   Nucleotide Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.135
;  CURRENT APPLICATION NUMBER: US/09/925,065A
;  CURRENT FILING DATE:  2001-08-08
;  PRIOR APPLICATION NUMBER: US 60/243,096
;  PRIOR FILING DATE:  2000-10-24
;  PRIOR APPLICATION NUMBER: US 60/252,147
;  PRIOR FILING DATE:  2000-11-20
;  PRIOR APPLICATION NUMBER: US 60/250,092
;  PRIOR FILING DATE:  2000-11-30
;  PRIOR APPLICATION NUMBER: US 60/261,766
;  PRIOR FILING DATE:  2001-01-16
;  PRIOR APPLICATION NUMBER: US 60/289,846
;  PRIOR FILING DATE:  2001-05-09
;  NUMBER OF SEQ ID NOS: 957086
;  SOFTWARE: FastSEQ for Windows Version 4.0
;
;  SEQ ID NO 140670
;  LENGTH: 420
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-09-925-065A-140670
```

```
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single
;  TITLE OF INVENTION:   Nucleotide Polymorphisms in the Human Genome
;  FILE REFERENCE: 108827.135
;  CURRENT APPLICATION NUMBER: US/09/925,065A
;  CURRENT FILING DATE:  2001-08-08
;  PRIOR APPLICATION NUMBER: US 60/243,096
;  PRIOR FILING DATE:  2000-10-24
;  PRIOR APPLICATION NUMBER: US 60/252,147
;  PRIOR FILING DATE:  2000-11-20
;  PRIOR APPLICATION NUMBER: US 60/250,092
;  PRIOR FILING DATE:  2000-11-30
;  PRIOR APPLICATION NUMBER: US 60/261,766
;  PRIOR FILING DATE:  2001-01-16
;  PRIOR APPLICATION NUMBER: US 60/289,846
;  PRIOR FILING DATE:  2001-05-09
;  NUMBER OF SEQ ID NOS: 957086
;  SOFTWARE: FastSEQ for Windows Version 4.0
;
;  SEQ ID NO 140671
;  LENGTH: 532
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-09-925-065A-140671

Qy        3074 GATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTCT 3122
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         232 GATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTCT 184

Query Match            1.6%;  Score 49;  DB 4;  Length 532;
Best Local Similarity  100.0%;  Pred. No. 1.9e-14;
Matches   49;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

US-09-925-065A-140671
```

```
RESULT 98
US-09-925-065A-140671/c
; Sequence 140671, Application US2005028172A9
; Publication No. US2005028172A9
; GENERAL INFORMATION:

Qy        3074 GATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 3122
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         273 GATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCTC 225

Query Match            1.6%;  Score 49;  DB 4;  Length 420;
Best Local Similarity  100.0%;  Pred. No. 1.9e-14;
Matches   49;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

US-09-925-065A-140670
```

```
RESULT 99
US-09-925-065A-18609/c
; Sequence 18609, Application US2005028172A9
; Publication No. US2005028172A9
; GENERAL INFORMATION:

Qy        3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCT 3121
               |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         363 AGATTGTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCT 315

Query Match            1.6%;  Score 49;  DB 4;  Length 552;
Best Local Similarity  100.0%;  Pred. No. 1.9e-14;
Matches   49;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

US-09-925-065A-18609

RESULT 100
US-09-925-065A-18610/c
```

```
;  Sequence 18610, Application US/09925065A
;  Publication No. US20050228172A9
;  GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 18610
;   LENGTH: 552
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-18610

        Query Match             1.6%;       Score 49;   DB 4;   Length 552;
        Best Local Similarity   100.0%;      Pred. No. 1.9e-14;
        Matches  49;    Conservative  0;    Mismatches  0;    Indels  0;    Gaps  0;

Qy   3073  AGATTGTGCCACTGCACTCCAGCCTCAGCCTGGGCAACACAGAGCAAGACTCTGTCT 3121
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    363  AGATTGTGCCACTGCACTCCAGCCTCAGCCTGGGCAACACAGAGCAAGACTCTGTCT 315


RESULT 101
US-09-925-065A-18611/c
;  Sequence 18611, Application US/09925065A
;  Publication No. US20050228172A9
;  GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 18611
;   LENGTH: 552
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-18611

        Query Match             1.6%;       Score 49;   DB 4;   Length 552;
        Best Local Similarity   100.0%;      Pred. No. 1.9e-14;
        Matches  49;    Conservative  0;    Mismatches  0;    Indels  0;    Gaps  0;

Qy   3073  AGATTGTGCCACTGCACTCCAGCCTCAGCCTGGGCAACACAGAGCAAGACTCTGTCT 3121
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    363  AGATTGTGCCACTCCAGCCTCGGGCAACAGAGACGAAGACTCTGTCT 315
```

```
RESULT 102
US-10-027-632-80386/c
;  Sequence 80386, Application US/10027632
;  Publication No. US20020198371A1
;  GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;   TITLE OF INVENTION: Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.129
;   CURRENT APPLICATION NUMBER: US/10/027,632
;   CURRENT FILING DATE: 2002-04-30
;   PRIOR APPLICATION NUMBER: US 60/218,006
;   PRIOR FILING DATE: 2000-07-12
;   PRIOR APPLICATION NUMBER: US 60/198,676
;   PRIOR FILING DATE: 2000-04-20
;   PRIOR APPLICATION NUMBER: US 60/193,483
;   PRIOR FILING DATE: 2000-03-29
;   PRIOR APPLICATION NUMBER: US 60/185,218
;   PRIOR FILING DATE: 2000-02-24
;   PRIOR APPLICATION NUMBER: US 60/167,363
;   PRIOR FILING DATE: 1999-11-23
;   PRIOR APPLICATION NUMBER: US 60/156,358
;   PRIOR FILING DATE: 1999-09-28
;   PRIOR APPLICATION NUMBER: US 60/146,002
;   PRIOR FILING DATE: 1999-08-09
;   NUMBER OF SEQ ID NOS: 325720
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 80386
;   LENGTH: 580
;   TYPE: DNA
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: misc_feature
;   LOCATION: (1)...(580)
;   OTHER INFORMATION: n = A,T,C or G
US-10-027-632-80386

        Query Match             1.6%;       Score 49;   DB 5;   Length 580;
        Best Local Similarity   100.0%;      Pred. No. 1.9e-14;
        Matches  49;    Conservative  0;    Mismatches  0;    Indels  0;    Gaps  0;

Qy   3074  GATTGTGCCACTGCACTCCAGCCTCAGCCTGGGCAACACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    281  GATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGACGAAGACTCTGTCTC 233


RESULT 103
US-10-027-632-80387/c
;  Sequence 80387, Application US/10027632
;  Publication No. US20020198371A1
;  GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;   TITLE OF INVENTION: Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.129
;   CURRENT APPLICATION NUMBER: US/10/027,632
;   CURRENT FILING DATE: 2002-04-30
;   PRIOR APPLICATION NUMBER: US 60/218,006
;   PRIOR FILING DATE: 2000-07-12
;   PRIOR APPLICATION NUMBER: US 60/198,676
;   PRIOR FILING DATE: 2000-04-20
;   PRIOR APPLICATION NUMBER: US 60/193,483
;   PRIOR FILING DATE: 2000-03-29
;   PRIOR APPLICATION NUMBER: US 60/185,218
;   PRIOR FILING DATE: 2000-02-24
;   PRIOR APPLICATION NUMBER: US 60/167,363
;   PRIOR FILING DATE: 1999-11-23
;   PRIOR APPLICATION NUMBER: US 60/156,358
;   PRIOR FILING DATE: 1999-09-28
;   PRIOR APPLICATION NUMBER: US 60/146,002
;   PRIOR FILING DATE: 1999-08-09
;   NUMBER OF SEQ ID NOS: 325720
```

SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 80387
; TYPE: DNA
; LENGTH: 580
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(580)
; OTHER INFORMATION: n = A,T,C or G
US-10-027-632-80387

Qy   3074 GATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
Db   281 GATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 233

RESULT 104
US-10-027-632-80386/c
; Sequence 80386, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 80386
; TYPE: DNA
; LENGTH: 580
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(580)
; OTHER INFORMATION: n = A,T,C or G
US-10-027-632-80386

Query Match   1.6%;   Score 49;   DB 5;   Length 580;
Best Local Similarity   100.0%;   Pred. No. 1.9e-14;
Matches   49;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3074 GATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
Db   281 GATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 233

RESULT 105
US-10-027-632-80387/c
; Sequence 80387, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide

---

; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 80387
; TYPE: DNA
; LENGTH: 580
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(580)
; OTHER INFORMATION: n = A,T,C or G
US-10-027-632-80387

Query Match   1.6%;   Score 49;   DB 6;   Length 580;
Best Local Similarity   100.0%;   Pred. No. 1.9e-14;
Matches   49;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3074 GATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 3122
Db   281 GATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 233

RESULT 106
US-09-925-065A-7087000/c
; Sequence 708700, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 708700
; TYPE: DNA
; LENGTH: 695
; ORGANISM: Homo sapiens
US-09-925-065A-708700

Query Match   1.6%;   Score 49;   DB 4;   Length 695;
Best Local Similarity   100.0%;   Pred. No. 1.9e-14;
Matches   49;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2892 GCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCAAACAT 2940

RESULT 107
US-09-925-065A-932035/c
; Sequence 932035, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 932035
; LENGTH: 750
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-932035

Qy   3074 GATTGTGCCACTGCACTCCAGCTGGGCGCAACAGAGCAAGAGAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   612 GATTGTGCCACTGCACTCCAGCTGGGCGCAACAGAGCAAGAGAGACTCTGTCTC 564

Query Match   1.6%;   Score 49; DB 4; Length 750;
Best Local Similarity 100.0%; Pred. No. 1.9e-14;
Matches   49; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 108
US-09-925-065A-932036/c
; Sequence 932036, Application US/09925065A
; Publication No. US/09/925,065A
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 932036
; LENGTH: 750
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-932036

Qy   487 GCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 439
            |||||||||||||||||||||||||||||||||||||||||||||||||
Db   ...

Query Match   1.6%;   Score 49; DB 4; Length 750;
Best Local Similarity 100.0%; Pred. No. 1.9e-14;

RESULT 109
US-10-027-632-113573
; Sequence 113573, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 113573
; LENGTH: 3170
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-113573

Qy   3074 GATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   612 GATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGAGACTCTGTCTC 564

Query Match   1.6%;   Score 49; DB 5; Length 3170;
Best Local Similarity 100.0%; Pred. No. 1.8e-14;
Matches   49; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 110
US-10-027-632-113574
; Sequence 113574, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGAGACTCTGTCT 3121
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1985 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGAGACTCTGTCT 2033

RESULT 111
US-10-027-632-113573
Sequence 113573, Application US/10027632
Publication No. US20040075A9
GENERAL INFORMATION:
 APPLICANT: Wang, David G.
 TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
 TITLE OF INVENTION: Polymorphisms in the Human Genome
 FILE REFERENCE: 108827.129
 CURRENT APPLICATION NUMBER: US/10/027,632
 CURRENT FILING DATE: 2002-04-30
 PRIOR APPLICATION NUMBER: US 60/218,006
 PRIOR FILING DATE: 2000-07-12
 PRIOR APPLICATION NUMBER: US 60/198,676
 PRIOR FILING DATE: 2000-04-20
 PRIOR APPLICATION NUMBER: US 60/193,483
 PRIOR FILING DATE: 2000-03-29
 PRIOR APPLICATION NUMBER: US 60/185,218
 PRIOR FILING DATE: 2000-02-24
 PRIOR APPLICATION NUMBER: US 60/167,363
 PRIOR FILING DATE: 1999-11-23
 PRIOR APPLICATION NUMBER: US 60/156,358
 PRIOR FILING DATE: 1999-09-28
 PRIOR APPLICATION NUMBER: US 60/146,002
 PRIOR FILING DATE: 1999-08-09
 NUMBER OF SEQ ID NOS: 325720
 SOFTWARE: FastSEQ for Windows Version 4.0
 SEQ ID NO 113573
 LENGTH: 3170
 TYPE: DNA
 ORGANISM: Human
US-10-027-632-113573

Qy   3073 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCT 3121
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1985 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCT 2033

Query Match   100.0%;   Score 49;   DB 5;   Length 3170;
Best Local Similarity   100.0%;
Matches   49;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 112
US-10-027-632-113574
Sequence 113574, Application US/10027632
Publication No. US20040075A9
GENERAL INFORMATION:
 APPLICANT: Wang, David G.
 TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
 TITLE OF INVENTION: Polymorphisms in the Human Genome
 FILE REFERENCE: 108827.129
 CURRENT APPLICATION NUMBER: US/10/027,632
 CURRENT FILING DATE: 2002-04-30
 PRIOR APPLICATION NUMBER: US 60/218,006
 PRIOR FILING DATE: 2000-07-12

Qy   3073 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCT 3121
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1985 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCT 2033

Query Match   100.0%;   Score 49;   DB 6;   Length 3170;
Best Local Similarity   100.0%;
Matches   49;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 113
US-10-027-632-182264
Sequence 182264, Application US/10027632
Publication No. US20020198371A1
GENERAL INFORMATION:
 APPLICANT: Wang, David G.
 TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
 TITLE OF INVENTION: Polymorphisms in the Human Genome
 FILE REFERENCE: 108827.129
 CURRENT APPLICATION NUMBER: US/10/027,632
 CURRENT FILING DATE: 2002-04-30
 PRIOR APPLICATION NUMBER: US 60/218,006
 PRIOR FILING DATE: 2000-07-12
 PRIOR APPLICATION NUMBER: US 60/198,676
 PRIOR FILING DATE: 2000-04-20
 PRIOR APPLICATION NUMBER: US 60/193,483
 PRIOR FILING DATE: 2000-03-29
 PRIOR APPLICATION NUMBER: US 60/185,218
 PRIOR FILING DATE: 2000-02-24
 PRIOR APPLICATION NUMBER: US 60/167,363
 PRIOR FILING DATE: 1999-11-23
 PRIOR APPLICATION NUMBER: US 60/156,358
 PRIOR FILING DATE: 1999-09-28
 PRIOR APPLICATION NUMBER: US 60/146,002
 PRIOR FILING DATE: 1999-08-09
 NUMBER OF SEQ ID NOS: 325720
 SOFTWARE: FastSEQ for Windows Version 4.0
 SEQ ID NO 182264
 LENGTH: 460
 TYPE: DNA
 ORGANISM: Human
US-10-027-632-182264

Qy   3073 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCT 3121
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1985 AGATTGTGCCACTGCACTTCCAGCCTGGGCAACACAGAGCAAGAGACTCTGTCT 2033

Query Match   100.0%;   Score 49;   DB 5;   Length 460;
Best Local Similarity   100.0%;
Matches   49;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 114
US-10-027-632-319423

Qy   3075 ATTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
              ||||||||||||||||||||||||| |||||||||| |||||||||||||||
Db   160 ATTGTGCCACTGCACTTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 207

Query Match   100.0%;   Score 48;   DB 5;   Length 460;
Best Local Similarity   100.0%;
Matches   48;   Conservative   0;   Mismatches   6;   Indels   0;   Gaps   0;

```
Sequence 319423, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 319423
; LENGTH: 460
; TYPE: DNA
; ORGANISM: Human
; US-10-027-632-319423

Qy   3075 ATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGCAACAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db    160 ATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGCAACAGACTCTGTCTC 207

Query Match           1.5%;    Score 48;  DB 5;  Length 460;
Best Local Similarity 100.0%;  Pred. No. 6.4e-14;
Matches  48;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;


RESULT 115
US-10-027-632-182264
; Sequence 182264, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 182264
; LENGTH: 460
; TYPE: DNA
; ORGANISM: Human
; US-10-027-632-182264
```

```
Query Match           1.5%;    Score 48;  DB 6;  Length 460;
Best Local Similarity 100.0%;  Pred. No. 6.4e-14;
Matches  48;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGCAACAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db    160 ATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGCAACAGACTCTGTCTC 207


RESULT 116
US-10-027-632-319423
; Sequence 319423, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 319423
; LENGTH: 460
; TYPE: DNA
; ORGANISM: Human
; US-10-027-632-319423

Query Match           1.5%;    Score 48;  DB 6;  Length 460;
Best Local Similarity 100.0%;  Pred. No. 6.4e-14;
Matches  48;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGCAACAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db    160 ATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGGCAACAGACTCTGTCTC 207


RESULT 117
US-10-027-632-132626
; Sequence 132626, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
```

RESULT 118
US-10-027-632-132626
; Sequence 132626, Application US/10277632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;   Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 132626
; LENGTH: 716
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-132626

  Query Match   100.0%; Score 48; DB 5; Length 716;
  Best Local Similarity   100.0%;
  Matches   48; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTCGGGCCAACAGAGACGAAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   358 ATTGTGCCACTGCACTCCAGCCTCGGGCCAACAGAGACGAAGACTCTGTCTC 405

RESULT 119
US-10-052-482-172
; Sequence 172, Application US/10052482
; Publication No. US20040072264A1
; GENERAL INFORMATION:
; APPLICANT: Engelhard, Eric
; APPLICANT: Morris, David
; TITLE OF INVENTION: NOVEL COMPOSITIONS AND METHODS FOR CANCER
; FILE REFERENCE: A-71087/BMS/DCF
; CURRENT APPLICATION NUMBER: US/10/052,482
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: US 09/747,377
; PRIOR FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/798,586
; PRIOR FILING DATE: 2001-03-02
; NUMBER OF SEQ ID NOS: 241
; SOFTWARE: Patentin version 3.1
; SEQ ID NO 172
; LENGTH: 52242
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (51242)..(51261)
; OTHER INFORMATION: "n" at positions 51242 to 51261 can be any base
US-10-052-482-172

  Query Match   100.0%; Score 48; DB 6; Length 716;
  Best Local Similarity   100.0%;
  Matches   48; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGACCAAGACTCTGTCTC 3122
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   358 ATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGACCAAGACTCTGTCTC 405

RESULT 120
US-10-737-082-85/c
; Sequence 85, Application US/10737082
; Publication No. US20050130170A1
; GENERAL INFORMATION:
; APPLICANT: Bayer Healthcare LLC
; APPLICANT: Beard, Chris
; APPLICANT: Burgess, Chris
; APPLICANT: Gannon, Allison
; APPLICANT: Harvey, Jeanne
; APPLICANT: Lechner, John F.
; APPLICANT: Li, Zheng
; TITLE OF INVENTION: Identification and Verification of Methylation Marker Sequences
; FILE REFERENCE: 1657/2032
; CURRENT APPLICATION NUMBER: US/10/737,082
; CURRENT FILING DATE: 2003-12-16
; PRIOR APPLICATION NUMBER: US 10/737,082
; PRIOR FILING DATE: 2003-12-16
; NUMBER OF SEQ ID NOS: 300
; SOFTWARE: Patentin version 3.2
; SEQ ID NO 85
; LENGTH: 53779
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-737-082-85

  Query Match   100.0%; Score 48; DB 9; Length 53779;
  Best Local Similarity   100.0%;
  Matches   48; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGGCCAACATAG 2942
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   5520 GGTGGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGGCCAACATAG 5567

RESULT 121
US-10-765-790-85/c
; Sequence 85, Application US/10765790
; Publication No. US20050130172A1
; GENERAL INFORMATION:
; APPLICANT: Bayer Healthcare LLC
; APPLICANT: Beard, Chris
; APPLICANT: Burgess, Chris
; APPLICANT: Gannon, Allison
; APPLICANT: Harvey, Jeanne
; APPLICANT: Lechner, John F.
; APPLICANT: Li, Zheng
; TITLE OF INVENTION: Identification and Verification of Methylation Marker Sequences

  Query Match   100.0%; Score 48; DB 7; Length 53779;
  Best Local Similarity   100.0%;
  Matches   48; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGGCCA 2936
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   2311 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGGCCA 2264

```
;  FILE REFERENCE: 1657/2035
;  CURRENT APPLICATION NUMBER: US/10/765,790
;  CURRENT FILING DATE: 2004-01-27
;  PRIOR APPLICATION NUMBER: US 10/737,082
;  PRIOR FILING DATE: 2003-12-16
;  NUMBER OF SEQ ID NOS: 300
;  SOFTWARE: Patentin version 3.2
;  SEQ ID NO 85
;  LENGTH: 53779
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-10-765-790-85

Query Match             1.5%;  Score 48;  DB 9;  Length 53779;
Best Local Similarity   100.0%;  Pred. No. 5.7e-14;
Matches   48;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCA 2936
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   2311 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCA 2264
```

RESULT 122
US-10-741-600-17651
Sequence 17651, Application US/10741600
Publication No. US20050026169A1

```
;  GENERAL INFORMATION:
;  APPLICANT: CARGILL, Michele et al.
;  TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
;  TITLE OF INVENTION: MYOCARDIAL INFARCTION, METHODS OF DETECTION AND USES THEREOF
;  FILE REFERENCE: CL001499
;  CURRENT APPLICATION NUMBER: US/10/741,600
;  CURRENT FILING DATE: 2003-12-22
;  PRIOR APPLICATION NUMBER: US/10/741,600
;  PRIOR FILING DATE: 2003-12-22
;  NUMBER OF SEQ ID NOS: 73997
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 17651
;  LENGTH: 141121
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-10-741-600-17651

Query Match             1.5%;  Score 48;  DB 8;  Length 141121;
Best Local Similarity   100.0%;  Pred. No. 5.6e-14;
Matches   48;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   8800 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 8847
```

RESULT 123
US-10-087-192-790
Sequence 790, Application US/10087192
Publication No. US20020182586A1

```
;  GENERAL INFORMATION:
;  APPLICANT: Morris, David W.
;  APPLICANT: Engelhard, Eric K.
;  TITLE OF INVENTION: NOVEL COMPOSITIONS AND METHODS FOR
;  TITLE OF INVENTION: CANCER
;  FILE REFERENCE: 529452000122
;  CURRENT APPLICATION NUMBER: US/10/087,192
;  CURRENT FILING DATE: 2002-03-01
;  PRIOR APPLICATION NUMBER: US 09/747,377
;  PRIOR FILING DATE: 2000-12-22
;  PRIOR APPLICATION NUMBER: US 09/798,586
;  PRIOR FILING DATE: 2001-03-02
;  NUMBER OF SEQ ID NOS: 2059
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 790
;  LENGTH: 181684
;  TYPE: DNA
;  ORGANISM: Homo sapiens
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: (1)...(181684)
;  OTHER INFORMATION: n = A,T,C or G
US-10-087-192-790

Query Match             1.5%;  Score 48;  DB 5;  Length 181684;
Best Local Similarity   100.0%;  Pred. No. 5.5e-14;
Matches   48;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTC 3120
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db 155726 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTC 155773
```

RESULT 124
US-10-357-930-16322
Sequence 16322, Application US/10357930
Publication No. US20040259086A1

```
;  GENERAL INFORMATION:
;  APPLICANT: Schlegel, Robert
;  APPLICANT: Endege, Wilson
;  APPLICANT: Monahan, John
;  TITLE OF INVENTION: NOVEL GENES, COMPOSITIONS, KITS, AND METHODS FOR
;  TITLE OF INVENTION: IDENTIFICATION, ASSESSMENT, PREVENTION, AND THERAPY OF
;  TITLE OF INVENTION: HUMAN PROSTATE CANCER
;  FILE REFERENCE: MRI-007BCN
;  CURRENT APPLICATION NUMBER: US/10/357,930
;  CURRENT FILING DATE: 2003-02-04
;  PRIOR APPLICATION NUMBER: 09/785,276
;  PRIOR FILING DATE: 2003-02-16
;  PRIOR APPLICATION NUMBER: 60/183,319
;  PRIOR FILING DATE: 2000-02-17
;  PRIOR APPLICATION NUMBER: 60/189,862
;  PRIOR FILING DATE: 2000-03-16
;  PRIOR APPLICATION NUMBER: 60/207,454
;  PRIOR FILING DATE: 2000-05-25
;  PRIOR APPLICATION NUMBER: 60/211,314
;  PRIOR FILING DATE: 2000-06-09
;  PRIOR APPLICATION NUMBER: 60/219,007
;  PRIOR FILING DATE: 2000-07-18
;  PRIOR APPLICATION NUMBER: 60/255,281
;  PRIOR FILING DATE: 2000-12-13
;  NUMBER OF SEQ ID NOS: 62232
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 16322
;  LENGTH: 440
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-10-357-930-16322

Query Match             1.5%;  Score 47;  DB 8;  Length 440;
Best Local Similarity   100.0%;  Pred. No. 2.2e-13;
Matches   47;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3070 GCAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 3116
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db    378 GCAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 424
```

RESULT 125
US-10-357-930-46148
Sequence 46148, Application US/10357930
Publication No. US20040259086A1

```
;  GENERAL INFORMATION:
;  APPLICANT: Schlegel, Robert
;  APPLICANT: Endege, Wilson
;  APPLICANT: Monahan, John
;  TITLE OF INVENTION: NOVEL GENES, COMPOSITIONS, KITS, AND METHODS FOR
;  TITLE OF INVENTION: IDENTIFICATION, ASSESSMENT, PREVENTION, AND THERAPY OF
;  TITLE OF INVENTION: HUMAN PROSTATE CANCER
;  FILE REFERENCE: MRI-007BCN
;  CURRENT APPLICATION NUMBER: US/10/357,930
;  CURRENT FILING DATE: 2003-02-04
```

; PRIOR APPLICATION NUMBER: 09/785,276
; PRIOR FILING DATE: 2003-02-16
; PRIOR APPLICATION NUMBER: 60/183,319
; PRIOR FILING DATE: 2000-02-17
; PRIOR APPLICATION NUMBER: 60/189,862
; PRIOR FILING DATE: 2000-03-16
; PRIOR APPLICATION NUMBER: 60/207,454
; PRIOR FILING DATE: 2000-05-25
; PRIOR APPLICATION NUMBER: 60/211,314
; PRIOR FILING DATE: 2000-06-09
; PRIOR APPLICATION NUMBER: 60/219,007
; PRIOR FILING DATE: 2000-07-18
; PRIOR APPLICATION NUMBER: 60/255,281
; PRIOR FILING DATE: 2000-12-13
; NUMBER OF SEQ ID NOS: 62232
; SEQ ID NO 46148
; LENGTH: 516
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 495, 496
; OTHER INFORMATION: n = A,T,C or G
US-10-357-930-46148
; SOFTWARE: FastSEQ for Windows Version 4.0

Query Match   1.5%;   Score 47;   DB 8;   Length 516;
Best Local Similarity   100.0%;   Pred. No. 2.2e-13;
Matches   47;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3070 GCAAGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTC 3116
               ||||||||||||||||||||||||||||||||||||||||||||||||
Db   418 GCAAGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTC 464

RESULT 126
US-09-925-065A-440136/c
Sequence 440136, Application US2005022817269
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SEQ ID NO 440136
; LENGTH: 534
; TYPE: DNA
; ORGANISM: Homo sapiens
; SOFTWARE: FastSEQ for Windows Version 4.0
US-09-925-065A-440136

Query Match   1.5%;   Score 47;   DB 4;   Length 534;
Best Local Similarity   100.0%;   Pred. No. 2.2e-13;
Matches   47;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCT 3117
               ||||||||||||||||||||||||||||||||||||||||||||||||
Db   161 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCT 115

RESULT 127
US-09-925-065A-440137/c
Sequence 440137, Application US2005022817269
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SEQ ID NO 440137
; LENGTH: 534
; TYPE: DNA
; ORGANISM: Homo sapiens
; SOFTWARE: FastSEQ for Windows Version 4.0
US-09-925-065A-440137

Query Match   1.5%;   Score 47;   DB 4;   Length 534;
Best Local Similarity   100.0%;   Pred. No. 2.2e-13;
Matches   47;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCT 3117
               ||||||||||||||||||||||||||||||||||||||||||||||||
Db   161 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGCAAGACTCT 115

RESULT 128
US-09-925-065A-623360/c
Sequence 623360, Application US2005022817269
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SEQ ID NO 623360
; LENGTH: 566
; TYPE: DNA
; ORGANISM: Homo sapiens
; SOFTWARE: FastSEQ for Windows Version 4.0
US-09-925-065A-623360

Query Match   1.5%;   Score 47;   DB 4;   Length 566;
Best Local Similarity   100.0%;   Pred. No. 2.2e-13;
Matches   47;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3076 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGCAAGACTCTGTCTC 3122
               ||||||||||||||||||||||||||||||||||||||||||||||||

Db   336   TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 290

RESULT 129
US-10-027-632-115306/c
; Sequence 115306, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 115306
; LENGTH: 3231
; TYPE: DNA
; ORGANISM: Human
; US-10-027-632-115306

Qy   3076   TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   840   TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 794

Query Match   1.5%;   Score 47;   DB 5; Length 3231;
Best Local Similarity   100.0%; Pred. No. 2.1e-13;
Matches   47; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 130
US-10-027-632-115307/c
; Sequence 115307, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 115307
; LENGTH: 3231
; TYPE: DNA
; ORGANISM: Human
; US-10-027-632-115307

Query Match   1.5%;   Score 47;   DB 5; Length 3231;
Best Local Similarity   100.0%; Pred. No. 2.1e-13;
Matches   47; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3076   TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   840   TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 794

RESULT 131
US-10-027-632-115308/c
; Sequence 115308, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 115308
; LENGTH: 3231
; TYPE: DNA
; ORGANISM: Human
; US-10-027-632-115308

Qy   3076   TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   840   TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGAGACTCTGTCTC 794

Query Match   1.5%;   Score 47;   DB 5; Length 3231;
Best Local Similarity   100.0%; Pred. No. 2.1e-13;
Matches   47; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 132
US-10-027-632-115306/c
; Sequence 115306, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29

```
;       PRIOR APPLICATION NUMBER: US 60/185,218
;       PRIOR FILING DATE: 2000-02-24
;       PRIOR APPLICATION NUMBER: US 60/167,363
;       PRIOR FILING DATE: 1999-11-23
;       PRIOR APPLICATION NUMBER: US 60/156,358
;       PRIOR FILING DATE: 1999-09-28
;       PRIOR APPLICATION NUMBER: US 60/146,002
;       PRIOR FILING DATE: 1999-08-09
;       NUMBER OF SEQ ID NOS: 325720
;       SOFTWARE: FastSEQ for Windows Version 4.0
;       SEQ ID NO 115306
;       LENGTH: 3231
;       TYPE: DNA
;       ORGANISM: Human
US-10-027-632-115306

Qy    3076 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db     840 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGAAGAGACTCTGTCTC 794

Query Match           100.0%;    Score 47;   DB 6;   Length 3231;
Best Local Similarity   1.5%;    Pred. No. 2.1e-13;
Matches   47;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 133
US-10-027-632-115307/c
;       Sequence 115307, Application US/10027632
;       Publication No. US20030204075A9
;       GENERAL INFORMATION:
;       APPLICANT: Wang, David G.
;       TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;       TITLE OF INVENTION: Polymorphisms in the Human Genome
;       FILE REFERENCE: 108827.129
;       CURRENT APPLICATION NUMBER: US/10/027,632
;       CURRENT FILING DATE: 2002-04-30
;       PRIOR APPLICATION NUMBER: US 60/218,006
;       PRIOR FILING DATE: 2000-07-12
;       PRIOR APPLICATION NUMBER: US 60/198,676
;       PRIOR FILING DATE: 2000-04-20
;       PRIOR APPLICATION NUMBER: US 60/193,483
;       PRIOR FILING DATE: 2000-03-29
;       PRIOR APPLICATION NUMBER: US 60/185,218
;       PRIOR FILING DATE: 2000-02-24
;       PRIOR APPLICATION NUMBER: US 60/167,363
;       PRIOR FILING DATE: 1999-11-23
;       PRIOR APPLICATION NUMBER: US 60/156,358
;       PRIOR FILING DATE: 1999-09-28
;       PRIOR APPLICATION NUMBER: US 60/146,002
;       PRIOR FILING DATE: 1999-08-09
;       NUMBER OF SEQ ID NOS: 325720
;       SOFTWARE: FastSEQ for Windows Version 4.0
;       SEQ ID NO 115307
;       LENGTH: 3231
;       TYPE: DNA
;       ORGANISM: Human
US-10-027-632-115307

Qy    3076 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db     840 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGAAGAGACTCTGTCTC 794

Query Match           100.0%;    Score 47;   DB 6;   Length 3231;
Best Local Similarity   1.5%;    Pred. No. 2.1e-13;
Matches   47;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 134
US-10-027-632-115308/c
;       Sequence 115308, Application US/10027632
;       Publication No. US20030204075A9
;       GENERAL INFORMATION:
;       APPLICANT: Wang, David G.
```

```
;       TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;       TITLE OF INVENTION: Polymorphisms in the Human Genome
;       FILE REFERENCE: 108827.129
;       CURRENT APPLICATION NUMBER: US/10/027,632
;       CURRENT FILING DATE: 2002-04-30
;       PRIOR APPLICATION NUMBER: US 60/218,006
;       PRIOR FILING DATE: 2000-07-12
;       PRIOR APPLICATION NUMBER: US 60/198,676
;       PRIOR FILING DATE: 2000-04-20
;       PRIOR APPLICATION NUMBER: US 60/193,483
;       PRIOR FILING DATE: 2000-03-29
;       PRIOR APPLICATION NUMBER: US 60/185,218
;       PRIOR FILING DATE: 2000-02-24
;       PRIOR APPLICATION NUMBER: US 60/167,363
;       PRIOR FILING DATE: 1999-11-23
;       PRIOR APPLICATION NUMBER: US 60/156,358
;       PRIOR FILING DATE: 1999-09-28
;       PRIOR APPLICATION NUMBER: US 60/146,002
;       PRIOR FILING DATE: 1999-08-09
;       NUMBER OF SEQ ID NOS: 325720
;       SOFTWARE: FastSEQ for Windows Version 4.0
;       SEQ ID NO 115308
;       LENGTH: 3231
;       TYPE: DNA
;       ORGANISM: Human
US-10-027-632-115308

Qy    3076 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db     840 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGAAGAGACTCTGTCTC 794

Query Match           100.0%;    Score 47;   DB 6;   Length 3231;
Best Local Similarity   1.5%;    Pred. No. 2.1e-13;
Matches   47;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 135
US-10-719-993-51173/c
;       Sequence 51173, Application US/10719993
;       Publication No. US20040258049A1
;       GENERAL INFORMATION:
;       APPLICANT: CARGILL, Michele et al.
;       TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
;       TITLE OF INVENTION: ALZHEIMER'S DISEASE, METHODS OF DETECTION AND USES THEREOF
;       FILE REFERENCE: CL001496
;       CURRENT APPLICATION NUMBER: US/10/719,993
;       CURRENT FILING DATE: 2003-11-24
;       NUMBER OF SEQ ID NOS: 55342
;       SOFTWARE: FastSEQ for Windows Version 4.0
;       SEQ ID NO 51173
;       LENGTH: 201
;       TYPE: DNA
;       ORGANISM: Homo sapiens
US-10-719-993-51173

Qy    3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGAAGAGACTC 3116
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db     197 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGAAGAGACTC 152

Query Match           100.0%;    Score 46;   DB 8;   Length 201;
Best Local Similarity   1.5%;    Pred. No. 7.4e-13;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 136
US-10-674-124A-25317/c
;       Sequence 25317, Application US/10674124A
;       Publication No. US20040197797A1
;       GENERAL INFORMATION:
;       APPLICANT: INOKO, Hidetoshi
;       APPLICANT: TAMIYA, Gen
;       TITLE OF INVENTION: GENE MAPPING METHOD USING MICROSATELLITE
;       TITLE OF INVENTION: GENETIC POLYMORPHISM MARKERS
```

FILE REFERENCE: ORIN-003CIP
CURRENT APPLICATION NUMBER: US/10/674,124A
CURRENT FILING DATE: 2003-09-26
PRIOR APPLICATION NUMBER: 10/257,511
PRIOR FILING DATE: 2003-03-07
PRIOR APPLICATION NUMBER: PCT/JP00/07621
PRIOR FILING DATE: 2000-10-30
PRIOR APPLICATION NUMBER: JP2000-112699
PRIOR FILING DATE: 2000-04-13
PRIOR APPLICATION NUMBER: JP2002-327516
PRIOR FILING DATE: 2002-09-28
PRIOR APPLICATION NUMBER: JP2002-383869
PRIOR FILING DATE: 2002-12-09
NUMBER OF SEQ ID NOS: 27110
SEQ ID NO 25317
LENGTH: 322
TYPE: DNA
ORGANISM: Homo sapiens
FEATURE:
OTHER INFORMATION: AC007064.27_66627
FEATURE:
OTHER INFORMATION: Located on chromosome 22
FEATURE:
OTHER INFORMATION: Distance between a terminus base of telomere on
OTHER INFORMATION: chromosomal short arm and 5'-terminus of this base
FEATURE:
OTHER INFORMATION: sequence : 14352146
FEATURE:
OTHER INFORMATION: Distance between 3'-terminus of neighbour sequence of
OTHER INFORMATION: sequence listing upward to telomere on chromosomal short arm and
OTHER INFORMATION: 5'-terminus of this base sequence : 34953
US-10-674-124A-25317

Qy 3076 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCT 3121
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   153 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCT 108

Query Match   1.5%; Score 46; DB 8; Length 322;
Best Local Similarity 100.0%;   Pred. No. 7.3e-13;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 137
US-10-914-037-282/c
Sequence 282, Application US/10914037
Publication No. US20050034444A1
GENERAL INFORMATION:
APPLICANT: Nehls, Michael
APPLICANT: Zambrowicz, Brian
APPLICANT: Sands, Arthur T.
TITLE OF INVENTION: NOVEL HUMAN POLYNUCLEOTIDES AND THE
TITLE OF INVENTION: POLYPEPTIDES ENCODED THEREBY
FILE REFERENCE: 8535-0029-999
CURRENT APPLICATION NUMBER: US/10/914,037
CURRENT FILING DATE: 2004-08-06
PRIOR APPLICATION NUMBER: US/09/428,674
PRIOR FILING DATE: 1999-10-27
PRIOR APPLICATION NUMBER: US 60/106,442
PRIOR FILING DATE: 1998-10-30
NUMBER OF SEQ ID NOS: 1008
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 282
LENGTH: 380
TYPE: DNA
ORGANISM: Homo sapiens
FEATURE:
NAME/KEY: misc_feature
LOCATION: (1)...(380)
OTHER INFORMATION: n = A,T,C or G
US-10-914-037-282

Query Match   1.5%; Score 46; DB 8; Length 380;
Best Local Similarity 100.0%; Pred. No. 7.3e-13;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   49 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 4

RESULT 138
US-09-867-701-6376/c
Sequence 6376, Application US/09867701
Patent No. US20020132237A1
GENERAL INFORMATION:
APPLICANT: Aglate, Paul A.
APPLICANT: Jones, Robert
APPLICANT: Harlocker, Susan L.
TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY
TITLE OF INVENTION: AND DIAGNOSIS OF OVARIAN CANCER
FILE REFERENCE: 210121.497
CURRENT APPLICATION NUMBER: US/09/867,701
CURRENT FILING DATE: 2001-05-29
NUMBER OF SEQ ID NOS: 10912
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 6376
LENGTH: 405
TYPE: DNA
ORGANISM: Homo sapien
US-09-867-701-6376

Query Match   1.5%; Score 46; DB 3; Length 405;
Best Local Similarity 100.0%; Pred. No. 7.3e-13;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   106 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 61

RESULT 139
US-10-674-124A-24232/c
Sequence 24232, Application US/10674124A
Publication No. US20040197797A1
GENERAL INFORMATION:
APPLICANT: INOKO, Hidetoshi
APPLICANT: TAMIYA, Gen
TITLE OF INVENTION: GENE MAPPING METHOD USING MICROSATELLITE
TITLE OF INVENTION: GENETIC POLYMORPHISM MARKERS
FILE REFERENCE: ORIN-003CIP
CURRENT APPLICATION NUMBER: US/10/674,124A
CURRENT FILING DATE: 2003-09-26
PRIOR APPLICATION NUMBER: 10/257,511
PRIOR FILING DATE: 2003-03-07
PRIOR APPLICATION NUMBER: PCT/JP00/07621
PRIOR FILING DATE: 2000-10-30
PRIOR APPLICATION NUMBER: JP2000-112699
PRIOR FILING DATE: 2000-04-13
PRIOR APPLICATION NUMBER: JP2002-327516
PRIOR FILING DATE: 2002-09-28
PRIOR APPLICATION NUMBER: JP2002-383869
PRIOR FILING DATE: 2002-12-09
NUMBER OF SEQ ID NOS: 27110
SEQ ID NO 24232
LENGTH: 440
TYPE: DNA
ORGANISM: Homo sapiens
FEATURE:
OTHER INFORMATION: AC020909.4_102225
FEATURE:
OTHER INFORMATION: Located on chromosome 19
FEATURE:
OTHER INFORMATION: Distance between a terminus base of telomere on
OTHER INFORMATION: chromosomal short arm and 5'-terminus of this base
OTHER INFORMATION: sequence : 67910743
FEATURE:
OTHER INFORMATION: Distance between 3'-terminus of neighbour sequence of

; OTHER INFORMATION: sequence listing upward to telomere on chromosomal short arm and
; OTHER INFORMATION: 5'-terminus of this base sequence : 99683
US-10-674-124A-24232

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   335 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGGCCAACAT 290

RESULT 140
US-09-814-353-17260/c
; Sequence 17260, Application US/09814353
; Publication No. US20030165831A1
; GENERAL INFORMATION:
; APPLICANT: Lee, John
; APPLICANT: Thompson, Pamela
; APPLICANT: Lillie, James
; TITLE OF INVENTION: NOVEL GENES, COMPOSITIONS, KITS, AND METHODS FOR
; TITLE OF INVENTION: IDENTIFICATION, ASSESSMENT, PREVENTION, AND
; TITLE OF INVENTION: THERAPY OF OVARIAN CANCER
; FILE REFERENCE: MRI-006B
; CURRENT APPLICATION NUMBER: US/09/814,353
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: US 60/191,031
; PRIOR FILING DATE: 2000-03-21
; PRIOR APPLICATION NUMBER: US 60/207,124
; PRIOR FILING DATE: 2000-05-25
; PRIOR APPLICATION NUMBER: US 60/211,940
; PRIOR FILING DATE: 2000-06-15
; PRIOR APPLICATION NUMBER: US 60/216,820
; PRIOR FILING DATE: 2000-07-07
; PRIOR APPLICATION NUMBER: US 60/220,661
; PRIOR FILING DATE: 2000-07-25
; PRIOR APPLICATION NUMBER: US 60/257,672
; PRIOR FILING DATE: 2000-12-21
; SOFTWARE: FastSEQ for Windows Version 4.0
; NUMBER OF SEQ ID NOS: 22037
; SEQ ID NO 17260
; LENGTH: 458
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-814-353-17260

Query Match   1.5%;   Score 46;   DB 3;   Length 458;
Best Local Similarity 100.0%;   Pred. No. 7.3e-13;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGCCAGCCTGGCCAACACT 2940
           ||||||||||||||||||||||||||||||||||||||||
Db   405 GGTGGATCACCTGAGGCCAGGAGCCAGCCTGGCCAACACT 360

RESULT 141
US-10-674-124A-16717
; Sequence 16717, Application US/10674124A
; Publication No. US20040197797A1
; GENERAL INFORMATION:
; APPLICANT: INOKO, Hidetoshi
; APPLICANT: TAMIYA, Gen
; TITLE OF INVENTION: GENE MAPPING METHOD USING MICROSATELLITE
; TITLE OF INVENTION: GENETIC POLYMORPHISM MARKERS
; CURRENT APPLICATION NUMBER: US/10/674,124A
; CURRENT FILING DATE: 2003-09-26
; PRIOR APPLICATION NUMBER: 10/257,511
; PRIOR FILING DATE: 2003-03-07
; PRIOR APPLICATION NUMBER: PCT/JP00/07621
; PRIOR FILING DATE: 2000-10-30
; PRIOR APPLICATION NUMBER: JP2000-112699

; PRIOR FILING DATE: 2000-04-13
; PRIOR APPLICATION NUMBER: JP2002-327516
; PRIOR FILING DATE: 2002-09-28
; PRIOR APPLICATION NUMBER: JP2002-383869
; PRIOR FILING DATE: 2002-12-09
; NUMBER OF SEQ ID NOS: 27110
; SEQ ID NO 16717
; LENGTH: 482
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; OTHER INFORMATION: Located on chromosome 10
; FEATURE:
; OTHER INFORMATION: Distance between a terminus base of telomere on
; OTHER INFORMATION: chromosomal short arm and 5'-terminus of this base
; OTHER INFORMATION: sequence : 111450655
; FEATURE:
; OTHER INFORMATION: Distance between 3'-terminus of neighbour sequence of
; OTHER INFORMATION: sequence listing upward to telomere on chromosomal short arm and
; OTHER INFORMATION: 5'-terminus of this base sequence : 136958
US-10-674-124A-16717

Query Match   1.5%;   Score 46;   DB 8;   Length 482;
Best Local Similarity 100.0%;   Pred. No. 7.3e-13;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   312 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 357

RESULT 142
US-10-357-930-60554
; Sequence 60554, Application US/10357930
; Publication No. US20040259086A1
; GENERAL INFORMATION:
; APPLICANT: Schlegel, Robert
; APPLICANT: Endege, Wilson
; APPLICANT: Monahan, John
; TITLE OF INVENTION: NOVEL GENES, COMPOSITIONS, KITS, AND METHODS FOR
; TITLE OF INVENTION: IDENTIFICATION, ASSESSMENT, PREVENTION, AND THERAPY OF
; TITLE OF INVENTION: HUMAN PROSTATE CANCER
; FILE REFERENCE: MRI-007BCN
; CURRENT APPLICATION NUMBER: US/10/357,930
; CURRENT FILING DATE: 2003-02-04
; PRIOR APPLICATION NUMBER: 09/785,276
; PRIOR FILING DATE: 2003-02-16
; PRIOR APPLICATION NUMBER: 60/219,007
; PRIOR FILING DATE: 2000-07-18
; PRIOR APPLICATION NUMBER: 60/183,319
; PRIOR FILING DATE: 2000-02-17
; PRIOR APPLICATION NUMBER: 60/189,862
; PRIOR FILING DATE: 2000-03-16
; PRIOR APPLICATION NUMBER: 60/207,454
; PRIOR FILING DATE: 2000-05-25
; PRIOR APPLICATION NUMBER: 60/211,314
; PRIOR FILING DATE: 2000-06-09
; PRIOR APPLICATION NUMBER: 60/255,281
; PRIOR FILING DATE: 2000-12-13
; NUMBER OF SEQ ID NOS: 62232
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 60554
; LENGTH: 497
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-357-930-60554

Query Match   1.5%;   Score 46;   DB 8;   Length 497;
Best Local Similarity 100.0%;   Pred. No. 7.3e-13;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 143
US-10-027-632-91304
Sequence 91304, Application US/10027632
Publication No. US20020183711A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
TITLE OF INVENTION: Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/198,676
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09
NUMBER OF SEQ ID NOS: 325720
SEQ ID NO 91304
LENGTH: 535
TYPE: DNA
ORGANISM: Human
SOFTWARE: FastSEQ for Windows Version 4.0

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGGAGTTCGAGACCAGCCAGCCTGGGCCAACAT 2940
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   383 GGTGGGATCACCTGAGGCCAGGAGGAGTTCGAGACCAGCCAGCCTGGGCCAACAT   428

RESULT 144
US-10-027-632-91305
Sequence 91305, Application US/10027632
Publication No. US20020183711A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
TITLE OF INVENTION: Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/198,676
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09
NUMBER OF SEQ ID NOS: 325720
SEQ ID NO 91305
LENGTH: 535
TYPE: DNA
ORGANISM: Human
SOFTWARE: FastSEQ for Windows Version 4.0

Query Match   1.5%; Score 46; DB 5; Length 535;
Best Local Similarity 100.0%; Pred. No. 7.3e-13;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   192 GGTGGGATCACCTGAGGCCAGGAGGAGTTCGAGACCAGCCAGCCTGGGCCAACAT   237

US-10-027-632-91304

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGGAGTTCGAGACCAGCCAGCCTGGGCCAACAT 2940
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   383 GGTGGGATCACCTGAGGCCAGGAGGAGTTCGAGACCAGCCAGCCTGGGCCAACAT   428

RESULT 145
US-10-027-632-91306
Sequence 91306, Application US/10027632
Publication No. US20020183711A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
TITLE OF INVENTION: Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/198,676
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09
NUMBER OF SEQ ID NOS: 325720
SEQ ID NO 91306
LENGTH: 535
TYPE: DNA
ORGANISM: Human
SOFTWARE: FastSEQ for Windows Version 4.0

Query Match   1.5%; Score 46; DB 5; Length 535;
Best Local Similarity 100.0%; Pred. No. 7.3e-13;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGGAGTTCGAGACCAGCCAGCCTGGGCCAACAT 2940
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   383 GGTGGGATCACCTGAGGCCAGGAGGAGTTCGAGACCAGCCAGCCTGGGCCAACAT   428

RESULT 146
US-10-027-632-91304
Sequence 91304, Application US/10027632
Publication No. US20030204075A9
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
TITLE OF INVENTION: Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/198,676
PRIOR FILING DATE: 2000-04-20

RESULT 147
US-10-027-632-91305
; Sequence 91305, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 91305
; LENGTH: 535
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-91305

Query Match   1.5%;   Score 46;   DB 6;   Length 535;
Best Local Similarity   100.0%;   Pred. No. 7.3e-13;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   383 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 428

RESULT 148
US-10-027-632-91306
; Sequence 91306, Application US/10027632
; Publication No. US20030204075A9

(Right column)

; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 91306
; LENGTH: 535
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-91306

Query Match   1.5%;   Score 46;   DB 6;   Length 535;
Best Local Similarity   100.0%;   Pred. No. 7.3e-13;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   383 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 428

RESULT 149
US-09-925-065A-124249
; Sequence 124249, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 124249
; LENGTH: 559
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-124249

Query Match   1.5%;   Score 46;   DB 4;   Length 559;
Best Local Similarity   100.0%;   Pred. No. 7.2e-13;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   383 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 428

```
Db           358 GGTGGATCACCTGAGGCCCAGGAGGAGTTCGAGACCAGCCTGGCCAACAT 403

RESULT 150
US-09-925-065A-843811/c
Sequence 843811, Application US200502281172A9
; Publication No. US200502281172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 843811
; LENGTH: 606
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-843811

  Query Match             1.5%;  Score 46;  DB 4;  Length 606;
  Best Local Similarity   100.0%;  Pred. No. 7.2e-13;
  Matches   46;  Conservative  0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy         2895 GGTGGATCACCTGAGGCCCAGGAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                ||||||||||||||||||||||||||||||||||||||||||||||||||
Db          298 GGTGGATCACCTGAGGCCCAGGAGGAGTTCGAGACCAGCCTGGCCAACAT 253

RESULT 151
US-09-925-065A-801712/c
Sequence 801712, Application US/09925065A
; Publication No. US200502281172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925, 065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 801712
; LENGTH: 609
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-801712

  Query Match             1.5%;  Score 46;  DB 4;  Length 609;
  Best Local Similarity   100.0%;  Pred. No. 7.2e-13;
  Matches   46;  Conservative  0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
Qy         2895 GGTGGATCACCTGAGGCCCAGGAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                ||||||||||||||||||||||||||||||||||||||||||||||||||
Db          299 GGTGGATCACCTGAGGCCCAGGAGGAGTTCGAGACCAGCCTGGCCAACAT 254

RESULT 152
US-09-925-065A-48663/c
Sequence 48663, Application US/09925065A
; Publication No. US200502281172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 48663
; LENGTH: 610
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-48663

  Query Match             1.5%;  Score 46;  DB 4;  Length 610;
  Best Local Similarity   100.0%;  Pred. No. 7.2e-13;
  Matches   46;  Conservative  0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy         2895 GGTGGATCACCTGAGGCCCAGGAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                ||||||||||||||||||||||||||||||||||||||||||||||||||
Db          540 GGTGGATCACCTGAGGCCCAGGAGGAGTTCGAGACCAGCCTGGCCAACAT 495

RESULT 153
US-09-925-065A-65044
Sequence 65044, Application US/09925065A
; Publication No. US200502281172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 65044
; LENGTH: 610
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-65044
```

RESULT 154
US-09-925-065A-47410/c
; Sequence 47410, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 47410
; LENGTH: 614
; TYPE: DNA
; ORGANISM: Homo sapiens

Query Match   1.5%;   Score 46;   DB 4;   Length 610;
Best Local Similarity   100.0%;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  2895 GGTGGATCACCTGAGGCCCAGGAGGTTCGAGACCAGCCTGGCCAACAT 2940
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 GGTGGATCACCTGAGGCCCAGGAGGTTCGAGACCAGCCTGGCCAACAT 285
```

RESULT 155
US-09-925-065A-47411/c
; Sequence 47411, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 47411
; LENGTH: 614
; TYPE: DNA

Query Match   1.5%;   Score 46;   DB 4;   Length 614;
Best Local Similarity   100.0%;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  3073 AGATTGTGCCACTGCACTCCAGCCTGGCCAACAGAGACGAAGACTCTG 3118
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db   264 AGATTGTGCCACTGCACTCCAGCCTGGCCAACAGAGACGAAGACTCTG 219
```

RESULT 156
US-09-925-065A-930543/c
; Sequence 930543, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 930543
; LENGTH: 615
; TYPE: DNA
; ORGANISM: Homo sapiens

Query Match   1.5%;   Score 46;   DB 4;   Length 614;
Best Local Similarity   100.0%;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  3073 AGATTGTGCCACTGCACTCCAGCCTGGCCAACAGAGACGAAGACTCTG 3118
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db   264 AGATTGTGCCACTGCACTCCAGCCTGGCCAACAGAGACGAAGACTCTG 219
```

RESULT 157
US-09-925-065A-930544/c
; Sequence 930544, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0

Query Match   1.5%;   Score 46;   DB 4;   Length 615;
Best Local Similarity   100.0%;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  2897 TCGGATCACCTGAGGCCCAGGAGGTTCGAGACCAGCCTGGCCAACATAG 2942
         |||||||||||||||||||||||||||||||||||||||||||||||
Db   290 TGGGATCACCTGAGGCCCAGGAGGTTCGAGACCAGCCTGGCCAACATAG 245
```

```
; SEQ ID NO 930544
; LENGTH: 615
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-930544

Qy   2897 TGGATCACCTGAGGCGCCAGGAGTTCGAGAGCCAACATAG 2942
          ||||||||||||||||||||||||||||||||||||||||
Db    290 TGGATCACCTGAGGCGCCAGGAGTTCGAGAGCCAACATAG 245
```

Query Match   1.5%; Score 46; DB 4; Length 615;
Best Local Similarity   100.0%; Pred. No. 7.2e-13;
Matches   46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 158
US-09-925-065A-870312/c
; Sequence 870312, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US 09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; SEQ ID NO 870312
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; LENGTH: 616
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-870312

Query Match   1.5%; Score 46; DB 4; Length 616;
Best Local Similarity   100.0%; Pred. No. 7.2e-13;
Matches   46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 3116
          |||||||||||||||||||||||||||||||||||||||||||||||
Db   246 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 201

RESULT 159
US-10-027-632-115128
; Sequence 115128, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 115128
; LENGTH: 621
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-115128

Query Match   1.5%; Score 46; DB 5; Length 621;
Best Local Similarity   100.0%; Pred. No. 7.2e-13;
Matches   46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 3116
          |||||||||||||||||||||||||||||||||||||||||||||||
Db   364 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 409

RESULT 160
US-10-027-632-115129
; Sequence 115129, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 115129
; LENGTH: 621
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-115129

Query Match   1.5%; Score 46; DB 5; Length 621;
Best Local Similarity   100.0%; Pred. No. 7.2e-13;
Matches   46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 3116
          |||||||||||||||||||||||||||||||||||||||||||||||
Db   364 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGACTC 409

RESULT 161
US-10-027-632-115128
; Sequence 115128, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
```

```
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/198,676
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09
NUMBER OF SEQ ID NOS: 325720
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 115128
; LENGTH: 621
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-115128

Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGCAAGACTC 3116
         |||||||||||||||||||||||||||||||||||||||||||||||
Db   364 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGCAAGACTC 409

Query Match             100.0%;  Score 46;  DB 6;  Length 621;
  Best Local Similarity   100.0%;
  Matches   46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;


RESULT 162
US-10-027-632-115129
; Sequence 115129, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/198,676
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09
NUMBER OF SEQ ID NOS: 325720
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 115129
; LENGTH: 621
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-115129

Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGCAAGACTC 3116
         |||||||||||||||||||||||||||||||||||||||||||||||
Db   364 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGCAAGACTC 409

Query Match             100.0%;  Score 46;  DB 6;  Length 621;
  Best Local Similarity   100.0%;
  Matches   46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;


RESULT 163
US-09-925-065A-554324
; Sequence 554324, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 554324
; LENGTH: 654
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-554324

Qy  2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         ||||||||||||||||||||||||||||||||||||||||||||||
Db   154 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 199

Query Match             100.0%;  Score 46;  DB 4;  Length 654;
  Best Local Similarity   100.0%;
  Matches   46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;


RESULT 164
US-09-925-065A-759345/c
; Sequence 759345, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 759345
; LENGTH: 654
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-759345

Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGCAAGACTC 3116
         |||||||||||||||||||||||||||||||||||||||||||||||
Db   364 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGCAAGACTC 409

Query Match             100.0%;  Score 46;  DB 4;  Length 654;
  Best Local Similarity   100.0%;
  Matches   46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;
```

RESULT 165
US-09-925-065A-790726
; Sequence 790726, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 790726
; LENGTH: 659
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-790726

Query Match   1.5%; Score 46; DB 4; Length 659;
Best Local Similarity   100.0%; Pred. No. 7.2e-13;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCAGCCTGGCCAACAT 2940
          ||||||||||||||||| |||||||||||||||||||||||||||||||
Db   180 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGCCTGGCCAACAT 225

RESULT 166
US-09-925-065A-790727
; Sequence 790727, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 790727
; LENGTH: 659
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-790727

Query Match   1.5%; Score 46; DB 4; Length 659;

Best Local Similarity   100.0%; Pred. No. 7.2e-13;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCAGCCTGGCCAACAT 2940
          ||||||||||||||||| |||||||||||||||||||||||||||||||
Db   180 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGCCTGGCCAACAT 225

RESULT 167
US-09-925-065A-771454
; Sequence 771454, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 771454
; LENGTH: 661
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-771454

Query Match   1.5%; Score 46; DB 4; Length 661;
Best Local Similarity   100.0%; Pred. No. 7.2e-13;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCTCTGGGGCAACAGAGAGGCAAGACTC 3116
          |||||||||| ||||||||||||||| |||||| |||||||||||||||||
Db   388 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGGCAAGACTC 433

RESULT 168
US-09-925-065A-737520
; Sequence 737520, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 737520
; LENGTH: 672
; TYPE: DNA
; ORGANISM: Homo sapiens

Query Match   1.5%; Score 46; DB 4; Length 659;

US-09-925-065A-737520

Query Match   1.5%;   Score 46; DB 4; Length 672;
Best Local Similarity 100.0%; Pred. No. 7.2e-13;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTC 3116
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db   385 CAAGATTGTGCCACTGCACTCCAGCCCTGGGCAACACAGAGCGAAGACTC 430
```

RESULT 169
US-09-925-065A-737227
Sequence 737227, Application US20050228172A9/c
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 737227
; LENGTH: 680
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-737227

Query Match   1.5%;   Score 46; DB 4; Length 680;
Best Local Similarity 100.0%; Pred. No. 7.2e-13;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTC 3116
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db   294 CAAGATTGTGCCACTGCACTCCAGCCCTGGGCAACACAGAGCGAAGACTC 249
```

RESULT 170
US-09-925-065A-852555
Sequence 852555, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 852555

RESULT 171
US-09-925-065A-852556
Sequence 852556, Application US20050228172A9
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 852556
; LENGTH: 689
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-852556

Query Match   1.5%;   Score 46; DB 4; Length 689;
Best Local Similarity 100.0%; Pred. No. 7.2e-13;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy  3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTCTG 3118
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db   293 AGATTGTGCCACTGCACTCCAGCCCTGGGCAACACAGAGCGAAGACTCTG 338
```

RESULT 172
US-10-027-632-144717
Sequence 144717, Application US/10027632
; Publication No. US20020198371A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23

Query Match   1.5%;   Score 46; DB 4; Length 689;
Best Local Similarity 100.0%; Pred. No. 7.2e-13;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGCAAGACTC 3116
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db   249 CAAGATTGTGCCACTGCACTCCAGCCCTGGGCAACACAGAGCGAAGACTC 3116
```

```
;     PRIOR APPLICATION NUMBER: US 60/156,358
;     PRIOR FILING DATE: 1999-09-28
;     PRIOR APPLICATION NUMBER: US 60/146,002
;     PRIOR FILING DATE: 1999-08-09
;     SOFTWARE: FastSEQ for Windows Version 4.0
;     NUMBER OF SEQ ID NOS: 325720
;     SEQ ID NO 144717
;     LENGTH: 756
;     TYPE: DNA
;     ORGANISM: Human
US-10-027-632-144717

Qy          3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||||
Db           294 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 249

Query Match             1.5%;  Score 46;  DB 5;  Length 756;
Best Local Similarity   100.0%;  Pred. No. 7.2e-13;
Matches  46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;


RESULT 173
US-10-027-632-144718/c
;     Sequence 144718, Application US/10027632
;     Publication No. US20020198371A1
;     GENERAL INFORMATION:
;     APPLICANT: Wang, David G.
;     TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;     TITLE OF INVENTION: Polymorphisms in the Human Genome
;     FILE REFERENCE: 108827.129
;     CURRENT APPLICATION NUMBER: US/10/027,632
;     CURRENT FILING DATE: 2002-04-30
;     PRIOR APPLICATION NUMBER: US 60/218,006
;     PRIOR FILING DATE: 2000-07-12
;     PRIOR APPLICATION NUMBER: US 60/198,676
;     PRIOR FILING DATE: 2000-04-20
;     PRIOR APPLICATION NUMBER: US 60/193,483
;     PRIOR FILING DATE: 2000-03-29
;     PRIOR APPLICATION NUMBER: US 60/185,218
;     PRIOR FILING DATE: 2000-02-24
;     PRIOR APPLICATION NUMBER: US 60/167,363
;     PRIOR FILING DATE: 1999-11-23
;     PRIOR APPLICATION NUMBER: US 60/156,358
;     PRIOR FILING DATE: 1999-09-28
;     PRIOR APPLICATION NUMBER: US 60/146,002
;     PRIOR FILING DATE: 1999-08-09
;     NUMBER OF SEQ ID NOS: 325720
;     SOFTWARE: FastSEQ for Windows Version 4.0
;     SEQ ID NO 144718
;     LENGTH: 756
;     TYPE: DNA
;     ORGANISM: Human
US-10-027-632-144718

Qy          3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||||
Db           294 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 249

Query Match             1.5%;  Score 46;  DB 5;  Length 756;
Best Local Similarity   100.0%;  Pred. No. 7.2e-13;
Matches  46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;


RESULT 174
US-10-027-632-144719/c
;     Sequence 144719, Application US/10027632
;     Publication No. US20020198371A1
;     GENERAL INFORMATION:
;     APPLICANT: Wang, David G.
;     TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;     TITLE OF INVENTION: Polymorphisms in the Human Genome
;     FILE REFERENCE: 108827.129
;     CURRENT APPLICATION NUMBER: US/10/027,632
;     CURRENT FILING DATE: 2002-04-30
;     PRIOR APPLICATION NUMBER: US 60/218,006
;     PRIOR FILING DATE: 2000-07-12
;     PRIOR APPLICATION NUMBER: US 60/198,676
;     PRIOR FILING DATE: 2000-04-20
;     PRIOR APPLICATION NUMBER: US 60/193,483
;     PRIOR FILING DATE: 2000-03-29
;     PRIOR APPLICATION NUMBER: US 60/185,218
;     PRIOR FILING DATE: 2000-02-24
;     PRIOR APPLICATION NUMBER: US 60/167,363
;     PRIOR FILING DATE: 1999-11-23
;     PRIOR APPLICATION NUMBER: US 60/156,358
;     PRIOR FILING DATE: 1999-09-28
;     PRIOR APPLICATION NUMBER: US 60/146,002
;     PRIOR FILING DATE: 1999-08-09
;     NUMBER OF SEQ ID NOS: 325720
;     SOFTWARE: FastSEQ for Windows Version 4.0
;     SEQ ID NO 144719
;     LENGTH: 756
;     TYPE: DNA
;     ORGANISM: Human
US-10-027-632-144719

Qy          3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||||
Db           294 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 249

Query Match             1.5%;  Score 46;  DB 5;  Length 756;
Best Local Similarity   100.0%;  Pred. No. 7.2e-13;
Matches  46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;


RESULT 175
US-10-027-632-144717/c
;     Sequence 144717, Application US/10027632
;     Publication No. US20030204075A9
;     GENERAL INFORMATION:
;     APPLICANT: Wang, David G.
;     TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;     TITLE OF INVENTION: Polymorphisms in the Human Genome
;     FILE REFERENCE: 108827.129
;     CURRENT APPLICATION NUMBER: US/10/027,632
;     CURRENT FILING DATE: 2002-04-30
;     PRIOR APPLICATION NUMBER: US 60/218,006
;     PRIOR FILING DATE: 2000-07-12
;     PRIOR APPLICATION NUMBER: US 60/198,676
;     PRIOR FILING DATE: 2000-04-20
;     PRIOR APPLICATION NUMBER: US 60/193,483
;     PRIOR FILING DATE: 2000-03-29
;     PRIOR APPLICATION NUMBER: US 60/185,218
;     PRIOR FILING DATE: 2000-02-24
;     PRIOR APPLICATION NUMBER: US 60/167,363
;     PRIOR FILING DATE: 1999-11-23
;     PRIOR APPLICATION NUMBER: US 60/156,358
;     PRIOR FILING DATE: 1999-09-28
;     PRIOR APPLICATION NUMBER: US 60/146,002
;     PRIOR FILING DATE: 1999-08-09
;     NUMBER OF SEQ ID NOS: 325720
;     SOFTWARE: FastSEQ for Windows Version 4.0
;     SEQ ID NO 144717
;     LENGTH: 756
;     TYPE: DNA
;     ORGANISM: Human
US-10-027-632-144717

Qy          3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||||
Db           294 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 249

Query Match             1.5%;  Score 46;  DB 6;  Length 756;
Best Local Similarity   100.0%;  Pred. No. 7.2e-13;
Matches  46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

RESULT 176
US-10-027-632-144718/c
; Sequence 144718, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 144718
; LENGTH: 756
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-144718

Query Match   1.5%;   Score 46;   DB 6;   Length 756;
Best Local Similarity   100.0%;   Pred. No. 7.2e-13;
Matches 46;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 3116
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db 294 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 249

RESULT 177
US-10-027-632-144719/c
; Sequence 144719, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 144719
; LENGTH: 756
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-144719

Query Match   1.5%;   Score 46;   DB 6;   Length 756;
Best Local Similarity   100.0%;   Pred. No. 7.2e-13;
Matches 46;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 3116
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db 294 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 249

RESULT 178
US-09-925-065A-938958/c
; Sequence 938958, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 938958
; LENGTH: 840
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-938958

Query Match   1.5%;   Score 46;   DB 4;   Length 840;
Best Local Similarity   100.0%;   Pred. No. 7.2e-13;
Matches 46;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 3116
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db 294 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 249

RESULT 179
US-09-925-065A-938959/c
; Sequence 938959, Application US/09925065A
; Publication No. US20050228172A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0

Query Match   1.5%;   Score 46;   DB 4;   Length 840;
Best Local Similarity   100.0%;   Pred. No. 7.2e-13;
Matches 46;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy 3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTG 3118
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db 146 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTG 101

```
;   SEQ ID NO 938959
;     LENGTH: 840
;     TYPE: DNA
;     ORGANISM: Homo sapiens
US-09-925-065A-938959

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTG 3118
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db     146 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTG 101

.
Query Match             1.5%;  Score 46;  DB 4;  Length 840;
Best Local Similarity   100.0%;  Pred. No. 7.2e-13;
Matches    46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 180
US-09-925-065A-938960/c
Sequence 938960, Application US20050228172A9
;   Publication No. US20050228172A9
;   GENERAL INFORMATION:
;     APPLICANT: Wang, David G.
;     TITLE OF INVENTION: Identification and Mapping of Single
;     TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;     FILE REFERENCE: 108827.135
;     CURRENT APPLICATION NUMBER: US/09/925,065A
;     CURRENT FILING DATE: 2001-08-08
;     PRIOR APPLICATION NUMBER: US 60/243,096
;     PRIOR FILING DATE: 2000-10-24
;     PRIOR APPLICATION NUMBER: US 60/252,147
;     PRIOR FILING DATE: 2000-11-20
;     PRIOR APPLICATION NUMBER: US 60/250,092
;     PRIOR FILING DATE: 2000-11-30
;     PRIOR APPLICATION NUMBER: US 60/261,766
;     PRIOR FILING DATE: 2001-01-16
;     PRIOR APPLICATION NUMBER: US 60/289,846
;     PRIOR FILING DATE: 2001-05-09
;     NUMBER OF SEQ ID NOS: 957086
;     SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 938960
;     LENGTH: 840
;     TYPE: DNA
;     ORGANISM: Homo sapiens
US-09-925-065A-938960

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTG 3118
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db     146 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTG 101

.
Query Match             1.5%;  Score 46;  DB 4;  Length 840;
Best Local Similarity   100.0%;  Pred. No. 7.2e-13;
Matches    46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 181
US-09-925-065A-711495
Sequence 711495, Application US/09925065A
;   Publication No. US20050228172A9
;   GENERAL INFORMATION:
;     APPLICANT: Wang, David G.
;     TITLE OF INVENTION: Identification and Mapping of Single
;     TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;     FILE REFERENCE: 108827.135
;     CURRENT APPLICATION NUMBER: US/09/925,065A
;     CURRENT FILING DATE: 2001-08-08
;     PRIOR APPLICATION NUMBER: US 60/243,096
;     PRIOR FILING DATE: 2000-10-24
;     PRIOR APPLICATION NUMBER: US 60/252,147
;     PRIOR FILING DATE: 2000-11-20
;     PRIOR APPLICATION NUMBER: US 60/250,092
;     PRIOR FILING DATE: 2000-11-30
;     PRIOR APPLICATION NUMBER: US 60/261,766
;     PRIOR FILING DATE: 2001-01-16
;     PRIOR APPLICATION NUMBER: US 60/289,846
```

```
;     PRIOR FILING DATE: 2001-05-09
;     NUMBER OF SEQ ID NOS: 957086
;     SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 711495
;     LENGTH: 1105
;     TYPE: DNA
;     ORGANISM: Homo sapiens
US-09-925-065A-711495

Qy    3071 CAAGATTGTGCCACTGCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     874 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 919

.
Query Match             1.5%;  Score 46;  DB 4;  Length 1105;
Best Local Similarity   100.0%;  Pred. No. 7.1e-13;
Matches    46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 182
US-09-925-065A-678054
Sequence 678054, Application US/09925065A
;   Publication No. US20050228172A9
;   GENERAL INFORMATION:
;     APPLICANT: Wang, David G.
;     TITLE OF INVENTION: Identification and Mapping of Single
;     TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;     FILE REFERENCE: 108827.135
;     CURRENT APPLICATION NUMBER: US/09/925,065A
;     CURRENT FILING DATE: 2001-08-08
;     PRIOR APPLICATION NUMBER: US 60/243,096
;     PRIOR FILING DATE: 2000-10-24
;     PRIOR APPLICATION NUMBER: US 60/252,147
;     PRIOR FILING DATE: 2000-11-20
;     PRIOR APPLICATION NUMBER: US 60/250,092
;     PRIOR FILING DATE: 2000-11-30
;     PRIOR APPLICATION NUMBER: US 60/261,766
;     PRIOR FILING DATE: 2001-01-16
;     PRIOR APPLICATION NUMBER: US 60/289,846
;     PRIOR FILING DATE: 2001-05-09
;     NUMBER OF SEQ ID NOS: 957086
;     SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 678054
;     LENGTH: 1364
;     TYPE: DNA
;     ORGANISM: Homo sapiens
US-09-925-065A-678054

Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTG 3118
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db     351 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTG 396

.
Query Match             1.5%;  Score 46;  DB 4;  Length 1364;
Best Local Similarity   100.0%;  Pred. No. 7.1e-13;
Matches    46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 183
US-09-925-065A-689300
Sequence 689300, Application US20050228172A9
;   Publication No. US20050228172A9
;   GENERAL INFORMATION:
;     APPLICANT: Wang, David G.
;     TITLE OF INVENTION: Identification and Mapping of Single
;     TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;     FILE REFERENCE: 108827.135
;     CURRENT APPLICATION NUMBER: US/09/925,065A
;     CURRENT FILING DATE: 2001-08-08
;     PRIOR APPLICATION NUMBER: US 60/243,096
;     PRIOR FILING DATE: 2000-10-24
;     PRIOR APPLICATION NUMBER: US 60/252,147
;     PRIOR FILING DATE: 2000-11-20
;     PRIOR APPLICATION NUMBER: US 60/250,092
;     PRIOR FILING DATE: 2000-11-30
```

```
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 688300
;   TYPE: DNA
;   ORGANISM: Homo sapiens
    US-09-925-065A-689300
;   LENGTH: 1635

Qy         3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
                ||||||||||||||||||||||||||||||||||||||||||||||
Db          831 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 876

Query Match             1.5%;    Score 46;  DB 4;  Length 1635;
Best Local Similarity   100.0%;  Pred. No. 7.1e-13;
Matches   46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 184
US-09-925-065A-677066
;   Sequence 677066, Application US/0992506SA
;   Publication No. US200502228172A9
;   GENERAL INFORMATION:
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE:  2001-08-08
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 677066
;   LENGTH: 2227
;   TYPE: DNA
;   ORGANISM: Homo sapiens
    US-09-925-065A-677066

Qy         2895 GGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTTGGCCAACAT 2940
                ||||||||||||||||||||||||||||||||||||||||||||||||
Db         2035 GGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTTGGCCAACAT 2080

Query Match             1.5%;    Score 46;  DB 4;  Length 2227;
Best Local Similarity   100.0%;  Pred. No. 7e-13;
Matches   46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 185
US-10-027-632-260094
;   Sequence 260094, Application US/10027632
;   Publication No. US20019837iA1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;   TITLE OF INVENTION: Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.129
;   CURRENT APPLICATION NUMBER: US/10/027,632
;   CURRENT FILING DATE:  2002-04-30
;   PRIOR APPLICATION NUMBER: US 60/218,006
;   PRIOR FILING DATE: 2000-07-12
;   PRIOR APPLICATION NUMBER: US 60/198,676
```

```
;   PRIOR FILING DATE: 2000-04-20
;   PRIOR APPLICATION NUMBER: US 60/193,483
;   PRIOR FILING DATE: 2000-03-29
;   PRIOR APPLICATION NUMBER: US 60/185,218
;   PRIOR FILING DATE: 2000-02-24
;   PRIOR APPLICATION NUMBER: US 60/167,363
;   PRIOR FILING DATE: 1999-11-23
;   PRIOR APPLICATION NUMBER: US 60/156,358
;   PRIOR FILING DATE: 1999-09-28
;   PRIOR APPLICATION NUMBER: US 60/146,002
;   PRIOR FILING DATE: 1999-08-09
;   NUMBER OF SEQ ID NOS: 325720
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 260094
;   TYPE: DNA
;   ORGANISM: Human
    US-10-027-632-260094
;   LENGTH: 2798

Qy         3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
                ||||||||||||||||||||||||||||||||||||||||||||||
Db         1434 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 1479

Query Match             1.5%;    Score 46;  DB 5;  Length 2798;
Best Local Similarity   100.0%;  Pred. No. 7e-13;
Matches   46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 186
US-10-027-632-260094
;   Sequence 260094, Application US/10027632
;   Publication No. US20030204075A9
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;   TITLE OF INVENTION: Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.129
;   CURRENT APPLICATION NUMBER: US/10/027,632
;   CURRENT FILING DATE:  2002-04-30
;   PRIOR APPLICATION NUMBER: US 60/198,676
;   PRIOR FILING DATE: 2000-07-12
;   PRIOR APPLICATION NUMBER: US 60/218,006
;   PRIOR FILING DATE: 2000-04-20
;   PRIOR APPLICATION NUMBER: US 60/193,483
;   PRIOR FILING DATE: 2000-03-29
;   PRIOR APPLICATION NUMBER: US 60/185,218
;   PRIOR FILING DATE: 2000-02-24
;   PRIOR APPLICATION NUMBER: US 60/167,363
;   PRIOR FILING DATE: 1999-11-23
;   PRIOR APPLICATION NUMBER: US 60/156,358
;   PRIOR FILING DATE: 1999-09-28
;   PRIOR APPLICATION NUMBER: US 60/146,002
;   PRIOR FILING DATE: 1999-08-09
;   NUMBER OF SEQ ID NOS: 325720
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 260094
;   TYPE: DNA
;   ORGANISM: Human
    US-10-027-632-260094
;   LENGTH: 2798

Qy         3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
                ||||||||||||||||||||||||||||||||||||||||||||||
Db         1434 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 1479

Query Match             1.5%;    Score 46;  DB 6;  Length 2798;
Best Local Similarity   100.0%;  Pred. No. 7e-13;
Matches   46;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

RESULT 187
US-10-008-789-10/c
;   Sequence 10, Application US/10008789
```

Publication No. US20030125276A1
GENERAL INFORMATION:
APPLICANT: C. Frank Bennett
APPLICANT: Kenneth Dobie
TITLE OF INVENTION: ANTISENSE MODULATION OF THYROID HORMONE RECEPTOR INTERACTOR 6 EXF
FILE REFERENCE: RTS-0333
CURRENT APPLICATION NUMBER: US/10/008,789
CURRENT FILING DATE: 2001-11-08
NUMBER OF SEQ ID NOS: 89
SEQ ID NO 10
LENGTH: 7001
TYPE: DNA
ORGANISM: Homo sapiens
FEATURE:
NAME/KEY: exon
LOCATION: (486)...(740)
OTHER INFORMATION: exon 1
NAME/KEY: exon:intron junction
LOCATION: (740)...(741)
OTHER INFORMATION: exon 1:intron 1
NAME/KEY: intron
LOCATION: (741)...(994)
OTHER INFORMATION: intron 1
NAME/KEY: intron:exon junction
LOCATION: (994)...(995)
OTHER INFORMATION: intron 1:exon 2
NAME/KEY: exon
LOCATION: (995)...(1122)
OTHER INFORMATION: exon 2
NAME/KEY: exon:intron junction
LOCATION: (1122)...(1123)
OTHER INFORMATION: exon 2:intron 2
NAME/KEY: intron
LOCATION: (1123)...(1241)
OTHER INFORMATION: intron 2
NAME/KEY: intron:exon junction
LOCATION: (1241)...(1242)
OTHER INFORMATION: intron 2:exon 3
NAME/KEY: exon
LOCATION: (1242)...(1367)
OTHER INFORMATION: exon 3
NAME/KEY: exon:intron junction
LOCATION: (1367)...(1368)
OTHER INFORMATION: exon 3:intron 3
NAME/KEY: intron
LOCATION: (1368)...(1628)
OTHER INFORMATION: intron 3
NAME/KEY: intron:exon junction
LOCATION: (1628)...(1629)
OTHER INFORMATION: intron 3:exon 4
NAME/KEY: exon
LOCATION: (1629)...(2000)
OTHER INFORMATION: exon 4
NAME/KEY: exon:intron junction
LOCATION: (2000)...(2001)
OTHER INFORMATION: exon 4:intron 4
NAME/KEY: intron
LOCATION: (2001)...(3503)
OTHER INFORMATION: intron 4
NAME/KEY: intron:exon junction
LOCATION: (3503)...(3504)
OTHER INFORMATION: intron 4:exon 5
NAME/KEY: exon
LOCATION: (3504)...(3597)
OTHER INFORMATION: exon 5
NAME/KEY: exon:intron junction
LOCATION: (3597)...(3598)
OTHER INFORMATION: exon 5:intron 5
NAME/KEY: intron
LOCATION: (3598)...(3707)
OTHER INFORMATION: intron 5
NAME/KEY: intron:exon junction
LOCATION: (3707)...(3708)

OTHER INFORMATION: intron 5:exon 6
NAME/KEY: exon
LOCATION: (3708)...(3877)
OTHER INFORMATION: exon 6
NAME/KEY: exon:intron junction
LOCATION: (3877)...(3878)
OTHER INFORMATION: exon 6:intron 6
NAME/KEY: intron
LOCATION: (3878)...(4676)
OTHER INFORMATION: intron 6
NAME/KEY: intron:exon junction
LOCATION: (4676)...(4677)
OTHER INFORMATION: intron 6:exon 7
NAME/KEY: exon
LOCATION: (4677)...(4855)
OTHER INFORMATION: exon 7
NAME/KEY: exon:intron junction
LOCATION: (4855)...(4856)
OTHER INFORMATION: exon 7:intron 7
NAME/KEY: intron
LOCATION: (4856)...(5757)
OTHER INFORMATION: intron 7
NAME/KEY: intron:exon junction
LOCATION: (5757)...(5758)
OTHER INFORMATION: intron 7:exon 8
NAME/KEY: exon
LOCATION: (5758)...(5878)
OTHER INFORMATION: exon 8
NAME/KEY: exon:intron junction
LOCATION: (5878)...(5879)
OTHER INFORMATION: exon 8:intron 8
NAME/KEY: intron
LOCATION: (5879)...(6305)
OTHER INFORMATION: intron 8
NAME/KEY: intron:exon junction
LOCATION: (6305)...(6306)
OTHER INFORMATION: intron 8:exon 9
NAME/KEY: exon
LOCATION: (6306)...(6650)
OTHER INFORMATION: exon 9
US-10-008-789-10

Query Match   1.5%;   Score 46; DB 6; Length 7001;
Best Local Similarity   100.0%;   Pred. No. 6.8e-13;
Matches   46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 3116
            ||||||||||||||||||||||||||||||||||||||||||||||||
Db   6054 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTC 6009

RSULT 188
US-11-071-724-10/c
Sequence 10, Application US/11071724
Publication No. US20050222073A1
GENERAL INFORMATION:
APPLICANT: C. Frank Bennett
APPLICANT: Brett P. Monia
APPLICANT: Rosanne Crooke
APPLICANT: Mark Graham
APPLICANT: Susan M. Freier
APPLICANT: Pamela Nero
APPLICANT: Edward Wancewicz
APPLICANT: Nicholas M. Dean
APPLICANT: Lex M. Cowsert
APPLICANT: Kenneth Dobie
TITLE OF INVENTION: ANTISENSE MODULATION OF THYROID HORMONE RECEPTOR INTERACTOR 6 EXF
FILE REFERENCE: BNDL-0018US.P1
CURRENT APPLICATION NUMBER: US/11/071,724
CURRENT FILING DATE: 2005-03-02
PRIOR APPLICATION NUMBER: 10/190,366
PRIOR FILING DATE: 2002-07-02
PRIOR APPLICATION NUMBER: 10/008,789

```
PRIOR FILING DATE: 2001-11-08
PRIOR APPLICATION NUMBER: 11/031,827
PRIOR FILING DATE: 2005-01-07
PRIOR APPLICATION NUMBER: 09/925,139
PRIOR FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: 10/114,544
PRIOR FILING DATE: 2002-04-01
PRIOR APPLICATION NUMBER: 10/019,470
PRIOR FILING DATE: 2002-05-09
PRIOR APPLICATION NUMBER: PCT/US00/19019
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: 09/357,071
PRIOR FILING DATE: 1999-07-19
NUMBER OF SEQ ID NOS: 89
SEQ ID NO 10
    LENGTH: 7001
    TYPE: DNA
    ORGANISM: Homo sapiens
    FEATURE:
    NAME/KEY: exon
    LOCATION: (486)...(740)
    OTHER INFORMATION: exon 1
    FEATURE:
    NAME/KEY: exon:intron junction
    LOCATION: (740)...(741)
    OTHER INFORMATION: exon 1:intron 1
    FEATURE:
    NAME/KEY: intron
    LOCATION: (741)...(994)
    OTHER INFORMATION: intron 1
    FEATURE:
    NAME/KEY: intron:exon junction
    LOCATION: (994)...(995)
    OTHER INFORMATION: intron 1:exon 2
    FEATURE:
    NAME/KEY: exon
    LOCATION: (995)...(1122)
    OTHER INFORMATION: exon 2
    FEATURE:
    NAME/KEY: exon:intron junction
    LOCATION: (1122)...(1123)
    OTHER INFORMATION: exon 2:intron 2
    FEATURE:
    NAME/KEY: intron
    LOCATION: (1123)...(1241)
    OTHER INFORMATION: intron 2
    FEATURE:
    NAME/KEY: intron:exon junction
    LOCATION: (1241)...(1242)
    OTHER INFORMATION: intron 2:exon 3
    FEATURE:
    NAME/KEY: exon
    LOCATION: (1242)...(1367)
    OTHER INFORMATION: exon 3
    FEATURE:
    NAME/KEY: exon:intron junction
    LOCATION: (1367)...(1368)
    OTHER INFORMATION: exon 3:intron 3
    FEATURE:
    NAME/KEY: intron
    LOCATION: (1368)...(1628)
    OTHER INFORMATION: intron 3
    FEATURE:
    NAME/KEY: intron:exon junction
    LOCATION: (1628)...(1629)
    OTHER INFORMATION: intron 3:exon 4
    FEATURE:
    NAME/KEY: exon
    LOCATION: (1629)...(2000)
    OTHER INFORMATION: exon 4
    FEATURE:
    NAME/KEY: exon:intron junction
    LOCATION: (2000)...(2001)
```

```
    OTHER INFORMATION: exon 4:intron 4
    FEATURE:
    NAME/KEY: intron
    LOCATION: (2001)...(3503)
    OTHER INFORMATION: intron 4
    FEATURE:
    NAME/KEY: intron:exon junction
    LOCATION: (3503)...(3504)
    OTHER INFORMATION: intron 4:exon 5
    FEATURE:
    NAME/KEY: exon
    LOCATION: (3504)...(3597)
    OTHER INFORMATION: exon 5
    FEATURE:
    NAME/KEY: exon:intron junction
    LOCATION: (3597)...(3598)
    OTHER INFORMATION: exon 5:intron 5
    FEATURE:
    NAME/KEY: intron
    LOCATION: (3598)...(3707)
    OTHER INFORMATION: intron 5
    FEATURE:
    NAME/KEY: intron:exon junction
    LOCATION: (3707)...(3708)
    OTHER INFORMATION: intron 5:exon 6
    FEATURE:
    NAME/KEY: exon
    LOCATION: (3708)...(3877)
    OTHER INFORMATION: exon 6
    FEATURE:
    NAME/KEY: exon:intron junction
    LOCATION: (3877)...(3878)
    OTHER INFORMATION: exon 6:intron 6
    FEATURE:
    NAME/KEY: intron
    LOCATION: (3878)...(4676)
    OTHER INFORMATION: intron 6
    FEATURE:
    NAME/KEY: intron:exon junction
    LOCATION: (4676)...(4677)
    OTHER INFORMATION: intron 6:exon 7
    FEATURE:
    NAME/KEY: exon
    LOCATION: (4677)...(4855)
    OTHER INFORMATION: exon 7
    FEATURE:
    NAME/KEY: exon:intron junction
    LOCATION: (4855)...(4856)
    OTHER INFORMATION: exon 7:intron 7
    FEATURE:
    NAME/KEY: intron
    LOCATION: (4856)...(5757)
    OTHER INFORMATION: intron 7
    FEATURE:
    NAME/KEY: intron:exon junction
    LOCATION: (5757)...(5758)
    OTHER INFORMATION: intron 7:exon 8
    FEATURE:
    NAME/KEY: exon
    LOCATION: (5758)...(5878)
    OTHER INFORMATION: exon 8
    FEATURE:
    NAME/KEY: exon:intron junction
    LOCATION: (5878)...(5879)
    OTHER INFORMATION: exon 8:intron 8
    FEATURE:
    NAME/KEY: intron
    LOCATION: (5879)...(6305)
    OTHER INFORMATION: intron 8
    FEATURE:
    NAME/KEY: intron:exon junction
    LOCATION: (6305)...(6306)
    OTHER INFORMATION: intron 8:exon 9
```

```
;   FEATURE:
;       NAME/KEY: exon
;       LOCATION: (6306)...(6650)
;       OTHER INFORMATION: exon 9
US-11-071-724-10

Query Match             1.5%;   Score 46;   DB 10;   Length 7001;
Best Local Similarity   100.0%;   Pred. No. 6.8e-13;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy        3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
               ||||||||||||||||||||||||||||||||||||||||||||||||
Db        6054 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 6009


RESULT 189
US-09-764-891-9601
;   Sequence 9601, Application US/09764891
;   Publication No. US20030077808A1
;   GENERAL INFORMATION:
;   APPLICANT: Rosen et al.
;   TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
;   FILE REFERENCE: PC006
;   CURRENT APPLICATION NUMBER: US/09/764,891
;   CURRENT FILING DATE: 2001-01-17
;   Prior application data removed - consult PALM or file wrapper
;   NUMBER OF SEQ ID NOS: 10231
;   SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 9601
;       LENGTH: 13409
;       TYPE: DNA
;       ORGANISM: Homo sapiens
US-09-764-891-9601

Query Match             1.5%;   Score 46;   DB 3;   Length 13409;
Best Local Similarity   100.0%;   Pred. No. 6.7e-13;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy        3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
               ||||||||||||||||||||||||||||||||||||||||||||||||
Db       12121 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 12166


RESULT 190
US-10-205-428-930
;   Sequence 930, Application US/10205428
;   Publication No. US20030180907A1
;   GENERAL INFORMATION:
;   APPLICANT: Rosen et al.
;   TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
;   FILE REFERENCE: PA17C1
;   CURRENT APPLICATION NUMBER: US/10/205,428
;   CURRENT FILING DATE: 2002-07-26
;   PRIOR APPLICATION NUMBER: 09/764,892
;   PRIOR FILING DATE: 2001-01-17
;   PRIOR APPLICATION NUMBER: 60/179,065
;   PRIOR FILING DATE: 2000-01-31
;   PRIOR APPLICATION NUMBER: 60/180,628
;   PRIOR FILING DATE: 2000-02-04
;   PRIOR APPLICATION NUMBER: 60/214,886
;   PRIOR FILING DATE: 2000-06-28
;   PRIOR APPLICATION NUMBER: 60/217,487
;   PRIOR FILING DATE: 2000-07-11
;   PRIOR APPLICATION NUMBER: 60/225,758
;   PRIOR FILING DATE: 2000-08-14
;   PRIOR APPLICATION NUMBER: 60/220,963
;   PRIOR FILING DATE: 2000-07-26
;   PRIOR APPLICATION NUMBER: 60/217,496
;   PRIOR FILING DATE: 2000-07-11
;   PRIOR APPLICATION NUMBER: 60/225,447
;   PRIOR FILING DATE: 2000-08-14
;   PRIOR APPLICATION NUMBER: 60/218,290
;   PRIOR FILING DATE: 2000-07-14
```

```
;   Remaining Prior Application data removed - See File Wrapper or PALM.
;       NUMBER OF SEQ ID NOS: 1019
;       SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 930
;       LENGTH: 13409
;       TYPE: DNA
;       ORGANISM: Homo sapiens
US-10-205-428-930

Query Match             1.5%;   Score 46;   DB 5;   Length 13409;
Best Local Similarity   100.0%;   Pred. No. 6.7e-13;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy        3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
               ||||||||||||||||||||||||||||||||||||||||||||||||
Db       12121 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 12166


RESULT 191
US-09-764-847-1916
;   Sequence 1916, Application US/09764847
;   Patent No. US20020132767A1
;   GENERAL INFORMATION:
;   APPLICANT: Rosen et al.
;   TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
;   FILE REFERENCE: PC009
;   CURRENT APPLICATION NUMBER: US/09/764,847
;   CURRENT FILING DATE: 2001-01-17
;   Prior application data removed - consult PALM or file wrapper
;   NUMBER OF SEQ ID NOS: 2003
;   SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 1916
;       LENGTH: 18501
;       TYPE: DNA
;       ORGANISM: Homo sapiens
;   FEATURE:
;       NAME/KEY: SITE
;       LOCATION: (9022)
;       OTHER INFORMATION: n equals a,t,g, or c
;       NAME/KEY: SITE
;       LOCATION: (9023)
;       OTHER INFORMATION: n equals a,t,g, or c
US-09-764-847-1916

Query Match             1.5%;   Score 46;   DB 3;   Length 18501;
Best Local Similarity   100.0%;   Pred. No. 6.6e-13;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy        3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
               ||||||||||||||||||||||||||||||||||||||||||||||||
Db         224 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 269


RESULT 192
US-10-092-154-1916
;   Sequence 1916, Application US/10092154
;   Publication No. US20030054375A1
;   GENERAL INFORMATION:
;   APPLICANT: Rosen et al.
;   TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
;   FILE REFERENCE: PC009C1
;   CURRENT APPLICATION NUMBER: US/10/092,154
;   CURRENT FILING DATE: 2002-03-07
;   NUMBER OF SEQ ID NOS: 2003
;   Prior Application removed - See File Wrapper or Palm
;   SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 1916
;       LENGTH: 18501
;       TYPE: DNA
;       ORGANISM: Homo sapiens
;   FEATURE:
;       NAME/KEY: misc feature
;       LOCATION: (9022)
```

; OTHER INFORMATION: n equals a,t,g, or c
; NAME/KEY: misc_feature
; LOCATION: (9023)
; OTHER INFORMATION: n equals a,t,g, or c
US-10-092-154-1916

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
         ||||||||||||||||||||||||||||||||||||||||||||||
Db   224 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 269

RESULT 193
US-10-187-659A-11/c
Sequence 11, Application US/10187659A
Publication No. US20040002152A1
GENERAL INFORMATION:
APPLICANT: Kenneth W. Doble
TITLE OF INVENTION: ANTISENSE MODULATION OF P2X4 EXPRESSION
FILE REFERENCE: RTS-0379
CURRENT APPLICATION NUMBER: US/10/187,659A
CURRENT FILING DATE: 2002-07-01
NUMBER OF SEQ ID NOS: 143
SEQ ID NO 11
LENGTH: 25001
TYPE: DNA
ORGANISM: H. sapiens

Query Match   1.5%;   Score 46;   DB 5;   Length 18501;
Best Local Similarity   100.0%;   Pred. No. 6.6e-13;
Matches 46;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy 2895 GGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         |||||||||||||||||||||||||||||||||||||||||||||||
Db   2633 GGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2588

RESULT 194
US-10-455-552-1/c
Sequence 1, Application US/10455552
Publication No. US20040018533A1
GENERAL INFORMATION:
APPLICANT: Adam, Gail Isabel
APPLICANT: Langdown, Maria
APPLICANT: Roth, Richard
APPLICANT: Denissenko, Mikhail
APPLICANT: Smylie, Kevin
TITLE OF INVENTION: DIAGNOSING PREDISPOSITION TO FAT
TITLE OF INVENTION: DEPOSITION AND THERAPEUTIC METHODS FOR REDUCING FAT
TITLE OF INVENTION: DEPOSITION AND TREATMENT OF ASSOCIATED CONDITIONS
FILE REFERENCE: 52459-20030.00
CURRENT APPLICATION NUMBER: US/10/455,552
CURRENT FILING DATE: 2003-06-04
PRIOR APPLICATION NUMBER: US 60/386,012
PRIOR FILING DATE: 2002-06-04
NUMBER OF SEQ ID NOS: 98
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 1
LENGTH: 28616
TYPE: DNA
ORGANISM: Homo sapiens

Query Match   1.5%;   Score 46;   DB 7;   Length 28616;
Best Local Similarity   100.0%;   Pred. No. 6.6e-13;
Matches 46;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy 2895 GGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         |||||||||||||||||||||||||||||||||||||||||||||||
US-10-455-552-1

Db 4783 GGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGCCAACAT 4738

RESULT 195
US-10-719-993-7030/c
Sequence 7030, Application US/10719993
Publication No. US20040265849A1
GENERAL INFORMATION:
APPLICANT: CARGILL, Michele et al.
TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
TITLE OF INVENTION: ALZHEIMER'S DISEASE, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001496
CURRENT APPLICATION NUMBER: US/10/719,993
CURRENT FILING DATE: 2003-11-24
NUMBER OF SEQ ID NOS: 55342
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 7030
LENGTH: 57095
TYPE: DNA
ORGANISM: Homo sapiens

Query Match   1.5%;   Score 46;   DB 8;   Length 57095;
Best Local Similarity   100.0%;   Pred. No. 6.5e-13;
Matches 46;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
         ||||||||||||||||||||||||||||||||||||||||||||||
Db   23272 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 23227

RESULT 196
US-10-322-281-526/c
Sequence 526, Application US/10322281
Publication No. US20040126762A1
GENERAL INFORMATION:
APPLICANT: David W. Morris
APPLICANT: Marc S. Malandro
TITLE OF INVENTION: Novel Compositions and Methods in Cancer
FILE REFERENCE: 52945200100
CURRENT APPLICATION NUMBER: US/10/322,281
CURRENT FILING DATE: 2002-12-17
NUMBER OF SEQ ID NOS: 866
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 526
LENGTH: 58922
TYPE: DNA
ORGANISM: Homo sapiens
FEATURE:
NAME/KEY: misc_feature
LOCATION: (1)...(58922)
OTHER INFORMATION: n = A,T,C or G
US-10-322-281-526

Query Match   1.5%;   Score 46;   DB 7;   Length 58922;
Best Local Similarity   100.0%;   Pred. No. 6.4e-13;
Matches 46;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy 3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
         ||||||||||||||||||||||||||||||||||||||||||||||
Db   53826 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 53781

RESULT 197
US-10-741-601-5619/c
Sequence 5619, Application US/10741601
Publication No. US20040166519A1
GENERAL INFORMATION:
APPLICANT: CARGILL, Michele et al.
TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
TITLE OF INVENTION: STENOSIS, METHODS OF DETECTION AND USES THEREOF
FILE REFERENCE: CL001500
CURRENT APPLICATION NUMBER: US/10/741,601

; CURRENT FILING DATE: 2003-12-22
; NUMBER OF SEQ ID NOS: 26415
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 5619
; LENGTH: 59914
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(59914)
; OTHER INFORMATION: n = A,T,C or G, or insertion/deletion polymorphism (see Tables 1-
; US-10-741-601-5619

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   10387 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 10342

Query Match   1.5%; Score 46; DB 7; Length 59914;
Best Local Similarity 100.0%; Pred. No. 6.4e-13;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 198
US-10-719-993-6871/c
; Sequence 6871, Application US/10719993
; Publication No. US20040265849A1
; GENERAL INFORMATION:
; APPLICANT: CARGILL, Michele et al.
; TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
;   ALZHEIMER'S DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001496
; CURRENT APPLICATION NUMBER: US/10/719,993
; CURRENT FILING DATE: 2003-11-24
; NUMBER OF SEQ ID NOS: 55342
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 6871
; LENGTH: 93011
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(93011)
; OTHER INFORMATION: n = A,T,C or G, or insertion/deletion polymorphism (see Tables 1
; US-10-719-993-6871

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   82157 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 82112

Query Match   1.5%; Score 46; DB 8; Length 93011;
Best Local Similarity 100.0%; Pred. No. 6.4e-13;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 199
US-10-052-482-232
; Sequence 232, Application US/10052482
; Publication No. US20040072264A1
; GENERAL INFORMATION:
; APPLICANT: Engelhard, Eric
; APPLICANT: Morris, David
; TITLE OF INVENTION: NOVEL COMPOSITIONS AND METHODS FOR CANCER
; FILE REFERENCE: A-71087/RMS/DCF
; CURRENT APPLICATION NUMBER: 2002-08-15
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: US 09/747,377
; PRIOR FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/798,586
; PRIOR FILING DATE: 2001-03-02
; NUMBER OF SEQ ID NOS: 241
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 232
; LENGTH: 96595

; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (49183)..(49621)
; OTHER INFORMATION: "n" at positions 49183 to 49621 can be any base
; US-10-052-482-232

Qy   3071 CAAGATTGTGCCACTGCACTCCACCTGGGCAACAGAGAGCAAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   57090 CAAGATTGTGCCACTGCACTCCACCTGGGCAACAGAGAGCAAAGACTC 57135

Query Match   1.5%; Score 46; DB 7; Length 96595;
Best Local Similarity 100.0%; Pred. No. 6.4e-13;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 200
US-10-704-513-1/c
; Sequence 1, Application US/10704513
; Publication No. US20050170500A1
; GENERAL INFORMATION:
; APPLICANT: ROTH, RICHARD B.
; APPLICANT: NELSON, MATTHEW ROBERTS
; APPLICANT: KAMMERER, STEFAN M.
; APPLICANT: BRAUN, ANDREAS
; TITLE OF INVENTION: METHODS FOR IDENTIFYING RISK OF MELANOMA AND TREATMENTS
;   THEREOF
; FILE REFERENCE: SEQ-4062-UT
; CURRENT APPLICATION NUMBER: US/10/704,513
; CURRENT FILING DATE: 2003-11-06
; PRIOR APPLICATION NUMBER: 60/489,703
; PRIOR FILING DATE: 2003-07-23
; PRIOR APPLICATION NUMBER: 60/424,475
; PRIOR FILING DATE: 2002-11-06
; NUMBER OF SEQ ID NOS: 774
; SOFTWARE: PatentIn version 3.3
; SEQ ID NO 1
; LENGTH: 99100
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: modified_base
; LOCATION: (47431)
; OTHER INFORMATION: a, c, g, t, unknown, or other
; US-10-704-513-1

Qy   3071 CAAGATTGTGCCACTGCACTCCACCTGGGCAACAGAGAGCAAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   16521 CAAGATTGTGCCACTGCACTCCACCTGGGCAACAGAGAGCAAAGACTC 16476

Query Match   1.5%; Score 46; DB 9; Length 99100;
Best Local Similarity 100.0%; Pred. No. 6.4e-13;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Search completed: May 11, 2006, 06:40:25
Job time : 2402 secs

```
OM nucleic - nucleic search, using sw model

                    GenCore version 5.1.8
                    Copyright (c) 1993 - 2006 Bioacceleration Ltd.

Run on:        May 11, 2006, 05:54:19 ; Search time 1343 Seconds
                                         (without alignments)
                                         9481.115 Million cell updates/sec

Title:         US-10-760-320A-102
Perfect score: 3122
Sequence:      1 actagaggtggggttagcgc.........acagagcaagactctgtctc 3122

Scoring table:  OLIGO_NUC
                Gapop 60.0 , Gapext 60.0
Searched:      9312410 seqs, 2039259788 residues

Word size :    1

Total number of hits satisfying chosen parameters:    18623998

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Listing first 500 summaries

Database :     Published Applications NA New:*
               1: /SIDS5/ptodata/1/pubpna/US08_NEW_PUB.seq1:*
               2: /SIDS5/ptodata/1/pubpna/US08_NEW_PUB.seq:*
               3: /SIDS5/ptodata/1/pubpna/US07_NEW_PUB.seq:*
               4: /SIDS5/ptodata/1/pubpna/US08_NEW_PUB.seq4:*
               5: /SIDS5/ptodata/1/pubpna/PCT_NEW_PUB.seq:*
               6: /SIDS5/ptodata/1/pubpna/US09_NEW_PUB.seq:*
               7: /SIDS5/ptodata/1/pubpna/US09_NEW_PUB.seq1:*
               8: /SIDS5/ptodata/1/pubpna/US09_NEW_PUB.seq2:*
               9: /SIDS5/ptodata/1/pubpna/US10_NEW_PUB.seq:*
              10: /SIDS5/ptodata/1/pubpna/US10_NEW_PUB.seq1:*
              11: /SIDS5/ptodata/1/pubpna/US10_NEW_PUB.seq2:*
              12: /SIDS5/ptodata/1/pubpna/US10_NEW_PUB.seq3:*
              13: /SIDS5/ptodata/1/pubpna/US10_NEW_PUB.seq4:*
              14: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seq:*
              15: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seq2:*
              16: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seq3:*
              17: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seq4:*
              18: /SIDS5/ptodata/1/pubpna/US11_NEW_PUB.seq5:*
              19: /SIDS5/ptodata/1/pubpna/US60_NEW_PUB.seq:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.


                               SUMMARIES

Result          %        Query
 No.   Score  Match   Length  DB  ID                 Description
```

Result No.	Score	% Match	Query Length	DB	ID	Description
1	509	16.3	560	7	US-09-925-065A-740956	Sequence 740956,
2	506	16.2	557	7	US-09-925-065A-769508	Sequence 769508,
3	505	16.2	556	7	US-09-925-065A-736351	Sequence 736351,
4	504	16.1	555	7	US-09-925-065A-737120	Sequence 737120,
5	53	1.7	477	11	US-10-301-480-20199	Sequence 20199, A
6	53	1.7	477	12	US-10-301-480-633608	Sequence 633608,
7	53	1.7	492	11	US-10-301-480-20198	Sequence 20198, A
8	53	1.7	492	12	US-10-301-480-633607	Sequence 633607,
9	52	1.7	559	7	US-09-925-065A-591947	Sequence 591947,
10	52	1.7	574	7	US-09-925-065A-768818	Sequence 768818,
11	52	1.7	592	7	US-09-925-065A-59682	Sequence 59682, A
12	52	1.7	592	11	US-10-301-480-160920	Sequence 160920,
13	52	1.7	592	12	US-10-301-480-774329	Sequence 774329,
14	52	1.7	614	12	US-10-301-480-454942	Sequence 454942,

c	15	52	1.7	614	12	US-10-301-480-1068351	Sequence 1068351,
c	16	52	1.7	617	12	US-09-925-065A-386361	Sequence 386361,
c	17	52	1.7	618	12	US-10-301-480-611724	Sequence 611724,
c	18	52	1.7	618	12	US-10-301-480-1225133	Sequence 1225133,
c	19	52	1.7	695	10	US-09-925-065A-708701	Sequence 708701,
c	20	52	1.7	974	12	US-10-301-480-598972	Sequence 598972,
c	21	52	1.7	974	17	US-10-301-480-1212381	Sequence 1212381,
c	22	52	1.7	852	17	US-11-121-086-84	Sequence 84, Appl
c	23	52	1.7	137671	17	US-11-121-086-47	Sequence 47, Appl
c	24	52	1.7	398287	17	US-10-995-561-13396	Sequence 13396, A
c	25	52	1.7	385	10	US-09-925-065A-211249	Sequence 211249,
c	26	51	1.6	561	11	US-10-301-480-141833	Sequence 141833,
c	27	51	1.6	561	12	US-10-301-480-236672	Sequence 236672,
c	28	51	1.6	561	12	US-10-301-480-850081	Sequence 850081,
c	29	51	1.6	587	11	US-10-301-480-1011	Sequence 1011, Ap
c	30	51	1.6	587	12	US-10-301-480-42180	Sequence 42180, A
c	31	51	1.6	587	12	US-10-301-480-614420	Sequence 614420,
c	32	51	1.6	587	12	US-10-301-480-655589	Sequence 655589,
c	33	51	1.6	852	12	US-10-301-480-589593	Sequence 589593,
c	34	51	1.6	852	12	US-10-301-480-1203002	Sequence 1203002,
c	35	51	1.6	197096	17	US-11-121-086-107	Sequence 107, App
c	36	50	1.6	571	7	US-09-925-065A-484883	Sequence 484883,
c	37	50	1.6	572	7	US-09-925-065A-785967	Sequence 785967,
c	38	50	1.6	625	7	US-09-925-065A-894777	Sequence 894777,
c	39	50	1.6	630	7	US-09-925-065A-892664	Sequence 892664,
c	40	50	1.6	633	7	US-09-925-065A-892405	Sequence 892405,
c	41	50	1.6	633	7	US-09-925-065A-892514	Sequence 892514,
c	42	50	1.6	633	7	US-09-925-065A-9499927	Sequence 9499927,
c	43	50	1.6	676	7	US-09-925-065A-917225	Sequence 917225,
c	44	50	1.6	676	7	US-09-925-065A-172226	Sequence 917226,
c	45	50	1.6	676	7	US-09-925-065A-944569	Sequence 944569,
c	46	50	1.6	739	7	US-09-925-065A-934608	Sequence 934608,
c	47	50	1.6	742	7	US-09-925-065A-941367	Sequence 941367,
c	48	50	1.6	999	7	US-10-301-480-567391	Sequence 567391,
c	49	50	1.6	999	12	US-10-301-480-1180800	Sequence 1180800,
c	50	50	1.6	1986	11	US-10-301-480-100096	Sequence 100096,
c	51	50	1.6	1986	12	US-10-301-480-713505	Sequence 713505,
c	52	50	1.6	1877145	17	US-11-112-908-21	Sequence 21, Appl
c	53	50	1.6	207908	17	US-10-301-480-83	Sequence 83, Appl
c	54	50	1.6	212805	17	US-11-112-908-19	Sequence 19, Appl
c	55	49	1.6	417	12	US-10-301-480-235645	Sequence 235645,
c	56	49	1.6	417	12	US-10-301-480-849054	Sequence 849054,
c	57	49	1.6	420	7	US-09-925-065A-140670	Sequence 140670,
c	58	49	1.6	530	11	US-10-301-480-15264	Sequence 15264, A
c	59	49	1.6	530	12	US-10-301-480-235646	Sequence 235646,
c	60	49	1.6	530	12	US-10-301-480-628673	Sequence 628673,
c	61	49	1.6	530	12	US-10-301-480-849055	Sequence 849055,
c	62	49	1.6	532	7	US-09-925-065A-140671	Sequence 140671,
c	63	49	1.6	552	7	US-09-925-065A-18609	Sequence 18609, A
c	64	49	1.6	552	7	US-09-925-065A-18610	Sequence 18610, A
c	65	49	1.6	552	7	US-09-925-065A-18611	Sequence 18611, A
c	66	49	1.6	552	11	US-10-301-480-119846	Sequence 119846,
c	67	49	1.6	552	11	US-10-301-480-119847	Sequence 119847,
c	68	49	1.6	552	11	US-10-301-480-119848	Sequence 119848,
c	69	49	1.6	552	12	US-10-301-480-733255	Sequence 733255,
c	70	49	1.6	552	12	US-10-301-480-733256	Sequence 733256,
c	71	49	1.6	552	12	US-10-301-480-733257	Sequence 733257,
c	72	49	1.6	695	7	US-09-925-065A-708700	Sequence 708700,
c	73	49	1.6	750	7	US-09-925-065A-932035	Sequence 932035,
c	74	49	1.6	750	7	US-09-925-065A-932036	Sequence 932036,
c	75	49	13	2434428	13	US-09-925-065A-14	Sequence 14, Appl
c	76	48	1.5	437	12	US-10-301-480-24305	Sequence 24305, A
c	77	48	1.5	437	12	US-10-301-480-637714	Sequence 637714,
c	78	48	1.5	438	11	US-10-301-480-43148	Sequence 43148, A
c	79	48	1.5	438	12	US-10-301-480-656557	Sequence 656557,
c	80	48	1.5	617	12	US-10-301-480-597620	Sequence 597620,
c	81	48	1.5	617	12	US-10-301-480-1211029	Sequence 1211029,
c	82	48	1.5	802	12	US-10-301-480-597621	Sequence 597621,
c	83	48	1.5	802	12	US-10-301-480-1211030	Sequence 1211030,
c	84	48	1.5	19675	17	US-11-124-368A-2878	Sequence 2878, Ap
c	85	47	1.5	534	7	US-09-925-065A-440136	Sequence 440136,
c	86	47	1.5	534	7	US-09-925-065A-440137	Sequence 440137,
c	87	47	1.5	566	7	US-09-925-065A-623360	Sequence 623360,

Left column:

#	flag					Patent	Sequence
88		46	1.5	201	10	US-10-995-561-64399	Sequence 64399, A
89		46	1.5	496	11	US-10-301-480-20200	Sequence 202200, A
90	c	46	1.5	496	12	US-10-301-480-633609	Sequence 633609, A
91	c	46	1.5	514	12	US-10-301-480-570118	Sequence 570118,
92	c	46	1.5	514	12	US-10-301-480-1183527	Sequence 1183527,
93	c	46	1.5	540	12	US-10-301-480-577517	Sequence 577517,
94	c	46	1.5	540	12	US-10-301-480-1190926	Sequence 1190926,
95	c	46	1.5	559	12	US-09-925-065A-124249	Sequence 124249,
96	c	46	1.5	568	12	US-10-301-480-221987	Sequence 221987,
97	c	46	1.5	568	12	US-10-301-480-835396	Sequence 835396,
98	c	46	1.5	506	12	US-09-925-065A-843811	Sequence 843811,
99	c	46	1.5	609	7	US-09-925-065A-801712	Sequence 801712, A
100	c	46	1.5	610	7	US-09-925-065A-48663	Sequence 48663, A
101	c	46	1.5	610	12	US-10-301-480-65044	Sequence 65044, A
102	c	46	1.5	610	11	US-10-301-480-149901	Sequence 149901, A
103	c	46	1.5	610	11	US-10-301-480-162282	Sequence 162282,
104	c	46	1.5	610	12	US-10-301-480-763310	Sequence 763310,
105	c	46	1.5	610	12	US-10-301-480-779691	Sequence 779691,
106	c	46	1.5	614	7	US-09-925-065A-47410	Sequence 47410, A
107	c	46	1.5	614	7	US-09-925-065A-47411	Sequence 47411, A
108	c	46	1.5	614	11	US-10-301-480-148648	Sequence 148648,
109	c	46	1.5	614	11	US-10-301-480-148649	Sequence 148649,
110	c	46	1.5	614	12	US-10-301-480-762057	Sequence 762057,
111	c	46	1.5	614	12	US-10-301-480-762058	Sequence 762058,
112	c	46	1.5	615	7	US-09-925-065A-930543	Sequence 930543,
113	c	46	1.5	615	12	US-09-925-065A-930544	Sequence 930544,
114	c	46	1.5	616	7	US-09-925-065A-870312	Sequence 870312,
115	c	46	1.5	654	7	US-09-925-065A-554324	Sequence 554324,
116	c	46	1.5	659	7	US-09-925-065A-759345	Sequence 759345, A
117	c	46	1.5	659	7	US-09-925-065A-790726	Sequence 790726,
118	c	46	1.5	659	7	US-09-925-065A-790727	Sequence 790727,
119	c	46	1.5	661	7	US-09-925-065A-771454	Sequence 771454,
120	c	46	1.5	672	7	US-09-925-065A-737520	Sequence 737520,
121	c	46	1.5	680	7	US-09-925-065A-737227	Sequence 737227,
122	c	46	1.5	689	7	US-09-925-065A-852555	Sequence 852555,
123	c	46	1.5	689	7	US-09-925-065A-852556	Sequence 852556,
124	c	46	1.5	840	7	US-09-925-065A-938958	Sequence 938958,
125	c	46	1.5	840	7	US-09-925-065A-938959	Sequence 938959,
126	c	46	1.5	840	7	US-09-925-065A-938960	Sequence 938960,
127	c	46	1.5	989	12	US-10-301-480-601877	Sequence 601877,
128	c	46	1.5	989	12	US-09-925-065A-1215286	Sequence 1215286,
129	c	46	1.5	998	12	US-10-301-480-612422	Sequence 612422,
130	c	46	1.5	998	11	US-10-301-480-1225831	Sequence 1225831,
131	c	46	1.5	1105	7	US-09-925-065A-711495	Sequence 711495,
132	c	46	1.5	1364	7	US-09-925-065A-678054	Sequence 678054,
133	c	46	1.5	1235	7	US-09-925-065A-689300	Sequence 689300,
134	c	46	1.5	2227	7	US-09-925-065A-677066	Sequence 677066, A
135	c	46	1.5	2798	11	US-10-301-480-94903	Sequence 94903, A
136	c	46	1.5	2798	12	US-10-301-480-708312	Sequence 708312, A
137	c	46	1.5	56448	17	US-11-112-908-53	Sequence 53, App1
138	c	46	1.5	98345	17	US-11-112-908-54	Sequence 54, App1
139	c	46	1.5	109961	11	US-10-330-773-795	Sequence 795, App1
140	c	46	1.5	150450	17	US-11-112-908-36	Sequence 36, App1
141	c	46	1.5	191343	17	US-11-112-908-53	Sequence 53, App1
142	c	46	1.4	201	10	US-10-995-561-58923	Sequence 58923, A
143	c	46	1.4	201	10	US-10-995-561-58959	Sequence 58959, A
144	c	46	1.4	201	10	US-10-995-561-68537	Sequence 68537, A
145	c	46	1.4	524	11	US-10-301-480-49738	Sequence 49738, A
146	c	46	1.4	524	11	US-10-301-480-49739	Sequence 49739, A
147	c	46	1.4	524	12	US-10-301-480-663147	Sequence 663147,
148	c	46	1.4	524	12	US-10-301-480-663148	Sequence 663148,
149	c	46	1.4	527	11	US-10-301-480-9096	Sequence 9096, Ap
150	c	46	1.4	527	12	US-10-301-480-622505	Sequence 622505,
151	c	46	1.4	545	7	US-09-925-065A-765896	Sequence 765896,
152	+	46	1.4	546	7	US-09-925-065A-799095	Sequence 799095,
153	c	46	1.4	549	7	US-09-925-065A-615308	Sequence 615308,
154	c	46	1.4	559	7	US-09-925-065A-591948	Sequence 591948,
155	c	46	1.4	563	7	US-09-925-065A-12438	Sequence 12438, A
156	c	46	1.4	563	11	US-10-301-480-113675	Sequence 113675,
157	c	46	1.4	563	12	US-10-301-480-727084	Sequence 727084,
158	c	46	1.4	568	7	US-09-925-065A-13098	Sequence 13098, A
159	c	46	1.4	568	12	US-10-301-480-338452	Sequence 338452, A
160		45	1.4	568	11	US-10-301-480-114335	Sequence 114335,

Right column:

#	flag					Patent	Sequence
161		45	1.4	568	12	US-10-301-480-411598	Sequence 411598,
162		45	1.4	568	12	US-10-301-480-727744	Sequence 727744,
163		45	1.4	568	12	US-10-301-480-1025007	Sequence 1025007,
164		45	1.4	590	7	US-09-925-065A-371064	Sequence 371064,
165	c	45	1.4	592	7	US-09-925-065A-927764	Sequence 927764,
166		45	1.4	592	12	US-09-925-065A-927765	Sequence 927765,
167		45	1.4	592	7	US-09-925-065A-949474	Sequence 949474,
168		45	1.4	596	12	US-09-925-065A-695847	Sequence 695847,
169	c	45	1.4	598	11	US-09-925-065A-10892	Sequence 10892, A
170	c	45	1.4	598	12	US-10-301-480-112129	Sequence 112129,
171	c	45	1.4	598	12	US-10-301-480-725538	Sequence 725538,
172	c	45	1.4	603	12	US-10-301-480-253035	Sequence 253035,
173	c	45	1.4	603	12	US-10-301-480-866444	Sequence 866444,
174	c	45	1.4	604	7	US-09-925-065A-160227	Sequence 160227,
175	c	45	1.4	605	7	US-09-925-065A-799096	Sequence 799096,
176	c	45	1.4	605	7	US-09-925-065A-795229	Sequence 795229,
177	c	45	1.4	606	12	US-10-301-480-441075	Sequence 441075,
178	c	45	1.4	606	7	US-09-925-065A-850785	Sequence 850785,
179	c	45	1.4	624	7	US-09-925-065A-1054484	Sequence 1054484,
180	c	45	1.4	624	7	US-09-925-065A-846491	Sequence 846491,
181	c	45	1.4	627	7	US-09-925-065A-839499	Sequence 839499,
182	c	45	1.4	662	7	US-09-925-065A-675355	Sequence 675355,
183	c	45	1.4	662	12	US-09-925-065A-675356	Sequence 675356, A
184	c	45	1.4	713	7	US-10-301-480-34229	Sequence 34229, A
185	c	45	1.4	713	12	US-10-301-480-647638	Sequence 647638,
186	c	45	1.4	723	12	US-10-301-480-593973	Sequence 593973,
187	c	45	1.4	723	12	US-10-301-480-1207382	Sequence 1207382,
188	c	45	1.4	745	12	US-10-301-480-572562	Sequence 572562,
189	c	45	1.4	745	12	US-10-301-480-1185971	Sequence 1185971,
190	c	45	1.4	793	7	US-09-925-065A-13524	Sequence 13524, A
191	c	45	1.4	793	7	US-09-925-065A-77588	Sequence 77588, A
192	c	45	1.4	793	12	US-10-301-480-178827	Sequence 178827,
193	c	45	1.4	793	11	US-10-301-480-1147761	Sequence 1147761,
194	c	45	1.4	793	12	US-10-301-480-792236	Sequence 792236,
195	c	45	1.4	793	12	US-10-301-480-1195954	Sequence 1195954,
196	c	45	1.4	803	12	US-10-301-480-556511	Sequence 556511,
197	c	45	1.4	803	12	US-10-301-480-600766	Sequence 600766,
198	c	45	1.4	803	12	US-10-301-480-1169920	Sequence 1169920,
199	c	45	1.4	818	12	US-10-301-480-556318	Sequence 556318,
200	c	45	1.4	818	12	US-10-301-480-1169727	Sequence 1169727,
201	c	45	1.4	896	12	US-10-301-480-190128	Sequence 190128,
202	c	45	1.4	896	12	US-10-301-480-803537	Sequence 803537,
203	c	45	1.4	896	11	US-10-301-480-1225831	Sequence 1225831,
204		45	1.4	981	12	US-10-301-480-1195954	Sequence 1195954,
205		45	1.4	994	12	US-10-301-480-600766	Sequence 600766,
206	c	45	1.4	994	12	US-10-301-480-607075	Sequence 607075,
207		45	1.4	994	12	US-10-301-480-1214175	Sequence 1214175,
208		45	1.4	994	12	US-10-301-480-1214184	Sequence 1214184,
209		45	1.4	997	12	US-10-301-480-535489	Sequence 535489,
210		45	1.4	997	12	US-10-301-480-1165060	Sequence 1165060,
211		45	1.4	997	12	US-10-301-480-1148898	Sequence 1148898,
212		45	1.4	997	12	US-10-301-480-551651	Sequence 551651,
213		45	1.4	997	12	US-10-301-480-608404	Sequence 608404,
214		45	1.4	1000	12	US-10-301-480-1221813	Sequence 1221813,
215		45	1.4	1027	7	US-09-925-065A-85536	Sequence 85536, A
216		45	1.4	1027	12	US-10-301-480-186775	Sequence 186775,
217		45	1.4	1027	12	US-10-301-480-186776	Sequence 186776,
218		45	1.4	1027	11	US-10-301-480-800184	Sequence 800184,
219		45	1.4	1027	12	US-10-301-480-800185	Sequence 800185,
220		45	1.4	1027	12	US-10-301-480-311319	Sequence 311319, A
221	c	45	1.4	1233	12	US-10-301-480-31318	Sequence 31318, A
222	c	45	1.4	1233	12	US-10-301-480-31319	Sequence 31319, A
223	c	45	1.4	1233	12	US-10-301-480-644727	Sequence 644727,
224	c	45	1.4	1233	12	US-10-301-480-644728	Sequence 644728,
225	c	45	1.4	1233	11	US-09-925-065A-553464	Sequence 553464,
226	c	45	1.4	1302	11	US-10-301-480-32413	Sequence 32413, A
227	c	45	1.4	1302	11	US-10-301-480-32414	Sequence 32414, A
228	c	45	1.4	1302	12	US-10-301-480-645822	Sequence 645822, A
229	c	45	1.4	1302	12	US-10-301-480-645823	Sequence 645823,
230		45	1.4	1305	11	US-10-301-480-34751	Sequence 34751,
231		45	1.4	1305	12	US-10-301-480-135989	Sequence 135989,
232		45	1.4	1305	12	US-10-301-480-749398	Sequence 749398,
233		45	1.4	1498	7	US-09-925-065A-71613	Sequence 71613, A

us-10-760-320a-102.oligo.200hits.rmpbn

	#		1.4	big	n	Patent	Sequence
	234	45	1.4	1498	11	US-10-301-480-172852	Sequence 172852,
	235	45	1.4	1498	12	US-10-301-480-786261	Sequence 786261,
	236	45	1.4	1792	7	US-09-925-065A-549910	Sequence 549910,
	237	45	1.4	1792	7	US-10-301-480-527860	Sequence 527860,
	238	45	1.4	1792	12	US-10-301-480-1141269	Sequence 1141269,
	239	45	1.4	1869	7	US-09-925-065A-689963	Sequence 689963,
	240	45	1.4	28693	7	US-10-995-561-13341	Sequence 13341, A
	241	45	1.4	98850	10	US-10-995-561-13323	Sequence 13323, A
	242	45	1.4	160026	17	US-11-121-086-29	Sequence 29, Appl
	243	45	1.4	246960	17	US-11-121-086-8	Sequence 8, Appli
	244	45	1.4	285300	17	US-10-857-780-6	Sequence 6, Appli
	245	45	1.4	1080000	10	US-10-928-446A-1	Sequence 1, Appli
	246	45	1.4	1080000	10	US-10-928-446A-181	Sequence 181, App
	247	45	1.4	1080000	10	US-10-928-446A-183	Sequence 183, App
	248	45	1.4	1080000	10	US-10-928-446A-185	Sequence 185, App
	249	45	1.4	1080000	10	US-10-928-446A-187	Sequence 187, App
	250	45	1.4	1080000	10	US-10-928-446A-189	Sequence 189, App
	251	45	1.4	1080000	10	US-10-928-446A-191	Sequence 191, App
	252	45	1.4	1080000	10	US-10-928-446A-193	Sequence 193, App
	253	45	1.4	1080000	10	US-10-928-446A-195	Sequence 195, App
	254	45	1.4	1080000	10	US-10-928-446A-197	Sequence 197, App
	255	45	1.4	1080000	10	US-10-928-446A-199	Sequence 199, App
	256	45	1.4	1080000	10	US-10-928-446A-201	Sequence 201, App
	257	45	1.4	1691140	17	US-11-091-018-1	Sequence 1, Appli
	258	44	1.4	201	10	US-10-995-561-36364	Sequence 36364, A
	259	44	1.4	201	10	US-10-995-561-42346	Sequence 42346, A
	260	44	1.4	201	17	US-11-124-367A-21173	Sequence 21173, A
	261	44	1.4	201	17	US-11-124-367A-32954	Sequence 32954, A
	262	44	1.4	423	7	US-09-925-065A-566681	Sequence 566681,
	263	44	1.4	423	11	US-09-925-065A-566682	Sequence 566682,
	264	44	1.4	448	11	US-10-301-480-15039	Sequence 15039, A
	265	44	1.4	448	12	US-10-301-480-628448	Sequence 628448,
	266	44	1.4	464	7	US-09-925-065A-602339	Sequence 602339,
	267	44	1.4	470	7	US-09-925-065A-767971	Sequence 767971,
	268	44	1.4	496	7	US-09-925-065A-876040	Sequence 876040,
	269	44	1.4	496	7	US-09-925-065A-876041	Sequence 876041,
	270	44	1.4	496	7	US-09-925-065A-876042	Sequence 876042,
	271	44	1.4	496	7	US-09-925-065A-905372	Sequence 905372,
	272	44	1.4	525	12	US-10-301-480-508206	Sequence 508206,
	273	44	1.4	525	12	US-10-301-480-508207	Sequence 508207,
	274	44	1.4	525	12	US-10-301-480-1121615	Sequence 1121615,
	275	44	1.4	525	12	US-10-301-480-1121616	Sequence 1121616,
	276	44	1.4	530	7	US-09-925-065A-297222	Sequence 297222,
	277	44	1.4	537	7	US-09-925-065A-448591	Sequence 448591,
	278	44	1.4	537	7	US-09-925-065A-448592	Sequence 448592,
	279	44	1.4	537	12	US-09-925-065A-611857	Sequence 611857,
	280	44	1.4	539	12	US-10-301-480-602339	Sequence 602339,
	281	44	1.4	539	12	US-10-301-480-1225266	Sequence 1225266,
	282	44	1.4	541	12	US-10-301-480-374012	Sequence 374012,
	283	44	1.4	541	12	US-10-301-480-987421	Sequence 987421,
	284	44	1.4	556	7	US-09-925-065A-109914	Sequence 109914,
	285	44	1.4	557	7	US-09-925-065A-870384	Sequence 870384,
	286	44	1.4	557	7	US-09-925-065A-870385	Sequence 870385,
	287	44	1.4	557	12	US-10-301-480-597680	Sequence 597680,
	288	44	1.4	562	11	US-10-301-480-179483	Sequence 179483, A
	289	44	1.4	562	12	US-09-925-065A-78244	Sequence 78244, A
	290	44	1.4	562	11	US-10-301-480-792892	Sequence 792892, A
	291	44	1.4	563	11	US-10-301-480-15038	Sequence 15038, A
	292	44	1.4	563	12	US-10-301-480-628447	Sequence 628447,
	293	44	1.4	566	11	US-10-301-480-209509	Sequence 209509,
	294	44	1.4	566	12	US-10-301-480-822918	Sequence 822918,
	295	44	1.4	577	7	US-09-925-065A-707681	Sequence 707681,
	296	44	1.4	577	7	US-09-925-065A-707682	Sequence 707682,
	297	44	1.4	584	12	US-10-301-480-319474	Sequence 319474,
	298	44	1.4	584	12	US-10-301-480-319476	Sequence 319476,
	299	44	1.4	584	12	US-10-301-480-932883	Sequence 932883,
	300	44	1.4	584	12	US-10-301-480-932885	Sequence 932885,
	301	44	1.4	585	12	US-10-301-480-611357	Sequence 611357,
	302	44	1.4	585	12	US-10-301-480-1224766	Sequence 1224766,
	303	44	1.4	588	12	US-10-301-480-729173	Sequence 729173,
	304	44	1.4	589	7	US-09-925-065A-914465	Sequence 914465,
	305	44	1.4	591	12	US-09-925-065A-936386	Sequence 936386,
	306	44	1.4	591	7	US-09-925-065A-936386	Sequence 936386,

	#		1.4	big	n	Patent	Sequence
c	307	44	1.4	593	11	US-09-925-065A-237003	Sequence 237003,
c	308	44	1.4	593	7	US-09-925-065A-237005	Sequence 237005,
c	309	44	1.4	595	7	US-09-925-065A-685243	Sequence 685243,
c	310	44	1.4	599	7	US-09-925-065A-902996	Sequence 902996,
c	311	44	1.4	612	7	US-09-925-065A-219972	Sequence 219972, A
c	312	44	1.4	612	11	US-09-925-065A-123209	Sequence 123209, A
c	313	44	1.4	612	12	US-10-301-480-736618	Sequence 736618,
c	314	44	1.4	614	7	US-10-301-480-95402	Sequence 95402, A
c	315	44	1.4	614	12	US-10-301-480-708811	Sequence 708811,
c	316	44	1.4	616	7	US-10-301-480-534937	Sequence 534937,
c	317	44	1.4	616	12	US-10-301-480-1148346	Sequence 1148346,
c	318	44	1.4	618	7	US-09-925-065A-697941	Sequence 697941,
c	319	44	1.4	618	12	US-09-925-065A-697942	Sequence 697942, A
c	320	44	1.4	618	12	US-09-925-065A-789262	Sequence 789262,
c	321	44	1.4	619	7	US-09-925-065A-789263	Sequence 789263,
c	322	44	1.4	619	7	US-09-925-065A-789264	Sequence 789264,
c	323	44	1.4	619	7	US-09-925-065A-847245	Sequence 847245,
c	324	44	1.4	619	7	US-09-925-065A-847246	Sequence 847246,
c	325	44	1.4	619	7	US-09-925-065A-951338	Sequence 951338,
c	326	44	1.4	623	7	US-09-925-065A-521713	Sequence 521713,
c	327	44	1.4	627	7	US-09-925-065A-545865	Sequence 545865,
c	328	44	1.4	627	7	US-09-925-065A-545866	Sequence 545866,
c	329	44	1.4	627	7	US-09-925-065A-545867	Sequence 545867,
c	330	44	1.4	627	12	US-10-301-480-923432	Sequence 923432,
c	331	44	1.4	629	7	US-09-925-065A-821309	Sequence 821309, A
c	332	44	1.4	634	11	US-09-925-065A-46185	Sequence 46185, A
c	333	44	1.4	634	12	US-10-301-480-594891	Sequence 594891,
c	334	44	1.4	634	12	US-10-301-480-659594	Sequence 659594,
c	335	44	1.4	634	12	US-10-301-480-1208300	Sequence 1208300,
c	336	44	1.4	643	7	US-09-925-065A-692017	Sequence 692017,
c	337	44	1.4	659	7	US-09-925-065A-741517	Sequence 741517,
c	338	44	1.4	659	7	US-09-925-065A-741518	Sequence 741518,
c	339	44	1.4	668	7	US-09-925-065A-127024	Sequence 127024,
c	340	44	1.4	672	7	US-09-925-065A-224194	Sequence 224194,
c	341	44	1.4	672	12	US-10-301-480-837603	Sequence 837603,
c	342	44	1.4	673	7	US-09-925-065A-32538	Sequence 32538, A
c	343	44	1.4	673	11	US-10-301-480-133776	Sequence 133776, A
c	344	44	1.4	673	12	US-10-301-480-747185	Sequence 747185,
c	345	44	1.4	698	11	US-10-301-480-87096	Sequence 87096, A
c	346	44	1.4	698	12	US-10-301-480-700505	Sequence 700505, A
c	347	44	1.4	716	12	US-10-301-480-609596	Sequence 609596,
c	348	44	1.4	716	12	US-10-301-480-1223005	Sequence 1223005,
c	349	44	1.4	717	7	US-09-925-065A-297221	Sequence 297221,
c	350	44	1.4	717	7	US-10-301-480-564215	Sequence 564215,
c	351	44	1.4	718	7	US-09-925-065A-1177624	Sequence 1177624,
c	352	44	1.4	718	12	US-10-301-480-582616	Sequence 582616,
c	353	44	1.4	761	12	US-10-301-480-1196025	Sequence 1196025,
c	354	44	1.4	761	12	US-10-301-480-574634	Sequence 574634,
c	355	44	1.4	783	12	US-10-301-480-1180043	Sequence 1180043,
c	356	44	1.4	783	12	US-10-301-480-582777	Sequence 582777,
c	357	44	1.4	784	7	US-09-925-065A-1196186	Sequence 1196186,
c	358	44	1.4	822	12	US-10-301-480-574635	Sequence 574635,
c	359	44	1.4	822	12	US-10-301-480-1180044	Sequence 1180044,
c	360	44	1.4	873	12	US-10-301-480-89331	Sequence 89331, A
c	361	44	1.4	873	11	US-10-301-480-702740	Sequence 702740, A
c	362	44	1.4	934	12	US-10-301-480-535654	Sequence 535654,
c	363	44	1.4	934	12	US-10-301-480-1149063	Sequence 1149063,
c	364	44	1.4	949	12	US-10-301-480-543642	Sequence 543642,
c	365	44	1.4	949	12	US-10-301-480-1149062	Sequence 1149062,
c	366	44	1.4	955	12	US-10-301-480-571291	Sequence 571291,
c	367	44	1.4	955	12	US-10-301-480-1184700	Sequence 1184700,
c	368	44	1.4	971	12	US-10-301-480-603989	Sequence 603989,
c	369	44	1.4	971	12	US-10-301-480-1217398	Sequence 1217398,
c	370	44	1.4	972	12	US-10-301-480-540105	Sequence 540105,
c	371	44	1.4	972	12	US-10-301-480-543643	Sequence 543643,
c	372	44	1.4	972	12	US-10-301-480-1153514	Sequence 1153514,
c	373	44	1.4	972	12	US-10-301-480-1157051	Sequence 1157051,
c	374	44	1.4	972	12	US-10-301-480-1157052	Sequence 1157052,
c	375	44	1.4	979	12	US-10-301-480-587102	Sequence 587102,
c	376	44	1.4	979	12	US-10-301-480-1200511	Sequence 1200511,
c	377	44	1.4	980	12	US-10-301-480-606905	Sequence 606905,
c	378	44	1.4	980	12	US-10-301-480-1220314	Sequence 1220314,

c	#					Application	Sequence
c	380	44	1.4	985	12	US-10-301-480-588232	Sequence 588232,
c	381	44	1.4	985	12	US-10-301-480-1201641	Sequence 1201641,
c	382	44	1.4	996	12	US-10-301-480-576981	Sequence 576981,
c	383	44	1.4	996	12	US-10-301-480-1190390	Sequence 1190390,
c	384	44	1.4	998	12	US-10-301-480-543884	Sequence 543884,
c	385	44	1.4	998	12	US-10-301-480-1157293	Sequence 1157293,
c	386	44	1.4	998	12	US-10-301-480-543138	Sequence 543138,
c	387	44	1.4	999	12	US-10-301-480-563536	Sequence 563536,
c	388	44	1.4	999	12	US-10-301-480-1156547	Sequence 1156547,
c	389	44	1.4	999	12	US-10-301-480-1176945	Sequence 1176945,
c	390	44	1.4	1000	12	US-10-301-480-585733	Sequence 585733,
c	391	44	1.4	1000	12	US-10-301-480-1199142	Sequence 1199142,
c	392	44	1.4	1005	7	US-09-925-065A-726951	Sequence 726951,
c	393	44	1.4	1005	7	US-09-925-065A-726952	Sequence 726952,
c	394	44	1.4	1068	7	US-09-925-065A-716304	Sequence 716304,
c	395	44	1.4	1068	7	US-09-925-065A-716305	Sequence 716305,
c	396	44	1.4	1068	7	US-09-925-065A-716306	Sequence 716306,
c	397	44	1.4	1068	7	US-09-925-065A-716307	Sequence 716307,
c	398	44	1.4	1068	7	US-09-925-065A-716308	Sequence 716308,
c	399	44	1.4	1103	11	US-10-301-480-92758	Sequence 92758, A
c	400	44	1.4	1103	11	US-10-301-480-92759	Sequence 92759, A
c	401	44	1.4	1103	12	US-10-301-480-706167	Sequence 706167,
c	402	44	1.4	1103	12	US-10-301-480-706168	Sequence 706168,
c	403	44	1.4	1122	7	US-09-925-065A-551840	Sequence 551840,
c	404	44	1.4	1122	7	US-09-925-065A-529790	Sequence 529790,
c	405	44	1.4	1141	12	US-10-301-480-1143199	Sequence 1143199,
c	406	44	1.4	1122	12	US-10-301-480-40080	Sequence 40080, A
c	407	44	1.4	1141	12	US-10-301-480-653489	Sequence 653489,
c	408	44	1.4	1228	11	US-10-301-480-34420	Sequence 34420, A
c	409	44	1.4	1228	12	US-10-301-480-647829	Sequence 647829,
c	410	44	1.4	1240	11	US-10-301-480-98516	Sequence 98516, A
c	411	44	1.4	1240	12	US-10-301-480-711925	Sequence 711925,
c	412	44	1.4	1242	7	US-09-925-065A-712795	Sequence 712795,
c	413	44	1.4	1330	7	US-09-925-065A-58322	Sequence 58322, A
c	414	44	1.4	1330	7	US-09-925-065A-58323	Sequence 58323, A
c	415	44	1.4	1330	7	US-09-925-065A-58324	Sequence 58324, A
c	416	44	1.4	1330	11	US-10-301-480-159560	Sequence 159560,
c	417	44	1.4	1330	11	US-10-301-480-159561	Sequence 159561,
c	418	44	1.4	1330	11	US-10-301-480-159562	Sequence 159562,
c	419	44	1.4	1330	12	US-10-301-480-772969	Sequence 772969,
c	420	44	1.4	1330	12	US-10-301-480-772970	Sequence 772970,
c	421	44	1.4	1330	12	US-10-301-480-772971	Sequence 772971,
c	422	44	1.4	1390	11	US-10-301-480-47642	Sequence 47642, A
c	423	44	1.4	1390	12	US-10-301-480-148880	Sequence 148880,
c	424	44	1.4	1390	12	US-10-301-480-762289	Sequence 762289,
c	425	44	1.4	1427	7	US-09-925-065A-77993	Sequence 77993, A
c	426	44	1.4	1427	11	US-10-301-480-179232	Sequence 179232,
c	427	44	1.4	1427	12	US-10-301-480-792641	Sequence 792641,
c	428	44	1.4	1753	7	US-09-925-065A-714611	Sequence 714611,
c	429	44	1.4	1753	7	US-09-925-065A-714612	Sequence 714612,
c	430	44	1.4	1753	7	US-09-925-065A-714613	Sequence 714613,
c	431	44	1.4	1753	7	US-09-925-065A-714614	Sequence 714614,
c	432	44	1.4	1900	11	US-10-301-480-97935	Sequence 97935, A
c	433	44	1.4	1900	12	US-10-301-480-711344	Sequence 711344,
c	434	44	1.4	1970	12	US-10-301-480-721388	Sequence 721388,
c	435	44	1.4	2078	7	US-09-925-065A-16796	Sequence 16796, A
c	436	44	1.4	2078	11	US-10-301-480-118033	Sequence 118033,
c	437	44	1.4	2078	12	US-10-301-480-731442	Sequence 731442,
c	438	44	1.4	2184	7	US-09-925-065A-715885	Sequence 715885,
c	439	44	1.4	2184	7	US-09-925-065A-715886	Sequence 715886,
c	440	44	1.4	2184	7	US-09-925-065A-715887	Sequence 715887,
c	441	44	1.4	2725	7	US-09-925-065A-715888	Sequence 715888,
c	442	44	1.4	2725	7	US-09-925-065A-696477	Sequence 696477,
c	443	44	1.4	3488	11	US-10-301-480-186108	Sequence 186108,
c	444	44	1.4	3488	12	US-10-301-480-799517	Sequence 799517,
c	445	44	1.4	3488	12	US-10-330-773-919	Sequence 919, App
c	446	44	1.4	23943	11	US-11-124-36A-2889	Sequence 2889, Ap
c	447	44	1.4	67467	17	US-11-124-36A-2889	Sequence 2889, App
c	448	44	1.4	86361	10	US-10-995-561-13364	Sequence 13364, A
c	449	44	1.4	88116	10	US-10-995-561-13351	Sequence 13351, A
c	450	44	1.4	110847	17	US-11-121-086-11	Sequence 11, Appl
c	451	44	1.4	138941	9	US-10-489-730-10	Sequence 3, Appli
c	452	44	1.4	139573	12	US-10-506-513-3	Sequence 3, Appli

c	#					Application	Sequence
c	453	44	1.4	150468	17	US-11-112-908-716-56	Sequence 56, Appl
c	454	44	1.4	159440	13	US-11-960-414-12	Sequence 12, Appl
c	455	44	1.4	168656	17	US-11-112-908-59	Sequence 59, Appl
c	456	44	1.4	168753	17	US-11-181-234-1	Sequence 1, Appli
c	457	44	1.4	170285	17	US-11-112-908-58	Sequence 58, Appl
c	458	44	1.4	171162	17	US-11-112-908-38	Sequence 38, Appl
c	459	44	1.4	173602	17	US-11-121-086-25	Sequence 25, Appl
c	460	44	1.4	188056	17	US-11-120-925-1	Sequence 1, Appli
c	461	44	1.4	193789	17	US-11-112-908-55	Sequence 55, Appl
c	462	44	1.4	199130	17	US-10-995-561-80638	Sequence 55, Appl
c	463	44	1.4	200895	10	US-10-995-561-13233	Sequence 13233, A
c	464	44	1.4	222094	10	US-10-775-169-88	Sequence 88, Appl
c	465	44	1.4	1125000	10	US-10-995-561-13244	Sequence 13244, A
	466	43	1.4	201	10	US-10-995-561-13286	Sequence 13286, A
	467	43	1.4	201	10	US-09-925-065A-28594	Sequence 28594, A
	468	43	1.4	201	10	US-09-925-065A-42347	Sequence 42347, A
c	469	43	1.4	201	10	US-09-925-065A-49969	Sequence 49969, A
c	470	43	1.4	201	10	US-09-925-065A-50808	Sequence 50808, A
c	471	43	1.4	201	10	US-09-925-065A-61087	Sequence 61087, A
c	472	43	1.4	201	10	US-09-925-065A-68769	Sequence 68769, A
c	473	43	1.4	201	10	US-09-925-065A-80611	Sequence 80611, A
c	474	43	1.4	201	10	US-10-995-561-80638	Sequence 80638, A
c	475	43	1.4	444	7	US-09-925-065A-932412	Sequence 32955, A
c	476	43	1.4	444	7	US-09-925-065A-932412	Sequence 93412, A
c	477	43	1.4	444	7	US-09-925-065A-951567	Sequence 951567,
c	478	43	1.4	462	7	US-09-925-065A-951568	Sequence 951568,
c	479	43	1.4	463	7	US-09-925-065A-815432	Sequence 5149, Ap
c	480	43	1.4	472	7	US-09-925-065A-618558	Sequence 618558,
c	481	43	1.4	486	7	US-09-925-065A-501502	Sequence 501502,
c	482	43	1.4	528	7	US-09-925-065A-815432	Sequence 81432,
c	483	43	1.4	528	7	US-09-925-065A-168216	Sequence 168216,
c	484	43	1.4	539	7	US-09-925-065A-491877	Sequence 491876,
c	485	43	1.4	542	7	US-09-925-065A-485618	Sequence 491877,
c	486	43	1.4	542	7	US-09-925-065A-411190	Sequence 485618,
c	487	43	1.4	553	7	US-09-925-065A-908993	Sequence 411190,
c	488	43	1.4	559	7	US-09-925-065A-651202	Sequence 908993,
c	489	43	1.4	567	7	US-09-925-065A-581250	Sequence 651202,
c	490	43	1.4	570	7	US-09-925-065A-586025	Sequence 581250,
c	491	43	1.4	572	7	US-09-925-065A-11001	Sequence 586025,
c	492	43	1.4	572	7	US-09-925-065A-516598	Sequence 11001, A
c	493	43	1.4	572	7	US-09-925-065A-112238	Sequence 516598,
c	494	43	1.4	572	11	US-10-301-480-725647	Sequence 112238,
c	495	43	1.4	577	12	US-10-301-480-45127	Sequence 45127, A
c	496	43	1.4	577	11	US-09-925-065A-658536	Sequence 658536,
c	497	43	1.4	581	7	US-09-925-065A-926250	Sequence 926250,
c	498	43	1.4	590	7	US-09-925-065A-762418	Sequence 762418,
c	499	43	1.4	590	7	US-09-925-065A-762419	Sequence 762419,
c	500	43	1.4	593	7	US-09-925-065A-411191	Sequence 411191,

RESULT 1

US-09-925-065A-740956/c
Sequence 740956, Application US/09925065A
Publication No. US20040181048A1

GENERAL INFORMATION:

APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphism in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846

ALIGNMENTS

; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
;
SEQ ID NO 740956
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-740956
;

Query Match   16.3%;   Score 509; DB 7;   Length 560;
Best Local Similarity   99.8%;   Pred. No. 9.1e-70;
Matches 559;   Conservative   0;   Mismatches   1;   Indels   0;   Gaps   0;

```
Qy    199 CATCACAGGCAAAAACTCCGCGGGAGCCTGGCCCCGGCTTTTTACCTGGGCCCTCAGTTTCCC 258
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    560 CATCACAGGCAAAAACTCCGCGGGAGCCTGGCCCCGGCTTTTTACCTGGGCCCTCAGTTTCCC 501

Qy    259 CATCCGTAAAAATAGAACGGGTTGGATCTCCCGAGACGCGCTAACATTCCAGAAACTCGGATGGG 318
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    500 CATCCGTAAAAATAGAACGGGTTGGATCTCCCGAGACGCGCTAACATTCCAGAAACTCGGATGGG 441

Qy    319 GCGAAGGGGAGGGGAGGGGAGGGGGCCACCCACACTGACTTCCCCGCGGGTGGAGCCCCGCCTA 378
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    440 GCGAAGGGGAGGGGAGGGGAGGGGGCCACCCACACTGACTTCCCCGCGGGTGGAGCCCCGCCTA 381

Qy    379 CCACTGATCCAGGGGGTGGCAGCTCCGCCCCGGACGACGGGGGGTGGGGGGTCCTAGGAA 438
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    380 CCACTGATCCAGGGGGTGGCAGCTCCGCCCCGGAYGACGGGGGGTGGGGGGTCCTAGGAA 321

Qy    439 ACCCTACCCCGCGCCCTTGGCAGCGGGGGGAGGGGGCCGCTCTTGCAGCCTGCTGCTT 498
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    320 ACCTTACCCCGCGCCCTTGGCAGCGGGGGGGAGGGGGCCTCTGCAGCCTGCTT 261

Qy    499 GCCCCGGAGTTGGCACCCACCCACGGAGGATGGGGACCGGCACCCTCAGCTTGCCAGGGAGCCAC 558
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    260 GCCCCGGAGTTGGCACCCACGGAGGATGGGGACCGGCACCCTCAGCTTCGCAGGGGAGCCAC 201

Qy    559 CGTGGGAGGCCCAGGGCGGTGCAGAGACGACGACGTGTGACTCGGAGTGCGCCCTGGGGGAGGAT 618
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    200 CGTGGGAGGCCCAGGGCGGTGCAGAGACGACGACGTGTGACTCGGAGTGCGCCCTGGGGGAGGAT 141

Qy    619 GGACGAGGGGAGCGGGGGACCGCTAAACGGGGGCTCCCTCTGCGGCCGCCGTCCGCGAGAGGCG 678
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    140 GGACGAGGGGAGCGGGGGACCGCTAAACGGGGGCTCCCTCTGCGGCCGCCGTCCGCGAGAGGCG 81

Qy    679 CACGTCGAGGGGTCCCGGGGCTCCGGTGGGACCGTTGGGGGGTACCGCGCCGAGCGAGTTCACGG 738
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     80 CACGTCGAGGGGTCCCGGGGCTCCGGTGGGACGTTGGGCGGTAGCGCGCCGAGCGAGTCACGG 21

Qy    739 ACCATGAAGAGAGCGTTCGTGC 758
          ||||||||||||||||||||||
Db     20 ACCATGAAGAGAGCGTTCGTGC 1
```

;
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
;
SEQ ID NO 769508
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-769508
;

Query Match   16.2%;   Score 506; DB 7;   Length 557;
Best Local Similarity   99.8%;   Pred. No. 2.6e-69;
Matches 556;   Conservative   0;   Mismatches   1;   Indels   0;   Gaps   0;

```
Qy    202 CACAGGCAAAAACTCCGCGGGAGCCTGGCCCCGGCTTTTTACCTGGGCCCTCAGTTTCCCAT 261
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    557 CACAGGCAAAAACTCCGCGGGAGCCTGGCCCCGGCTTTTTACCTGGGCCCTCAGTTTCCCAT 498

Qy    262 CCGGTAAAAATAGAACGGGTTGGATCTCCCGAGACGCGCTAACATTCCAGAAACTCGGATGGGCG 321
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    497 CCGTAAAAATAGAACGGGTTGGATCTCCCGAGACGCGCTAACATTCCAGAAACTCGGATGGGGCG 438

Qy    322 AAGGGGAGGGGAGGGGAGGGGGCCACCCACACACGTGACTTCCCCGCGGGTGGAGCCCCGCCTACCA 381
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    437 AAGGGGAGGGGAGGGGAGGGGGCCACCCACACACGTGACTTCCCCGCGGGTGGAGCCCCGCCTACCA 378

Qy    382 CTGATCCAGGGGGTGGCAGCTCCGGCCCGGGACGACGGGGGGTGGGGGGTCCTAGGAAACC 441
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    377 CTGATCCAGGGGGTGGCAGCTCCGGCCCGGGAYGACGGGGGGTGGGGGGTCCTAGGAAACC 318

Qy    442 CTACCCCGCGCCCTTGGCAGCGGGGCGCTCTTGCAGCCTGCTTGCC 501
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    317 CTACCCCGCGCCCTTGGGCAGCGGGGGCTCTTGCAGCCTGCTTGCC 258

Qy    502 CCGGAGTTGGCACCCACCCACGGAGGATGGGGACCGGCACCCTCAGCTTCGCAGGGAGCCACCCGT 561
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    257 CCGGAGTTGGCACCCACGGAGGATGGGGACCGGCACCCTCAGCTTCGCAGGGGAGCCACCCGT 198

Qy    562 GGAGGCCCAGGGCGGTGCAGAGACGACGACGTGTGACTCGGAGTGCGCCCTGGGGGAGGATGGA 621
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    197 GGAGGCCCAGGGCGGTGCAGAGACGACGACGTGTGACTCGGAGTGCGCCCTGGGGGAGGATGGA 138

Qy    622 CGAGGGGAGCGGGGGACCGCTAAACGGGGGCTCCCTCTGCGGCCGCCGTCCGCGAGAGGCGCAC 681
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    137 CGAGGGGAGCGGGGGACCGCTAAACGGGGGCTCCCTCTGCGGCCGCCGTCCGCGAGAGGCGCAC 78

Qy    682 GTCGAGGGGTCCCGGGGCTCCGGTGGGACGTTGGGCGGTAGCGCGCCGAGCGAGTTCACGGACC 741
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     77 GTCGAGGGGTCCCGGGGCTCCGGTGGGACGTTGGGCGGTAGCGCGCCGAGCGAGTCACGGACC 18

Qy    742 ATGAAGAGAGCGTTCGTGC 758
          |||||||||||||||||||
Db     17 ATGAAGAGAGCGTTCGTGC 1
```

RESULT 2
US-09-925-065A-769508/c
; Sequence 769508, Application US/0992506SA
; Publication No. US20040181048A1
GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 10827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
;

RESULT 3
US-09-925-065A-736351/c
; Sequence 736351, Application US/0992506SA
; Publication No. US20040181048A1
GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 10827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
;

```
;  PRIOR FILING DATE: 2001-01-16
;  PRIOR APPLICATION NUMBER: US 60/289,846
;  PRIOR FILING DATE: 2001-05-09
;  NUMBER OF SEQ ID NOS: 957086
;  SOFTWARE: FastSEQ for Windows Version 4.0
;
SEQ ID NO 736351
;  LENGTH: 556
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-09-925-065A-736351

Query Match       16.2%;  Score 505;  DB 7;  Length 556;
Best Local Similarity   99.8%;  Pred. No. 3.7e-69;
Matches  555;  Conservative  0;  Mismatches  1;  Indels  0;  Gaps  0;

Qy  203 ACAGGCAAAAAACTCCGCGCGGGAGCCTGGCCCCGCTTTTTACCTGGGCCTCAGTTTCCCCATC 262
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  556 ACAGGCAAAAAACTCCGCGCGGGAGCCTGGCCCCGCTTTTTACCTGGGCCTCAGTTTCCCCATC 497

Qy  263 CGTAAAATAGAACGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGGGA 322
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  496 CGTAAAATAGAACGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGGGA 437

Qy  323 AGGGGAGGGAGGGGATGGGGCGCCACCCACAGTGACCCTCCCGGCCCCGCCTACCAC 382
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  436 AGGGGAGGGAGGGGATGGGGCCACCCACACGTGACCCTCCCGGCCCCGCCTACCAC 377

Qy  383 TGATCCAGGGGGTGGCAGCTCCGCCCGGGACCAGCCGGGGGTTCCTAGGAAACCC 442
        |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  376 TGATCCAGGGGGTGGCAGCTCCGCCCGGGAYGAGCCGGGGGTTCCTAGGAAACCC 317

Qy  443 TACCCGGCCGCCTTGGCGAGGGACGGGGGGGGCGCTGCTTGCCC 502
        |||||||||||||||||||||||||||||||||||||||||
Db  316 TACCCGGCCGCCTTGGCGAGGGACGGGGGGGGCGCTGCTTGCCC 257

Qy  503 CGGAGTTGGCACCCACGGAGGGACCGGCACCCTCAGCTTCGCAGGAGGAGCCACCGTG 562
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  256 CGGAGTTGGCACCCACGGAGGGACCGGCACCCTCAGCTTCGCAGGAGGAGCCACCGTG 197

Qy  563 GAGGCCAGGGCGGTGCAGAGACACGACGTGTGACTCGGAGTGCGCCCTGGGGAGGATGGAC 622
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  196 GAGGCCAGGGCGGTGCAGAGACACGACGTGTGACTCGGAGTGCGCCCTGGGGAGGATGGAC 137

Qy  623 GAGGGAGCGGGGGACCGCTAACGGGGCTTCCCTCTGCGCCCGCAGAGGCGCACG 682
        |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  136 GAGGGAGCGGGGGACCGCTAACGGGGCTTCCCTCTGCGCCCGCAGAGGCGCACG 77

Qy  683 TCGAGGGGTCCCGGGCGCTCCGTGGGGTAGGGCGCCCAGCCGAGTCACGGGACCA 742
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  76  TCGAGGGGTCCCGGGCGCTCCGTGGACGTTGGCGCGGAGCCGAGTCACGGGACCA 17

Qy  743 TGAAGAGCGTTCGTGC 758
        ||||||||||||||||
Db  16  TGAAGAGCGTTCGTGC 1


RESULT 4
US-09-925-065A-737120
Sequence 737120, Application US/09925065A
Publication No. US20040180048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
```

```
;  PRIOR APPLICATION NUMBER: US 60/261,766
;  PRIOR FILING DATE: 2001-01-16
;  PRIOR APPLICATION NUMBER: US 60/289,846
;  PRIOR FILING DATE: 2001-05-09
;  NUMBER OF SEQ ID NOS: 957086
;  SOFTWARE: FastSEQ for Windows Version 4.0
;
SEQ ID NO 737120
;  LENGTH: 555
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-09-925-065A-737120

Query Match       16.1%;  Score 504;  DB 7;  Length 555;
Best Local Similarity   99.8%;  Pred. No. 5.3e-69;
Matches  554;  Conservative  0;  Mismatches  1;  Indels  0;  Gaps  0;

Qy  204 CAGGCAAAAAACTCCGCGCGGGAGCCGGCCCCGCTTTTTACCTGGGCCTCAGTTTCCCCATCC 263
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  1   CAGGCAAAAAACTCCGCGCGGGAGCCTGGCCCCGCTTTTTACCTGGGCCTCAGTTTCCCCATCC 60

Qy  264 GTAAAATAGAACGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGGCGAA 323
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  61  GTAAAATAGAACGGGTTGGATCTCCCGAGCGCTAACATTCCAGAACTCGGATGGGGGCGAA 120

Qy  324 GGGGGAGGGAGGGGATGGGGCCACCCACACAGTGACCCTCCCGGCCCCGCCTACCACT 383
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121 GGGGGAGGGAGGGGATGGGGCCACCCACACAGTGACCCTCCCGGCCCCGCCTACCACT 180

Qy  384 GATCCAGGGGGTGGCAGCTCCGCCCGGGACGAGCGGGGGTTCCTAGGAAACCCT 443
        |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 GATCCAGGGGGTGGCAGCTCCGCCCGGGAYGAGCGGGGGTTCCTAGGAAACCCT 240

Qy  444 ACCCGGCCGCCTTGGCGACGCGCTAAGGCGGGAGGGGCGGCGGGCTTCGCTTGCCC 503
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241 ACCCGGCCGCCTTGGCGACGCGCTAAGGCGGGAGGGGCGGCGGGCTTCGCTTGCCC 300

Qy  504 GGAGTTGGCACCCACGGAGGGATGGGGACCGGCACCCTCAGCTTCGCAGGCGCACCGTGG 563
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301 GGAGTTGGCACCCACGGAGGGATGGGGACCGGCACCCTCAGCTTCGCAGGCGCACCGTGG 360

Qy  564 AGGCCAGGGCGGTGCAGAGACACGACGTGTGACTCGGAGTGCGCCCTGGGGAGGATGGACG 623
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361 AGGCCAGGGCGGTGCAGAGACACGACGTGTGACTCGGAGTGCGCCCTGGGGAGGATGGACG 420

Qy  624 AGGGAGCGGGGGACCGCTAACGGGGCTCCCTCTGCGCCCGCGAGAGGCGCACGT 683
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  421 AGGGAGCGGGGGACCGCTAACGGGGCTCCCTCTGCGCCCGCGAGAGGCGCACGT 480

Qy  684 CGAGGGGTCCCGGGCGCCCGTGGACGTTGGCGCGGAGCCGAGTCACGGGACCAT 743
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  481 CGAGGGGTCCCGGGCGCCCGTGGACGTTGGCGCGGAGCCGAGTCACGGGACCAT 540

Qy  744 GAAGAGCGTTCGTGC 758
        |||||||||||||||
Db  541 GAAGAGCGTTCGTGC 555


RESULT 5
US-10-301-480-20199/c
Sequence 20199, Application US/10301480
Publication No. US20060057564A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
TITLE OF INVENTION: in the Human Genome
FILE REFERENCE: 108827.137
CURRENT APPLICATION NUMBER: US/10/301,480
CURRENT FILING DATE: 2002-11-21
PRIOR APPLICATION NUMBER: US 10/215,598
PRIOR FILING DATE: 2002-08-09
PRIOR APPLICATION NUMBER: US 60/311,695
PRIOR FILING DATE: 2001-08-10
NUMBER OF SEQ ID NOS: 1226818
```

```
;  PRIOR APPLICATION NUMBER: US 60/261,766
;  PRIOR FILING DATE: 2001-01-16
;  PRIOR APPLICATION NUMBER: US 60/289,846
;  PRIOR FILING DATE: 2001-05-09
;  NUMBER OF SEQ ID NOS: 957086
;  SOFTWARE: FastSEQ for Windows Version 4.0
;
SEQ ID NO 737120
;  LENGTH: 555
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-09-925-065A-737120
```

```
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 20199
; LENGTH: 477
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-20199

Qy    Query Match
      Best Local Similarity    1.7%;    Score 53;    DB 11;    Length 477;
      Matches    53;    Conservative    0;    Mismatches    0;    Indels    0;    Gaps    0;

Qy        2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGGACCAGGAGTTCGAGGACCAGGAGTTCGAGGACCAGCCTGGCCAACAT 2940
               ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         102 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGCCAACAT 50

RESULT 6
US-10-301-480-633608/c
; Sequence 633608, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION:  in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 633608
; LENGTH: 477
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-633608

Qy    Query Match
      Best Local Similarity    1.7%;    Score 53;    DB 11;    Length 477;
      Matches    53;    Conservative    0;    Mismatches    0;    Indels    0;    Gaps    0;

Qy        2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGGACCAGGAGTTCGAGGACCAGGAGTTCGAGGACCAGCCTGGCCAACAT 2940
               ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         102 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGCCAACAT 50

RESULT 7
US-10-301-480-20198/c
; Sequence 20198, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION:  in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 20198
; LENGTH: 492
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-20198

Qy    Query Match
      Best Local Similarity    1.7%;    Score 53;    DB 11;    Length 492;
```

```
      Matches    53;    Conservative    0;    Mismatches    0;    Indels    0;    Gaps    0;

Qy        2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGGACCAGGAGTTCGAGGACCAGGAGTTCGAGGACCAGCCTGGCCAACAT 2940
               ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         161 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGCCAACAT 109

RESULT 8
US-10-301-480-633607/c
; Sequence 633607, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION:  in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 633607
; LENGTH: 492
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-633607

Qy    Query Match
      Best Local Similarity    1.7%;    Score 53;    DB 12;    Length 492;
      Matches    53;    Conservative    0;    Mismatches    0;    Indels    0;    Gaps    0;

Qy        2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGGACCAGGAGTTCGAGGACCAGGAGTTCGAGGACCAGCCTGGCCAACAT 2940
               ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         161 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGGACCAGCCTGGCCAACAT 109

RESULT 9
US-09-925-065A-591947/c
; Sequence 591947, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 591947
; LENGTH: 559
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-591947

Qy    Query Match
      Best Local Similarity    1.7%;    Score 52;    DB 7;    Length 559;
      Matches    52;    Conservative    0;    Mismatches    0;    Indels    0;    Gaps    0;

Qy        3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTCTGTCTC 3122
```

Db   164 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGACTCTGTCTC 113
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||

RESULT 10
US-09-925-065A-768118
; Sequence 768118, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 768118
;   LENGTH: 574
;   TYPE: DNA
;   ORGANISM: Homo sapiens

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   235 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 286

Query Match   1.7%;   Score 52;   DB 7;   Length 574;
Best Local Similarity   100.0%;   Pred. No. 2.6;
Matches   52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 11
US-09-925-065A-59682/c
; Sequence 59682, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 59682
;   LENGTH: 592
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-59682

Query Match   1.7%;   Score 52;   DB 7;   Length 592;
Best Local Similarity   100.0%;   Pred. No. 2.5;

Matches   52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   175 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 124

RESULT 12
US-10-301-480-160920/c
; Sequence 160920, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 160920
;   LENGTH: 592
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-160920

Query Match   1.7%;   Score 52;   DB 11;   Length 592;
Best Local Similarity   100.0%;   Pred. No. 2.5;
Matches   52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   175 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 124

RESULT 13
US-10-301-480-774329/c
; Sequence 774329, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 774329
;   LENGTH: 592
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-774329

Query Match   1.7%;   Score 52;   DB 12;   Length 592;
Best Local Similarity   100.0%;   Pred. No. 2.5;
Matches   52;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   175 GAGGCAGGTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCAGGCCTGGCCAACAT 124

RESULT 14
US-10-301-480-454942/c

; Sequence 454942, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 454942
; LENGTH: 614
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-454942

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   306 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGAGCAAGAGACTCTGTCTC 255

Query Match   1.7%;   Score 52;   DB 12;   Length 614;
Best Local Similarity   100.0%;   Pred. No. 2.5;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 15
US-10-301-480-1068351/c
; Sequence 1068351, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1068351
; LENGTH: 614
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1068351

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   306 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGAGCAAGAGACTCTGTCTC 255

Query Match   1.7%;   Score 52;   DB 12;   Length 614;
Best Local Similarity   100.0%;   Pred. No. 2.5;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 16
US-09-925-065A-386361/c
; Sequence 386361, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08

; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 386361
; LENGTH: 617
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-386361

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   306 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGAGCAAGAGACTCTGTCTC 255

Query Match   1.7%;   Score 52;   DB 7;   Length 617;
Best Local Similarity   100.0%;   Pred. No. 2.5;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 17
US-10-301-480-611724/c
; Sequence 611724, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 611724
; LENGTH: 618
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-301-480-611724

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGAGCAAGAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   306 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGGAGCAAGAGACTCTGTCTC 255

Query Match   1.7%;   Score 52;   DB 12;   Length 618;
Best Local Similarity   100.0%;   Pred. No. 2.5;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 18
US-10-301-480-1225133/c
; Sequence 1225133, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695

Qy   2889 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   599 GAGGCAGGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 548

Query Match   1.7%;   Score 52;   DB 12;   Length 618;
Best Local Similarity   100.0%;   Pred. No. 2.5;
Matches 52; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

; PRIOR FILING DATE: 2001-08-10
; SOFTWARE: FastSEQ for Windows Version 4.0
; NUMBER OF SEQ ID NOS: 1226818
; SEQ ID NO 1225133
; LENGTH: 618
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1225133

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   599 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 548

Query Match   100.0%; Score 52; DB 12; Length 618;
Best Local Similarity   100.0%; Pred. No. 2.5;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 19
US-09-925-065A-708701/c
Sequence 708701, Application US/0992506SA
; Publication No. US2004018104BA1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 708701
; LENGTH: 695
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-708701

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   490 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 439

Query Match   100.0%; Score 52; DB 7; Length 695;
Best Local Similarity   100.0%; Pred. No. 2.3;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 20
US-10-301-480-598972
Sequence 598972, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 598972
; LENGTH: 974
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-598972

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   916 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 967

Query Match   100.0%; Score 52; DB 12; Length 974;
Best Local Similarity   100.0%; Pred. No. 2;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 21
US-10-301-480-1212381
Sequence 1212381, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1212381
; LENGTH: 974
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1212381

Qy   2889 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   916 GAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 967

Query Match   100.0%; Score 52; DB 12; Length 974;
Best Local Similarity   100.0%; Pred. No. 2;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 22
US-11-121-086-84
Sequence 84, Application US/11121086
; Publication No. US20050264592A1
; GENERAL INFORMATION:
; APPLICANT: POULSEN, TIM S.
; APPLICANT: NIELSEN, KIRSTEN V.
; TITLE OF INVENTION: NUCLEIC ACID PROBES AND NUCLEIC ACID ANALOG PROBES
; FILE REFERENCE: 09138.6000-00000
; CURRENT APPLICATION NUMBER: US/11/121,086
; CURRENT FILING DATE: 2005-05-04
; PRIOR APPLICATION NUMBER: 60/567,570
; PRIOR FILING DATE: 2004-05-04
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: Patentin version 3.3
; SEQ ID NO 84
; LENGTH: 118996
; TYPE: DNA
; ORGANISM: Homo sapiens
US-11-121-086-84

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 3122

```
Db  73872 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 73923
```

RESULT 23
US-11-121-086-47
; Sequence 47, Application US/11121086
; Publication No. US20050266459A1
; GENERAL INFORMATION:
; APPLICANT: POULSEN, TIM S.
; APPLICANT: NIELSEN, KIRSTEN V.
; TITLE OF INVENTION: NUCLEIC ACID PROBES AND NUCLEIC ACID ANALOG PROBES
; FILE REFERENCE: 09138.6000-00000
; CURRENT APPLICATION NUMBER: US/11/121,086
; CURRENT FILING DATE: 2005-05-04
; PRIOR APPLICATION NUMBER: 60/567,570
; PRIOR FILING DATE: 2004-05-04
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: PatentIn version 3.3
; SEQ ID NO 47
; LENGTH: 137671
; TYPE: DNA
; ORGANISM: Homo sapiens
US-11-121-086-47

Query Match   1.7%; Score 52; DB 17; Length 137671;
Best Local Similarity   100.0%; Pred. No. 0.15;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 75583 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 75634
```

RESULT 24
US-10-995-561-13396/c
; Sequence 13396, Application US/10995561
; Publication No. US20050272054A1
; GENERAL INFORMATION:
; APPLICANT: CARGILL, Michele et al.
; TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
; TITLE OF INVENTION: CARDIOVASCULAR DISORDERS AND DRUG RESPONSE, METHODS OF
; TITLE OF INVENTION: DETECTION AND USES THEREOF
; FILE REFERENCE: CL001559
; CURRENT APPLICATION NUMBER: US/10/995,561
; CURRENT FILING DATE: 2004-11-24
; NUMBER OF SEQ ID NOS: 85702
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13396
; LENGTH: 398287
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(398287)
; OTHER INFORMATION: n = A,T,C or G, or insertion/deletion polymorphism (see Tables 1-
US-10-995-561-13396

Query Match   1.7%; Score 52; DB 10; Length 398287;
Best Local Similarity   100.0%; Pred. No. 0.09;
Matches   52; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 281811 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 281760
```

RESULT 25
US-09-925-065A-211249/c
; Sequence 211249, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphism in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 211249
; LENGTH: 385
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-211249

Query Match   1.6%; Score 51; DB 7; Length 385;
Best Local Similarity   100.0%; Pred. No. 4.5;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy 2890 AGGCAGGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
        ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  167 AGGCAGGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 117
```

RESULT 26
US-09-925-065A-141833
; Sequence 141833, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 141833
; LENGTH: 561
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-141833

Query Match   1.6%; Score 51; DB 7; Length 561;
Best Local Similarity   100.0%; Pred. No. 3.7;
Matches   51; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy 2890 AGGCAGGTGGATCACCTGAGGTCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
        |||||||||||||||||||||| |||||||||||||||||||||||||||||
Db  402 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 452
```

RESULT 27
US-10-301-480-236672
; Sequence 236672, Application US/10301480

; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 236672
; LENGTH: 561
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-236672

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
             |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   402 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 452

Query Match   1.6%;   Score 51;   DB 12;   Length 561;
Best Local Similarity   100.0%;   Pred. No. 3.7;
Matches   51;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 28
US-10-301-480-850081
Sequence 850081, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 850081
; LENGTH: 561
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-850081

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
             |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   402 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 452

Query Match   1.6%;   Score 51;   DB 12;   Length 561;
Best Local Similarity   100.0%;   Pred. No. 3.7;
Matches   51;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 29
US-10-301-480-1011
Sequence 1011, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598

; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1011
; LENGTH: 587
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1011

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
             |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   367 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 417

Query Match   1.6%;   Score 51;   DB 11;   Length 587;
Best Local Similarity   100.0%;   Pred. No. 3.6;
Matches   51;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 30
US-10-301-480-42180
Sequence 42180, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 42180
; LENGTH: 587
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-42180

Qy   2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
             |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   367 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 417

Query Match   1.6%;   Score 51;   DB 11;   Length 587;
Best Local Similarity   100.0%;   Pred. No. 3.6;
Matches   51;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 31
US-10-301-480-614420
Sequence 614420, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 614420
; LENGTH: 587
; TYPE: DNA
; ORGANISM: Homo sapien

US-10-301-480-614420

Query Match   1.6%;   Score 51;   DB 12;   Length 587;
Best Local Similarity   100.0%;   Pred. No. 3.6;
"Matches" 51;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   367 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 417
```

RESULT 32
US-10-301-480-655589
Sequence 655589, Application US20060057564A1
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 655589
;   LENGTH: 587
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-655589

Query Match   1.6%;   Score 51;   DB 12;   Length 587;
Best Local Similarity   100.0%;   Pred. No. 3.6;
Matches 51;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   367 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 417
```

RESULT 33
US-10-301-480-589593/c
Sequence 589593, Application US/10301480
; Publication No. US200600557564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 589593
;   LENGTH: 852
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-589593

Query Match   1.6%;   Score 51;   DB 12;   Length 852;
Best Local Similarity   100.0%;   Pred. No. 3;
Matches 51;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCGAAGACTCTGTCT 3121
         |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   494 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCGAAGACTCTGTCT 444
```

RESULT 34
US-10-301-480-1203002/c
Sequence 1203002, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1203002
;   LENGTH: 852
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-1203002

Query Match   1.6%;   Score 51;   DB 12;   Length 852;
Best Local Similarity   100.0%;   Pred. No. 3;
Matches 51;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCGAAGACTCTGTCT 3121
         |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   494 CAAGATTGTGCCACTGCACTCCAGCCTGGGCCAACAGAGCGAAGACTCTGTCT 444
```

RESULT 35
US-11-121-086-107/c
Sequence 107, Application US/11121086
; Publication No. US20050266459A1
; GENERAL INFORMATION:
; APPLICANT: POULSEN, TIM S.
; APPLICANT: NIELSEN, KIRSTEN V.
; TITLE OF INVENTION: NUCLEIC ACID PROBES AND NUCLEIC ACID ANALOG PROBES
; FILE REFERENCE: 09138.6000-00000
; CURRENT APPLICATION NUMBER: US/11/121,086
; CURRENT FILING DATE: 2005-05-04
; PRIOR APPLICATION NUMBER: 60/567,570
; PRIOR FILING DATE: 2004-05-04
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: PatentIn version 3.3
; SEQ ID NO 107
;   LENGTH: 197096
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-11-121-086-107

Query Match   1.6%;   Score 51;   DB 17;   Length 197096;
Best Local Similarity   100.0%;   Pred. No. 0.18;
Matches 51;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy  2890 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
         ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 68932 AGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 68882
```

RESULT 36
US-09-925-065A-484883/c
Sequence 484883, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135

; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 484883
;   LENGTH: 571
;   TYPE: DNA
;   ORGANISM: Homo sapiens

RESULT 37
US-09-925-065A-785967/c
Sequence 785967., Application US2004018104A1
; Publication No. US2004018104A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 785967
;   LENGTH: 572
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-785967

Query Match   100.0%; Score 50; DB 7; Length 572;
Best Local Similarity   1.6%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   271 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 222

RESULT 38
US-09-925-065A-894777/c
Sequence 894777, Application US/09925065A
; Publication No. US2004018104A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.

; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 894777
;   LENGTH: 625
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-894777

Query Match   100.0%; Score 50; DB 7; Length 625;
Best Local Similarity   1.6%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   229 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 180

RESULT 39
US-09-925-065A-892664/c
Sequence 892664, Application US2004018104A1
; Publication No. US2004018104A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 892664
;   LENGTH: 630
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-892664

Query Match   100.0%; Score 50; DB 7; Length 630;
Best Local Similarity   1.6%;
Matches   50; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   234 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 185

RESULT 40
US-09-925-065A-892405/c
; Sequence 892405, Application US/09925065A

; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 892405
; LENGTH: 633
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-892405

Query Match 100.0%; Score 50; DB 7; Length 633;
Best Local Similarity 100.0%;
Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 3122
     |||||||||||||||||||||||||||||||||||||||||||||||||||
Db 237 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 188

RESULT 41
US-09-925-065A-892514
Sequence 892514, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 892514
; LENGTH: 633
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-892514

Query Match 100.0%; Score 50; DB 7; Length 633;
Best Local Similarity 100.0%;
Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 3122
     |||||||||||||||||||||||||||||||||||||||||||||||||||
Db 237 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 188

RESULT 42
US-09-925-065A-949927
Sequence 949927, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 949927
; LENGTH: 633
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-949927

Query Match 100.0%; Score 50; DB 7; Length 633;
Best Local Similarity 100.0%;
Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 3122
     |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   29 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTGTCTC 78

RESULT 43
US-09-925-065A-917225
Sequence 917225, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 917225
; LENGTH: 676
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-917225

Query Match 100.0%; Score 50; DB 7; Length 676;
Best Local Similarity 100.0%;
Matches 50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 3122
     |||||||||||||||||||||||||||||||||||||||||||||||||||

```
Db        448 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 497

RESULT 44
US-09-925-065A-917226
Sequence 917226, Application US200040181048A1
Publication No. US200040181048A1
GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 917226
;   LENGTH: 676
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-917226

  Query Match             1.6%;  Score 50;  DB 7;  Length 676;
  Best Local Similarity   100.0%;  Pred. No. 4.7;
  Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    448 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 497

RESULT 45
US-09-925-065A-944569
Sequence 944569, Application US/09925065A
Publication No. US200040181048A1
GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 944569
;   LENGTH: 676
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-944569

  Query Match             1.6%;  Score 50;  DB 7;  Length 676;
  Best Local Similarity   100.0%;  Pred. No. 4.7;
  Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    448 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 497

RESULT 46
US-09-925-065A-934608
Sequence 934608, Application US/09925065A
Publication No. US200040181048A1
GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 934608
;   LENGTH: 739
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-934608

  Query Match             1.6%;  Score 50;  DB 7;  Length 739;
  Best Local Similarity   100.0%;  Pred. No. 4.5;
  Matches   50;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 3122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    603 AGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 652

RESULT 47
US-09-925-065A-941367
Sequence 941367, Application US/09925065A
Publication No. US200040181048A1
GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 941367
;   LENGTH: 742
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-941367
```

```
Qy    3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     603 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGAGACTCTGTCTC 652
```

RESULT 48
US-10-301-480-567391
; Sequence 567391, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 567391
; LENGTH: 999
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-567391

Query Match   1.6%;   Score 50;   DB 7;   Length 742;
Best Local Similarity   100.0%; Pred. No. 4.5;
Matches   50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     107 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGAGACTCTGTCTC 156
```

RESULT 49
US-10-301-480-1180800
Sequence 1180800, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1180800
; LENGTH: 999
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1180800

Query Match   1.6%;   Score 50;   DB 12;   Length 999;
Best Local Similarity   100.0%; Pred. No. 3.9;
Matches   50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     107 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 156
```

RESULT 50
US-10-301-480-100096
; Sequence 100096, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 100096
; LENGTH: 1986
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-100096

Query Match   1.6%;   Score 50;   DB 11;   Length 1986;
Best Local Similarity   100.0%; Pred. No. 2.7;
Matches   50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     197 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGAGACTCTGTCTC 246
```

RESULT 51
US-10-301-480-713505
Sequence 713505, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 713505
; LENGTH: 1986
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-713505

Query Match   1.6%;   Score 50;   DB 12;   Length 1986;
Best Local Similarity   100.0%; Pred. No. 2.7;
Matches   50; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy    3073 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     197 AGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 246
```

RESULT 52
US-11-121-086-83/c
; Sequence 83, Application US/11121086
; Publication No. US20050266459A1
; GENERAL INFORMATION:
; APPLICANT: POULSEN, TIM S.
; APPLICANT: NIELSEN, KIRSTEN V.
; TITLE OF INVENTION: NUCLEIC ACID PROBES AND NUCLEIC ACID ANALOG PROBES
; FILE REFERENCE: 09138.6000-00000

; CURRENT APPLICATION NUMBER: US/11/121,086
; CURRENT FILING DATE: 2005-05-04
; PRIOR APPLICATION NUMBER: 60/567,570
; PRIOR FILING DATE: 2004-05-04
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: Patentin version 3.3
;
; SEQ ID NO 83
; LENGTH: 187745
; TYPE: DNA
; ORGANISM: Homo sapiens
US-11-121-086-83

Qy   3073 AGAATGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTTCGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 159390 AGAATGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTTCGTCTC 159341

Query Match   100.0%;   Score 50;   DB 17;   Length 187745;
Best Local Similarity   100.0%;   Pred. No. 0.27;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 53
US-11-112-908-21
; Sequence 21, Application US/11112908
; Publication No. US2005026059A1
; GENERAL INFORMATION:
; APPLICANT: Harris, Cole
; APPLICANT: Davis, Lisa M.
; TITLE OF INVENTION: Breast Cancer Biomarkers
; FILE REFERENCE: 04-164-US
; CURRENT APPLICATION NUMBER: US/11/112,908
; CURRENT FILING DATE: 2005-04-22
; PRIOR APPLICATION NUMBER: US 60/564,758
; PRIOR FILING DATE: 2004-04-23
; PRIOR APPLICATION NUMBER: US 60/575,978
; PRIOR FILING DATE: 2004-06-01
; PRIOR APPLICATION NUMBER: US 60/631,702
; PRIOR FILING DATE: 2004-11-30
; PRIOR APPLICATION NUMBER: US 60/633,826
; PRIOR FILING DATE: 2004-12-07
; NUMBER OF SEQ ID NOS: 511
; SOFTWARE: Patentin version 3.3
;
; SEQ ID NO 21
; LENGTH: 207908
; TYPE: DNA
; ORGANISM: Homo sapiens
US-11-112-908-21

Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAA 2937
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 168125 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAA 168174

Query Match   100.0%;   Score 50;   DB 17;   Length 207908;
Best Local Similarity   100.0%;   Pred. No. 0.25;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 54
US-11-112-908-19
; Sequence 19, Application US/11112908
; Publication No. US2005026059A1
; GENERAL INFORMATION:
; APPLICANT: Harris, Cole
; APPLICANT: Davis, Lisa M.
; TITLE OF INVENTION: Breast Cancer Biomarkers
; FILE REFERENCE: 04-164-US
; CURRENT APPLICATION NUMBER: US/11/112,908
; CURRENT FILING DATE: 2005-04-22
; PRIOR APPLICATION NUMBER: US 60/564,758
; PRIOR FILING DATE: 2004-04-23
; PRIOR APPLICATION NUMBER: US 60/575,978
; PRIOR FILING DATE: 2004-06-01
; PRIOR APPLICATION NUMBER: US 60/631,702
; PRIOR FILING DATE: 2004-11-30
; PRIOR APPLICATION NUMBER: US 60/633,826
; PRIOR FILING DATE: 2004-12-07
; NUMBER OF SEQ ID NOS: 511
; SOFTWARE: Patentin version 3.3
;
; SEQ ID NO 19
; LENGTH: 212805
; TYPE: DNA
; ORGANISM: Homo sapiens
US-11-112-908-19

Qy   2888 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAA 2937
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   24046 TGAGGCAGGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAA 24095

Query Match   100.0%;   Score 50;   DB 17;   Length 212805;
Best Local Similarity   100.0%;   Pred. No. 0.25;
Matches   50;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 55
US-10-301-480-235645/c
; Sequence 235645, Application US/10301480
; Publication No. US2006005756A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 235645
; LENGTH: 417
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-235645

Qy   3074 GATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTTCGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   273 GATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTTCGTCTC 225

Query Match   100.0%;   Score 49;   DB 12;   Length 417;
Best Local Similarity   100.0%;   Pred. No. 8.6;
Matches   49;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 56
US-10-301-480-849054/c
; Sequence 849054, Application US/10301480
; Publication No. US2006005756A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 849054
; LENGTH: 417
; TYPE: DNA
; ORGANISM: Homo sapien

US-10-301-480-849054

Qy   3074 GATTGTGTGCCACTGCACTGCACTCCAGCCTGGGCAACACAGAGAGCAAGAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   273 GATTGTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGAGCAAGAGACTCTGTCTC 225

RESULT 57
US-09-925-065A-1406670/c
; Sequence 140670, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 140670
; LENGTH: 420
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-140670

Query Match   100.0%; Score 49; DB 12; Length 417;
Best Local Similarity   1.6%;
Matches   49; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3074 GATTGTGTGCCACTGCACTGCACTCCAGCCTGGGCAACACAGAGAGCAAGAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   273 GATTGTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGAGCAAGAGACTCTGTCTC 225

RESULT 58
US-10-301-480-15264/c
; Sequence 15264, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 15264
; LENGTH: 530
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-15264

Query Match

1.6%;   Score 49; DB 11; Length 530;

Best Local Similarity   100.0%; Pred. No. 8.6; Mismatches   0; Indels   0; Gaps   0;
Matches   49; Conservative   0;

Qy   3074 GATTGTGTGCCACTGCACTGCACTCCAGCCTGGGCAACACAGAGAGCAAGAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   273 GATTGTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGAGCAAGAGACTCTGTCTC 225

RESULT 59
US-10-301-480-235646/c
; Sequence 235646, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 235646
; LENGTH: 530
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-235646

Query Match   100.0%; Score 49; DB 12; Length 530;
Best Local Similarity   1.6%; Pred. No. 7.6; Mismatches   0; Indels   0; Gaps   0;
Matches   49; Conservative   0;

Qy   3074 GATTGTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGAGCAAGAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   230 GATTGTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGAGCAAGAGACTCTGTCTC 182

RESULT 60
US-10-301-480-628673/c
; Sequence 628673, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 628673
; LENGTH: 530
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-628673

Query Match   100.0%; Score 49; DB 12; Length 530;
Best Local Similarity   1.6%; Pred. No. 7.6; Mismatches   0; Indels   0; Gaps   0;
Matches   49; Conservative   0;

Qy   3074 GATTGTGTGCCACTGCACTGCACTCCAGCCTGGGCAACACAGAGAGCAAGAGACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   230 GATTGTGTGCCACTGCACTCCAGCCTGGGCAACACAGAGAGCAAGAGACTCTGTCTC 182

RESULT 61

US-10-301-480-849055/c
; Sequence 849055, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 849055
; LENGTH: 530
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-849055

Query Match   1.6%; Score 49; DB 12; Length 530;
Best Local Similarity   100.0%;
Matches   49; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3074 GAATTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGACACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   230 GAATTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGACACTCTGTCTC 182

RESULT 62
US-09-925-065A-140671/c
; Sequence 140671, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 140671
; LENGTH: 532
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-140671

Query Match   1.6%; Score 49; DB 7; Length 532;
Best Local Similarity   100.0%;
Matches   49; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3074 GAATTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGACACTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   232 GAATTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGACACTCTGTCTC 184

RESULT 63
US-09-925-065A-18609/c
; Sequence 18609, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 18609
; LENGTH: 552
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-18609

Query Match   1.6%; Score 49; DB 7; Length 552;
Best Local Similarity   100.0%;
Matches   49; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGACACTCTGTCT 3121
                 ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   363 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGACACTCTGTCT 315

RESULT 64
US-09-925-065A-18610/c
; Sequence 18610, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 18610
; LENGTH: 552
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-18610

Query Match   1.6%; Score 49; DB 7; Length 552;
Best Local Similarity   100.0%;
Matches   49; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGACACTCTGTCT 3121
                 ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   363 AGATTGTGCCACTGCACTCCAGCCTGGGCAACACGAGCAAGACACTCTGTCT 315

RESULT 65

US-09-925-065A-18611/c
; Sequence 18611, Application US/0992506SA
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 18611
; LENGTH: 552
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-18611

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 3121
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   363 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 315

Query Match   1.6%; Score 49; DB 7; Length 552;
Best Local Similarity 100.0%; Pred. No. 7.5;
Matches 49; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 66
US-10-301-480-119846/c
; Sequence 119846, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 119846
; LENGTH: 552
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-119846

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 3121
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   363 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 315

Query Match   1.6%; Score 49; DB 11; Length 552;
Best Local Similarity 100.0%; Pred. No. 7.5;
Matches 49; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 67
US-10-301-480-119847/c
; Sequence 119847, Application US/10301480
; Publication No. US20060057564A1

GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 119847
; LENGTH: 552
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-119847

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 3121
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   363 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 315

Query Match   1.6%; Score 49; DB 11; Length 552;
Best Local Similarity 100.0%; Pred. No. 7.5;
Matches 49; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 68
US-10-301-480-119848/c
; Sequence 119848, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 119848
; LENGTH: 552
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-119848

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 3121
           ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   363 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 315

Query Match   1.6%; Score 49; DB 11; Length 552;
Best Local Similarity 100.0%; Pred. No. 7.5;
Matches 49; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 69
US-10-301-480-733255/c
; Sequence 733255, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09

;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;
;   SEQ ID NO 733255
;   LENGTH: 552
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-733255

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCT 3121
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   363 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCT   315

Query Match   1.6%; Score 49; DB 12; Length 552;
Best Local Similarity   100.0%; Pred. No. 7.5;
Matches   49; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 70
US-10-301-480-733256/c
;   Sequence 733256, Application US20060057564A1
;   Publication No. US20060057564A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome
;   FILE REFERENCE: 108827.137
;   CURRENT APPLICATION NUMBER: US/10/301,480
;   CURRENT FILING DATE: 2002-11-21
;   PRIOR APPLICATION NUMBER: US 10/215,598
;   PRIOR FILING DATE: 2002-08-09
;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;
;   SEQ ID NO 733256
;   LENGTH: 552
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-733256

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCT 3121
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   363 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCT   315

Query Match   1.6%; Score 49; DB 12; Length 552;
Best Local Similarity   100.0%; Pred. No. 7.5;
Matches   49; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 71
US-10-301-480-733257/c
;   Sequence 733257, Application US/10301480
;   Publication No. US20060057564A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome
;   FILE REFERENCE: 108827.137
;   CURRENT APPLICATION NUMBER: US/10/301,480
;   CURRENT FILING DATE: 2002-11-21
;   PRIOR APPLICATION NUMBER: US 10/215,598
;   PRIOR FILING DATE: 2002-08-09
;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;
;   SEQ ID NO 733257
;   LENGTH: 552
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-733257

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCT 3121
             |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   363 AGATTGTGCCACTGCACTCCAGCCTGGGCGAACAGAGCAAGAGACTCTGTCT   315

Query Match   1.6%; Score 49; DB 12; Length 552;
Best Local Similarity   100.0%; Pred. No. 7.5;
Matches   49; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 72
US-09-925-065A-708700/c
;   Sequence 708700, Application US/09925065A
;   Publication No. US20040181048A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;
;   SEQ ID NO 708700
;   LENGTH: 695
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-708700

Qy   2892 GCAGGTGGATCACCTGAGGCGCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   487 GCAGGTGGATCACCTGAGGCGCAGGAGTTCGAGACCAGCCTGGGCCAACAT   439

Query Match   1.6%; Score 49; DB 7; Length 695;
Best Local Similarity   100.0%; Pred. No. 6.6;
Matches   49; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 73
US-09-925-065A-932035/c
;   Sequence 932035, Application US/09925065A
;   Publication No. US20040181048A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;
;   SEQ ID NO 932035
;   LENGTH: 750

```
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-932035

Qy    3074 GATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db     612 GATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 564
```

```
RESULT 74
US-09-925-065A-932036/c
;   Sequence 932036, Application US/09925065A
;   Publication No. US20040181048A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 932036
;   LENGTH: 750
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-932036

Query Match          1.6%;  Score 49;  DB 7;  Length 750;
Best Local Similarity  100.0%;  Pred. No. 6.4;
Matches  49;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3074 GATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 3122
           ||||||||||||||||||||||||||||||||||||||||||||||||||
Db     612 GATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 564
```

```
RESULT 75
US-10-508-307-14/c
;   Sequence 14, Application US/10508307
;   Publication No. US20060084790A1
;   GENERAL INFORMATION:
;   APPLICANT: Stephens, Len
;   APPLICANT: Hawkins, Phillip Thomas
;   TITLE OF INVENTION: P-REX1, A PTDINS (3,4,5) P3-G-BETA-GAMMA-
;   TITLE OF INVENTION: REGULATED GUANINE-NUCLEOTIDE EXCHANGE FACTOR
;   TITLE OF INVENTION: FOR RAC
;   FILE REFERENCE: 130217.401USPC
;   CURRENT APPLICATION NUMBER: US/10/508,307
;   CURRENT FILING DATE: 2004-09-21
;   PRIOR APPLICATION NUMBER: PCT/GB03/01238
;   PRIOR FILING DATE: 2003-03-21
;   PRIOR APPLICATION NUMBER: GB 0206684.3
;   PRIOR FILING DATE: 2002-03-21
;   NUMBER OF SEQ ID NOS: 14
;   SOFTWARE: Patentin version 3.1
;   SEQ ID NO 14
;   LENGTH: 243428
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-10-508-307-14

Query Match          1.6%;  Score 49;  DB 13;  Length 243428;
Best Local Similarity  100.0%;  Pred. No. 0.33;
Matches  49;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy     3074 GATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   235339 GATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 235291
```

```
RESULT 76
US-10-301-480-24305
;   Sequence 24305, Application US/10301480
;   Publication No. US20060057564A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome
;   FILE REFERENCE: 108827.137
;   CURRENT APPLICATION NUMBER: US/10/301,480
;   CURRENT FILING DATE: 2002-11-21
;   PRIOR APPLICATION NUMBER: US 10/215,598
;   PRIOR FILING DATE: 2002-08-09
;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 24305
;   LENGTH: 437
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-24305

Query Match          1.5%;  Score 48;  DB 11;  Length 437;
Best Local Similarity  100.0%;  Pred. No. 12;
Matches  48;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3075 ATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db     161 ATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 208
```

```
RESULT 77
US-10-301-480-637714
;   Sequence 637714, Application US/10301480
;   Publication No. US20060057564A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome
;   FILE REFERENCE: 108827.137
;   CURRENT APPLICATION NUMBER: US/10/301,480
;   CURRENT FILING DATE: 2002-11-21
;   PRIOR APPLICATION NUMBER: US 10/215,598
;   PRIOR FILING DATE: 2002-08-09
;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 637714
;   LENGTH: 437
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-637714

Query Match          1.5%;  Score 48;  DB 12;  Length 437;
Best Local Similarity  100.0%;  Pred. No. 12;
Matches  48;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3075 ATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||||
```

Db   161 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAGAGCAAGACTCTGTCTC 208

; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms

RESULT 78
US-10-301-480-43148
Sequence 43148, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 43148
; LENGTH: 438
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-43148

Query Match   1.5%;   Score 48;   DB 11;   Length 438;
Best Local Similarity 100.0%;   Pred. No. 12;
Matches   48; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAGAGCAAGACTCTGTCTC 3122
                |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   161 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAGAGCAAGACTCTGTCTC 208

RESULT 79
US-10-301-480-656557
Sequence 656557, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 656557
; LENGTH: 438
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-656557

Query Match   1.5%;   Score 48;   DB 12;   Length 438;
Best Local Similarity 100.0%;   Pred. No. 12;
Matches   48; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAGAGCAAGACTCTGTCTC 3122
                |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   161 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAGAGCAAGACTCTGTCTC 208

RESULT 80
US-10-301-480-597620/c
Sequence 597620, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.

; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 597620
; LENGTH: 617
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-597620

Query Match   1.5%;   Score 48;   DB 12;   Length 617;
Best Local Similarity 100.0%;   Pred. No. 10;
Matches   48; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAGAGCAAGACTCTGTCTC 3122
                |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   379 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAGAGCAAGACTCTGTCTC 332

RESULT 81
US-10-301-480-1211029/c
Sequence 1211029, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1211029
; LENGTH: 617
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1211029

Query Match   1.5%;   Score 48;   DB 12;   Length 617;
Best Local Similarity 100.0%;   Pred. No. 10;
Matches   48; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAGAGCAAGACTCTGTCTC 3122
                |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   379 ATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAGAGCAAGACTCTGTCTC 332

RESULT 82
US-10-301-480-597621/c
Sequence 597621, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10

; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 59762I
; LENGTH: 802
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-597621

Query Match   1.5%;   Score 48;   DB 12;   Length 802;
Best Local Similarity   100.0%;
Matches   48;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTCAGCCTCCGGGCAACAGAGAGCAAGACTCTGTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   379 ATTGTGCCACTGCACTCCAGCCTCAGCCTCCGGGCAACAGAGAGCAAGACTCTGTC 332

RESULT 83
US-10-301-480-1211030/c
; Sequence 1211030, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 1211030
; LENGTH: 802
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1211030

Query Match   1.5%;   Score 48;   DB 12;   Length 802;
Best Local Similarity   100.0%;
Matches   48;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTCAGCCTCCGGGCAACAGAGAGCAAGACTCTGTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   379 ATTGTGCCACTGCACTCCAGCCTCAGCCTCCGGGCAACAGAGAGCAAGACTCTGTC 332

RESULT 84
US-11-124-368A-2878
; Sequence 2878, Application US/11124368A
; Publication No. US20050287559A1
; GENERAL INFORMATION:
; APPLICANT: Michele Cargill
; APPLICANT: James J. Devlin
; APPLICANT: May Luke
; TITLE OF INVENTION: Genetic Polymorphisms Associated with
; TITLE OF INVENTION: Vascular Diseases, Methods of Detection and Uses Thereof
; FILE REFERENCE: CL001524
; CURRENT APPLICATION NUMBER: US/11/124,368A
; CURRENT FILING DATE: 2005-05-09
; PRIOR APPLICATION NUMBER: US 60/568,845
; PRIOR FILING DATE: 2004-05-07
; PRIOR APPLICATION NUMBER: US 60/625,936
; PRIOR FILING DATE: 2004-11-09
; NUMBER OF SEQ ID NOS: 21112
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 2878
; LENGTH: 19675
; TYPE: DNA
; ORGANISM: Homo sapiens
US-11-124-368A-2878

Query Match   1.5%;   Score 48;   DB 17;   Length 19675;
Best Local Similarity   100.0%;
Matches   48;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTCGGGCGGGCAACAGAGAGCAAGAGAGCAAGACTCTGTC 3120
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   14998 AGATTGTGCCACTGCACTCCAGCCTCGGGCGGGCAACAGAGAGCAAGAGAGCAAGACTCTGTC 15045

RESULT 85
US-09-925-065A-440136/c
; Sequence 440136, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphism in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 440136
; LENGTH: 534
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-440136

Query Match   1.5%;   Score 48;   DB 7;   Length 534;
Best Local Similarity   100.0%;
Matches   48;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTCGGGCGGGCAACAGAGAGCAAGAGAGCAAGACTCTGTC 3120
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   161 AGATTGTGCCACTGCACTCCAGCCTCGGGCGGGCAACAGAGAGCAAGAGAGCAAGACTCT 115

RESULT 86
US-09-925-065A-440137/c
; Sequence 440137, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 440137
; LENGTH: 534

Query Match   1.5%;   Score 47;   DB 12;   Length 802;
Best Local Similarity   100.0%;
Matches   48;   Conservative   0;   Mismatches   8,8;   Indels   0;   Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTGGGGCAACAGAGACGAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||| |||||||||||||||||||||||
Db   379 ATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGACTCTGTCTC 332

Query Match   1.5%;   Score 47;   DB 12;   Length 802;
Best Local Similarity   100.0%;
Matches   48;   Conservative   0;   Mismatches   8,8;   Indels   0;   Gaps   0;

Qy   3075 ATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGACGAAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   379 ATTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGACTCTGTCTC 332

```
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-440137

Qy  Query Match         1.5%;    Score 47;  DB 7;  Length 534;
    Best Local Similarity   100.0%;  Pred. No. 15;
    Matches 47;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCT 3117
          |||||||||||||||||||||||||||||||||||||||||||||||
Db   161 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCT 115

RESULT 87
US-09-925-065A-623360/c
;   Sequence 623360, Application US/09925065A
;   Publication No. US20040101048A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 623360
;   LENGTH: 566
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-623360

Qy  Query Match         1.5%;    Score 47;  DB 7;  Length 566;
    Best Local Similarity   100.0%;  Pred. No. 15;
    Matches 47;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  3076 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACCAAGACTCTGTCTC 3122
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db   336 TTGTGCCACTGCACTCCAGCCTGGGCAACAGAGACCAAGACTCTGTCTC 290

RESULT 88
US-10-995-561-64399
;   Sequence 64399, Application US/10995561
;   Publication No. US20050272054A1
;   GENERAL INFORMATION:
;   APPLICANT: CARGILL, Michele et al.
;   TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
;   TITLE OF INVENTION: CARDIOVASCULAR DISORDERS AND DRUG RESPONSE, METHODS OF
;   TITLE OF INVENTION: DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001559
;   CURRENT APPLICATION NUMBER: US/10/995,561
;   CURRENT FILING DATE: 2004-11-24
;   NUMBER OF SEQ ID NOS: 85702
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 64399
;   LENGTH: 201
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-10-995-561-64399

Qy  Query Match         1.5%;    Score 46;  DB 10;  Length 201;
    Best Local Similarity   100.0%;  Pred. No. 36;
    Matches 46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    44 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 89

RESULT 89
US-10-301-480-20200/c
;   Sequence 20200, Application US/10301480
;   Publication No. US20060057564A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome
;   FILE REFERENCE: 108827.137
;   CURRENT APPLICATION NUMBER: US/10/301,480
;   CURRENT FILING DATE: 2002-11-21
;   PRIOR APPLICATION NUMBER: US 10/215,598
;   PRIOR FILING DATE: 2002-08-09
;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 20200
;   LENGTH: 496
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-20200

Qy  Query Match         1.5%;    Score 46;  DB 11;  Length 496;
    Best Local Similarity   100.0%;  Pred. No. 23;
    Matches 46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||
Db   154 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 109

RESULT 90
US-10-301-480-633609/c
;   Sequence 633609, Application US/10301480
;   Publication No. US20060057564A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome
;   FILE REFERENCE: 108827.137
;   CURRENT APPLICATION NUMBER: US/10/301,480
;   CURRENT FILING DATE: 2002-11-21
;   PRIOR APPLICATION NUMBER: US 10/215,598
;   PRIOR FILING DATE: 2002-08-09
;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 633609
;   LENGTH: 496
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-633609

Qy  Query Match         1.5%;    Score 46;  DB 12;  Length 496;
    Best Local Similarity   100.0%;  Pred. No. 23;
    Matches 46;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||
Db   154 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 109

RESULT 91
US-10-301-480-570118/c
```

; Sequence 570118, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10301480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 570118
; LENGTH: 514
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-570118

Qy   2895 GGTGGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGCCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db   343 GGTGGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGCCCAACAT 298

Query Match   1.5%;   Score 46;   DB 12;   Length 514;
Best Local Similarity   100.0%;   Pred. No. 22;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 92
US-10-301-480-1183527/c
; Sequence 1183527, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10301480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1183527
; LENGTH: 514
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1183527

Qy   2895 GGTGGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGCCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db   343 GGTGGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGCCCAACAT 298

Query Match   1.5%;   Score 46;   DB 12;   Length 514;
Best Local Similarity   100.0%;   Pred. No. 22;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 577517
; LENGTH: 540
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-577517

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   356 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 311

RESULT 93
US-10-301-480-577517/c
; Sequence 577517, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21

RESULT 94
US-10-301-480-1190926/c
; Sequence 1190926, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1190926
; LENGTH: 540
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1190926

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   356 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 311

Query Match   1.5%;   Score 46;   DB 12;   Length 540;
Best Local Similarity   100.0%;   Pred. No. 22;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 95
US-09-925-065A-124249
; Sequence 124249, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846

; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 12249
; TYPE: DNA
; ORGANISM: Homo sapiens
; LENGTH: 559
.
US-09-925-065A-124249

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   358 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT   403

Query Match   1.5%; Score 46; DB 7; Length 559;
Best Local Similarity   100.0%; Pred. No. 21;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 96
US-10-301-480-221987/c
Sequence 221987, Application US/10301480
Publication No. US20060057564A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
TITLE OF INVENTION: in the Human Genome
FILE REFERENCE: 108827.137
CURRENT APPLICATION NUMBER: US/10/301,480
CURRENT FILING DATE: 2002-11-21
PRIOR APPLICATION NUMBER: US 10/215,598
PRIOR FILING DATE: 2002-08-09
PRIOR APPLICATION NUMBER: US 60/311,695
PRIOR FILING DATE: 2001-08-10
NUMBER OF SEQ ID NOS: 1226818
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 221987
LENGTH: 568
TYPE: DNA
ORGANISM: Homo sapien
US-10-301-480-221987

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   212 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT   167

Query Match   1.5%; Score 46; DB 12; Length 568;
Best Local Similarity   100.0%; Pred. No. 21;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 97
US-10-301-480-835396/c
Sequence 835396, Application US/10301480
Publication No. US20060057564A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
TITLE OF INVENTION: in the Human Genome
FILE REFERENCE: 108827.137
CURRENT APPLICATION NUMBER: US/10/301,480
CURRENT FILING DATE: 2002-11-21
PRIOR APPLICATION NUMBER: US 10/215,598
PRIOR FILING DATE: 2002-08-09
PRIOR APPLICATION NUMBER: US 60/311,695
PRIOR FILING DATE: 2001-08-10
NUMBER OF SEQ ID NOS: 1226818
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 835396
LENGTH: 568
TYPE: DNA
ORGANISM: Homo sapien
US-10-301-480-835396

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   212 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT   167

Query Match   1.5%; Score 46; DB 12; Length 568;
Best Local Similarity   100.0%; Pred. No. 21;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 98
US-09-925-065A-843811/c
Sequence 843811, Application US/09925065A
Publication No. US20040181048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 843811
LENGTH: 606
TYPE: DNA
ORGANISM: Homo sapiens
US-09-925-065A-843811

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   298 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT   253

Query Match   1.5%; Score 46; DB 12; Length 606;
Best Local Similarity   100.0%; Pred. No. 20;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 99
US-09-925-065A-801712/c
Sequence 801712, Application US/09925065A
Publication No. US20040181048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 801712
LENGTH: 609
TYPE: DNA

; ORGANISM: Homo sapiens
US-09-925-065A-801712

Query Match   1.5%;   Score 46;   DB 7;   Length 609;
Best Local Similarity   100.0%;   Pred. No. 20;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTCGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db   299 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTCGGCCAACAT 254

RESULT 100
US-09-925-065A-48663/c
; Sequence 48663, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 48663
; LENGTH: 610
; TYPE: DNA
; ORGANISM: Homo sapiens

Query Match   1.5%;   Score 46;   DB 7;   Length 610;
Best Local Similarity   100.0%;   Pred. No. 20;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTCGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db   540 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 495

RESULT 101
US-09-925-065A-65044
; Sequence 65044, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0

; SEQ ID NO 65044
; LENGTH: 610
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-65044

Query Match   1.5%;   Score 46;   DB 7;   Length 610;
Best Local Similarity   100.0%;   Pred. No. 20;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTCGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 285

RESULT 102
US-10-301-480-149901/c
; Sequence 149901, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US/10/301,480
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 149901
; LENGTH: 610
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-149901

Query Match   1.5%;   Score 46;   DB 11;   Length 610;
Best Local Similarity   100.0%;   Pred. No. 20;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTCGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db   540 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 495

RESULT 103
US-10-301-480-166282
; Sequence 166282, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphism
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 166282
; LENGTH: 610
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-166282

Query Match   1.5%;   Score 46;   DB 11;   Length 610;
Best Local Similarity   100.0%;   Pred. No. 20;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   2895 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTCGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db   540 GGTGGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 495

```
Qy    2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||
Db     240 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 285
```

RESULT 104
US-10-301-480-763310/c
; Sequence 763310, Application US10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SEQ ID NO 763310
; LENGTH: 610
; TYPE: DNA
; ORGANISM: Homo sapien
; SOFTWARE: FastSEQ for Windows Version 4.0
;
Query Match   100.0%; Score 46; DB 12; Length 610;
Best Local Similarity   100.0%;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||
Db     540 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 495
```

RESULT 105
US-10-301-480-779691
; Sequence 779691, Application US10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SEQ ID NO 779691
; LENGTH: 610
; TYPE: DNA
; ORGANISM: Homo sapien
; SOFTWARE: FastSEQ for Windows Version 4.0
;
Query Match   100.0%; Score 46; DB 12; Length 610;
Best Local Similarity   100.0%;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
           |||||||||||||||||||||||||||||||||||||||||||||||
Db     240 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 285
```

RESULT 106
US-09-925-065A-47410/c
; Sequence 47410, Application US/0992S065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SEQ ID NO 47410
; LENGTH: 614
; TYPE: DNA
; ORGANISM: Homo sapiens
; SOFTWARE: FastSEQ for Windows Version 4.0
;
Query Match   100.0%; Score 46; DB 7; Length 614;
Best Local Similarity   100.0%;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 3118
           ||||||||||||||||||||||||||||||||||||||||||||||
Db     264 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 219
```

RESULT 107
US-09-925-065A-47411/c
; Sequence 47411, Application US/0992S065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SEQ ID NO 47411
; LENGTH: 614
; TYPE: DNA
; ORGANISM: Homo sapiens
; SOFTWARE: FastSEQ for Windows Version 4.0
;
Query Match   100.0%; Score 46; DB 7; Length 614;
Best Local Similarity   100.0%;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 3118
           ||||||||||||||||||||||||||||||||||||||||||||||
Db     264 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 219
```

RESULT 108
US-10-301-480-148648/c
; Sequence 148648, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 148648
; LENGTH: 614
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-148648

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 3118

Db   264 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 219

Query Match   1.5%;   Score 46;   DB 11;   Length 614;
Best Local Similarity   100.0%;   Pred. No. 20;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 109
US-10-301-480-148649/c
; Sequence 148649, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 148649
; LENGTH: 614
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-148649

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 3118

Db   264 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 219

Query Match   1.5%;   Score 46;   DB 11;   Length 614;
Best Local Similarity   100.0%;   Pred. No. 20;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 110
US-10-301-480-762057/c
; Sequence 762057, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137

RESULT 111
US-10-301-480-762058/c
; Sequence 762058, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 762058
; LENGTH: 614
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-762058

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 3118

Db   264 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 219

Query Match   1.5%;   Score 46;   DB 12;   Length 614;
Best Local Similarity   100.0%;   Pred. No. 20;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 112
US-09-925-065A-930543/c
; Sequence 930543, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766

```
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 930543
; LENGTH: 615
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-930543

Qy   2897 TGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    290 TGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 245

Query Match        1.5%;   Score 46;   DB 7;   Length 615;
Best Local Similarity   100.0%;   Pred. No. 20;
Matches  46;   Conservative  0;   Mismatches  0;   Indels  0;   Gaps  0;
US-09-925-065A-930543

RESULT 113
US-09-925-065A-930544/c
; Sequence 930544, Application US20040181048A1
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 930544
; LENGTH: 615
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-930544

Qy   2897 TGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    290 TGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAG 245

Query Match        1.5%;   Score 46;   Length 615;
Best Local Similarity   100.0%;   Pred. No. 20;   Mismatches 0;   Indels 0;   Gaps 0;
Matches  46;   Conservative  0;
US-09-925-065A-930544

RESULT 114
US-09-925-065A-870312/c
; Sequence 870312, Application US20040181048A1
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
```

```
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 870312
; LENGTH: 616
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-870312

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTC 3116
          |||||||||||||||||||||||||||||||||||||||||||||||
Db    246 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCGAAGACTC 201

Query Match        1.5%;   Score 46;   DB 7;   Length 616;
Best Local Similarity   100.0%;   Pred. No. 20;
Matches  46;   Conservative  0;   Mismatches  0;   Indels  0;   Gaps  0;
US-09-925-065A-870312

RESULT 115
US-09-925-065A-554324
; Sequence 554324, Application US20040181048A1
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 554324
; LENGTH: 654
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-554324

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
          ||||||||||||||||||||||||||||||||||||||||||||||
Db    154 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 199

Query Match        1.5%;   Score 46;   Length 654;
Best Local Similarity   100.0%;   Pred. No. 20;   Mismatches 0;   Indels 0;   Gaps 0;
Matches  46;   Conservative  0;
US-09-925-065A-554324

RESULT 116
US-09-925-065A-759345/c
; Sequence 759345, Application US20040181048A1
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
```

; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 759345
; LENGTH: 654
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-759345

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   274 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 229

Query Match   1.5%; Score 46; DB 7; Length 654;
Best Local Similarity   100.0%; Pred. No. 20;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 117
US-09-925-065A-790726
Sequence 790726, Application US20040181048A1
Publication No. US20040181048A1
GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 790726
; LENGTH: 659
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-790726

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 225

Query Match   1.5%; Score 46; DB 7; Length 659;
Best Local Similarity   100.0%; Pred. No. 20;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 118
US-09-925-065A-790727
Sequence 790727, Application US20040181048A1
Publication No. US20040181048A1
GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135

; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 790727
; LENGTH: 659
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-790727

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 225

Query Match   1.5%; Score 46; DB 7; Length 661;
Best Local Similarity   100.0%; Pred. No. 19;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 119
US-09-925-065A-771454
Sequence 771454, Application US20040181048A1
Publication No. US20040181048A1
GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 771454
; LENGTH: 661
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-771454

Qy   2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 225

Query Match   1.5%; Score 46; DB 7; Length 659;
Best Local Similarity   100.0%; Pred. No. 20;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 120
US-09-925-065A-737520
Sequence 737520, Application US20040181048A1
Publication No. US20040181048A1
GENERAL INFORMATION:
; APPLICANT: Wang, David G.

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 3116
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db   388 CAAGATTGTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTC 433

; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 737520
; LENGTH: 672
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-737520

Query Match   1.5%; Score 46; DB 7; Length 672;
Best Local Similarity   100.0%; Pred. No. 19;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACTC 3116
            ||||||||||||||||||||||||||||||||||||||||||||||||
Db   385 CAAGATTGTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACTC 430

RESULT 121
US-09-925-065A-737227/c
; Sequence 737227, Application US2004018104481
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 737227
; LENGTH: 680
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-737227

Query Match   1.5%; Score 46; DB 7; Length 680;
Best Local Similarity   100.0%; Pred. No. 19;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACTC 3116
            ||||||||||||||||||||||||||||||||||||||||||||||||
Db   294 CAAGATTGTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACTC 249

RESULT 122
US-09-925-065A-852555
; Sequence 852555, Application US/0925065A

; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 852555
; LENGTH: 689
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-852555

Query Match   1.5%; Score 46; DB 7; Length 689;
Best Local Similarity   100.0%; Pred. No. 19;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACTCTG 3118
            ||||||||||||||||||||||||||||||||||||||||||||||||
Db   293 AGATTGTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACTCTG 338

RESULT 123
US-09-925-065A-852556
; Sequence 852556, Application US2004018104481
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 852556
; LENGTH: 689
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-852556

Query Match   1.5%; Score 46; DB 7; Length 689;
Best Local Similarity   100.0%; Pred. No. 19;
Matches   46; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3073 AGATTGTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACTCTG 3118
            ||||||||||||||||||||||||||||||||||||||||||||||||
Db   293 AGATTGTGTGCCACTGCACTCCAGCCCTGGGCAACAGAGCAAGACTCTG 338

RESULT 124
US-09-925-065A-938958/c
Sequence 938958, Application US/0992506A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 938958
; LENGTH: 840
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-938958

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 3118
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   146 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 101

Query Match   1.5%;   Score 46;   DB 7;   Length 840;
Best Local Similarity   100.0%;   Pred. No. 17;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 125
US-09-925-065A-938959/c
Sequence 938959, Application US20040181048A1
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 938959
; LENGTH: 840
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-938959

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 3118
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   146 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 101

Query Match   1.5%;   Score 46;   DB 7;   Length 840;
Best Local Similarity   100.0%;   Pred. No. 17;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Db   146 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 101

RESULT 126
US-09-925-065A-938960/c
Sequence 938960, Application US/0992506A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 938960
; LENGTH: 840
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-938960

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 3118
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   146 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 101

Query Match   1.5%;   Score 46;   DB 7;   Length 840;
Best Local Similarity   100.0%;   Pred. No. 17;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Db   146 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 101

RESULT 127
US-10-301-480-601877/c
Sequence 601877, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 126818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 601877
; LENGTH: 989
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-601877

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 3118
           ||||||||||||||||||||||||||||||||||||||||||||||
Db   852 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 807

Query Match   1.5%;   Score 46;   DB 12;   Length 989;
Best Local Similarity   100.0%;   Pred. No. 16;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

RESULT 128
US-10-301-480-1215286/c
; Sequence 1215286, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1215286
; LENGTH: 989
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1215286

  Query Match   1.5%; Score 46; DB 12; Length 989;
  Best Local Similarity   100.0%;
  Matches   46; Conservative   0; Mismatches   16; Indels   0; Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCCAGCCTGGGCGCAACAGAGAGACTCTG 3118
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db   852 AGATTGTGCCACTGCACTCCCAGCCTGGGCGCAACAGAGAGACTCTG 807

RESULT 129
US-10-301-480-612422/c
; Sequence 612422, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 612422
; LENGTH: 998
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-612422

  Query Match   1.5%; Score 46; DB 12; Length 998;
  Best Local Similarity   100.0%;
  Matches   46; Conservative   0; Mismatches   16; Indels   0; Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   848 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 803

RESULT 130.
US-10-301-480-1225831/c
; Sequence 1225831, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137

RESULT 131
US-09-925-065A-711495
; Sequence 711495, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-05-09
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-01-16
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 711495
; LENGTH: 1105
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-711495

  Query Match   1.5%; Score 46; DB 12; Length 1105;
  Best Local Similarity   100.0%;
  Matches   46; Conservative   0; Mismatches   16; Indels   0; Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCAGCCTGGCCAACAT 2940
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   848 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 803

RESULT 132
US-09-925-065A-678054
; Sequence 678054, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096

  Query Match   1.5%; Score 46; DB 7; Length 1105;
  Best Local Similarity   100.0%;
  Matches   46; Conservative   0; Mismatches   15; Indels   0; Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   874 CAAGATTGTGCCACTGCACTCCAGCCTGGGCGCAACAGAGAGACTC 919

; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 678054
; LENGTH: 1364
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-678054

Query Match   1.5%;   Score 46;   DB 7;   Length 1364;
Best Local Similarity   100.0%;   Pred. No. 13;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3073 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 3118
             ||||||||||||||||||||||||||||||||||||||||||||||
Db   351 AGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTCTG 396

RESULT 133
US-09-925-065A-689300
; Sequence 689300, Application US20040181048A1
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 689300
; LENGTH: 1635
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-689300

Query Match   1.5%;   Score 46;   DB 7;   Length 1635;
Best Local Similarity   100.0%;   Pred. No. 12;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGAGCAAGACTC 3116
             |||||||||||||||||||||||||||||||||||||||||||||
Db   831 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGAGCAAGACTC 876

RESULT 134
US-09-925-065A-677066
; Sequence 677066, Application US/0925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135

; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 677066
; LENGTH: 2227
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-677066

Query Match   1.5%;   Score 46;   DB 7;   Length 2227;
Best Local Similarity   100.0%;   Pred. No. 10;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   2895 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
             ||||||||||||||||||||||||||||||||||||||||||||||
Db   2035 GGTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2080

RESULT 135
US-10-301-480-94903
; Sequence 94903, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 94903
; LENGTH: 2798
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-94903

Query Match   1.5%;   Score 46;   DB 11;   Length 2798;
Best Local Similarity   100.0%;   Pred. No. 9.3;
Matches   46;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGAGCAAGACTC 3116
             |||||||||||||||||||||||||||||||||||||||||||||
Db   1434 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGAGAGCAAGACTC 1479

RESULT 136
US-10-301-480-708312
; Sequence 708312, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598

; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 708312
; LENGTH: 2798
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-708312

Query Match 1.5%; Score 46; DB 12; Length 2798;
Best Local Similarity 100.0%; Pred. No. 9.3;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3071 CAAGATTGTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGACTC 3116
     |||||||||||||||||||||||||||||||||||||||||||||||
Db 1434 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 1479

RESULT 137
US-10-995-561-13369
; Sequence 13369, Application US/10995561
; Publication No. US20050272054A1
; GENERAL INFORMATION:
; APPLICANT: CARGILL, Michele et al.
; TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
; TITLE OF INVENTION: CARDIOVASCULAR DISORDERS AND DRUG RESPONSE, METHODS OF
; TITLE OF INVENTION: DETECTION AND USES THEREOF
; FILE REFERENCE: CL001559
; CURRENT APPLICATION NUMBER: US/10/995,561
; CURRENT FILING DATE: 2004-11-24
; NUMBER OF SEQ ID NOS: 85702
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 13369
; LENGTH: 56448
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(56448)
; OTHER INFORMATION: n = A,T,C or G, or insertion/deletion polymorphism (see Tables 1-
US-10-995-561-13369

Query Match 1.5%; Score 46; DB 10; Length 56448;
Best Local Similarity 100.0%; Pred. No. 2;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
     |||||||||||||||||||||||||||||||||||||||||||||||
Db 10994 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 11039

RESULT 138
US-11-112-908-36/c
; Sequence 36, Application US/11112908
; Publication No. US20050260659A1
; GENERAL INFORMATION:
; APPLICANT: Harris, Cole
; APPLICANT: Davis, Lisa M.
; TITLE OF INVENTION: Breast Cancer Biomarkers
; FILE REFERENCE: 04-164-US
; CURRENT APPLICATION NUMBER: US/11/112,908
; CURRENT FILING DATE: 2005-04-22
; PRIOR APPLICATION NUMBER: US 60/564,758
; PRIOR FILING DATE: 2004-04-23
; PRIOR APPLICATION NUMBER: US 60/575,978
; PRIOR FILING DATE: 2004-06-01
; PRIOR APPLICATION NUMBER: US 60/631,702
; PRIOR FILING DATE: 2004-11-30
; PRIOR APPLICATION NUMBER: US 60/633,826
; PRIOR FILING DATE: 2004-12-07
; NUMBER OF SEQ ID NOS: 511

; SOFTWARE: PatentIn version 3.3
;
; SEQ ID NO 36
; LENGTH: 98345
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (49350)..(49350)
; OTHER INFORMATION: n is a, c, g, or t
US-11-112-908-36

Query Match 1.5%; Score 46; DB 17; Length 98345;
Best Local Similarity 100.0%; Pred. No. 1.5;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3071 CAAGATTGTGTGCCACTGCACTCCAGCCTCGGGCAACAGAGAGCAAGACTC 3116
     |||||||||||||||||||||||||||||||||||||||||||||||
Db 18440 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 18395

RESULT 139
US-10-330-773-795
; Sequence 795, Application US/10330773
; Publication No. US20060040262A1
; GENERAL INFORMATION:
; APPLICANT: David W. Morris
; APPLICANT: Marc Malandro
; TITLE OF INVENTION: Novel Compositions and Methods in Cancer
; FILE REFERENCE: 5294520001300
; CURRENT APPLICATION NUMBER: US/10/330,773
; CURRENT FILING DATE: 2002-12-27
; NUMBER OF SEQ ID NOS: 981
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 795
; LENGTH: 109661
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(109661)
; OTHER INFORMATION: n = A,T,C or G
US-10-330-773-795

Query Match 1.5%; Score 46; DB 11; Length 109661;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 2940
     |||||||||||||||||||||||||||||||||||||||||||||||
Db 40304 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACAT 40349

RESULT 140
US-11-112-908-54/c
; Sequence 54, Application US/11112908
; Publication No. US20050260659A1
; GENERAL INFORMATION:
; APPLICANT: Harris, Cole
; APPLICANT: Davis, Lisa M.
; TITLE OF INVENTION: Breast Cancer Biomarkers
; FILE REFERENCE: 04-164-US
; CURRENT APPLICATION NUMBER: US/11/112,908
; CURRENT FILING DATE: 2005-04-22
; PRIOR APPLICATION NUMBER: US 60/564,758
; PRIOR FILING DATE: 2004-04-23
; PRIOR APPLICATION NUMBER: US 60/575,978
; PRIOR FILING DATE: 2004-06-01
; PRIOR APPLICATION NUMBER: US 60/631,702
; PRIOR FILING DATE: 2004-11-30
; PRIOR APPLICATION NUMBER: US 60/633,826
; PRIOR FILING DATE: 2004-12-07
; NUMBER OF SEQ ID NOS: 511
; SOFTWARE: PatentIn version 3.3

```
; SEQ ID NO 54
;   LENGTH: 150450
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-11-112-908-54

Qy          3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||||
Db         99596 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 99551

Query Match        1.5%;  Score 46;  DB 17;  Length 150450;
Best Local Similarity   100.0%;  Pred. No. 1.2;
Matches   46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

US-11-112-908-53
;   ORGANISM: Homo sapiens
;   TYPE: DNA
;   LENGTH: 191343
; SEQ ID NO 53
;     SOFTWARE: Patentin version 3.3
;     NUMBER OF SEQ ID NOS: 511
; PRIOR APPLICATION FILING DATE: 2004-12-07
; PRIOR APPLICATION NUMBER: US 60/633,826
; PRIOR APPLICATION FILING DATE: 2004-11-30
; PRIOR APPLICATION NUMBER: US 60/631,702
; PRIOR APPLICATION FILING DATE: 2004-06-01
; PRIOR APPLICATION NUMBER: US 60/575,978
; PRIOR APPLICATION FILING DATE: 2004-04-23
; PRIOR APPLICATION NUMBER: US 60/564,758
; CURRENT APPLICATION FILING DATE: 2005-04-22
; CURRENT APPLICATION NUMBER: US 60/564,758
; FILE REFERENCE: 04-164-US
;   TITLE OF INVENTION: Breast Cancer Biomarkers
;   APPLICANT: Davis, Lisa M.
;   APPLICANT: Harris, Cole
; GENERAL INFORMATION:
;   Publication No. US20050260659A1
; Sequence 53, Application US/11112908
US-11-112-908-53//c

RESULT 141
```

```
Matches   45;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 3122
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db           149 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 105

RESULT 143
US-10-995-561-58959//c
; Sequence 58959, Application US/10995561
; Publication No. US20050272054A1
; GENERAL INFORMATION:
;   APPLICANT: CARGILL, Michele et al.
;   TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
;   TITLE OF INVENTION: CARDIOVASCULAR DISORDERS AND DRUG RESPONSE, METHODS OF
;   TITLE OF INVENTION: DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001559
;   CURRENT APPLICATION NUMBER: US/10/995,561
;   CURRENT FILING DATE: 2004-11-24
;   NUMBER OF SEQ ID NOS: 85702
;     SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 58959
;   LENGTH: 201
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-10-995-561-58959

Qy          3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 3122
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db           148 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 104

Query Match        1.4%;  Score 45;  DB 10;  Length 201;
Best Local Similarity   100.0%;  Pred. No. 51;
Matches   45;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

US-10-995-561-58959
```

```
Qy          3071 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 3116
                 ||||||||||||||||||||||||||||||||||||||||||||||||
Db         18838 CAAGATTGTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTC 18793

Query Match        1.5%;  Score 46;  DB 17;  Length 191343;
Best Local Similarity   100.0%;  Pred. No. 1.1;
Matches   46;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

US-11-112-908-53
;   ORGANISM: Homo sapiens
;   TYPE: DNA
;   LENGTH: 191343
; SEQ ID NO 53
;     SOFTWARE: Patentin version 3.3
;     NUMBER OF SEQ ID NOS: 511
; PRIOR APPLICATION FILING DATE: 2004-12-07
; PRIOR APPLICATION NUMBER: US 60/633,826
```

```
RESULT 144
US-10-995-561-68537
; Sequence 68537, Application US/10995561
; Publication No. US20050272054A1
; GENERAL INFORMATION:
;   APPLICANT: CARGILL, Michele et al.
;   TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
;   TITLE OF INVENTION: CARDIOVASCULAR DISORDERS AND DRUG RESPONSE, METHODS OF
;   TITLE OF INVENTION: DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001559
;   CURRENT APPLICATION NUMBER: US/10/995,561
;   CURRENT FILING DATE: 2004-11-24
;   NUMBER OF SEQ ID NOS: 85702
;     SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 68537
;   LENGTH: 201
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-10-995-561-68537

Qy          3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 3122
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db           148 GTGCCACTGCACTCCAGCCTGGGCAACAGAGAGCAAGACTCTGTCTC 104

Query Match        1.4%;  Score 45;  DB 10;  Length 201;
Best Local Similarity   100.0%;  Pred. No. 51;
Matches   45;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

US-10-995-561-68537
```

```
RESULT 142
US-10-995-561-58923//c
; Sequence 58923, Application US/10995561
; Publication No. US20050272054A1
; GENERAL INFORMATION:
;   APPLICANT: CARGILL, Michele et al.
;   TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
;   TITLE OF INVENTION: CARDIOVASCULAR DISORDERS AND DRUG RESPONSE, METHODS OF
;   TITLE OF INVENTION: DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001559
;   CURRENT APPLICATION NUMBER: US/10/995,561
;   CURRENT FILING DATE: 2004-11-24
;   NUMBER OF SEQ ID NOS: 85702
;     SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 58923
;   LENGTH: 201
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-10-995-561-58923

Query Match        1.4%;  Score 45;  DB 10;  Length 201;
Best Local Similarity   100.0%;  Pred. No. 51;
```

```
RESULT 145
US-10-301-480-49738//c
; Sequence 49738, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome

Qy          2898 GGATCACCCTGAGGCGCAGGAGTTCGAGACCAGCCTGGCCAACATAG 2942
                 |||||||||||||||||||||||||||||||||||||||||||||||
Db           128 GGATCACCCTGAGGCGCAGGAGTTCGAGACCAGCCTGGCCAACATAG 172
```

```
;  FILE REFERENCE: 108827.137
;  CURRENT APPLICATION NUMBER: US/10/301,480
;  CURRENT FILING DATE: 2002-11-21
;  PRIOR APPLICATION NUMBER: US 10/215,598
;  PRIOR APPLICATION NUMBER: US 60/311,695
;  PRIOR FILING DATE: 2001-08-10
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  NUMBER OF SEQ ID NOS: 1226818
;  SEQ ID NO 49738
;  LENGTH: 524
;  TYPE: DNA
;  ORGANISM: Homo sapien
US-10-301-480-49738

Qy       2888  TGAGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTG  2932
               ||||||||||||||||||||||||||||||||||||||||||||||
Db        148  TGAGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTG  104

RESULT 146
US-10-301-480-49739/c
;  Sequence 49739, Application US/10301480
;  Publication No. US20060057564A1
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;  TITLE OF INVENTION: in the Human Genome
;  FILE REFERENCE: 108827.137
;  CURRENT APPLICATION NUMBER: US/10/301,480
;  CURRENT FILING DATE: 2002-11-21
;  PRIOR APPLICATION NUMBER: US 10/215,598
;  PRIOR FILING DATE: 2002-08-09
;  PRIOR APPLICATION NUMBER: US 60/311,695
;  PRIOR FILING DATE: 2001-08-10
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  NUMBER OF SEQ ID NOS: 1226818
;  SEQ ID NO 49739
;  LENGTH: 524
;  TYPE: DNA
;  ORGANISM: Homo sapien
US-10-301-480-49739

Query Match             1.4%;  Score 45;  DB 11;  Length 524;
Best Local Similarity   100.0%;
Matches   45;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy       2888  TGAGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTG  2932
               ||||||||||||||||||||||||||||||||||||||||||||||
Db        148  TGAGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTG  104

RESULT 147
US-10-301-480-663147/c
;  Sequence 663147, Application US/10301480
;  Publication No. US20060057564A1
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;  TITLE OF INVENTION: in the Human Genome
;  FILE REFERENCE: 108827.137
;  CURRENT APPLICATION NUMBER: US/10/301,480
;  CURRENT FILING DATE: 2002-11-21
;  PRIOR APPLICATION NUMBER: US 10/215,598
;  PRIOR APPLICATION NUMBER: US 60/311,695
;  PRIOR FILING DATE: 2001-08-10
;  PRIOR APPLICATION NUMBER: US 60/311,695
;  NUMBER OF SEQ ID NOS: 1226818
;  SOFTWARE: FastSEQ for Windows Version 4.0
```

```
;  SEQ ID NO 663147
;  LENGTH: 524
;  TYPE: DNA
;  ORGANISM: Homo sapien
US-10-301-480-663147

Qy       2888  TGAGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTG  2932
               ||||||||||||||||||||||||||||||||||||||||||||||
Db        148  TGAGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTG  104

RESULT 148
US-10-301-480-663148/c
;  Sequence 663148, Application US/10301480
;  Publication No. US20060057564A1
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of single Nucleotide Polymorphisms
;  TITLE OF INVENTION: in the Human Genome
;  FILE REFERENCE: 108827.137
;  CURRENT APPLICATION NUMBER: US/10/301,480
;  CURRENT FILING DATE: 2002-11-21
;  PRIOR APPLICATION NUMBER: US 10/215,598
;  PRIOR FILING DATE: 2002-08-09
;  PRIOR APPLICATION NUMBER: US 60/311,695
;  PRIOR FILING DATE: 2001-08-10
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  NUMBER OF SEQ ID NOS: 1226818
;  SEQ ID NO 663148
;  LENGTH: 524
;  TYPE: DNA
;  ORGANISM: Homo sapien
US-10-301-480-663148

Query Match             1.4%;  Score 45;  DB 12;  Length 524;
Best Local Similarity   100.0%;
Matches   45;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy       2888  TGAGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTG  2932
               ||||||||||||||||||||||||||||||||||||||||||||||
Db        148  TGAGGCAGGTGGATCACCTGAGGGCCAGGAGTTCGAGACCAGCCTG  104

RESULT 149
US-10-301-480-9096
;  Sequence 9096, Application US/10301480
;  Publication No. US20060057564A1
;  GENERAL INFORMATION:
;  APPLICANT: Wang, David G.
;  TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;  TITLE OF INVENTION: in the Human Genome
;  FILE REFERENCE: 108827.137
;  CURRENT APPLICATION NUMBER: US/10/301,480
;  CURRENT FILING DATE: 2002-11-21
;  PRIOR APPLICATION NUMBER: US 10/215,598
;  PRIOR FILING DATE: 2002-08-09
;  PRIOR APPLICATION NUMBER: US 60/311,695
;  PRIOR FILING DATE: 2001-08-10
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  NUMBER OF SEQ ID NOS: 1226818
;  SEQ ID NO 9096
;  LENGTH: 527
;  TYPE: DNA
;  ORGANISM: Homo sapien
US-10-301-480-9096

Query Match             1.4%;  Score 45;  DB 11;  Length 527;
Best Local Similarity   100.0%;
Matches   45;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;
```

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACA 2939
         ||||||||||||||||||||||||||||||||||||||||||||||
Db   55 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACA 99

RESULT 150
US-10-301-480-622505
; Sequence 622505, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 622505
; LENGTH: 527
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-622505

Query Match   1.4%; Score 45; DB 12; Length 527;
Best Local Similarity   100.0%; Pred. No. 31;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy 2895 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACA 2939
         ||||||||||||||||||||||||||||||||||||||||||||||
Db   55 GGTGGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACA 99

RESULT 151
US-09-925-065A-765896
; Sequence 765896, Application US2004018048A1
; Publication No. US2004018048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 765896
; LENGTH: 545
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-765896

Query Match   1.4%; Score 45; DB 7; Length 545;
Best Local Similarity   100.0%; Pred. No. 31;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy 3078 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGACGAAGACTCTGTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||
US-09-925-065A-765896

Db   291 GTGCCACTGCACTCCAGCCTGGGCGGCAACAGAGCAAGACTCTGTCTC 335

RESULT 152
US-09-925-065A-7990095/c
; Sequence 7990095, Application US/09925065A
; Publication No. US2004018048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 799095
; LENGTH: 546
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-799095

Query Match   1.4%; Score 45; DB 7; Length 546;
Best Local Similarity   100.0%; Pred. No. 30;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy 3078 GTGCCACTGCACTCCAGCCTGGGCGCCAACAGAGCAAGACTCTGTCTC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||
Db   210 GTGCCACTGCACTCCAGCCTGGGCGCCAACAGAGCAAGACTCTGTCTC 166

RESULT 153
US-09-925-065A-615308
; Sequence 615308, Application US2004018048A1
; Publication No. US2004018048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 615308
; LENGTH: 549
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-925-065A-615308

Query Match   1.4%; Score 45; DB 7; Length 549;
Best Local Similarity   100.0%; Pred. No. 30;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

RESULT 154

US-09-925-065A-591948/c
Sequence 591948, Application US/0992506SA
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 591948
; LENGTH: 559
; TYPE: DNA
; ORGANISM: Homo sapiens

US-09-925-065A-591948

Query Match   1.4%; Score 45; DB 7; Length 559;
Best Local Similarity   100.0%; Pred. No. 30;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   79 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 123

RESULT 155

US-09-925-065A-12438/c
Sequence 12438, Application US/0992506SA
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12438
; LENGTH: 563
; TYPE: DNA
; ORGANISM: Homo sapiens

US-09-925-065A-12438

Query Match   1.4%; Score 45; DB 7; Length 563;
Best Local Similarity   100.0%; Pred. No. 30;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   157 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 113

RESULT 156

US-10-301-480-1136755/c
Sequence 113675, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US/10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 113675
; LENGTH: 563
; TYPE: DNA
; ORGANISM: Homo sapien

US-10-301-480-113675

Query Match   1.4%; Score 45; DB 11; Length 563;
Best Local Similarity   100.0%; Pred. No. 30;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   161 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 117

RESULT 157

US-10-301-480-727084/c
Sequence 727084, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 727084
; LENGTH: 563
; TYPE: DNA
; ORGANISM: Homo sapien

US-10-301-480-727084

Query Match   1.4%; Score 45; DB 12; Length 563;
Best Local Similarity   100.0%; Pred. No. 30;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 3122
                 ||||||||||||||||||||||||||||||||||||||||||||||
Db   161 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGACTTCTGTCTC 117

RESULT 158
US-09-925-065A-13098
;	Sequence 13098, Application US/0992506 5A
;	Publication No. US20040181048A1
;	GENERAL INFORMATION:
;	APPLICANT: Wang, David G.
;	TITLE OF INVENTION: Identification and Mapping of Single
;	TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;	FILE REFERENCE: 108827.135
;	CURRENT APPLICATION NUMBER: US/09/925,065A
;	CURRENT FILING DATE: 2001-08-08
;	PRIOR APPLICATION NUMBER: US 60/243,096
;	PRIOR FILING DATE: 2000-10-24
;	PRIOR APPLICATION NUMBER: US 60/252,147
;	PRIOR FILING DATE: 2000-11-20
;	PRIOR APPLICATION NUMBER: US 60/250,092
;	PRIOR FILING DATE: 2000-11-30
;	PRIOR APPLICATION NUMBER: US 60/261,766
;	PRIOR FILING DATE: 2001-01-16
;	PRIOR APPLICATION NUMBER: US 60/289,846
;	PRIOR FILING DATE: 2001-05-09
;	NUMBER OF SEQ ID NOS: 957086
;	SOFTWARE: FastSEQ for Windows Version 4.0
;	SEQ ID NO 13098
;	LENGTH: 568
;	TYPE: DNA
;	ORGANISM: Homo sapiens

Query Match	1.4%;	Score 45;	DB 7;	Length 568;
Best Local Similarity	100.0%;	Pred. No. 30;
Matches	45;	Conservative	0;	Mismatches	0;	Indels	0;	Gaps	0;

Qy	3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||
Db	 350 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 394

RESULT 159
US-09-925-065A-338452
;	Sequence 338452, Application US/0992506 5A
;	Publication No. US20040181048A1
;	GENERAL INFORMATION:
;	APPLICANT: Wang, David G.
;	TITLE OF INVENTION: Identification and Mapping of Single
;	TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;	FILE REFERENCE: 108827.135
;	CURRENT APPLICATION NUMBER: US/09/925,065A
;	CURRENT FILING DATE: 2001-08-08
;	PRIOR APPLICATION NUMBER: US 60/243,096
;	PRIOR FILING DATE: 2000-10-24
;	PRIOR APPLICATION NUMBER: US 60/252,147
;	PRIOR FILING DATE: 2000-11-20
;	PRIOR APPLICATION NUMBER: US 60/250,092
;	PRIOR FILING DATE: 2000-11-30
;	PRIOR APPLICATION NUMBER: US 60/261,766
;	PRIOR FILING DATE: 2001-01-16
;	PRIOR APPLICATION NUMBER: US 60/289,846
;	PRIOR FILING DATE: 2001-05-09
;	NUMBER OF SEQ ID NOS: 957086
;	SOFTWARE: FastSEQ for Windows Version 4.0
;	SEQ ID NO 338452
;	LENGTH: 568
;	TYPE: DNA
;	ORGANISM: Homo sapiens
;

Query Match	1.4%;	Score 45;	DB 7;	Length 568;
Best Local Similarity	100.0%;	Pred. No. 30;
Matches	45;	Conservative	0;	Mismatches	0;	Indels	0;	Gaps	0;

Qy	3078 GTGCCACTGCACTCCAGCCTGGGCAAACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db	 433 GTGCCACTGCACTCCAGCCTGGGCAAACAGAGCAAGAGACTCTGTCTC 477

RESULT 160
US-10-301-480-114335
;	Sequence 114335, Application US/10301480
;	Publication No. US20060057564A1
;	GENERAL INFORMATION:
;	APPLICANT: Wang, David G.
;	TITLE OF INVENTION: Identificiation and Mapping of Single Nucleotide Polymorphisms
;	TITLE OF INVENTION: in the Human Genome
;	FILE REFERENCE: 108827.137
;	CURRENT APPLICATION NUMBER: US/10/301,480
;	CURRENT FILING DATE: 2002-11-21
;	PRIOR APPLICATION NUMBER: US 10/215,598
;	PRIOR FILING DATE: 2002-08-09
;	PRIOR APPLICATION NUMBER: US 60/311,695
;	PRIOR FILING DATE: 2001-08-10
;	NUMBER OF SEQ ID NOS: 1226818
;	SOFTWARE: FastSEQ for Windows Version 4.0
;	SEQ ID NO 114335
;	LENGTH: 568
;	TYPE: DNA
;	ORGANISM: Homo sapien
;

Query Match	1.4%;	Score 45;	DB 11;	Length 568;
Best Local Similarity	100.0%;	Pred. No. 30;
Matches	45;	Conservative	0;	Mismatches	0;	Indels	0;	Gaps	0;

Qy	3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||
Db	 350 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTCTGTCTC 394

RESULT 161
US-10-301-480-411598
;	Sequence 411598, Application US/10301480
;	Publication No. US20060057564A1
;	GENERAL INFORMATION:
;	APPLICANT: Wang, David G.
;	TITLE OF INVENTION: Identificiation and Mapping of Single Nucleotide
;	TITLE OF INVENTION: Polymorphisms in the Human Genome
;	FILE REFERENCE: 108827.137
;	CURRENT APPLICATION NUMBER: US/10/301,480
;	CURRENT FILING DATE: 2002-11-21
;	PRIOR APPLICATION NUMBER: US 10/215,598
;	PRIOR FILING DATE: 2002-08-09
;	PRIOR APPLICATION NUMBER: US 60/311,695
;	PRIOR FILING DATE: 2001-08-10
;	NUMBER OF SEQ ID NOS: 1226818
;	SOFTWARE: FastSEQ for Windows Version 4.0
;	SEQ ID NO 411598
;	LENGTH: 568
;	TYPE: DNA
;	ORGANISM: Homo sapien
;

Query Match	1.4%;	Score 45;	DB 12;	Length 568;
Best Local Similarity	100.0%;	Pred. No. 30;
Matches	45;	Conservative	0;	Mismatches	0;	Indels	0;	Gaps	0;

Qy	3078 GTGCCACTGCACTCCAGCCTGGGCAAACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db	 433 GTGCCACTGCACTCCAGCCTGGGCAAACAGAGCAAGAGACTCTGTCTC 477

RESULT 162
US-10-301-480-727744
;	Sequence 727744, Application US/10301480
;	Publication No. US20060057564A1
;	GENERAL INFORMATION:
;	APPLICANT: Wang, David G.

; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 727744
; LENGTH: 568
; TYPE: DNA
; ORGANISM: Homo sapien

US-10-301-480-727744

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   350 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTTCTGTCTC 394

RESULT 163
US-10-301-480-1025007
Sequence 1025007, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1025007
; LENGTH: 568
; TYPE: DNA
; ORGANISM: Homo sapien

US-10-301-480-1025007

Query Match   1.4%;   Score 45;   DB 12;   Length 568;
Best Local Similarity 100.0%;   Pred. No. 30;
Matches 45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   433 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTTCTGTCTC 477

RESULT 164
US-09-925-065A-371064/c
Sequence 371064, Application US20040181048A1
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisme in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20

; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 371064
; LENGTH: 590
; TYPE: DNA
; ORGANISM: Homo sapiens

US-09-925-065A-371064

Query Match   1.4%;   Score 45;   DB 7;   Length 590;
Best Local Similarity 100.0%;   Pred. No. 29;
Matches 45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   433 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTTCTGTCTC 389

RESULT 165
US-09-925-065A-927764
Sequence 927764, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 927764
; LENGTH: 592
; TYPE: DNA
; ORGANISM: Homo sapiens

US-09-925-065A-927764

Query Match   1.4%;   Score 45;   DB 7;   Length 592;
Best Local Similarity 100.0%;   Pred. No. 29;
Matches 45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTTCTGTCTC 105

RESULT 166
US-09-925-065A-927765
Sequence 927765, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096

PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 927765
LENGTH: 592
TYPE: DNA
ORGANISM: Homo sapiens
US-09-925-065A-927765

Query Match   1.4%;   Score 45;   DB 7;   Length 592;
Best Local Similarity   100.0%;   Pred. No. 29;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy 3078 GTGCCACTGCACTCCAGCCTGGGCGCCAACACAGAGCAAGACTCTGTCTCC 3122
         ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 GTGCCACTGCACTCCAGCCTGGGCGCCAACACAGAGCAAGACTCTGTCTCC 105

RESULT 167
US-09-925-065A-949474
Sequence 949474, Application US20040181048A1
Publication No. US20040181048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 949474
LENGTH: 592
TYPE: DNA
ORGANISM: Homo sapiens
US-09-925-065A-949474

Query Match   1.4%;   Score 45;   DB 7;   Length 592;
Best Local Similarity   100.0%;   Pred. No. 29;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy 3078 GTGCCACTGCACTCCAGCCTGGGCGCCAACACAGAGCAAGACTCTGTCTC 3122
         |||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 GTGCCACTGCACTCCAGCCTGGGCGCCAACACAGAGCAAGACTCTGTCTC 105

RESULT 168
US-09-925-065A-695847/c
Sequence 695847, Application US/0925065A
Publication No. US20040181048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 695847
LENGTH: 596
TYPE: DNA
ORGANISM: Homo sapiens
US-09-925-065A-695847

Query Match   1.4%;   Score 45;   DB 7;   Length 596;
Best Local Similarity   100.0%;   Pred. No. 29;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy 2906 TGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACCC 2950
         |||||||||||||||||||||||||||||||||||||||||||||
Db   508 TGAGGCCAGGAGTTCGAGACCAGCCTGGCCAACATAGCGAAACCC 464

RESULT 169
US-09-925-065A-10892/c
Sequence 10892, Application US/0925065A
Publication No. US20040181048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 10892
LENGTH: 598
TYPE: DNA
ORGANISM: Homo sapiens
US-09-925-065A-10892

Query Match   1.4%;   Score 45;   DB 7;   Length 598;
Best Local Similarity   100.0%;   Pred. No. 29;
Matches   45;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy 2896 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
         ||||||||||||||||||||||||||||||||||||||||||||||
Db   304 GTGGATCACCTGAGGCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 260

RESULT 170
US-10-301-480-112129/c
Sequence 112129, Application US/10301480
Publication No. US20060057564A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.

```
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome
;   FILE REFERENCE: 108827.137
;   CURRENT APPLICATION NUMBER: US/10/301,480
;   CURRENT FILING DATE: 2002-11-21
;   PRIOR APPLICATION NUMBER: US 10/215,598
;   PRIOR FILING DATE: 2002-08-09
;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 112129
;   LENGTH: 598
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-112129

Query Match             1.4%;  Score 45;  DB 11;  Length 598;
Best Local Similarity   100.0%;  Pred. No. 29;
Matches   45;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy     2896 GTGGATCACCTGAGGCCCAGGAGGTTCGAGACCAGCCTGGCCAACAT 2940
            |||||||||||||||||||||||||||||||||||||||||||||||
Db      304 GTCGATCACCTGAGGCCAGGAGGAGTTCGAGACCAGCCTGGCCAACAT 260


RESULT 171
US-10-301-480-725538/c
Sequence 725538, Application US/10301480
Publication No. US20060057564A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome
;   FILE REFERENCE: 108827.137
;   CURRENT APPLICATION NUMBER: US/10/301,480
;   CURRENT FILING DATE: 2002-11-21
;   PRIOR APPLICATION NUMBER: US 10/215,598
;   PRIOR FILING DATE: 2002-08-09
;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 725538
;   LENGTH: 598
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-725538


RESULT 172
US-10-301-480-253035/c
Sequence 253035, Application US/10301480
Publication No. US20060057564A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome
;   FILE REFERENCE: 108827.137
;   CURRENT APPLICATION NUMBER: US/10/301,480
;   CURRENT FILING DATE: 2002-11-21
;   PRIOR APPLICATION NUMBER: US 10/215,598
;   PRIOR FILING DATE: 2002-08-09
;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
```

```
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 253035
;   LENGTH: 603
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-253035

Qy     3078 GTGCCACTGCACTCCAGCCTGGGCGCAACACAGAGCAAGAGACTTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       98 GTGCCACTGCACTCCAGCCTGGGCGCAACACAGAGCAAGAGACTTCTGTCTC 54


RESULT 173
US-10-301-480-866444/c
Sequence 866444, Application US/10301480
Publication No. US20060057564A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;   TITLE OF INVENTION: in the Human Genome
;   FILE REFERENCE: 108827.137
;   CURRENT APPLICATION NUMBER: US/10/301,480
;   CURRENT FILING DATE: 2002-11-21
;   PRIOR APPLICATION NUMBER: US 10/215,598
;   PRIOR FILING DATE: 2002-08-09
;   PRIOR APPLICATION NUMBER: US 60/311,695
;   PRIOR FILING DATE: 2001-08-10
;   NUMBER OF SEQ ID NOS: 1226818
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 866444
;   LENGTH: 603
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-866444

Query Match             1.4%;  Score 45;  DB 12;  Length 603;
Best Local Similarity   100.0%;  Pred. No. 29;
Matches   45;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy     3078 GTGCCACTGCACTCCAGCCTGGGCGCAACACAGAGCAAGAGACTTCTGTCTC 3122
            ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       98 GTGCCACTGCACTCCAGCCTGGGCGCAACACAGAGCAAGAGACTTCTGTCTC 54


RESULT 174
US-09-925-065A-160227/c
Sequence 160227, Application US/09925065A
Publication No. US20040181048A1
;   GENERAL INFORMATION:
;   APPLICANT: Wang, David G.
;   TITLE OF INVENTION: Identification and Mapping of Single
;   TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE: 2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
;   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 160227
```

```
;       LENGTH: 604
;       TYPE: DNA
;       ORGANISM: Homo sapiens
US-09-925-065A-160227

Qy      Query Match      1.4%;   Score 45;  DB 7;  Length 604;
Best Local Similarity   100.0%;  Pred. No. 29;
Matches 45;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Db      3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||
        99 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 55


RESULT 175
US-09-925-065A-799096/c
Sequence 799096, Application US20040181048A1
Publication No. US20040181048A1
GENERAL INFORMATION:
;       APPLICANT: Wang, David G.
;       TITLE OF INVENTION: Identification and Mapping of Single
;       TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;       FILE REFERENCE: 108827.135
;       CURRENT APPLICATION NUMBER: US/09/925,065A
;       CURRENT FILING DATE: 2001-08-08
;       PRIOR APPLICATION NUMBER: US 60/243,096
;       PRIOR FILING DATE: 2000-10-24
;       PRIOR APPLICATION NUMBER: US 60/252,147
;       PRIOR FILING DATE: 2000-11-20
;       PRIOR APPLICATION NUMBER: US 60/250,092
;       PRIOR FILING DATE: 2000-11-30
;       PRIOR APPLICATION NUMBER: US 60/261,766
;       PRIOR FILING DATE: 2001-01-16
;       PRIOR APPLICATION NUMBER: US 60/289,846
;       PRIOR FILING DATE: 2001-05-09
;       NUMBER OF SEQ ID NOS: 957086
;       SOFTWARE: FastSEQ for Windows Version 4.0
;       SEQ ID NO 799096
;       LENGTH: 604
;       TYPE: DNA
;       ORGANISM: Homo sapiens
US-09-925-065A-799096

Qy      Query Match      1.4%;   Score 45;  DB 7;  Length 604;
Best Local Similarity   100.0%;  Pred. No. 29;
Matches 45;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Db      3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||
        246 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 202


RESULT 176
US-09-925-065A-795229/c
Sequence 795229, Application US/09925065A
Publication No. US20040181048A1
GENERAL INFORMATION:
;       APPLICANT: Wang, David G.
;       TITLE OF INVENTION: Identification and Mapping of Single
;       TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;       FILE REFERENCE: 108827.135
;       CURRENT APPLICATION NUMBER: US/09/925,065A
;       CURRENT FILING DATE: 2001-08-08
;       PRIOR APPLICATION NUMBER: US 60/243,096
;       PRIOR FILING DATE: 2000-10-24
;       PRIOR APPLICATION NUMBER: US 60/252,147
;       PRIOR FILING DATE: 2000-11-20
;       PRIOR APPLICATION NUMBER: US 60/250,092
;       PRIOR FILING DATE: 2000-11-30
;       PRIOR APPLICATION NUMBER: US 60/261,766
;       PRIOR FILING DATE: 2001-01-16
;       PRIOR APPLICATION NUMBER: US 60/289,846
;       PRIOR FILING DATE: 2001-05-09
;       NUMBER OF SEQ ID NOS: 957086
;       SOFTWARE: FastSEQ for Windows Version 4.0
;       SEQ ID NO 795229
;       LENGTH: 605
;       TYPE: DNA
;       ORGANISM: Homo sapiens
US-09-925-065A-795229

Qy      Query Match      1.4%;   Score 45;  DB 7;  Length 605;
Best Local Similarity   100.0%;  Pred. No. 29;
Matches 45;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Db      3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||
        71 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 27


RESULT 177
US-09-925-065A-850785/c
Sequence 850785, Application US/09925065A
Publication No. US20040181048A1
GENERAL INFORMATION:
;       APPLICANT: Wang, David G.
;       TITLE OF INVENTION: Identification and Mapping of Single
;       TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
;       FILE REFERENCE: 108827.135
;       CURRENT APPLICATION NUMBER: US/09/925,065A
;       CURRENT FILING DATE: 2001-08-08
;       PRIOR APPLICATION NUMBER: US 60/243,096
;       PRIOR FILING DATE: 2000-10-24
;       PRIOR APPLICATION NUMBER: US 60/252,147
;       PRIOR FILING DATE: 2000-11-20
;       PRIOR APPLICATION NUMBER: US 60/250,092
;       PRIOR FILING DATE: 2000-11-30
;       PRIOR APPLICATION NUMBER: US 60/261,766
;       PRIOR FILING DATE: 2001-01-16
;       PRIOR APPLICATION NUMBER: US 60/289,846
;       PRIOR FILING DATE: 2001-05-09
;       NUMBER OF SEQ ID NOS: 957086
;       SOFTWARE: FastSEQ for Windows Version 4.0
;       SEQ ID NO 850785
;       LENGTH: 605
;       TYPE: DNA
;       ORGANISM: Homo sapiens
US-09-925-065A-850785

Qy      Query Match      1.4%;   Score 45;  DB 7;  Length 605;
Best Local Similarity   100.0%;  Pred. No. 29;
Matches 45;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

Db      3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 3122
             |||||||||||||||||||||||||||||||||||||||||||||||
        71 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGACTCTGTCTC 27


RESULT 178
US-10-301-480-441075/c
Sequence 441075, Application US/10301480
Publication No. US20060005764A1
GENERAL INFORMATION:
;       APPLICANT: Wang, David G.
;       TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
;       TITLE OF INVENTION: in the Human Genome
;       FILE REFERENCE: 108827.137
;       CURRENT APPLICATION NUMBER: US/10/301,480
;       CURRENT FILING DATE: 2002-11-21
;       PRIOR APPLICATION NUMBER: US 10/215,598
;       PRIOR FILING DATE: 2002-08-09
;       PRIOR APPLICATION NUMBER: US 60/311,695
;       PRIOR FILING DATE: 2001-08-10
;       NUMBER OF SEQ ID NOS: 1226818
;       SOFTWARE: FastSEQ for Windows Version 4.0
;       SEQ ID NO 441075
```

RESULT 179
US-10-301-480-1054484/c
Sequence 1054484, Application US/10301480
Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SEQ ID NO 1054484
; LENGTH: 606
; TYPE: DNA
; ORGANISM: Homo sapiens

Query Match 1.4%; Score 45; DB 12; Length 606;
Best Local Similarity 100.0%; Pred. No. 29;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3078 GTGCCACTGCACTCCAGCCTGGGCGCAACAGAGCAAGAGACTTCTGTCTC 3122
Db 433 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 389

RESULT 180
US-09-925-065A-846491/c
Sequence 846491, Application US/0992506A
Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 846491
; LENGTH: 624
; TYPE: DNA
; ORGANISM: Homo sapiens

US-09-925-065A-846491

Query Match 1.4%; Score 45; DB 7; Length 624;
Best Local Similarity 100.0%; Pred. No. 28;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2896 GTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
Db 399 GTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 355

RESULT 181
US-09-925-065A-839499/c
Sequence 839499, Application US/0992506A
Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 839499
; LENGTH: 627
; TYPE: DNA
; ORGANISM: Homo sapiens

Query Match 1.4%; Score 45; DB 7; Length 627;
Best Local Similarity 100.0%; Pred. No. 28;
Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2896 GTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 2940
Db 402 GTGGATCACCTGAGGCCCAGGAGTTCGAGACCAGCCTGGGCCAACAT 358

RESULT 182
US-09-925-065A-675355/c
Sequence 675355, Application US/0992506A
Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.135
; CURRENT APPLICATION NUMBER: US/09/925,065A
; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 675355

```
;  LENGTH: 662
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-09-925-065A-675355

Qy    3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||
Db     260 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 216

Query Match           1.4%;   Score 45;  DB 7;   Length 662;
Best Local Similarity 100.0%;   Pred. No. 28;
Matches  45;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
;
;
RESULT 183
US-09-925-065A-675356
Sequence 675356, Application US/09925065A
Publication No. US20040181048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 675356
;  LENGTH: 662
;  TYPE: DNA
;  ORGANISM: Homo sapiens
US-09-925-065A-675356

Qy    3078 GTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||
Db     260 GTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTCTGTCTC 216

Query Match           1.4%;   Score 45;  DB 7;   Length 662;
Best Local Similarity 100.0%;   Pred. No. 28;
Matches  45;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
;
;
RESULT 184
US-10-301-480-34229
Sequence 34229, Application US/10301480
Publication No. US20060057564A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
TITLE OF INVENTION: in the Human Genome
FILE REFERENCE: 108827.137
CURRENT APPLICATION NUMBER: US/10/301,480
CURRENT FILING DATE: 2002-11-21
PRIOR APPLICATION NUMBER: US 10/215,598
PRIOR FILING DATE: 2002-08-09
PRIOR APPLICATION NUMBER: US 60/311,695
PRIOR FILING DATE: 2001-08-10
NUMBER OF SEQ ID NOS: 1226818
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 34229
;  LENGTH: 713
;  TYPE: DNA
;  ORGANISM: Homo sapien
;
;
```

```
US-10-301-480-34229

Query Match           1.4%;   Score 45;  DB 11;  Length 713;
Best Local Similarity 100.0%;   Pred. No. 27;
Matches  45;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    3077 TGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 3121
           |||||||||||||||||||||||||||||||||||||||||||||||
Db     468 TGTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCT 512
;
;
RESULT 185
US-10-301-480-647638
Sequence 647638, Application US/10301480
Publication No. US20060057564A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of single Nucleotide Polymorphisms
TITLE OF INVENTION: in the Human Genome
FILE REFERENCE: 108827.137
CURRENT APPLICATION NUMBER: US/10/301,480
CURRENT FILING DATE: 2002-11-21
PRIOR APPLICATION NUMBER: US 10/215,598
PRIOR FILING DATE: 2002-08-09
PRIOR APPLICATION NUMBER: US 60/311,695
PRIOR FILING DATE: 2001-08-10
NUMBER OF SEQ ID NOS: 1226818
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 647638
;  LENGTH: 713
;  TYPE: DNA
;  ORGANISM: Homo sapien
US-10-301-480-647638

Qy    3077 TGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTCTGTCT 3121
           |||||||||||||||||||||||||||||||||||||||||||||||
Db     468 TGTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTCTGTCT 512

Query Match           1.4%;   Score 45;  DB 12;  Length 723;
Best Local Similarity 100.0%;   Pred. No. 26;
Matches  45;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
;
;
RESULT 186
US-10-301-480-593973
Sequence 593973, Application US/10301480
Publication No. US20060057564A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
TITLE OF INVENTION: in the Human Genome
FILE REFERENCE: 108827.137
CURRENT APPLICATION NUMBER: US/10/301,480
CURRENT FILING DATE: 2002-11-21
PRIOR APPLICATION NUMBER: US 10/215,598
PRIOR FILING DATE: 2002-08-09
PRIOR APPLICATION NUMBER: US 60/311,695
PRIOR FILING DATE: 2001-08-10
NUMBER OF SEQ ID NOS: 1226818
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 593973
;  LENGTH: 723
;  TYPE: DNA
;  ORGANISM: Homo sapien
US-10-301-480-593973

Qy    3078 GTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTCTGTCTC 3122
           |||||||||||||||||||||||||||||||||||||||||||||||
Db     113 GTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTCTGTCTC 69
```

RESULT 187
US-10-301-480-1207382/c
Sequence 1207382, Application US/10301480
Publication No. US20060057564A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
TITLE OF INVENTION: in the Human Genome
FILE REFERENCE: 108827.137
CURRENT APPLICATION NUMBER: US/10/301,480
CURRENT FILING DATE: 2002-11-21
PRIOR APPLICATION NUMBER: US 10/215,598
PRIOR FILING DATE: 2002-08-09
PRIOR APPLICATION NUMBER: US 60/311,695
PRIOR FILING DATE: 2001-08-10
NUMBER OF SEQ ID NOS: 1226818
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 1207382
LENGTH: 723
TYPE: DNA
ORGANISM: Homo sapien
US-10-301-480-1207382

Query Match   1.4%; Score 45; DB 12; Length 723;
Best Local Similarity 100.0%;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy 3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db 113 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 69

RESULT 188
US-10-301-480-572562
Sequence 572562, Application US/10301480
Publication No. US20060057564A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
TITLE OF INVENTION: in the Human Genome
FILE REFERENCE: 108827.137
CURRENT APPLICATION NUMBER: US/10/301,480
CURRENT FILING DATE: 2002-11-21
PRIOR APPLICATION NUMBER: US 10/215,598
PRIOR FILING DATE: 2002-08-09
PRIOR APPLICATION NUMBER: US 60/311,695
PRIOR FILING DATE: 2001-08-10
NUMBER OF SEQ ID NOS: 1226818
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 572562
LENGTH: 745
TYPE: DNA
ORGANISM: Homo sapien
US-10-301-480-572562

Query Match   1.4%; Score 45; DB 12; Length 745;
Best Local Similarity 100.0%;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy 3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db 560 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 604

RESULT 189
US-10-301-480-1185971
Sequence 1185971, Application US/10301480
Publication No. US20060057564A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms

RESULT 190
US-09-925-065A-13524/c
Sequence 13524, Application US/0992565A
Publication No. US20040181048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A
CURRENT FILING DATE: 2001-08-08
PRIOR APPLICATION NUMBER: US 60/243,096
PRIOR FILING DATE: 2000-10-24
PRIOR APPLICATION NUMBER: US 60/252,147
PRIOR FILING DATE: 2000-11-20
PRIOR APPLICATION NUMBER: US 60/250,092
PRIOR FILING DATE: 2000-11-30
PRIOR APPLICATION NUMBER: US 60/261,766
PRIOR FILING DATE: 2001-01-16
PRIOR APPLICATION NUMBER: US 60/289,846
PRIOR FILING DATE: 2001-05-09
NUMBER OF SEQ ID NOS: 957086
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 13524
LENGTH: 793
TYPE: DNA
ORGANISM: Homo sapiens
US-09-925-065A-13524

Query Match   1.4%; Score 45; DB 7; Length 793;
Best Local Similarity 100.0%;
Matches   45; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy 3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 3122
        ||||||||||||||||||||||||||||||||||||||||||||||||
Db 740 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTTCTGTCTC 696

RESULT 191
US-09-925-065A-77588/c
Sequence 77588, Application US/0992565A
Publication No. US20040181048A1
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single
TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome
FILE REFERENCE: 108827.135
CURRENT APPLICATION NUMBER: US/09/925,065A

RESULT 192
US-10-301-480-114761/c
; Sequence 114761, Application US20060057564A1
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 114761
;   LENGTH: 793
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-114761

  Query Match   1.4%; Score 45; DB 7; Length 793;
  Best Local Similarity   100.0%; Pred. No. 25;
  Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   740 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 696

RESULT 193
US-10-301-480-178827/c
; Sequence 178827, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 178827
;   LENGTH: 793
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-178827

  Query Match   1.4%; Score 45; DB 11; Length 793;
  Best Local Similarity   100.0%; Pred. No. 25;
  Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   740 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 696

RESULT 194
US-10-301-480-728170/c
; Sequence 728170, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 728170
;   LENGTH: 793
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-728170

  Query Match   1.4%; Score 45; DB 11; Length 793;
  Best Local Similarity   100.0%; Pred. No. 25;
  Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   740 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 696

RESULT 195
US-10-301-480-792236/c
; Sequence 792236, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 792236
;   LENGTH: 793
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-10-301-480-792236

  Query Match   1.4%; Score 45; DB 12; Length 793;
  Best Local Similarity   100.0%; Pred. No. 25;
  Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   740 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 696

; CURRENT FILING DATE: 2001-08-08
; PRIOR APPLICATION NUMBER: US 60/243,096
; PRIOR FILING DATE: 2000-10-24
; PRIOR APPLICATION NUMBER: US 60/252,147
; PRIOR FILING DATE: 2000-11-20
; PRIOR APPLICATION NUMBER: US 60/250,092
; PRIOR FILING DATE: 2000-11-30
; PRIOR APPLICATION NUMBER: US 60/261,766
; PRIOR FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: US 60/289,846
; PRIOR FILING DATE: 2001-05-09
; NUMBER OF SEQ ID NOS: 957086
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 77588
;   LENGTH: 793
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-77588

  Query Match   1.4%; Score 45; DB 7; Length 793;
  Best Local Similarity   100.0%; Pred. No. 25;
  Matches 45; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   3078 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db   740 GTGCCACTGCACTCCAGCCTGGGCCAACAGAGCAAGAGACTCTGTCTC 696

RESULT 196
US-10-301-480-556511/c
; Sequence 556511, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 556511
; LENGTH: 803
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-556511

Query Match　　　　1.4%;　Score 45;　DB 12;　Length 793;
Best Local Similarity　100.0%;　Pred. No. 25;
Matches　45;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
　　　　　||||||||||||||||||||||||||||||||||||||||||||||||
Db　740 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 696

RESULT 197
US-10-301-480-1169920/c
; Sequence 1169920, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1169920
; LENGTH: 803
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1169920

Query Match　　　　1.4%;　Score 45;　DB 12;　Length 803;
Best Local Similarity　100.0%;　Pred. No. 25;
Matches　45;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
　　　　　||||||||||||||||||||||||||||||||||||||||||||||||
Db　186 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 142

RESULT 198
US-10-301-480-556318/c
; Sequence 556318, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 556318
; LENGTH: 818
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-556318

Query Match　　　　1.4%;　Score 45;　DB 12;　Length 818;
Best Local Similarity　100.0%;　Pred. No. 25;
Matches　45;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
　　　　　||||||||||||||||||||||||||||||||||||||||||||||||
Db　186 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 142

RESULT 199
US-10-301-480-1169727/c
; Sequence 1169727, Application US/10301480
; Publication No. US20060057564A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide Polymorphisms
; TITLE OF INVENTION: in the Human Genome
; FILE REFERENCE: 108827.137
; CURRENT APPLICATION NUMBER: US/10/301,480
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: US 10/215,598
; PRIOR FILING DATE: 2002-08-09
; PRIOR APPLICATION NUMBER: US 60/311,695
; PRIOR FILING DATE: 2001-08-10
; NUMBER OF SEQ ID NOS: 1226818
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1169727
; LENGTH: 818
; TYPE: DNA
; ORGANISM: Homo sapien
US-10-301-480-1169727

Query Match　　　　1.4%;　Score 45;　DB 12;　Length 818;
Best Local Similarity　100.0%;　Pred. No. 25;
Matches　45;　Conservative　0;　Mismatches　0;　Indels　0;　Gaps　0;

Qy　3078 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 3122
　　　　　||||||||||||||||||||||||||||||||||||||||||||||||
Db　186 GTGCCACTGCACTCCAGCCTGGGCAACAGAGCAAGAGACTCTGTCTC 142

RESULT 200
US-09-925-065A-88887
; Sequence 88887, Application US/09925065A
; Publication No. US20040181048A1
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single
; TITLE OF INVENTION: Nucleotide Polymorphisms in the Human Genome

```
;   FILE REFERENCE: 108827.135
;   CURRENT APPLICATION NUMBER: US/09/925,065A
;   CURRENT FILING DATE:   2001-08-08
;   PRIOR APPLICATION NUMBER: US 60/243,096
>   PRIOR FILING DATE: 2000-10-24
;   PRIOR APPLICATION NUMBER: US 60/252,147
;   PRIOR FILING DATE: 2000-11-20
;   PRIOR APPLICATION NUMBER: US 60/250,092
;   PRIOR FILING DATE: 2000-11-30
;   PRIOR APPLICATION NUMBER: US 60/261,766
;   PRIOR FILING DATE: 2001-01-16
;   PRIOR APPLICATION NUMBER: US 60/289,846
;   PRIOR FILING DATE: 2001-05-09
;   NUMBER OF SEQ ID NOS: 957086
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 88887
;   LENGTH: 896
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-925-065A-88887

  Query Match      1.4%;  Score 45;  DB 7;  Length 896;
  Best Local Similarity   100.0%;  Pred. No. 24;
  Matches   45;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy      3078 GTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTCTGTCTC 3122
             ||||||||||||||||||||||||||||||||||||||||||||||||
Db       457 GTGCCACTGCACTCCAGCCTGGGGCAACAGAGCAAGAGACTCTGTCTC 501
```

THIS PAGE BLANK (USPTO)